NUREG–0540
Vol. 17, No. 5

Title List of Documents Made Publicly Available

May 1–31, 1995

U.S. Nuclear Regulatory Commission

Office of Administration

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555–0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402–9328
3. The National Technical Information Service, Springfield, VA 22161–0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852–2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018–3308.

A year's subscription of this report consists of 12 monthly issues.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

NUREG–0540
Vol. 17, No. 5

Title List of Documents Made Publicly Available

May 1–31, 1995

Date Published: July 1995

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555–0001

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

CONTENTS

Preface v
Arrangement of Items by Docket Number ix
Alphabetic Arrangement of Docket Items by Facility Name xv
Docketed Items 1
Low-Level Radwaste Disposal Sites — Docket 27 1
Domestic Licensing of Source Material — Docket 40 1
Domestic Licensing of Production and Utilization Facilities — Docket 50 9
Standardized Nuclear Power Plant Design — Docket 52 160
Domestic Licensing of Special Nuclear Material — Docket 70 162
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 168
Licensing of Independent Spent Fuel Storage — Docket 72 171
Nondocketed Items 173
10 CFR — Commission Meeting Records 173
ACNW — Advisory Committee on Nuclear Waste 173
ACRS — Advisory Committee on Reactor Safeguards 173
ADVCM — NRC Advisory Committee 174
COMMISSION — NRC Commissioners 174
CONTRACT — NRC Contracts and Modifications 175
FOIA — Freedom of Information Act Requests and Releases 177
GEN TECH IS — Generic Technical Issues 194
I&E — Inspection and Enforcement 194
MISC — Public Document Room Miscellaneous 196
NUREG — NUREG Reports and Related Correspondence 196
ORG — Correspondence with Other Organizations 198
PR — Proposed Rule 200
PRESS — Press Releases 202
PRM — Petition for Rulemaking 203
PROJ — Projects-Predocket Licensing 203
PT21 — Noncompliance Reports and Related Correspondence 204
QA999 — Quality Assurance Inspections 204
REGGD — Regulatory Guides 205
REVIEW GRP — NRC Research Review Groups 205
SECY — Position Papers Before the Commission 206
SPEECHES SPEECHES 206
STATE PROG — State Programs 206
TOPREP — Vendor Reports and Related Correspondence 214
WASTE MGT — Nuclear Waste Management 216
XPORTLIC — Export and Import Licenses 220
Personal Author Index 223
Corporate Source Index 243
Report Number Index 261
Cross Reference of Enclosures to Principal Documents 263
Appendix A — Definitions of Docket 50 Categories A-1
Appendix B — Definitions of Nondocketed Categories B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR). Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

A. Application/construction stage documents and correspondence
B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
C. Utility Environmental Reports (ER), amendments, and correspondence
D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
E. NRC Safety Evaluation Reports (SER), supplements and correspondence
F. Security, medical, emergency, and fire-protection plans
G. Legal and adjudicatory correspondence
H. General correspondence
I. Financial information
J. Insurance and indemnity information
K. Utility Final Safety Analysis Reports (FSAR) and amendments
L. Limited work authorizations (LWA) and related correspondence
M. Antitrust reviews and antitrust correspondence
N. Antitrust hearing transcripts, testimony, and briefings
O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
P. Operating license stage documents and correspondence
Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

R. Periodic operating reports and related correspondence
S. Reportable occurrences, PNOs, PNSs, and related correspondence
T. Transcripts, testimony, and briefings on non-antitrust matters
U. Congressional/executive correspondence
V. Licensing of operators and related correspondence
W. Decommissioning stage documents and correspondence
X. Onsite storage of low-level waste
Y. Independent spent fuel storage installations

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the entries in the list are

(1) P. Operating license stage documents & correspondence

(2) (3)
8907070172 Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.

(4) (5) (6)
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 89/06/27

(7) (8) (9) (10) (11) (12) (13)
CLARK, P.R. General Public Utilities Corp.—GPU Service Corp. 2 pp. 50442:181–50442:182

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.
11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records

ACRS—Advisory Committee on Reactor Safeguards

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioners

CONTRACT—NRC Contracts and Modifications

FOIA—Freedom of Information Act Requests and Releases

GEN TECH IS—Generic Technical Issues

IE—Inspection and Enforcement Issuances

MISC—Public Document Room Miscellaneous

NUREG—NRC-Issued Formal Reports and Related Correspondence

ORG—Organizational File

PR—Proposed Rules

PRM—Petitions for Rulemaking

PROJ—Projects

PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports

REVIEW GRP—Research Review Groups

RM—Rulemakings

SECY—Staff Position Papers Before the Commission

STATE PROG—State Programs

TOPREP—Vendor Topical Reports and Correspondence

WASH—AEC-Issued Formal Reports and Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Documents

XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

(1) NUREG—NRC-Issued Formal Reports and Related Correspondence

(2) (3) (4)
8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2

(5) (6)
OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

(7) (8) (9) (10) (11)
FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

(12) (13) (14) (15)
51409:065-51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

NONDOCKETED ITEMS (cont.)

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract of financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is

   Superintendent of Documents
   U.S. Government Printing Office
   P.O. Box 37082
   Washington, DC 20013-7082

   To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is

   National Technical Information Service
   5285 Port Royal Road
   Springfield, Virginia 22161

   To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is

   2120 L Street, NW.
   Washington, DC 20555

   The mailing address is

   U.S. Nuclear Regulatory Commission
   Public Document Room
   Mail Stop LL-6
   Washington, DC 20555

   Telefacsimile

   202/634-3343

   Telephone

   202/634-3273

   To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27		
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1
DOCKET	UNKNOWN	1
Domestic Licensing of Source Material - Docket 40		
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1
40-0341	GENERAL SERVICES ADMIN., WASHINGTON, DC	1
40-0564	WELLMAN DYNAMICS CORP., CRESTON, IA	1
40-0672	NUCLEAR METALS, INC., CONCORD, MA	1
40-1020	MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	2
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	2
40-1478	KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK	2
40-1650	WYMAN-GORDON CO., NORTH GRAFTON, MA	2
40-1790	WELLMAN DYNAMICS CORP., MIDLAND, MI	2
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	3
40-2384	RMI CO., ASHTABULA, OH	3
40-2975	CERAMIC COLOR & CHEMICAL MFG. CO., NEW BRIGHTON, PA	3
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	3
40-3453	ATLAS CORP., DENVER, CO	3
40-6563	MALLINCKRODT, INC., ST. LOUIS, MO	4
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	4
40-6940	CABOT CORP., BOYERTOWN, PA	4
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	4
40-7397	FOOTE MINERAL CO., EXTON, PA	4
40-7455	WHITTAKER CORP., LOS ANGELES, CA	4
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	4
40-7604	BP CHEMICALS AMERICA, INC., LIMA, OH	4
40-8027	SEQUOYAH FUELS CORP., GORE, OK	4
40-8434	HOMESTAKE MINING CO., LAKEWOOD, CO	5
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	5
40-8502	TOTAL MINERALS CORP., CASPER, WY	5
40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	6
40-8585	WYOMING MINERAL CORP., LAKEWOOD, CO	6
40-8610	STEPAN CHEMICAL CO., MAYWOOD, NJ	6
40-8681	UMETCO MINERALS CORP., BLANDING, UT	6
40-8698	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	6
40-8702	ARMY, DEPT. OF, ROCK ISLAND, IL	6
40-8724	CHEMETRON CORP., PROVIDENCE, RI	6
40-8742	CHEMETRON CORP., CHICAGO, IL	6
40-8778	MOLYCORP, INC., LOS ANGELES, CA	6
40-8794	MOLYCORP, INC., LOS ANGELES, CA	6
40-8838	ARMY, DEPT. OF, MADISON, IN	6
40-8857	POWER RESOURCES, INC., GLENROCK, WY	6
40-8866	NUCLEAR METALS, INC., CONCORD, MA	7
40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	7
40-8903	HOMESTAKE MINING CO., GRANTS, NM	7
40-8905	QUIVIRA MINING CO., GRANTS, NM	7
40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	7
40-8914	HECLA MINING CO., COEUR D'ALENE, ID	8
40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	8
40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	8
40-8964	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	9
40-8968	HYDRO RESOURCES, INC., DALLAS, TX	9
40-8976	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	9
40-8984	MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ	9
40-9015	MICHIGAN, STATE OF, BAY CITY, MI	9
40-9024	ENERGY FUELS NUCLEAR	9
40-9027	CABOT CORP. READING & REVERE	9
Domestic Licensing of Production and Utilization Facilities - Docket 50		
50-2	FORD NUCLEAR REACTOR	9
50-3	INDIAN POINT STATION, UNIT 1	9
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	10
50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	10
50-29	YANKEE-ROWE NUCLEAR POWER STATION	10
50-54	CINTICHEM	10

Docket	Name	Page
50-57	BUFFALO MATERIALS RESEARCH CENTER	11
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	11
50-83	UNIV. OF FLORIDA TRAINING REACTOR	11
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	11
50-134	WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	11
50-139	UNIV. OF WASHINGTON RESEARCH REACTOR	11
50-150	OHIO STATE UNIV. RESEARCH REACTOR	11
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	11
50-155	BIG ROCK POINT NUCLEAR PLANT	12
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	12
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	13
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	13
50-184	NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	13
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	13
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	13
50-199	MANHATTAN COLLEGE RESEARCH REACTOR	13
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	14
50-213	HADDAM NECK PLANT	14
50-219	OYSTER CREEK NUCLEAR POWER PLANT	15
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	16
50-223	UNIV. OF LOWELL RESEARCH REACTOR	17
50-225	RPI CRITICAL EXPERIMENT	17
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	17
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	18
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	19
50-247	INDIAN POINT STATION, UNIT 2	21
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	22
50-250	TURKEY POINT PLANT, UNIT 3	23
50-251	TURKEY POINT PLANT, UNIT 4	25
50-252	UNIV. OF NEW MEXICO RESEARCH REACTOR	27
50-254	QUAD-CITIES STATION, UNIT 1	27
50-255	PALISADES NUCLEAR PLANT	28
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	30
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	31
50-261	H.B. ROBINSON PLANT, UNIT 2	33
50-263	MONTICELLO NUCLEAR GENERATING PLANT	34
50-265	QUAD-CITIES STATION, UNIT 2	35
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	36
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	37
50-269	OCONEE NUCLEAR STATION, UNIT 1	38
50-270	OCONEE NUCLEAR STATION, UNIT 2	39
50-271	VERMONT YANKEE NUCLEAR POWER STATION	41
50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	42
50-274	U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	43
50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	43
50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	45
50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	46
50-280	SURRY POWER STATION, UNIT 1	47
50-281	SURRY POWER STATION, UNIT 2	48
50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50
50-285	FORT CALHOUN STATION, UNIT 1	51
50-286	INDIAN POINT STATION, UNIT 3	52
50-287	OCONEE NUCLEAR STATION, UNIT 3	53
50-288	REED COLLEGE RESEARCH REACTOR	55
50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	55
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	56
50-295	ZION NUCLEAR POWER STATION, UNIT 1	57
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	58
50-297	NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	60
50-298	COOPER NUCLEAR STATION	60
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	61
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	62
50-303	CRYSTAL RIVER NUCLEAR PLANT, UNIT 4	63
50-304	ZION NUCLEAR POWER STATION, UNIT 2	64
50-305	KEWAUNEE NUCLEAR POWER PLANT	65

Docket	Name	Page
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	66
50-309	MAINE YANKEE ATOMIC POWER PLANT	67
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	69
50-312	RANCHO SECO NUCLEAR GENERATING STATION	70
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	71
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	72
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	73
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	73
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	74
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	75
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	75
50-322	SHOREHAM NUCLEAR POWER STATION	76
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	76
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	78
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	79
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	81
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	82
50-329	MIDLAND PLANT, UNIT 1	83
50-330	MIDLAND PLANT, UNIT 2	83
50-331	DUANE ARNOLD ENERGY CENTER	83
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	84
50-334	BEAVER VALLEY POWER STATION, UNIT 1	85
50-335	ST. LUCIE PLANT, UNIT 1	86
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	87
50-338	NORTH ANNA POWER STATION, UNIT 1	89
50-339	NORTH ANNA POWER STATION, UNIT 2	90
50-340	SEABROOK NUCLEAR STATION, UNIT 1	92
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	92
50-344	TROJAN NUCLEAR PLANT	93
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	94
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	94
50-349	FUKUSHIMA STATION, UNIT 2	96
50-352	LIMERICK GENERATING STATION, UNIT 1	96
50-353	LIMERICK GENERATING STATION, UNIT 2	97
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	98
50-356	UNIV. OF ILLINOIS RESEARCH REACTOR	99
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	99
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	100
50-363	FORKED RIVER NUCLEAR STATION, UNIT 1	101
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	101
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	102
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	103
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	105
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	106
50-373	LASALLE COUNTY STATION, UNIT 1	107
50-374	LASALLE COUNTY STATION, UNIT 2	108
50-382	WATERFORD GENERATING STATION, UNIT 3	110
50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	111
50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	112
50-389	ST. LUCIE PLANT, UNIT 2	113
50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	114
50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	116
50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	118
50-397	WPPSS NUCLEAR PROJECT, UNIT 2	119
50-398	MENDOCINO, UNIT 1	120
50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	120
50-409	LA CROSSE BOILING WATER REACTOR	121
50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	121
50-412	BEAVER VALLEY POWER STATION, UNIT 2	122
50-413	CATAWBA NUCLEAR STATION, UNIT 1	123
50-414	CATAWBA NUCLEAR STATION, UNIT 2	124
50-416	GRAND GULF NUCLEAR STATION, UNIT 1	126
50-417	GRAND GULF NUCLEAR STATION, UNIT 2	126
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	127
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	129

Docket	Name	Page
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	132
STN-50-437	FLOATING NUCLEAR PLANT	134
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	134
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	134
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	135
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	136
50-443	SEABROOK NUCLEAR STATION, UNIT 1	136
50-444	SEABROOK NUCLEAR STATION, UNIT 2	138
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	138
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	139
STN-50-454	BYRON STATION, UNIT 1	141
STN-50-455	BYRON STATION, UNIT 2	142
STN-50-456	BRAIDWOOD STATION, UNIT 1	143
STN-50-457	BRAIDWOOD STATION, UNIT 2	144
50-458	RIVER BEND STATION, UNIT 1	145
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	146
50-461	CLINTON POWER STATION, UNIT 1	146
STN-50-482	WOLF CREEK GENERATING STATION	147
STN-50-483	CALLAWAY PLANT, UNIT 1	148
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	149
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	152
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	155
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	155
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	157
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	158
50-537	CLINCH RIVER BREEDER REACTOR	159
50-602	UNIV. OF TEXAS RESEARCH REACTOR	160
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	160
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	160
52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	162
52-005	CANDU 3U AECL TECHNOLOGIES, INC.	162

Docket	Name	Page
Domestic Licensing of Special Nuclear Material - Docket 70		
70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	162
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	162
70-0033	TEXAS INSTRUMENTS, INC., ATTLEBORO, MA	163
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	163
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	163
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	164
70-0267	NEW YORK, STATE UNIV. OF, BUFFALO, NY	164
70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	164
70-0687	CINTICHEM, INC., TUXEDO, NY	164
70-0712	KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	164
70-0734	GENERAL ATOMICS, SAN DIEGO, CA	164
70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	164
70-0832	MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	164
70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	164
70-1068	FLORIDA, UNIV. OF, GAINESVILLE, FL	165
70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	165
70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	165
70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	165
70-1201	B&W FUEL CO., LYNCHBURG, VA	165
70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	165
70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	166
70-1489	GOODYEAR AEROSPACE CORP., AKRON, OH	166
70-1703	EASTMAN KODAK CO., ROCHESTER, NY	166
70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	166
70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	167
70-3082	ARMY, DEPT. OF, REDSTONE ARSENAL, AL	167
70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	167
70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	167
DOCKET	UNKNOWN	167

Docket	Name	Page
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
71-0001	ANEFCO, INC.	168
71-0015	CBI INDUSTRIES, INC.	168
71-0068	YANKEE ATOMIC ELECTRIC CO.	168
71-0097	NONDESTRUCTIVE INSPECTION SERVICE	168
71-0226	NEW YORK, STATE UNIV. OF	168
71-0301	CTL ENGINEERING, INC.	168
71-0348	MICHIGAN, UNIV. OF	168
71-0368	BRANCH RADIOGRAPHIC LABORATORIES, INC.	168
71-0377	INDIANA MICHIGAN POWER CO.	168
71-0532	WESTERN X-RAY	168
71-0696	GEORGIA POWER CO.	168
71-0697	NAVY, DEPT. OF	169
71-0709	BASIN INDUSTRIAL X-RAY, INC.	169
71-0798	CASE WESTERN RESERVE UNIVERSITY	169
71-0810	ENVIRONMENTAL TECHNOLOGIES, INC.	169
71-3022	MODEL: TN 7401 /1/, TRANSPORTATION, DEPT. OF	169
71-3024	MODEL: 2842A, TRANSPORTATION, DEPT OF	169
71-5149	MODEL: 814A, BABCOCK & WILCOX CO.	169
71-5805	MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	169
71-5830	MODEL: SNAP 21, NAVY, DEPT. OF	169
71-5926	MODEL: GE-100, GENERAL ELECTRIC CO.	169
71-5957	MODEL: BMI-1, CINTICHEM, INC.	169
71-5984	MODEL: 5984, J.L. SHEPHERD & ASSOCIATES	169
71-6294	MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	169
71-6786	MODEL: URIPS-8A & URIPS-8B, NAVY, DEPT. OF	169
71-9001	MODEL: IF-300, NUCLEAR PACKAGING, INC.	169
71-9030	MODEL: SENTINEL-8, -3 & MW-3000, TELEDYNE ENERGY	169
71-9032	MODEL: 650, AMERSHAM CORP.	169
71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	170
71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	170
71-9039	MODEL: 715, AMERSHAM CORP.	170
71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	170
71-9071	MODEL: AP-101, ANEFCO, INC.	170
71-9096	MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	170
71-9148	MODEL: 770, AMERSHAM CORP.	170
71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	170
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	170
71-9182	MODEL: HUSMAN IRRADIATOR, AGRICULTURE, DEPT. OF	170
71-9196	MODEL: UX-30, NUCLEAR PACKAGING, INC.	170
71-9225	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	170
71-9226	MODEL: GA-4, GENERAL ATOMICS	170
71-9227	MODEL: GA-9, GENERAL ATOMICS	170
71-9228	MODEL: 2000, GENERAL ELECTRIC CO.	170
71-9245	MODEL: RTS-420, RTS TECHNOLOGY, INC.	170
71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	170
71-9251	MODEL: BW-2901, B&W FUEL CO.	170
71-9259	MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL	171
71-9260	MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC	171
71-9263	MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	171
71-9793	MODEL: M-140, ENERGY, DEPT. OF	171
Licensing of Independent Spent Fuel Storage - Docket 72		
72-0002	VIRGINIA ELECTRIC & POWER CO. 50-280 & 50-281	171
72-0003	H.B. ROBINSON ISFSI, 50-261	171
72-0004	OCONEE ISFSI, 50-269, 50-270 & 50-287	171
72-0005	ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301	171
72-0007	ISFSI PALISADES GEN LIC/VSC-24, 50-255	171
72-0009	FORT ST. VRAIN ISFSI, 50-267	171
72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	171
72-0011	RANCHO SECO ISFSI, 50-312	172
72-0016	VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339	172
72-0017	TROJAN ISFSI, 50-344	172
72-0018	PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	172
72-1007	MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	172

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27		
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1
Domestic Licensing of Source Material - Docket 40		
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	3
ARMY, DEPT. OF, MADISON, IN	40-8838	6
ARMY, DEPT. OF, ROCK ISLAND, IL	40-8702	6
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	7
ATLAS CORP., DENVER, CO	40-3453	3
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	5
BP CHEMICALS AMERICA, INC., LIMA, OH	40-7604	4
CABOT CORP. READING & REVERE	40-9027	9
CABOT CORP., BOYERTOWN, PA	40-6940	4
CERAMIC COLOR & CHEMICAL MFG. CO., NEW BRIGHTON, PA	40-2975	3
CHEMETRON CORP., CHICAGO, IL	40-8742	6
CHEMETRON CORP., PROVIDENCE, RI	40-8724	6
ENERGY FUELS NUCLEAR	40-9024	9
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	4
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	8
FOOTE MINERAL CO., EXTON, PA	40-7397	4
GENERAL SERVICES ADMIN., WASHINGTON, DC	40-0341	1
HECLA MINING CO., COEUR D'ALENE, ID	40-8914	8
HOMESTAKE MINING CO., GRANTS, NM	40-8903	7
HOMESTAKE MINING CO., LAKEWOOD, CO	40-8434	5
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	9
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	6
KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK	40-1478	2
MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ	40-8984	9
MALLINCKRODT, INC., ST. LOUIS, MO	40-6563	4
MICHIGAN, STATE OF, BAY CITY, MI	40-9015	9
MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	40-1020	2
MOLYCORP, INC., LOS ANGELES, CA	40-8794	6
MOLYCORP, INC., LOS ANGELES, CA	40-8778	6
NUCLEAR METALS, INC., CONCORD, MA	40-8866	7
NUCLEAR METALS, INC., CONCORD, MA	40-0672	1
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	3
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	4
PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8698	6
POWER RESOURCES, INC., GLENROCK, WY	40-8857	6
QUIVIRA MINING CO., GRANTS, NM	40-8905	7
RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	40-8964	9
RMI CO., ASHTABULA, OH	40-2384	3
SEQUOYAH FUELS CORP., GORE, OK	40-8027	4
SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	8
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	4
STEPAN CHEMICAL CO., MAYWOOD, NJ	40-8610	6
TOTAL MINERALS CORP., CASPER, WY	40-8502	5
UMETCO MINERALS CORP., BLANDING, UT	40-8681	6
UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	7
WELLMAN DYNAMICS CORP., CRESTON, IA	40-0564	1
WELLMAN DYNAMICS CORP., MIDLAND, MI	40-1790	2
WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	2
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	40-8976	9
WHITTAKER CORP., LOS ANGELES, CA	40-7455	4
WYMAN-GORDON CO., NORTH GRAFTON, MA	40-1650	2
WYOMING MINERAL CORP., LAKEWOOD, CO	40-8585	6
Domestic Licensing of Production and Utilization Facilities - Docket 50		
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	129
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	132
ARKANSAS NUCLEAR ONE, UNIT 1	50-313	71
ARKANSAS NUCLEAR ONE, UNIT 2	50-368	103
ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	13
BEAVER VALLEY POWER STATION, UNIT 1	50-334	85
BEAVER VALLEY POWER STATION, UNIT 2	50-412	122
BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	134
BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	134
BIG ROCK POINT NUCLEAR PLANT	50-155	12
BRAIDWOOD STATION, UNIT 1	STN-50-456	143
BRAIDWOOD STATION, UNIT 2	STN-50-457	144
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	30
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	31

Name	Docket	Page
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	58
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	79
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	78
BUFFALO MATERIALS RESEARCH CENTER	50-57	11
BYRON STATION, UNIT 1	STN-50-454	141
BYRON STATION, UNIT 2	STN-50-455	142
CALLAWAY PLANT, UNIT 1	STN-50-483	148
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	73
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	74
CATAWBA NUCLEAR STATION, UNIT 1	50-413	123
CATAWBA NUCLEAR STATION, UNIT 2	50-414	124
CINTICHEM	50-54	10
CLINCH RIVER BREEDER REACTOR	50-537	159
CLINTON POWER STATION, UNIT 1	50-461	146
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	138
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	139
COOPER NUCLEAR STATION	50-298	60
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	62
CRYSTAL RIVER NUCLEAR PLANT, UNIT 4	50-303	63
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	94
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	43
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	76
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	72
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	73
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	10
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	17
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	22
DUANE ARNOLD ENERGY CENTER	50-331	83
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	75
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	102
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	92
FLOATING NUCLEAR PLANT	STN-50-437	134
FORD NUCLEAR REACTOR	50-2	9
FORKED RIVER NUCLEAR STATION, UNIT 1	50-363	101
FORT CALHOUN STATION, UNIT 1	50-285	51
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	37
FUKUSHIMA STATION, UNIT 2	50-349	96
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	12
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	126
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	126
H.B. ROBINSON PLANT, UNIT 2	50-261	33
HADDAM NECK PLANT	50-213	14
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	98
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	11
INDIAN POINT STATION, UNIT 1	50-3	9
INDIAN POINT STATION, UNIT 2	50-247	21
INDIAN POINT STATION, UNIT 3	50-286	52
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	84
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	94
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	101
KEWAUNEE NUCLEAR POWER PLANT	50-305	65
LA CROSSE BOILING WATER REACTOR	50-409	121
LASALLE COUNTY STATION, UNIT 1	50-373	107
LASALLE COUNTY STATION, UNIT 2	50-374	108
LIMERICK GENERATING STATION, UNIT 1	50-352	96
LIMERICK GENERATING STATION, UNIT 2	50-353	97
MAINE YANKEE ATOMIC POWER PLANT	50-309	67
MANHATTAN COLLEGE RESEARCH REACTOR	50-199	13
MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	10
MENDOCINO, UNIT 1	50-398	120
MIDLAND PLANT, UNIT 1	50-329	83
MIDLAND PLANT, UNIT 2	50-330	83
MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	19
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	87
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	127
MONTICELLO NUCLEAR GENERATING PLANT	50-263	34
NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	50-184	13
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	16
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	121
NORTH ANNA POWER STATION, UNIT 1	50-338	89
NORTH ANNA POWER STATION, UNIT 2	50-339	90

Name	Docket	Page
NORTH CAROLINA STATE UNIV. PULSTAR REACTOR	50-297	60
OCONEE NUCLEAR STATION, UNIT 1	50-269	38
OCONEE NUCLEAR STATION, UNIT 2	50-270	39
OCONEE NUCLEAR STATION, UNIT 3	50-287	53
OHIO STATE UNIV. RESEARCH REACTOR	50-150	11
OYSTER CREEK NUCLEAR POWER PLANT	50-219	15
PALISADES NUCLEAR PLANT	50-255	28
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	155
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	157
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	158
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	13
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	45
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	46
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	135
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	136
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	56
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	36
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	61
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	50
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	66
QUAD-CITIES STATION, UNIT 1	50-254	27
QUAD-CITIES STATION, UNIT 2	50-265	35
RANCHO SECO NUCLEAR GENERATING STATION	50-312	70
REED COLLEGE RESEARCH REACTOR	50-288	55
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	13
RIVER BEND STATION, UNIT 1	50-458	145
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	18
RPI CRITICAL EXPERIMENT	50-225	17
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	42
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	69
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	14
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	99
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	100
SEABROOK NUCLEAR STATION, UNIT 1	50-443	136
SEABROOK NUCLEAR STATION, UNIT 1	50-340	92
SEABROOK NUCLEAR STATION, UNIT 2	50-444	138
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	81
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	82
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	120
SHOREHAM NUCLEAR POWER STATION	50-322	76
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	149
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	152
ST. LUCIE PLANT, UNIT 1	50-335	86
ST. LUCIE PLANT, UNIT 2	50-389	113
SURRY POWER STATION, UNIT 1	50-280	47
SURRY POWER STATION, UNIT 2	50-281	48
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	111
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	112
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	55
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	75
TROJAN NUCLEAR PLANT	50-344	93
TURKEY POINT PLANT, UNIT 3	50-250	23
TURKEY POINT PLANT, UNIT 4	50-251	25
U.S. GEOLOGICAL SURVEY RESEARCH REACTOR	50-274	43
UNIV. OF FLORIDA TRAINING REACTOR	50-83	11
UNIV. OF ILLINOIS RESEARCH REACTOR	50-356	99
UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	11
UNIV. OF LOWELL RESEARCH REACTOR	50-223	17
UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	13
UNIV. OF NEW MEXICO RESEARCH REACTOR	50-252	27
UNIV. OF TEXAS RESEARCH REACTOR	50-602	160
UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	11
UNIV. OF WASHINGTON RESEARCH REACTOR	50-139	11
VERMONT YANKEE NUCLEAR POWER STATION	50-271	41
VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	118
WATERFORD GENERATING STATION, UNIT 3	50-382	110
WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	114
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	116
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	105
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	106
WOLF CREEK GENERATING STATION	STN-50-482	147
WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR	50-134	11
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	146
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	119

Name	Docket	Page
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	155
YANKEE-ROWE NUCLEAR POWER STATION	50-29	10
ZION NUCLEAR POWER STATION, UNIT 1	50-295	57
ZION NUCLEAR POWER STATION, UNIT 2	50-304	64
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	160
CANDU 3U AECL TECHNOLOGIES, INC.	52-005	162
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	162
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	160
Domestic Licensing of Special Nuclear Material - Docket 70		
ARMY, DEPT. OF, REDSTONE ARSENAL, AL	70-3082	167
B&W FUEL CO., LYNCHBURG, VA	70-1201	165
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	163
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	162
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	164
BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	70-0008	162
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	164
CINTICHEM, INC., TUXEDO, NY	70-0687	164
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	163
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	165
EASTMAN KODAK CO., ROCHESTER, NY	70-1703	166
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	165
FLORIDA, UNIV. OF, GAINESVILLE, FL	70-1068	165
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	164
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	164
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	165
GOODYEAR AEROSPACE CORP., AKRON, OH	70-1489	166
KERR-MCGEE CORP., OKLAHOMA CITY, OK	70-3073	167
KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK	70-0712	164
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	166
MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN	70-0832	164
NEW YORK, STATE UNIV. OF, BUFFALO, NY	70-0267	164
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	164
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	166
TEXAS INSTRUMENTS, INC., ATTLEBORO, MA	70-0033	163
U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	167
U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	70-7002	167
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	165
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
ANEFCO, INC.	71-0001	168
BASIN INDUSTRIAL X-RAY, INC.	71-0709	169
BRANCH RADIOGRAPHIC LABORATORIES, INC.	71-0368	168
CASE WESTERN RESERVE UNIVERSITY	71-0798	169
CBI INDUSTRIES, INC.	71-0015	168
CTL ENGINEERING, INC.	71-0301	168
ENVIRONMENTAL TECHNOLOGIES, INC.	71-0810	169
GEORGIA POWER CO.	71-0696	168
INDIANA MICHIGAN POWER CO.	71-0377	168
MICHIGAN, UNIV. OF	71-0348	168
MODEL: 2000, GENERAL ELECTRIC CO.	71-9228	170
MODEL: 2842A, TRANSPORTATION, DEPT OF	71-3024	169
MODEL: 5984, J.L. SHEPHERD & ASSOCIATES	71-5984	169
MODEL: 650, AMERSHAM CORP.	71-9032	169
MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	170
MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	170
MODEL: 715, AMERSHAM CORP.	71-9039	170
MODEL: 770, AMERSHAM CORP.	71-9148	170
MODEL: 814A, BABCOCK & WILCOX CO.	71-5149	169
MODEL: AP-101, ANEFCO, INC.	71-9071	170
MODEL: BMI-1, CINTICHEM, INC.	71-5957	169
MODEL: BW-2901, B&W FUEL CO.	71-9251	170
MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	71-9096	170
MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	71-5805	169
MODEL: GA-4, GENERAL ATOMICS	71-9226	170
MODEL: GA-9, GENERAL ATOMICS	71-9227	170
MODEL: GE-100, GENERAL ELECTRIC CO.	71-5926	169
MODEL: HUSMAN IRRADIATOR, AGRICULTURE, DEPT. OF	71-9182	170
MODEL: IF-300, NUCLEAR PACKAGING, INC.	71-9001	169
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	170
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	170
MODEL: M-140, ENERGY, DEPT. OF	71-9793	171
MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	71-9225	170

Name	Docket	Page
MODEL: RTS-420, RTS TECHNOLOGY, INC.	71-9245	170
MODEL: SENTINEL-8, -3 & MW-3000, TELEDYNE ENERGY	71-9030	169
MODEL: SNAP 21, NAVY, DEPT. OF	71-5830	169
MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-9248	170
MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	71-9056	170
MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	71-9263	171
MODEL: TN 7401 /1/, TRANSPORTATION, DEPT. OF	71-3022	169
MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC	71-9260	171
MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL	71-9259	171
MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	71-6294	169
MODEL: URIPS-8A & URIPS-8B, NAVY, DEPT. OF	71-6786	169
MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-9196	170
NAVY, DEPT. OF	71-0697	169
NEW YORK, STATE UNIV. OF	71-0226	168
NONDESTRUCTIVE INSPECTION SERVICE	71-0097	168
WESTERN X-RAY	71-0532	168
YANKEE ATOMIC ELECTRIC CO.	71-0068	168
Licensing of Independent Spent Fuel Storage - Docket 72		
FORT ST. VRAIN ISFSI, 50-267	72-0009	171
H.B. ROBINSON ISFSI, 50-261	72-0003	171
ISFSI PALISADES GEN LIC/VSC-24, 50-255	72-0007	171
ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301	72-0005	171
MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES	72-1007	172
OCONEE ISFSI, 50-269, 50-270 & 50-287	72-0004	171
PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	171
PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306	72-0018	172
RANCHO SECO ISFSI, 50-312	72-0011	172
TROJAN ISFSI, 50-344	72-0017	172
VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339	72-0016	172
VIRGINIA ELECTRIC & POWER CO. 50-280 & 50-281	72-0002	171
UNKNOWN	DOCKET	167
UNKNOWN	DOCKET	1

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

9505030168 Ack receipt of 950411 ltr requesting amend 25 to license 12-13536-01.Grants variance from license condition 1.c for disposal of Pu waste from licensee.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/24. STILL,J. Chem-Nuclear Systems, Inc. 1p. 83852:027-83852:027.

9505300030 Ack receipt of 950306 ltr requesting variance to Amend 25 of license 12-13536-01 to dispose of Pu source from Shearon Harris plant.NRC grants variance from license condition 1.c for disposal of described waste.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/24. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 84099:359-84099:360.

9505120080 Ack receipt of 950331 ltr requesting variance to dispose of plutonium sources from Scientific Ecology Group,Inc.NRC grants variance from license condition 1.c for disposal of described waste.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/25. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 83945:358-83945:359.

9505300204 Grants variance from license condition 1.c for disposal of Pu waste from Elgin AFB,as requested in 950313 & 0501 ltrs.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/16. STILL,J. Chem-Nuclear Systems, Inc. 1p. 84106:342-84106:342.

DOCKET DOCKET UNKNOWN

9505190064 FOIA request for info re Kerr-McGee facilities in Cushing,OK w/license numbers SMB-664,SNM-695 & SNM-1999.
MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 94/10/26. Division of Freedom of Information & Publications Services (Post 940714). 1p. 83988:093-83988:093.

9505030179 Forwards insp rept 40-5925/95-01 950209.No violations noted.
KINNEMAN,J.D. Region 1 (Post 820201). 95/04/27. BONZANI,P. Affiliation Not Assigned. 3pp. 83722:091-83722:101.

--9505030197 Insp rept 40-5925/95-01 on 950209.No violations noted.Major areas inspected:residual thorium contamination.
SCHWARTZ,A. Region 1 (Post 820201). 95/04/27. 8pp. 83722:094-83722:101.

9505100027 Forwards insp rept 40-6456/95-01 on 950315.Property located at ref address has residual radiation contamination levels below current NRC unrestricted use criteria.
MCCORMICK,J.W. Region 3 (Post 820201). 95/05/02. REHFUSS,D. . 2pp. 83828:038-83828:044.

--9505100040 Insp rept 40-6456/95-01 on 950315.No violations noted. Major areas inspected:survey of property where former licensee activity had taken place.
KULTZER,E.L., KURTH,M.F., MCCORMICK,J.W. Region 3 (Post 820201). 95/05/02. 5pp. 83828:040-83828:044.

9505230055 Forwards insp rept 40-7753/95-01 on 950316.No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 95/05/09. TRELOAR,C. BP America, Inc. 2pp. 84022:001-84022:104.

--9505230060 Insp rept 40-7753/95-01 on 950316.No violations noted.Major areas inspected:former licensee activities & adequacy of decontamination measures prior to license termination.
KULZER,E.L. Region 3 (Post 820201). 95/05/09. 8pp. 84022:003-84022:010.

--9505230072 "Guidelines for Decontamination of Facilities & Equipment Prior to Release for Unrestricted Use or Termination of Licenses for Byproduct,Source,or SNM."
* Division of Industrial & Medical Nuclear Safety (Post 870729). 87/08/31. 4pp. 84022:011-84022:014.

--9505230076 Draft of "BTP on Site Characterization for Decommissioning."
* Division of Waste Management (Pre 870413). 94/11/30. 88pp. 84022:015-84022:104.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9505010172 Forwards application for amend to license SUA-648,proposing changes to some of target completion dates provided in License Condition 59.
GIECK,T.E. UMETCO Minerals Corp. 95/04/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 83716:241-83716:247.

--9505010174 Application for amend to license SUA-648,proposing changes to some of target completion dates provided in License Condition 59.
SEALY,C.O. UMETCO Minerals Corp. 95/04/18. 6pp. 83716:242-83716:247.

9505010177 Forwards program plan for perusal.
DAVIS,J.W. UMETCO Minerals Corp. 95/04/24. HAQUE,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 83714:342-83714:359.

--9505010181 "Background Soil Measurements Program for Gas Hills U Project for Matl License SUA-648."
* UMETCO Minerals Corp. 95/04/14. 17pp. 83714:343-83714:359.

9505040160 Advises of incorporation of recommended minor changes into background soil measurements program.
DAVIS,J.W. UMETCO Minerals Corp. 95/04/25. HAQUE,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 83852:033-83852:033.

DOCKET 40-0341 GENERAL SERVICES ADMIN., WASHINGTON, DC

9505050250 Provides ltr & resume from RUST Federal Svcs for new project manager P Wells for review.
REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 95/04/19. ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 7pp. 83862:354-83862:360.

9505050248 Forwards resume of EH Palser,submitted for inclusion in D&D plan as required.
REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 95/04/25. ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 5pp. 83839:187-83839:191.

9505050330 Forwards ltr from Project Manager P Wells & addl correspondence from W Gaul,RUST Corporate Radiological Officer re how Defense Logistics Agency plan on handling deadmen at Bldg 421.
REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 95/05/01. ORLANDO,D.A. Office of Nuclear Material Safety & Safeguards. 3pp. 83839:289-83839:291.

9505100270 Writes in response to 950419 ltr,informing NRC staff of RUST Federal Svcs proposed personnel change to position of Project Manager for remediation of former Defense Logistics Agency warehouses in Curtis Bay,MD.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/02. REILLY,K. Defense, Dept. of, Defense Logistics Agency. 1p. 83875:016-83875:016.

9505110313 Forwards final status survey plan for final remedial action at DNSC Curtis Bay Depot,Curtis Bay,MD.
REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 95/05/02. ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 83930:340-83930:357.

--9505110314 "Curtis Bay Final Status Survey Plan."
* Defense, Dept. of, Defense Logistics Agency. 95/05/01. 17pp. 83930:341-83930:357.

9505120082 Provides summary of radiological groundwater quality data from sampled monitoring wells at site.
GERALD,W.C., SANDERS,D.P. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/05/02. WELLS,P. . 39pp. 83929:282-83929:320.

9505260374 Forwards ltrs re Curtis Bay MW-1 groundwater evaluation from Quanterra Lab & RUST Environ & Infrastructure.
REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 95/05/03. ORLANDO,D.A. Office of Nuclear Material Safety & Safeguards. 6pp. 84103:344-84103:349.

9505300234 Notification of 950522 Ordnance Road Committee meeting in Annapolis,MD.
MINNITTE,S. Anne Arundel County, MD. 95/05/11. BALLARD,J., KYLE,L., SCHMIDT,C. Anne Arundel County, MD. 1p. 84120:360-84120:360.

9505260205 Responds to 950501 ltr & informs that method to evaluate radiological status of "deadmen" at Bldg 421 on former DLA in Curtis Bay,MD,acceptable.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/16. REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 3pp. 84104:065-84104:067.

DOCKET 40-0564 WELLMAN DYNAMICS CORP., CRESTON, IA

9505010173 Seventh partial response to FOIA request for documents. Records in App M encl & are being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/07. SAPORITO,T.J. Saporito, T.J. 6pp. 84109:001-84112:023.

--9505240390 Forwards application & supporting data for amend to license STB-433.
HUMMEL,E.C. Affiliation Not Assigned. 64/12/18. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 2pp. 84110:183-84110:184.

--9505240419 Forwards two addl copies of three drawings & aerial photographs submitted w/original application by Hills- McCannna Co.
KONNEKER,W.R. Affiliation Not Assigned. 65/02/09. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 2pp. 84110:185-84110:186.

--9505250245 Forwards insp rept for Hills-McCanna Co,license STB-0433. Insp revealed that licensee has failed to maintain records of results of airborne radioactivity surveys as required by part 20.
MORETTI,E.J. Atomic Energy Commission (Pre 750119). 66/07/08. PAGE,R.G. Atomic Energy Commission (Pre 750119). 2pp. 84110:190-84110:191.

--9505260174 Requests that license STB-0433 be transferred to Wellman Dynamics Corp.
SIMMONS,D.J. Wellman Dynamics Corp. 71/12/14. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 43pp. 84111:098-84111:191.

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

9505110008 Notification of licensee meeting 95-44 w/util on 950512 in King of Prussia,PA to discuss licensee ability to provide funding to assure facility could be safely decommissioned at end of useful life.
MILLER,M. Region 1 (Post 820201). 95/05/02. Region 1 (Post 820201). 2pp. 83850:097-83850:098.

9505240291 Confirms 950428 telcon re scoping meeting for identifying EA issues that may be considered part of EA associated w/Nuclear Metals,Inc license renewal request.
MILLER,M. Region 1 (Post 820201). 95/05/03. VUMBACO,F. Nuclear Metals, Inc. 14pp. 84023:122-84023:135.

DOCKET 40-1020 MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN

9505110312 Advises that current 3M Fire Protection Products Certified Nuclear Installer program will end effective 950628.Peaks Seals,Inc will become exclusive supplier of 3M Fire Protection Products,effective 950629.
COY,D.R. Minnesota Mining & Manufacturing Co. (3M Co.). 95/04/28. Affiliation Not Assigned. 1p. 83938:213-83938:213.

9505230123 Revised ltr advising that effective 950628 3M fire protection products certified nuclear installer program will end & that Peaks Seals,Inc will become exclusive supplier of 3M fire protection products,effective 950629.
COY,D.R. Minnesota Mining & Manufacturing Co. (3M Co.). 95/04/28. Affiliation Not Assigned. 1p. 84015:233-84015:234.

9505110123 Ack receipt of 950131 ltr,providing comments on draft document, "3M Kerrick,Minnesota,Site Dose Assessment," dtd Jul 1994,forwarded on 941014.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/04. WISSINK,R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 5pp. 83933:344-83933:348.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9505120089 Recommends that request re Western Nuclear split rock be approved.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/05/01. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 83929:323-83929:324.

9505110157 Forwards amend 74 to license SUA-56 for licensee to delete soil component from rock-soil erosion protection cover & to delete requirement to perform 1-point proctor tests on Cody shale cover component.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/05. BAKER,S.J. Western Nuclear, Inc. 4pp. 83936:290-83936:303.

--9505110162 Amend 74 to license SUA-56 for Western Nuclear Inc, authorizing possession of byproduct matl in form of U waste tailings generated by licensee past milling operations.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/05. 10pp. 83936:294-83936:303.

DOCKET 40-1478 KERR-MCGEE OIL INDUSTRIES, INC., OKLAHOMA CITY, OK

9505190064 FOIA request for info re Kerr-McGee facilities in Cushing,OK w/license numbers SMB-664,SNM-695 & SNM-1999.
MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 94/10/26. Division of Freedom of Information & Publications Services (Post 940714). 1p. 83988:093-83988:093.

DOCKET 40-1650 WYMAN-GORDON CO., NORTH GRAFTON, MA

9505040353 Submits changes to distribution list,deleting G McBride & J McConnell & adding M Laurentano.
THARP,J.W. Wyman-Gordon Co. 95/04/20. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 83814:325-83814:326.

DOCKET 40-1790 WELLMAN DYNAMICS CORP., MIDLAND, MI

9505010173 Seventh partial response to FOIA request for documents. Records in App M encl & are being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/07. SAPORITO,T.J. Saporito, T.J. 6pp. 84109:001-84112:023.

--9505010224 Confirms telcon re securing AEC approval to cast Mg-Th alloys in sand & permanent mold.
WELLMAN,D.T. Affiliation Not Assigned. 57/10/08. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:106-84110:106.

--9505010237 Discusses review of repts re application for Th-Mg alloy license.
WELLMAN,D.T. Affiliation Not Assigned. 57/12/04. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 2pp. 84110:107-84110:108.

--9505010243 Informs that Wellman Bronze is licensed to receive possession of & title to Th through importation from Canada for use in casting Mg-Th alloys,per Atomic Energy Act of 1954 & 10CFR40.21.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 57/12/11. WELLMAN,D.T. Affiliation Not Assigned. 1p. 84110:109-84110:110.

--9505010251 Ack receipt of license C-3935,issued on 571211.
WELLMAN,D.T. Affiliation Not Assigned. 57/12/16. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:111-84110:111.

--9505010257 Requests renewal copy of license C-3935,which expired on 581201.
WEIMER,B.E. Affiliation Not Assigned. 59/01/22. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:112-84110:112.

--9505010280 Informs that Wellman Bronze licensed to receive possession of & title to Th,per Atomic Energy Act of 1954 & 10CFR40.21.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 59/01/28. Affiliation Not Assigned. 1p. 84110:113-84110:113.

--9505010283 Forwards insp rept for Wellman Bronze & Aluminum Co.No items of noncompliance were observed.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 59/05/05. PRICE,H.L. Atomic Energy Commission (Pre 750119). 1p. 84110:114-84110:114.

--9505220086 Safety insp on 590122 of license C-4539.Insp findings:no items of noncompliance observed.
KLAR,L.W., HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 59/04/16. 3pp. 84110:115-84110:117.

--9505220149 Application for renewal of license C-4539,which expired 600131.
WEIMER,B.E. Affiliation Not Assigned. 59/12/03. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:118-84110:118.

--9505220155 Informs that per AEA of 1954 & 10CFR40.21,Wellman Bronze & Aluminum licensed to receive possession of Th through importation from Canada.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/01/01. WEIMER Affiliation Not Assigned. 1p. 84110:119-84110:119.

--9505220157 Requests renewal copy of license C-3935,which expires 610228.
WEIMER,B.E. Affiliation Not Assigned. 61/01/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:120-84110:120.

--9505220171 Requests listed info,in order to consider 610110 request for renewal of license C-3935.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/01/23. WEIMER,B.H. Affiliation Not Assigned. 1p. 84110:121-84110:121.

--9505220197 Advises that license no longer needed for Cleveland plant.
WEIMER,B.E. Affiliation Not Assigned. 61/03/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:122-84110:122.

--9505220198 Requests that DOW Chemical Co license C-2782,which expires 611201,be transferred to name of Wellman Bronze & Aluminum Co.
WEIMER,B.E. Affiliation Not Assigned. 61/03/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:123-84110:123.

--9505220204 Informs that Wellman Bronze & Aluminum Co licensed to receive,possess & use source matl at Bay City,MI plant,in accordance w/procedures of 610310 application.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/21. WEIMER,B.E. Affiliation Not Assigned. 1p. 84110:124-84110:124.

--9505220216 Discusses 610310 application for license,which was issued effective 610321,to receive,possess & use source matl at plant.Informs that license C-4539 cancelled,per 610310 application request.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/21. WEIMER,B.E. Affiliation Not Assigned. 1p. 84110:125-84110:125.

--9505220240 Requests that license STB-136 be forwarded effective 610321.
WEIMER,B.E. Affiliation Not Assigned. 61/04/14. DELANEY,J.C., OULOS Atomic Energy Commission (Pre 750119). 1p. 84110:126-84110:126.

--9505220245 Safety insp on 610913 of license STB-163.Insp findings: surveys of airborne concentrations were inadequate.
OPARKA,E.J. Atomic Energy Commission (Pre 750119). 61/09/13. 6pp. 84110:127-84110:132.

--9505220256 Forwards insp rept for Wellman Bronze & Aluminum Co,license STB-136.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 61/10/05. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 2pp. 84110:133-84110:134.

--9505230205 Informs that licensee not cited for violating sections 20.202 (a)(1) & 20.401,for listed reasons.
CUNNINGHAM,B.E. Atomic Energy Commission (Pre 750119). 61/12/11. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 84110:135-84110:135.

--9505230208 Discusses 611211 memo re compliance insp rept on 610913.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 61/12/28. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 84110:136-84110:136.

--9505230222 Discusses results of 610913 insp in which activities were not conducted in full compliance w/requirments of AEC "Standards for Protection Against Radiation."
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/01/05. WEIMER,W.E. Affiliation Not Assigned. 2pp. 84110:137-84110:138.

--9505230260 Ack receipt of 620105 ltr re survey for airborne radioactive Th.Informs of steps taken to correct points two & three noted in ltr.
FRUEHAUF,V. Affiliation Not Assigned. 62/01/09. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 84110:139-84110:139.

--9505230265 Ack receipt of 620109 ltr,informing that all items have been or will be corrected in AEC licensed program,per 620105 ltr.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/01/26. FRUEHAUF,V. Affiliation Not Assigned. 1p. 84110:140-84110:140.

--9505230272 Requests that copy of license STB-136,which expires 640430, be sent to writer.
WEIMER,B.E. Affiliation Not Assigned. 63/01/24. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 1p. 84110:141-84110:141.

--9505230280 Requests renewal source matl license number to receive, possess & use source matl at plant located in Bay City,MI,in accordance w/procedures described in 610310 application.
WEIMER,B.E. Affiliation Not Assigned. 64/03/02. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:142-84110:142.

--9505230313 Discusses 640302 ltr,which requests renewal of license STB-136.Informs that application for renewal should be submitted using form AEC-2.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/03/12. WEIMER,B.E. Affiliation Not Assigned. 1p. 84110:143-84110:143.

--9505230317 Forwards form AEC-2,application for renewal of license STB-136.
BURLING,J.H. Affiliation Not Assigned. 64/03/18. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 84110:144-84110:144.

--9505230334 Application for renewal of license STB-136,authorizing manufacture of magnesium base Th alloys suitable for hi- temp applications as covered by military spec.
BURLING,J.H. Affiliation Not Assigned. 64/03/17. 3pp. 84110:145-84110:147.

--9505230360 Discusses 640317 application for renewal of license STB-136. Informs that application does not contain detailed provision for conducting surveys to determine compliance w/10CFR20 for use of source matl.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/04/08. BURLING,J.H. Affiliation Not Assigned. 1p. 84110:148-84110:148.

--**9505230365** Discusses 640408 ltr requesting addl info for renewal of license STB-136.
SIMMONS,S.J. Affiliation Not Assigned. 64/04/24. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 84110:149-84110:150.

--**9505230369** Ack receipt of 640424 & 0501 ltrs,which provided addl info as requested for renewal of license STB-136.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/05/13. SIMMONS,S.J. Affiliation Not Assigned. 25pp. 84110:151-84110:176.

--**9505230372** Discusses 640513 ltr requesting radiological survey.
SIMMONS,S.J. Affiliation Not Assigned. 64/06/25. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 84110:177-84110:178.

--**9505240355** Discusses 640317 application & 640424 & 0625 ltrs which provided addl info requested for renewal of license STB-136.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/07/17. SIMMONS,S.J. Affiliation Not Assigned. 1p. 84110:179-84110:179.

--**9505240365** Informs that surveys will be conducted every 5 yrs,per 640717 ltr.
SIMMONS,S.J. Affiliation Not Assigned. 64/07/20. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 1p. 84110:180-84110:180.

--**9505240369** Forwards renewed license STB-136.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/08/14. SIMMONS,S.J. Affiliation Not Assigned. 25pp. 84110:181-84110:181.

--**9505240374** Matls license STB-136,authorizing use of manufacture of Th magnesium alloy containing less than four percent Th in accordance w/procedures described in 640317 application.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/08/14. 1p. 84110:182-84110:182.

--**9505250217** Safety insp on 650524 of license STB-0136.Insp findings: no items of noncompliance found.
MAPP,E.J. Atomic Energy Commission (Pre 750119). 65/05/24. 3pp. 84110:187-84110:189.

--**9505250264** Informs of desire to renew license STB-0136 & forwards completed form AEC-2.
SIMMONS,S.J. Wellman Dynamics Corp. 67/07/12. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 84110:192-84110:192.

--**9505250279** Application for amend to license STB-0136,authorizing manufacture of magnesium Th alloys suitable for hi-temp.
SIMMONS,S.J. Wellman Dynamics Corp. 67/07/12. 3pp. 84110:193-84110:198.

--**9505250282** Forwards renewed license STB-0136.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 67/07/31. SIMMONS,S.J. Wellman Dynamics Corp. 1p. 84110:199-84110:199.

--**9505250302** Matls licensing package for license STB-0136 for Wellman Dynamics Corp.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 67/07/31. 1p. 84110:200-84110:204.

--**9505250311** Safety insp on 681009 of license STB-0136.Insp findings: source matl inventory included 5,168 pounds of Th at end of CY67.License condition seven limits max amount of matl which may be possessed at one time to 4,000 pounds.
HUETER,L.J. Atomic Energy Commission (Pre 750119). * Wellman Dynamics Corp. 68/10/09. 5pp. 84110:205-84110:209.

--**9505250318** Insp of license STB-0136 on 681009.Violations noted.Major areas inspected:participants,scope of license program, organization,administrative control & use of matl.
HUETER,L.J., ALLEN,J.M. Atomic Energy Commission (Pre 750119). 68/10/21. 6pp. 84110:210-84110:215.

--**9505260115** Discusses 710504 telcon w/SJ Simmons re disposal of Th waste by transferring waste to Hartley & Hartley,Inc for land burial.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 71/05/10. Atomic Energy Commission (Pre 750119). 8pp. 84110:241-84110:249.

--**9505260174** Requests that license STB-0433 be transferred to Wellman Dynamics Corp.
SIMMONS,D.J. Wellman Dynamics Corp. 71/12/14. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 43pp. 84111:098-84111:191.

--**9505260242** Application for renewal of license STB-0136,authorizing manufacture of magnesium base-Th alloys suitable for hi-temp.
SIMMONS,S.J. Atomic Energy Commission (Pre 750119). 67/07/12. 2pp. 84112:006-84112:023.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9505180525 Forwards "Geotechnical Engineering Consulting Svcs Reclaimed Tailings Embankments 1,2 & 2A Gas Hills,WY."
HARDGROVE,T.W. Pathfinder Mines Corp. 94/06/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84050:139-84050:163.

--**9505180533** "Geotechnical Engineering Consulting Svcs Reclaimed Tailings Embankments 1,2 & 2A Gas Hills,WY." W/2 oversize encls.
HOWELL,J.C. Inberg-Miller Engineering Co. 94/05/17. 25pp. 84050:140-84050:163.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9505020058 Forwards "Environ Rept for Decommissioning Activities...," "Decommissioning Plan for RMI Titanium Co Extrusion Plant Astabula,OH..." & "Site Characterization Rept for RMI Titanium Co Extrusion Plant Astabula,OH."
HENDERSON,J.W. RMI Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83818:001-83822:025.

--**9505020064** "Environ Rept for Decommissioning Activities at RMI Titanium Co Extrusion Plant Ashtabula,OH."
CHAPMAN,L.H., MARSH,E.P., SHAKOOR,M. RMI Co. RDP-ESH-009 R00. 95/04/26. 80pp. 83818:002-83818:081.

--**9505020072** "Decommissioning Plan for RMI Titanium Co Extrusion Plant Ashtabula,OH NRC License SMB-602."
CHAPMAN,L.H., MARSH,E.P., SHAKOOR,M. RMI Co. RDP-ESH-007 R01. 95/04/26. 712pp. 83818:082-83820:065.

--**9505020078** "Site Characterization Rept for RMI Titanium Co Extrusion Plant Ashtabula,OH."
* B. Koh & Associates, Inc. RDP-ESH-005 R00. 95/04/26. 788pp. 83820:066-83822:025.

9505120048 Forwards addl info demonstrating training & qualifications for RSO G Gammon.
HENDERSON,J.W. RMI Co. 95/04/27. ULECK,R. NRC - No Detailed Affiliation Given. 100pp. 83870:061-83870:165.

9505120033 Requests that R Fine & G Gammon be named as radiation safety officers at RMI Titanium Co Extrusion Plant,for license SMB-602.
HENDERSON,J.W. RMI Co. 95/05/08. ULECK,R. NRC - No Detailed Affiliation Given. 8pp. 83870:039-83870:046.

DOCKET 40-2975 CERAMIC COLOR & CHEMICAL MFG. CO., NEW BRIGHTON, PA

9505030156 Forwards insp rept 40-2975/94-01 on 941018.No violations noted.
KINNEMAN,J.D. Region 1 (Post 820201). 95/04/27. WENNING,W. Ceramic Color & Chemical Mfg. Co. 5pp. 83722:046-83722:067.

--**9505030160** Insp rept 40-2975/94-01 on 941018.No violations noted.Major areas inspected:radiological surveys of util facilities in New Brighton,PA.
ROBERTS,M.C. Region 1 (Post 820201). 95/01/04. 17pp. 83722:051-83722:067.

9505240131 Forwards insp package containing insp rept 40-2975/94-01 & two NRC memos re issue of Ceramic Color & Chemical Mfg Co possession of source matl received that exceeds by 40%,value listed on Matl Safety Data Sheet provided by distributor.
WOODRUFF,R.L. Region 2 (Post 820201). 95/05/04. HILL,T.E. Georgia, State of. 1p. 84021:257-84021:280.

--**9503220093** Responds to 950106 memo re Ceramic Color & Chemical Mfg Co possession of Uranium & Thorium source matl & informs that, per draft ltr,possession does not exceed 15 pounds.If possession stated amount,alternate course action needed.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/03/02. HEHL,C.W. Region 1 (Post 820201). 1p. 84021:258-84021:258.

--**9505240146** Requests review of encl insp rept 40-2975/94-01 & draft ltr to licensee & assent to proposed course of action to be taken.
HEHL,C.W. Region 1 (Post 820201). 95/01/06. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84021:259-84021:280.

DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9505240304 Forwards EA & FONSI to support renewal of license SUB-526.
LAMASTRA,M.A. Licensing Branch. 95/05/11. KOSMIDER,M.D. Allied-Signal Corp. 1p. 84070:235-84070:355.

--**9505240311** FR notice,informing that NRC considering renewal of License SUB-526 for continued operation of AlliedSignal,Inc UF6 conversion facility in Metropolis,IL.
PIERSON,R.C. Licensing Branch. 95/05/11. 7pp. 84070:236-84070:242.

--**9505240318** Environ assessment for renewal of license SUB-526.
* Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/04/10. 112pp. 84070:243-84070:355.

9505110131 Responds to NRC ltr re violations noted in insp rept 40-3392/95-01.Corrective actions:retrained all operating personnel.
KOSMIDER,M.D. Allied-Signal Corp. 95/04/07. Region 3 (Post 820201). 9pp. 83933:333-83933:341.

9505030231 Responds to 950418 telcon between recipient & RW Yates re licensee fire prevention plan & familiarization of county fire dept personnel w/plant.
KOSMIDER,M.D. Allied-Signal Corp. 95/04/19. LAMASTRA,M. Licensing Branch. 2pp. 83832:276-83832:277.

9505100009 Ack receipt of 950407 ltr informing NRC of steps taken to correct violations noted in insp rept 40-03392/95-01 on 950310.Licensee cited for failure to provide detailed instructions in Distillation Manual.
SHEAR,G.L. Region 3 (Post 820201). 95/05/03. KOSMIDER,M. Allied-Signal Corp. 2pp. 83828:007-83828:008.

9505250064 Forwards licensee Securities & Exchange Commission Form 10-Q for quarter ending 950331.
SCHMIDT,D. Allied-Signal Corp. 95/05/12. PIERSON,R. Licensing Branch. 14pp. 84063:315-84063:328.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9505120085 Forwards response to NRC RAI re potential effects of future salt extraction Atlas Corp U Mill Tailings Site Moab,UT.
BLUBAUGH,R.E. Atlas Corp. 95/04/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 83941:271-83942:110.

--**9505120088** "Potash Investigations Response to NRC RAI Potential Effects of Future Salt Extraction Atlas Corp U Mill Tailings Site Moab,UT."
NORMAN,R.R. Atlas Corp. 88-067-23. 95/03/31. 100pp. 83941:273-83942:016.

--**9505120092** "Oil & Gas Investigations Response to NRC RAI Potential Effects of Future Oil Extraction Atlas Corp U Mill Tailings Site Moab,UT."
NORMAN,R.R. Atlas Corp. 88-067-23. 95/03/31. 100pp. 83942:017-83942:110.

9505120119 Trip rept of 950316 visit to USGS,Denver,CO re Atlas Mill Tailings pile at Moab,UT.
JUSTUS,P.S. Engineering & Geosciences Branch (NMSS 940403). 95/04/26. NATARAJA,M. Engineering & Geosciences Branch (NMSS 940403). 11pp. 83943:249-83943:259.

9505100209 Responds to 950330,ltr re tailings seepage impact Scott Matheson Preserve,Near Moab,UT.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/04/28. TAYLOR,W.R. Interior, Dept. of. 3pp. 83889:164-83889:166.

9505180492 Updates & revises request for assistance in water quality sampling & analysis of Colorado River re Atlas Minerals U Tailings Facility near Moab,UT.
SINCLAIR,B. Utah, State of. 95/05/03. OSTLER,D. Utah, State of. 3pp. 83992:331-83992:333.

9505190198 Forwards info on seismic hazards & salt dissolution evaluation at Moab Atlas Tailings Mill Site for 950512 conference call.W/two oversize drawings.
WONG,I.G. Woodward-Clyde Consultants, Inc. 95/05/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 22pp. 84008:319-84008:340.

9505250303 Discusses review of Atlas Corp calculation of dose commitment to nearest residence to Moab U Mill.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/11. BLUBAUGH,R. Atlas Corp. 2pp. 84099:173-84099:174.

9505190115 Notification of 950516 meeting w/licensee in NRC Region IV, Arlington Ofc to discuss two apparent violations re release of contaminated matl to unrestricted areas.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. Region 4 (Post 820201). 4pp. 83973:355-83973:358.

9505300122 Responds to NRC ltr re violations noted in insp of license SUA-917 on 931130-940414.Corrective actions:reviewed lab results more critically.
BLUBAUGH,R.E. Atlas Corp. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84120:347-84120:349.

DOCKET 40-6563 MALLINCKRODT, INC., ST. LOUIS, MO

9505110137 Requests extension of decommissioning plan submission.
BOLAND,R.F. Mallinckrodt Specialty Chemicals Co. 95/04/13. GASKIN,C. Licensing Branch. 4pp. 83932:356-83932:359.

9505260347 Requests technical assistance in reviewing Mallinckrodt,Inc request for *extension for submitting decommissioning plan.*
PIERSON,R.C. Licensing Branch. 95/05/17. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84106:333-84106:333.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9505300011 Advises NRC of several mistakes that still remain re listing of current NRC Project Manager assignments & designated licensee contacts.Mistakes listed & correction requested as stated.
WICHERS,D.L. COGEMA, Inc. 95/05/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84099:355-84099:356.

9505260200 *Forwards TER of revised renewal application & license conditions for Pathfinder Shirley Basin.*
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/17. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84104:063-84104:064.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9505240135 Submits follow-up to 950222 ltr in response to CAL 1-95-002. Proposes that bioassay methods not be attempted until exposures to which workers exposed characterized.
CAMPITELLI,A.T. Cabot Corp. 95/04/24. HEHL,C.W. Office of Nuclear Material Safety & Safeguards. 4pp. 84024:354-84024:358.

9505050016 Discusses insp rept 40-6940/95-01 on 950201-07.Violations noted.Safety concerns & violations noted re failure to perform survey to determine compliance w/ occupational dose limits.
SHANBAKY,M.M. Region 1 (Post 820201). 95/04/27. LINDELL,J.S. Cabot Corp. 2pp. 83758:052-83758:053.

9505260012 Notification of licensee meeting 95-048 on 950525 in King of Prussia,PA to discuss apparent violations noted during insp 40-06940/95-01.
LANZISERA,P., SHANBAKY,M.M. Region 1 (Post 820201). 95/05/16. Region 1 (Post 820201). 2pp. 84062:035-84062:036.

9505260036 *Discusses CAL 1-95-002 & enforcement conference to be held on 950525* to stress NRC concerns w/licensee continued noncompliance & untimely response to items in CAL & to take appropriate & timely enforcement action.
HEHL,C.W. Region 1 (Post 820201). 95/05/17. LINDELL,J.S. Cabot Corp. 7pp. 84062:103-84062:109.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9505120110 Forwards revised document, "Radiological Impacts from Use of CANAL - Slag Fluidizer in Steel Production," for use per request.
EVES,C.S. Shieldalloy Metallurgical Corp. 95/04/20. COMFORT,G. NRC - No Detailed Affiliation Given. 1p. 83871:128-83871:149.

-9505120116 "Radiological Impacts from Use of CANAL - Slag Fluidizer in Steel Production."
* . 94005/G-103. 95/04/13. 21pp. 83871:129-83871:149.

9505030032 Ack receipt of 950412 ltr re Cyprus Foote Mineral Phase II Work Plan & fax on 950425 concerning slag characterization at Shieldalloy Metallurgical Corp facility in Cambridge,OH.
PEDERSON,C.D. Region 3 (Post 820201). 95/04/26. BAUMAN,S. Affiliation Not Assigned. 1p. 83720:114-83720:114.

9505050009 Discusses insp rept 40-7102/95-01 on 950215-17.Violations noted.Safety concerns & apparent violations had been noted re failure to perform survey determine compliance w/occupational dose limits.
SHANBAKY,M.M. Region 1 (Post 820201). 95/04/27. SCHOOLY,H.N. Shieldalloy Metallurgical Corp. 2pp. 83758:025-83758:026.

9505180534 Responds to request to determine if any international stds regulating *disposal of naturally-occurring radioactivity in relation to Shieldalloy Metallurgical Corp* application to export CANAL exist.
COMFORT,G.C. Licensing Branch. 95/05/11. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 84030:313-84030:335.

DOCKET 40-7397 FOOTE MINERAL CO., EXTON, PA

9505030032 Ack receipt of 950412 ltr re Cyprus Foote Mineral Phase II Work Plan & fax on 950425 concerning slag characterization at Shieldalloy Metallurgical Corp facility in Cambridge,OH.
PEDERSON,C.D. Region 3 (Post 820201). 95/04/26. BAUMAN,S. Affiliation Not Assigned. 1p. 83720:114-83720:114.

9505100023 Forwards copy of Cyprus Foote Mineral Co, "Rept on Phase I Scoping Survey - Cambridge,OH," per 950427 telcon request. W/o encl.
MCCORMICK-BARGE Region 3 (Post 820201). 95/04/28. LIPPERMAN,D. House of Rep. 1p. 83828:032-83828:032.

9505180058 Forwards NRC comments to 950320 Cypress Foote Mineral response submitted to NRC re "Work Plan for Phase II Investigation-Cambridge,OH," & 950405 Cypress Foote Mineral response re "Rept on Phase I Scoping Survey-Cambridge,OH."
MCCORMICK-BARGE Region 3 (Post 820201). 95/05/08. LEE,P. Foote Mineral Co. 4pp. 83952:124-83952:127.

DOCKET 40-7455 WHITTAKER CORP., LOS ANGELES, CA

9505110149 Amend 4 to license SMA-1018 for Whittaker Corp.
WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/25. 3pp. 83936:268-83936:270.

9505120096 Informs that BL Graber experience acceptable for directing radiation control program at Whittaker site.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/25. LEVIN,R. Whittar Industries, Ltd. dba Whittar Steel Strip (formerly Whittaker Corp.). 2pp. 83946:353-83946:354.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9505220296 Ack receipt of NRC 950531 ltr re submittal of confidential info in licensee 950125 application.Advises that per conversation w/Datta on 950321,Sections 2.2.1,2.2.2 & 2.2.3 should be removed from consideration as confidential info.
HUNTER,J.J. Fansteel, Inc. 95/04/07. TOKAR,M. Licensing Branch. 4pp. 84023:352-84023:355.

9505120146 Informs that 950413 ltr has serious implications for licensee & requires more than cursory review of subject documents.
HUNTER,J.J. Fansteel Metals. 95/04/20. DATTA,A. Licensing Branch. 1p. 83945:351-83945:351.

9505150033 Submits response to NRC RAI.
HUNTER,J.J. Fansteel, Inc. 95/05/03. DATTA,A. Licensing Branch. 22pp. 83943:325-83943:346.

DOCKET 40-7604 BP CHEMICALS AMERICA, INC., LIMA, OH

9505120039 Responds to ltr from JF Austin dtd 940923.BP Chemicals,Inc has reviewed NRC recommended Kalkwarf Method for determining U solubility in simulated lung fluid.Proposes to use recommended method,w/listed minor mods or additions.
RUPERT,W.M. BP Chemicals International. 95/05/09. NALLUSWAMI,S. Division of Waste Management (NMSS 940403). 2pp. 83870:047-83870:048.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9505300103 Addresses comment that Sequoyah Fuels Corp should ask ODEQ to increase limits on ammonia & nitrate for 008 outfall rather than to pursue permitting of stormwater impoundment.
ELLIS,J.H. Sequoyah Fuels Corp. 95/03/21. HUGHES,L. Native Americans for a Clean Environment. 2pp. 84106:356-84106:357.

9505050091 Provides info clarifying two statements in insp rept 40-8027/95-01 re *licensee organizational structure.*
ELLIS,J.H. Sequoyah Fuels Corp. 95/04/28. COLLINS,S.J. Region 4 (Post 820201). 9pp. 83864:142-83864:150.

9505090059 Informs that response to Board Memorandum & Order dtd 950418 may be needed due to surrounding circumstances. Believes that 950731 date for completion of Discovery unlikely.W/Certificate of Svc.
DUNCAN,S.M. Mays & Valentine. #295 16670. 95/04/28. GLEASON,J.P. Atomic Safety & Licensing Board Panel. 4pp. 83817:245-83817:248.

9505080078 Forwards 1994 completion rept for ammonium nitrate fertilizer program.
HARLIN,C.L. Sequoyah Fuels Corp. 95/05/01. WEBER,M. Division of Waste Management (NMSS 940403). 1p. 83902:178-83902:209.

-9505080080 "Ammonium Nitrate Fertilizer Application Program 1994 Completion Rept."
* Sequoyah Fuels Corp. 95/05/01. 31pp. 83902:179-83902:209.

9505090067 NRC Staff Petition for review of LBP-95-05.* Staff files Petition for review of LBP-95-05,seeking Commission review of Board Memorandum & Order dtd 950418 re ability to refer matters of potential wrongdoing.W/Certificate of Svc.
HOM,S.R. Office of the General Counsel (Post 860701). #295 16679. 95/05/03. Commissioners (Post 750119). 11pp. 83817:252-83817:262.

9505150031 Informs that NRC plans to hold info meetings to disseminate info re current status of licensee facility & to discuss decommissioning options for plant site.First meeting on 950627.
WEBER,M.F. Division of Waste Management (NMSS 940403). 95/05/08. WATSON,R. Vian Public Schools, Vian, OK. 1p. 83898:169-83898:169.

9505300149 Voices displeasure w/EPA roll over attitude on recent enforcement petition that Native Americans for Clean Environ filed w/NRC,covering subjects re Sequoyah Fuels Corp.
HUGHES,L. Native Americans for a Clean Environment. 95/05/09. SAGINAW,J. Environmental Protection Agency. 1p. 84106:344-84106:344.

9505260478 Ack receipt of Native Americans for Clean Environ petition for order requiring Sequoyah Fuels Corp (SFC) to file final site characterization plan & for order forbidding transfer of SFC property prior to obtaining license amend.FRN encl.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/10. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 6pp. 84104:006-84104:013.

–9505260248 Notice of receipt of petition for Director's Decision per 10CFR2.206,by Native Americans for Clean Environ for order requiring licensee to file final SCP & for order forbidding transfer of property prior to obtaining license amend.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/10. 3pp. 84104:011-84104:013.

9505180458 Ack receipt of 950428 ltr that SFC clarified position re mgt organization.Organization appeared adequate to reasonably assure worker & public health & safety.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. ELLIS,J. Sequoyah Fuels Corp. 4pp. 83955:107-83955:119.

9505190042 Transcript of 950515 telcon w/Sequoyah fuels Corp & General Atomics re decontamination & decommissioning funding for Gore,OK site Pp 221-245.
* Atomic Safety & Licensing Board Panel. 95/05/15. 24pp. 84034:335-84034:361.

9505190049 Transcript of 950515 telcon w/Sequoyah Fuels Corp in Rockville,MD Pp 1-13.
* Atomic Safety & Licensing Board Panel. 95/05/15. 15pp. 84034:294-84034:308.

9505260249 Native Americans for Clean Environment & Cherokee Nation motion for leave to amend statement of concerns.* Requests Board to admit foregoing amended Statement of Concerns in addition to other issues.W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). WILCOXEN,J.G. Cherokee Nation. #295 16716. 95/05/15. Atomic Safety & Licensing Board Panel. 21pp. 84063:001-84063:021.

9505260281 General Atomics answer to NRC Staff petition for review of LBP-95-05.* Informs that petition for interlocutory review denied.W/Certificate of Svc.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #295 16715. 95/05/15. Commissioners (Post 750119). 18pp. 84063:036-84063:053.

9505260286 Sequoyah Fuels Corp answer to NRC Staff petition for review of LBP-95-05.* Informs that Sequoyah Fuels Corp opposes interlocutory review.W/Certificate of Svc.
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,J.E. Morgan, Lewis & Bockius. #295 16725. 95/05/16. Office of the General Counsel (Post 860701). 3pp. 84063:055-84063:057.

9505260220 Order.* Directs staff to provide status rept re staff review of Sequoyah Fuels Corp license amend application & expected date hearing file will be forthcoming.W/Certificate of Svc. Served on 950517.
GLEASON,J.P. Atomic Safety & Licensing Board Panel. #295 16719. 95/05/17. Office of the General Counsel (Post 860701). 4pp. 84062:323-84062:326.

9505260239 Informs that Intervenors,Native Americans for Clean Environ & Cherokee Nation do not oppose proposed bifurcation of hearing involving Sequoyah Fuels Corp.Believes that addl steps should be taken by Board to speed up hearing.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Cherokee Nation. #295 16722. 95/05/17. GLEASON,J.P. Atomic Safety & Licensing Board Panel. 1p. 84062:354-84062:354.

9505260258 Forwards notarized affidavits of nondisclosure of counsel for licensee & for General Atomics.Copies provided to Board & parties in proceeding per 950418 "Memorandum & Order (Ruling on Motion for Protective Order)."
MARCO,C. Office of the General Counsel (Post 860701). #295 16721. 95/05/17. GLEASON,J.P., BOLLWERK,G.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 1p. 84062:356-84062:360.

9505260278 Forwards listed documentation to suppl hearing file in connection w/hearing involving licensee.Subj file being updated as stated.
HOM,S.R. Office of the General Counsel (Post 860701). #295 16720. 95/05/17. GLEASON,J.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 1p. 84063:087-84063:087.

9505260308 Expresses appreciation for agreeing to send copy of Sequoyah Fuels Corp 950303 revised license amend application to hearing file that Staff established for 940506 license amend application.
CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #295 16723. 95/05/17. HOM,S.R. Office of the General Counsel (Post 860701). 1p. 84063:068-84063:068.

9505260268 Informs that Sequoyah Fuels Corp supports limiting discovery in first phase of proceeding of Sequoyah Fuels Corp & General Atomics to "piercing corporate veil" issue. W/Certificate of Svc.
AXELRAD,M. Affiliation Not Assigned. #295 16735. 95/05/19. GLEASON,J.P., BOLLWERK,G.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 3pp. 84063:023-84063:025.

9505260283 Offers views on schedule for completion of discovery on jurisdictional issue in subj case.Advises that NRC does not see need for monthly status rept as recommended by NACE,but amenable to providing Board w/updates as deemed necessary.
HOM,S.R. Office of the General Counsel (Post 860701). #295 16729. 95/05/19. GLEASON,J.P., BOLLWERK,G.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 1p. 84063:054-84063:054.

9505260300 Informs that General Atomics disagrees w/assertion of intervening parties that discovery on "piercing veil" issue can be completed within 15 days & that dispositive motions can be submitted within five months.W/Certificate of Svc.
DUNCAN,S.M. Mays & Valentine. #295 16724. 95/05/19. GLEASON,J.P. Atomic Safety & Licensing Board Panel. 7pp. 84063:061-84063:067.

9505260251 Forwards copies of all documents filed in matter of Sequoyah Fuels Corp in hearing file located in PDR & LPDR & copies of transmittal ltrs re listed documents.W/o encl.
UTTAL,S.L. Office of the General Counsel (Post 860701). #295 16736. 95/05/23. GLEASON,J.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 1p. 84062:355-84062:355.

9505260274 Memorandum & order (order to show cause).* Requests that NRC appear before Board & be prepared to show cause why ASLB should not declare "reliance" theory has been abandoned. W/Certificate of Svc.Served on 950524.
GLEASON,J.P. Atomic Safety & Licensing Board Panel. #295 16734. 95/05/23. Office of the General Counsel (Post 860701). 7pp. 84063:029-84063:035.

DOCKET 40-8434 HOMESTAKE MINING CO., LAKEWOOD, CO

9505250152 Final response to FOIA request for documents.App A documents already available in PDR.App B documents encl & also placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/18. BARRETT,K.R. Affiliation Not Assigned. 13pp. 84082:319-84082:347.

–7904090058 Forwards comments by NRC & consultant re manuscript of "Epidemiological Evaluation of Cancer Incidence Rates for Period 1969-71." Manuscript also sent to NIH,whose comments will be forwarded when received.NRC comments encl.
MINOGUE,R.B. Office of Standards Development, Director. 79/03/20. JOHNSON,C.J. Affiliation Not Assigned. 7pp. 84082:341-84082:347.

–7904090060 Review of CJ Johnson 790227 rept re cancer incidence rates in Rocky Flats area.Approves of basic research design,but notes many errors in specifics & applicability.
CUNNINGHAM,M. Radiological Health Standards Branch. 79/03/12. PARSONT,M. Radiological Health Standards Branch. 2pp. 84082:334-84082:340.

–7904090065 Documents 790301 clarification of analytical techniques & tabular entries in rept re cancer incidence rates.Requests confirmation of certain figures.
GOLDSMITH,R. Radiological Health Standards Branch. 79/03/02. JOHNSON,C.J. Affiliation Not Assigned. 2pp. 84082:332-84082:333.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9505180305 Forwards "1994 Tailings Dam Safety Evaluation."
CHASE,G. Bear Creek Uranium Co. 95/05/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84050:001-84050:138.

–9505180314 "1994 Tailings Dam Safety Evaluation." W/2 oversize encls.
* Bear Creek Uranium Co. 95/05/31. 200pp. 84050:002-84050:138.

DOCKET 40-8502 TOTAL MINERALS CORP., CASPER, WY

9505250152 Final response to FOIA request for documents.App A documents already available in PDR.App B documents encl & also placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/18. BARRETT,K.R. Affiliation Not Assigned. 13pp. 84082:319-84082:347.

–7904090058 Forwards comments by NRC & consultant re manuscript of "Epidemiological Evaluation of Cancer Incidence Rates for Period 1969-71." Manuscript also sent to NIH,whose comments will be forwarded when received.NRC comments encl.
MINOGUE,R.B. Office of Standards Development, Director. 79/03/20. JOHNSON,C.J. Affiliation Not Assigned. 7pp. 84082:341-84082:347.

–7904090060 Review of CJ Johnson 790227 rept re cancer incidence rates in Rocky Flats area.Approves of basic research design,but notes many errors in specifics & applicability.
CUNNINGHAM,M. Radiological Health Standards Branch. 79/03/12. PARSONT,M. Radiological Health Standards Branch. 2pp. 84082:334-84082:340.

–7904090065 Documents 790301 clarification of analytical techniques & tabular entries in rept re cancer incidence rates.Requests confirmation of certain figures.
GOLDSMITH,R. Radiological Health Standards Branch. 79/03/02. JOHNSON,C.J. Affiliation Not Assigned. 2pp. 84082:332-84082:333.

9505010079 Forwards amend 37 to license SUA-1341.Amend reflects administrative changes to license conditions 10 & 23.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). FIN L-51205. 95/04/19. WICHERS,D.L. Wyoming Mineral Corp. 5pp. 83714:313-83714:328.

–9505010085 Amend 37 to license SUA-1341 for COGEMA Mining,Inc.Amend makes administrative changes to license conditions 10 & 23.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/04/19. 11pp. 83714:318-83714:328.

9505260142 Informs that NRC has completed review of 950228 request to amend license SUA-1341 & found request acceptable.Amend 38 to license SUA-1341 encl.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/11. WICHERS,D.L. COGEMA, Inc. 8pp. 84099:264-84099:284.

–9505260150 Amend 38 to license SUA-1341 for Cogema Mining Inc, authorizing mining operations in Mine Unit 5.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/11. 12pp. 84099:273-84099:284.

9505300011 Advises NRC of several mistakes that still remain re listing of current NRC Project Manager assignments & designated licensee contacts.Mistakes listed & correction requested as stated.
WICHERS,D.L. COGEMA, Inc. 95/05/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84099:355-84099:356.

9505240259 Requests that encl matls from Christensen Ranch ISL Project, WY be docketed.Matls received from D Wichers of COGEMA Mining,Inc during NRC visit to Casper,WY on 950427.W/three oversize drawings.
COLEMAN,N. Division of Waste Management (NMSS 940403). 95/05/15. Office of Information Resources Management (Post 890205). 45pp. 84133:249-84133:284.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9505110117 Provides staff commemts re review of revised environmental rept,environmental monitoring manual & responses to comments on conceptual design tailings mgt study for sweetwater mill.
GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/03. PAULSON,O.A. Kennecott Corp. 15pp. 83933:310-83933:324.

DOCKET 40-8585 WYOMING MINERAL CORP., LAKEWOOD, CO

9505250149 FOIA request for documents re License SUA-1315 issued to Wyoming Minerals Co.
BARRETT,K.R. Affiliation Not Assigned. 94/12/13. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84082:318-84082:318.

9505250152 Final response to FOIA request for documents.App A documents already available in PDR.App B documents encl & also placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/18. BARRETT,K.R. Affiliation Not Assigned. 13pp. 84082:319-84082:347.

--7904090058 Forwards comments by NRC & consultant re manuscript of "Epidemiological Evaluation of Cancer Incidence Rates for Period 1969-71." Manuscript also sent to NIH,whose comments will be forwarded when received.NRC comments encl.
MINOGUE,R.B. Office of Standards Development, Director. 79/03/20. JOHNSON,C.J. Affiliation Not Assigned. 7pp. 84082:341-84082:347.

--7904090060 Review of CJ Johnson's 790227 rept re cancer incidence rates in Rocky Flats area.Approves of basic research design,but notes many errors in specifics & applicability.
CUNNINGHAM,M. Radiological Health Standards Branch. 79/03/12. PARSONT,M. Radiological Health Standards Branch. 2pp. 84082:334-84082:340.

--7904090065 Documents 790301 clarification of analytical techniques & tabular entries in rept re cancer incidence rates.Requests confirmation of certain figures.
GOLDSMITH,R. Radiological Health Standards Branch. 79/03/02. JOHNSON,C.J. Affiliation Not Assigned. 2pp. 84082:332-84082:333.

DOCKET 40-8610 STEPAN CHEMICAL CO., MAYWOOD, NJ

9505040157 Responds to NRC 950405 ltr re violations noted in insp of license STC-1333.Corrective actions:clarification of interpretation & review of licensee commitment & review of groundwater surveillance historical results.
O'BRIEN,J.G. Stepan Co. (formerly Stepan Chemical Co.). 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83832:334-83832:335.

DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9505180192 Provides comments on point of compliance monitoring program for White Mesa Mill submittal by Energy Fuels Nuclear Inc.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84013:203-84013:204.

9505120107 Requests withdrawal of Envirocare of UT,Inc 2.206 petition re UMETCO operations at White Mesa mill.Envirocare no longer desires action against UMETCO.
MORTENSEN,S. Envirocare, Inc. 95/05/04. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 83946:358-83946:358.

9505230307 Informs that licensee has initiated review of Reclamation Plan for White Mesa U Mill license SUA-1358.
ROBERTS,H.R. Energy Fuels Nuclear, Inc. 95/05/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84051:318-84051:321.

9505250181 Forwards estimated reclamation costs for purpose of determining surety levels for White Mesa Mill.W/one oversize drawing.
VAN HORN,R.A. Energy Fuels Nuclear, Inc. 95/05/15. HOLONICH,J.J. NRC - No Detailed Affiliation Given. 46pp. 84162:119-84162:164.

9505260202 Forwards copies of monthly status repts per 950201 Court Order for Feb-May 1995,as requested by H Ipsen.
HOBBS,L.L. Holme, Roberts & Owens. #295 16737. 95/05/22. Docketing & Services Branch. 1p. 84062:310-84062:320.

--9505260209 Monthly status rept.* Advises Presiding Officer & parties of EFN representatives meeting w/DOE officials in Washington,DC re Monticello tailings issue.W/ Certificate of Svc.
IPSEN,H.W. Energy Fuels Nuclear, Inc. IPSEN,H.W. Holme, Roberts & Owens. 95/02/16. 2pp. 84062:311-84062:312.

--9505260225 Monthly status rept.* Advises Presiding Officer & parties that EFN representatives continued discussions w/DOE officials re Monticello tailings issue.
IPSEN,H.W. Energy Fuels Nuclear, Inc. IPSEN,H.W. Holme, Roberts & Owens. 95/03/17. 2pp. 84062:313-84062:314.

--9505260229 Monthly status rept.* Advises Presiding Officer & parties of no new developments to rept at present time.W/Certificate of Svc.
IPSEN,H.W. Energy Fuels Nuclear, Inc. IPSEN,H.W. Holme, Roberts & Owens. 95/04/17. 3pp. 84062:315-84062:317.

--9505260240 Monthly status rept.* Advises Presiding Officer & parties of no new development to rept at present time.W/Certificate of Svc.
IPSEN,H.W. Energy Fuels Nuclear, Inc. IPSEN,H.W. Holme, Roberts & Owens. 95/05/16. 3pp. 84062:318-84062:320.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9505250257 Discusses review of annual surety update subitted by Plateau Resources re shootaring operations for license SUA-1371.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/16. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84099:227-84099:228.

DOCKET 40-8702 ARMY, DEPT. OF, ROCK ISLAND, IL

9505240269 Responds to 950206 & 0322 ltrs re facility at Bridge & Tacony streets,Philadelphia,PA.Region I determined that complete & adequate final radiological survey records of bldgs & areas at facility where matls used does not exist.
KINNEMAN,J.D. Region 1 (Post 820201). 95/05/02. HUNN,S.S. . 3pp. 84023:099-84023:101.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9505050202 Forwards summary of final release survey data for Bldg 10G & equipment located at McGean Rohco,Inc site.Final surveys performed in accordance w/methodology in draft NUREG/CR-5849 for release of bldg areas for unrestricted use.
ADAMS,T.G. B. Koh & Associates, Inc. 95/04/28. JOHNSON,T.C. Office of Nuclear Material Safety & Safeguards. 60pp. 83863:265-83863:324.

9505120117 Forwards responses to Ohio Environ Protection Agency comments on Chemetron closure plan & groundwater monitoring plan for Bert Avenue site.
KOH,B. Chemetron Corp. 95/04/28. PARKER,J. Ohio, State of. 36pp. 83871:150-83871:185.

9505120086 Informs that Chemetron site remediation plan not adequate to achieve long-term stability.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/05/02. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 83929:325-83929:328.

DOCKET 40-8742 CHEMETRON CORP., CHICAGO, IL

9505260103 Responds to results of NRC confirmatory survey rept & special insp rept 40-8724/94-06,dtd 950125.Licensee plans to evaluate drain line discussed.
KOH,B. Chemetron Corp. 95/05/04. MCCORMICK-BARGE Region 3 (Post 820201). 3pp. 84093:332-84093:334.

DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA

9505050347 Application for amend to license SMB-1393,modifying section 14E to read "licensee shall complete site decommissioning & disposal of licensed matl in accordance w/site decommissioning plan within twenty-four months...."
DANKMYER,B.K. Molycorp, Inc. 95/04/21. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 83863:359-83863:359.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9505080038 Requests extension for submittal of Decommissioning Plan for York,PA from 950524-0824.
DANKMYER,B.K. Molycorp, Inc. 95/04/21. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 83865:001-83865:001.

9505080045 Requests amend of York,PA NRC license SMB-1408.Informs that R Brown,plant manager will be leaving licensee svc on 950531.
DANKMYER,B.K. Molycorp, Inc. 95/04/24. PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 8pp. 83865:009-83865:016.

DOCKET 40-8838 ARMY, DEPT. OF, MADISON, IN

9505050341 Informs that licensee plan to provide comprehensive response to NRC 950315 ltr w/supporting documentation by 950715.Addl info re isotopic concentrations of U-234 & U-238 in depleted U listed.
WEEKLY,T.M. Army, Dept. of. 95/04/27. EID,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 83839:303-83839:304.

9505220037 Responds to KJ Shields 950328 ltr to RE Bernero re providing comments on DEIS for disposal & reuse of Jefferson Proving Ground in Madison,IN.Comments encl.
WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/10. DAVIDSON,J. Army, Dept. of, Headquarters Materiel Development & Readiness Command. 13pp. 84025:320-84025:332.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9505220183 Forwards application fo amend to license SUA-1511 for proposed const & operation of addl irrigation area 1B.
KEARNEY,W.F. Power Resources Corp. 95/04/21. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84083:204-84083:241.

--9505220184 Application for amend to license SUA-1511 for Satellite 1 Irrigation Area 1B.W/one oversize drawing.
* Power Resources Corp. 95/04/20. 33pp. 84083:209-84083:241.

9505180281 Forwards insp rept 40-8857/95-01 on 950404-06 & notice of violation.
COLLINS,S.J. Region 4 (Post 820201). 95/05/10. HILDENBRAND,P. Power Resources, Inc. (formerly Sparkling City Nuclear Corp.). 4pp. 83953:231-83953:249.

--**9505180295** Notice of violation from insp on 950404-06.Violation noted:licensee failed to develop plans or procedures for responding to all events detailed in operations plan.
* Region 4 (Post 820201). 95/05/10. 1p. 83953:235-83953:235.

--**9505180311** Insp rept 40-8857/95-01 on 950404-06.Violations noted.Major areas inspected:mgt & organization controls & operations review.
CAIN,C.L. Region 4 (Post 820201). 95/05/09. 14pp. 83953:236-83953:249.

9505230129 Application for amend to license SUA-1511,allowing licensee to add approx 80 acres into existing license permit area at Highland U project.W/three oversize drawings.
KEARNEY,W.F. Power Resources Corp. 95/05/10. 6pp. 84083:246-84083:251.

9505220048 Requests that attached table of contents for procedures manual for Highland U Project be docketed & placed into file.Document received from Power Resources,Inc during trip to Highland site on 950428.
COLEMAN,N. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/15. Office of Information Resources Management (Post 890205). 1p. 84035:321-84035:329.

--**9505220052** Table of contents for Power Resources,Inc procedures manual.
* Power Resources Corp. 95/04/28. 8pp. 84035:322-84035:329.

9505300261 Application for amend to license SUA-1511,revising F-Wellfield monitoring plan to accomodate westward progression of mining at Production Pattern Areas F-17 through F-21.W/one oversize drawing.
KEARNEY,W.F. Power Resources Corp. 95/05/17. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 84192:265-84192:270.

9505260002 Forwards revised pages 6 & 12 for application for "Satellite 1 Irrigation Area 1B."
KEARNEY,W.F. Power Resources, Inc. (formerly Sparkling City Nuclear Corp.). 95/05/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 84099:255-84099:258.

DOCKET 40-8866 NUCLEAR METALS, INC., CONCORD, MA

9505110008 Notification of licensee meeting 95-44 w/util on 950512 in King of Prussia,PA to discuss licensee ability to provide funding to assure facility could be safely decommissioned at end of useful life.
MILLER,M. Region 1 (Post 820201). 95/05/02. Region 1 (Post 820201). 2pp. 83850:097-83850:098.

9505240291 Confirms 950428 telcon re scoping meeting for identifying EA issues that may be considered part of EA associated w/Nuclear Metals,Inc license renewal request.
MILLER,M. Region 1 (Post 820201). 95/05/03. VUMBACO,F. Nuclear Metals, Inc. 14pp. 84023:122-84023:135.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9505090242 Forwards "Corrective Action Program & Alternate Concentration Limits Petition for Uranium,Molybdenum & Selenium for Bluewater Uranium Mill Near Grants,NM."
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/04/25. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 83903:001-83904:022.

--**9505090247** "Corrective Action Program & Alternate Concentration Limits Petition For Uranium,Molybdenum & Selenium Bluewater Uranium Mill Near Grants,NM." W/9 oversize encls.
* Atlantic Richfield Co. (ARCO). 95/04/30. 379pp. 83903:008-83904:022.

9505020193 Formalizes gradation mod request.Licensee currently placing filter rock matl on all slopes beneath final erosion protection layer.Licensee requests slight mod to filter rock gradation.W/attachments.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 83757:322-83757:325.

9505120103 Advises of review of amend request to modify environ monitoring program at Bluewater Mill site.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 83943:245-83943:248.

9505150074 Forwards copy of input to insp rept for insp at ARCO Bluewater Mill on 950327.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/05/03. CAIN,C.L. Region 4 (Post 820201). 3pp. 83972:255-83972:259.

--**9505150081** Insp of license SUA-1470 on 950327.No violations noted.Major areas inspected:placement of erosion protection & review const records.
NATARAJA,M. Region 4 (Post 820201). 95/04/25. 2pp. 83972:258-83972:259.

9505190066 Requests approval of encl rept, "Final Radon Barrier Design for Acid & Carbonate Tailings Piles,Bluewater Mill Site."
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/05/10. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 84009:259-84009:305.

--**9505190071** "Final Radon Barrier Design for Acid & Carbonate Tailings Piles,Bluewater Mill Site."
* Atlantic Richfield Co. (ARCO). 95/05/31. 45pp. 84009:260-84009:305.

9505180444 Forwards insp rept 40-8902/95-02 on 950327.No violations or deviations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 2pp. 83955:101-83955:106.

--**9505180448** Insp rept 40-8902/95-02 on 950327.No violations noted.Major areas inspected:licensee placement of erosion protection.
NATARAJA,M. Region 4 (Post 820201). 95/04/25. 3pp. 83955:104-83955:106.

9505180313 Forwards responses to concerns raised by T Johnson during review of final design mods-main tailings south toe bench submitted in Dec 1993.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/05/15. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 73pp. 84031:162-84031:234.

9505260331 Forwards analysis of concern raised by T Johnson of scour on landfill surface as result of water drainage from surrounding slopes & proposed const to avoid damage to landfill surface.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/05/15. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 14pp. 84102:320-84102:333.

9505310293 Forwards licensee rept entitled, "Disposal of Byproduct Matl Containing PCBs at Bluewater U Mill Site," for NRC review & approval.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/05/25. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84163:001-84163:028.

--**9505310299** "Disposal of Byproduct Matl Containing PCBs at Bluewater U Mill Site."
* Atlantic Richfield Co. (ARCO). 95/05/31. 27pp. 84163:002-84163:028.

9505310307 Advises NRC that all tailings piles at Bluewater U Mill site covered w/at least six inches or more of clean soil.In addition,licensee will implement revised radiation protection plan on 950531.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/05/25. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84145:244-84145:244.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9505110140 Provides surety review for Homestake Mining Co.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/04/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 83936:169-83936:172.

9505150108 Informs that revs to Grants Mill radiation monitoring program,acceptable.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/05. CRAFT,F.R. Homestake Mining Co. 5pp. 83943:263-83943:276.

--**9505150113** Amend 21 to license SUA-1471 for Homestake Mining Co, authorizing possession of residual U byproduct matl in form of U waste tailings & other byproduct waste generated by licensee past milling operations.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/05. 9pp. 83943:268-83943:276.

9505180113 Forwards insp rept 40-8903/95-01 on 950309-0406.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. CRAFT,F. Homestake Mining Co. 4pp. 83952:168-83952:183.

--**9505180118** Insp rept 40-8903/95-01 on 950309-0406.No violations noted. Major areas inspected:mgt & organization controls,radwaste mgt,environ monitoring & radiation protection.
CAIN,C.L. Region 4 (Post 820201). 95/05/09. 12pp. 83952:172-83952:183.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9505120102 "Groundwater Monitoring Rept for Period Jan-Mar 1995." W/ 950430 ltr.
LUTHIGER,P. Quivira Mining Co. 95/03/31. OHRBOM,R. New Mexico, State of. 3pp. 83946:355-83946:357.

9505220190 Provides follow-up to 950509 telcon re license condition 30, authorizing receipt & disposal of crushed drums from Sequoyah Fuels Corp.
FERDINAND,B. Quivira Mining Co. 95/05/10. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 2pp. 84023:356-84023:357.

9505180466 Forwards insp rept 40-8905/95-01 on stated date.No deviations or violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. FERDINAND,B. Quivira Mining Co. 3pp. 83955:120-83955:132.

--**9505180472** Insp rept 40-8905/95-01 on stated date.No violations or deviations noted.Major areas inspected:U mill operations, tailings reclamation & site decommissioning at facility.
CAIN,C.L. Region 4 (Post 820201). 95/05/11. 9pp. 83955:124-83955:132.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

9505150159 Presents preliminary analyses re five yr review,including cross-section,trilinear diagrams for groundwater samples in Southwest Alluvium & Zone 3 & distribution maps for sulfate & nitrate & TDS in Southwest Alluvium & Zone 3.
BOSTICK,K.A. Jacobs Engineering Group, Inc. 95/04/12. GHOSE,S. Environmental Protection Agency. 61pp. 83977:129-83977:189.

9505040260 Submits documentation requested re UNC pending request that NRC amend license for Church Rock site to reflect background water quality values consistent w/data previously submitted beginning in Oct 1992.
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 95/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 83814:339-83814:343.

9505020368 Forwards revised percent change maps for sulfate,nitrate & TDS in Southwest Alluvium & Zone 3.
BOSTICK,K.A. Jacobs Engineering Group, Inc. 95/04/27. HOOKS,K. NRC - No Detailed Affiliation Given. 7pp. 83762:354-83762:360.

9505150053 Requests that attached document be examined & provide tentative schedule for complete review of info.
TURTIL,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/27. ROM,D. Engineering & Geosciences Branch (NMSS 940403). 1p. 83972:249-83972:252.

9505220021 Responds to UNC 950217 reponses to 1993 annual review of ground water corrective action rept.
MALONE,D. Navajo Nation. 95/05/05. GHOSE,S. Environmental Protection Agency. 5pp. 84038:293-84038:297.

DOCKET 40-8914 HECLA MINING CO., COEUR D'ALENE, ID

9505240418 Final response to FOIA request for info.Forwards App A documents being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. DARKE,J. Affiliation Not Assigned. 99pp. 84067:039-84067:203.

-9505240433 Amend 3 to License SUA-1482 for Hecla Mining Co.
HALL,R.E. NRC - No Detailed Affiliation Given. 90/10/10. 2pp. 84067:178-84067:186.

-9505240446 Responds to Region IV ltr re sale of land owned by JM Mine where Hecla Mining Co situated & informs that,as managing general partner,IM Lee wishes land to be sold & kept environ safe.
LEE,I.M. Fernandez Co., Ltd. 91/03/18. HALL,R.E. Region 4 (Post 820201). 1p. 84067:187-84067:197.

-9505240450 Requests Region IV review of surface cleanup activities of & possibility of subsequent termination of License SUA-1482 issued to Hecla Mining Co for JM Mine in San Mateo,NM.
HALL,R.E. Uranium Recovery Field Ofc, R4. 90/12/21. BROWN,W. Region 4 (Post 820201). 2pp. 84067:198-84067:203.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9505050285 Informs that during routine biweekly water sampling licensee shallow well SM 4-2 multiple UCL for Na & alklinity exceeded.
KNODE,R. . 95/04/19. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 83863:354-83863:358.

9505100096 Forwards comparison of water quality data for licensee Mine Unit 4.Computer disk encl w/six files.
KNODE,R. . 95/04/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 83873:187-83873:193.

9505110177 Forwards amend 29 to license SUA-1534,replacing non- functional baseline restoration well in Mine Unit 1,modifyng permit area boundary & replacing upper aquifer monitoring well in Mine.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/05. COLLINGS,S.P. . 6pp. 83936:221-83936:237.

-9505110182 Amend 29 to license SUA-1534 for Crow Butte Resources Inc authorizing place of use.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/03. 11pp. 83936:227-83936:237.

9505180504 Forwards addl info re effect of larger spacing between monitor wells,requested in Crow Butte Resourses,Inc 950118 ltr,in response to NRC 950418 telcon request.W/two oversize drawings.
KNODE,R. Affiliation Not Assigned. 95/05/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 84042:344-84042:348.

9505260014 Forwards insp rept 40-8943/95-01 on 950425-27 & notice of violation.Violation involved failure to assign thermoluminescent dosimeters to plant personnel at all times while working at plant.
COLLINS,S.J. Region 4 (Post 820201). 95/05/22. COLLINGS,S.P. . 4pp. 84062:051-84062:068.

-9505260016 Notice of violation from insp on 950425-27.Violation noted:licensee failed to follow pertinent radiation safety practices specified in procedure.
* Region 4 (Post 820201). 95/05/22. 1p. 84062:055-84062:055.

-9505260030 Insp rept 40-8943/95-01 on 950425-27.Violations noted. Major areas inspected:licensee operations including mgt & organization controls,operations review,radiation protection,environmental monitoring & radioactive waste mgt.
CAIN,C.L. Region 4 (Post 820201). 95/05/19. 13pp. 84062:056-84062:068.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9505010061 Forwards revs to health & safety plan,driller work statement & analyses re bioaccessibility & specification for Cambridge site.
SHIELDS,W.J. PTI Services, Inc. 95/04/19. BLAIR,B.J. Ohio, State of. 2pp. 83716:087-83716:195.

-9505010064 "Health & Safety Plan."
* PTI Services, Inc. 95/04/19. 107pp. 83716:089-83716:195.

9505100105 Forwards "Compilation of Existing Data for Shieldalloy Metallurgical Corp Site in Cambridge,OH."
SHIELDS,W.J. PTI Services, Inc. 95/05/02. BLAIR,B.J. Ohio, State of. 1p. 83904:106-83905:040.

-9505100107 "Compilation of Existing Data for Shieldalloy Metallurgical Corp Site in Cambridge,OH."
* PTI Services, Inc. 95/05/31. 298pp. 83904:107-83905:040.

9505100109 Forwards "Response to NRC Request for Addl Info:Preliminary Geological/Hydrogeological Site Characterization at Shieldalloy Metallurgical Corp Site in Cambridge,OH."
SHIELDS,W.J. PTI Services, Inc. 95/05/03. NELSON,R.A. Office of Nuclear Material Safety & Safeguards. 1p. 83910:196-83910:336.

-9505100114 "Response to NRC Request for Addl Info:Preliminary Geological/Hydrogeological Site Characterization at Shieldalloy Metallurgical Corp Site in Cambridge,OH."
* PTI Services, Inc. 95/05/31. 150pp. 83910:197-83910:336.

9505250322 Forwards final version of revised "Health & Safety Plan for Field Activities at Shieldalloy Metallurgical Corp Site in Cambridge,OH," covering intrusive sampling of West slag pile at subj site.
EVES,C.S. Shieldalloy Metallurgical Corp. 95/05/05. NELSON,R. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84085:023-84085:190.

-9505250326 Final version of revised "Health & Safety Plan for Field Activities at Shieldalloy Metallurgical Corp Site in Cambridge,OH."
* Affiliation Not Assigned. 95/05/31. 167pp. 84085:024-84085:190.

9505250334 Forwards rept, "Onsite Slag Characterization & Distribution at Shieldalloy Metallurgical Corp Site in Cambridge,OH." Rept rev of "Preliminary Summary-Onsite Slag Characterization & Distribution" rept submitted on 950407.
SHIELDS,W.J. Affiliation Not Assigned. 95/05/08. BLAIR,B.J. Ohio, State of. 1p. 84093:001-84093:174.

-9505250337 "Onsite Slag Characterization & Distribution at Shieldalloy Metallurgical Corp Site in Cambridge,OH."
* Affiliation Not Assigned. 95/05/31. 173pp. 84093:002-84093:174.

9505100092 Notice of proposed stipulation & order compromising & settling causes of action of Applied Industrial Matls Corp (AIMCOR) against debtors,allowing AIMCOR administrative & unsecured claims & dismissing adversary proceeding.
RAPISARDI,J.J. Weil, Gotshal & Manges. 95/04/10. 17pp. 83889:121-83889:137.

9505100094 Notice of motion for entry of order per Sections 105 & 363 of Bankruptcy Code authorizing Metallurg,Inc to allow Metallurg Svcs,Inc to enter into agreement subordinating certain accrued mgt fees to unsecured liabilities.
RAPISARDI,J.J. Weil, Gotshal & Manges. 95/04/11. 36pp. 83873:197-83873:232.

9505100089 Forwards slug test data from 950410-11 tests performed at Shieldalloy Metallurgical Corp.
CAREY,D. Affiliation Not Assigned. 95/04/14. THAGGARD,M. NRC - No Detailed Affiliation Given. RUTHERFORD,S. Affiliation Not Assigned. 34pp. 83919:295-83919:328.

9505050219 Submits list of documents for review & approval re EIS being developed by NRC for site in Cambridge,OH.
EVES,C.S. Shieldalloy Metallurgical Corp. 95/04/25. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 83862:351-83862:351.

9505030032 Ack receipt of 950412 ltr re Cyprus Foote Mineral Phase II Work Plan & fax on 950425 concerning slag characterization at Shieldalloy Metallurgical Corp facility in Cambridge,OH.
PEDERSON,C.D. Region 3 (Post 820201). 95/04/26. BAUMAN,S. Affiliation Not Assigned. 1p. 83720:114-83720:114.

9505110146 Forwards comments on "Remedial Investigaton/Feasibility Study Health & Safety Plan,Shieldalloy Metallurgical Corp (SMC) Cambridge,OH," submitted by PTI Environ Svcs,Inc on behalf of SMC.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/27. BLAIR,B. Ohio, State of. 6pp.

9505150040 Forwards comments re reveiw of draft work plan for remedial investigation & feasibility study at Shieldalloy Metallurgical Corp in Cambridge,OH.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/01. BLAIR,B. Environmental Protection Agency. 4pp. 83943:294-83943:295.

9505110184 "Radiological Health & Safety Plan (RHSP)."
* Affiliation Not Assigned. 95/05/03. 15pp. 83936:253-83936:267.

9505110183 "Radiological Health & Safety Plan for Intrusive Drilling Into West Slag Pile (RHSP)."
* Affiliation Not Assigned. 95/05/04. 15pp. 83936:238-83936:252.

9505120060 "Radiological Health & Safety Plan for Intrusive Drilling into West Slag Pile."
* . 95/05/04. 30pp. 83929:252-83929:281.

9505180204 Submits info re NRC review & approval of remedial investigation/feasibility study radiological health & safety plan for licensee in Cambridge,OH.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/05. EVES,C.S. Shieldalloy Metallurgical Corp. 3pp. 84007:299-84007:301.

9505180022 Ack receipt of 950327 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8948/94-02.Requests written response to comments within 30 days of date of ltr.
MCCORMICK-BARGE Region 3 (Post 820201). 95/05/08. EVES,S. Shieldalloy Metallurgical Corp. 3pp. 83952:027-83952:029.

9505180285 Forwards info re development schedule for Cambridge,OH facility EIS.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/08. EVES,C.S. Shieldalloy Metallurgical Corp. 3pp. 84000:325-84000:326.

9505260085 Forwards revised pages amending radiological health & safety plan for drilling operation.
EVES,C.S. Shieldalloy Metallurgical Corp. 95/05/09. NELSON,R. NRC - No Detailed Affiliation Given. 1p. 84104:057-84104:059.

-9505260313 Revised pages amending radiological health & safety plan for drilling operation.
* Shieldalloy Metallurgical Corp. 95/05/09. 2pp. 84104:058-84104:059.

9505300372 Record of SMC telcon on 950510 re Phase III field update, addl analyses of west slag pile perimeter samples,schedule for deliverables,including approx dates of analytical data delivery to PTI & response to NRC RAI re source term.
* Affiliation Not Assigned. 95/05/10. 1p. 84136:361-84136:361.

9505260368 Summary of 950510 telcon w/PTI.
THAGGARD,M. NRC - No Detailed Affiliation Given. 95/05/11. NELSON,R. NRC - No Detailed Affiliation Given. 2pp. 84099:329-84099:330.

9505310265 "Notice of Motion Per Section 1121(d) of Bankruptcy Code to Extend Debtors Exclusive Periods in Which to File Plan or Plans of Reorganization & Disclosure Statement & Solicit Acceptances Thereto & of Status Conference on Environ...."
RAPISARDI,J.J. Metallurg, Inc. RAPISARDI,J.J. Shieldalloy Metallurgical Corp. RAPISARDI,J.J. Weil, Gotshal & Manges. 95/05/11. 26pp. 84144:335-84144:360.

9505300114 Forwards comments from US Fish & Wildlife Service on Section 5 of Shieldalloy workplan,relating to ecological risk assessment procedures.
BLAIR,B. Ohio, State of. 95/05/15. EVES,C.S. Shieldalloy Metallurgical Corp. LEE,P. Foote Mineral Co. 3pp. 84106:358-84106:360.

DOCKET 40-8964 RIO ALGOM MINING CORP., OKLAHOMA CITY, OK

9505180476 Forwards insp rept 40-8964/95-01 on 950406.No violations or deviations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. FERDINAND,B. Rio Algom Mining Corp. 3pp. 83955:133-83955:145.

--9505180481 Insp rept 40-8964/95-01 on 950406.No violations noted. Major areas inspected:licensee operations including mgt & organization controls,operations review,radiation protection,environmental monitoring & radioactive waste mgt.
CAIN,C.L. Region 4 (Post 820201). 95/05/11. 10pp. 83955:137-83955:145.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9505250054 Comments on Hydro Resources,Inc proposed U mining operations west of Crownpoint,NM.
LEWIS,J. Affiliation Not Assigned. 95/02/13. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84083:345-84083:346.

9505260235 Provides copies of transcripts from NRC public meetings in Crownpoint & Church Rock,NM on 950222-23.
LAYTON,M.C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/11. TILDEN,M. Affiliation Not Assigned. 3pp. 84104:083-84104:085.

9505300004 Responds to 950418 ltr to J Taylor indicating that EPA has reviewed DEIS to construct & operate Crownpoint U Solution Mining Project in NM.NRC discusses shared concern re financial assurance for environ restoration.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/05/11. HERMAN,S.A. Environmental Protection Agency. 6pp. 84104:331-84104:336.

DOCKET 40-8976 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9505240277 Responds to 950427 ltr re attendance of public info meeting hosted by Bloomfield Board of Health on 950523.
KINNEMAN,J.D. Region 1 (Post 820201). 95/05/04. PROCTOR,R.B. Affiliation Not Assigned. 2pp. 84023:107-84023:109.

--9505240285 Confirms conversation re Bloomfield Board of Health public meeting scheduled for 950525.
PROCTOR,R.H. Affiliation Not Assigned. 95/04/27. ROBERTS,M. Region 1 (Post 820201). 1p. 84023:109-84023:109.

DOCKET 40-8984 MAGNESIUM ELEKTRON, INC., FLEMINGTON, NJ

9505030202 Submits info describing measures that licensee implementing to reasonably assure that licensable matl not generated in future operations.
JAEGER,R.F. Magnesium Elektron, Inc. (formerly Melberk, Inc.). 95/04/24. GASKIN,C.E. Licensing Branch. 2pp. 83832:272-83832:273.

DOCKET 40-9015 MICHIGAN, STATE OF, BAY CITY, MI

9505100075 Requests 90 day extension re 950308 ltr to B Brouillet requesting decommissioning funding plan.Extension will allow sufficient time to re-evaluate purpose of license & radiation safety plan.
FINKBEINER,G.L. Michigan, State of. 95/04/12. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 83889:192-83889:193.

9505150009 Advises that NRC approved 950412 request to extend response date on licensee decommissioning funding plan addl 90 days to 950905.
WEBER,M.F. Division of Waste Management (NMSS 940403). 95/05/09. FINKBEINER,G.L. Michigan, State of. 2pp. 83899:036-83899:037.

DOCKET 40-9024 ENERGY FUELS NUCLEAR

9505100124 Requests review of staff time expenditures charged to EFN Reno Creek license application review project.Staff time expenditures for project to date,broken down by fiscal year & individual staff member enclosed.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/04/28. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 3pp. 83875:013-83875:015.

DOCKET 40-9027 CABOT CORP. READING & REVERE

9505100117 Responds to 950410 submittal of final site survey rept for Reading site, "Final Decommissioning Project Rept for Main Processing Building & Surrounding Area,Reading,PA." Comments enclosed.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/28. CAMPITELLI,A. Cabot Corp. 4pp. 83875:099-83875:102.

9505150017 Ack receipt of 950413 submittal, "Characterization Plan for Reading Slag Pile." Forwards comments on plan.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/05. CAMPITELLI,A. Affiliation Not Assigned. 3pp. 83898:148-83898:150.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

P. Operating license stage documents & correspondence

9505190098 Forwards amend 41 to license R-28 & SE.Amend revises TSs to permit use of either boron-aluminum shim-safety rods or current borated stainless steel shim-safety rods or combination of both.
MICHAELS,T.S. . 95/05/12. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 3pp. 83986:337-83986:349.

--9505190110 Amend 41 to license R-28,revising TSs to permit use of either boron-aluminum shim-safety rods or current borated stainless steel shim-safety rods or combination of both.
MICHAELS,T.S. . 95/05/12. 6pp. 83986:340-83986:345.

--9505190113 Safety evaluation supporting amend 41 to license R-28.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. 4pp. 83986:346-83986:349.

9505190116 Forwards amend 42 to license R-28 & SE.Amend revises TSs to redefine definition of "Readily Available on Call."
MICHAELS,T.S. . 95/05/12. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 3pp. 83986:350-83986:358.

--9505190120 Amend 42 to license R-28,revising TSs to redefine definition of "Readily Available on Call."
WEISS,S.H. . 95/05/12. 4pp. 83986:353-83986:356.

--9505190125 Safety evaluation supporting amend 42 to license R-28.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. 2pp. 83986:357-83986:358.

Q. Inspection reports, IE Bulletins & correspondence

9505180083 Forwards exam rept 50-002/OL-95-02 on 950501.Exam rept,exam & answer key not encl.
RICHARDS,S.A. . 95/05/11. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 83979:312-83979:312.

V. Operator Examinations

9505180083 Forwards exam rept 50-002/OL-95-02 on 950501.Exam rept,exam & answer key not encl.
RICHARDS,S.A. . 95/05/11. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 83979:312-83979:312.

9505230068 Forwards initial exam rept 50-002/OL-95-02 for wk of 950501. Exam conducted in accordance w/NUREG-1478.W/o encl.
RICHARDS,S.A. Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 84033:229-84033:229.

9505180077 Forwards copy of results for operator initial exam conducted on 950502.W/ o encl.
RICHARDS,S.A. . 95/05/12. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 83979:313-83979:313.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

I. Financial information

9505180515 "Con Ed 1994 Annual Rept." W/950508 ltr.
MCGRATH,E.R., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/31. 51pp. 83980:285-83980:337.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505090077 "1994 Radiological Environ Operating Rept,Indian Point NPPs, Jan-Dec 1994." W/950428 ltr.
HILL,L.M., QUINN,S. Power Authority of the State of New York (New York Power Authority). 94/12/31. 118pp. 83893:202-83893:319.

9505100034 "Annual Environ Protection Plan Rept," for CY94.W/950426 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/31. 7pp. 83873:339-83873:345.

9505150163 "Annual Effluent & Waste Disposal Rept 1994." W/950428 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/31. 140pp. 83947:001-83947:140.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505190267 Revised pages DA 6-12 & 6-13 to Rev 6g of generating station emergency plan annex,dtd May 1995.
SCOTT,D.J. Commonwealth Edison Co. 95/05/04. 4pp. 84008:345-84008:348.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505150043 Forwards 1994 rept of changes,tests & experiments per 10CFR50.59.
HOLLAND,P.G. Commonwealth Edison Co. 95/04/25. Office of Nuclear Reactor Regulation (Post 941001). 2,814pp. 83993:001-84000:266.

9505190252 Monthly operating repts for Apr 1995 for Dresden Nuclear Power Station.W/950515 ltr.
SYKES,K.W., FALBO,R.J., HOLLAND,P.G. Commonwealth Edison Co. 95/04/30. 17pp. 84017:342-84017:360.

W. Decommissioning Stage Documents & Correspondence

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--9505050159 Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--9505050162 Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110153 Provides updated status of special environ monitoring program around Dresden Site.
FARRAR,D.L. Commonwealth Edison Co. 95/05/01. Office of Nuclear Reactor Regulation (Post 941001). 19pp. 83936:271-83936:289.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505240437 Provides results of surveys conducted on water level elevation of onsite ground water monitoring wells installed at Dresden site to monitor local flow & potential contamination patters.
VONK,M.J. Commonwealth Edison Co. 95/05/17. Office of Nuclear Reactor Regulation (Post 941001). 15pp. 84073:151-84073:165.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9505240388 Provides addl info re non-power reactor insp of control rod calibrations,shutdown margin calculations,thermal limits calculations & reactor operator requalification program.
ADAMS,A. . 95/05/09. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 5pp. 84049:325-84049:329.

S. Reportable occurrences, LERs & related correspondence

9505180128 PNO-I-95-013:on 950509,plant received bomb threat by telephone from unknown caller.Operations terminated,reactor shut down & *bldg evacuated.Campus* police,Cambridge police, fire & bomb disposal personnel notifed.
HOLMES,S. Region 1 (Post 820201). 95/05/10. 2pp. 83952:229-83952:230.

V. Operator Examinations

9505240388 Provides addl info re non-power reactor insp of control rod calibrations,shutdown margin calculations,thermal limits calculations & reactor operator requalification program.
ADAMS,A. . 95/05/09. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 5pp. 84049:325-84049:329.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

I. Financial information

9505040018 Forwards 1994 annual financial repts for CT Light & Power Co,Western MA Electric Co,Public Svc Co of NH & North Atlantic Energy Corp.
GUGLIELMO,F.J. Northeast Utilities Service Co. 95/04/25. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83803:128-83803:290.

--9505040022 "CT Light & Power 1994 Annual Rept."
* Northeast Utilities Service Co. * Yankee Atomic Electric Co. * Connecticut Yankee Atomic Power Co. 94/12/31. 43pp. 83803:129-83803:179.

--9505040028 "Western MA Electric 1994 Annual Rept."
* Northeast Utilities Service Co. * Boston Edison Co. 94/12/31. 36pp. 83803:180-83803:222.

--9505040033 "Public Svc of NH 1994 Annual Rept."
* Northeast Utilities Service Co. * Public Service Co. of New Hampshire. 94/12/31. 41pp. 83803:223-83803:265.

--9505040036 "North Atlantic 1994 Annual Rept."
* Northeast Utilities Service Co. 94/12/31. 23pp. 83803:266-83803:290.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505090094 "Yankee Nuclear Power Station Annual Radiological Environ Operating Rept,Jan-Dec 1994." W/950428 ltr.
MELLOR,R.A. Yankee Atomic Electric Co. 94/12/31. 100pp. 83842:022-83842:117.

W. Decommissioning Stage Documents & Correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505220226 Forwards responses to issues raised re memo of J Darby of Sciences Engineering Assocs concerning current NRC IPE review process.Objective of GL 88-20 for licensees to perform systematic exam to identify vulnerabilities.
DROUIN,M., RODRICK,E., FLACK,J. Probabilistic Risk Analysis Branch (Post 941217). 95/05/12. CUNNINGHAM,M. Probabilistic Risk Analysis Branch (Post 941217). 24pp. 84033:230-84033:275.

--9505220238 Informs that time has come to focus on & finalize NRC IPE review plan in light of receipt of various plant IPE submittals.Forwards two step process for detailed review plan.
MINNERS,W. Division of Safety Issue Resolution (880717-941217). CONGEL,F. Division of Radiation Protection & Emergency Preparedness (870411-921003). 90/02/28. BECKJORD,E. Office of Nuclear Regulatory Research (860720-941217). MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 84033:257-84033:269.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

DOCKET 50-54 CINTICHEM

R. Periodic operating reports & related correspondence

9505260049 Forwards results of NRC TLD direct radiation monitoring around facility for first quarter 1995.
STRUCKMEYER,R. Region 1 (Post 820201). 95/05/17. MCGOVERN,J.J. Cintichem, Inc. 4pp. 84062:169-84062:172.

DOCKET 50-57 BUFFALO MATERIALS RESEARCH CENTER

R. Periodic operating reports & related correspondence

9505110239 "Annual Operating Rept for SUNY at Buffalo,Buffalo Matls Research Ctr for CY94." W/950502 ltr.
VASBINDER,D.R. Buffalo Materials Research Center. 94/12/31. 44pp. 83930:252-83930:296.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

P. Operating license stage documents & correspondence

9505110254 Forwards request for addl info,in order to continue review of amend request for amended license R-66,submitted on 910212.
ADAMS,A. . 95/05/08. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 4pp. 83889:358-83889:361.

9505240356 Advises that all HEU fuel elements removed from facility & condition II.B.(4) can be deleted from license R-66,in response to NRC 950508 RAI re proposed changes to license. Licensee still possesses HEU in form of fission chambers.
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 95/05/11. ADAMS,A. NRC - No Detailed Affiliation Given. 1p. 84083:328-84083:328.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

P. Operating license stage documents & correspondence

9505240185 Forwards rev 8 pages 5-9 & 9-7 for Univ of FL Training Reactor (UFTR) SAR dtd Jan 1991,consisting of changes in schematics describing UFTR secondary water cooling sys to reflect mods that have been implemented.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 95/05/11. Document Control Branch (Document Control Desk). 4pp. 84063:344-84063:347.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

P. Operating license stage documents & correspondence

9505020360 Submits suppl info to LAR 94-03,proposing to revise plant TS,Section VII.C,plant staff,to reflect decrease in minimum staff requriements for shift operating organization from five to two persons.
WOMACK,L.F. Pacific Gas & Electric Co. 95/04/27. Document Control Branch (Document Control Desk). 4pp. 83760:357-83760:360.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090056 Confirms receipt of licensee HBL-95-026 ltr,plant second suppl response to NRC Bulletin 94-01, "SFP Drain Pipe Temp Study Results."
COLLINS,S.J. Region 4 (Post 820201). 95/05/03. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 83816:217-83816:221.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

S. Reportable occurrences, LERs & related correspondence

9505180100 PNO-IV-94-066:on 941226,util reported minor damage to gas & electrical lines causing loss of SF pool water & steam leak due to earthquake.Region IV notified & continue monitoring situation.State of CA to be notified.
VASQUEZ,M., CARSON,L. Region 4 (Post 820201). 94/12/28. 1p. 83952:137-83952:137.

DOCKET 50-134 WORCESTER POLYTECHNIC INSTITUTE RESEARCH REACTOR

V. Operator Examinations

9505190293 Forwards operator & SRO license certificates for newly licensed individuals at Worcester Polytechnic Inst as listed.W/o encl.
BOGER,B.A. . 95/05/11. BOBEK,L.M. Worcester Polytechnic Institute, Worcester, MA. 1p. 83986:359-83986:359.

DOCKET 50-139 UNIV. OF WASHINGTON RESEARCH REACTOR

W. Decommissioning Stage Documents & Correspondence

9505050318 Forwards order,authorizing dismantling & disposition of components parts for license R-73,after total funds for decommissioning from State of Washington made available to licensee.Safety evaluation & EA also encl.
MICHAELS,T.S. . 95/05/01. BOWEN,J.R. Washington, Univ. of, Seattle, WA. 3pp. 83828:259-83828:278.

--9505050320 Order authorizing dismantling of facility & disposition of components parts.
LIAW,B.D. . 95/05/01. Washington, Univ. of, Seattle, WA. 3pp. 83828:262-83828:264.

--9505050322 Environ assessment & finding of no significant impact re proposed order authorizing dismantling & disposition of component parts.
WEISS,S.H. . 95/04/26. 3pp. 83828:265-83828:267.

--9505050328 Safety evaluation accepting util 940802 application, requesting authorization to dismantle facility under license R-73 & to dispose component parts.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/01. 11pp. 83828:268-83828:278.

DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9505150151 Forwards revised "Emergency Preparedness Plan for Ohio State Univ Nuclear Reactor Lab."
MYSER,R. Ohio State Univ., Columbus, OH. 95/05/02. Document Control Branch (Document Control Desk). 1p. 83977:190-83977:235.

--9505150153 Forwards revised "Emergency Preparedness Plan for Ohio State Univ Nuclear Reactor Lab," as result of Nuclear Reactor Lab staff review of emergency plan & responding to notice of violation dtd 940721.
CRUZ,J.B. Ohio State Univ., Columbus, OH. 94/12/23. Document Control Branch (Document Control Desk). 3pp. 83977:191-83977:193.

--9505150155 Revised "Emergency Preparedness Plan for Ohio State Univ Nuclear Reactor Lab."
* Ohio State Univ., Columbus, OH. 94/12/31. 42pp. 83977:194-83977:235.

9505260353 Advises that 950424 ltr,transmitting changes to "OH St Univ Nuclear Reactor Lab Physical Security Plan For Protection Of SNM Of Moderate Strategic Significance Of Low Strategic Significance," is consistent w/10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/05/16. CRUZ,J.B. Ohio State Univ., Columbus, OH. 2pp. 84104:141-84104:142.

Q. Inspection reports, IE Bulletins & correspondence

9505150151 Forwards revised "Emergency Preparedness Plan for Ohio State Univ Nuclear Reactor Lab."
MYSER,R. Ohio State Univ., Columbus, OH. 95/05/02. Document Control Branch (Document Control Desk). 1p. 83977:190-83977:235.

--9505150153 Forwards revised "Emergency Preparedness Plan for Ohio State Univ Nuclear Reactor Lab," as result of Nuclear Reactor Lab staff review of emergency plan & responding to notice of violation dtd 940721.
CRUZ,J.B. Ohio State Univ., Columbus, OH. 94/12/23. Document Control Branch (Document Control Desk). 3pp. 83977:191-83977:193.

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR

P. Operating license stage documents & correspondence

9505090128 Ack receipt of 950418 ltr re licensee actions in light of fact that on 950413,NRC-licensed operator at licensee facility sought treatment for abuse of alcohol.Finds actions taken by licensee to be responsive & relevant.
WEISS,S.H. . 95/05/03. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 4pp. 83856:088-83856:091.

9505240441 Forwards response to NRC 950418 RAI & revised TS pages 19, 20b,26a & 26b re subcritical experiment using reactor thermal column or bulk shielding facility.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 95/05/17. Document Control Branch (Document Control Desk). 6pp. 84073:041-84073:053.

--9505240444 Proposed tech specs pages 19,20b,26a & 26b re subcritical experiments using reactor thermal column or bulk shielding facility.
* Illinois, Univ. of, Urbana, IL. 95/05/17. 7pp. 84073:047-84073:053.

V. Operator Examinations

9505240247 Informs NRC that SRO previously removed from duties,as stated in licensee 950418 ltr to NRC,has been reinstated to full duties effective 950508.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 95/05/15. ADAMS,A. NRC - No Detailed Affiliation Given. 1p. 84083:337-84083:337.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9505030007 Revised EPIPs,including rev 166 to EPIP-4L,rev 166 to EPIP-5F,rev 166 to EPIP-6F,rev 166 to EPIP-6H,rev 166 to EPIP-6K & revised Table of Contents.
* Consumers Power Co. 95/04/18. 50pp. 83793:269-83793:318.

9505180062 Forwards details of concern re security issue at plant. Requests that results of review & disposition of matter be submitted to NRC Region III within 30 days of ltr.Encl withheld re 10CFR2.790.
CREED,J.R. Region 3 (Post 820201). 95/05/08. CONNELLY,P.M. Consumers Power Co. 2pp. 83952:131-83952:132.

9505220246 Ack receipt of 950112 ltr which transmits changes identified as Rev 4 to Safeguards Contingency Plan submitted under provisions of 10CFR50.54(p).Informs that encl contains info exempt from public disclosure & being withheld.
CREED,J.R. Region 3 (Post 820201). 95/05/11. DONNELLY,P.M. Consumers Power Co. 2pp. 84137:325-84137:326.

9505180598 Forwards description of scope & objectives for 950822 Big Rock Point Plant emergency exercise.
DONNELLY,P.M. Consumers Power Co. 95/05/12. Document Control Branch (Document Control Desk). 5pp. 84015:353-84015:357.

9505300081 Ack receipt of 950112 ltr,which transmitted changes identified as rev 27 to plant security plan submitted under provision 10CFR50.54.Changes acceptable,except as noted in encl.Encl withheld (ref 10CFR73.21).
CREED,J.R. Region 3 (Post 820201). 95/05/16. DONNELLY,R.M. Consumers Power Co. 3pp. 84076:359-84076:361.

9505310167 Discusses insp rept 50-155/95-06 on 950216-0327 & forwards notice of violation & proposed imposition of civil penalty in amount of $50,000.Enforcement conference held on 950421 to discuss violations.
MARTIN,J.B. Region 3 (Post 820201). 95/05/24. FENECH,R.A. Consumers Power Co. 4pp. 84096:099-84096:108.

I. Financial information

9505010158 "1994 Consumers Power Co Annual Rept." W/950424 ltr.
HAAS,K.M. Consumers Power Co. 94/12/31. 37pp. 83717:321-83717:358.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505050153 Forwards Rev 5 to updated final hazards summary rept,per 10CFR50.71.List of effective pages & index of chapters also encl.
FENECH,R.A. Consumers Power Co. 95/04/28. Document Control Branch (Document Control Desk). 1p. 83815:175-83815:287.

–9505050157 Rev 5 to updated final hazards summary rept.
* Consumers Power Co. 95/04/28. 112pp. 83815:176-83815:287.

P. Operating license stage documents & correspondence

9505020291 Provides suppl to update to IST dtd 930827.
DONNELLY,P.M. Consumers Power Co. 95/04/25. Document Control Branch (Document Control Desk). 6pp. 83757:351-83757:356.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110330 *Forwards request for addl info re licensee 930304 request for amend to* license to revise TS to conform to wording of revised 10CFR20.Response requested within 20 days of ltr date.
TRAN,L.N. . 95/05/05. DONNELLY,P.M. Consumers Power Co. 3pp. 83938:222-83938:224.

9505120273 Advises that final rept CEN-615-P, "Evaluation of Low Charpy Upper Shelf Energy for Big Point Reactor Pressure Vessel Beltline Weld" will be withheld from public disclosure (ref 10CFR2.790),per 940811 request. .
TRAN,L.N. . 95/05/05. DONNELLY,P. Consumers Power Co. 3pp. 83902:249-83902:251.

9505260224 RAI re Consumer Power Co Big Rock Decommissioning Plan.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/05. WEISS,S.H. . 3pp. 84104:075-84104:078.

9505230019 Forwards info in response to five questions re addl info on funding of plant decommissioning.
DONNELLY,P.M. Consumers Power Co. 95/05/12. WEISS,S.H. . 81pp. 84063:135-84063:258.

–9505240194 "1995 Rept on Adequacy of Existing Annual Provision for Nuclear Plant Decommissioning," dtd Mar 1995.
SIMONSEN,T.L. Consumers Power Co. 95/03/31. 42pp. 84063:214-84063:258.

9505300198 Requests approval of change to quality program description for operational NPPs.
FENECH,R.A. Consumers Power Co. 95/05/18. Document Control Branch (Document Control Desk). 6pp. 84105:351-84105:356.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505090102 Forwards enforcement conference rept 50-155/95-07 on 950421.
PHILLIPS,M.P. Region 3 (Post 820201). 95/04/24. DONNELLY,P.M. Consumers Power Co. 4pp. 83974:168-83974:236.

–9505090106 *Enforcement conference rept 50-155/95-07.No violation noted. Major* areas inspected:apparent violation identified during insp discussed,along w/corrective actions taken by licensee.
PHILLIPS,M.P. Region 3 (Post 820201). 95/04/24. 64pp. 83974:172-83974:236.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505190082 Forwards insp rept 50-155/95-05 on 950318-0427.No violations noted.Results of insp indicated listed strengths & weaknesses in performance.
PHILLIPS,M.P. Region 3 (Post 820201). 95/05/04. DONNELLY,P.M. Consumers Power Co. 4pp. 83974:002-83974:017.

–9505190103 Insp rept 50-155/95-05 on 950318-0427.No violations noted. Major areas inspected:operations,maint,engineering & plant support activities,including insp of liquid & gaseous radwaste programs.
PHILLIPS,M.P. Region 3 (Post 820201). 95/05/04. 12pp. 83974:006-83974:017.

9505050171 *NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/* Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240009 Notifies of results of insp planning portion of NRC Mar 1995 Plant Performance Review for plant.Forwards schedule for NRC insps planned for next several months.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. DONNELLY,P.M. Consumers Power Co. 4pp. 84020:018-84020:021.

9505310167 Discusses insp rept 50-155/95-06 on 950216-0327 & forwards notice of violation & proposed imposition of civil penalty in amount of $50,000.Enforcement conference held on 950421 to discuss violations.
MARTIN,J.B. Region 3 (Post 820201). 95/05/24. FENECH,R.A. Consumers Power Co. 4pp. 84096:099-84096:108.

–9505310175 Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:piping sys to core spray sys tie-in was not operable.
* Region 3 (Post 820201). 95/05/24. 5pp. 84096:104-84096:108.

9505310255 "NRC Staff Proposes $50,000 Fine Against CPC for Violations of Safety Requirements at Big Rock Point Nuclear Plant."
* Office of Public Affairs (Post 911117). 95/05/26. 1p. 84162:032-84162:032.

R. Periodic operating reports & related correspondence

9505020215 "Big Rock Point Plant 1994 Radiological Environ Monitoring Rept." W/950424 ltr.
DONNELLY,P.M. Consumers Power Co. 94/12/31. 160pp. 83805:106-83805:269.

9505020217 "Big Rock Point Plant 1994 Radioactive Effluent Release Rept." W/950424 ltr.
DONNELLY,P.M. Consumers Power Co. 94/12/31. 124pp. 83789:240-83789:363.

9505090199 Monthly operating rept for Apr 1995 for Big Rock Point Nuclear Plant.W/ *950501 ltr.*
JOHNSON,J.R., DONNELLY,P.M. Consumers Power Co. 95/04/30. 5pp. 83880:342-83880:346.

S. Reportable occurrences, LERs & related correspondence

9505040169 LER 95-003-00:on 950329,outboard redundant core spray valve failed to stroke during 30 day surveillance test.Caused by disc angle & tilting.Valve internals cleaned & disc machined to establish matching.W/950427 ltr.
GOBLE,T.A., DONNELLY,P.M. Consumers Power Co. 95/04/27. 5pp. 83845:032-83845:036.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. SIMPKINS,R.A. Centerior Energy. WEIDNER,R.C. Commonwealth Edison Co. 1p. 83758:352-83758:352.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

G. Adjudicatory correspondence

9505020340 Responds to P Blockey-O'Brien 2.206 petition in front of NRC requesting license withdrawal,shutdown,removal of radioactive matl,cleanup of site & surrounding area,etc,etc at Neely Nuclear Research Ctr & Reactor on GA Tech Campus.
BLOCKEY-O'BRIEN Affiliation Not Assigned. 95/04/19. Ofc of the Executive Director for Operations. 4pp. 83775:348-83775:351.

9505040038 Prehearing conference order (ruling on standing & contentions).* Board find Contention 2 lacks technical basis required by 10CFR2.714(b)(2) & not admitted.W/Certificate of Svc.Served on 950326.
BECHHOEFER,C., KLINE,J.R., LAM,P.S. Atomic Safety & Licensing Board Panel. #295 16654. 95/04/26. Georgia Institute of Technology, Atlanta, GA. 58pp. 83743:197-83743:254.

9505180501 Notice of hearing.* Informs that on 940926,NRC published in FR notice of opportunity for hearing w/respect to proposed renewal of facility operating license for Georgia Tech Research Reactor.W/Certificate of Svc.Served on 950505.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #295 16689. 95/05/04. 4pp. 83954:352-83954:355.

9505180570 Memorandum & order (schedules for proceeding).* Informs that Board declined to provide any such legal advice although noting that GANE had no interlocutory appeal under 10CFR2.7149.W/Certificate of Svc.Served on 950510.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #295 16699. 95/05/10. Georgians Against Nuclear Energy. 4pp. 83970:276-83970:279.

9505180463 NRC Staff petition for Commission review & appeal,per 10CFR2.714A,of ASLB prehearing conference order (ruling on standing & contentions) of 950426.* Requests that Staff enter order reversing Board decision.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #295 16711. 95/05/11. Commissioners (Post 750119). 42pp. 83954:154-83954:195.

9505180597 Georgia Institute of Technology notice of appeal from ASLB memorandum & order dtd 950426 & request to stay discovery.* Discovery should be stayed until Board has had opportunity to consider appeal.
NORDIN,R.A., GUNNELLS,E.G. Georgia Institute of Technology, Atlanta, GA. #295 16712. 95/05/11. 2pp. 83970:296-83970:318.

--9505180601 Georgia Institute of Technology memorandum in support of appeal from Board memorandum & order dtd 950426.* Appeal Board should deny GANE petition to inervene for lack of standing.W/Certificate of Svc.
NORDIN,R.A., GUNNELLS,E.G. Georgia Institute of Technology, Atlanta, GA. 95/05/11. 21pp. 83970:298-83970:318.

9505230016 Advises that author has completed review of ltrs from petition to shut down Georgia Tech reactor.Review indicates that petition suggestions specious.No data indicates that reactor not safe or poses environ threat.
MCLEMORE,W.H. Georgia, State of. 95/05/11. MENDOCA,M. NRC - No Detailed Affiliation Given. 2pp. 84058:353-84058:354.

9505260232 Forwards three revised pages reflecting corrected style for notice of appeal,memorandum in support of appeal & Certificate of Svc.
GUNNELLS,E.G. Georgia Institute of Technology, Atlanta, GA. #295 16732. 95/05/16. CATER,C. Docketing & Services Branch. 1p. 84062:335-84062:338.

--9505260246 Revised page to Georgia Inst of Technology notice of appeal from Board memorandum & order dtd 950426 & request to stay discovery.*
* Georgia Institute of Technology, Atlanta, GA. 95/05/11. 1p. 84062:336-84062:336.

--9505260264 Revised page to Georgia Inst of Technology memorandum in support of appeal from Board memorandum & order dtd 950426.* W/Certificate of Svc.
* Georgia Institute of Technology, Atlanta, GA. 95/05/11. 2pp. 84062:337-84062:338.

H. General correspondence

9505010001 Forwards NRC investigation rept 2-88-003,IAW 950322 ltr. W/o encl.
MENDONCA,M.M. . 95/04/26. CARROLL,G. Affiliation Not Assigned. 2pp. 83687:337-83687:338.

P. Operating license stage documents & correspondence

9505150125 Forwards radionuclide concentrations in sludge samples from Clayton Water Treatment Plant Atlanta,GA.
ADAMS,W.C. Oak Ridge Associated Universities. 95/04/21. BASSET,C. Region 2 (Post 820201). 2pp. 83972:260-83972:261.

R. Periodic operating reports & related correspondence

9505020205 "Progress Rept for Univ of Missouri-Rolla Nuclear Reactor Facility Apr 1994-Mar 1995." W/950427 ltr.
BOLON,A.E. Missouri, Univ. of, Rolla, MO. 95/03/31. 145pp. 83793:124-83793:268.

T. Hearing transcripts on non-antitrust matters

9505120148 Transcript of 950508 scheduling conference in Rockville,MD. Pp 420-476.
* Atomic Safety & Licensing Board Panel. 95/05/08. 56pp. 83948:288-83948:346.

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

V. Operator Examinations

9505240205 Forwards copy of results of operator initial exam conducted at AFRRI on 950425-26.W/o encl.
RICHARDS,S.A. . 95/05/18. KEARSLEY,E.E. Armed Forces Radiobiological Research Institute. 1p. 84039:318-84039:318.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

DOCKET 50-184 NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9505180050 Forwards insp rept 50-184/95-01 on 950313-16.No violations or safety concerns noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/08. ROWE,J.M. Commerce, Dept. of. 2pp. 83952:117-83952:123.

--9505180057 Insp rept 50-184/95-01 on 950313-16.No violations noted. Major areas inspected:outage status,industrial safety, radiation protection dept organization & staffing personnel exposure & radiation detector surveillance.
DRAGOUN,T., ULLRICH,E. Region 1 (Post 820201). 95/05/05. 5pp. 83952:119-83952:123.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

P. Operating license stage documents & correspondence

9505110245 Responds to 950327 request for info re events at facility, including allegations re incidents in which individual appeared to be under influence of alcohol.Formal policy & procedures now in place & have been widely disseminated.
RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 95/04/25. MCCORMICK-BARGE Region 3 (Post 820201). 6pp. 83936:163-83936:168.

DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

P. Operating license stage documents & correspondence

9505020311 Advises that 10CFR73 shipment ID R95-030995A successfully transported from point of origin to destination on schedule.
JOHNSON,D.G. Rhode Island, State of. 95/04/05. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 83691:167-83691:167.

9505020312 Advises that shipment ID R95-030995B made successful transit from point of origin to destination on schedule.
JOHNSON,D.G. Rhode Island, State of. 95/04/18. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 83691:168-83691:168.

9505190288 Forwards second rev to ECCS for facility.Rev incorporates comments from design review conducted by ANL.
TEHAN,T. Rhode Island, State of. 95/05/12. MENDONCA,M. . 12pp. 84017:330-84017:341.

DOCKET 50-199 MANHATTAN COLLEGE RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9505110012 Forwards insp rept 50-199/95-01 on 950320-0406.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/02. DUGGAN,W. Manhattan College, Riverdale, NY. 3pp. 83850:101-83850:107.

--9505110017 Insp rept 50-199/95-01 on 950320-0406.No violations noted. Major areas inspected:physical facility,surveillance, requalification of ROs,refueling loading & initial criticality.
HOLMES,S., ULLRICH,E. Region 1 (Post 820201). 95/04/26. 4pp. 83850:104-83850:107.

V. Operator Examinations

9505110324 Forwards Initial Exam Rept 50-199/OL-95-01 for exam administered during wk of 950403.W/o rept.
RICHARDS,S.A. . 95/04/24. DUGGAN,W.P. Manhattan College, Riverdale, NY. 1p. 83936:357-83936:357.

9505110012 Forwards insp rept 50-199/95-01 on 950320-0406.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/02. DUGGAN,W. Manhattan College, Riverdale, NY. 3pp. 83850:101-83850:107.

--**9505110017** Insp rept 50-199/95-01 on 950320-0406.No violations noted. Major areas inspected:physical facility,surveillance, requalification of ROs,refueling loading & initial criticality.
HOLMES,S., ULLRICH,E. Region 1 (Post 820201). 95/04/26. 4pp. 83850:104-83850:107.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505010105 Rev 6.1 to "Emergency Plan for San Onofre Nuclear Generating Station Units 1,2 & 3." W/950426 ltr.
MARSH,W.C. Southern California Edison Co. 95/05/01. 450pp. 83715:001-83716:086.

9505100195 Rev 6.1 to "Emergency Plan For SONGS,Units 1,2 & 3."
* Southern California Edison Co. 95/05/01. 300pp. 83905:041-83906:119.

9505180067 Ack receipt of 950111 & 30 ltrs which transmitted Revs 44 & 45 to physical security plan at plant.
COLLINS,S.J. Region 4 (Post 820201). 95/05/08. RAY,H.B. Southern California Edison Co. 4pp. 83953:111-83953:116.

9505230026 Revised EPIPs,including rev 4 to SO123-VIII-1,rev 5 to SO123-VIII-1,TCN 8-3 to rev 8 to SO123-VIII-10,TCN 3-4 to rev 3 to SO123-VIII-10.1,TCN 1-3 to rev 1 to SO123-VIII-10.2 & TCN 1-2 to rev 1 to SO123-VIII-10.3.W/950512 ltr.
MARSH,W.C. Southern California Edison Co. 95/05/12. 289pp. 84041:267-84042:184.

I. Financial information

9505240366 *Forwards cash flow statement for yr ending Dec 1994 & SCE Corp annual rept to Securities & Exchange Commission for yr ending Dec 1994.*
MARSH,W.C. Southern California Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 44pp. 84068:272-84068:315.

P. Operating license stage documents & correspondence

9505030305 Forwards comments on proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
MARSH,W.C. Southern California Edison Co. 95/04/26. NRC - No Detailed Affiliation Given. 6pp. 83832:285-83832:290.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505020287 Informs that util will be relocating business ofc from 23 Parker Street,Irvine,CA to San Onofre Nuclear Generating Station,San Clemente,CA on 950501.
MARSH,W.C. Southern California Edison Co. 95/04/28. Document Control Branch (Document Control Desk). 1p. 83799:356-83799:356.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020019 Confirms receipt of "SONGS 1 Spent Fuel Pool Liner Plate Evaluation," dtd 950301.Evaluation responsive to commitment util made to NRC during NRC insp 50-206/94-23.
COLLINS,S.J. Region 4 (Post 820201). 95/04/26. RAY,H.B. Southern California Edison Co. 4pp. 83689:073-83689:076.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505040122 "San Onofre Nuclear Generating Station Annual Radioactive Effluent Release Rept Jan-Dec 1994." W/950426 ltr.
MARSH,W.C. Southern California Edison Co. 94/12/31. 476pp. 83794:001-83795:112.

9505040259 "Annual Radiological Environ Operating Rept for 1994 San Onofre Nuclear Generating Station Units 1,2 & 3." *W/950426 ltr.*
GOEDERS,M., MARSH,W.C. Southern California Edison Co. 94/12/31. 195pp. 83861:184-83862:014.

9505080238 Provides Annual Personnel Monitoring Rept for 1994 per 10CFR20.2206 & sections 6.9.1.5 of app A,TS to licenses DPR-13,NPF-10 & NPF-15 for plant.Disk withheld.
MARSH,W.C. Southern California Edison Co. 95/04/26. Document Control Branch (Document Control Desk). 1p. 83873:093-83873:095.

S. Reportable occurrences, LERs & related correspondence

9505240268 Part 21 rept re mismarked AMP 12-10 insulated lugs at SONGS. All AMP lugs currently in inventory at ABB Distribution Sys Div inspected for discrepancy on 950503.No mismarked lugs found.Training also held w/QA personnel on finding.
JACKSON,A., HAGENHOFF,N. ASEA Brown Boveri, Inc. 95/04/13. NRC - No Detailed Affiliation Given. 6pp. 84078:091-84078:096.

9505090013 Part 21 rept re mismarked AMP 12-10 insulated lugs at San Onofre Plant.Lugs oversize but have not failed & of no immediate reliability concern.Caused by mfg error in marking equipment.Lugs in inventory inspected & none mismarked.
STONE,D. ASEA Brown Boveri, Inc. 95/05/03. NRC - No Detailed Affiliation Given. 4pp. 83924:032-83924:035.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9505020313 *Notifies of change to plant ERDS data point for SG pressure. Max instrument range changed from 1,050 to 1,200 psig & alarm setpoint now N/A.ERDS data point library reference file for change encl.*
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/04/24. Document Control Branch (Document Control Desk). 6pp. 83764:001-83764:006.

9505310103 Temporary Change 95-783 to Rev 27 to EPIP 1.5-1, "Emergency Assessment."
* Connecticut Yankee Atomic Power Co. 95/05/04. 2pp. 84141:360-84141:361.

9505240211 Provides NRC w/revised schedule for implementation of revised EAL tables at Haddam Neck & Millstone plants.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84083:331-84083:332.

G. Adjudicatory correspondence

9505190173 Provides status of Director Decision re petition per 10CFR2.206 of 940303.Advises that Director Decision should be issued shortly,provided no unexpected events exist.
VISSING,G.S. Project Directorate I-4 (PD1-4) (Post 941001). 95/05/09. GAVENSKY,R. Affiliation Not Assigned. 2pp. 83984:195-83984:196.

H. General correspondence

9505030037 Responds to W Landing 950405 ltr,which stated listed concerns re plant.
DURR,J.P. Region 1 (Post 820201). 95/04/27. BASSILAKIS,R. Affiliation Not Assigned. 5pp. 83720:164-83720:179.

9505220105 Comment opposing proposed revision to 10CFR50,App J, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.
SCACE,S.E. Northeast Utilities. 95/05/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83985:147-83985:149.

I. Financial information

9505030484 1994 annual financial rept for CYAPCO.W/950425 ltr.
GUGLIELMO,F.J. Connecticut Yankee Atomic Power Co. 94/12/31. 28pp. 83861:032-83861:059.

9505040018 Forwards 1994 annual financial repts for CT Light & Power Co,Western MA Electric Co,Public Svc Co of NH & North Atlantic Energy Corp.
GUGLIELMO,F.J. Northeast Utilities Service Co. 95/04/25. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83803:128-83803:290.

--**9505040022** "CT Light & Power 1994 Annual Rept."
* Northeast Utilities Service Co. * Yankee Atomic Electric Co. * Connecticut Yankee Atomic Power Co. 94/12/31. 43pp. 83803:129-83803:179.

P. Operating license stage documents & correspondence

9505230094 Comment re proposed GL concerning pressure locking & thermal binding of safety-related power operated gate valves. Valves whose safety function to close & remain closed or valves that remain open should be excluded from proposed GL.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/04/26. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 84001:342-84001:348.

9504210293 *Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.*
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080095 Forwards updated rept on plant integrated safety assessment program.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/04/28. Document Control Branch (Document Control Desk). 32pp. 83839:316-83839:347.

9505120277 Informs that Commission has requested FR to publish encl "Notice of Consideration of Issuance of Amend to License & Proposed NSHC Determination & Opportunity for Hearing." Proposed amend will delete TS Sections 1.38 & 1.39.
WANG,A.B. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/05. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 83902:252-83902:266.

--**9505120280** Notice of consideration of issuance of amend to license DPR-61 & proposed NSHC determination & opportunity for hearing.Amend will delete TS 1.38 & 1.39, "Definitions,Fuel Assembly Types."
WANG,A.B. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/05. 11pp. 83902:256-83902:266.

9505180582 Requests addl info re util 931222 ltr proposing to change TS to provide alternate RCP flywheel insp frequency & exam methods.
WANG,A.B. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/11. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 6pp. 83985:352-83985:357.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310213 Provides NRC w/addl info to support review of SEP Topic III-1, "Quality Group Classification of Components & Sys."
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. 95/05/23. Document Control Branch (Document Control Desk). 4pp. 84145:158-84145:161.

9505310223 Provides NRC w/info re decay heat removal capability of plant during or following seismic event.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/05/23. Document Control Branch (Document Control Desk). 3pp. 84163:283-84163:285.

9505310252 Forwards updated table re status of USI A-46 outlier resolution at Haddam Neck plant.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/05/25. Document Control Branch (Document Control Desk). 8pp. 84163:349-84163:356.

9505310481 Informs that second barrier installed in containment penetrations at plant during recently completed Cycle 18 refueling outage.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/05/25. Document Control Branch (Document Control Desk). 2pp. 84145:165-84145:166.

Q. Inspection reports, IE Bulletins & correspondence

9505030203 Informs that,overall,Region I concludes that performance of plant remained generally consistent w/previous SALP except for increase in personnel errors re review of executive plant performance.Insp schedule encl.
COOPER,R.W. Region 1 (Post 820201). 95/04/20. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 7pp. 83722:114-83722:120.

9505020141 Forwards insp rept 50-213/95-07 on 950306-10.No violations noted.Deficiencies in design,mfg or maint of breakers have potential for introducing common mode failure that could result in failure of multiple trains.
RULAND,W.H. Region 1 (Post 820201). 95/04/21. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 83690:263-83690:274.

--9505020156 Insp rept 50-213/95-07 on 950306-10 & 0418.No violation noted.Major areas inspected:review of breaker reliability, preventive maint program & procedures & corrective actions for breaker deficiencies & failures.
SCHOLL,L.L., RULAND,W.H. Region 1 (Post 820201). 95/04/21. 9pp. 83690:266-83690:274.

9505030123 Forwards insp rept 50-213/95-05 on 950221-24 & 0313-17.Maint activities effectively conducted IAW established guidelines.
MEYER,G.W. Region 1 (Post 820201). 95/04/24. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 83721:318-83721:331.

--9505030133 Insp rept 50-213/95-05 on 950221-24 & 0313-17.No violations noted.Major areas inspected:maint program included insp of facility preparation,preformance & mgt oversight of maint & maint-related activities.
BISSETT,P.H. Region 1 (Post 820201). 95/04/20. 11pp. 83721:321-83721:331.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090261 Responds to NRC ltr re violations noted in insp rept 50-213/95-02.Corrective actions:mgt hold on work was put into effect.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. DEBARBA,E.A. Northeast Utilities. 95/05/03. Document Control Branch (Document Control Desk). 13pp. 83893:342-83893:354.

9505100064 Forwards insp rept 50-213/95-06 on 950228-0403.No violations noted.Encourages continued attention to pipe weld degradation in svc water sys which indicated potential lack of thoroughness in past engineering efforts.
DURR,J.P. Region 1 (Post 820201). 95/05/03. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 83828:103-83828:128.

--9505100081 Insp rept 50-213/95-06 on 950228-0403.No violations noted. Major areas inspected:plant operations,maint,engineering & technical support & plant activities.
NICHOLSON,L.E. Region 1 (Post 820201). 95/04/28. 22pp. 83828:106-83828:128.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180582 Requests addl info re util 931222 ltr proposing to change TS to provide alternate RCP flywheel insp frequency & exam methods.
WANG,A.B. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/11. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 6pp. 83985:352-83985:357.

9505260017 Forwards synopsis of OI Case 1-94-017 re allegations that wrongdoing occurred re plant handling & reporting of SW weld leak/corrosion issue.Ofc of Investigations could not substantiate allegations that subj wrongdoing occurred.
COOPER,R.W. Region 1 (Post 820201). 95/05/18. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 84062:069-84062:071.

9505300014 Advises NRC that plant completed all design basis reviews, analyses,verifications,tests & insps in accordance w/GL 89-10 on 950419,for items a through h.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/19. Document Control Branch (Document Control Desk). 2pp. 84099:357-84099:358.

R. Periodic operating reports & related correspondence

9505050062 "Annual Radioactive Effluent Rept 1994." W/950428 ltr.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 94/12/31. 73pp. 83833:203-83833:275.

9505050067 "Annual Radiological Environ Operating Rept Haddam Neck Station Jan-Dec 1994." W/950428 ltr.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 94/12/31. 81pp. 83847:001-83847:081.

9505150144 Monthly operating rept for April 1995 for Connecticut Yankee Haddam Neck Plant.W/950505 ltr.
EMMONS,K., RYLEY,M., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/04/30. 7pp. 83898:355-83898:361.

S. Reportable occurrences, LERs & related correspondence

9505030296 LER 94-026-02:on 941109,TS 3.0.3 entered due to inoperable containment isolation valve.On 941110,temporary mod was installed which diverted pressurizer vent path through another sampling penetration.W/950424 ltr.
MARINO,M.F., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/04/24. 8pp. 83790:008-83790:015.

9505110006 LER 95-013-00:on 950406,reportability evaluation determined that failure of containment pressure transmitter reportable. Caused by transmitter failure.Transmitter replaced.W/950504 ltr.
LEBARON,L., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/05/04. 5pp. 83924:132-83924:137.

9505100120 LER 95-014-00:on 950407,discovered that surveillance for demonstrating operability of portion of ECCS subsystems had not been performed.Caused by procedural inadequacy.Procedure revised & annual TS surveillance reviewed.W/950505 ltr.
MCCRACKEN,D., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/05/05. 5pp. 83924:104-83924:109.

9505310486 LER 94-027-01:on 941213,surveillance frequency exceeded for verifying offsite power source operability.Caused by procedural deficiency.Revised procedure to provide specific mechanism for identifying TS.W/950523 ltr.
MCCRACKEN,D.S., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/05/23. 7pp. 84162:106-84162:111.

V. Operator Examinations

9505090045 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. OPEKA,J.F. Northeast Utilities. 2pp. 83816:164-83816:165.

9505100049 Forwards both forms of exam,answer keys,grading results & individual answer sheets for util employees re 950405 generic fundamentals exam.All individuals passed exam. W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. SMITH,J.F. Connecticut Yankee Atomic Power Co. 2pp. 83828:085-83828:086.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9505050038 Confirms that plant intends to enhance emergency response capabilities by implementing severe accident mgt guidelines.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/04/28. Document Control Branch (Document Control Desk). 1p. 83864:128-83864:128.

9505230339 Revised EPIPs,including rev 5 to EPIP-OC-.04,rev 11 to EPIP-OC-.06,rev 4 to EPIP-OC-.28 & rev 11 to 6430-ADM-1319.02.W/950517 ltr.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/05/17. 154pp. 84046:096-84046:249.

9505260064 Responds to 950427 correspondence requesting briefing from NRC,State of NJ police & util on security measures at plant. Meeting scheduled for 950523 at plant technical support ctr.
MARTIN,T.T. Region 1 (Post 820201). 95/05/17. MORAN,J.W. New Jersey, State of. 6pp. 84062:247-84062:255.

--9505260067 Requests briefing on security measures in place to protect plant from potential threat of terrorist attack & urges that every safety measure be taken in light of bombing in Oklahoma City,OK.
CONNORS,L.T., MORAN,J.W., CONNORS,C.J. New Jersey, State of. 95/04/27. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). WILLIAMS,C.A. New Jersey, State of. 5pp. 84062:253-84062:255.

I. Financial information

9505020470 Forwards "GPU Annual Rept 1994," 1994 uniform statistical rept,1994 GPU actual source & application of funds satatement & 1995 GPU forecast source & application of funds statement per 10CFR50.71(b) & 10CFR140.21.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/04/25. Document Control Branch (Document Control Desk). 1p. 83763:203-83763:287.

--**9505020472** "GPU Annual Rept 1994."
LEVA,J.R. General Public Utilities Corp. - GPU Service Corp. 94/12/31. 84pp. 83763:204-83763:287.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080168 Forwards amend 180 to license DPR-16 & SE.Amend revises TS section 6.5.1.12 to delete requirement to render determinations in writing w/regard to activities in TS 6.5.1.2 & 6.5.1.5 constitute unreviewed safety question.
DROMERICK,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/01. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 83823:001-83823:009.

--**9505080174** Amend 180 to license DPR-16,revising TS section 6.5.1.12 to delete requirement to render determinations in writing w/ regard to whether or not activities listed in TS 6.5.1.2 & 6.5.1.5 constitute unreviewed safety question.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/01. 4pp. 83823:004-83823:007.

--**9505080177** Safety evaluation supporting amend 180 to license DPR-16.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/01. 2pp. 83823:008-83823:009.

9505260010 Discusses recently received info re activities at plant. Requests results of review & disposition of matter be submitted to region I within 60 days of ltr date.Encl withheld (ref 10CFR2.790).
COOPER,R.W. Region 1 (Post 820201). 95/05/11. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 84062:031-84062:034.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030071 Forwards insp rept 50-219/95-10 on 950410-13.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/04/27. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 83720:352-83720:358.

--**9505030076** Insp rept 50-219/95-10 on 950410-13.No violations noted. Major areas inspected:Radioactive Effluent Control Programs.
PELUSO,L., ULLRICH,E. Region 1 (Post 820201). 95/04/21. 4pp. 83720:355-83720:358.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505100084 Forwards insp rept 50-219/95-06 on 950222-0403.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/05/03. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 83828:176-83828:194.

--**9505100087** Insp rept 50-219/95-06 on 950222-0403.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & safety assessment/quality verification.
ROGGE,J. Region 1 (Post 820201). 95/04/24. 19pp. 83828:178-83828:194.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505020051 "1994 Radiological Environ Monitoring Rept." W/950427 ltr.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 94/12/31. 165pp. 83761:001-83761:165.

9505190259 Monthly operating rept for Apr 1995 for Oyster Creek Nuclear Generating Station.W/950509 ltr.
EDELMANN,P.G., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/04/30. 7pp. 84019:341-84019:347.

V. Operator Examinations

9505090032 Informs that Region I can no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to each facility after exam process complete.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 83816:148-83816:149.

9505100032 Forwards copies of both forms of GFE section of written operator licensing exam including answer keys & grading results for util employees who took exam on 950405.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. TRITT,H. General Public Utilities Corp. - GPU Service Corp. 2pp. 83828:055-83828:056.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505240032 Revised Emergency Plan Maint Procedures,including rev 0 to EPMP-EPP-0102, "Unit 2 Emergency Classification Technical Bases" & rev 0 to EPMP-EPP-0101, "Unit 1 Emergency Classification Technical Bases."
MCCORMICK,M.J. Niagara Mohawk Power Corp. 95/05/13. 234pp. 84070:001-84070:234.

I. Financial information

9505240376 Forwards 1994 Annual Financial Repts of Niagara Mohawk & Co-Tenant Companies Of Nine Mile Point Units 1 & 2.
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/05/15. Document Control Branch (Document Control Desk). 1p. 84106:001-84106:316.

--**9505240379** "Rochester Gas & Electric Corp Annual Rept for 1994."
* Rochester Gas & Electric Corp. 94/12/31. 60pp. 84106:002-84106:069.

--**9505240396** "Niagara Mohawk Power Corp 1994 Annual Rept."
* Niagara Mohawk Power Corp. 94/12/31. 53pp. 84106:070-84106:125.

--**9505240398** "Central Hudson Gas & Electric Corp 1994 Annual Rept."
* Central Hudson Gas & Electric Corp. 94/12/31. 53pp. 84106:126-84106:182.

--**9505240399** "1994 Annual Rept," for NYSEG.
* New York State Electric & Gas Corp. 94/12/31. 48pp. 84106:183-84106:239.

--**9505240400** "Long Island Lighting Co 1994 Annual Rept."
* Long Island Power Authority. 94/12/31. 56pp. 84106:240-84106:316.

P. Operating license stage documents & correspondence

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--**9505190275** Discusses Niagara Mohawk Power Corp settlement agreement re review scope,per Stello ltr dtd 890427.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/18. SLOSSON,M. NRC - No Detailed Affiliation Given. 1p. 84038:118-84038:118.

9505020228 Forwards nonproprietary version of Suppl 1 to GE-NE-B13-01739-04, "Suppl 1 to Nine Mile Unit 1 Shroud," in response to GL 94-03, "IGSCC of Core Shrouds in BWRs."
TERRY,C.D. Niagara Mohawk Power Corp. 95/04/21. Document Control Branch (Document Control Desk). 4pp. 83764:049-83764:070.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080135 Clarifies misunderstanding re scope of Loose Part Analysis w/respect to effect during design basis accident & impact on spray distribution & sparger structural integrity & submit detailed subject as discussed in util 950314 ltr.
STORZ,L.F. Niagara Mohawk Power Corp. 95/04/30. Document Control Branch (Document Control Desk). 3pp. 83865:034-83865:048.

--**9505080140** "Nuclear Engineering Rept for Postulated Loose Part Analysis for Nine Mile Point Unit 1 for Core Spray Sparger Piece," coversheet to GE rept GE-NE-T23-00700-14-09.
BARTOLINI,P.A., LEE,T.D. Niagara Mohawk Power Corp. NER-1M-023 R00. 95/04/12. 1p. 83865:037-83865:037.

--**9505080150** "Postulated Lost Parts Analysis for Nine Mile Point Nuclear Station Unit 1 Core Spray Sparger Nozzle Assembly."
HOANG,H.X. General Electric Co. 95/04/30. 11pp. 83865:038-83865:048.

9505110068 Advises that lab & engineering analysis of coupons removed during 1995 refueling outage resulted in corrosion rate of 0.3216 mils per year.
TERRY,C.D. Niagara Mohawk Power Corp. 95/05/03. Document Control Branch (Document Control Desk). 1p. 83933:349-83933:349.

9505180552 Informs of implementation of actions to reduce thermal stratification & cycling in emergency condenser sys.
TERRY,C.D. Niagara Mohawk Power Corp. 95/05/04. Document Control Branch (Document Control Desk). 1p. 84015:347-84015:347.

9505090258 Requests addl info re licensee amend proposal concerning instrument calibration frequency & fuel cladding integrity limits.Response should be submitted by 950531.
EDISON,G.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/05. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 83853:345-83853:348.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505150137 Advises that util visually examined core spray spargers & associated internal piping during thirteenth refueling outage,per IE Bulletin 80-13.
TERRY,C.D. Niagara Mohawk Power Corp. 95/04/21. MARTIN,T.T. Region 1 (Post 820201). 2pp. 83955:315-83955:352.

--**9505150141** Forwards nonproprietary versions of documentation supporting core shroud repair per GL 94-03.
TERRY,C.D. Niagara Mohawk Power Corp. 95/04/21. Document Control Branch (Document Control Desk). 3pp. 83955:316-83955:318.

--**9505150147** Suppl 1 to "Nine Mile Point Unit 1 Shroud."
HERRERA,M.L., GLEASON,T.E., MEHTA,H.S. General Electric Co. GE-NE-B13-01739-04. 95/02/24. 34pp. 83955:319-83955:352.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505050035 Forwards insp rept 50-220/95-09 on 950327-31.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/04/26. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 83758:128-83758:141.

--**9505050043** Insp rept 50-220/95-09 on 950327-31.No violations noted. Major areas inspected:licensee shroud repair design analyses,repair hardware stress analysis,insp results & fabrication & installation & inservice insp plan.
LOHMEIER,A., MODES,M.C. Region 1 (Post 820201). 95/04/26. 11pp. 83758:131-83758:141.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240143 Forwards insp repts 50-220/95-10 & 50-410/95-10 on 950424-28 & NOV.
JOYNER,J.H. Region 1 (Post 820201). 95/05/16. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84021:302-84021:312.

--**9505240153** Notice of violation from insp on 950424-28.Violation noted:util failed to properly implement Radiation Protection Program procedures as listed.
* Region 1 (Post 820201). 95/05/16. 2pp. 84021:305-84021:306.

--**9505240159** Insp repts 50-220/95-10 & 50-410/95-10 on 950424-28. Violations noted.Major areas inspected:radiological controls during refueling outage & instructions to radiological workers.
FURIA,J., BORES,R. Region 1 (Post 820201). 95/05/16. 6pp. 84021:307-84021:312.

R. Periodic operating reports & related correspondence

9505020210 "Annual Radiological Environ Operating Rept Nine Mile Point Nuclear Station." W/950428 ltr.
ABBOTT,R.B. Niagara Mohawk Power Corp. 94/12/31. 151pp. 83791:007-83791:157.

9505220167 Monthly operating rept for Apr 1995 for NMPNS Unit 1.W/ 950512 ltr.
COLEMAN,D.E., ABBOTT,R.B. Niagara Mohawk Power Corp. 95/04/30. 5pp. 84038:027-84038:031.

S. Reportable occurrences, LERs & related correspondence

9505260304 LER 95-002-00:on 950419,reactor scram caused by failure of generator protective relay.Replaced faulty relay.W/950519 ltr.
SWEET,K., ABBOTT,R.B. Niagara Mohawk Power Corp. 95/05/19. 6pp. 84132:067-84132:072.

V. Operator Examinations

9505090024 Informs that Region I can no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 83816:103-83816:104.

DOCKET 50-223 UNIV. OF LOWELL RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9505030089 Ack receipt of 950330 ltr which provides clarification re alarms & use of locking key associated w/Co-60 source manipulator tool addressed in insp rept 50-223/94-02.Addl info requested within 60 days of receipt of ltr.
JOYNER,J.H. Region 1 (Post 820201). 95/04/27. BETTENHAUSEN,L. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 2pp. 83721:126-83721:129.

--**9505030099** Provides clarification of statements addressed in insp rept 50-223/94-02 re insp conducted on 941205-07.
BETTENHAUSEN,L. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 95/03/30. JOYNER,J.H. Region 1 (Post 820201). 2pp. 83721:128-83721:129.

DOCKET 50-225 RPI CRITICAL EXPERIMENT

V. Operator Examinations

9505220220 Forwards results for operator initial exam conducted on 950425-26.W/o encl.
RICHARDS,S.A. . 95/05/16. HARRIS,D.R. . 1p. 84029:345-84029:345.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505110030 Forwards SALP 13 repts 50-237/95-01 & 50-249/95-01 for 930822-950318.Meeting to discuss repts will be scheduled on 950512.
MARTIN,J. Region 3 (Post 820201). 95/04/28. JOYCE,T. Commonwealth Edison Co. 7pp. 83850:323-83850:335.

--**9505110173** SALP repts 50-237/95-01 & 50-249/95-01 for 930822-950318.
* Region 3 (Post 820201). 95/04/28. 6pp. 83850:330-83850:335.

9505190267 Revised pages DA 6-12 & 6-13 to Rev 6g of generating station emergency plan annex,dtd May 1995.
SCOTT,D.J. Commonwealth Edison Co. 95/05/04. 4pp. 84008:345-84008:348.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

G. Adjudicatory correspondence

9505040029 Commonwealth Edison Company motion for leave to file amicus curiae.* Requests Commission grant motion.
EDGAR,G.L. Commonwealth Edison Co. EDGAR,G.L. Edgar, G.L. #295 16646. 95/04/21. Commissioners (Post 750119). 5pp. 83743:170-83743:189.

--**9505040035** Commonwealth Edision Company answer supporting NRC petition for review of ASLB initial decision issued 950327.* Advises Commission to grant petition for review.W/ certificate of svc.
EDGAR,G.L. Commonwealth Edison Co. EDGAR,G.L. Edgar, G.L. 95/04/21. Commissioners (Post 750119). 15pp. 83743:175-83743:189.

9505260218 Order.* Informs that time within which Commission may act on NRC Staff petition for review of Atomic Safety & Licensing Board Initial Decision,LBP-95-04,dtd 950327 extended until 950608.W/Certificate of Svc.Served on 950522.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16728. 95/05/19. Office of the General Counsel (Post 860701). 2pp. 84062:321-84062:322.

P. Operating license stage documents & correspondence

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--**9505050159** Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--**9505050162** Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505030477 Comments on draft GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
VONK,M.J. Commonwealth Edison Co. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83791:352-83791:354.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110153 Provides updated status of special environ monitoring program around Dresden Site.
FARRAR,D.L. Commonwealth Edison Co. 95/05/01. Office of Nuclear Reactor Regulation (Post 941001). 19pp. 83936:271-83936:289.

9505050082 Responds to NRC RAI for TS upgrade program,Section 3/4.10 & suppl info previously provided in 930216 & 940314 submittals.
PIET,P.L. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 29pp. 83833:136-83833:202.

--**9505050084** Proposed tech specs re TS upgrade program Section 3/4.10.
* Commonwealth Edison Co. 95/05/02. 34pp. 83833:169-83833:202.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505150252 Forwards response to NRC 950222 RAI to support review & approval of Comm Ed TS upgrade program project.Marked-up TS pages also encl.
PIET,P.L. Commonwealth Edison Co. 95/05/09. Document Control Branch (Document Control Desk). 36pp. 83978:045-83978:124.

--**9505150259** Proposed Tech Specs,supporting TS upgrade program project.
* Commonwealth Edison Co. 95/05/09. 44pp. 83978:081-83978:124.

9505180303 Summary of 950323 meeting w/util re TS Upgrade Program status.List of attendees encl.
SKAY,D.M. . 95/05/11. . 6pp. 83971:353-83971:358.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505240023 Forwards response to NRC staff request for addl info re TS upgrade program.
PIET,P.L. Commonwealth Edison Co. 95/05/15. Document Control Branch (Document Control Desk). 49pp. 84069:217-84069:316.

--9505240025 Proposed tech specs as result of TS upgrade program.
* Commonwealth Edison Co. 95/05/15. 51pp. 84069:266-84069:316.

9505240437 Provides results of surveys conducted on water level elevation of onsite ground water monitoring wells installed at Dresden site to monitor local flow & potential contamination patters.
VONK,M.J. Commonwealth Edison Co. 95/05/17. Office of Nuclear Reactor Regulation (Post 941001). 15pp. 84073:151-84073:165.

9505250145 Forwards response to NRC 950222 RAI re TS upgrade program Section 3/4.1, "Reactor Protection Sys."
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 50pp. 84075:040-84075:122.

--9505250148 Proposed TS upgrade program section 3/4.1, "Reactor Protection Sys."
* Commonwealth Edison Co. 95/05/17. 33pp. 84075:090-84075:122.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505120185 EN-95-020:on 950405,notice of violation & proposed imposition of civil penalty in amount of $100,000 issued to licensee.Action based on insp at plant involving several violations associated w/violations of TS.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/03/31. 1p. 83871:222-83871:222.

9505100093 Discusses insp repts 50-237/95-04 & 50-249/95-04 on 950125-0210 & forwards NOV & proposed imposition of civil penalty in amount of $100,000.Enforcement conference held on 9503089 to discuss violations,causes & corrective actions.
MARTIN,J.B. Region 3 (Post 820201). 95/04/05. WALLACE,M.J. Commonwealth Edison Co. 6pp. 83828:197-83828:205.

--9505100101 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Violations noted:primary containment integrity not maintained.
* Region 3 (Post 820201). 95/04/05. 3pp. 83828:203-83828:205.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110030 Forwards SALP 13 repts 50-237/95-01 & 50-249/95-01 for 930822-950318.Meeting to discuss repts will be scheduled on 950512.
MARTIN,J. Region 3 (Post 820201). 95/04/28. JOYCE,T. Commonwealth Edison Co. 7pp. 83850:323-83850:335.

--9505110173 SALP repts 50-237/95-01 & 50-249/95-01 for 930822-950318.
* Region 3 (Post 820201). 95/04/28. 6pp. 83850:330-83850:335.

9505150042 Responds to NRC listed ltrs re violations noted in insp repts 50-237/95-04 & 50-249/95-04.Corrective actions: training re procedural changes will be given to operations dept personnel during continuous training.
JOYCE,T.P. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 15pp. 83898:213-83898:227.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220059 Ack receipt of 950505 ltr & payment for civil penalty proposed by NRC for $100,000 in 950405 ltr.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 95/05/18. WALLACE,M.J. Commonwealth Edison Co. 1p. 83985:139-83985:139.

R. Periodic operating reports & related correspondence

9505150043 Forwards 1994 rept of changes,tests & experiments per 10CFR50.59.
HOLLAND,P.G. Commonwealth Edison Co. 95/04/25. Office of Nuclear Reactor Regulation (Post 941001). 2,814pp. 83993:001-84000:266.

9505190252 Monthly operating repts for Apr 1995 for Dresden Nuclear Power Station.W/950515 ltr.
SYKES,K.W., FALBO,R.J., HOLLAND,P.G. Commonwealth Edison Co. 95/04/30. 17pp. 84017:342-84017:360.

S. Reportable occurrences, LERs & related correspondence

9505190104 Corrects incorrect LER number (94-041) & incorrect ref (10CFR60.73a) specified in 941017 transmittal ltr to LER 94-026 & 10CFR50.73a,respectively.
JOYCE,T.P. Commonwealth Edison Co. 95/05/03. Document Control Branch (Document Control Desk). 1p. 84008:358-84008:358.

9505150178 LER 95-012-00:on 950411,significant weakness of administrative control of radioactive matl was identified due to radioactive matl being found outside protected area. Controlled matl & properly secured items.W/950509 ltr.
QUEALY,P.D., JOYCE,T.P. Commonwealth Edison Co. 95/05/09. 4pp. 83985:270-83985:273.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. SIMPKINS,R.A. Centerior Energy. WEIDNER,R.C. Commonwealth Edison Co. 1p. 83758:352-83758:352.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505080103 Revised EPIPs,including rev 9 to AP-1A.1,rev 13 to AP-TURB.2 & rev 10 to AP-TURB.4.W/950427 ltr.
MARLOW,T.A., WIDAY,J.A. Rochester Gas & Electric Corp. 95/04/27. JOHNSON,A.R. Project Directorate I-3 (PD1-3) (Post 941001). 37pp. 83864:245-83864:281.

9505090184 Forwards SALP rept 50-244/93-99 on 930912-950311.Overall,NRC continued to see very good safety performance at plant.
MARTIN,T.T. Region 1 (Post 820201). 95/05/01. MECREDY,R.C. Rochester Gas & Electric Corp. 4pp. 83817:207-83817:218.

--9505090187 SALP rept 50-244/93-99 for 930912-950311.
* Region 1 (Post 820201). 95/05/01. 8pp. 83817:211-83817:218.

9505150133 Rev 7 to EPIP 5-1, "Offsite Emergency Response Facilities & Equipment Periodic Inventory Checks & Tests." W/950503 ltr.
WATTS,R.J. Rochester Gas & Electric Corp. 95/05/03. JOHNSON,A. Project Directorate I-1 (PD1-1) (Post 941001). 41pp. 83975:263-83975:303.

9505310142 Forwards EP insp rept 50-244/95-10 on 950425-28.No safety concerns noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/23. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 84096:088-84096:098.

--9505310150 EP rept 50-244/95-10 on 950425-28.No safety concerns noted. Major areas inspected:licensee corrective action identified during previous insp.
SILK,D., KEIMIG,R.R. Region 1 (Post 820201). 95/05/23. 8pp. 84096:091-84096:098.

P. Operating license stage documents & correspondence

9505010217 Forwards exemption from requirements of 10CFR50,app J, section III.D.3 re type C tests during 1995 refueling outage except for CIVs that have maint performed & CIVs that have not demonstrated acceptable leakage.
JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 95/04/26. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 83687:352-83687:360.

--9505010221 Exemption from requirements of 10CFR50,App J,section III.D.3 re primary reactor containment leakage testing for water cooled reactors.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/04/26. Rochester Gas & Electric Corp. 6pp. 83687:355-83687:360.

9505010230 Forwards amend 59 to license DPR-18 & safety evaluation. Amend revises TS 4.4.2.4.a to replace specific leakage rate testing frequencies for containment isolation valves w/ref to 10CFR50,App J as modified by approved exemption.
JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 95/04/26. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 83688:345-83688:356.

--9505010236 Amend 59 to license DPR-18,revising TS 4.4.2.4.a to replace specific leakage rate testing frequencies for containment isolation valves w/ref to 10CFR50,App J,modified by approved exemption.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/04/26. 4pp. 83688:349-83688:352.

--9505010240 Safety evaluation supporting amend 59 to license DPR-18.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/26. 5pp. 83688:353-83688:356.

9505030173 Informs of withdrawal of license amend application requests by refs (a),(b) & (c).
MECREDY,R.C. Rochester Gas & Electric Corp. 95/04/26. JOHNSON,A.R. Document Control Branch (Document Control Desk). 2pp. 83825:180-83825:181.

9505040040 Forwards copy of 941121 ltr from WH Rasin of NEI to WT Russell of NRR re formal industry position on severe accident mgt.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/04/27. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 1p. 83795:322-83795:330.

9504210293 *Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors* re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505150014 Forwards listed doucments for NRC review & approval prior to submittal of improved TS consistent w/NUREG-1431.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/05/05. JOHNSON,A.R. Document Control Branch (Document Control Desk). JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 5pp. 83898:005-83898:147.

--9505150145 "Criticality Analysis of Plant Fresh & Spent Fuel Racks & Consolidated Rod Storage Canisters."
CORUM,M., SAVAGE,C.R. Rochester Gas & Electric Corp. 94/06/30. 145pp. 83898:010-83898:147.

9505180561 Notification of 950516 meeting w/util in North Bethesda,MD to discuss plant PTS Screening Criteria.
JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/12. MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 2pp. 83979:068-83979:069.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505050108 Forwards plant 1995 SG eddy current exam summary rept re number of repairs required resulting from insps performed during 1995 outage.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/04/24. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 1p. 83864:187-83864:191.

--9505050113 "Summary Exam Rept for 1995 SG Eddy Current Insp,Rev 0."
DAVISON,M.J., SAPORITO,M.J. Rochester Gas & Electric Corp. 95/04/18. 4pp. 83864:188-83864:191.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090184 Forwards SALP rept 50-244/93-99 on 930912-950311.Overall,NRC continued to see very good safety performance at plant.
MARTIN,T.T. *Region 1 (Post 820201). 95/05/01.* MECREDY,R.C. *Rochester Gas &* Electric Corp. 4pp. 83817:207-83817:218.

--9505090187 SALP rept 50-244/93-99 for 930912-950311.
* Region 1 (Post 820201). 95/05/01. 8pp. 83817:211-83817:218.

9505110010 Notification of significant licensee meeting 95-45 w/util on 950509 in Ontario,NY re SALP mgt meeting.NRC will present result of recent SALP assessment of plant.
LAZARUS,W.J. Region 1 (Post 820201). 95/05/02. Region 1 (Post 820201). 2pp. 83850:099-83850:100.

9505180043 Forwards insp rept 50-244/95-09 on 950403-07.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/04. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 83953:099-83953:110.

--9505180053 Insp repts 50-244/95-95-09 on 950403-07.No violations noted. Major areas inspected:radiological controls program implementation during outage conditions.
NOGGLE,J., BORES,R. Region 1 (Post 820201). 95/05/04. 9pp. 83953:102-83953:110.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505310142 Forwards EP insp rept 50-244/95-10 on 950425-28.No safety concerns noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/23. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 84096:088-84096:098.

--9505310150 EP rept 50-244/95-10 on 950425-28.No safety concerns noted. Major areas inspected:licensee corrective action identified during previous insp.
SILK,D., KEIMIG,R.R. Region 1 (Post 820201). 95/05/23. 8pp. 84096:091-84096:098.

R. Periodic operating reports & related correspondence

9505020257 "1994 Annual Radiological Environ Operating Rept RE Ginna Nuclear Plant." W/950428 ltr.
MECREDY,R.C. Rochester Gas & Electric Corp. 94/12/31. 70pp. 83762:285-83762:353.

9505180246 Monthly operating rept for Apr 1995 for RE Ginna Nuclear Power Plant.W/ 950509 ltr.
WALDEN,J., WIDAY,J.A. Rochester Gas & Electric Corp. 95/04/30. 5pp. 84005:335-84005:339.

S. Reportable occurrences, LERs & related correspondence

9505180159 Forwards LER 95-004 re SG tube degradation due to IGA/SCC, causing QA manual reportable limits to be reached.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/05/08. Document Control Branch (Document Control Desk). 1p. 84039:260-84039:272.

--9505180167 LER 95-004-00:on 950407,SG *tube degradation occurred due to* IGA/ SCC that caused QA manual reportable limits to be reached.Sleeved or plugged affected tubes w/accepted industry repair methods.
ST MARTIN,J.T. Rochester Gas & Electric Corp. 95/05/08. 12pp. 84039:261-84039:272.

9505220005 LER 95-003-00:on 950407,inadvertent automatic SI actuation occurred when technician unblocked SIAS due to misleading procedural direction.Pressurizer pressure channel P-431 bistable proving switch reinstated.W/950508 ltr.
ST MARTIN,J.T., MECREDY,R.C. Rochester Gas & Electric Corp. 95/05/08. JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 13pp. 84075:330-84075:342.

V. Operator Examinations

9505090111 Informs that Region I can no longer participate in certificate presentations to licensed operator & SRO.Util mgt encouraged to continue efforts to recognize importance to safety required to obtain reactor operator license.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. MECREDY,R.C. Rochester Gas & Electric Corp. 2pp. 83817:180-83817:181.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505030260 Forwards insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.
DURR,J.P. Region 1 (Post 820201). 95/04/26. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 83722:180-83722:235.

--9505030267 Notice of violation from insp on 950208-0321.Violation noted:failure to implement controls to maintain CR habitability,failure to adequately leak test 5 containment isolation valves & failure to adequately implement QA SR.
* Region 1 (Post 820201). 95/04/26. 5pp. 83722:184-83722:188.

--9505030271 Insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance,outage activities,security & licensee self-assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 95/04/17. 47pp. 83722:189-83722:235.

9505100030 Forwards insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31.No violations or safety concerns noted.
JOYNER,J.H. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83828:045-83828:054.

--9505100052 Partially withheld insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31 (ref 10CFR73.21).No violations or safety concerns noted.Major areas *inspected:effectiveness of mgt controls,security plan & implementing procedures.*
ALBERT,R.J. Region 1 (Post 820201). 95/04/28. 7pp. 83828:048-83828:054.

9505240211 Provides NRC w/revised schedule for implementation of revised EAL tables at Haddam Neck & Millstone plants.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84083:331-84083:332.

9505240058 Forwards insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.
DURR,J.P. Region 1 (Post 820201). 95/05/15. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84021:019-84021:044.

--9505240064 Insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.Major areas inspected:plant operations,radiological controls,maint, surveillance,security & outage activities.
NICHOLSON,L.E. Region 1 (Post 820201). 95/05/09. 22pp. 84021:022-84021:044.

9505300446 Revised EPIPs,including Rev 1 to EPIP 4405,Rev 1 to Emergency Plan Operating Procedure (EPOP) EPOP 4411,Rev 0 to EPOP 4411A,Rev 0 to EPOP 4411B,Rev 2 to EPOP4412,Rev 1 to EPOP 4417,Rev 3 to EPOP 4419 & Rev 1 to EPOP 4422.
MCCANCE,T., RODGERS,R.C., DEVEAU,M.J. Northeast Nuclear Energy Co. 95/05/ 22. 767pp. 84139:001-84141:039.

G. Adjudicatory correspondence

9505190173 Provides status of Director Decision re petition per 10CFR2.206 of 940303.Advises that Director Decision should be issued shortly,provided no unexpected events exist.
VISSING,G.S. Project Directorate I-4 (PD1-4) (Post 941001). 95/05/09. GAVENSKY,R. Affiliation Not Assigned. 2pp. 83984:195-83984:196.

9505190188 Provides update on five of 10CFR2.206 petitions,dtd 941230, 950102,08 & 15.NRC currently reviewing info provided in petitions &,as stated in NRC 950223 ltr,action will be taken on AJ Ross request within reasonable time.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/09. ROSS,A.J. Affiliation Not Assigned. 2pp. 83984:197-83984:198.

9505230194 Provides response to 10CFR2.206 petition comprised of AJ Ross 941028 & 950115 & 0220 ltrs,requesting escalated enforcement action against NNECO & certain individuals, alleging inadequate work control & procedure compliance.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/12. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 8pp. 84051:162-84051:169.

H. General correspondence

9505220105 Comment opposing proposed revision to 10CFR50,App J, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.
SCACE,S.E. Northeast Utilities. 95/05/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83985:147-83985:149.

I. Financial information

9505030186 1994 annual financial rept to US Securities & Exchange Commission for Northeast Nuclear Energy Co & North Atlantic Energy Svc Corp.W/950428 ltr.
GUGLIELMO,F.J. Northeast Utilities Service Co. 94/12/31. 102pp. 83801:040-83801:141.

P. Operating license stage documents & correspondence

9505250218 Ack receipt of 950316 internet mail from P Blanch dtd 950317.
ZWOLINSKI,J.A. . 95/03/20. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 2pp. 84078:341-84078:347.

--9505250230 Requests review of 940909 ltr re allegation concerning operability determination by NRC.
BLANCH,P.M. Affiliation Not Assigned. 95/03/16. ZWOLINSKI,J.A. . 3pp. 84078:343-84078:345.

--9505250239 Requests info as to whether IP-3 & NRC verified that every MOV operable as required by TS.
BLANCH,P.M. Affiliation Not Assigned. 95/03/16. ZWOLINSKI,J.A. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84078:346-84078:347.

9505040424 Forwards response to NRC 950214 ltr identifying issues to NNECO re activities at plant.Plant Info Rept 94-527 also encl.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/04/25. MARTIN,T.T. Region 1 (Post 820201). 16pp. 83803:291-83803:310.

--9505040425 "'LPCI/CS Pump Motors Potential of Inadequate Bend Radius on Raychem Splices' Operability Evaluation."
* Northeast Nuclear Energy Co. PIR 94-527. 94/12/15. 4pp. 83803:307-83803:310.

9505230094 Comment re proposed GL concerning pressure locking & thermal binding of safety-related power operated gate valves. Valves whose safety function to close & remain closed or valves that remain open should be excluded from proposed GL.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/04/26. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 84001:342-84001:348.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110259 Forwards request for addl info re isolation condenser vent monitors.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 83938:146-83938:150.

9505190312 Forwards list of all ISAP topics,identifying open topics, topics considered closed & topics closed by staff per integrated safety assessment program.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities. 95/05/11. Document Control Branch (Document Control Desk). 25pp.. 84034:310-84034:334.

9505260333 Application for amend to license DPR-21,revising minimum temp at which RV head bolting studs allowed to be placed under tension.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/18. Document Control Branch (Document Control Desk). 8pp. 84104:119-84104:138.

--9505260335 Proposed tech specs,revising minimum temp at which RV head bolting studs allowed to be placed under tension.
* Northeast Nuclear Energy Co. 95/05/18. 12pp. 84104:127-84104:138.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030260 Forwards insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.
DURR,J.P. Region 1 (Post 820201). 95/04/26. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 83722:180-83722:235.

--9505030267 Notice of violation from insp on 950208-0321.Violation noted:failure to implement controls to maintain CR habitability,failure to adequately leak test 5 containment isolation valves & failure to adequately implement QA SR.
* Region 1 (Post 820201). 95/04/26. 5pp. 83722:184-83722:188.

--9505030271 Insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance,outage activities,security & licensee self-assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 95/04/17. 47pp. 83722:189-83722:235.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505100030 Forwards insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31.No violations or safety concerns noted.
JOYNER,J.H. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83828:045-83828:054.

--9505100052 Partially withheld insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31 (ref 10CFR73.21).No violations or safety concerns noted.Major areas inspected:effectiveness of mgt controls,security plan & implementing procedures.
ALBERT,R.J., SMITH,G.C. Region 1 (Post 820201). 95/04/28. 7pp. 83828:048-83828:054.

9505100056 Forwards insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07 & notice of violation.
MEYER,G. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83852:001-83852:009.

--9505100060 Notice of violation from insp on 950403-07.Violation noted: four listed instances were found where NRC was not notified within 30 days.
* Region 1 (Post 820201). 95/04/28. 1p. 83852:004-83852:004.

--9505100072 Insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07.Violations noted.Major areas inspected:observation of simulator & classroom training for Unit 1.
SISCO,C.E., MEYER,G.W. Region 1 (Post 820201). 95/04/28. 5pp. 83852:005-83852:009.

9505190031 Forwards combined insp repts 50-245/95-11,50-336/95-11 & 50-423/95-11 on 940320-23 & 27-31 & notice of violation. Deficiencies of concern because design change reviews do not always meet timeliness required.
RULAND,W. Region 1 (Post 820201). 95/05/10. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83973:042-83973:063.

--9505190037 Notice of violation from insp on 940320-31.Violations noted: condition adverse to quality not promptly identified & corrected in that design deficiency affecting undervoltage modules in Unit 2 ESFAS cabinets not fully evaluated.
* Region 1 (Post 820201). 95/05/10. 2pp. 83973:045-83973:046.

--9505190046 Insp repts 50-245/95-11,50-336/95-11 & 50-423/95-11 on 950320-31.Violations noted.Major areas inspected:review of design change & plant mod process,technical & safety evaluations of plant design change requests & plant events.
DELLA GRECA,A., RULAND,W.H. Region 1 (Post 820201). 95/05/10. 15pp. 83973:047-83973:063.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240058 Forwards insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.
DURR,J.P. Region 1 (Post 820201). 95/05/15. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84021:019-84021:044.

--9505240064 Insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.Major areas inspected:plant operations,radiological controls,maint, surveillance,security & outage activities.
NICHOLSON,L.E. Region 1 (Post 820201). 95/05/09. 22pp. 84021:022-84021:044.

9505260330 Forwards results of insp performed during wk of 941205 on operability determination performed at plant Units 1,2 & 3.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/18. Document Control Branch (Document Control Desk). 7pp. 84104:112-84104:118.

R. Periodic operating reports & related correspondence

9505050060 "Annual Radioactive Effluent Rept 1994." W/950428 ltr.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/12/31. 123pp. 83827:102-83827:224.

9505050070 "Annual Radiological Environ Operating Rept Millstone Nuclear Power Station Jan-Dec 1994." W/950428 ltr.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/12/31. 100pp. 83847:082-83847:182.

9505110204 Forwards "Annual Environ Protection Plan Operating Rept Jan- Dec 1994" & "Monitoring Marine Environ of Long Island Sound at Millstone Nuclear Power Station,Waterford,CT Annual Rept 1994."
MILLER,D.B. Northeast Nuclear Energy Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83946:001-83946:256.

--9505110209 "Monitoring Marine Environ of Long Island Sound at Millstone Nuclear Power Station Annual Rept 1994."
KESER,M. Northeast Utilities Service Co. 94/12/31. 241pp. 83946:016-83946:256.

9505240345 Monthly operating repts for Apr 1995 for MNPS Units 1,2 & 3. W/950511 ltr.
NEWBURGH,G., BORCHERT,R., HUDSON,I.E. Northeast Nuclear Energy Co. 95/04/30. 17pp. 84072:245-84072:261.

S. Reportable occurrences, LERs & related correspondence

9505030018 LER 95-007-00:on 950330,discovered that incorrect stud matl had been installed re body to bonnet joint studs on RWCU primary containment outboard isolation valve.Caused by insufficent info.Studs replaced.W/950427 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/04/27. 3pp. 83790:005-83790:007.

9505110242 LER 95-004-00:on 950401,inappropriate adjustment of APRM setting was discovered.Caused by technical error in reactor engineering procedure.W/950501 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 95/05/01. 4pp. 83938:274-83938:277.

9505120213 LER 93-001-01:on 950108,snubber failure of HSS resulted in failure to meet TS LCO Section 3.6.1.4.Snubber was rebuilt, reset to correct setting & functionally tested prior to reinstallation on 940202.W/950504 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 95/05/04. 4pp. 83985:261-83985:264.

9505250005 LER 95-008-00:on 950411,determined that FW regulating valve closure interlock dependent on both S1 & S2 logic trains. Caused by design error.Util evaluating proposed mods to FW valve interlock circuitry.W/950509 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/09. 4pp. 84078:123-84078:126.

V. Operator Examinations

9505100056 Forwards insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07 & notice of violation.
MEYER,G. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83852:001-83852:009.

--9505100060 Notice of violation from insp on 950403-07.Violation noted: four listed instances were found where NRC was not notified within 30 days.
* Region 1 (Post 820201). 95/04/28. 1p. 83852:004-83852:004.

--9505100072 Insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07.Violations noted.Major areas inspected:observation of simulator & classroom training for Unit 1.
SISCO,C.E. Region 1 (Post 820201). 95/04/28. 5pp. 83852:005-83852:009.

9505090045 Informs that Region I will no longer participate in certificate presentations *to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.*
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. OPEKA,J.F. Northeast Utilities. 2pp. 83816:164-83816:165.

9505100020 Forwards both forms of exam,answer keys,grading results for facilities & individual answer sheets for each util employee re 950405 generic fundamentals exam.One individual failed exam & nine passed.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. HEIDECKER,R. Northeast Nuclear Energy Co. 2pp. 83828:025-83828:026.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505030096 Rev 6 to IAP-2, "Emergency Plan." W/950425 ltr & 1 oversize encl.
KESSLER,W.A., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/04/25. 78pp. 83889:197-83889:274.

9505100066 Forwards insp rept *50-247/95-09* on 950403-06.No violations noted.Extended failure to resolve long-standing assessment- aid problems continues to be of concern to NRC.
HEHL,C.W. Region 1 (Post 820201). 95/04/28. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 83828:129-83828:138.

--9505100074 *Partially withheld insp rept 50-247/95-09 on 950403-06 (ref 10CFR73.21).*No violations noted.Major areas inspected:maint & compensatory measures,security training & qualification & performance assessment of station security.
ALBERT,R.J., SMITH,G.C. Region 1 (Post 820201). 95/04/28. 7pp. 83828:132-83828:138.

9505180300 *Rev to emergency plan.W/950504 ltr.*
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/05/04. 34pp. 84005:269-84005:302.

9505300268 *Forwards response to NRC 941208 RAI on proposed upgraded EALs util* submitted by 940706 ltr.Replacement pages for EAL generation package also encl.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/05/12. Document Control Branch (Document Control Desk). 26pp. 84136:253-84136:285.

--9505300273 Rev 1 to "Indian Point Unit 2 EAL Technical Bases Document."
* Consolidated Edison Co. of New York, Inc. OSSI-92-402A-4-IP2R1. 95/05/12. 7pp. *84136:279-84136:285.*

9505310058 Forwards insp rept 50-247/95-12 on 950424-28.No violations noted.
RULAND,W. Region 1 (Post 820201). 95/05/23. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84095:283-84095:296.

--9505310020 Insp rept 50-247/95-12 on 950424-28.No violations noted. Major areas inspected:fire protection program & implementation in ACs,combustible controls,maint, surveillance,testing,audits,firewatches & brigade training.
SHANNON,J., BHATIA,R., RULAND,W. Region 1 (Post 820201). 95/05/19. 11pp. 84095:286-84095:296.

I. Financial information

9505180515 "Con Ed 1994 Annual Rept." W/950508 ltr.
MCGRATH,E.R., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/31. 51pp. 83980:285-83980:337.

P. Operating license stage documents & correspondence

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--9505150292 Discusses review scope for Indian Point,Unit 2 re 890427 NRC ltr on settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/14. BRINKMAN,D. NRC - No Detailed Affiliation Given. 1p. 84038:105-84038:105.

9505050085 Forwards NAF-85-R-2,"Cycles 1-6 Node P Analysis Results & Documentation," as suppl to proposed amend to TS to allow extended RPI deviation limits & on-line calibr of RPI channels.NAF-85-R-2 withheld.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/04/19. Document Control Branch (Document Control Desk). 3pp. 83893:355-83893:362.

--9505050087 Requests that NAF-85-R-2, "Cycles 1-6 Node P Analysis Results & Documentation," be withheld per 10CFR2.790.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/04/19. RUSSELL,W. Document Control Branch (Document Control Desk). 5pp. 83893:358-83893:362.

9505020395 Forwards RAI re util 920812 IPE for plant in response to GL 88-20,suppl 1.Info needed to complete review.NRC should be advised of schedule for submittal if response will take longer than 60 days.
WILLIAMS,F.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/04/26. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 14pp. 83706:284-83706:297.

9505120105 Forwards revised proposed TS pages & addl proprietary documentation to proposed amend,allowing extended RPI deviation limits & on-line calibr of RPI channels,per discussions w/NRC.Proprietary documentation withheld.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83935:334-83935:344.

--9505120112 *Forwards affidavit identifying proprietary info for which withholding from* public disclosure requested per 10CFR2.790.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/04/26. Document Control Branch (Document Control Desk). 5pp. 83935:337-83935:341.

--9505120114 Proposed tech specs,including restriction that extended RPI deviation limits & on-line calibr of RPI channels apply only to Cycle 13.
* Consolidated Edison Co. of New York, Inc. 95/04/26. 3pp. 83935:342-83935:344.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040287 Forwards amend 182 to license DPR-26 & SE.Amend revises TS section 3.10 to allow extended RPI deviation limits & on-line calibr of RPI channels for cycle 13 only.
WILLIAMS,F.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 3pp. 83759:251-83759:282.

--9505040288 Amend 182 to license DPR-26,revising TS section 3.10 to allow extended RPI deviation limits & on-line calibr of RPI channels for cycle 13 only.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/04/28. 19pp. 83759:255-83759:273.

--9505040290 Safety evaluation supporting amend 182 to license DPR-26.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 9pp. 83759:274-83759:282.

9505230346 Forwards "Cycle 13 Core Operating Limits Rept."
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/05/09. Document Control Branch (Document Control Desk). 2pp. 84051:307-84051:313.

--9505230348 "Cycle 13 Core Operating Limits Rept."
* Commonwealth Edison Co. 95/05/03. 5pp. 84051:309-84051:313.

9505190403 Forwards SE accepting alternative high radiation area controls at plant,per util 950329 request.
WILLIAMS,F.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/16. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 2pp. 83991:266-83991:270.

--9505190404 Safety evaluation accepting alternative high radiation area controls at plant.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/16. 2pp. 83991:268-83991:270.

9505090312 *Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those li*censes amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505050066 Forwards insp rept 50-247/95-04 on 950308-0413.No violations noted.Plant MOV program reflected strong mgt support.
KELLY,E.M. Region 1 (Post 820201). 95/04/26. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 83758:222-83758:244.

--9505050072 *Insp rept 50-247/95-04 on 950308-0413.No violations noted. Major areas* inspected:follow-up of insp IAW Part 2 of TI-2515/109,adequacy of licensee dynamic *test data for MOV & licensee progress re MOV program completion schedule.*
DRYSDALE,P., KELLY,E.M. Region 1 (Post 820201). 95/04/26. 20pp. 83758:225-83758:244.

9504210127 *Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential* cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090191 Forwards insp rept 50-247/95-05 on 950212-0325 & notice of violation.Weaknesses noted in operations equipment status control & awareness of effects on plant operations of temporarily installed equipment.
COWGILL,C.J. Region 1 (Post 820201). 95/04/28. QUINN,S. Consolidated Edison Co. of New York, Inc. 3pp. 83817:219-83817:244.

--9505090192 Notice of violation from insp on 950212-0325.Violation noted:as of 950319,no procedure had been established for filling & venting of safety injection sys.
* Region 1 (Post 820201). 95/04/28. 1p. 83817:222-83817:222.

--9505090193 *Insp rept 50-247/95-05 on 950212-0325.Violations noted. Major areas* inspected:resident inspector core,regional initiative,plant operations,maint,engineering & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/04/28. 22pp. 83817:223-83817:244.

9505100035 Forwards insp rept 50-247/95-07 on 950320-24 & notice of violation.
MODES,M.C. Region 1 (Post 820201). 95/04/28. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 83828:057-83828:067.

--9505100045 Notice of violation from insp on 950320-24.Violation noted: qualification of NDE level III individual did not meet American Society for Nondestructive Testing Recommended Practice SNT-TC-1A,1980 edition.
* Region 1 (Post 820201). 95/04/28. 1p. 83828:060-83828:060.

--**9505100048** Insp rept 50-247/95-07 on 950320-24.Violations noted.Major areas inspected:licensee ISI program & related activities.
PATNAIK,P., MODES,M.C. Region 1 (Post 820201). 95/04/27. 7pp. 83828:061-83828:067.

9505100066 Forwards insp rept 50-247/95-09 on 950403-06.No violations noted.Extended failure to resolve long-standing assessment- aid problems continues to be of concern to NRC.
HEHL,C.W. Region 1 (Post 820201). 95/04/28. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 83828:129-83828:138.

--**9505100074** Partially withheld insp rept 50-247/95-09 on 950403-06 (ref 10CFR73.21).No violations noted.Major areas inspected:maint & compensatory measures,security training & qualification & performance assessment of station security.
ALBERT,R.J., SMITH,G.C. Region 1 (Post 820201). 95/04/28. 7pp. 83828:132-83828:138.

9505180065 Forwards insp rept 50-247/95-11 on 950417-21.No violations or safety concerns noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/08. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 83970:345-83970:353.

--**9505180074** Insp rept 50-247/95-11 on 950417-21.No violations noted. Major areas inspected:mgt controls audits,air cleaning sys, calibration of effluent/process radiation monitoring sys & implementation of listed programs.
JANG,J.C., ULLRICH,E. Region 1 (Post 820201). 95/04/28. 6pp. 83970:348-83970:353.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220045 Forwards safety evaluation re response to NRC bulletin 90-01,suppl 1, "Loss of Fill-Oil in Transmitters Mfg By Rosemount," for plant,unit 2.
WILLIAMS,F.J. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/12. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84029:264-84029:288.

--**9505220050** Safety evaluation accepting response to NRC bulletin 90-01, suppl 1, "Loss of Fill-Oil in Transmitters Mfg By Rosemount."
* Project Directorate I-1 (PD1-1) (Post 941001). 95/05/12. 2pp. 84029:267-84029:268.

--**9504280259** "Evaluation of Util Response to Suppl 1 to NRC Bulletin 90-01:Indian Point-2."
UDY,A.C. Idaho National Engineering Laboratory. UDY,A.C. . FIN L-1695. INEL-95/0187. 95/04/30. NRC - No Detailed Affiliation Given. 21pp. 84029:269-84029:288.

9505310058 Forwards insp rept 50-247/95-12 on 950424-28.No violations noted.
RULAND,W. Region 1 (Post 820201). 95/05/23. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 84095:283-84095:296.

--**9505310020** Insp rept 50-247/95-12 on 950424-28.No violations noted. Major areas inspected:fire protection program & implementation in ACs,combustible controls,maint, surveillance,testing,audits,firewatches & brigade training.
SHANNON,J., BHATIA,R., RULAND,W. Region 1 (Post 820201). 95/05/19. 11pp. 84095:286-84095:296.

R. Periodic operating reports & related correspondence

9505090077 "1994 Radiological Environ Operating Rept,Indian Point NPPs, Jan-Dec 1994." W/950428 ltr.
HILL,L.M., QUINN,S. Power Authority of the State of New York (New York Power Authority). 94/12/31. 118pp. 83893:202-83893:319.

9505100034 "Annual Environ Protection Plan Rept," for CY94.W/950426 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/31. 7pp. 83873:339-83873:345.

9505150163 "Annual Effluent & Waste Disposal Rept 1994." W/950428 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/31. 140pp. 83947:001-83947:140.

9505260482 Monthly operating rept for Apr 1995 for Indian Point Unit 2. W/950515 ltr.
REED,A., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/04/30. 6pp. 84104:014-84104:019.

9505150301 Submits annual 10CFR50.46 rept.Util will be using VANTAGE+ fuel assemblies for first time in next fuel cycle.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/05/03. Document Control Branch (Document Control Desk). 1p. 83977:345-83977:345.

S. Reportable occurrences, LERs & related correspondence

9505150039 LER 95-010-00:on 950331,two component CW pumps inadvertently started during replacement of circuit breaker w/unit in cold shutdown for refueling.Caused by personnel error & inadequate procedures.Circuit breaker replaced.W/950501 ltr.
MAYLATH,J., SCHMEIDER,T. Consolidated Edison Co. of New York, Inc. 95/05/01. 5pp. 83898:202-83898:206.

9505240145 LER 95-011-00:on 950414,two SWP start signals occurred unexpectedly.Caused by defective relay & breaker switch. Investigated to determine caused of unexpected results. W/950515 ltr.
MAYLATH,J.J., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/05/15. 5pp. 84078:097-84078:101.

V. Operator Examinations

9505090084 Informs that Region I can no longer participate in certificate presentations to licensed operator & SRO.Util mgt encouraged to continue efforts to recognize importance to safety required to obtain reactor operator license.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 2pp. 83817:038-83817:039.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505110030 Forwards SALP 13 repts 50-237/95-01 & 50-249/95-01 for 930822-950318.Meeting to discuss repts will be scheduled on 950512.
MARTIN,J. Region 3 (Post 820201). 95/04/28. JOYCE,T. Commonwealth Edison Co. 7pp. 83850:323-83850:335.

--**9505110173** SALP repts 50-237/95-01 & 50-249/95-01 for 930822-950318.
* Region 3 (Post 820201). 95/04/28. 6pp. 83850:330-83850:335.

9505190267 Revised pages DA 6-12 & 6-13 to Rev 6g of generating station emergency plan annex,dtd May 1995.
SCOTT,D.J. Commonwealth Edison Co. 95/05/04. 4pp. 84008:345-84008:348.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

G. Adjudicatory correspondence

9505040029 Commonwealth Edison Company motion for leave to file amicus curiae.* Requests Commission grant motion.
EDGAR,G.L. Commonwealth Edison Co. EDGAR,G.L. Edgar, G.L. #295 16646. 95/04/21. Commissioners (Post 750119). 5pp. 83743:170-83743:189.

--**9505040035** Commonwealth Edision Company answer supporting NRC petition for review of ASLB initial decision issued 950327.* Advises Commission to grant petition for review.W/ certificate of svc.
EDGAR,G.L. Commonwealth Edison Co. EDGAR,G.L. Edgar, G.L. 95/04/21. Commissioners (Post 750119). 15pp. 83743:175-83743:189.

9505260218 Order.* Informs that time within which Commission may act on NRC Staff petition for review of Atomic Safety & Licensing Board Initial Decision,LBP-95-04,dtd 950327 extended until 950608.W/Certificate of Svc.Served on 950522.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16728. 95/05/19. Office of the General Counsel (Post 860701). 2pp. 84062:321-84062:322.

P. Operating license stage documents & correspondence

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--**9505050159** Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--**9505050162** Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505030477 Comments on draft GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
VONK,M.J. Commonwealth Edison Co. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83791:352-83791:354.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110153 Provides updated status of special environ monitoring program around Dresden Site.
FARRAR,D.L. Commonwealth Edison Co. 95/05/01. Office of Nuclear Reactor Regulation (Post 941001). 19pp. 83936:271-83936:289.

9505050082 Responds to NRC RAI for TS upgrade program,Section 3/4.10 & suppl info previously provided in 930216 & 940314 submittals.
PIET,P.L. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 29pp. 83833:136-83833:202.

--**9505050084** Proposed tech specs re TS upgrade program Section 3/4.10.
* Commonwealth Edison Co. 95/05/02. 34pp. 83833:169-83833:202.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505150252 Forwards response to NRC 950222 RAI to support review & approval of Comm Ed TS upgrade program project.Marked-up TS pages also encl.
PIET,P.L. Commonwealth Edison Co. 95/05/09. Document Control Branch (Document Control Desk). 36pp. 83978:045-83978:124.

--**9505150259** Proposed Tech Specs,supporting TS upgrade program project.
* Commonwealth Edison Co. 95/05/09. 44pp. 83978:081-83978:124.

9505180303 Summary of 950323 meeting w/util re TS Upgrade Program status.List of attendees encl.
SKAY,D.M. . 95/05/11. . 6pp. 83971:353-83971:358.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505240023 Forwards response to NRC staff request for addl info re TS upgrade program.
PIET,P.L. Commonwealth Edison Co. 95/05/15. Document Control Branch (Document Control Desk). 49pp. 84069:217-84069:316.

--9505240025 Proposed tech specs as result of TS upgrade program.
* Commonwealth Edison Co. 95/05/15. 51pp. 84069:266-84069:316.

9505240437 Provides results of surveys conducted on water level elevation of onsite ground water monitoring wells installed at Dresden site to monitor local flow & potential contamination patters.
VONK,M.J. Commonwealth Edison Co. 95/05/17. Office of Nuclear Reactor Regulation (Post 941001). 15pp. 84073:151-84073:165.

9505250145 Forwards response to NRC 950222 RAI re TS upgrade program Section 3/4.1, "Reactor Protection Sys."
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 50pp. 84075:040-84075:122.

--9505250148 Proposed TS upgrade program section 3/4.1, "Reactor Protection Sys."
* Commonwealth Edison Co. 95/05/17. 33pp. 84075:090-84075:122.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505120185 EN-95-020:on 950405,notice of violation & proposed imposition of civil penalty in amount of $100,000 issued to licensee.Action based on insp at plant involving several violations associated w/violations of TS.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/03/31. 1p. 83871:222-83871:222.

9505100093 Discusses insp repts 50-237/95-04 & 50-249/95-04 on 950125-0210 & forwards NOV & proposed imposition of civil penalty in amount of $100,000.Enforcement conference held on 9503089 to discuss violations,causes & corrective actions.
MARTIN,J.B. Region 3 (Post 820201). 95/04/05. WALLACE,M.J. Commonwealth Edison Co. 6pp. 83828:197-83828:205.

--9505100101 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Violations noted:primary containment integrity not maintained.
* Region 3 (Post 820201). 95/04/05. 3pp. 83828:203-83828:205.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110030 Forwards SALP 13 repts 50-237/95-01 & 50-249/95-01 for 930822-950318.Meeting to discuss repts will be scheduled on 950512.
MARTIN,J. Region 3 (Post 820201). 95/04/28. JOYCE,T. Commonwealth Edison Co. 7pp. 83850:323-83850:335.

--9505110173 SALP repts 50-237/95-01 & 50-249/95-01 for 930822-950318.
* Region 3 (Post 820201). 95/04/28. 6pp. 83850:330-83850:335.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220059 Ack receipt of 950505 ltr & payment for civil penalty proposed by NRC for $100,000 in 950405 ltr.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 95/05/18. WALLACE,M.J. Commonwealth Edison Co. 1p. 83985:139-83985:139.

R. Periodic operating reports & related correspondence

9505150043 Forwards 1994 rept of changes,tests & experiments per 10CFR50.59.
HOLLAND,P.G. Commonwealth Edison Co. 95/04/25. Office of Nuclear Reactor Regulation (Post 941001). 2,814pp. 83993:001-84000:266.

9505190252 Monthly operating repts for Apr 1995 for Dresden Nuclear Power Station.W/950515 ltr.
SYKES,K.W., FALBO,R.J., HOLLAND,P.G. Commonwealth Edison Co. 95/04/30. 17pp. 84017:342-84017:360.

S. Reportable occurrences, LERs & related correspondence

9505010270 LER 95-006-00:on 950327,isolation condenser vent valve failed to meet DATR specified closure stroke time due to changes in stroke testing method & low margin.Completed analysis initiated in Jan 1995.W/950421 ltr.
COOPER,G., JOYCE,T.P. Commonwealth Edison Co. 95/04/24. 5pp. 83717:017-83717:021.

9505230047 LER 95-009-00:on 950416,HPCI declared inoperable due to broken room cooler drive belt.HPCI room cooler drive belt replaced,HPCI room cooler inspected & current HPCI room cooler drive belt design reviewed.W/950512 ltr.
GARRETT,P., JOYCE,J.P. Commonwealth Edison Co. 95/05/15. 5pp. 84078:039-84078:043.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. CANTRELL,J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). EBERHARDT,R.R. Detroit Edison Co. 1p. 83758:352-83758:352.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--9211240291 Forwards 921023 petition submitted by JP Riccio on behalf of Public Citizen,Greenpeace,NIRS & SECC alleging numerous deficiencies re emergency planning at plant as result of effects of hurricane Andrew.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 92/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 83834:065-83834:119.

--9211240302 Forwards 2.206 petition filed by RR Diaz-Robainas re plant operation.Petition alleged deficiencies,including concerns re adequacy of fire protection sys & features & of emergency diesel generators.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 92/10/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:060-83834:063.

9505020155 Forwards FEMA ltr to State of FL dtd 950412 re deficiency involving public alert & notification sys activation progress in Dade County.
CLINE,W.E. Region 2 (Post 820201). 95/04/19. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 83690:350-83690:355.

9505110070 Discusses insp repts 50-250/95-07 & 50-251/95-07 on 950320-24 & NOV.
BARR,K.P. Region 2 (Post 820201). 95/05/03. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83851:171-83851:195.

--9505110075 Insp repts 50-250/95-07 & 50-251/95-07 on 950320-24.No violations noted.Major areas inspected:annual EP exercise conducted at plant on 950322 including ER Program & implementation of emergency plan.
GOODEN,A., BARR,K. Region 2 (Post 820201). 95/05/03. 20pp. 83851:174-83851:195.

9505240235 Advises that rev 28 to radiological emergency plan consistent w/provisions of 10CFR50.47(b) & requirements of app E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/12. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84022:348-84022:350.

9505300025 Forwards insp repts 50-250/95-09 & 50-251/95-09 on 950326-0429.Non-cited violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84076:063-84076:101.

--9505300031 Insp repts 50-250/95-09 & 50-251/95-09 on 950326-0429.Two non-cited violations noted.Major areas inspected:plant operations,plant events,maint,chemistry & fire protection.
JOHNSON,T.P., LANDIS,K.D. Region 2 (Post 820201). 95/05/17. 36pp. 84076:066-84076:101.

9505300116 Informs util of results of review of recent performance at Turkey Point facility to determine if present planned insp effort for rest of current SALP cycle be revised before ending date of 960831.
LANDIS,K.D. Region 2 (Post 820201). 95/05/18. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84077:284-84077:287.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190092 Forwards most recent status repts of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/04/04. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. 83834:017-83834:020.

-8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J.L. Ofc of Enforcement (Post 870413). 6pp. 83834:011-83834:016.

-8907190246 Forwards TJ Saporito 890620 10CFR2.206 petition requesting for immediate actions to be taken re facility,including cold shutdown of units,suspension of licenses & investigation of drug usage,for review.W/o stated draft ltrs.
GOLDBERG,J.R. Assistant General Counsel for Enforcement. 89/07/14. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 83834:021-83834:023.

-8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 83834:024-83834:028.

-8912040009 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 89/10/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 83834:035-83834:039.

-8912040010 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/11/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 83834:040-83834:044.

-8912040012 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp. 83834:029-83834:034.

-9108080040 Forwards 910627 memo re issuance of ALAB-950 on pressure/ temp limits proceeding & TS replacement proceeding.ASLAB upheld ASLBP decision to deny TJ Saporito late petition to intervene in proceeding.
AULUCK,R. Project Directorate II-2. 91/07/31. Project Directorate II-2. 1p. 83834:064-83834:064.

-9108080045 Informs that on 910624 ASLAB issued ALAB-950 in which decision affirmed two ASLBP decisions re pressure/temp limits proceedings at plant.ASLAB upheld ASLBP decision to deny TJ Saporito late petition to intervene in proceeding.
CHANDLER,L.J. Assistant General Counsel for Hearings & Enforcement. 91/06/27. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 83834:046-83834:046.

-9211240291 Forwards 921023 petition submitted by JP Riccio on behalf of Public Citizen,Greenpeace,NIRS & SECC alleging numerous deficiencies re emergency planning at plant as result of effects of hurricane Andrew.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 92/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 83834:065-83834:119.

-9211240294 Forwards 2.206 petition submitted by Public Citizen, Greenpeace,NIRS & SECC re plant deficiencies following hurricane Andrew.
RICCIO,J.P. Public Citizen's Critical Mass Energy Project. 92/10/23. TAYLOR,J. Ofc of the Executive Director for Operations. 52pp. 83834:068-83834:119.

-9211240302 Forwards 2.206 petition filed by RR Diaz-Robainas re plant operation.Petition alleged deficiencies,including concerns re adequacy of fire protection sys & features & of emergency diesel generators.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 92/10/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:060-83834:063.

-9412140223 Forwards 2.206 petition filed w/EDO 940307 by TJ Saporito requesting that NRC take action re util.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 94/03/23. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 8pp. 83834:120-83834:127.

-9412210064 Discusses petition under 2.206 filed by TJ Saporito which requests that NRC take action against util as operator of Turkey Point & St Lucie nuclear power stations.Petition, draft ltr of acknowledgement & draft FRN,encl.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 94/06/16. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 3pp. 83834:128-83834:135.

-9505010176 Forwards copy of Memorandum & Order issued on 900116 by Board re ruling on Motion for summary disposition & dismissal of proceeding in plant P/T limits proceeding.W/o encl.
CHANDLER,L.J. Assistant General Counsel for Hearings & Enforcement. 90/01/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 83834:045-83834:045.

-9505010211 Informs that no further staff action necessary since appeal Board decision favorable re affirmation of Board ruling dismissing Nuclear Energy Accountability Project from plant TS replacement proceeding.
CHANDLER,L.J. Assistant General Counsel for Hearings & Enforcement. 91/07/03. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 83834:047-83834:059.

9505150101 Forwards Director's Decision DD-95-07,denying petitions filed on 940307 & 0607 requesting that NRC take escalated enforcement action against certain util employees for violating NRC requirements.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. SAPORITO,T.J. Saporito, T.J. 1p. 83898:259-83898:323.

-9505150136 Director's Decision DD-95-07 denying actions requested in petition,since petitioner has not raised any issues that would warrant requested actions.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. Saporito, T.J. 8pp. 83898:260-83898:267.

-9505150065 Notice of issuance of Director's Decision re petition filed by TJ Saporito on 940307 & 0607.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. 35pp. 83898:268-83898:323.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505180603 Rev 12 to updated FSAR for Turkey Point Units 3 & 4.W/950512 ltr.
PLUNKETT,T.F. Florida Power & Light Co. 95/05/31. 952pp. 84003:001-84005:124.

P. Operating license stage documents & correspondence

9202130128 Trip rept of structural site audit of plant during wk of 920113.Attendance lists,util presentation,walkdown log, handout on cooling canal sys,audit observations & photos encl.
ASHAR,H. Structural & Geosciences Branch. 92/02/07. BAGCHI,G. Structural & Geosciences Branch. 160pp. 83704:146-83704:303.

9505010173 Seventh partial response to FOIA request for documents. Records in App M encl & are being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/07. SAPORITO,T.J. Saporito, T.J. 6pp. 84109:001-84112:023.

-9505010180 Forwards info for replacement of attachment five,concern 12, as identified in 881208 memo re listing of "Statement of Concerns," & proposed action offices.
DEMIRANDA,O. Region 2 (Post 820201). 88/12/13. REYES,L., GIBSON,A., COLLINS,D. Division of Radiation Safety & Safeguards (Post 921004). 2pp. 84109:008-84109:008.

-9505010219 Ack receipt of 890621 ltr,expressing concerns w/regard to drug issues at plant.
EBNETER,S.D. Region 2 (Post 820201). 89/10/10. LORION,J. Lorion, J. 400pp. 84109:009-84110:105.

9505030472 Forwards revised & EPA approved NPDES permit for Turkey Point.
PLUNKETT,T.F. Florida Power & Light Co. 95/04/21. Document Control Branch (Document Control Desk). 18pp. 83795:287-83795:304.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505120122 Informs that util revised attachments 1 & 3 of 950330 ltr. Proposed license amends revs do not alter original conclusion rendered in attachment 2 to ltr.
PLUNKETT,T.F. Florida Power & Light Co. 95/05/05. Document Control Branch (Document Control Desk). 8pp. 83871:186-83871:193.

9505180322 Forwards amends 173 & 167 to licenses DPR-31 & DPR-41,SE & notice of partial denial of amends.Amends change TSs to allow containment PAL doors to remain open during core alterations & to change definition of core alterations.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/11. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83979:070-83979:091.

-9505180327 Amends 173 & 167 to licenses DPR-31 & DPR-41,respectively, changing TSs to allow containment PAL doors to remain open during core alterations & to change definition of core alterations.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/11. 9pp. 83979:073-83979:081.

-9505180331 Safety evaluation supporting amends 173 & 167 to licenses DPR-31 & DPR-41,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 8pp. 83979:082-83979:089.

-9505180336 Notice of partial denial of amends 173 & 167 to licenses DPR-31 & DPR-41 & opportunity for hearing.Request re footnote allowing certain airlocks to be open during core alterations cannot be granted.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/11. 2pp. 83979:090-83979:091.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310096 Application for amends to licenses DPR-31 & DPR-41,Amends would use changed setpoint presentation format for RPS & ESFAS instrumentation setpoints.
PLUNKETT,T.F. Florida Power & Light Co. 95/05/23. Document Control Branch (Document Control Desk). 16pp. 84145:168-84145:202.

-9505310100 Proposed tech specs re use of changed setpoint presentation format for RPS & ESFAS instrumentation.
* Florida Power & Light Co. 95/05/23. 19pp. 84145:184-84145:202.

Q. Inspection reports, IE Bulletins & correspondence

9505020081 Forwards insp repts 50-250/95-08 & 50-251/95-08 on 950320- 24.No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/04/20. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83689:347-83689:356.

-9505020086 Insp repts 50-250/95-08 & 50-251/95-08 on 950320-24.No violations noted.Major areas inspected:svc water self- assessment.
ROGERS,W.G., KELLOG,P.J. Region 2 (Post 820201). 95/04/20. 7pp. 83689:350-83689:356.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050089 Forwards insp repts 50-250/95-05 & 50-251/95-05 on 950306-10 & 28-29.No violations noted.Licensee efforts in identifying &/or correcting violations meet criteria specified in enforcement policy.
BARR,K.P. Region 2 (Post 820201). 95/04/28. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 83758:284-83758:308.

--9505050095 Insp repts 50-250/95-05 & 50-251/95-05 on 950306-10 & 0328-29.No violations noted.Major areas inspected:annual radiological environ operating rept,radiological liquid & gaseous effluent releases.
CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 95/04/27. 21pp. 83758:288-83758:308.

9505110070 Discusses insp repts 50-250/95-07 & 50-251/95-07 on 950320-24 & NOV.
BARR,K.P. Region 2 (Post 820201). 95/05/03. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83851:171-83851:195.

--9505110075 Insp repts 50-250/95-07 & 50-251/95-07 on 950320-24.No violations noted.Major areas inspected:annual EP exercise conducted at plant on 950322 including ER Program & implementation of emergency plan.
GOODEN,A., BARR,K. Region 2 (Post 820201). 95/05/03. 20pp. 83851:174-83851:195.

9505120128 Forwards revised relief request 4,ASME Section XI,1989 Class 1,2 & 3 Snubbers as discussed during several telcon w/NRC.
PLUNKETT,T.F. Florida Power & Light Co. 95/05/08. Document Control Branch (Document Control Desk). 6pp. 83871:194-83871:199.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220090 Forwards SE authorizing second 10-yr interval ISI request for relief on regenerative heat exchangers.
MATTHEWS,D.B. . 95/05/12. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 84033:350-84033:357.

--9505220174 Safety evaluation authorizing relief on one-time basis for second 10-yr interval ISI.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. 6pp. 84033:352-84033:357.

9505300025 Forwards insp repts 50-250/95-09 & 50-251/95-09 on 950326-0429.Non-cited violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84076:063-84076:101.

--9505300031 Insp repts 50-250/95-09 & 50-251/95-09 on 950326-0429.Two non-cited violations noted.Major areas inspected:plant operations,plant events,maint,chemistry & fire protection.
JOHNSON,T.P., LANDIS,K.D. Region 2 (Post 820201). 95/05/17. 36pp. 84076:066-84076:101.

9505300116 Informs util of results of review of recent performance at Turkey Point facility to determine if present planned insp effort for rest of current SALP cycle be revised before ending date of 960831.
LANDIS,K.D. Region 2 (Post 820201). 95/05/18. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84077:284-84077:287.

R. Periodic operating reports & related correspondence

9505180607 "Changes,Tests & Experiments Made as Allowed by 10CFR50.59 for Period 930601-941201." W/950512 ltr.
PLUNKETT,T.F. Florida Power & Light Co. 94/12/01. 156pp. 84030:117-84030:272.

9505020194 "1994 Annual Radiological Environ Operating Rept Turkey Point Plant Units 3 & 4." W/950421 ltr.
PLUNKETT,T.F. Florida Power & Light Co. 94/12/31. 68pp. 83761:260-83761:327.

9505190385 Monthly operating rept for Apr 1995 for Turkey Point Units 3 & 4.W/950512 ltr.
KNORR,J.E., PLUNKETT,J.F. Florida Power & Light Co. 95/04/30. 9pp. 84019:348-84019:356.

S. Reportable occurrences, LERs & related correspondence

9505190285 LER 94-003-00:on 940720 & 21,util discovered that several required valve stroke time surveillances had not been performed.Caused by personnel error.Personnel reassigned & procedures and surveillance tracking software enhanced.
MOWREY,C.L. Florida Power & Light Co. 94/08/16. 5pp. 83974:158-83974:162.

9505090038 Part 21 rept re mechanical defect in shaft length of some HEA63 lockout relays mfg between 1990-94.Defect identified could possibly result in binding of front shaft.Suspect relays checked for date codes & replacements ordered.
NUDING,M. MKW Power Systems, Inc. 95/04/28. MURLEY,T. Office of Nuclear Reactor Regulation (Post 941001). 5pp. 83924:036-83924:040.

9505150083 LER 95-004-00:on 950407,unit being shutdown to investigate recurring non-urgent failure alarms from redundant rod control power supplies.Reactor manually tripped.All four PS-3 power supplies replaced.W/950505 ltr.
MOWREY,C.L., PLUNKETT,T.F. Florida Power & Light Co. 95/05/05. 5pp. 83899:147-83899:151.

9505300039 PNO-II-95-029:on 950518,inspector notified by licensee of incident involving employee at plant threatening to commit suicide at home.Employee taken to hosp & licensee revoked employee plant access.
LANDIS,K. Region 2 (Post 820201). 95/05/18. 1p. 84076:115-84076:115.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--9211240302 Forwards 2.206 petition filed by RR Diaz-Robainas re plant operation.Petition alleged deficiencies,including concerns re adequacy of fire protection sys & features & of emergency diesel generators.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 92/10/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:060-83834:063.

9505020155 Forwards FEMA ltr to State of FL dtd 950412 re deficiency involving public alert & notification sys activation progress in Dade County.
CLINE,W.E. Region 2 (Post 820201). 95/04/19. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 83690:350-83690:355.

9505110070 Discusses insp repts 50-250/95-07 & 50-251/95-07 on 950320-24 & NOV.
BARR,K.P. Region 2 (Post 820201). 95/05/03. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83851:171-83851:195.

--9505110075 Insp repts 50-250/95-07 & 50-251/95-07 on 950320-24.No violations noted.Major areas inspected:annual EP exercise conducted at plant on 950322 including ER Program & implementation of emergency plan.
GOODEN,A. Region 2 (Post 820201). 95/05/03. 20pp. 83851:174-83851:195.

9505240235 Advises that rev 28 to radiological emergency plan consistent w/provisions of 10CFR50.47(b) & requirements of app E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/12. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84022:348-84022:350.

9505300025 Forwards insp repts 50-250/95-09 & 50-251/95-09 on 950326-0429.Non-cited violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84076:063-84076:101.

--9505300031 Insp repts 50-250/95-09 & 50-251/95-09 on 950326-0429.Two non-cited violations noted.Major areas inspected:plant operations,plant events,maint,chemistry & fire protection.
JOHNSON,T.P. Region 2 (Post 820201). 95/05/17. 36pp. 84076:066-84076:101.

9505300116 Informs util of results of review of recent performance at Turkey Point facility to determine if present planned insp effort for rest of current SALP cycle be revised before ending date of 960831.
LANDIS,K.D. Region 2 (Post 820201). 95/05/18. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84077:284-84077:287.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190092 Forwards most recent status repts of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/04/04. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. 83834:017-83834:020.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J.L. Ofc of Enforcement (Post 870413). 6pp. 83834:011-83834:016.

--8907190246 Forwards TJ Saporito 890620 10CFR2.206 petition requesting for immediate actions to be taken re facility,including cold shutdown of units,suspension of licenses & investigation of drug usage,for review.W/o stated draft ltrs.
GOLDBERG,J.R. Assistant General Counsel for Enforcement. 89/07/14. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 83834:021-83834:023.

--8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 83834:024-83834:028.

--8912040009 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 89/10/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 83834:035-83834:039.

--**8912040010** Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/11/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 83834:040-83834:044.

--**8912040012** Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp. 83834:029-83834:034.

--**9108080040** Forwards 910627 memo re issuance of ALAB-950 on pressure/ temp limits proceeding & TS replacement proceeding.ASLAB upheld ASLBP decision to deny TJ Saporito late petition to intervene in proceeding.
AULUCK,R. Project Directorate II-2. 91/07/31. Project Directorate II-2. 1p. 83834:064-83834:064.

--**9108080045** Informs that on 910624 ASLAB issued ALAB-950 in which decision affirmed two ASLBP decisions re pressure/temp limits proceedings at plant.ASLAB upheld ASLBP decision to deny TJ Saporito late petition to intervene in proceeding.
CHANDLER,L.J. Assistant General Counsel for Hearings & Enforcement. 91/06/27. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 83834:046-83834:046.

--**9211240291** Forwards 921023 petition submitted by JP Riccio on behalf of Public Citizen,Greenpeace,NIRS & SECC alleging numerous deficiencies re emergency planning at plant as result of effects of hurricane Andrew.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 92/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 83834:065-83834:119.

--**9211240294** Forwards 2.206 petition submitted by Public Citizen, Greenpeace,NIRS & SECC re plant deficiencies following hurricane Andrew.
RICCIO,J.P. Public Citizen's Critical Mass Energy Project. 92/10/23. TAYLOR,J. Ofc of the Executive Director for Operations. 52pp. 83834:068-83834:119.

--**9211240302** Forwards 2.206 petition filed by RR Diaz-Robainas re plant operation.Petition alleged deficiencies,including concerns re adequacy of fire protection sys & features & of emergency diesel generators.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 92/10/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:060-83834:063.

--**9412140223** Forwards 2.206 petition filed w/EDO 940307 by TJ Saporito requesting that NRC take action re util.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 94/03/23. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 8pp. 83834:120-83834:127.

--**9412210064** Discusses petition under 2.206 filed by TJ Saporito which requests that NRC take action against util as operator of Turkey Point & St Lucie nuclear power stations.Petition, draft ltr of acknowledgement & draft FRN,encl.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 94/06/16. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 3pp. 83834:128-83834:135.

--**9505010176** Forwards copy of Memorandum & Order issued on 900116 by Board re ruling on Motion for summary disposition & dismissal of proceeding in plant P/T limits proceeding.W/o encl.
CHANDLER,L.J. Assistant General Counsel for Hearings & Enforcement. 90/01/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 83834:045-83834:045.

--**9505010211** Informs that no further staff action necessary since appeal Board decision favorable re affirmation of Board ruling dismissing Nuclear Energy Accountability Project from plant TS replacement proceeding.
CHANDLER,L.J. Assistant General Counsel for Hearings & Enforcement. 91/07/03. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 83834:047-83834:059.

9505150101 Forwards Director's Decision DD-95-07,denying petitions filed on 940307 & 0607 requesting that NRC take escalated enforcement action against certain util employees for violating NRC requirements.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. SAPORITO,T.J. Saporito, T.J. 1p. 83898:259-83898:323.

--**9505150136** Director's Decision DD-95-07 denying actions requested in petition,since petitioner has not raised any issues that would warrant requested actions.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. Saporito, T.J. 8pp. 83898:260-83898:267.

--**9505150065** Notice of issuance of Director's Decision re petition filed by TJ Saporito on 940307 & 0607.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. 35pp. 83898:268-83898:323.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505180603 Rev 12 to updated FSAR for Turkey Point Units 3 & 4.W/950512 ltr.
PLUNKETT,T.F. Florida Power & Light Co. 95/05/31. 952pp. 84003:001-84005:124.

P. Operating license stage documents & correspondence

9202130128 Trip rept of structural site audit of plant during wk of 920113.Attendance lists,util presentation,walkdown log, handout on cooling canal sys,audit observations & photos encl.
ASHAR,H. Structural & Geosciences Branch. 92/02/07. BAGCHI,G. Structural & Geosciences Branch. 160pp. 83704:146-83704:303.

9505010173 Seventh partial response to FOIA request for documents. Records in App M encl & are being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/07. SAPORITO,T.J. Saporito, T.J. 6pp. 84109:001-84112:023.

--**9505010180** Forwards info for replacement of attachment five,concern 12, as identified in 881208 memo re listing of "Statement of Concerns," & proposed action offices.
DEMIRANDA,O. Region 2 (Post 820201). 88/12/13. REYES,L., GIBSON,A., COLLINS,D. Division of Radiation Safety & Safeguards (Post 921004). 2pp. 84109:008-84109:008.

--**9505010219** Ack receipt of 890621 ltr,expressing concerns w/regard to drug issues at plant.
EBNETER,S.D. Region 2 (Post 820201). 89/10/10. LORION,J. Lorion, J. 400pp. 84109:009-84110:105.

9505030472 Forwards revised & EPA approved NPDES permit for Turkey Point.
PLUNKETT,T.F. Florida Power & Light Co. 95/04/21. Document Control Branch (Document Control Desk). 18pp. 83795:287-83795:304.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505120122 Informs that util revised attachments 1 & 3 of 950330 ltr. Proposed license amends revs do not alter original conclusion rendered in attachment 2 to ltr.
PLUNKETT,T.F. Florida Power & Light Co. 95/05/05. Document Control Branch (Document Control Desk). 8pp. 83871:186-83871:193.

9505180322 Forwards amends 173 & 167 to licenses DPR-31 & DPR-41,SE & notice of partial denial of amends.Amends change TSs to allow containment PAL doors to remain open during core alterations & to change definition of core alterations.
CROTEAU,R.P. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/11. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83979:070-83979:091.

--**9505180327** Amends 173 & 167 to licenses DPR-31 & DPR-41,respectively, changing TSs to allow containment PAL doors to remain open during core alterations & to change definition of core alterations.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/11. 9pp. 83979:073-83979:081.

--**9505180331** Safety evaluation supporting amends 173 & 167 to licenses DPR-31 & DPR-41,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 8pp. 83979:082-83979:089.

--**9505180336** Notice of partial denial of amends 173 & 167 to licenses DPR-31 & DPR-41 & opportunity for hearing.Request re footnote allowing certain airlocks to be open during core alterations cannot be granted.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/11. 2pp. 83979:090-83979:091.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310096 Application for amends to licenses DPR-31 & DPR-41.Amends would use changed setpoint presentation format for RPS & ESFAS instrumentation setpoints.
PLUNKETT,T.F. Florida Power & Light Co. 95/05/23. Document Control Branch (Document Control Desk). 16pp. 84145:168-84145:202.

--**9505310100** Proposed tech specs re use of changed setpoint presentation format for RPS & ESFAS instrumentation.
* Florida Power & Light Co. 95/05/23. 19pp. 84145:184-84145:202.

Q. Inspection reports, IE Bulletins & correspondence

9505020081 Forwards insp repts 50-250/95-08 & 50-251/95-08 on 950320- 24.No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/04/20. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83689:347-83689:356.

--**9505020086** Insp repts 50-250/95-08 & 50-251/95-08 on 950320-24.No violations noted.Major areas inspected:svc water self- assessment.
ROGERS,W.G., KELLOG,P.J. Region 2 (Post 820201). 95/04/20. 7pp. 83689:350-83689:356.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. , 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050089 Forwards insp repts 50-250/95-05 & 50-251/95-05 on 950306-10 & 28-29.No violations noted.Licensee efforts in identifying &/or correcting violations meet criteria specified in enforcement policy.
BARR,K.P. Region 2 (Post 820201). 95/04/28. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 83758:284-83758:308.

--**9505050095** Insp repts 50-250/95-05 & 50-251/95-05 on 950306-10 & 0328-29.No violations noted.Major areas inspected:annual radiological environ operating rept,radiological liquid & gaseous effluent releases.
CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 95/04/27. 21pp. 83758:288-83758:308.

9505110070 Discusses insp repts 50-250/95-07 & 50-251/95-07 on 950320-24 & NOV.
BARR,K.P. Region 2 (Post 820201). 95/05/03. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83851:171-83851:195.

--**9505110075** Insp repts 50-250/95-07 & 50-251/95-07 on 950320-24.No violations noted.Major areas inspected:annual EP exercise conducted at plant on 950322 including ER Program & implementation of emergency plan.
GOODEN,A., BARR,K. Region 2 (Post 820201). 95/05/03. 20pp. 83851:174-83851:195.

9505120128 Forwards revised relief request 4,ASME Section XI,1989 Class 1,2 & 3 Snubbers as discussed during several telcon w/NRC.
PLUNKETT,T.F. Florida Power & Light Co. 95/05/08. Document Control Branch (Document Control Desk). 6pp. 83871:194-83871:199.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220090 Forwards SE authorizing second 10-yr interval ISI request for relief on regenerative heat exchangers.
MATTHEWS,D.B. . 95/05/12. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 84033:350-84033:357.

--**9505220174** Safety evaluation authorizing relief on one-time basis for second 10-yr interval ISI.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. 6pp. 84033:352-84033:357.

9505300025 Forwards insp repts 50-250/95-09 & 50-251/95-09 on 950326-0429.Non-cited violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84076:063-84076:101.

--**9505300031** Insp repts 50-250/95-09 & 50-251/95-09 on 950326-0429.Two non-cited violations noted.Major areas inspected:plant operations,plant events,maint,chemistry & fire protection.
JOHNSON,T.P., LANDIS,K.D. Region 2 (Post 820201). 95/05/17. 36pp. 84076:066-84076:101.

9505300116 Informs util of results of review of recent performance at Turkey Point facility to determine if present planned insp effort for rest of current SALP cycle be revised before ending date of 960831.
LANDIS,K.D. Region 2 (Post 820201). 95/05/18. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84077:284-84077:287.

R. Periodic operating reports & related correspondence

9505180607 "Changes,Tests & Experiments Made as Allowed by 10CFR50.59 for Period 930601-941201." W/950512 ltr.
PLUNKETT,T.F. Florida Power & Light Co. 94/12/01. 156pp. 84030:117-84030:272.

9505020194 "1994 Annual Radiological Environ Operating Rept Turkey Point Plant Units 3 & 4." W/950421 ltr.
PLUNKETT,T.F. Florida Power & Light Co. 94/12/31. 68pp. 83761:260-83761:327.

9505190385 Monthly operating rept for Apr 1995 for Turkey Point Units 3 & 4.W/950512 ltr.
KNORR,J.E., PLUNKETT,J.F. Florida Power & Light Co. 95/04/30. 9pp. 84019:348-84019:356.

S. Reportable occurrences, LERs & related correspondence

9505090038 Part 21 rept re mechanical defect in shaft length of some HEA63 lockout relays mfg between 1990-94.Defect identified could possibly result in binding of front shaft.Suspect relays checked for date codes & replacements ordered.
NUDING,M. MKW Power Systems, Inc. 95/04/28. MURLEY,T. Office of Nuclear Reactor Regulation (Post 941001). 5pp. 83924:036-83924:040.

9505300039 PNO-II-95-029:on 950518,inspector notified by licensee of incident involving employee at plant threatening to commit suicide at home.Employee taken to hosp & licensee revoked employee plant access.
LANDIS,K. Region 2 (Post 820201). 95/05/18. 1p. 84076:115-84076:115.

DOCKET 50-252 UNIV. OF NEW MEXICO RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9505110129 Submits response to review of emergency plan.
BUSCH,R.D. New Mexico, Univ. of, Albuquerque, NM. 95/05/01. MENDOCA,M.M. . 4pp. 83929:356-83929:359.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505080067 Revised EPIPs,including rev 17 to QEP-100-0,rev 9 to QEP-100-T1,rev 13 to QEP-105-0,rev 6 to QEP-105-S1,rev 6 to QEP-105-S2,rev 6 to QEP-105-S3,rev 5 to QEP-105-S6,rev 11 to QEP-107-0,rev 6 to QEP-107-S1.W/950428 ltr.
* Commonwealth Edison Co. 95/04/28. 115pp. 83840:144-83840:257.

9505120132 Revised EPIPs,including rev 30 to QEP 600-0,rev 4 to QEP 600-S3,rev 16 to QEP 710-0,rev 3 to QEP 710-S3,rev 3 to QEP 710-S4,rev 4 to QEP 710-S5 & rev 4 to QEP 710-S6.
* Commonwealth Edison Co. 95/05/01. 17pp. 83949:342-83949:358.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

9505150168 Updated pages QCA 6-16 & 6-17 to Quad Cities Station site specific GSEP Annex,Rev 8e.
* Commonwealth Edison Co. 95/05/31. 4pp. 83977:313-83977:316.

P. Operating license stage documents & correspondence

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--**9505050159** Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--**9505050162** Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505080194 Responds to licensee application dtd 950410 & forwards notice of consideration of issuance of amends to FOLs, proposed NSHC determination & opportunity for hearing,to be placed in FR for publication.
PULSIFER,R.M. . 95/04/24. FARRAR,D.L. Commonwealth Edison Co. 2pp. 83834:149-83834:158.

--**9505080199** Notice of consideration of issuance of amends to licenses DPR-29 & DPR-30 & proposed NSHC determination & opportunity for hearing.Amends revise TSs to reflect changes in surveillance testing requirements of HPCIS & RCICS.
PULSIFER,R.M. . 95/04/24. 8pp. 83834:151-83834:158.

9505030477 Comments on draft GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
VONK,M.J. Commonwealth Edison Co. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83791:352-83791:354.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040012 Informs that repts entitled, "XM-19 Matls Qualification Rept," NEDE-21653-P, "GENE/ComEd Responses to NRC Request for Addl Info re Quad Cities Units 1 & 2 Shroud Cities 1 & 2," will be withheld from public disclosure,per request.
PULSIFER,R.M. . 95/04/28. FARRAR,D.L. Commonwealth Edison Co. 4pp. 83751:337-83751:340.

9505050099 Provides updated status of progress on plant course of action (COA) implementation for performance improvement.
KRAFT,E.S. Commonwealth Edison Co. 95/05/01. Office of Nuclear Reactor Regulation (Post 941001). 8pp. 83864:179-83864:186.

9505050082 Responds to NRC RAI for TS upgrade program,Section 3/4.10 & suppl info previously provided in 930216 & 940314 submittals.
PIET,P.L. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 29pp. 83833:136-83833:202.

--**9505050084** Proposed tech specs re TS upgrade program Section 3/4.10.
* Commonwealth Edison Co. 95/05/02. 34pp. 83833:169-83833:202.

9505090215 Forwards "Third Ten-Year Interval Inservice Testing Program,Rev 5." W/68 oversize drawings.
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83894:001-83895:041.

--**9505090225** "Third Ten-Year Interval IST Program," rev 5.
* Commonwealth Edison Co. 95/05/02. 403pp. 83894:003-83895:041.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505120130 Forwards addl info requested by NRC during 950427 telcon re core shroud mod.Info withheld from public disclosure per 10CFR2.790(b).
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 7pp. 83935:354-83935:360.

9505150244 Forwards Rev 1 to Design Document SL-4984, "Quad Cities Units 1 & 2 Core Shroud Repair,Design Reliant Structures Insp Requirements & Acceptance Criteria," in response to NRC RAI in 950427 telcon.
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/08. Document Control Branch (Document Control Desk). 3pp. 83978:125-83978:147.

--**9505150247** "Quad Cities Units 1 & 2 Core Shroud Repair,Design Reliant Structures Insp Requirements & Acceptance Criteria."
DEBOO,G.H., JOHNSON,J.W., BEHRINGER,T.J. Sargent & Lundy, Inc. SL-4984 R01. 95/04/10. 20pp. 83978:128-83978:147.

9505150252 Forwards response to NRC 950222 RAI to support review & approval of Comm Ed TS upgrade program project.Marked-up TS pages also encl.
PIET,P.L. Commonwealth Edison Co. 95/05/09. Document Control Branch (Document Control Desk). 36pp. 83978:045-83978:124.

--**9505150259** Proposed Tech Specs,supporting TS upgrade program project.
* Commonwealth Edison Co. 95/05/09. 44pp. 83978:081-83978:124.

9505180303 Summary of 950323 meeting w/util re TS Upgrade Program status.List of attendees encl.
SKAY,D.M. . 95/05/11. . 6pp. 83971:353-83971:358.

9505230176 *Forwards summary of util radiation protection performance & efforts in* progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505230250 Submits addl info re core shroud mod.
SCHRGE,J.L. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 4pp. 84051:334-84051:337.

9505240023 Forwards response to NRC staff request for addl info re TS upgrade program.
PIET,P.L. Commonwealth Edison Co. 95/05/15. Document Control Branch (Document Control Desk). 49pp. 84069:217-84069:316.

–9505240025 Proposed tech specs as result of TS upgrade program.
* Commonwealth Edison Co. 95/05/15. 51pp. 84069:266-84069:316.

9505250145 Forwards response to NRC 950222 RAI re TS upgrade program Section 3/4.1, "Reactor Protection Sys."
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 50pp. 84075:040-84075:122.

–9505250148 Proposed TS upgrade program section 3/4.1, "Reactor Protection Sys."
* Commonwealth Edison Co. 95/05/17. 33pp. 84075:090-84075:122.

9505250251 *Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.*
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

–9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505150244 Forwards Rev 1 to Design Document SL-4984, "Quad Cities Units 1 & 2 Core Shroud Repair,Design Reliant Structures Insp Requirements & Acceptance Criteria," in response to NRC RAI in 950427 telcon.
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/08. Document Control Branch (Document Control Desk). 3pp. 83978:125-83978:147.

–9505150247 "Quad Cities Units 1 & 2 Core Shroud Repair,Design Reliant Structures Insp Requirements & Acceptance Criteria."
DEBOO,G.H., JOHNSON,J.W., BEHRINGER,T.J. Sargent & Lundy, Inc. SL-4984 R01. 95/04/10. 20pp. 83978:128-83978:147.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230037 Responds to NRC 950414 ltr re violations noted in insp repts 50-254/95-02 & 50-265/95-02.Corrective actions:handles modified on RHRSW pumps & 1(2) 1001-5A/B RHRSW valves to improve human factors.
KRAFT,E.S. Commonwealth Edison Co. 95/05/15. Ofc of Enforcement (Post 870413). 9pp. 84061:344-84061:352.

9505230041 Responds to NRC 950414 ltr re violations noted in insp repts 50-254/94-29 & 50-265/94-29.Corrective actions:work involving OOS stopped except by approval of Station Manager & team assembled to review & recommend C/As for work.
KRAFT,E.S. Commonwealth Edison Co. 95/05/15. Ofc of Enforcement (Post 870413). 6pp. 84061:353-84061:358.

R. Periodic operating reports & related correspondence

9505010089 "Quad Cities Station Annual Radiological Environ Operating Rept 1994." W/950424 ltr.
PEARCE,L.W. Commonwealth Edison Co. 94/12/31. 109pp. 83786:001-83786:114.

9505050092 Forwards listing of facility & procedure changes,tests & experiments requiring safety evaluations completed during Feb & Mar 1995.
AITKEN,P.C. Commonwealth Edison Co. 95/04/26. Document Control Branch (Document Control Desk). 23pp. 83864:151-83864:173.

9505180335 Forwards monthly operating repts for Apr 1995 & revised repts for Mar 1995 for Quad Cities Nuclear Power Station Units 1 & 2.
AITKEN,P.C. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 84013:253-84013:274.

–9505180342 Monthly operating repts for Apr 1995 for Quad Cities Nuclear Power Station Units 1 & 2.
MOORE,K. Commonwealth Edison Co. 95/04/30. 19pp. 84013:254-84013:272.

–9505180352 *Revised monthly operating repts for Mar 1995 for Quad Cities Nuclear* Power Station Units 1 & 2.
MOORE,K. Commonwealth Edison Co. 95/03/31. 2pp. 84013:273-84013:274.

S. Reportable occurrences, LERs & related correspondence

9505100133 Forwards LER 95-004.Listed commitments made,including updating vendor technical manual CO099, "GE Protective Relays & Accessories."
PEARCE,L.W. Commonwealth Edison Co. 95/04/28. Document Control Branch (Document Control Desk). 3pp. 83924:119-83924:127.

–9505100141 LER 95-004-00:on 950329,HPCI sys declared inoperable from motor speed changer malfunction due to limit switch failure. Updated plant vendor technical manuals to reflect guidance for installation & adjustment of GE limit switches.
CHRISSOTIMOS,N. Commonwealth Edison Co. 95/04/28. 6pp. 83924:122-83924:127.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M., SCHMIDT,T.L. Commonwealth Edison Co. DAMPF,J.F. Union Electric Co. 1p. 83758:313-83758:313.

9505230237 Informs that license SOP-30728-2,will not be maintained. JW Wethington was removed from licensed duty on 950508 & util requested that license be terminated.
PEARCE,L.W. Commonwealth Edison Co. 95/05/10. Document Control Branch (Document Control Desk). 1p. 84051:325-84051:325.

9505230238 Advises that license SOP-31131,will not be maintained. JA Davis was removed from licensed duty on 950511 & requested that license be terminated.
PEARCE,L.W. Commonwealth Edison Co. 95/05/11. Document Control Branch (Document Control Desk). 1p. 84049:360-84049:360.

9505230242 *Advises that license SOP-30522-2,will not be maintained. J Guest was removed from license duty on 950512 & util requested that license be terminated.*
PEARCE,L.W. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 1p. 84049:359-84049:359.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9505020107 Rev 3 to EI-6.4, "Release/Potential Release Determination From Containment High Range Monitors."
* Consumers Power Co. 95/04/19. 8pp. 83757:311-83757:318.

9505020047 Rev 14 to EOF Procedure GEN-1, "Overview - General Ofc Emergency Planning Procedure."
MITCHELL,M.H., KATARSKY,A.P. Consumers Power Co. 95/04/20. 11pp. 83760:346-83760:356.

9505020091 Rev 7 to EOF-6, "Plant Support Engineering Support Team."
MITCHELL,M.H., KATARSKY,A.P. Consumers Power Co. 95/04/20. 9pp. 83757:302-83757:310.

9505020040 Rev 3 to EPIP EI-6.6, "Gamma E Determination," editorial changes.
WYMER,S.L., BROTT,N.K. Consumers Power Co. 95/04/25. 8pp. 83832:248-83832:255.

9505020054 Rev 3 to EPIP App E, "General Equipment in Emergency Kits."
WYMER,S.L., BROTT,N.K. Consumers Power Co. 95/04/25. 3pp. 83775:283-83775:285.

9505020060 Rev 6 to EPIP App D, "Emergency Implementation Procedures," editorial changes.
WYMER,S.L., BROTT,N.K. Consumers Power Co. 95/04/25. 9pp. 83757:290-83757:298.

9505020066 Rev 5 to EOF-5, "Reactor Engineering/Accident Analysis Support Team," cancelled.
* Consumers Power Co. 95/04/25. 1p. 83757:299-83757:299.

9505020071 Rev 64 to EOF Index, "Emergency Operations Facility Procedures Index."
* Consumers Power Co. 95/04/25. 2pp. 83757:300-83757:301.

9505050321 Editorial change to Rev 2 to emergency implementing procedure EI-16.2, "Post Accident Sample Monitoring Sys Supplies & Associated Equipment Checks."
WYMER,S.L. Consumers Power Co. 95/04/27. 11pp. 83839:269-83839:279.

9505050323 Editorial change to Rev 7 to emergency implementing procedure EI-4.3, "EOF Activation."
WYMER,S. Consumers Power Co. 95/04/27. 9pp. 83839:280-83839:288.

9505100243 Rev 11 to EOF-2, "Emergency Operations Facility Director."
MITCHELL,M.H., PENROD,K.L. Consumers Power Co. 95/04/27. 10pp. 83875:053-83875:062.

9505100251 Rev 4 to EOF-11, "Administrative Support Team."
MITCHELL,M.H., PENROD,K.L. Consumers Power Co. 95/04/27. 6pp. 83875:047-83875:052.

9505100254 Rev 3 to EOF-9, "Emergency Planning."
MITCHELL,M.H., PENROD,K.L. Consumers Power Co. 95/04/27. 6pp. 83875:041-83875:046.

9505100262 Rev 44 to Appendix G to emergency plan.
* Consumers Power Co. 95/04/27. 9pp. 83875:032-83875:040.

9505100090 Ack receipt of 950403 ltr in response to NRC ltr dtd 950208 requesting info re performance & proficiency of security supervisor & security to adequately implement security program requirements.
CREED,J.R. Region 3 (Post 820201). 95/05/01. PALMISANO,T. Consumers Power Co. 2pp. 83828:195-83828:196.

9505100265 Rev 13 to EI-3, "Communications & Notifications."
WYMER,S.L., BROTT,N.K. Consumers Power Co. 95/05/03. 15pp. 83875:017-83875:031.

9505150044 Rev 5 to EPIP EI-6.3, "Release Rate Determination from High- Range Effluent Monitors."
WYMER,S.F. Consumers Power Co. 95/05/05. 11pp. 83899:065-83899:077.

9505150055 Rev 7 to EPIP EI-6.0, "Offsite Dose Calculation & Recommendations for Protective Actions."
WYMER,S.F. Consumers Power Co. 95/05/05. 13pp. 83899:093-83899:105.

9505300089 Rev 10 to EPIP EI-8, "Onsite Radiological Monitoring," has been made inactive.
* Consumers Power Co. 95/05/19. 1p. 84106:346-84106:346.

9505300091 Rev 7 to EPIP EI-9, "Offsite Radiological Monitoring," has been made inactive.
* Consumers Power Co. 95/05/19. 1p. 84106:345-84106:345.

9505260282 Rev 7 to EI-16.1, "Maint Of Emergency Equipment."
WYMER,S.L., SLAUGHTER,P.A. Consumers Power Co. 95/05/22. 23pp. 84101:301-84101:319.

9505260287 Rev 07 to EI-4.1, "Technical Support Ctr Activation."
WYMER,S.L., BROTT,N.K. Consumers Power Co. 95/05/22. 17pp. 84101:333-84101:349.

9505260356 Rev 10 to EI-4.2, "Operational Support Ctr Activation."
WYMER,S.L. Consumers Power Co. 95/05/22. 24pp. 84120:322-84120:346.

9505260358 Rev 18 to EIP EI-2.1, "Emergency Actions/Notifications/ Responsibilities."
WYMER,S.L., BROTT,N.K., THIELMANN,J.R. Consumers Power Co. 95/05/22. 10pp. 84101:350-84101:360.

9505260360 Rev 22 to EIP-EI-1, "Activation Of Site Emergency Plan/ Emergency Classification."
WYMER,S.L., BROTT,N.K., FONTAINE,J.L. Consumers Power Co. 95/05/22. 39pp. 84103:305-84103:343.

9505300040 Rev 11 to Section 5 to emergency plan.
WYMER,S.L. Consumers Power Co. 95/05/22. 23pp. 84104:337-84104:359.

9505310112 Rev 17 to Section 4 to emergency plan, "Emergency Conditions."
* Consumers Power Co. 95/05/22. 45pp. 84142:284-84142:328.

9505300101 Forwards Rev 33 to Palisades Security Plan,providing addl info requested by NRC on 950320.Encl withheld.
HAAS,K.M. Consumers Power Co. 95/05/23. Document Control Branch (Document Control Desk). 1p. 84104:330-84104:330.

9505310115 Rev 22 to attachment 1 to EPIP EI-1, "Activation of Site Emergency Plan/ Emergency Classification."
* Consumers Power Co. 95/05/23. 32pp. 84163:197-84163:228.

9505310242 Rev 10 to EPIP EI-8, "Onsite Radiological Monitoring."
* Consumers Power Co. 95/05/24. 26pp. 84163:286-84163:313.

9505310251 Rev 7 to EPIP EI-9, "Offsite Radiological Monitoring."
* Consumers Power Co. 95/05/24. 22pp. 84163:325-84163:348.

9505310106 Rev 5 to App A to emergency plan, "Agreements W/Offsite Individuals,Agencies & Organizations."
* Consumers Power Co. 95/05/25. 4pp. 84141:356-84141:359.

H. General correspondence

9505250100 Seventh final response to FOIA request for documents.Apps J & K documents encl & also placed in PDR.App K documents partially withheld (ref FOIA Exemption 6).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/19. GLITZENSTEIN,E. Affiliation Not Assigned. 4pp. 84067:204-84067:238.

--9505250116 Forwards photos of impact of one heavy storm on Lake Michigan which took out whole dune.Portion of ltr deleted. NRC draft ltr to M Sinclair encl.
SINCLAIR,M.P. Affiliation Not Assigned. 94/05/26. ZWOLINSKI NRC - No Detailed Affiliation Given. 6pp. 84067:232-84067:238.

I. Financial information

9505010158 "1994 Consumers Power Co Annual Rept." W/950424 ltr.
HAAS,K.M. Consumers Power Co. 94/12/31. 37pp. 83717:321-83717:358.

P. Operating license stage documents & correspondence

9505120207 Discusses plant bounding T(t) & P(t) for PTS analysis.
LOIS,L. . 95/04/03. JONES,R.C. . 10pp. 83923:343-83923:352.

9505040199 Ltr contract NRC-02-95-003,definitizing task order 1, "Technical Assistance in Review of Cask Unloading Procedures for Palisades Plant."
MACE,M. Division of Contracts (Post 940714). FIN J-5073. 95/04/04. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 83801:339-83801:340.

9505010020 Forwards SE re review of responses to NRC SE action items & revised requests for IST program.
CARPENTER,C.A. . 95/04/20. HAAS,K.M. Consumers Power Co. 2pp. 83691:174-83691:210.

--9505010024 Safety evaluation granting relief per 10CFR50.55(f)(6)(i) based on impracticality of performing testing in accordance w/code.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/20. 34pp. 83691:176-83691:210.

9505030326 Forwards response to NRC 950413 RAI in support of CPC project plan for addressing Alloy 600 issues.B&W Nuclear Technologies nonproprietary calculations 51-1235130-01 & 32-1235177-00 also encl.
HAAS,K.M. Consumers Power Co. 95/04/24. Document Control Branch (Document Control Desk). 6pp. 83803:008-83803:127.

--9505030328 Nonproprietary "Svc Life Assessment of Pressurizer Spray & Surge Nozzle Safe Ends."
CAMPBELL,C.A., KILLIAN,D.E., FYFITCH,S. Babcock & Wilcox Co. 51-1235130-01. 95/04/20. 28pp. 83803:014-83803:041.

--9505030330 Nonproprietary "FM Assessment of Palisades Alloy 600 Components."
KILLIAN,D.E., YOON,K.K. Babcock & Wilcox Co. 32-1235177-00. 95/04/20. 86pp. 83803:042-83803:127.

9505030208 Informs that util intends to implement formal industry position on severe accident mgt approved by Nuclear Energy Inst Nuclear Strategic Issues Advisory Committee on 941104 at plant.
HAAS,K.M. Consumers Power Co. 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83791:350-83791:351.

9505050210 Forwards revised pages for TS change request,consisting of minor editorial change to basis in first paragraph of 3-2 & rev to list of approved methodology repts & "COLR."
HAAS,K.M. Consumers Power Co. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83839:145-83839:169.

--9505050211 Revised proposed TS,consisting of changes to basis in first paragraph of page 3-2 & rev to list of approved methodology repts.
* Consumers Power Co. 95/04/27. 23pp. 83839:147-83839:169.

9505050214 Forwards proposed TS & addl info supporting action statements for inoperable safety valves in proposed Spec 3.1.7 of TS change request of 950103.
HAAS,K.M. Consumers Power Co. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83839:179-83839:186.

--9505050215 Proposed tech specs,supporting action statements for inoperable safety valves in proposed Specs 3.1.7 of TS change request of 950103.
* Consumers Power Co. 95/04/27. 5pp. 83839:182-83839:186.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080091 Provides justification for continued operation for repaired pressurizer instrument nozzles.
HAAS,K.M. Consumers Power Co. 95/04/28. Document Control Branch (Document Control Desk). 52pp. 83833:276-83833:328.

9505080277 Grants CPC & Siemans Power Corp request that proprietary documentation for proposed change to TS re SV setting limits including attachment 3 "Palisades Lost of Load Analysis," be withheld from public disclosure,per 10CFR2.790(b)(5).
KENNEDY,J. . 95/05/01. HAAS,K.M. Consumers Power Co. 4pp. 83827:337-83827:340.

9505100152 Informs that matls from retired SGs tested for Cu & Ni content & results showed higher that expected Cu content.
HAAS,K.M. Consumers Power Co. 95/05/01. Document Control Branch (Document Control Desk). 2pp. 83919:359-83919:360.

9505120009 Application for amend to license DPR-20.Amend would place requirements in TS section 4.7 for periodic DG peak load tests.
HAAS,K.M. Consumers Power Co. 95/05/01. Document Control Branch (Document Control Desk). 5pp. 83935:345-83935:353.

--9505120013 Proposed tech specs re requirements for periodic DG peak load tests.
* Consumers Power Co. 95/05/01. 4pp. 83935:350-83935:353.

9505110335 Notifies NRC that plant critical functions monitoring sys computer installed to meet NUREG-0737,Item I.D.2 requirements will be replaced during wk beginning 950508.
HAAS,K.M. Consumers Power Co. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83932:103-83932:104.

9505110332 Submits addl info re 941213 TS change request,proposing addition of third departure from Nucleate Boiling (DNB) correlation to list of approved DNB correlations in existing Safety Limit 2.1.
HAAS,K.M. Consumers Power Co. 95/05/03. Document Control Branch (Document Control Desk). 2pp. 83930:358-83930:359.

9505100115 Provides addl info per NRC request re iodine related engineering factors involved in analyses supporting plant proposed installation of trisodium phosphate (TSP) baskets.
HAAS,K.M. Consumers Power Co. 95/05/04. Document Control Branch (Document Control Desk). 5pp. 83875:104-83875:108.

9505110198 Informs that NRR staff finds util request to use alternative provisions of ASME Code Case N-474-2 acceptable re use of forged Alloy 690 matl.SE encl.
CARPENTER,C.A. . 95/05/04. HAAS,K.M. Consumers Power Co. 3pp. 83936:330-83936:335.

--9505110202 Safety evaluation supporting util request to adopt Code Case N-474-2 to use Alloy 690 forging matl.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/04. 3pp. 83936:333-83936:335.

9505100187 Discusses NUREG-1511, "RV Status Rept," re NRC comprehensive assessment of all PWR RPVs in US plants.Rept identified Beaver Valley 1 & Palisades as only plants projected to potentially exceed PTS screening criteria before end.
STROSNIDER,J.R. . 95/05/05. THADANI,A.C. . 8pp. 83906:342-83906:349.

9505230031 Summarizes 950510 meeting between Chairman & Consumers Power Corp re reactor pressure vessel embrittlement problems at plant & planned annealing.
MCWHORTER,R. Commissioners (Post 750119). 95/05/15. Commissioners (Post 750119). 1p. 84015:231-84015:231.

9505300198 Requests approval of change to quality program description for operational NPPs.
FENECH,R.A. Consumers Power Co. 95/05/18. Document Control Branch (Document Control Desk). 6pp. 84105:351-84105:356.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505250119 Forwards amend 165 to license DPR-20 & safety evaluation. Amend supports replacement of existing iodine removal sys w/ baskets of TSP.
GAMBERONI,M. . 95/05/19. HAAS,K.M. Consumers Power Co. 3pp. 84068:006-84068:020.

--9505250124 Amend 165 to license DPR-20,supporting replacement of existing iodine removal sys w/baskets of TSP.
GAMBERONI,M. . 95/05/19. 8pp. 84068:009-84068:016.

--9505250127 Safety evaluation supporting amend 165 to license DPR-20.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 4pp. 84068:017-84068:020.

9505250213 Notification of 950606 meeting w/util to discuss schedule & content of util submittal for plant reactor vessel annealing.
GAMBERONI,M. . 95/05/22. CARPENTER,C.A. . 3pp. 84075:207-84075:209.

9505310006 Forwards "Rept of SQUG Assessment at Palisades Nuclear Plant for Resolution of USI A-46," in response to GL 87-02.
HAAS,K.M. Consumers Power Co. 95/05/23. Document Control Branch (Document Control Desk). 3pp. 84168:001-84169:096.

--9505310007 "Rept of SQUG Assessment at Palisades Nuclear Plant for Resolution of USI A-46."
* Consumers Power Co. 95/05/19. 457pp. 84168:004-84169:096.

9505310652 Requests that Rev 0 to CEN-460-P as shown as docketed w/CPC 931007 ltr re pressurizer safe end crack,be withheld from public disclosure per 10CFR2.790.Affidavit delineating reasons for classification of rept encl.
HAAS,K.M. Consumers Power Co. 95/05/24. Document Control Branch (Document Control Desk). 9pp. 84162:287-84162:295.

9505230073 Comment on proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves."
GIRE,P.J. Consumers Power Co. 95/05/26. Rules & Directives Review Branch (Post 920323). 1p. 84001:331-84001:331.

Q. Inspection reports, IE Bulletins & correspondence

9505010020 Forwards SE re review of responses to NRC SE action items & revised requests for IST program.
CARPENTER,C.A. . 95/04/20. HAAS,K.M. Consumers Power Co. 2pp. 83691:174-83691:210.

--9505010024 Safety evaluation granting relief per 10CFR50.55(f)(6)(i) based on impracticality of performing testing in accordance w/code.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/20. 34pp. 83691:176-83691:210.

9505030469 Changes commitment re internal insps of four LPSI valves during 1995 refueling outage.LPSI valve internals insps will only be performed if results of scheduled testing & insps indicate that valve internal problem exists.
HAAS,K.M. Consumers Power Co. 95/04/24. Document Control Branch (Document Control Desk). 3pp. 83791:358-83791:360.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020138 Notifies NRC of plant intent to complete general containment insp required prior to each ILRT.
HAAS,K.M. Consumers Power Co. 95/04/26. Document Control Branch (Document Control Desk). 1p. 83757:319-83757:319.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090229 Forwards SE approving licensee 950330 ltr,related to approval to apply 1989 edition of section XI of ASME Boiler & Pressure Vessel Code as it applies to visual insp of valves.
CARPENTER,C.A. . 95/05/02. HAAS,K.M. Consumers Power Co. 3pp. 83854:021-83854:027.

--9505090241 Safety evaluation approving licensee 950330 ltr,related to approval to apply 1989 edition of section XI of ASME Boiler & Pressure Vessel Code.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 4pp. 83854:024-83854:027.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505040129 "1994 Annual Environ Operating Rept (Non-Radiological)." W/ 950427 ltr.
HAAS,K.M. Consumers Power Co. 94/12/31. 5pp. 83832:329-83832:333.

9505020266 Forwards "Palisades Nuclear Plant Annual Radiological Environ Operating Rept Jan-Dec 1994."
HAAS,K.M. Consumers Power Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83804:001-83804:180.

--9505020268 "Palisades Nuclear Plant Annual Radiological Environ Operating Rept Jan-Dec 1994."
* Consumers Power Co. 94/12/31. 61pp. 83804:002-83804:062.

--9505020270 "Radiological Environ Monitoring Program for Palisades Nuclear Generating Plant Jan-Dec 1994."
HUEBNER,L.G. Teledyne Brown Engineering Co. 94/12/31. 118pp. 83804:063-83804:180.

9505110262 Monthly operating rept for Apr 1995 for PNPP. W/950503 ltr.
BERLES,B.W., WILLIAMS,A.L. Consumers Power Co. 95/04/30. 5pp. 83933:130-83933:134.

S. Reportable occurrences, LERs & related correspondence

9505150052 NPDES noncompliance notification:during Nov 1994 - Apr 1995, no NPDES violations identified.Three repts of oil,salt or polluting matl loss made on 941102,11 & 29.
HAAS,K.M. Consumers Power Co. 95/05/08. Document Control Branch (Document Control Desk). 3pp. 83898:244-83898:246.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M. Commonwealth Edison Co. 1p. 83758:313-83758:313.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505250100 Seventh final response to FOIA request for documents.Apps J & K documents encl & also placed in PDR.App K documents partially withheld (ref FOIA Exemption 6).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/19. GLITZENSTEIN,E. Affiliation Not Assigned. GLITZENSTEIN,E. Don't Waste Michigan. 4pp. 84067:204-84067:238.

--9505250103 Summarizes 940314 meeting w/NMSS & OGC on plant ISFSI pad seismic issue.Info within memo partially deleted.
HSIA,A.H. Project Directorate III-1. 94/03/14. MARSH,L.B. Project Directorate III-1. ZWOLINSKI,J.A. Assistant Director for Region III Reactors (Post 901216). 2pp. 84067:210-84067:211.

--9505250110 Partially deleted memo providing draft independent NRC evaluation of dry spent fuel cask storage facility at plant.
BAGCHI,G. Civil Engineering & Geosciences Branch. 94/05/13. MARSH,L.B. Project Directorate III-1. 13pp. 84067:212-84067:224.

--9505250113 Partially withheld "Deterministic Evaluation of Liquefaction Potential of Foundation Soils & Effects at ISFSI Pad at Palisades Nuclear Power Plant."
COSTANTINO,C.J., SIMOS,N. Brookhaven National Laboratory. FIN J-2042. 94/05/31. Civil Engineering & Geosciences Branch. 7pp. 84067:225-84067:231.

9505190317 Registers initial use on 950428 of Pacific Sierra Nuclear ventilated storage cask model VSC-24.
HAAS,K.M. Consumers Power Co. 95/05/10. Document Control Branch (Document Control Desk). 1p. 84008:356-84008:356.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505180169 Informs of completion of review of rev 19 to radiological emergency plan for plant.Proposed changes satisfactory & meet planning stds of 10CFR50.47.
BARR,K.P. Region 2 (Post 820201). 95/05/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83952:349-83952:352.

9505310084 Forwards list of all expected insp activities for remainder of SALP cycle which ends in 960921 re 950322 recent performance at plant to determine if present planned insp effort for rest of SALP cycle should be revised.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/22. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84095:342-84095:345.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505250254 Forwards "Browns Ferry Nuclear Plant,Updated FSAR," amend 12.
MACHON,R.D. Tennessee Valley Authority. 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84091:001-84092:322.

--9505250262 "Browns Ferry Nuclear Plant,updated FSAR," amend 12.
* Tennessee Valley Authority. 95/05/23. 400pp. 84091:004-84092:322.

P. Operating license stage documents & correspondence

9505230057 Comment on proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valve."
CARIER,P.P. Tennessee Valley Authority. 95/04/26. Rules & Directives Review Branch (Post 920323). 3pp. 84001:308-84001:310.

9505030483 Describes TVA current plans for compliance w/generic SER, "BWR Scram Discharge Sys," included in NRC 801209 ltr to all BWR licensees.Notifies NRC of withdrawal of proposed TS 312, submitted by TVA 930930 ltr.
SALAS,P. Tennessee Valley Authority. 95/04/27. Document Control Branch (Document Control Desk). 10pp. 83808:102-83808:111.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505190089 Application for amends to licenses DPR-33,DPR-52 & DPR-68, reflecting interim addition of scram pilot air header low pressure trip function on Unit 3.
SALAS,P. Tennessee Valley Authority. 95/05/11. Document Control Branch (Document Control Desk). 13pp. 84012:324-84012:355.

--9505190093 Proposed tech specs,reflecting interim addition of scram pilot air header low pressure trip function on Unit 3.
* Tennessee Valley Authority. 95/05/11. 19pp. 84012:337-84012:355.

9505220159 Forwards safety evaluation re inservice testing program for pumps & valves relief requests for plant,units 1,2 & 3.
HEBDON,F.J. . 95/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84010:233-84010:250.

--9505220170 Safety evaluation denying relief request PV-33 because licensee did not provide sufficient technical basis to support determination that proposed alternative provides acceptable level of quality & safety.
* . 95/05/16. 14pp. 84010:237-84010:250.

9505240034 Provides number of allegations received & open re facilities for period of 950401-30.
IGNATONIS,A. Region 2 (Post 820201). 95/05/17. HARDING,M.R. Tennessee Valley Authority. 1p. 84020:289-84020:289.

9505230163 Informs of changes to TS bases,revising Bases Sections 2.1.B & 3.2 to clarify design function of ARPM rod block sys & 3.5.M to reflect current info on core thermal-hydraulic instabilities.
SALAS,P. Tennessee Valley Authority. 95/05/18. Document Control Branch (Document Control Desk). 6pp. 84051:230-84051:266.

--9505230169 Proposed tech specs bases,clarifying design function of APRM rod block sys & reflecting current info on core thermal- hydraulic instabilities.
* Tennessee Valley Authority. 95/05/18. 31pp. 84051:236-84051:266.

9505090312 Generic Ltr 92-02;Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020203 Requests attendance at 950511 SALP meeting between NRC & util to discuss plant performance over past 18 months.Addl time to be allotted to discuss matters of mutual interest re regulation & performance at plant.
EBNETER,S.D. Region 2 (Post 820201). 95/04/19. GILLESPIE,M. Affiliation Not Assigned. 4pp. 83691:122-83691:125.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505050181 Ack receipt of 950316 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-35, 50-260/95-95 & 50-296/95-35.
CASTO,C.A. Region 2 (Post 820201). 95/04/27. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83758:358-83758:360.

9505110019 Forwards insp repts 50-259/95-21,50-260/95-21 & 50-296/95-21 on 950403-07.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/04/27. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83850:221-83850:234.

--9505110026 Insp repts 50-259/95-21,50-260/95-21 & 50-296/95-21 on 950403-07.No violations noted.Major areas inspected: electrical maint to review licensee actions to resolve electrical design & EDG.
MOORE,R., SHYMLOCK,M.B. Region 2 (Post 820201). 95/04/20. 11pp. 83850:224-83850:234.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110078 Discusses insp repts 50-259/95-15,50-260/95-15 & 50-296/95-15 on 950306-10 & 0406 & forwards NOV.Violation of concern because work plan was closed out w/o required work being completed.
GIBSON,A.F. Region 2 (Post 820201). 95/05/05. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83851:228-83851:286.

--9505110082 Notice of violation from insp on 950306-10 & 0406.Violation noted:fillet welds that attached stiffener plates to embedded plate were not increased to 3/16 inch size specified on design drawing.
* Region 2 (Post 820201). 95/05/05. 2pp. 83851:232-83851:233.

--9505110087 Insp repts 50-259/95-15,50-260/95-15 & 50-296/95-15 on 950306-10 & 0406.Violations noted.Major areas inspected: modifications for conduit supports,structural steel frames, platforms & licensee action on previous open items.
CHOU,R.C., LENAHAN,J.J., BLAKE,J.J. Region 2 (Post 820201). 95/05/05. 52pp. 83851:234-83851:286.

9505110084 Ack receipt of util 950413 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-03, 50-260/95-03 & 50-296/95-03.
CASTO,C.A. Region 2 (Post 820201). 95/05/05. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83851:211-83851:213.

9505240147 Forwards insp repts 50-259/95-22,50-260/95-22 & 50-296/95-22 on 950319-0415.No violations or deviations noted.
LESSER,M.S. Region 2 (Post 820201). 95/05/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:316-84021:350.

--9505240155 Insp repts 50-259/95-22,50-260/95-22 & 50-296/95-22 on 950319-0415.No violations or deviations noted.Major areas inspected:operations,surveillance testing,maint activities, unit 3 recovery actions & review of open items.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/05/05. 32pp. 84021:319-84021:350.

9505180032 Forwards insp repts 50-259/95-23,50-260/95-23 & 50-296/95-23 on 950424-28.No violations or deviations noted.Requests copy of SWS Operational Performance Assessment rept along w/any CA plans or documents when rept issued.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83952:061-83952:070.

--9505180036 Insp repts 50-259/95-23,50-260/95-23 & 50-296/95-23 on 950424-28.No violations noted.Major areas inspected:exams of procedure & representative records,interviews w/personnel & observation of activities in progress.
ROGERS,W.G., KELLOGG,P.J. Region 2 (Post 820201). 95/05/08. 7pp. 83952:064-83952:070.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240030 Forwards insp repts 50-259/95-20,50-260/95-20 & 50-296/95-20 on 950410-14.No violations or deviations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84020:277-84020:286.

--9505240037 Insp repts 50-259/95-20,50-260/95-20 & 50-296/95-20 on 950410-14.No violations noted.Major areas inspected: electrical issues associated w/restart of unit 3.
RUDISAIL,S., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/11. 7pp. 84020:280-84020:286.

9505300128 Forwards synopsis of NRC OI completed rept re allegation of discrimination as result of raising safety concerns.
EBNETER,S.D. Region 2 (Post 820201). 95/05/17. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 84077:305-84077:309.

9505310084 Forwards list of all expected insp activities for remainder of SALP cycle which ends in 960921 re 950322 recent performance at plant to determine if present planned insp effort for rest of SALP cycle should be revised.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/22. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84095:342-84095:345.

R. Periodic operating reports & related correspondence

9505030152 Forwards "Annual Radiological Environ Operating Rept Browns Ferry Nuclear Plant 1994," including results of land use censuses,results of radiological environ samples,description of monitoring program & map of sample locations.
SALAS,P. Tennessee Valley Authority. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83799:021-83799:150.

--9505030157 "Annual Radiological Environ Operating Rept Browns Ferry Nuclear Plant 1994."
* Tennessee Valley Authority. 94/12/31. 122pp. 83799:024-83799:150.

9505220062 Monthly operating repts for Apr 1995 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/950515 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/04/30. 13pp. 84035:330-84035:342.

V. Operator Examinations

9505040385 Ltr contract,Mod 1 to task order 9,increasing funding to allow for an increase in level of effort required to include preparation of RO & SRO written exam,to "Refresher Training, Browns Ferry."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-5. 95/04/03. VOGEL,A.M. Sonalysts, Inc. 4pp. 83759:306-83759:309.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505020187 Forwards NRC SALP rept 50-260/95-99 for period 930919-950318 for plant Unit 2.Informs that rept will be discussed at public meeting to be held at plant on 950511.
EBNETER,S.D. Region 2 (Post 820201). 95/04/25. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 83691:083-83691:094.

--9505020190 SALP rept 50-260/95-99 for 930919-950318.
* Region 2 (Post 820201). 95/04/25. 6pp. 83691:089-83691:094.

9505180169 Informs of completion of review of rev 19 to radiological emergency plan for plant.Proposed changes satisfactory & meet planning stds of 10CFR50.47.
BARR,K.P. Region 2 (Post 820201). 95/05/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83952:349-83952:352.

9505310084 Forwards list of all expected insp activities for remainder of SALP cycle which ends in 960921 re 950322 recent performance at plant to determine if present planned insp effort for rest of SALP cycle should be revised.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/22. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84095:342-84095:345.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505250254 Forwards "Browns Ferry Nuclear Plant,Updated FSAR," amend 12.
MACHON,R.D. Tennessee Valley Authority. 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84091:001-84092:322.

--9505250262 "Browns Ferry Nuclear Plant,updated FSAR," amend 12.
* Tennessee Valley Authority. 95/05/23. 400pp. 84091:004-84092:322.

P. Operating license stage documents & correspondence

9505030333 Forwards Rev 1 to "BFNP Unit 2,Cycle 8 COLR." Rev increases APRM flow biased rod block/upscale alarm setpoint.
SALAS,P. Tennessee Valley Authority. 95/04/24. Document Control Branch (Document Control Desk). 3pp. 83807:325-83807:343.

--9505030334 Rev 1 to "BFNP Unit 2,Cycle 8 COLR."
WELCH,K.L., KEYS,A.L. Tennessee Valley Authority. 95/03/24. 16pp. 83807:328-83807:343.

9505230057 Comment on proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valve."
CARIER,P.P. Tennessee Valley Authority. 95/04/26. Rules & Directives Review Branch (Post 920323). 3pp. 84001:308-84001:310.

9505030483 Describes TVA current plans for compliance w/generic SER, "BWR Scram Discharge Sys," included in NRC 801209 ltr to all BWR licensees.Notifies NRC of withdrawal of proposed TS 312, submitted by TVA 930930 ltr.
SALAS,P. Tennessee Valley Authority. 95/04/27. Document Control Branch (Document Control Desk). 10pp. 83808:102-83808:111.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505190089 Application for amends to licenses DPR-33,DPR-52 & DPR-68, reflecting interim addition of scram pilot air header low pressure trip function on Unit 3.
SALAS,P. Tennessee Valley Authority. 95/05/11. Document Control Branch (Document Control Desk). 13pp. 84012:324-84012:355.

--9505190093 Proposed tech specs,reflecting interim addition of scram pilot air header low pressure trip function on Unit 3.
* Tennessee Valley Authority. 95/05/11. 19pp. 84012:337-84012:355.

9505220159 Forwards safety evaluation re inservice testing program for pumps & valves relief requests for plant,units 1,2 & 3.
HEBDON,F.J. . 95/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84010:233-84010:250.

--9505220170 Safety evaluation denying relief request PV-33 because licensee did not provide sufficient technical basis to support determination that proposed alternative provides acceptable level of quality & safety.
* . 95/05/16. 14pp. 84010:237-84010:250.

9505240034 Provides number of allegations received & open re facilities for period of 950401-30.
IGNATONIS,A. Region 2 (Post 820201). 95/05/17. HARDING,M.R. Tennessee Valley Authority. 1p. 84020:289-84020:289.

9505230163 Informs of changes to TS bases,revising Bases Sections 2.1.B & 3.2 to clarify design function of ARPM rod block sys & 3.5.M to reflect current info on core thermal-hydraulic instabilities.
SALAS,P. Tennessee Valley Authority. 95/05/18. Document Control Branch (Document Control Desk). 6pp. 84051:230-84051:266.

--9505230169 Proposed tech specs bases,clarifying design function of APRM rod block sys & reflecting current info on core thermal- hydraulic instabilities.
* Tennessee Valley Authority. 95/05/18. 31pp. 84051:236-84051:266.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020203 Requests attendance at 950511 SALP meeting between NRC & util to discuss plant performance over past 18 months.Addl time to be allotted to discuss matters of mutual interest re regulation & performance at plant.
EBNETER,S.D. Region 2 (Post 820201). 95/04/19. GILLESPIE,M. Affiliation Not Assigned. 4pp. 83691:122-83691:125.

9505020126 Confirms 950327 telcon between P Salas & MS Lesser re mgt meeting scheduled for 950511 to discuss results of SALP for plant Unit 2 for period of 930919-950318.
LESSER,M.S. Region 2 (Post 820201). 95/04/21. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83690:228-83690:231.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020187 Forwards NRC SALP rept 50-260/95-99 for period 930919-950318 for plant Unit 2.Informs that rept will be discussed at public meeting to be held at plant on 950511.
EBNETER,S.D. Region 2 (Post 820201). 95/04/25. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 83691:083-83691:094.

--9505020190 SALP rept 50-260/95-99 for 930919-950318.
* Region 2 (Post 820201). 95/04/25. 6pp. 83691:089-83691:094.

9505050181 Ack receipt of 950316 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-35, 50-260/95-95 & 50-296/95-35.
CASTO,C.A. Region 2 (Post 820201). 95/04/27. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83758:358-83758:360.

9505110019 Forwards insp repts 50-259/95-21,50-260/95-21 & 50-296/95-21 on 950403-07.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/04/27. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83850:221-83850:234.

--9505110026 Insp repts 50-259/95-21,50-260/95-21 & 50-296/95-21 on 950403-07.No violations noted.Major areas inspected: electrical maint to review licensee actions to resolve electrical design & EDG.
MOORE,R., SHYMLOCK,M.B. Region 2 (Post 820201). 95/04/20. 11pp. 83850:224-83850:234.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110078 Discusses insp repts 50-259/95-15,50-260/95-15 & 50-296/95-15 on 950306-10 & 0406 & forwards NOV.Violation of concern because work plan was closed out w/o required work being completed.
GIBSON,A.F. Region 2 (Post 820201). 95/05/05. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83851:228-83851:286.

--9505110082 Notice of violation from insp on 950306-10 & 0406.Violation noted:fillet welds that attached stiffener plates to embedded plate were not increased to 3/16 inch size specified on design drawing.
* Region 2 (Post 820201). 95/05/05. 2pp. 83851:232-83851:233.

--9505110087 Insp repts 50-259/95-15,50-260/95-15 & 50-296/95-15 on 950306-10 & 0406.Violations noted.Major areas inspected: modifications for conduit supports,structural steel frames, platforms & licensee action on previous open items.
CHOU,R.C., LENAHAN,J.J., BLAKE,J.J. Region 2 (Post 820201). 95/05/05. 52pp. 83851:234-83851:286.

9505110084 Ack receipt of util 950413 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-03, 50-260/95-03 & 50-296/95-03.
CASTO,C.A. Region 2 (Post 820201). 95/05/05. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83851:211-83851:213.

9505240147 Forwards insp repts 50-259/95-22,50-260/95-22 & 50-296/95-22 on 950319-0415.No violations or deviations noted.
LESSER,M.S. Region 2 (Post 820201). 95/05/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:316-84021:350.

--9505240155 Insp repts 50-259/95-22,50-260/95-22 & 50-296/95-22 on 950319-0415.No violations or deviations noted.Major areas inspected:operations,surveillance testing,maint activities, unit 3 recovery actions & review of open items.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/05/05. 32pp. 84021:319-84021:350.

9505180032 Forwards insp repts 50-259/95-23,50-260/95-23 & 50-296/95-23 on 950424-28.No violations or deviations noted.Requests copy of SWS Operational Performance Assessment rept along w/any CA plans or documents when rept issued.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83952:061-83952:070.

--9505180036 Insp repts 50-259/95-23,50-260/95-23 & 50-296/95-23 on 950424-28.No violations noted.Major areas inspected:exams of procedure & representative records,interviews w/personnel & observation of activities in progress.
ROGERS,W.G., KELLOGG,P.J. Region 2 (Post 820201). 95/05/08. 7pp. 83952:064-83952:070.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240030 Forwards insp repts 50-259/95-20,50-260/95-20 & 50-296/95-20 on 950410-14.No violations or deviations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84020:277-84020:286.

--9505240037 Insp repts 50-259/95-20,50-260/95-20 & 50-296/95-20 on 950410-14.No violations noted.Major areas inspected: electrical issues associated w/restart of unit 3.
RUDISAIL,S., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/11. 7pp. 84020:280-84020:286.

9505300128 Forwards synopsis of NRC OI completed rept re allegation of discrimination as result of raising safety concerns.
EBNETER,S.D. Region 2 (Post 820201). 95/05/17. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 84077:305-84077:309.

9505310084 Forwards list of all expected insp activities for remainder of SALP cycle which ends in 960921 re 950322 recent performance at plant to determine if present planned insp effort for rest of SALP cycle should be revised.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/22. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84095:342-84095:345.

R. Periodic operating reports & related correspondence

9505030152 Forwards "Annual Radiological Environ Operating Rept Browns Ferry Nuclear Plant 1994," including results of land use censuses,results of radiological environ samples,description of monitoring program & map of sample locations.
SALAS,P. Tennessee Valley Authority. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83799:021-83799:150.

--9505030157 "Annual Radiological Environ Operating Rept Browns Ferry Nuclear Plant 1994."
* Tennessee Valley Authority. 94/12/31. 122pp. 83799:024-83799:150.

9505220062 Monthly operating repts for Apr 1995 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/950515 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/04/30. 13pp. 84035:330-84035:342.

S. Reportable occurrences, LERs & related correspondence

9505020308 Forwards LER 95-004 re details concerning reactor scram that resulted from personnel error.
MACHON,R.D. Tennessee Valley Authority. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83757:130-83757:138.

--9505020309 LER 95-004-00:on 950330,reactor scram resulted from personnel error during surveillance testing caused actuation of ESF sys.Operations personnel brought plant to shutdown condition.
WALLACE,J.E. Tennessee Valley Authority. 95/04/28. 7pp. 83757:132-83757:138.

9505120127 Forwards LER 95-001-01 re EDG turbocharger failure.Util completed failure analysis & decided most probable cause of turbocharger failure was tooth bending fatigue on planetary sun gear.
MACHON,R.D. Tennessee Valley Authority. 95/05/03. Document Control Branch (Document Control Desk). 2pp. 83938:311-83938:320.

--9505120129 LER 95-001-01:on 950123,DG turbocharger failed that resulted in noncompliance w/TS LCO.Caused by bending fatigue of gear tooth on turbicharger sun gear.
AUSTIN,S.W. Tennessee Valley Authority. 95/05/03. 8pp. 83938:313-83938:320.

9505110083 Forwards LER 95-003-01 re main steam safety/relief valves exceeding TS setpoint limit during tests.
MACHON,R.D. Tennessee Valley Authority. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 83924:144-83924:150.

--9505110091 LER 95-003-01:on 950207,MSSV RV exceeded TSs required setpoint limit resulted from SRV pilot disc/seat bonding. Retested out-of-tolerance valves & recertified.
HSIEH,C.S. Tennessee Valley Authority. 95/05/04. 5pp. 83924:146-83924:150.

V. Operator Examinations

9505040385 Ltr contract,Mod 1 to task order 9,increasing funding to allow for an increase in level of effort required to include preparation of RO & SRO written exam,to "Refresher Training, Browns Ferry."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-5. 95/04/03. VOGEL,A.M. Sonalysts, Inc. 4pp. 83759:306-83759:309.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505040100 Forwards rev 26 to plant industrial security plan for Unit 2.Encl withheld per 10CFR73.21.
KRICH,R.M. Carolina Power & Light Co. 94/09/06. Document Control Branch (Document Control Desk). 1p. 83783:330-83783:330.

9505100201 Revised EPIPs,including rev 6 to PEP-003, "Emergency Preparedness Periodic Tests," rev 12 to PEP-154, "Radiological Control Director," & rev 23 to PEP-103, "Emergency Control-Alert." W/950501 ltr.
KRICH,R.M. Carolina Power & Light Co. 95/05/01. 61pp. 83919:235-83919:294.

9505110061 Forwards insp rept 50-261/95-11 on 950403-07.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/03. HINNANT,C.S. Carolina Power & Light Co. 3pp. 83850:347-83850:357.

--9505110063 Insp rept 50-261/95-11 on 950403-07.No violations noted. Major areas inspected:emergency response training,emergency notifications & communications & protective action decision making.
KREH,J.L., BARR,K.P. Region 2 (Post 820201). 95/05/02. 8pp. 83850:350-83850:357.

9505180041 Forwards rev 28 to industrial security plan & rev 5 to safeguards contingency plan for plant Unit 2.Encls withheld per 10CFR73.21.
KRICH,R.M. Carolina Power & Light Co. 95/05/04. Document Control Branch (Document Control Desk). 1p. 84015:343-84015:343.

9505180154 Advises of results of recent performance review at plant to determine if NRC present planned insp effort for rest of current SALP cycle should be revised before 950617.Informs of plan to continue semiannual reviews in addition to SALP.
VERRELLI,D.M. Region 2 (Post 820201). 95/05/04. HINNANT,C.S. Carolina Power & Light Co. 3pp. 83952:303-83952:305.

9505110119 Notification of 950518 meeting w/utils in Rockville,MD to discuss proposed util tests of darmatt fire barriers including test configurations for dummy models,schedules & test details.
KELLY,G.B. . 95/05/05. MARCUS,G.H. . 7pp. 83902:242-83902:248.

9505260171 Forwards response to NRC 950309 RAI re util 950202 request for exemption from 10CFR50,App R,Section III.J re emergency lighting in certain outdoor areas at facility.
KRICH,R.M. Carolina Power & Light Co. 95/05/15. Document Control Branch (Document Control Desk). 4pp. 84099:291-84099:295.

9505300175 Informs that rev 28 to emergency plan meet planning standards of 10CFR50.47 & requirements of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/19. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84077:353-84077:355.

9505300022 Advises that Rev 29 to plant emergency plan consistent w/provisions of 10CFR50.47(b) & requirements of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/23. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84076:060-84076:062.

I. Financial information

9505300150 Confirms that $595,098 was electronically transferred to US Dept of Treasury on 950517.
ROGAN,R.E. Carolina Power & Light Co. 95/05/18. Document Control Branch (Document Control Desk). 1p. 84106:343-84106:343.

P. Operating license stage documents & correspondence

9209300317 Forwards trip rept of 920413-16 visit to plant re audit of structures & civil engineering features.List of attendees & viewgraphs encl.
KIM,Y. Structural & Geosciences Branch. 92/06/01. BAGCHI,G. Structural & Geosciences Branch. 257pp. 83705:191-83706:086.

9505010167 Requests review of licensing & design basis for CVCS sys to ascertain validity of licensee position re recent resident inspector findings that appear to indicate that plant may have routinely operated in violation of TS for number of yr.
MERSCHOFF,E.W. . 95/03/30. ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). 4pp. 83687:333-83687:336.

9505040277 Forwards amend 164 to license DPR-23 & SE.Amend changes testing frequency of turbine overspeed protection valves from monthly to quarterly to implement enhancement recommended by GL 93-05.
MOZAFARI,B.L. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/27. Carolina Power & Light Co. 3pp. 83759:238-83759:246.

--9505040281 Amend 164 to license DPR-23,changing testing frequency of turbine overspeed protection valves from monthly to quarterly to implement enhancement recommended by GL 93-05.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/27. 4pp. 83759:241-83759:244.

--9505040285 Safety evaluation supporting amend 164 to license DPR-23.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. 2pp. 83759:245-83759:246.

9505230079 Comment on proposed GL re pressure locking & thermal binding of safety-related power-operated gate valves.
ROGAN,R.E. Carolina Power & Light Co. 95/04/27. Rules & Directives Review Branch (Post 920323). 2pp. 84001:332-84001:333.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050103 Summarizes 950424 mgt meeting w/util in region II ofc re util performance evaluation section.List of attendees & licensee handouts encl.
VERRELLI,D.M. Region 2 (Post 820201). 95/04/28. HABERMEYER,H.W. Carolina Power & Light Co. 32pp. 83758:316-83758:347.

9505050114 Forwards corrected page four of amend 161 to license DPR-23, which revised TS in response to 940823 ltr,issued on 950414.
MOZAFARI,B.L. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. HINNANT,C.S. Carolina Power & Light Co. 3pp. 83813:217-83813:219.

9505150013 Confirms that listed amount electronically transferred to US DOT,NRC on 950503.Informs that payment third installment of annual licensing fee for FY95 per 10CFR171 for listed plants.
ROGAN,R.E. Carolina Power & Light Co. 95/05/08. Document Control Branch (Document Control Desk). 1p. 83898:004-83898:004.

9505180420 Forwards SE approving use of ASME code case N-416-1 as alternative to required hydrostatic pressure test,in response to 950331 & 0428 requests.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/11. HINNANT,C.S. Carolina Power & Light Co. 3pp. 83988:306-83988:313.

--9505190263 Safety evaluation approving use of ASME code case N-416-1 as alternative to required hydrostatic pressure test.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 5pp. 83988:309-83988:313.

9505190079 Forwards page reflecting 950328 change to TS Basis section & change to amend 162 for license DPR-23.
KRICH,R.M. Carolina Power & Light Co. 95/05/11. Document Control Branch (Document Control Desk). 1p. 84010:293-84010:294.

--9505190083 Proposed tech specs page reflecting change to TS Basis & change to amend 162.
* Carolina Power & Light Co. 95/05/11. 1p. 84010:294-84010:294.

9505220243 Forwards revised TS Page 3.1-6a re pneumatic sys for power operated relief valves.
MOZAFARI,B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/16. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84029:358-84029:360.

9505240352 Provides suppl response to NRC request for info in support of INEL work under NRC contract to update RG 1.154, "Format & Content of Plant Specific Pressurized Thermal Shock SAR for Pressurized Water Reactors."
KRICH,R.M. Carolina Power & Light Co. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84068:353-84068:357.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possession-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505020348 Requests for approval to use alternative to ASME B&PV code requirements for welded replacements & repairs.
KRICH,R.M. Carolina Power & Light Co. 95/04/28. Document Control Branch (Document Control Desk). 3pp. 83799:349-83799:351.

9505050012 Forwards insp rept 50-261/95-10 on 950327-31.No violations noted.
PEEBLES,T.A Region 2 (Post 820201). 95/04/28. HINNANT,C.S. Carolina Power & Light Co. 2pp. 83758:040-83758:051.

--9505050024 Insp rept 50-261/95-10 on 950327-31.No violations noted. Major areas inspected:insp conducted in areas of risked based operational safety including control room observation & review of corrective action taken on previous insp items.
PAYNE,D.C., ERNSTES,M.E., PEEBLES,T.A. Region 2 (Post 820201). 95/04/28. 10pp. 83758:042-83758:051.

9505180049 Advises of results of recent performance review at plant to determine if present planned insp effort for rest of current SALP cycle should be revised before end date of 950513. Semiannual reviews will continue to be conducted.
VERRILLI,D.M. Region 2 (Post 820201). 95/04/28. HINNANT,C.S. Carolina Power & Light Co. 3pp. 83952:114-83952:116.

9505110061 Forwards insp rept 50-261/95-11 on 950403-07.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/03. HINNANT,C.S. Carolina Power & Light Co. 3pp. 83850:347-83850:357.

--9505110063 Insp rept 50-261/95-11 on 950403-07.No violations noted. Major areas inspected:emergency response training,emergency notifications & communications & protective action decision making.
KREH,J.L., BARR,K.P. Region 2 (Post 820201). 95/05/02. 8pp. 83850:350-83850:357.

9505180154 Advises of results of recent performance review at plant to determine if NRC present planned insp effort for rest of current SALP cycle should be revised before 950617.Informs of plan to continue semiannual reviews in addition to SALP.
VERRELLI,D.M. Region 2 (Post 820201). 95/05/04. HINNANT,C.S. Carolina Power & Light Co. 3pp. 83952:303-83952:305.

9505150029 Responds to NRC 950407 ltr re violations noted in insp rept 50-261/95-08.Corrective actions:AOP-014 revised on 950310,to provide sufficient guidance for connecting cooling water to two pumps.
HINNANT,C.S. Carolina Power & Light Co. 95/05/07. Document Control Branch (Document Control Desk). 4pp. 83899:059-83899:062.

9505180316 Forwards response to NRC 950405 ltr re violations noted in insp rept 50-261/95-07.Corrective actions:engineering svc request number 9500236 was initiated to establish compliance w/Type B testing requirements of 10CFR50,App J.
HINNANT,C.S. Carolina Power & Light Co. 95/05/09. Document Control Branch (Document Control Desk). 4pp. 84000:334-84000:337.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240349 Forwards response to NRC 950417 ltr re violations noted in insp rept 50-261/95-06.C/A:SWBP suction pressure gauge instrument stop was opened & independently verified to be in open position.
HINNANT,C.S. Carolina Power & Light Co. 95/05/17. Document Control Branch (Document Control Desk). 8pp. 84073:121-84073:128.

9505300100 Forwards insp rept 50-261/95-12 on 950319-0422 & notice of violation.
VERRELLI,D.M. Region 2 (Post 820201). 95/05/19. HINNANT,C.S. Carolina Power & Light Co. 5pp. 84077:018-84077:045.

--9505300106 Notice of violation from insp on 950319-0422.Violation noted:operators failed to follow procedure OST-254 by not verifying RHR sys to be aligned for standby low pressure injection.
* Region 2 (Post 820201). 95/05/19. 3pp. 84077:023-84077:025.

--9505300110 Insp rept 50-261/95-12 on 950319-0422.Violations noted.Major areas inspected:plant operations,maint activities, engineering efforts & plant support functions.
ORDERS,W.T., OGLE,C.R., VERRELLI,D.M. Region 2 (Post 820201). 95/05/19. 20pp. 84077:026-84077:045.

9505300001 Ack receipt of 950509 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/95-07.
CASTO,C.A. Region 2 (Post 820201). 95/05/22. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84076:001-84076:003.

9505310057 Forwards exam rept 50-261/95-300 on 950510.Util SRO candidate passed exam.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/24. HINNANT,C.S. Carolina Power & Light Co. 2pp. 84095:177-84095:282.

--9505310061 Exam rept 50-261/95-300 on 950510.Exam results:util SRO candidate passed exam.
ERNSTES,M. Region 2 (Post 820201). 95/05/24. 100pp. 84095:179-84095:282.

9505310090 Ack receipt of 950517 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/95-06.
VERRELLI,D.M. Region 2 (Post 820201). 95/05/24. HINNANT,C.S. Carolina Power & Light Co. 3pp. 84096:015-84096:017.

9505310085 Ack receipt of 950507 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/95-08.
CASTO,C.A. Region 2 (Post 820201). 95/05/25. HINNANT,C.S. Carolina Power & Light Co. 2pp. 84095:346-84095:347.

R. Periodic operating reports & related correspondence

9505010133 "Radiological Environ Operating Rept,1994," Vols I,II & III. W/950421 ltr.
KRICH,R.M. Carolina Power & Light Co. 94/12/31. 336pp. 83751:001-83751:336.

9505090198 Monthly operating rept for Apr 1995 for HB Robinson SES.W/ 950504 ltr.
SCARBOROUGH,J., KRICH,R.M. Carolina Power & Light Co. 95/04/30. 4pp. 83910:356-83910:359.

S. Reportable occurrences, LERs & related correspondence

9505120131 Special rept:on 950412,one of two containment range radiation monitors,R-32B,was removed from svc for performance of calibr check.
KRICH,R.M. Carolina Power & Light Co. 95/05/03. Document Control Branch (Document Control Desk). 3pp. 83929:331-83929:333.

V. Operator Examinations

9505310057 Forwards exam rept 50-261/95-300 on 950510.Util SRO candidate passed exam.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/24. HINNANT,C.S. Carolina Power & Light Co. 2pp. 84095:177-84095:282.

--9505310061 Exam rept 50-261/95-300 on 950510.Exam results:util SRO candidate passed exam.
ERNSTES,M. Region 2 (Post 820201). 95/05/24. 100pp. 84095:179-84095:282.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505020129 Forwards insp rept 72-0003/95-01 on 950403-04.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/21. HINNANT,C.S. Carolina Power & Light Co. 3pp. 83690:238-83690:248.

--9505020134 Insp rept 72-0003/95-01 on 950403-04.No violations noted. Major areas inspected:licensee radiological protection program including audits,changes to program,external exposure controls & surveys.
LOO,W.T., RANKIN,W.H. Region 2 (Post 820201). 95/04/21. 8pp. 83690:241-83690:248.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9505190294 Revised EPIPs,including Rev 11 to.A.2-205,Rev 10 to A.2-209, Rev 9 to A.2-301,Rev 8 to A.2-302,Rev 6 to A.2-407,Rev 11 to A.2-413,Rev 12 to A.2-414 & Rev 3 to A.2-701.W/950509 ltr.
ANDERSON,M., ANDERSON,R.O Northern States Power Co. 95/05/09. 103pp. 84012:162-84012:264.

I. Financial information

9505090003 Forwards schedule showing cash flow generated by util in 1994 & includes project flow for 1995.Util 1994 10-K annual rept encl.
CURRIER,J.A. Northern States Power Co. 95/04/27. Office of Nuclear Reactor Regulation (Post 941001). 88pp.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110319 Closes out commitment to provide semiannual configuration mgt status rept for plants.
ANDERSON,R.O. Northern States Power Co. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83945:301-83945:302.

9505240174 Advises NRC that plant withdrawing 940131 submittal that requested amend to plant TS App A re MSIV leak test requirements.Plant intends to resubmit change along w/addl associated changes in next three months.
HILL,W.J. Northern States Power Co. 95/05/15. Document Control Branch (Document Control Desk). 1p. 84083:326-84083:326.

9505220234 Discusses 941024 ltr which forwarded staff, "Task Action Plan for Spent Fuel Storage Pool Safety," for SSES.Forwards completed assessment repts for Brunswick & Monticello sites.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/17. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 26pp. 84033:321-84033:349.

9505260221 Rewrite of Rev 2 to Engineering Work Instruction (EWI) EWI-09.04.01, "In-service Testing Program."
CARSTENS,D. Northern States Power Co. 95/05/18. 129pp. 84103:153-84103:280.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030482 Establishes listed commitments to incorporate enhancements noted in insp rept 50-263/95-03,to plant MOV program to address issues & concerns noted in GL 89-10 & GL 89-10 suppls.
HILL,W.J. Northern States Power Co. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83832:295-83832:297.

9505020352 Informs of missed commitment re augmented ISI on CR drive return line.
HILL,W.J. Northern States Power Co. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83764:046-83764:048.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180297 Forwards insp rept 50-263/95-03 on 950417-21.No violations noted.NRC will continue to inspect various elements of util MOV program as part of ongoing insp activities.Review of util program closed.
JACOBSON,J.M. Region 3 (Post 820201). 95/05/11. WATZL,E. Northern States Power Co. 3pp. 83953:256-83953:270.

-9505180312 Insp rept 50-263/95-03 on 950417-21.No violations noted. Major areas inspected:licensee response to GL 89-10, "Safety-Related MOV Testing & Surveillance" & self-assessment.
BURGESS,S.D., GUZMAN,J.G., PEGG,W.D. Region 3 (Post 820201). 95/05/10. 12pp. 83953:259-83953:270.

9505240214 Notifies of results of insp planning portion of March 1995 for plant & provides schedule for NRC insp of plant in technical area pointing to need to perform insp or follow-up.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. WATZL,E. Northern States Power Co. 4pp. 84022:295-84022:298.

R. Periodic operating reports & related correspondence

9505040274 Forwards "Monticello Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1994."
ANDERSON,R.O. Northern States Power Co. 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83787:266-83787:336.

-9505040276 "Monticello Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1994."
HUEBNER,L.G. Teledyne Isotopes. 94/12/31. 68pp. 83787:268-83787:336.

9505190287 Monthly operating rept for Apr 1995 for Monticello Nuclear Generating Plant.W/950512 ltr.
PAUSTIAN,H.H., ANDERSON,R.O. Northern States Power Co. 95/04/30. 5pp. 84009:318-84009:322.

S. Reportable occurrences, LERs & related correspondence

9505020160 Special repton 950404,discovered that manual isolation valves for 'A' channel in closed position.Cause of failure to correctly position valves will be assessed.Valves placed in required position & demonstrated operability.
HILL,W.J. Northern States Power Co. 95/04/19. Document Control Branch (Document Control Desk). 2pp. 83757:320-83757:321.

9505030145 LER 95-003-00:on 950328,pipe & cable tray supports found anchored to shoring plates rather than embedded plates. Caused by error in original const.Supports modified or analyzed & meet code requirements.W/950427 ltr.
PARKER,T., HILL,W.J. Northern States Power Co. 95/04/27. 8pp. 83808:329-83808:336.

9505310483 Forwards Rev 0 to Calculation CA-95-044, "Estimation of Cable Spreading Room Equipment Floor Loading," in response to 950509 telcon request in support of closure of LER 94-008.
HILL,W.J. Northern States Power Co. 95/05/19. Document Control Branch (Document Control Desk). 1p. 84145:115-84145:145.

-9505310491 "Estimation of Cable Spreading Room Equipment Floor Loading."
VILLARREAL,F.A., ANDERSEN,H.D. Northern States Power Co. CA-95-044 R00. 95/05/19. 30pp. 84145:116-84145:145.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M. Commonwealth Edison Co. 1p. 83758:313-83758:313.

9505250029 Requests addl info re licensee 950516 rept that NRC-licensed operator tested positive for alcohol following physical exam taken on 950516.
GRANT,G.E. Region 3 (Post 820201). 95/05/18. WATZL,E. Northern States Power Co. 3pp. 84043:338-84043:340.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505080067 Revised EPIPs,including rev 17 to QEP-100-0,rev 9 to QEP-100-T1,rev 13 to QEP-105-0,rev 6 to QEP-105-S1,rev 6 to QEP-105-S2,rev 6 to QEP-105-S3,rev 5 to QEP-105-S6,rev 11 to QEP-107-0,rev 6 to QEP-107-S1.W/950428 ltr.
* Commonwealth Edison Co. 95/04/28. 115pp. 83840:144-83840:257.

9505120132 Revised EPIPs,including rev 30 to QEP 600-0,rev 4 to QEP 600-S3,rev 16 to QEP 710-0,rev 3 to QEP 710-S3,rev 3 to QEP 710-S4,rev 4 to QEP 710-S5 & rev 4 to QEP 710-S6.
* Commonwealth Edison Co. 95/05/01. 17pp. 83949:342-83949:358.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

9505150168 Updated pages QCA 6-16 & 6-17 to Quad Cities Station site specific GSEP Annex,Rev 8e.
* Commonwealth Edison Co. 95/05/31. 4pp. 83977:313-83977:316.

P. Operating license stage documents & correspondence

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

-9505050159 Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

-9505050162 Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505080194 Responds to licensee application dtd 950410 & forwards notice of consideration of issuance of amends to FOLs, proposed NSHC determination & opportunity for hearing,to be placed in FR for publication.
PULSIFER,R.M. . 95/04/24. FARRAR,D.L. Commonwealth Edison Co. 2pp. 83834:149-83834:158.

-9505080199 Notice of consideration of issuance of amends to licenses DPR-29 & DPR-30 & proposed NSHC determination & opportunity for hearing.Amends revise TSs to reflect changes in surveillance testing requirements of HPCIS & RCICS.
PULSIFER,R.M. . 95/04/24. 8pp. 83834:151-83834:158.

9505030477 Comments on draft GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
VONK,M.J. Commonwealth Edison Co. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83791:352-83791:354.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040012 Informs that repts entitled, "XM-19 Matls Qualification Rept," NEDE-21653-P, "GENE/ComEd Responses to NRC Request for Addl Info re Quad Cities Units 1 & 2 Shroud Cities 1 & 2," will be withheld from public disclosure,per request.
PULSIFER,R.M. . 95/04/28. FARRAR,D.L. Commonwealth Edison Co. 4pp. 83751:337-83751:340.

9505050099 Provides updated status of progress on plant course of action (COA) implementation for performance improvement.
KRAFT,E.S. Commonwealth Edison Co. 95/05/01. Office of Nuclear Reactor Regulation (Post 941001). 8pp. 83864:179-83864:186.

9505050082 Responds to NRC RAI for TS upgrade program,Section 3/4.10 & suppl info previously provided in 930216 & 940314 submittals.
PIET,P.L. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 29pp. 83833:136-83833:202.

-9505050084 Proposed tech specs re TS upgrade program Section 3/4.10.
* Commonwealth Edison Co. 95/05/02. 34pp. 83833:169-83833:202.

9505090215 Forwards "Third Ten-Year Interval Inservice Testing Program,Rev 5." W/68 oversize drawings.
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83894:001-83895:041.

-9505090225 "Third Ten-Year Interval IST Program," rev 5.
* Commonwealth Edison Co. 95/05/02. 403pp. 83894:003-83895:041.

9505100140 Transmits preliminary results of Quad Cities Station Unit 2 core shroud exams,performed prior to installation of shroud repair hardware.
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 4pp. 83873:350-83873:353.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505120130 Forwards addl info requested by NRC during 950427 telcon re core shroud mod.Info withheld from public disclosure per 10CFR2.790(b).
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 7pp. 83935:354-83935:360.

9505150244 Forwards Rev 1 to Design Document SL-4984, "Quad Cities Units 1 & 2 Core Shroud Repair,Design Reliant Structures Insp Requirements & Acceptance Criteria," in response to NRC RAI in 950427 telcon.
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/08. Document Control Branch (Document Control Desk). 3pp. 83978:125-83978:147.

-9505150247 "Quad Cities Units 1 & 2 Core Shroud Repair,Design Reliant Structures Insp Requirements & Acceptance Criteria."
DEBOO,G.H., JOHNSON,J.W., BEHRINGER,T.J. Sargent & Lundy, Inc. SL-4984 R01. 95/04/10. 20pp. 83978:128-83978:147.

9505150252 Forwards response to NRC 950222 RAI to support review & approval of Comm Ed TS upgrade program project.Marked-up TS pages also encl.
PIET,P.L. Commonwealth Edison Co. 95/05/09. Document Control Branch (Document Control Desk). 36pp. 83978:045-83978:124.

--9505150259 Proposed Tech Specs,supporting TS upgrade program project.
* Commonwealth Edison Co. 95/05/09. 44pp. 83978:081-83978:124.

9505180303 Summary of 950323 meeting w/util re TS Upgrade Program status.List of attendees encl.
SKAY,D.M. . 95/05/11. . 6pp. 83971:353-83971:358.

9505180459 Forwards addl info re core shroud mod,including Rev 0 to GENE-771-110-0595, "Evaluation of Acceptability of FDDR 1E6AR-FDDR-001 for Shroud Repair Program at Quad Cities Unit 2."
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/11. Document Control Branch (Document Control Desk). 3pp. 84013:331-84013:343.

--9505180468 "Evaluation of Acceptability of FDDR 1E6AR-FDDR-001 for Shroud Repair Program at Quad Cities Unit 2."
POTTER,M.D., GORDON,B.M., WOLF,S. General Electric Co. GENE-771-110-0595 R0. 95/05/04. 10pp. 84013:334-84013:343.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505230250 Submits addl info re core shroud mod.
SCHRGE,J.L. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 4pp. 84051:334-84051:337.

9505240023 Forwards response to NRC staff request for addl info re TS upgrade program.
PIET,P.L. Commonwealth Edison Co. 95/05/15. Document Control Branch (Document Control Desk). 49pp. 84069:217-84069:316.

--9505240025 Proposed tech specs as result of TS upgrade program.
* Commonwealth Edison Co. 95/05/15. 51pp. 84069:266-84069:316.

9505250145 Forwards response to NRC 950222 RAI re TS upgrade program Section 3/4.1, "Reactor Protection Sys."
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 50pp. 84075:040-84075:122.

--9505250148 Proposed TS upgrade program section 3/4.1, "Reactor Protection Sys."
* Commonwealth Edison Co. 95/05/17. 33pp. 84075:090-84075:122.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505150244 Forwards Rev 1 to Design Document SL-4984, "Quad Cities Units 1 & 2 Core Shroud Repair,Design Reliant Structures Insp Requirements & Acceptance Criteria," in response to NRC RAI in 950427 telcon.
SCHRAGE,J.L. Commonwealth Edison Co. 95/05/08. Document Control Branch (Document Control Desk). 3pp. 83978:125-83978:147.

--9505150247 "Quad Cities Units 1 & 2 Core Shroud Repair,Design Reliant Structures Insp Requirements & Acceptance Criteria."
DEBOO,G.H. Sargent & Lundy, Inc. SL-4984 R01. 95/04/10. 20pp. 83978:128-83978:147.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230037 Responds to NRC 950414 ltr re violations noted in insp repts 50-254/95-02 & 50-265/95-02.Corrective actions:handles modified on RHRSW pumps & 1(2) 1001-5A/B RHRSW valves to improve human factors.
KRAFT,E.S. Commonwealth Edison Co. 95/05/15. Ofc of Enforcement (Post 870413). 9pp. 84061:344-84061:352.

9505230041 Responds to NRC 950414 ltr re violations noted in insp repts 50-254/94-29 & 50-265/94-29.Corrective actions:work involving OOS stopped except by approval of Station Manager & team assembled to review & recommend C/As for work.
KRAFT,E.S. Commonwealth Edison Co. 95/05/15. Ofc of Enforcement (Post 870413). 6pp. 84061:353-84061:358.

R. Periodic operating reports & related correspondence

9505010089 "Quad Cities Station Annual Radiological Environ Operating Rept 1994." W/950424 ltr.
PEARCE,L.W. Commonwealth Edison Co. 94/12/31. 109pp. 83786:001-83786:114.

9505050092 Forwards listing of facility & procedure changes,tests & experiments requiring safety evaluations completed during Feb & Mar 1995.
AITKEN,P.C. Commonwealth Edison Co. 95/04/26. Document Control Branch (Document Control Desk). 23pp. 83864:151-83864:173.

9505180335 Forwards monthly operating repts for Apr 1995 & revised repts for Mar 1995 for Quad Cities Nuclear Power Station Units 1 & 2.
AITKEN,P.C. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 84013:253-84013:274.

--9505180342 Monthly operating repts for Apr 1995 for Quad Cities Nuclear Power Station Units 1 & 2.
MOORE,K. Commonwealth Edison Co. 95/04/30. 19pp. 84013:254-84013:272.

--9505180352 Revised monthly operating repts for Mar 1995 for Quad Cities Nuclear Power Station Units 1 & 2.
MOORE,K. Commonwealth Edison Co. 95/03/31. 2pp. 84013:273-84013:274.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M. Commonwealth Edison Co. 1p. 83758:313-83758:313.

9505230237 Informs that license SOP-30728-2,will not be maintained. JW Wethington was removed from licensed duty on 950508 & util requested that license be terminated.
PEARCE,L.W. Commonwealth Edison Co. 95/05/10. Document Control Branch (Document Control Desk). 1p. 84051:325-84051:325.

9505230238 Advises that license SOP-31131,will not be maintained. JA Davis was removed from licensed duty on 950511 & requested that license be terminated.
PEARCE,L.W. Commonwealth Edison Co. 95/05/11. Document Control Branch (Document Control Desk). 1p. 84049:360-84049:360.

9505230242 Advises that license SOP-30522-2,will not be maintained. J Guest was removed from license duty on 950512 & util requested that license be terminated.
PEARCE,L.W. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 1p. 84049:359-84049:359.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505040258 Informs that in response to NRC comments during 950209 & 16 telcons,WIEP modified TS Change Request 176 submitted on 950124,by withdrawing TS 15.6.5.3, "Fire Protection Audits" & retaining spec 15.7.8.2.C re transmittal of audit repts.
LINK,B. Wisconsin Electric Power Co. 95/04/25. Document Control Branch (Document Control Desk). 2pp. 83814:337-83814:338.

H. General correspondence

9505220231 Responds to 950227 ltr to President Clinton expressing concerns re dry cask storage of radioactive spent fuel at plant.
ADENSAM,E.G. . 95/05/15. KOPECKY,M.L. Affiliation Not Assigned. 24pp. 84029:289-84029:317.

--9505220236 Forwards ltr from L Kopecky.NRC has responded to concerns presented in ltr to President Clinton.Ltr suggests utilizing super-collider facility for storage of spent nuclear fuel.
ADENSAM,E.G. . 95/05/15. DREYFUS,D.A. Energy, Dept. of. 1p. 84029:312-84029:312.

--9505220242 Forwards ltr from ML Kopecky re storage of spent nuclear fuel by Lake Michigan.
SPRINGER,R. Environmental Protection Agency. 95/04/07. CHILK,S.J. Office of the Secretary of the Commission. 6pp. 84029:313-84029:317.

P. Operating license stage documents & correspondence

9112190216 Trip rept of 911021-25 audit at facility re structures & civil engineering features.
KIM,Y. Structural & Geosciences Branch. 91/12/09. BAGCHI,G. Structural & Geosciences Branch. 76pp. 83705:113-83705:190.

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--9505190289 Advises that J Hannon contacted listed plants who did not provide responses to Stello ltr of 870427 on restrictive language in agreement.
HANNON,J.N. NRC - No Detailed Affiliation Given. 89/08/21. QUAY,T. NRC - No Detailed Affiliation Given. 1p. 84038:121-84038:121.

9505030301 Application for amend to licenses DPR-24 & DPR-27,consisting of change request 171 re heatup & cooldown limit curve expiration date extension response to request for addl info for plant.
LINK,B. Wisconsin Electric Power Co. 95/04/25. Document Control Branch (Document Control Desk). 5pp. 83808:088-83808:092.

9505040258 Informs that in response to NRC comments during 950209 & 16 telcons,WIEP modified TS Change Request 176 submitted on 950124,by withdrawing TS 15.6.5.3, "Fire Protection Audits" & retaining spec 15.7.8.2.C re transmittal of audit repts.
LINK,B. Wisconsin Electric Power Co. 95/04/25. Document Control Branch (Document Control Desk). 2pp. 83814:337-83814:338.

9505020253 Application for amends to licenses DPR-24 & DPR-27,modifying TS Section 15.3.5, "Instrumentation Sys."
LINK,B. Wisconsin Electric Power Co. 95/04/27. Document Control Branch (Document Control Desk). 13pp. 83764:023-83764:039.

--9505020258 Proposed tech specs,modifying TS Section 15.3.5, "Instrumentation Sys."
* Wisconsin Electric Power Co. 95/04/27. 4pp. 83764:036-83764:039.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110232 Application for amends to licenses DPR-24 & DPR-27, consisting of TS change request 172,modifying TS Section 15.4.1, "Operational Safety Review."
LINK,B. Wisconsin Electric Power Co. 95/05/02. Document Control Branch (Document Control Desk). 7pp. 83930:239-83930:251.

--9505110233 Proposed tech specs,consisting of change request 172, modifying TS Section 15.4.1, "Operational Safety Review."
* Wisconsin Electric Power Co. 95/05/02. 6pp. 83930:246-83930:251.

9505220010 Expresses appreciation for 10CFR50.54(a) submittal dtd 950407 which incorporates changes in licensee QA program description.Informs that revs continue to meet requirements & acceptable.
RING,M.A. Region 3 (Post 820201). 95/05/15. LINK,R. Wisconsin Electric Power Co. 1p. 83985:053-83985:053.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110147 Ack receipt of 941221 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/94-24 & 50-301/94-24.Violation occurred as stated in NOV dtd 941122.
FARBER,M.J. Region 3 (Post 820201). 95/05/05. LINK,R. Wisconsin Electric Power Co. 4pp. 83851:216-83851:219.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505180264 Forwards monthly operating repts for Apr 1995 & revised repts for Mar 1995 for Point Beach Nuclear Plant Units 1 & 2.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/05/08. Document Control Branch (Document Control Desk). 1p. 84013:285-84013:295.

--9505180276 Monthly operating repts for Apr 1995 for Point Beach Nuclear Plant Units 1 & 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 95/04/30. 9pp. 84013:286-84013:294.

--9505180284 Revised monthly operating repts for Mar 1995 for Point Beach Nuclear Plant Unit 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 95/03/31. 1p. 84013:295-84013:295.

9505310246 Forwards corrected monthly operating repts for Apr 1995 for Point Beach Nuclear Plant,Units 1 & 2.Ltr dtd 950508 did not take into account for daylight saving time.Requests that encl data for Apr 1995 be used.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/05/24. Document Control Branch (Document Control Desk). 1p. 84163:314-84163:324.

--9505310249 Corrected monthly operating repts for Apr 1995 for Point Beach Nuclear Plant,Units 1 & 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 95/04/30. 10pp. 84163:315-84163:324.

S. Reportable occurrences, LERs & related correspondence

9505300156 Interim Part 21 rept re contact failure of square D type KPD relay used in diesel generator control panel.Relays replaced at plant.Review of matter expected to be completed on 950508.
NUDING,M. MKW Power Systems, Inc. 95/04/24. MURLEY,T. Office of Nuclear Reactor Regulation (Post 941001). 12pp. 84090:001-84090:012.

9505030329 Forwards LER 94-004 re loss of voltage relays not calibr to TS limits.
LINK,B. Wisconsin Electric Power Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83790:016-83790:024.

--9505030332 LER 95-004-00:on 950328,loss of voltage relays not calibr to TS limits.Caused by review of setpoint changes from temporary values to permanent was less than adequate.TS 15.3.0 was entered at 0703.
ARNESON,K. Wisconsin Electric Power Co. 95/04/27. 8pp. 83790:017-83790:024.

9505250046 LER 95-005-00:on 950416,CR personnel initiated manual reactor trip when CR E11 dropped part way into core during troubleshooting activities.Caused by failed stationary gripper coil.Coil fuse replaced.W/950516 ltr.
PADOVANO,F., LINK,B. Wisconsin Electric Power Co. 95/05/16. 6pp. 84082:020-84082:025.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. LASPISA,L.J. Commonwealth Edison Co. 1p. 83758:352-83758:352.

9505090023 Informs of arrangements made for administration of written & operating licensing exams at plant scheduled for wk of 951002.NRC will prepare & administer exams in accordance w/ES-401 & ES-402 of NUREG-1021.
RING,M.A. Region 3 (Post 820201). 95/05/05. LINK,R. Wisconsin Electric Power Co. 3pp. 83816:100-83816:102.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505080059 Forwards ltr from ML Kopecky re storage of spent fuel along shore of Lake Michigan & EPA response.W/o EPA response.
SPRINGER,R. Environmental Protection Agency. 95/04/07. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 83852:101-83852:103.

9505110088 Responds to 950407 ltr to J Hoyle re concerns about dry cask storage of radioactive spent fuel at plant.
ADENSAM,E.G. . 95/05/04. TELLER,J. Menominee Tribe. 122pp. 83900:235-83900:359.

--9505110093 Requests federal government intervention on plant constructing of dry cask storage facility for storage of spent fuel containing U-235.
TELLER,J. Menominee Tribe. 95/04/07. HOYLE,J. Office of the Secretary of the Commission. BABBITT,B. Interior, Dept. of. 3pp. 83900:357-83900:359.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9505030398 Issue 7 to Fire Protection Operability Requirements (FPOR) FPOR-12, "Fire Detectors."
* Public Service Co. of Colorado. 95/04/12. 9pp. 83793:344-83793:352.

9505310315 Issue 5 to Fire Protection Operability Requirements (FPOR) FPOR-7, "Fire Extinguishers."
* Public Service Co. of Colorado. 95/05/10. 4pp. 84145:245-84145:248.

9505310639 Issue 6 to emergency response procedure (ERP) DPP 5.2.3, "ERP - Control Room." W/950523 ltr.
BORST,F.J. Public Service Co. of Colorado. 95/05/23. 25pp. 84162:296-84162:320.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050065 Ack receipt of 950412 ltr informing NRC of steps taken to correct violations noted in insp rept 50-267/95-01.
COLLINS,S.J. Region 4 (Post 820201). 95/05/02. CRAWFORD,A.C. Public Service Co. of Colorado. 4pp. 83758:213-83758:221.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240255 Forwards sypnosis re 940222 investigation.Concludes that four former employees harassed,intimidated & terminated for expressing concerns about safety issues.
CALLAN,L.J. Region 4 (Post 820201). 95/05/19. EDMISTER,R.R. Morrison-Knudsen Co., Inc. 6pp. 84023:001-84023:006.

9505240265 Forwards sypnosis of 940222 investigation.Concludes that four former employees harassed,intimidated & terminated for expressing concerns about safety issues.
CALLAN,L.J. Region 4 (Post 820201). 95/05/19. CRAWFORD,A.C. Public Service Co. of Colorado. 7pp. 84062:001-84062:006.

S. Reportable occurrences, LERs & related correspondence

9505300281 Forwards two non-compliance repts re FSV NPDES permit.
FISHER,M.J. Public Service Co. of Colorado. 95/05/16. WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 1p. 84138:346-84138:350.

--9505300282 NPDES noncompliance notification:on 950405-0502,samples for outfall 007 exceeded.Cause unknown.Personnel inspecting sewage lagoon for aerator operation & excessive solids. Appropriate maint activity & C/A will be performed.
LINDT,E. Public Service Co. of Colorado. 95/05/09. 2pp. 84138:347-84138:348.

--**9505300283** NPDES noncompliance notification:on 950410,discharges from Goosequill Ditch (outfall 001B) in excess of pH permit limit.Water from shallow wells used for makeup in order to lower pH of water discharged from Goosequill Ditch.
LINDT,E. Public Service Co. of Colorado. 95/04/11. 2pp. 84138:349-84138:350.

W. Decommissioning Stage Documents & Correspondence

9505240320 FOIA request for documents re baffle removal & cutting of internals reactors at listed plants.
KATZ,D. Citizens Awareness Network. 94/10/17. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84024:181-84024:183.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505260160 Submits notification of 950517 meeting in Rockville,MD to discuss decommissioning of SNPS.
PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/11. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84099:288-84099:288.

9505230040 Notification of 950601 meeting w/util in Arlington,TX to discuss apparent violation of 10CFR50.7 during decommissioning activities at Fort St Vrain.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. Region 4 (Post 820201). 4pp. 84001:149-84001:152.

9505260214 Forwards Environ Assessment & finding of no significant impact for exemption from requirements of 10CFR50.54 for plant.
PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/12. CRAWFORD,A.C. Public Service Co. of Colorado. 3pp. 84104:068-84104:074.

--**9505260217** Environ assessment & finding of no significant impact re exemption from requirements of 10CFR50.54 for plant.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/12. 4pp. 84104:071-84104:074.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310365 Forwards Rev 1 to "FSV Nuclear Station Decommissioning Project Final Survey Plan for Site Release."
FISHER,M.J. Public Service Co. of Colorado. 95/05/25. WEBER,M.F. NRC - No Detailed Affiliation Given. 3pp. 84144:137-84144:224.

--**9505310371** Rev 1 to "FSV Nuclear Station Decommissioning Project Final Survey Plan for Site Release."
* Scientific Ecology Group, Inc. * Public Service Co. of Colorado. 95/05/25. 84pp. 84144:140-84144:224.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505020079 Informs that rev 94-06 to emergency plan,satisfactory & meets planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
CLINE,W.E. Region 2 (Post 820201). 95/04/19. HAMPTON,J.W. Duke Power Co. 3pp. 83689:344-83689:346.

9505030336 Forwards corrected page D-8 to Rev 94-06 of Vol A of Oconee Nuclear Site emergency plan.Making change indicated in Dec 1994 submittal that EAL for initiating condition 11 revised.
HAMPTON,J.W. Duke Power Co. 95/04/20. Document Control Branch (Document Control Desk). 1p. 83832:283-83832:284.

--**9505030337** Changes to page D-8 of Rev 94-06 to Vol A of Oconee Nuclear Site emergency plan.
* Duke Power Co. 95/04/20. 1p. 83832:284-83832:284.

9505050339 Informs that in order to complete review & approval process, submittal date for calculation for Keowee operating limits changed to 950508,per util 950419 ltr supplementing proposed emergency power mod action plan.
HAMPTON,J.W. Duke Power Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83839:302-83839:302.

9505240448 Requests approval of changes to min emergency staffing levels for DPC nuclear site emergency plans under Cost Beneficial Licensing Actions (CBLA) process.Supporting justification of proposed changes & info re CBLA encl.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 16pp. 84073:054-84073:069.

9505240110 Forwards insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05 & notice of violation.Violation of concern because activity allowed for disclosure of safeguards info through util unsecured automatic data processing sys.
STOHR,J.P. Region 2 (Post 820201). 95/05/12. HAMPTON,J.W. Duke Power Co. 4pp. 84021:177-84021:185.

--**9505240115** Notice of violation from insp on 950403-05.Violation noted: failure to retain drawings in secured automatic data processing sys.
* Region 2 (Post 820201). 95/05/12. 1p. 84021:181-84021:181.

--**9505240123** Insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05.Violation noted.Major areas inspected:licensee discovery,on 950220,of unsecured drawings stamped as being safeguards info.
TOBIN,W.J. Region 2 (Post 820201). 95/05/12. 4pp. 84021:182-84021:185.

9505240071 Advises of results of 950320 review of recent performance at facility to determine if NRC present planned insp effort for rest of current SALP cycle should be revised.Forwards insps planned for remainder of SALP cycle 12.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/17. HAMPTON,J.W. Duke Power Co. 4pp. 84021:065-84021:068.

P. Operating license stage documents & correspondence

9505020050 Forwards summary of 940224 meeting re plant svc water related issues.Attendees listed in encl 2.
GIBSON,A.F. Region 2 (Post 820201). 95/04/05. HAMPTON,J.W. Duke Power Co. 10pp. 83689:240-83689:249.

9505030143 Expresses appreciation for NRC prompt response to request to perform technical audit of util use of fuel rod code methodology.
TUCKMAN,M.S. Duke Power Co. 95/04/20. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83791:347-83791:347.

9505020382 Submits suppl info to GL 90-06,informing that util intends to no longer repack block valves every refueling outage.
HAMPTON,J.W. Duke Power Co. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83799:346-83799:348.

9505020222 Discusses 940308-09 visit to plant,in which NRC identified noncompliance w/licensing basis requirement.
WIENS,L.A. . 95/04/27. HAMPTON,J.W. Duke Power Co. 4pp. 83717:250-83717:253.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505100185 Forwards amends 209,209 & 206 to licenses DPR-38,DPR-47 & DPR-55 & safety evaluation.Amends revise TS 3.8 to establish restricted loading patterns & associated burnup criteria for placing fuel in plant spent fuel pools.
WIENS,L.A. . 95/05/03. HAMPTON,J.W. Duke Power Co. 3pp. 83856:131-83856:171.

--**9505100196** Amends 209,209 & 206 to licenses DPR-38,DPR-47 & DPR-55, respectively,revising TS 3.8 to establish restricted loading patterns & associated burnup criteria for placing fuel in plant spent fuel pools.
BERKOW,H.N. . 95/05/03. 29pp. 83856:134-83856:162.

--**9505100199** Safety evaluation supporting amends 209,209 & 206 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/03. 9pp. 83856:163-83856:171.

9505150023 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval.
TUCKMAN,M.S. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 3pp. 83899:044-83899:046.

9505120106 Forwards calculation which supports Keowee generation limits.
HAMPTON,J.W. Duke Power Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 83885:001-83885:293.

--**9505120109** Rev 1 to calculation KC UNIT 1-2-0106, "Keowee Power Operating Restrictions for NSM-52966."
* Duke Power Co. KC UNIT 1-2-0106 R01. 95/05/04. 292pp. 83885:002-83885:293.

9505240362 Offers listed comments on proposed rev to 10CFR50 App J, "Containment Leakage Testing," published in 950221 FR & endorses comments submitted by NEI on subj.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 4pp. 84068:358-84068:360.

9505180338 Discusses 941205 memo re determination that steam stop valves should have been classified as safety-related. Informs that failure to so classify valves would be deviation from commitment.
BERKOW,H.N. . 95/05/15. MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 83988:305-83988:305.

9505180391 Discusses 941219 memo re evaluation of four issues associated w/potential failure scenarios involving piping sys attached to main steam sys at facility.
BERKOW,H.N. . 95/05/15. MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 83964:360-83964:360.

9505310442 Forwards revs to "ONS Selected Licensee Commitments Manual," Section 16.8.3 to add power battery parameters to establish requirements for operability of 250 Vdc power batteries.
HAMPTON,J.W. Duke Power Co. 95/05/16. Document Control Branch (Document Control Desk). 1p. 84163:102-84163:116.

--**9505310449** Revs to "ONS Selected Licensee Commitments Manual," adding power battery parameters to establish requirements for operability of 250 Vdc power batteries.
* Duke Power Co. 95/05/11. 14pp. 84163:103-84163:116.

9505260227 Requests NRC approval for util to use recent Rev 3 to CROV computer code (approved by NRC on 950420).
TUCKMAN,M.S. Duke Power Co. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84104:079-84104:082.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020052 Forwards insp rept 72-0004/95-01 on 950327-28.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/20. HAMPTON,J.W. Duke Power Co. 3pp. 83689:250-83689:260.

--**9505020061** Insp rept 72-0004/95-01 on 950327-28.No violations noted. Major areas inspected:occupational exposure controls associated w/ISFSI,audits,changes to program,external exposure controls & control of radioactive matls.
LOO,W.T., RANKIN,W.H, Region 2 (Post 820201). 95/04/19. 8pp. 83689:253-83689:260.

9505030129 Forwards insp repts 50-269/95-03,50-270/95-03 & 50-287/95-03 on 950226-0325 & notice of violation.
CRLENJAK,R.V. Region 2 (Post 820201). 95/04/21. HAMPTON,J.W. Duke Power Co. 3pp. 83797:341-83797:362.

-9505030134 Notice of violation from insp on 950226-0325.Violation noted:KHU aligned to grid was technically inoperable due to potential overspeed lockout while operating in excess of 72 MW.
* Region 2 (Post 820201). 95/04/21. 2pp. 83797:344-83797:345.

-9505030140 Insp repts 50-269/95-03,50-270/95-03 & 50-287/95-03 on 950226-0325.Violation noted.Major areas inspected:plant operations,surveillance testing,maint activities,onsite engineering & technical assistance.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/04/21. 16pp. 83797:346-83797:362.

9505020122 Discusses 950418 telcon re arrangements made for NRC to inspect licensed operator requalification program at plant during wk of 950515.
PEEBLES,T.A. Region 2 (Post 820201). 95/04/24. HAMPTON,J.W. Duke Power Co. 3pp. 83690:224-83690:226.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020232 Authorizes proposed alternative to ASME Boiler & Pressure Vessel Code,which provides relief for ISI program.
BERKOW,H.N. . 95/04/26. TUCKMAN,M.S. Duke Power Co. 4pp. 83717:254-83717:262.

-9505020244 Safety evaluation authorizing licensee ISI request for relief from code hydrostatic pressure test requirement.
* . 95/04/26. 5pp. 83717:258-83717:262.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180585 Corrects error in 950309 ltr,summarizing commitments made during 950224 meeting re outstanding issues associated w/SWS operational performance insp,finding 7,part f concerning trench covers.
HAMPTON,J.W. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 83991:357-83991:358.

9505110166 Forwards insp repts 50-269/95-05,50-270/95-05 & 50-287/95-05 on 950410-12.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/05. HAMPTON,J.W. Duke Power Co. 2pp. 83851:221-83851:227.

-9505110170 Insp repts 50-269/95-05,50-270/95-02 & 50-287/95-05 on 950410-12.No violations noted.Major areas inspected: inservice insp,exam of limited access welds & followup feedwater drain line cracking.
ECONOMOS,N., BLAKE,J.J. Region 2 (Post 820201). 95/05/02. 5pp. 83851:223-83851:227.

9505240137 Submits insp activities associated w/Oconee Emergency Power Project to facilitate planning discussed at 940929 mgt meeting.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/08. HAMPTON,J.W. Duke Power Co. 3pp. 84021:288-84021:290.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505250027 Provides revised response to NRC 940211 NOV re insp repts 50-269/93-25,50-270/93-25 & 50-287/93-25.Util requires extension of commitment completion date re obtaining dynamic matl property data.
HAMPTON,J.W. Duke Power Co. 95/05/11. Document Control Branch (Document Control Desk). 3pp. 84073:359-84073:361.

9505240110 Forwards insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05 & notice of violation.Violation of concern because activity allowed for disclosure of safeguards info through util unsecured automatic data processing sys.
STOHR,J.P. Region 2 (Post 820201). 95/05/12. HAMPTON,J.W. Duke Power Co. 4pp. 84021:177-84021:185.

-9505240115 Notice of violation from insp on 950403-05.Violation noted: failure to retain drawings in secured automatic data processing sys.
* Region 2 (Post 820201). 95/05/12. 1p. 84021:181-84021:181.

-9505240123 Insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05.Violation noted.Major areas inspected:licensee discovery,on 950220,of unsecured drawings stamped as being safeguards info.
TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 95/05/12. 4pp. 84021:182-84021:185.

9505240071 Advises of results of 950320 review of recent performance at facility to determine if NRC present planned insp effort for rest of current SALP cycle should be revised.Forwards insps planned for remainder of SALP cycle 12.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/17. HAMPTON,J.W. Duke Power Co. 4pp. 84021:065-84021:068.

9505260403 Forwards response to NRC 950421 ltr re violations noted in insp repts 50-269/95-03,50-270/95-03 & 50-287/95-03. Corrective actions:began calculations on 950315.
HAMPTON,J.W. Duke Power Co. 95/05/18. Document Control Branch (Document Control Desk). 3pp. 84099:338-84099:340.

9505250315 Forwards SE accepting util response to NRC bulletin 90-01, suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount."
WIENS,L.A. . 95/05/19. HAMPTON,J.W. Duke Power Co. 3pp. 84078:318-84078:340.

-9505250316 Safety evaluation accepting util response to NRC bulletin 90-01,suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount."
* . 95/05/19. 2pp. 84078:321-84078:340.

9505250214 Forwards SE authorizing proposed alternative (Code Case N-522) to ASME Boiler & Pressure Vessel Code (ASME Code),per 940622 ltr.Alternative testing authorized for duration of currently approved ISI program.
BERKOW,H. . 95/05/22. TUCKMAN,M.S. Duke Power Co. 3pp. 84075:199-84075:206.

-9505250220 Safety evaluation authorizing proposed alternative (Code Case N-522) to ASME Boiler & Pressure Vessel Code (ASME Code),per 940622 ltr.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84075:203-84075:206.

9505310067 Forwards insp repts 50-269/95-06,50-270/95-06 & 50-287/95-06 on 950326-0429 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/24. HAMPTON,J.W. Duke Power Co. 3pp. 84095:320-84095:338.

-9505310071 Notice of violation from insp on 950326-0429.Violation noted:appropriate measures not established to assure correction of adverse condition to quality re inadequate control of load limit changes at plant.
* Region 2 (Post 820201). 95/05/24. 1p. 84095:323-84095:323.

-9505310076 Insp repts 50-269/95-06,50-270/95-06 & 50-287/95-06 on 950326-0429.Violations noted.Major areas inspected:plant operations,maint & surveillance testing.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/05/24. 13pp. 84095:324-84095:338.

R. Periodic operating reports & related correspondence

9505030175 "Oconee Nuclear Station Units 1 & 2 Annual Radiological Environ Operating Rept 1994."
HAMPTON,J.W. Duke Power Co. 94/12/31. 124pp. 83861:060-83861:183.

9505050331 Annual radioactive effluent release rept for 1994.W/950426 ltr.
HAMPTON,J.W. Duke Power Co. 94/12/31. 78pp. 83862:262-83862:339.

9505220154 Forwards monthly operating repts for Apr 1995 for Oconee Nuclear Station & revised Mar rept.
WEBER,R.L. Duke Power Co. 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84039:152-84039:169.

-9505220273 Monthly operating repts for Apr 1995 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/04/30. 15pp. 84039:154-84039:168.

-9505220274 Revised monthly operating status rept for Mar 1995 for ONS.
* Duke Power Co. 95/03/31. 1p. 84039:169-84039:169.

V. Operator Examinations

9505020122 Discusses 950418 telcon re arrangements made for NRC to inspect licensed operator requalification program at plant during wk of 950515.
PEEBLES,T.A. Region 2 (Post 820201). 95/04/24. HAMPTON,J.W. Duke Power Co. 3pp. 83690:224-83690:226.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505020052 Forwards insp rept 72-0004/95-01 on 950327-28.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/20. HAMPTON,J.W. Duke Power Co. 3pp. 83689:250-83689:260.

-9505020061 Insp rept 72-0004/95-01 on 950327-28.No violations noted. Major areas inspected:occupational exposure controls associated w/ISFSI,audits,changes to program,external exposure controls & control of radioactive matls.
LOO,W.T. Region 2 (Post 820201). 95/04/19. 8pp. 83689:253-83689:260.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505020079 Informs that rev 94-06 to emergency plan,satisfactory & meets planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
CLINE,W.E. Region 2 (Post 820201). 95/04/19. HAMPTON,J.W. Duke Power Co. 3pp. 83689:344-83689:346.

9505030336 Forwards corrected page D-8 to Rev 94-06 of Vol A of Oconee Nuclear Site emergency plan.Making change indicated in Dec 1994 submittal that EAL for initiating condition 11 revised.
HAMPTON,J.W. Duke Power Co. 95/04/20. Document Control Branch (Document Control Desk). 1p. 83832:283-83832:284.

-9505030337 Changes to page D-8 of Rev 94-06 to Vol A of Oconee Nuclear Site emergency plan.
* Duke Power Co. 95/04/20. 1p. 83832:284-83832:284.

9505050339 Informs that in order to complete review & approval process, submittal date for calculation for Keowee operating limits changed to 950508,per util 950419 ltr supplementing proposed emergency power mod action plan.
HAMPTON,J.W. Duke Power Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83839:302-83839:302.

9505240448 Requests approval of changes to min emergency staffing levels for DPC nuclear site emergency plans under Cost Beneficial Licensing Actions (CBLA) process.Supporting justification of proposed changes & info re CBLA encl.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 16pp. 84073:054-84073:069.

9505240110 Forwards insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05 & notice of violation.Violation of concern because activity allowed for disclosure of safeguards info through util unsecured automatic data processing sys.
STOHR,J.P. Region 2 (Post 820201). 95/05/12. HAMPTON,J.W. Duke Power Co. 4pp. 84021:177-84021:185.

–9505240115 Notice of violation from insp on 950403-05.Violation noted: failure to retain drawings in secured automatic data processing sys.
* Region 2 (Post 820201). 95/05/12. 1p. 84021:181-84021:181.

–9505240123 Insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05.Violation noted.Major areas inspected:licensee discovery,on 950220,of unsecured drawings stamped as being safeguards info.
TOBIN,W.J. Region 2 (Post 820201). 95/05/12. 4pp. 84021:182-84021:185.

9505240071 Advises of results of 950320 review of recent performance at facility to determine if NRC present planned insp effort for rest of current SALP cycle should be revised.Forwards insps planned for remainder of SALP cycle 12.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/17. HAMPTON,J.W. Duke Power Co. 4pp. 84021:065-84021:068.

P. Operating license stage documents & correspondence

9505020050 Forwards summary of 940224 meeting re plant svc water related issues.Attendees listed in encl 2.
GIBSON,A.F. Region 2 (Post 820201). 95/04/05. HAMPTON,J.W. Duke Power Co. 10pp. 83689:240-83689:249.

9505030143 Expresses appreciation for NRC prompt response to request to perform technical audit of util use of fuel rod code methodology.
TUCKMAN,M.S. Duke Power Co. 95/04/20. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83791:347-83791:347.

9505020382 Submits suppl info to GL 90-06,informing that util intends to no longer repack block valves every refueling outage.
HAMPTON,J.W. Duke Power Co. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83799:346-83799:348.

9505020222 Discusses 940308-09 visit to plant,in which NRC identified noncompliance w/licensing basis requirement.
WIENS,L.A. . 95/04/27. HAMPTON,J.W. Duke Power Co. 4pp. 83717:250-83717:253.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505100185 Forwards amends 209,209 & 206 to licenses DPR-38,DPR-47 & DPR-55 & safety evaluation.Amends revise TS 3.8 to establish restricted loading patterns & associated burnup criteria for placing fuel in plant spent fuel pools.
WIENS,L.A. . 95/05/03. HAMPTON,J.W. Duke Power Co. 3pp. 83856:131-83856:171.

–9505100196 Amends 209,209 & 206 to licenses DPR-38,DPR-47 & DPR-55, respectively,revising TS 3.8 to establish restricted loading patterns & associated burnup criteria for placing fuel in plant spent fuel pools.
BERKOW,H.N. . 95/05/03. 29pp. 83856:134-83856:162.

–9505100199 Safety evaluation supporting amends 209,209 & 206 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/03. 9pp. 83856:163-83856:171.

9505150023 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval.
TUCKMAN,M.S. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 3pp. 83899:044-83899:046.

9505120106 Forwards calculation which supports Keowee generation limits.
HAMPTON,J.W. Duke Power Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 83885:001-83885:293.

–9505120109 Rev 1 to calculation KC UNIT 1-2-0106, "Keowee Power Operating Restrictions for NSM-52966."
* Duke Power Co. KC UNIT 1-2-0106 R01. 95/05/04. 292pp. 83885:002-83885:293.

9505240362 Offers listed comments on proposed rev to 10CFR50 App J, "Containment Leakage Testing," published in 950221 FR & endorses comments submitted by NEI on subj.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 4pp. 84068:358-84068:360.

9505180338 Discusses 941205 memo re determination that steam stop valves should have been classified as safety-related. Informs that failure to so classify valves would be deviation from commitment.
BERKOW,H.N. . 95/05/15. MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 83988:305-83988:305.

9505180391 Discusses 941219 memo re evaluation of four issues associated w/potential failure scenarios involving piping sys attached to main steam sys at facility.
BERKOW,H.N. . 95/05/15. MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 83964:360-83964:360.

9505310442 Forwards revs to "ONS Selected Licensee Commitments Manual," Section 16.8.3 to add power battery parameters to establish requirements for operability of 250 Vdc power batteries.
HAMPTON,J.W. Duke Power Co. 95/05/16. Document Control Branch (Document Control Desk). 1p. 84163:102-84163:116.

–9505310449 Revs to "ONS Selected Licensee Commitments Manual," adding power battery parameters to establish requirements for operability of 250 Vdc power batteries.
* Duke Power Co. 95/05/11. 14pp. 84163:103-84163:116.

9505260227 Requests NRC approval for util to use recent Rev 3 to CROV computer code (approved by NRC on 950420).
TUCKMAN,M.S. Duke Power Co. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84104:079-84104:082.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020052 Forwards insp rept 72-0004/95-01 on 950327-28.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/20. HAMPTON,J.W. Duke Power Co. 3pp. 83689:250-83689:260.

–9505020061 Insp rept 72-0004/95-01 on 950327-28.No violations noted. Major areas inspected:occupational exposure controls associated w/ISFSI,audits,changes to program,external exposure controls & control of radioactive matls.
LOO,W.T., RANKIN,W.H, Region 2 (Post 820201). 95/04/19. 8pp. 83689:253-83689:260.

9505030129 Forwards insp repts 50-269/95-03,50-270/95-03 & 50-287/95-03 on 950226-0325 & notice of violation.
CRLENJAK,R.V. Region 2 (Post 820201). 95/04/21. HAMPTON,J.W. Duke Power Co. 3pp. 83797:341-83797:362.

–9505030134 Notice of violation from insp on 950226-0325.Violation noted:KHU aligned to grid was technically inoperable due to potential overspeed lockout while operating in excess of 72 MW.
* Region 2 (Post 820201). 95/04/21. 2pp. 83797:344-83797:345.

–9505030140 Insp repts 50-269/95-03,50-270/95-03 & 50-287/95-03 on 950226-0325.Violation noted.Major areas inspected:plant operations,surveillance testing,maint activities,onsite engineering & technical assistance.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/04/21. 16pp. 83797:346-83797:362.

9505020122 Discusses 950418 telcon re arrangements made for NRC to inspect licensed operator requalification program at plant during wk of 950515.
PEEBLES,T.A. Region 2 (Post 820201). 95/04/24. HAMPTON,J.W. Duke Power Co. 3pp. 83690:224-83690:226.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020232 Authorizes proposed alternative to ASME Boiler & Pressure Vessel Code,which provides relief for ISI program.
BERKOW,H.N. . 95/04/26. TUCKMAN,M.S. Duke Power Co. 4pp. 83717:254-83717:262.

–9505020244 Safety evaluation authorizing licensee ISI request for relief from code hydrostatic pressure test requirement.
* . 95/04/26. 5pp. 83717:258-83717:262.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180585 Corrects error in 950309 ltr,summarizing commitments made during 950224 meeting re outstanding issues associated w/SWS operational performance insp,finding 7,part f concerning trench covers.
HAMPTON,J.W. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 83991:357-83991:358.

9505110166 Forwards insp repts 50-269/95-05,50-270/95-05 & 50-287/95-05 on 950410-12.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/05. HAMPTON,J.W. Duke Power Co. 2pp. 83851:221-83851:227.

–9505110170 Insp repts 50-269/95-05,50-270/95-02 & 50-287/95-05 on 950410-12.No violations noted.Major areas inspected: inservice insp,exam of limited access welds & followup feedwater drain line cracking.
ECONOMOS,N., BLAKE,J.J. Region 2 (Post 820201). 95/05/02. 5pp. 83851:223-83851:227.

9505240137 Submits insp activities associated w/Oconee Emergency Power Project to facilitate planning discussed at 940929 mgt meeting.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/08. HAMPTON,J.W. Duke Power Co. 3pp. 84021:288-84021:290.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505250009 Forwards addl info requested by NRC on 950501 re plant third ten year interval ISI plan for Units 2 & 3.W/one oversize drawing.
HAMPTON,J.W. Duke Power Co. 95/05/11. Document Control Branch (Document Control Desk). 5pp. 84173:352-84173:356.

9505250027 Provides revised response to NRC 940211 NOV re insp repts 50-269/93-25,50-270/93-25 & 50-287/93-25.Util requires extension of commitment completion date re obtaining dynamic matl property data.
HAMPTON,J.W. Duke Power Co. 95/05/11. Document Control Branch (Document Control Desk). 3pp. 84073:359-84073:361.

9505240110 Forwards insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05 & notice of violation.Violation of concern because activity allowed for disclosure of safeguards info through util unsecured automatic data processing sys.
STOHR,J.P. Region 2 (Post 820201). 95/05/12. HAMPTON,J.W. Duke Power Co. 4pp. 84021:177-84021:185.

--**9505240115** Notice of violation from insp on 950403-05.Violation noted: failure to retain drawings in secured automatic data processing sys.
* Region 2 (Post 820201). 95/05/12. 1p. 84021:181-84021:181.

--**9505240123** Insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05.Violation noted.Major areas inspected:licensee discovery,on 950220,of unsecured drawings stamped as being safeguards info.
TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 95/05/12. 4pp. 84021:182-84021:185.

9505240071 Advises of results of 950320 review of recent performance at facility to determine if NRC present planned insp effort for rest of current SALP cycle should be revised.Forwards insps planned for remainder of SALP cycle 12.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/17. HAMPTON,J.W. Duke Power Co. 4pp. 84021:065-84021:068.

9505260403 Forwards response to NRC 950421 ltr re violations noted in insp repts 50-269/95-03,50-270/95-03 & 50-287/95-03. Corrective actions:began calculations on 950315.
HAMPTON,J.W. Duke Power Co. 95/05/18. Document Control Branch (Document Control Desk). 3pp. 84099:338-84099:340.

9505250315 Forwards SE accepting util response to NRC bulletin 90-01, suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount."
WIENS,L.A. . 95/05/19. HAMPTON,J.W. Duke Power Co. 3pp. 84078:318-84078:340.

--**9505250316** Safety evaluation accepting util response to NRC bulletin 90-01,suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount."
* . 95/05/19. 2pp. 84078:321-84078:340.

9505250214 Forwards SE authorizing proposed alternative (Code Case N-522) to ASME Boiler & Pressure Vessel Code (ASME Code),per 940622 ltr.Alternative testing authorized for duration of currently approved ISI program.
BERKOW,H. . 95/05/22. TUCKMAN,M.S. Duke Power Co. 3pp. 84075:199-84075:206.

--**9505250220** Safety evaluation authorizing proposed alternative (Code Case N-522) to ASME Boiler & Pressure Vessel Code (ASME Code),per 940622 ltr.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84075:203-84075:206.

9505310067 Forwards insp repts 50-269/95-06,50-270/95-06 & 50-287/95-06 on 950326-0429 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/24. HAMPTON,J.W. Duke Power Co. 3pp. 84095:320-84095:338.

--**9505310071** Notice of violation from insp on 950326-0429.Violation noted:appropriate measures not established to assure correction of adverse condition to quality re inadequate control of load limit changes at plant.
* Region 2 (Post 820201). 95/05/24. 1p. 84095:323-84095:323.

--**9505310076** Insp repts 50-269/95-06,50-270/95-06 & 50-287/95-06 on 950326-0429.Violations noted.Major areas inspected:plant operations,maint & surveillance testing.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/05/24. 13pp. 84095:324-84095:338.

R. Periodic operating reports & related correspondence

9505030175 "Oconee Nuclear Station Units 1 & 2 Annual Radiological Environ Operating Rept 1994."
HAMPTON,J.W. Duke Power Co. 94/12/31. 124pp. 83861:060-83861:183.

9505050331 Annual radioactive effluent release rept for 1994.W/950426 ltr.
HAMPTON,J.W. Duke Power Co. 94/12/31. 78pp. 83862:262-83862:339.

9505220154 Forwards monthly operating repts for Apr 1995 for Oconee Nuclear Station & revised Mar rept.
WEBER,R.L. Duke Power Co. 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84039:152-84039:169.

--**9505220273** Monthly operating repts for Apr 1995 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/04/30. 15pp. 84039:154-84039:168.

--**9505220274** Revised monthly operating status rept for Mar 1995 for ONS.
* Duke Power Co. 95/03/31. 1p. 84039:169-84039:169.

S. Reportable occurrences, LERs & related correspondence

9505110042 PNO-II-95-027:on 950504,plant shutdown in order to replace ruptured steam extraction line expansion joints inside main condenser.
CARROLL,R. Region 2 (Post 820201). 95/05/04. 1p. 83850:359-83850:359.

9505240181 LER 95-002-00:on 950414,Unit 2 reactor tripped from 100% full power on RPS turbine anticipatory trip signal due to generator lockout.Caused by electrical design deficiency. Mod designed & implemented to replace timer.W/950515 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 95/05/15. 7pp. 84082:001-84082:007.

V. Operator Examinations

9505020122 Discusses 950418 telcon re arrangements made for NRC to inspect licensed operator requalification program at plant during wk of 950515.
PEEBLES,T.A. Region 2 (Post 820201). 95/04/24. HAMPTON,J.W. Duke Power Co. 3pp. 83690:224-83690:226.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505020052 Forwards insp rept 72-0004/95-01 on 950327-28.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/20. HAMPTON,J.W. Duke Power Co. 3pp. 83689:250-83689:260.

--**9505020061** Insp rept 72-0004/95-01 on 950327-28.No violations noted. Major areas inspected:occupational exposure controls associated w/ISFSI,audits,changes to program,external exposure controls & control of radioactive matls.
LOO,W.T. Region 2 (Post 820201). 95/04/19. 8pp. 83689:253-83689:260.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9505040198 Change 138 to EPIPs,including Rev 1 to OP 3533 & OP 3504,Rev 28,Figure 6,page 1 & OP 3506,Rev 33,VYOPF 3506.05,page 2 replacement pages.
* Vermont Yankee Nuclear Power Corp. 95/04/24. 47pp. 83805:314-83805:360.

9505180130 Ack receipt of 950328 correspondence re changes to plant training & qualification plan,rev 6,errata A.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84030:310-84030:312.

9505180136 Ack receipt of 950328 correspondence re changes to plant physical security plan,Rev 26.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84026:341-84026:343.

H. General correspondence

9505090030 Comment supporting proposed rule 10CFR50 re "Primary Reactor Containment Leakage Testing For Water-Cooled Power Reactor.
GRANT,J.M. Yankee Atomic Electric Co. 95/05/04. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83816:145-83816:147.

I. Financial information

9505040018 Forwards 1994 annual financial repts for CT Light & Power Co,Western MA Electric Co,Public Svc Co of NH & North Atlantic Energy Corp.
GUGLIELMO,F.J. Northeast Utilities Service Co. 95/04/25. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83803:128-83803:290.

--**9505040022** "CT Light & Power 1994 Annual Rept."
* Northeast Utilities Service Co. * Yankee Atomic Electric Co. * Connecticut Yankee Atomic Power Co. 94/12/31. 43pp. 83803:129-83803:179.

P. Operating license stage documents & correspondence

9505040335 Ltr contract,mod 1 to task order 33,extending period of performance of subject task order from 950524 through 951231 at no addl cost or obligation to Govt,to "IPE Reviews, Internal Events - Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83759:283-83759:284.

9505010043 Forwards memo from SR Miller of YAEC to RD Pagodin of VYNP, dtd 950414,forwarding "Vermont Yankee Core Shroud Insp & Flaw Evaluations."
DORMAN,D.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/04/20. Project Directorate I-3 (PD1-3) (Post 941001). 53pp. 83714:241-83714:293.

9505010136 Forwards GE proprietary rept, "Primary Structure Seismic Analysis for Core Shroud Evaluation," dtd Dec 1994.Encl withheld.
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 95/04/21. Document Control Branch (Document Control Desk). 6pp. 83722:347-83722:352.

9505010120 Forwards rev 0 to GENE-523-A018-0295, "Duane Arnold & Vermont Yankee Shroud Safety Assessment" & Draft Calculation VYC-1364, "Vermont Yankee Core Shroud Flaw Evaluation."
DORMAN,D.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/04/25. Project Directorate I-3 (PD1-3) (Post 941001). 1p. 83753:028-83753:249.

--**9505010125** "Duane Arnold & Vermont Yankee Ahroud Safety Assessment."
ELECTONA,E.O., CASILLAS,J.L., RANGANATH,S. General Electric Co. GENE-523-A018-0295. 95/04/18. 36pp. 83753:029-83753:063.

--**9505010130** "Vermont Yankee Core Shroud Flaw Evaluation."
* Yankee Atomic Electric Co. VYC-1364. 95/04/18. 226pp. 83753:064-83753:249.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505300430 Provides response to GL 94-03, "IGSCC of Core Shrouds in BWRs," including listing of document previously transmitted to NRC which form basis for util core shroud evaluation & Rev 1 to "Vermont Yankee Core Shroud Flaw Evaluation."
PELLETIER,J.P. Vermont Yankee Nuclear Power Corp. 95/05/24. Document Control Branch (Document Control Desk). 4pp. 84141:040-84141:286.

--**9505300433** Rev 1 to "Vermont Yankee Core Shroud Flaw Evaluation."
* Yankee Atomic Electric Co. VYC-1364 R01. 95/05/02. 247pp. 84141:044-84141:286.

Q. Inspection reports, IE Bulletins & correspondence

9505010043 Forwards memo from SR Miller of YAEC to RD Pagodin of VYNP, dtd 950414,forwarding "Vermont Yankee Core Shroud Insp & Flaw Evaluations."
DORMAN,D.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/04/20. Project Directorate I-3 (PD1-3) (Post 941001). 53pp. 83714:241-83714:293.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180072 Forwards insp rept 50-271/95-03 on 950206-0425.Noncited violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/04. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 83953:142-83953:197.

--9505180082 Insp rept 50-271/95-03 on 950206-0425.Noncited violations noted.Major areas inspected:util MOV Program developed in response to GL 89-10 "Safety Related MOV Testing & Surveillance."
GREGG,H.I., KELLY,E.M. Region 1 (Post 820201). 95/05/02. 53pp. 83953:145-83953:197.

9505120052 Informs that insp rept 50-271/95-02 issued on 950327 does not correctly portray scope of insp effort as compared w/subj rept issued also on 940729.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/05. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 83870:171-83870:173.

9505180103 Notification of significant licensee meeting 95-47 w/util on 950522 in King of Prussia,PA to discuss concerns re susceptibility of safety-related valves,including core spray injection valves to pressure locking.
CONTE,R.J. Region 1 (Post 820201). 95/05/05. Region 1 (Post 820201). 4pp. 83952:142-83952:145.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240018 Forwards insp rept 50-271/95-08 on 950417-21.Noncited violations identified.
JOYNER,J.H. Region 1 (Post 820201). 95/05/13. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84020:030-84020:041.

--9505240021 Insp rept 50-271/95-08 on 950417-21.Noncited violations identified.Major areas inspected:implementation of radiation protection program & radiological controls during refueling outage.
NICK,J., BORES,R. Region 1 (Post 820201). 95/05/13. 9pp. 84020:033-84020:041.

9505240201 *Forwards insp rept 50-271/95-09 on 950410-14.No violations noted.*
MODES,M.C. Region 1 (Post 820201). 95/05/15. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 84022:269-84022:279.

--9505240204 Insp rept 50-271/95-09 on 950410-14.No violations noted. Major areas inspected:inner radius of feedwater nozzles.
BEARDSLEE,C.D., MODES,M.C. Region 1 (Post 820201). 95/05/09. 6pp. 84022:273-84022:279.

9505260043 Revised notification of significant licensee meeting 95-47 w/util on 950526 in King of Prussia,PA re enforcement conference to discuss concerns related to past susceptibility of safety-related valves.
CONTE,R.J. Region 1 (Post 820201). 95/05/15. Region 1 (Post 820201). 3pp. 84062:133-84062:135.

9505310043 Forwards insp rept 50-271/95-06 on 950305-0422.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 95/05/22. REID,D. Vermont Yankee Nuclear Power Corp. 3pp. 84095:076-84095:102.

--9505310050 Insp rept 50-271/95-06 on 950305-0422.No violations noted. Major areas inspected:operations,maint,surveillance, engineering,plant support,SA,QV,backshift & "deep" backshift activities amounting to 32 h.
CONTE,R.J. Region 1 (Post 820201). 95/05/23. 24pp. 84095:079-84095:102.

R. Periodic operating reports & related correspondence

9505020044 "Vermont Yankee Nuclear Power Station Annual Radiological Environ Surveillance Rept Jan-Dec 1994." W/950428 ltr.
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. 94/12/31. 94pp. 83761:166-83761:259.

9505180253 Monthly operating rept for Apr 1995 for Vermont Yankee Nuclear Power Station.W/950510 ltr.
WALLIN,G.A., REID,D.A. Vermont Yankee Nuclear Power Corp. 95/04/30. 6pp. 84005:324-84005:329.

S. Reportable occurrences, LERs & related correspondence

9505030454 LER 95-004-00:on 950329,repair of inoperable vital fire barrier penetration fire seal was incomplete.Caused by work control process failure.Established continuous fire watch on one side of fire barrier.W/950427 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/04/27. 6pp. 83808:352-83808:357.

9505190283 LER 95-005-00:on 950411,shutdown margin test was not completed prior to conducting control rod drive maint due to misinterpretation of TS.Reviewed event w/senior mgt at daily plant managers meeting.W/950511 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/05/11. 5pp. 84048:319-84048:323.

9505220189 LER 95-007-00:on 950414,primary containment isolation sys invalid actuation occurred due to personnel error when operator inadvertently opened breaker in instrument ac power supply.Isolation signals reset & SBGTS secured.W/950512 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/05/12. 4pp. 84075:320-84075:323.

9505190319 LER 95-009-00:on 950415,ECCS intiation signal received due to improperly seated Rosemount slave trip unit LT-2-3-72C. Slave trip unit LT-2-3-72C reseated & post maint testing successfully completed.W/950515 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/05/15. 7pp. 84048:330-84048:336.

9505240359 LER 95-010-00:on 950420,continous fire watch was not maintained for degraded fire barrier penetration seals due to inadequate administrative controls.Reinstalled enclosure box within less one hour.W/950519 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/05/19. 5pp. 84082:015-84082:019.

9505240361 LER 95-011-00:on 950420,RPS MG set "B" output breaker trip occurred due to setpoint drift of overvoltage relay trip card.Replaced overvoltage relay.W/ 950519 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/05/19. 5pp. 84078:102-84078:106.

9505240363 LER 95-012-00:on 950421,number of stack radiation sampling trains was less than required by TS due to power interuption.Reviewed administrative controls re bus deenergization & impact on TS equipment.W/950519 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/05/19. 7pp. 84078:107-84078:113.

V. Operator Examinations

9505090044 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. REID,D.A. Vermont Yankee Nuclear Power Corp. 2pp. 83816:162-83816:163.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505150102 Revised EPIPs,including Rev 7 to EPIP 201S & Rev 29 to EPIP 204S.
* Public Service Electric & Gas Co. of New Jersey. 95/04/10. 79pp. 83972:170-83972:248.

9505180155 Forwards 950406 ltr from P McIntire to JA Momm re actions taken by State of NJ Ofc of Emergency Mgt to remediate deficiency identified by FEMA at 940524 exercise at Artificial Island.
JOYNER,J.H. Region 1 (Post 820201). 95/05/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 83952:306-83952:310.

9505240007 Revised EPIPs,including rev 3 to EPIP 401 & rev 26 to EPIP-TOC-EOF.
* Public Service Electric & Gas Co. of New Jersey. 95/05/12. 10pp. 84069:349-84069:358.

9505260023 Revised EPIPs,including rev 15 to ECG ATT 1,rev 8 to ECG ATT 2 & 3,rev 7 to ECG ATT 4,rev 23 to ECG ATT 6,rev 22 to ECG ATT 7,rev 14 to ECG ATT 8,rev 21 to ECG ATT 9,rev 41 to ECG SECG Table of Contents & rev 3 to ECG Section 13.
* Public Service Electric & Gas Co. of New Jersey. 95/05/21. 92pp. 84088:086-84088:176.

P. Operating license stage documents & correspondence

9505020331 Discusses util cost beneficial licensing actions process,in response to NRC interest expressed during recent visit w/ PSE&G Board of Directors.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 95/04/19. Region 1 (Post 820201). RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 83763:354-83763:359.

9505010009 Forwards request for addl info on IPE submittal for plant Units 1 & 2.Request re internal event analysis in IPE, including human reliability analysis & CPI program.
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/04/25. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 15pp. 83693:340-83693:354.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110064 Responds to NRC 940629 verbal comments re util amend request to increase min required vol of fuel oil stored in 30,000 gallon diesel fuel oil storage tanks.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/05/02. Document Control Branch (Document Control Desk). 3pp. 83933:265-83933:267.

9505110141 *Application for amends to licenses DPR-70 & DPR-75.Amends would eliminate* manual start requirement for auxiliary FW.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/05/02. Document Control Branch (Document Control Desk). 6pp. 83936:204-83936:220.

--9505110144 Proposed tech specs re elimination of manual start of auxiliary FW for licenses DPR-70 & DPR-75.
* Public Service Electric & Gas Co. of New Jersey. 95/05/02. 11pp. 83936:210-83936:220.

9505090170 Forwards amends 166 & 148 to licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends add new action statement to TS 3.1.3.2.1, "Position Indicating Sys Operating."
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/05/03. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 83853:292-83853:304.

--9505090172 Amends 166 & 148 to licenses DPR-70 & DPR-75,respectively, adding new action statement to TS 3.1.3.2.1, "Position Indicating Sys - Operating."
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/03. 8pp. 83853:295-83853:302.

--9505090174 Safety evaluation supporting amends 166 & 148 to licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/03. 2pp. 83853:303-83853:304.

9505090269 Forwards SE authorizing use of portion of 1992 Edition of ASME Code section XI re use of automatic (machine) Gas Tungsten Arc Welding process for plant.
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/05/03. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 83853:349-83853:354.

--9505090271 Safety evaluation authorizing proposed alternative weld process.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/03. 3pp. 83853:352-83853:354.

9505110080 Forwards util plan re issue mgt & prioritized actions to be taken to achieve significant near term & sustained long term improvements in operational performance.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 95/05/03. MARTIN,T.T. Region 1 (Post 820201). 2pp. 83932:230-83932:310.

--9505110086 "NBU Issue Mgt & Prioritized Action Plan," dtd May 1995.
* Public Service Electric & Gas Co. of New Jersey. 95/05/31. 86pp. 83932:232-83932:310.

9505120091 Informs that 950407 request that organizational effectiveness assessment rept be withheld from public disclosure,per 10CFR2.790,granted.
WHITE,J.R. Region 1 (Post 820201). 95/05/04. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 83870:356-83870:358.

9505220180 Application for amend to license DPR-70,revising TS 3/4.6.1.2, "Containment Leakage" to request extension until next refueling outage,scheduled to start in Sept 1995 to facilitate testing during refueling outage.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/05/04. Document Control Branch (Document Control Desk). 8pp. 84039:211-84039:221.

--9505220181 Proposed tech specs 3/4.6.1.2, "Containment Leakage."
* Public Service Electric & Gas Co. of New Jersey. 95/05/04. 3pp. 84039:219-84039:221.

9505190379 Forwards safety evaluation concluding that welding of SA-351,Grade CD4MCu matl for svc water pumps at plant authorized,per 10CFR50.55a(a)(3)(i).
OLSHAN,L.N. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 83991:272-83991:278.

--9505190380 Safety evaluation concluding that welding of SA-351,Grade CD4MCu matl for svc water pumps at plant authorized,per 10CFR50.55a(a)(3)(i).
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 3pp. 83991:276-83991:278.

9505230210 Documents proposed revs to schedules for submittal of Salem & Hope Creek Generating Stations IPE of external events repts.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/05/11. Document Control Branch (Document Control Desk). 3pp. 84049:345-84049:347.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505260026 Informs that request for withholding info from public disclosure of independent Technical Issue Investigation Rept,plant,units 1 & 2,granted (ref 10CFR2.790).
WHITE,J.R. Region 1 (Post 820201). 95/05/19. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84062:080-84062:083.

Q. Inspection reports, IE Bulletins & correspondence

9505120167 EN-95-022:on 950411 notice of violation & proposed civil penalty in amount of $80,000 will be issued to util,based on investigation conducted by Office of Investigations & enforcement conference conducted between staff & GM-SO.
SATORIUS,M., LEIBERMAN,J. Ofc of Enforcement (Post 870413). 95/04/06. 1p. 83871:209-83871:209.

9505120180 EN-95-021:on 950411,notice of violation & proposed imposition of civil penalty in the amount of $80,000 issued to licensee.Action based on investigation by OIG & consists of Severity Level 2 violation for harassment & intimidation.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/04/06. 1p. 83871:221-83871:221.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030016 Notification of significant licensee meeting 95-42 w/util on 950601 to discuss apparent violation of 10CFR50,App B, involving inadequate measures.
WHITE,J.R. Region 1 (Post 820201). 95/04/27. Region 1 (Post 820201). 2pp. 83720:045-83720:046.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180012 Responds to NRC 950411 ltr re violations noted in insp of licenses DPR-70 & DPR-75 & proposed imposition of civil penalty.Corrective actions:investigation,followed by mgt review & appropriate/extensive corrective actions taken.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 95/05/10. Document Control Branch (Document Control Desk). 10pp. 84007:333-84007:342.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505040192 "1994 Annual Environ Operating Rept (Non-Radiological),Jan through Dec 1994." W/950428 ltr.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/31. 8pp. 83803:311-83803:318.

9505050075 "Radiological Environ Monitoring Program 1994 Annual Radiological Environ Operating Rept Jan-Dec 1994." W/950428 ltr.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 94/12/31. 163pp. 83863:001-83863:163.

9505040176 "New Jersey Pollutant Discharge Elimination Sys Discharge Monitoring Repts." W/950421 ltr.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/03/31. CAPORALE,G. New Jersey, State of. 19pp. 83845:045-83845:051.

9505180218 Monthly operating rept for Apr 1995 for Salem Unit 1.W/ 950512 ltr.
PHILLIPS,R., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/04/30. 13pp. 84007:313-84007:325.

9505240245 Forwards corrected discharge monitoring rept for Feb 1995 for Salem Generating Station,correcting effluent net values for temp for both discharges.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/09. CAPORALE,G. New Jersey, State of. 3pp. 84072:351-84072:357.

--9505240251 Corrected discharge monitoring rept for Feb 1995 for Salem Generating Station.
ALLEN,R.M., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/02/28. 4pp. 84072:354-84072:357.

S. Reportable occurrences, LERs & related correspondence

9505020319 Informs of review of NRC accident sequence precursor analysis re 940407 reactor trip & safety injection at facility.EOPs used during 940407 event encl.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/04/21. Document Control Branch (Document Control Desk). 1p. 83767:257-83767:301.

--9505020322 Rev 11 to EOP 1-EOP-TRIP-1, "Reactor Trip or Safety Injection."
BEATTIE,J. Public Service Electric & Gas Co. of New Jersey. 95/02/16. 15pp. 83767:264-83767:278.

--9505020324 Rev 12 to EOP 1-EOP-TRIP-2, "Reactor Trip Response."
BEATTIE,J. Public Service Electric & Gas Co. of New Jersey. 95/02/16. 13pp. 83767:279-83767:291.

--9505020326 Rev 10 to EOP 1-EOP-TRIP-3, "Safety Injection Termination."
* Public Service Electric & Gas Co. of New Jersey. 94/07/11. 10pp. 83767:292-83767:301.

9505090252 LER 95-005-00:on 900508,seven occurrences noted that revealed lift settings of pressurizer code safety valves on both units out of required tolerance.Util supplemented rept w/results of vendor conducted root cause.W/950428 ltr.
PASTVA,M.J., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/04/28. 7pp. 83924:025-83924:031.

9505310220 Forwards LER 95-004 re use of 10 containment air temp points to determine primary containment average air temp.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/18. Document Control Branch (Document Control Desk). 1p. 84162:056-84162:061.

--9505310243 LER 95-004-00:on 790515,used ten containment air temp points to determine primary containment average air temp.Caused by mgt/QA defeciency.Implemented procedure revs to satisfy TS SR.
PASTVA,M.J. Public Service Electric & Gas Co. of New Jersey. 95/05/18. 4pp. 84162:057-84162:061.

V. Operator Examinations

9505090036 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 83816:152-83816:153.

9505100171 Forwards both forms of exam,answer keys,grading results & individual answer sheet for 950405 GFES of exam administered to twelve individuals.Individuals passed exam.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/02. ORTICELLE,A. Public Service Electric & Gas Co. of New Jersey. 2pp. 83828:249-83828:250.

DOCKET 50-274 U.S. GEOLOGICAL SURVEY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9505180510 Forwards Rev VII to physical security plan for USGS TRIGA Reactor facility.Encl withheld.
HEDGE,C.E. Interior, Dept. of, Geological Survey. 95/05/08. COLLINS,S.J. Region 4 (Post 820201). 2pp. 84015:344-84015:345.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505050057 Forwards insp repts 50-275/95-03 & 50-323/95-03 on 950327-31.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/01. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 83758:175-83758:194.

--9505050064 Insp repts 50-275/95-03 & 50-323/95-03 on 950327-31.No violations noted.Major areas inspected:implementation of fire protection program.
ANG,W.P. Region 4 (Post 820201). 95/04/27. 15pp. 83758:180-83758:194.

9505110200 Forwards SE denying util 940315 & 0525 requests for exemption from technical requirements of Section III.J of App R to 10CFR50 re emergency lighting units w/8-h battery power supply.
ADENSAM,E.G. . 95/05/05. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 83936:337-83936:345.

--9505110287 Safety evaluation denying licensee request for deviation from Section III.J of App R to 10CFR50 re emergency lighting units w/8-h battery power supply.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 5pp. 83936:341-83936:345.

9505310098 Forwards request for exemption to 10CFR73.55 allowing contractors to take badge offsite instead of returning badge when exiting protected areas.Encl withheld.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 84162:257-84162:257.

9505180434 Advises that util will implement action plan to install battery-operated lights in access & egress pathways as expeditiously as possible to provide full compliance w/App R requirements.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/09. Document Control Branch (Document Control Desk). 2pp. 83991:359-83991:360.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190092 Forwards most recent status repts of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/04/04. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:017-83834:020.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

--8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:024-83834:028.

--8912040009 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 89/10/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:035-83834:039.

--8912040010 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/11/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:040-83834:044.

--8912040012 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:029-83834:034.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505110107 Rev 10 to updated FSAR for Diablo Canyon Units 1 & 2.W/ 950427 ltr.
WOMACH,L.F. Pacific Gas & Electric Co. 95/05/31. 2,480pp. 83956:001-83962:296.

P. Operating license stage documents & correspondence

9505020202 Submits response to RAI on license amend request 94-05 re relocation of selected 3/4.7 TS per NRC final policy statement & NUREG-1431.
WOMACK,L.F. Pacific Gas & Electric Co. 95/04/25. Document Control Branch (Document Control Desk). 14pp. 83763:288-83763:303.

9505040059 Forwards request for addl info on slave relay test frequency extension for plant,Units 1 & 2.
MILLER,M.A. . 95/04/27. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 83751:348-83751:353.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050142 Advises that util 950301 proposed rev to FSAR update,chapter 17,which included proposed change to QA program description, similar to 920921 submittal & does not provide sufficient justification for addl relief.Request not approved.
GWYNN,T.P. Region 4 (Post 820201). 95/04/28. RUEGER,G.M. Pacific Gas & Electric Co. 7pp. 83759:036-83759:042.

9505110260 Summary of 950418 meeting w/util in Rockville,MD re plans for extended fuel cycles.List of attendees & presentation handouts encl.
MILLER,M.A. . 95/05/02. NRC - No Detailed Affiliation Given. 44pp. 83938:095-83938:136.

9505110200 Forwards SE denying util 940315 & 0525 requests for exemption from technical requirements of Section III.J of App R to 10CFR50 re emergency lighting units w/8-h battery power supply.
ADENSAM,E.G. . 95/05/05. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 83936:337-83936:345.

--9505110287 Safety evaluation denying licensee request for deviation from Section III.J of App R to 10CFR50 re emergency lighting units w/8-h battery power supply.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 5pp. 83936:341-83936:345.

9505180434 Advises that util will implement action plan to install battery-operated lights in access & egress pathways as expeditiously as possible to provide full compliance w/App R requirements.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/09. Document Control Branch (Document Control Desk). 2pp. 83991:359-83991:360.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030055 Forwards copy of ltr sent to all Region IV power reactor licensees re results of NRC review of svc water sys self-assessment performed by util,as well as NRC special insp of significant safety issue identified by assessment.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. PATTERSON,T.L. Omaha Public Power District. 3pp. 83720:281-83720:285.

--9505030072 Forwards two insp repts which document results of NRC review of self-assessment performed by util at plant,as well as NRC special insp of significant safety issue identified by util self-assessment.W/o encls.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. RUEGER,G.M. Pacific Gas & Electric Co. 1p. 83720:285-83720:285.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505030049 Forwards insp repts 50-275/95-06 & 50-323/95-06 on 950219- 0401 & NOV.Violation of concern because it demonstrate lack of sensitivity by staff to procedural compliance.
BEACH,A.B. Region 4 (Post 820201). 95/04/28. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 83720:192-83720:233.

--9505030056 Notice of violation from insp on 950219-0401.Violation noted:licensee operated sealed Valve SI-2-8920B w/o documented authorization or shift foreman approval.
* Region 1 (Post 820201). 95/04/28. 2pp. 83720:197-83720:198.

--9505030066 Insp repts 50-275/95-06 & 50-323/95-06 on 950219-0401. Violations noted.Major areas inspected:operational safety verification,plant maintenance,surveillance observations, onsite engineering,plant support activities.
CHAMBERLAIN,D. Region 4 (Post 820201). 95/04/24. 35pp. 83720:199-83720:233.

9505050057 Forwards insp repts 50-275/95-03 & 50-323/95-03 on 950327-31.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/01. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 83758:175-83758:194.

--9505050064 Insp repts 50-275/95-03 & 50-323/95-03 on 950327-31.No violations noted.Major areas inspected:implementation of fire protection program.
ANG,W.P. Region 4 (Post 820201). 95/04/27. 15pp. 83758:180-83758:194.

9505100039 Responds to NRC RAI re NRC insp repts 50-275/95-01 & 50-323/95-01 on 950302 re completion of util test program for MOVs.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/05. Document Control Branch (Document Control Desk). 8pp. 83873:275-83873:282.

9505180019 Insp repts 50-275/95-07 & 50-323/95-07 cancelled.
GWYNN,T.P. Region 4 (Post 820201). 95/05/05. Pacific Gas & Electric Co. 4pp. 83952:018-83952:021.

9505180231 Forwards insp plans for plant in preparation for insp & incorporation of 24 month SALP period ending on 960831.Insps primarily mandatory core & safety initiative insp w/few regional insps.
CALLAN,L.J. Region 4 (Post 820201). 95/05/08. RUEGER,G.M. Pacific Gas & Electric Co. 7pp. 83953:078-83953:084.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230296 Forwards response to NRC 950417 ltr re violations noted in insp repts 50-275/95-02 & 50-323/95-02 on 950108-0218. Corrective actions:performed complete review & rev of breaker rack-in & rack-out procedure.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84051:330-84051:333.

R. Periodic operating reports & related correspondence

9505030227 "Diablo Canyon Power Plant 1994 Annual Radioactive Effluent Release Rept Jan-Dec 1994." W/950427 ltr.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 94/12/31. 200pp. 83836:012-83836:361.

9505030256 "1994 Annual Radiological Environ Operating Rept Diablo Canyon Power Plant." W/950427 ltr.
ONG,A., GEDNEY,E.A., WOMACK,L.F. Pacific Gas & Electric Co. 94/12/31. 100pp. 83795:113-83795:286.

9505110163 "Annual Nonradiological Environ Operating Rept Diablo Canyon Power Plant." W/950428 ltr.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 94/12/31. 14pp. 83936:304-83936:317.

9505100119 "First Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/950419 ltr.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/03/31. BRIGGS,R.W. California, State of. 100pp. 83906:248-83906:341.

9505220150 Monthly operating repts for Apr 1995 for Diablo Canyon Units 1 & 2.W/ 950512 ltr.
EUBANK,T., STIPICEVICH,J., FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/04/30. 13pp. 84039:126-84039:138.

S. Reportable occurrences, LERs & related correspondence

9505230013 PNO-IV-94-061:on 941206,util announced agreement on new plan to reduce price of power produced by plant.Licensee continuing to evaluate possible organizational changes to enhance efficiency & effectiveness.
* Region 4 (Post 820201). 94/12/07. 1p. 84001:076-84001:076.

9505180142 PNO-IV-94-062:on 941214,disturbance on 500 KV distribution sys resulted in reactor trips at plant.Caused by RCP bus undervoltage on 12 KV busses.DG 1-3 declared inoperable pending further investigation.
KIRSCH,D., CORPORANDY,D. Region 4 (Post 820201). 94/12/14. 3pp. 83952:292-83952:294.

9505180122 PNO-IV-94-062A:on 941214,reactor tripped at plant due to RCP bus undervoltage on 12 kV buses of 500 kV distribution sys.Util to initiate & complete cleaning & insp process on 941220.State of CA notified.
KIRSCH,D., CORPORANDY,D. Region 4 (Post 820201). 94/12/19. 2pp. 83952:205-83952:206.

9505180117 PNO-IV-94-063:earthquake occurred approx 50 miles from plant site.Actuated site Terratech seismic monitor.No damage or injuries reported off site.Licensee implemented program for earthquake response.State of CA informed.
KIRSCH,D., CORPORANDY,D. Region 4 (Post 820201). 94/12/20. 1p. 83952:198-83952:198.

9505180003 PNO-IV-95-001:on 950131,plant identified that util had been evaluating potential vulnerability to SSPS power supplies to NRC resident inspectors.Caused by analysis of potential steam line break pipe whip.Region IV has been notified.
KIRSCH,D., MILLER,M., TSCHILTZ,M. Region 4 (Post 820201). 95/02/02. 2pp. 83951:246-83951:247.

9505250033 LER 95-004-00:on 950411,discovered that calculation used to determine EFPYs for TS applicability of Figures 3.4-2 & 3.4-3 incorrect.Caused by programmatic deficiency & personnel errors.Operability evaluation issued.W/950508 ltr.
BEHNKE,D.H., RUEGER,G.M. Pacific Gas & Electric Co. 95/05/08. 7pp. 84078:127-84078:133.

V. Operator Examinations

9505050017 Forwards copy of master exam re Generic Fundamentals Exam Section of written operator licensing exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. Pacific Gas & Electric Co. 2pp. 83758:054-83758:055.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505110274 Revised emergency response procedures (ERP),including Rev 11 to ERP-600, "Personnel Safety Team Leader (PSTL)" & Rev 9 to ERP-620, "Plant Survey Group." W/950503 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/03. 58pp. 83933:145-83933:202.

9505150051 Forwards Rev a to "Upgraded EALs," based on methodology outlined in NUMARC/NESP-007.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 3pp. 84137:001-84137:324.

--9505150054 Rev a to "Upgraded EALs."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/26. 321pp. 84137:004-84137:324.

9505180595 Revised emergency response procedures (ERP),including Rev 10 to ERP-130,Rev 0 to App 1 of ERP-410,Rev 0 to App 2 of ERP-410 & Rev 5 to ERP-640.W/ 950510 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/10. 28pp. 84031:334-84031:361.

I. Financial information

9505180017 "PECO Energy Co 1994 Annual Rept." W/950512 ltr.
PAQUETTE,J.F., HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 48pp. 84024:302-84024:353.

P. Operating license stage documents & correspondence

9505230066 Comment supporting proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/26. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 3pp. 84001:328-84001:330.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040308 Notification of 950503 meeting w/util in Delta,PA to discuss issues re degraded voltage relay requirements in proposed improved TSs.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/04/28. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 4pp. 83756:355-83756:359.

9505110266 Notifies that TS change request 94-15,200/202, "HPCI Testing," has been implemented.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/01. Document Control Branch (Document Control Desk). 2pp. 83942:173-83942:174.

9505090248 Notification of 950531 meeting w/PECO Energy Co in North Bethesda,MD to discuss status of licensing issues at plants.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/03. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 5pp. 83856:126-83856:130.

9505110114 Informs of 950511 meeting w/util in Rockville,MD re util response to NRC positions concerning extended DG AOTs.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/04. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 5pp. 83936:318-83936:322.

9505150036 Forwards util response to NRC questions on Sections 3.6 & 3.7 re request to change TS to improved TS as contained in NUREG-1433 "STS,General Electric Plants,BWR/4."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 23pp. 83898:183-83898:201.

9505150049 Forwards util response to addl questions on Sections 2.0, 3.1,3.4 & 3.5 re request to change TS to improved TS as contained in NUREG-1433 "STS,GE Plants,BWR/4."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 16pp. 83898:228-83898:243.

9505150032 Discusses util submittal of TSs Change Request 93-16,which requested changes to App A of facility license for plant. Forwards info provided during 950410 conference call.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/08. Document Control Branch (Document Control Desk). 9pp. 83898:170-83898:178.

9505150205 Application for amend to licenses DPR-44 & DPR-56,consisting of change request 93-16 re conversion of current PBAPS TS to improved TS.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/09. Document Control Branch (Document Control Desk). 7pp. 83977:346-83977:358.

--9505150208 Proposed Tech Specs,consisting of change request 93-16 re conversion of current PBAPS TS to improved TS.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/09. 6pp. 83977:353-83977:358.

9505180059 Notification of 950516 meeting w/util in North Bethesda,MD to discuss NRC review of proposed LPRM calibr intervals.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/09. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 4pp. 83979:320-83979:323.

9505190003 Summary of 950512 meeting w/util re review of util application to adopt improved TSs.List of attendees & meeting handouts encl.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/12. Project Directorate I-2 (PD1-2) Post 941001). 17pp. 83984:015-83984:031.

9505260139 Forwards notice of consideration of issuance of amends to licenses DPR-44 & DPR-56 & proposed NSHC determination & opportunity for hearing.Amends represent full conversion from current TS to set of TS based on NUREG-1433.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/12. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84090:271-84090:283.

--9505260146 Notice of consideration of issuance of amends to licenses DPR-44 & DPR-56 & proposed NSHC determination & opportunity for hearing.Amends represent full conversion from current TS to set of TS based on NUREG-1433.
MORAN,D.H. Project Directorate I-2 (PD1-2) Post 941001). 95/05/12. 11pp. 84090:274-84090:283.

9505190329 Notification of 950522 meeting w/util in North Bethesda,MD to discuss review of util improved TS application & proposed new P/T limit rept.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/16. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 4pp. 83988:210-83988:213.

9505240127 Forwards amends 201 & 204 to licenses DPR-44 & DPR-56 & SE. Amends implement snubber functional test surveillance interval of 24 months.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84059:201-84059:214.

--9505240133 Amends 201 & 204 to licenses DPR-44 & DPR-56,respectively, implementing snubber functional test surveillance interval of 24 months.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/16. 8pp. 84059:204-84059:211.

--9505240140 Safety evaluation supporting amends 201 & 204 to licenses DPR-44 & DPR-56,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/16. 3pp. 84059:212-84059:214.

9505260190 Rev A to TSCR 93-16 re conversion to improved TSs as contained in NUREG-1433.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/16. Document Control Branch (Document Control Desk). 25pp. 84134:001-84136:031.

--9505260196 Proposed tech specs re conversion of improved TSs as contained in NUREG-1433.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/16. 732pp. 84134:028-84136:031.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310145 Requests approval to reduce GL-88-01 actions by eliminating insps of RWCU sys welds outboard of primary containment isolation valves.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/24. Document Control Branch (Document Control Desk). 3pp. 84163:232-84163:234.

Q. Inspection reports, IE Bulletins & correspondence

9505030090 Forwards insp repts 50-277/95-07 & 50-278/95-07 on 950306-09 & 0323.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/04/22. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 83721:130-83721:138.

--9505030094 Insp repts 50-277/95-07 & 50-278/95-07 on 950306-09 & 0323. No violations noted.Major areas inspected:licensed operator requalification training program.
SISCO,C., MEYER,G.W. Region 1 (Post 820201). 95/04/22. 6pp. 83721:133-83721:138.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030065 Ack receipt of 950411 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/95-05 & 50-278/95-05.
JOYNER,J.H. Region 1 (Post 820201). 95/04/27. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 83720:340-83720:351.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220006 Forwards insp repts 50-277/95-10 & 50-278/95-10 on 950417- 21.No violations noted.
JOYNER,J.H. . 95/05/11. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 83985:037-83985:048.

--9505220011 Insp repts 50-277/95-10 & 50-278/95-10 on 950417-21.No violations noted.Major areas inspected:confirmatory measurements - radiological,lab QA/QC & audits.
KOTTAN,J., MCNAMARA,N. Region 1 (Post 820201). 95/05/10. 9pp. 83985:040-83985:048.

R. Periodic operating reports & related correspondence

9505050018 Forwards Peach Bottom Units 2 & 3 annual 10CFR50.59 rept for period of Jan-Dec 1994.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83864:074-83864:114.

--9505050029 "Peach Bottom Atomic Power Station Unit 2 & 3 Annual 10CFR50.59 Rept,Jan-Dec 1994."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 39pp. 83864:076-83864:114.

9505190299 Monthly operating repts for Apr 1995 for Peach Bottom Units 2 & 3.W/ 950512 ltr.
JEFFREY,W.J., RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/30. 14pp. 84009:193-84009:206.

9505300202 Forwards 1994 Annual Radiological Environ Operating Rept 52 for plant Units 2 & 3 for 940101-1231.REMP found that plant effects on environ not measurable in any sample media except for small amount of Co-60 activity in two sediment samples.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84104:143-84104:268.

--9505300214 "PBAPS Units 2 & 3 Annual Radiological Environ Operating Rept," Rept 52 for period of 940101-1231.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 124pp. 84104:145-84104:268.

U. Congressional/Executive Correspondence

9504140194 Responds to 950213 request re info on approval process used for apparent exemptions from federal regulatory standards.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/04. STATORUM,R. Senate. 1p. 84190:291-84190:306.

--9505300347 Expresses concern about apparent exemptions in federal regulatory stds made for Peach Bottom 2 & 3 & TMI nuclear facilities.
SANTORUM,R. Senate. 95/02/13. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 1p. 84190:306-84190:306.

V. Operator Examinations

9505030090 Forwards insp repts 50-277/95-07 & 50-278/95-07 on 950306-09 & 0323.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/04/22. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 83721:130-83721:138.

--9505030094 Insp repts 50-277/95-07 & 50-278/95-07 on 950306-09 & 0323. No violations noted.Major areas inspected:licensed operator requalification training program.
SISCO,C., MEYER,G.W. Region 1 (Post 820201). 95/04/22. 6pp. 83721:133-83721:138.

9505090108 Informs that Region I can no longer participate in certificate presentations to licensed operator & SRO.Util mgt encouraged to continue efforts to recognize importance to safety required to obtain reactor operator license.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 83817:158-83817:159.

9505100112 Forwards both forms of exams,grading results & individual answer sheet re 950405 GFE section of written operator licensing exam.One individual administered exam & passed exam.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. STANKIEWICZ,J. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 83828:230-83828:231.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505110274 Revised emergency response procedures (ERP),including Rev 11 to ERP-600, "Personnel Safety Team Leader (PSTL)" & Rev 9 to ERP-620, "Plant Survey Group." W/950503 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/03. 58pp. 83933:145-83933:202.

9505150051 Forwards Rev a to "Upgraded EALs," based on methodology outlined in NUMARC/NESP-007.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 3pp. 84137:001-84137:324.

--9505150054 Rev a to "Upgraded EALs."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/26. 321pp. 84137:004-84137:324.

9505180595 Revised emergency response procedures (ERP),including Rev 10 to ERP-130,Rev 0 to App 1 of ERP-410,Rev 0 to App 2 of ERP-410 & Rev 5 to ERP-640.W/ 950510 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/10. 28pp. 84031:334-84031:361.

I. Financial information

9505180017 "PECO Energy Co 1994 Annual Rept." W/950512 ltr.
PAQUETTE,J.F., HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 48pp. 84024:302-84024:353.

P. Operating license stage documents & correspondence

9505150104 Forwards exemption from requirements of App J to 10CFR50 for plant in response to 950222 ltr.Exemption permits one-time 60-day extension of test period for type B & C tests for containment penetrations described in ltr.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/04/25. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 83930:006-83930:023.

--9505150129 Exemption from requirements of sections III.D.2(a) & III.D.3 of App J to 10CFR50,which requires that type B & C tests be performed during each reactor shutdown for refueling.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/04/25. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 83930:009-83930:015.

--9505150138 Safety evaluation accepting requested exemption,to allow type B & C tests intervals for listed penetrations to be extended 60 days from expiration date.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/25. 8pp. 83930:016-83930:023.

9505230066 Comment supporting proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/26. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 3pp. 84001:328-84001:330.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040308 Notification of 950503 meeting w/util in Delta,PA to discuss issues re degraded voltage relay requirements in proposed improved TSs.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/04/28. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 4pp. 83756:355-83756:359.

9505110266 Notifies that TS change request 94-15,200/202, "HPCI Testing," has been implemented.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/01. Document Control Branch (Document Control Desk). 2pp. 83942:173-83942:174.

9505090248 Notification of 950531 meeting w/PECO Energy Co in North Bethesda,MD to discuss status of licensing issues at plants.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/03. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 5pp. 83856:126-83856:130.

9505110114 Informs of 950511 meeting w/util in Rockville,MD re util response to NRC positions concerning extended DG AOTs.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/04. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 5pp. 83936:318-83936:322.

9505150036 Forwards util response to NRC questions on Sections 3.6 & 3.7 re request to change TS to improved TS as contained in NUREG-1433 "STS,General Electric Plants,BWR/4."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 23pp. 83898:183-83898:201.

9505150049 Forwards util response to addl questions on Sections 2.0, 3.1,3.4 & 3.5 re request to change TS to improved TS as contained in NUREG-1433 "STS,GE Plants,BWR/4."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 16pp. 83898:228-83898:243.

9505150032 Discusses util submittal of TSs Change Request 93-16,which requested changes to App A of facility license for plant. Forwards info provided during 950410 conference call.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/08. Document Control Branch (Document Control Desk). 9pp. 83898:170-83898:178.

9505150205 Application for amend to licenses DPR-44 & DPR-56,consisting of change request 93-16 re conversion of current PBAPS TS to improved TS.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/09. Document Control Branch (Document Control Desk). 7pp. 83977:346-83977:358.

--9505150208 Proposed Tech Specs,consisting of change request 93-16 re conversion of current PBAPS TS to improved TS.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/09. 6pp. 83977:353-83977:358.

9505180059 Notification of 950516 meeting w/util in North Bethesda,MD to discuss NRC review of proposed LPRM calibr intervals.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/09. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 4pp. 83979:320-83979:323.

9505190003 Summary of 950512 meeting w/util re review of util application to adopt improved TSs.List of attendees & meeting handouts encl.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/12. Project Directorate I-2 (PD1-2) Post 941001). 17pp. 83984:015-83984:031.

9505260139 Forwards notice of consideration of issuance of amends to licenses DPR-44 & DPR-56 & proposed NSHC determination & opportunity for hearing.Amends represent full conversion from current TS to set of TS based on NUREG-1433.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/12. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84090:271-84090:283.

--9505260146 Notice of consideration of issuance of amends to licenses DPR-44 & DPR-56 & proposed NSHC determination & opportunity for hearing.Amends represent full conversion from current TS to set of TS based on NUREG-1433.
MORAN,D.H. Project Directorate I-2 (PD1-2) Post 941001). 95/05/12. 11pp. 84090:274-84090:283.

9505190329 Notification of 950522 meeting w/util in North Bethesda,MD to discuss review of util improved TS application & proposed new P/T limit rept.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/16. STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 4pp. 83988:210-83988:213.

9505240127 Forwards amends 201 & 204 to licenses DPR-44 & DPR-56 & SE. Amends implement snubber functional test surveillance interval of 24 months.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84059:201-84059:214.

--9505240133 Amends 201 & 204 to licenses DPR-44 & DPR-56,respectively, implementing snubber functional test surveillance interval of 24 months.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/16. 8pp. 84059:204-84059:211.

--9505240140 Safety evaluation supporting amends 201 & 204 to licenses DPR-44 & DPR-56,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/16. 3pp. 84059:212-84059:214.

9505260190 Rev A to TSCR 93-16 re conversion to improved TSs as contained in NUREG-1433.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/16. Document Control Branch (Document Control Desk). 25pp. 84134:001-84136:031.

--9505260196 Proposed tech specs re conversion of improved TSs as contained in NUREG-1433.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/16. 732pp. 84134:028-84136:031.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310145 Requests approval to reduce GL-88-01 actions by eliminating insps of RWCU sys welds outboard of primary containment isolation valves.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/24. Document Control Branch (Document Control Desk). 3pp. 84163:232-84163:234.

Q. Inspection reports, IE Bulletins & correspondence

9505030090 Forwards insp repts 50-277/95-07 & 50-278/95-07 on 950306-09 & 0323.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/04/22. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 83721:130-83721:138.

--9505030094 Insp repts 50-277/95-07 & 50-278/95-07 on 950306-09 & 0323. No violations noted.Major areas inspected:licensed operator requalification training program.
SISCO,C., MEYER,G.W. Region 1 (Post 820201). 95/04/22. 6pp. 83721:133-83721:138.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030065 Ack receipt of 950411 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/95-05 & 50-278/95-05.
JOYNER,J.H. Region 1 (Post 820201). 95/04/27. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 83720:340-83720:351.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220006 Forwards insp repts 50-277/95-10 & 50-278/95-10 on 950417- 21.No violations noted.
JOYNER,J.H. . 95/05/11. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 83985:037-83985:048.

--9505220011 Insp repts 50-277/95-10 & 50-278/95-10 on 950417-21.No violations noted.Major areas inspected:confirmatory measurements - radiological,lab QA/QC & audits.
KOTTAN,J., MCNAMARA,N. Region 1 (Post 820201). 95/05/10. 9pp. 83985:040-83985:048.

R. Periodic operating reports & related correspondence

9505050018 Forwards Peach Bottom Units 2 & 3 annual 10CFR50.59 rept for period of Jan-Dec 1994.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83864:074-83864:114.

--9505050029 "Peach Bottom Atomic Power Station Unit 2 & 3 Annual 10CFR50.59 Rept,Jan-Dec 1994."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 39pp. 83864:076-83864:114.

9505190299 Monthly operating repts for Apr 1995 for Peach Bottom Units 2 & 3.W/ 950512 ltr.
JEFFREY,W.J., RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/30. 14pp. 84009:193-84009:206.

9505300202 Forwards 1994 Annual Radiological Environ Operating Rept 52 for plant Units 2 & 3 for 940101-1231.REMP found that plant effects on environ not measurable in any sample media except for small amount of Co-60 activity in two sediment samples.
RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84104:143-84104:268.

--9505300214 "PBAPS Units 2 & 3 Annual Radiological Environ Operating Rept," Rept 52 for period of 940101-1231.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 124pp. 84104:145-84104:268.

U. Congressional/Executive Correspondence

9504140194 Responds to 950213 request re info on approval process used for apparent exemptions from federal regulatory standards.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/04. STATORUM,R. Senate. 1p. 84190:291-84190:306.

--9505300347 Expresses concern about apparent exemptions in federal regulatory stds made for Peach Bottom 2 & 3 & TMI nuclear facilities.
SANTORUM,R. Senate. 95/02/13. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 1p. 84190:306-84190:306.

V. Operator Examinations

9505030090 Forwards insp repts 50-277/95-07 & 50-278/95-07 on 950306-09 & 0323.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/04/22. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 83721:130-83721:138.

--9505030094 Insp repts 50-277/95-07 & 50-278/95-07 on 950306-09 & 0323. No violations noted.Major areas inspected:licensed operator requalification training program.
SISCO,C. Region 1 (Post 820201). 95/04/22. 6pp. 83721:133-83721:138.

9505090108 Informs that Region I can no longer participate in certificate presentations to licensed operator & SRO.Util mgt encouraged to continue efforts to recognize importance to safety required to obtain reactor operator license.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 83817:158-83817:159.

9505100112 Forwards both forms of exams,grading results & individual answer sheet re 950405 GFE section of written operator licensing exam.One individual administered exam & passed exam.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. STANKIEWICZ,J. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 83828:230-83828:231.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505180102 Advises that rev 37 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.Rev 37 inconsistent w/guidance of NUREG-0654.
BARR,K.P. Region 2 (Post 820201). 95/05/03. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 83952:138-83952:141.

9505240087 Forwards rev 39 to "Surry Power Station Emergency Plan" & revised EPIPs,including rev 7 to EPIP-4.21,rev 8 to EPIP-5.04 & rev 11 to EPIP-5.05.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/15. Document Control Branch (Document Control Desk). 3pp. 84069:001-84069:216.

--9505240091 Rev 39 to "Surry Power Station Emergency Plan."
* Virginia Power (Virginia Electric & Power Co.). 95/04/21. 192pp. 84069:004-84069:195.

--9505240094 Revised EPIPs,including rev 7 to EPIP-4.21,rev 8 to EPIP-5.04 & rev 11 to EPIP-5.05.
* Virginia Power (Virginia Electric & Power Co.). 95/04/21. 21pp. 84069:196-84069:216.

9505260177 Forwards revs to corporate emergency response plan manual including revs to corporate implementing procedures.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/17. Document Control Branch (Document Control Desk). 3pp. 84088:177-84088:315.

--9505260186 Rev 4 to "Corporate Emergency Response Plan."
COLLINS,J.E. Virginia Power (Virginia Electric & Power Co.). 95/04/26. 71pp. 84088:180-84088:250.

--9505260191 Revised EPIPs,including rev 4 to CPIP-2.1,rev 4 to CPIP-3.0, rev 3 to CPIP-3.2,rev 4 to CPIP-5.0 & rev 4 to CPIP-7.0.
COLLINS,J.E. Virginia Power (Virginia Electric & Power Co.). 95/05/01. 65pp. 84088:251-84088:315.

9505300094 Informs util of results of review of recent performance at facility to determine if present planned insp effort for remaining SALP cycle should be revised before end date of 960803.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84077:010-84077:013.

P. Operating license stage documents & correspondence

9505020364 Forwards notice of 950406 withdrawal of 900516 amend request concerning proposed changes to modify TS re ref analysis of main steam line break scenarios in OLs.
BUCKLEY,B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/20. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 83706:279-83706:282.

9505030335 Forwards excerpted portions of Westinghouse rept describing changes to Westinghouse ECCS evaluation models applicable to plants & have been implemented during CY94.Info re effect of ECCS evaluation model changes also encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/04/25. Document Control Branch (Document Control Desk). 21pp. 83808:001-83808:021.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050310 Requests one-time exemption from requirements of Section III.D.1(a) of 10CFR50 App J,providing one-time interval extension for first Type A test of third 10 yr inservice interval from 42 months to approx 60 months.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/04/28. Document Control Branch (Document Control Desk). 15pp. 83839:248-83839:262.

9505050312 Forwards response to RAI received on 950302 re util 940830 core uprate TS change request.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/04/28. Document Control Branch (Document Control Desk). 5pp. 83839:263-83839:267.

9505090018 Provides comments on EPA PR re criteria for certification & determination of waste isolation pilot plant compliance w/ environ standards for mgt & disposal of SF,high-level & transuranic radwastes.Guidance re categorization needed.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/04/28. Environmental Protection Agency. 2pp. 83896:291-83896:292.

9505090155 Forwards amends 198 & 198 to licenses DPR-32 & DPR-37, respectively & safety evaluation.Amends incorporate operability & SR for power-operated relief valves to conform w/GL 90-06.
BUCKLEY,B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 83852:333-83852:359.

--9505090157 Amends 198 & 198 to licenses DPR-32 & DPR-37,respectively, incorporating operability & SR for power-operated relief valves to conform w/GL 90-06.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. 18pp. 83852:337-83852:354.

--9505090160 Safety evaluation supporting amends 198 & 198 to licenses DPR-32 & DPR-37.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 5pp. 83852:355-83852:359.

9505120041 Discusses Surry Core Uprate TS change request,including Surry Core Uprating Licensing Rept,which had been submitted for NRC review by 940830 ltr.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/05. Document Control Branch (Document Control Desk). 6pp. 83870:049-83870:054.

9505190088 Responds to telcons w/EH Greene of VA Power's Air Quality e Dept re use of methylene chloride in paint shop of Surry Power Station.Requests confirmation that painting operation exempt from toxics regulations.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 95/05/11. ZOELLER,J. Virginia, Commonwealth of. 11pp. 84010:282-84010:292.

9505260059 Recommends withdrawal of request dtd 950301 re permanent exemption from 10CFR50,app J,section III.A.5(b)(2) per SECY-94-036.Proposed rule for 10CFR50,app J & guidance documents,DG-1037 & NEI 94-01,should satisfy request.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84083:132-84083:135.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020075 Ack receipt of 950406 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/95-03 & 50-281/95-03.
LANDIS,K.D. Region 2 (Post 820201). 95/04/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83689:341-83689:343.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220191 Forwards response to NRC 950414 ltr re violation noted in insp repts 50-280/95-06 & 50-281/95-06.Corrective actions: revised operating procedures for RCS heatup & cooldown to ensure pressurizer heatup & cooldown rate limits monitored.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/15. Document Control Branch (Document Control Desk). 5pp. 84039:222-84039:226.

9505300094 Informs util of results of review of recent performance at facility to determine if present planned insp effort for remaining SALP cycle should be revised before end date of 960803.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84077:010-84077:013.

9505300055 Discusses insp repts 50-280/95-06 & 50-281/95-06 & forwards notice of violation.Violation of NRC concern because control of Measuring & Test Equipment program had not been effective.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 84076:262-84076:268.

--9505300058 Notice of violation from insp on 950305-0401.Violation noted:Unit 2 operated at power from 9:25 pm on 940624 am on 3:08 on 950203,w/o minimum number of low pressurizer reactor trip & pressurizer low-low pressure ESA channels operable.
* Region 2 (Post 820201). 95/05/18. 2pp. 84076:267-84076:268.

R. Periodic operating reports & related correspondence

9505020231 "Surry Power Station Radiological Environ Monitoring Program Jan-Dec 1994." W/950427 ltr.
NOCE,C.D., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/12/31. 100pp. 83762:001-83762:121.

9505040261 "Annual Radioactive Effluent Release Rept Surry Power Station Jan-Dec 1994." W/950426 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/12/31. 190pp. 83807:001-83807:190.

9505190304 Monthly operating repts for Apr 1995 for Surry Power Station Units 1 & 2.W/950511 ltr.
MASON,D., OLSEN,C. Virginia Power (Virginia Electric & Power Co.). 95/04/30. 18pp. 84010:338-84010:355.

S. Reportable occurrences, LERs & related correspondence

9505190131 LER 95-003-00:on 950412,Unit 1 operating at 45% reactor power due to dropped rod & out of band delta flux.Caused by failed stationary coil conductor for CR J-7.Plant placed in safe,hot shutdown condition.W/950512 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 95/05/12. 6pp. 84048:324-84048:329.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505020168 Forwards insp rept 72-0002/95-01 on 950329-30.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83691:020-83691:029.

--9505020170 Insp rept 72-0002/95-01 on 950329-30.No violations noted. Major areas inspected:licensee radiological protection program including audits,changes to program,external exposure controls & surveys.
LOO,W.T., RANKIN,W.H. Region 2 (Post 820201). 95/04/20. 7pp. 83691:023-83691:029.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505180102 Advises that rev 37 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.Rev 37 inconsistent w/guidance of NUREG-0654.
BARR,K.P. Region 2 (Post 820201). 95/05/03. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 83952:138-83952:141.

9505240087 Forwards rev 39 to "Surry Power Station Emergency Plan" & revised EPIPs,including rev 7 to EPIP-4.21,rev 8 to EPIP-5.04 & rev 11 to EPIP-5.05.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/15. Document Control Branch (Document Control Desk). 3pp. 84069:001-84069:216.

--9505240091 Rev 39 to "Surry Power Station Emergency Plan."
* Virginia Power (Virginia Electric & Power Co.). 95/04/21. 192pp. 84069:004-84069:195.

--9505240094 Revised EPIPs,including rev 7 to EPIP-4.21,rev 8 to EPIP-5.04 & rev 11 to EPIP-5.05.
* Virginia Power (Virginia Electric & Power Co.). 95/04/21. 21pp. 84069:196-84069:216.

9505260177 Forwards revs to corporate emergency response plan manual including revs to corporate implementing procedures.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/17. Document Control Branch (Document Control Desk). 3pp. 84088:177-84088:315.

--9505260186 Rev 4 to "Corporate Emergency Response Plan."
COLLINS,J.E. Virginia Power (Virginia Electric & Power Co.). 95/04/26. 71pp. 84088:180-84088:250.

--9505260191 Revised EPIPs,including rev 4 to CPIP-2.1,rev 4 to CPIP-3.0, rev 3 to CPIP-3.2,rev 4 to CPIP-5.0 & rev 4 to CPIP-7.0.
COLLINS,J.E. Virginia Power (Virginia Electric & Power Co.). 95/05/01. 65pp. 84088:251-84088:315.

9505300094 Informs util of results of review of recent performance at facility to determine if present planned insp effort for remaining SALP cycle should be revised before end date of 960803.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84077:010-84077:013.

P. Operating license stage documents & correspondence

9505020364 Forwards notice of 950406 withdrawal of 900516 amend request concerning proposed changes to modify TS re ref analysis of main steam line break scenarios in OLs.
BUCKLEY,B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/20. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 83706:279-83706:282.

9505030335 Forwards excerpted portions of Westinghouse rept describing changes to Westinghouse ECCS evaluation models applicable to plants & have been implemented during CY94.Info re effect of ECCS evaluation model changes also encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/04/25. Document Control Branch (Document Control Desk). 21pp. 83808:001-83808:021.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050312 Forwards response to RAI received on 950302 re util 940830 core uprate TS change request.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/04/28. Document Control Branch (Document Control Desk). 5pp. 83839:263-83839:267.

9505090018 Provides comments on EPA PR re criteria for certification & determination of waste isolation pilot plant compliance w/ environ standards for mgt & disposal of SF,high-level & transuranic radwastes.Guidance re categorization needed.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/04/28. Environmental Protection Agency. 2pp. 83896:291-83896:292.

9505090155 Forwards amends 198 & 198 to licenses DPR-32 & DPR-37, respectively & safety evaluation.Amends incorporate operability & SR for power-operated relief valves to conform w/GL 90-06.
BUCKLEY,B.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 83852:333-83852:359.

--9505090157 Amends 198 & 198 to licenses DPR-32 & DPR-37,respectively, incorporating operability & SR for power-operated relief valves to conform w/GL 90-06.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. 18pp. 83852:337-83852:354.

--9505090160 Safety evaluation supporting amends 198 & 198 to licenses DPR-32 & DPR-37.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 5pp. 83852:355-83852:359.

9505120041 Discusses Surry Core Uprate TS change request,including Surry Core Uprating Licensing Rept,which had been submitted for NRC review by 940830 ltr.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/05. Document Control Branch (Document Control Desk). 6pp. 83870:049-83870:054.

9505190088 Responds to telcons w/EH Greene of VA Power's Air Quality e Dept re use of methylene chloride in paint shop of Surry Power Station.Requests confirmation that painting operation exempt from toxics regulations.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 95/05/11. ZOELLER,J. Virginia, Commonwealth of. 11pp. 84010:282-84010:292.

9505230190 Forwards Rev 0 to Technical Rept NE-1023, "Surry Unit 2, Cycle 13 Start-up Physics Tests Rept," summarizing results of physics testing program performed after initial criticality of Cycle 13 on 950319.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/05/17. EBNETER,S.D. Region 2 (Post 820201). 1p. 84051:170-84051:229.

--9505230209 Rev 0 to "Surry Unit 2,Cycle 13 Startup Physics Tests Rept."
CLEMENS,C.D., TRACE,D.A., LAWRENCE,D.C. Virginia Power (Virginia Electric & Power Co.). NE-1023. 95/05/08. 58pp. 84051:171-84051:229.

9505230201 Forwards util technical rept NE-1011,Rev 0,entitled, "Surry Unit 2,Cycle 12 Core Performance Rept."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/05/17. Document Control Branch (Document Control Desk). 1p. 84051:104-84051:161.

--9505230204 "Surry Unit 2 Cycle 12 Core Performance Rept," dtd Mar 1995.
MILLER,W.S., VILLAFLOR,R.F., BROOKMIRE,T.A. Virginia Power (Virginia Electric & Power Co.). NE-1011 R00. 95/04/10. 55pp. 84051:105-84051:161.

9505260059 Recommends withdrawal of request dtd 950301 re permanent exemption from 10CFR50,app J,section III.A.5(b)(2) per SECY-94-036.Proposed rule for 10CFR50,app J & guidance documents,DG-1037 & NEI 94-01,should satisfy request.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84083:132-84083:135.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020075 Ack receipt of 950406 ltr informing NRC of steps taken to correct violations noted in insp repts 50-280/95-03 & 50-281/95-03.
LANDIS,K.D. Region 2 (Post 820201). 95/04/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83689:341-83689:343.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050201 Requests relief from certain requirements of ASME Secton XI associated w/partial exams conducted during 1995 plant refueling outage ISI.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/04/28. Document Control Branch (Document Control Desk). 20pp. 83837:338-83837:357.

9505110048 Summarizes 950424 enforcement conference in Atlanta,GA re apparent violation of plant TSs in area of pressurizer pressure instrumentation calibr.List of attendees & VEPCO presentation encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 32pp. 83851:096-83851:127.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505190381 Submits clarification on ISI program relief request RR-6, based on statement in NRC 95008 ltr.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84012:356-84012:357.

9505220191 Forwards response to NRC 950414 ltr re violation noted in insp repts 50-280/95-06 & 50-281/95-06.Corrective actions: revised operating procedures for RCS heatup & cooldown to ensure pressurizer heatup & cooldown rate limits monitored.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/15. Document Control Branch (Document Control Desk). 5pp. 84039:222-84039:226.

9505300094 Informs util of results of review of recent performance at facility to determine if present planned insp effort for remaining SALP cycle should be revised before end date of 960803.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84077:010-84077:013.

9505300055 Discusses insp repts 50-280/95-06 & 50-281/95-06 & forwards notice of violation.Violation of NRC concern because control of Measuring & Test Equipment program had not been effective.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 84076:262-84076:268.

--9505300058 Notice of violation from insp on 950305-0401.Violation noted:Unit 2 operated at power from 9:25 pm on 940624 am on 3:08 on 950203,w/o minimum number of low pressurizer reactor trip & pressurizer low-low pressure ESA channels operable.
* Region 2 (Post 820201). 95/05/18. 2pp. 84076:267-84076:268.

R. Periodic operating reports & related correspondence

9505020231 "Surry Power Station Radiological Environ Monitoring Program Jan-Dec 1994." W/950427 ltr.
NOCE,C.D., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/12/31. 100pp. 83762:001-83762:121.

9505040261 "Annual Radioactive Effluent Release Rept Surry Power Station Jan-Dec 1994." W/950426 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/12/31. 190pp. 83807:001-83807:190.

9505190304 Monthly operating repts for Apr 1995 for Surry Power Station Units 1 & 2.W/950511 ltr.
MASON,D., OLSEN,C. Virginia Power (Virginia Electric & Power Co.). 95/04/30. 18pp. 84010:338-84010:355.

S. Reportable occurrences, LERs & related correspondence

9505300076 PNO-II-95-030:on 950521,operators at plant initiated manual reactor trip from 100% power in response to four group 2 control bank A control rods dropping into core.Caused by faulty stationary coil voltage regulating circuit board.
* Region 2 (Post 820201). 95/05/23. 1p. 84076:332-84076:332.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505020168 Forwards insp rept 72-0002/95-01 on 950329-30.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83691:020-83691:029.

–9505020170 Insp rept 72-0002/95-01 on 950329-30.No violations noted. Major areas inspected:licensee radiological protection program including audits,changes to program,external exposure controls & surveys.
LOO,W.T., RANKIN,W.H. Region 2 (Post 820201). 95/04/20. 7pp. 83691:023-83691:029.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505110253 Forwards summary rept,encapsulating investigation & corrective actions for inappropriate statement by security officer,as requested on 950417.
AXT,D.A. Northern States Power Co. 95/04/24. PIRTLE,G. Region 3 (Post 820201). 5pp. 83942:175-83942:179.

9505020218 Ack receipt of 941202 ltr transmitting changes identified in rev 32 to plant security plan.Changes acceptable & being withheld from public disclosure per 10CFR73.21.
CREED,J.R. Region 3 (Post 820201). 95/04/25. ANDERSON,R.O. Northern States Power Co. 1p. 83799:354-83799:354.

9505030061 Forwards info to clarify & support util modified corrective action response to OSRE weapons training concerns.Encl withheld per 10CFR73.21.
WADLEY,M.D. Northern States Power Co. 95/04/25. Document Control Branch (Document Control Desk). 1p. 83783:328-83783:328.

9505090217 Ack receipt of 950109 ltr,which transmitted changes identified as rev 7 to plant safeguards contingency plan.
CREED,J.R. Region 3 (Post 820201). 95/04/28. ANDERSON,R.O. Northern States Power Co. 2pp. 83962:358-83962:359.

H. General correspondence

9505090123 Comment on proposed rule 10CFR50 re primary reactor containment leakage testing for water-cooled power reactors. Urges NRC to support rev to NEI 94-01 which will allow use of two reduced pressure Type A tests as prerequisites.
WADLEY,M.D. Northern States Power Co. 95/04/28. Docketing & Services Branch. 4pp. 83817:185-83817:188.

I. Financial information

9505020143 "1994 Annual Rept," for Monticello Nuclear Generating Station.W/950424 ltr.
ANDERSON,R.O. Northern States Power Co. 94/12/31. 54pp. 83791:268-83791:322.

9505090003 Forwards schedule showing cash flow generated by util in 1994 & includes project flow for 1995.Util 1994 10-K annual rept encl.
CURRIER,J.A. Northern States Power Co. 95/04/27. Office of Nuclear Reactor Regulation (Post 941001). 88pp.

P. Operating license stage documents & correspondence

9505020349 Forwards nonproprietary WCAP-14330 & proprietary WCAP-13032, Rev 1, "Handbook on Flaw Evaluation Prairie Island Units 1 & 2 SGs Upper Shell to Dome Weld Region." Propriretary rept withheld per 10CFR2.790.
ANDERSON,R.O. Northern States Power Co. 95/04/24. Document Control Branch (Document Control Desk). 4pp. 83814:001-83814:085.

–9505020351 Requests that proprietary WCAP-13032,Rev 1, "Handbook on Flaw Evaluation Prairie Island Units 1 & 2 SGs Upper Shell to Dome Weld Region" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/05. RUSSELL,W.T. Document Control Branch (Document Control Desk). 6pp. 83814:005-83814:012.

–9505020354 Nonproprietary "Handbook on Flaw Evaluation Prairie Island Units 1 & 2 SGs Upper Shell to Dome Weld Region."
TANDON,S., PRAGER,D.E., SCHMERTZ,J.C. Westinghouse Electric Corp. WCAP-14330. 95/03/31. 74pp. 83814:013-83814:085.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110215 Forwards Annual Rept of ECCS Model Changes & Errors For 1994,per 10CFR50.46.
ANDERSON,R.O. Northern States Power Co. 95/05/02. Document Control Branch (Document Control Desk). 17pp. 83930:222-83930:238.

9505110319 Closes out commitment to provide semiannual configuration mgt status rept for plants.
ANDERSON,R.O. Northern States Power Co. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83945:301-83945:302.

9505120140 Application for amends to licenses DPR-42 & DPR-60.Amends would revise plant MSSV lift setting tolerances.
WADLEY,M.D. Northern States Power Co. 95/05/04. Document Control Branch (Document Control Desk). 19pp. 83928:293-83928:360.

–9505120145 Proposed tech specs reflecting rev to plant MSSV lift setting tolerances.
* Northern States Power Co. 95/05/04. 49pp. 83928:312-83928:360.

9505220036 Forwards amends 118 & 111 to licenses DPR-42 & DPR-60, respectively & SE.Amends change TS to allow use of alternate SG tube plugging criteria for part of tubes within tubesheet.
WETZEL,B.A. . 95/05/15. ANDERSON,R. Northern States Power Co. 3pp. 84010:176-84010:203.

–9505220041 Amends 118 & 111 to licenses DPR-42 & DPR-60,respectively, changing TS to allow use of alternate SG tube plugging criteria for part of tubes within tubesheets.
WETZEL,B.A. . 95/05/15. 2pp. 84010:179-84010:194.

–9505220042 Safety evaluation supporting amends 118 & 111 to licenses DPR-42 & DPR-60,respectively.
* . 95/05/15. 9pp. 84010:195-84010:203.

9505250022 Provides suppl to 941205 application for amend to licenses DPR-42 & DPR-60.Modifications to original application in area re containment door in each air lock & containment fan coil unit fans available to operate at high speed.
WADLEY,M.D. Northern States Power Co. 95/05/15. Document Control Branch (Document Control Desk). 4pp. 84075:123-84075:139.

–9505250024 Proposed tech specs reflecting suppl mods re containment refueling integrity requirements.
* Northern States Power Co. 95/05/15. 13pp. 84075:127-84075:139.

9505230247 Confirms commitments made during discussions w/NRC staff following premature actuation of auxiliary building crane overload sensing device during lifting of TN-40 cask on 950513.
WADLEY,M.D. Northern States Power Co. 95/05/16. Document Control Branch (Document Control Desk). 2pp. 84051:314-84051:315.

9505250166 Provides addl info re auxiliary bldg crane overload protection sys actuation.
WADLEY,M.D. Northern States Power Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84099:239-84099:240.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310248 Provides updated info re plant 950315 response to RAI re F* SG license amend request,dtd 950109.
ANDERSON,R.O. Northern States Power Co. 95/05/24. Document Control Branch (Document Control Desk). 2pp. 84145:239-84145:240.

Q. Inspection reports, IE Bulletins & correspondence

9504240061 Confirms discussion between M Wadley & EG Greenman to hold meeting on 950428 to discuss results of special team insp re Dry Cask Storage Program.
GREENMAN,E.G. Region 3 (Post 820201). 95/04/13. WATZL,E. Northern States Power Co. 2pp. 83598:099-83598:099.

9504250106 Responds to 950125 ltr & provides addl info re insp rept 72-0010/94-212.
WATZL,E.L. Northern States Power Co. 95/04/20. Document Control Branch (Document Control Desk). 4pp. 83654:331-83654:334.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090029 Informs of NRC decision to conduct reduced scope svc water sys operational performance insp in lieu of extensive insp required by TI 2515/118.
GRANT,G.E. Region 3 (Post 820201). 95/05/03. WATZL,E. Northern States Power Co. 2pp. 83816:143-83816:144.

9505190061 Forwards insp repts 50-282/95-04 & 50-306/95-04 on 950316- 0504.No violations noted.Continuing efforts to develop program to assess risk involved w/ taking multiple components out of svc for on-line maint commendable.
KROPP,W.J. Region 3 (Post 820201). 95/05/05. WATZL,E. Northern States Power Co. 4pp. 83973:147-83973:160.

–9505190073 Insp repts 50-282/95-04 & 50-306/95-04 on 950316-0504.No violations noted.Major areas inspected:work planning & configuration mgt re three on-line maint activities that occurred during period from 950309 to 950414.
KROPP,W.J. Region 3 (Post 820201). 95/05/05. 10pp. 83973:151-83973:160.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220051 Forwards safety evaluation concluding that composite storage cask at plant acceptable w/o any addl hydrostatic testing & other casks under Part 72 license need to be tested w/ 25 psig hydrostatic pressure on inner containment vessel.
ADENSAM,E.G. . 95/05/11. GREENMAN,E.G. Region 3 (Post 820201). 1p. 84010:215-84010:221.

–9505220056 Safety evaluation concluding that composite storage cask at plant acceptable w/o any addl hydrostatic testing & other casks under Part 72 license need to be tested w/25 psig hydrostatic pressure on inner containment vessel only.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 6pp. 84010:216-84010:221.

R. Periodic operating reports & related correspondence

9505040269 Forwards "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1994."
ANDERSON,R.O. Northern States Power Co. 95/04/26. Document Control Branch (Document Control Desk). 1p. 83807:191-83807:271.

–9505040268 "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1994."
HUEBNER,L.G. Teledyne Isotopes. 94/12/31. 83pp. 83807:192-83807:271.

9505100012 Forwards monthly operating repts for Apr 1995 & revised repts for Jan,Feb & Mar 1995.
ANDERSON,R.O. Northern States Power Co. 95/05/03. Document Control Branch (Document Control Desk). 1p. 83889:177-83889:191.

--9505100014 Monthly operating repts for Apr 1995 for Prairie Island Nuclear Plant.
DUGSTAD,D. Northern States Power Co. 95/04/30. 8pp. 83889:178-83889:185.

--9505100015 Revised monthly operating repts for Mar 1995 for Prairie Island Nuclear Plant.
DUGSTAD,D. Northern States Power Co. 95/03/31. 2pp. 83889:186-83889:187.

--9505100028 Revised monthly operating repts for Feb 1995 for Prairie Island Nuclear Plant.
DUGSTAD,D. Northern States Power Co. 95/02/28. 2pp. 83889:188-83889:189.

--9505100033 Monthly operating repts for Jan 1995 for Prairie Island Nuclear Plant.
DUGSTAD,D. Northern States Power Co. 95/01/31. 2pp. 83889:190-83889:191.

S. Reportable occurrences, LERs & related correspondence

9505020280 LER 95-005-00:on 950327,applied incorrect calibr tolerance limits to portable vibration instruments used to satisfy ASME Section XI pump surveillance.Caused by ambiguous vendor technical manual instructions.Revised calibr.W/950425 ltr.
HUNSTAD,A.A., ANDERSON,R.O. Northern States Power Co. 95/04/25. 4pp. 83790:001-83790:004.

9505100007 LER 95-004-00:on 950311,CW supply valve gave dual position indication.Caused by piece of wire that had been left in CW pipe,found in cage.Wire removed & valve reassembled,valve stroke checked & limits switches set.W/950504 ltr.
HUNSTAD,A.A., ANDERSON,R.O. Northern States Power Co. 95/05/04. 4pp. 83924:110-83924:113.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M. Commonwealth Edison Co. 1p. 83758:313-83758:313.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505190056 Discusses load testing of dry cask trunnions at plant. Requests assistance in determining if application of 150% of actual load acceptable in lieu of load test of 150% or 300% in correct direction.
GREENMAN,E.G. Region 3 (Post 820201). 95/03/27. CARPENTER,C.A. . 2pp. 83973:139-83973:140.

9505020118 Responds to 950310 ltr which requested comments on draft MOU among Bureau of Indian Affairs,several other Federal agencies & Prairie Island Dakota Indian Community.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/12. MOFFETT,E. Interior, Dept. of, Bureau of Indian Affairs. 2pp. 83690:198-83690:222.

--9505020120 Requests comments on encl draft MOU by 950414 & help in drafting action plan.Action plan will describe specific actions that each agency has in areas of mutual interest.
MOFFETT,E. Interior, Dept. of, Bureau of Indian Affairs. 95/03/10. TAYLOR,J. Ofc of the Executive Director for Operations. 13pp. 83690:210-83690:222.

9504240061 Confirms discussion between M Wadley & EG Greenman to hold meeting on 950428 to discuss results of special team insp re Dry Cask Storage Program.
GREENMAN,E.G. Region 3 (Post 820201). 95/04/13. WATZL,E. Northern States Power Co. 2pp. 83598:099-83598:099.

9504250106 Responds to 950125 ltr & provides addl info re insp rept 72-0010/94-212.
WATZL,E.L. Northern States Power Co. 95/04/20. Document Control Branch (Document Control Desk). 4pp. 83654:331-83654:334.

9505030409 Forwards rept of preoperational test acceptance criteria & test results for Prairie Island ISFSI.W/Work Orders 9500766, 9500910,9501131,9501488,9501361 & Rev 0 to Maint Procedure D95.1 & Draft Rev 0 to Maint Procedure D95.2.
ANDERSON,R.O. Northern States Power Co. 95/04/20. Document Control Branch (Document Control Desk). 486pp. 83796:001-83797:281.

--9505030411 Rev 0 to Maint Procedure D95.1, "TN-40 Cask Loading Procedure."
* Northern States Power Co. 94/12/22. 159pp. 83797:123-83797:281.

9505020397 Submits info re hydrostatic test of TN-40 cask.
ANDERSON,R.O. Northern States Power Co. 95/04/26. Document Control Branch (Document Control Desk). 24pp. 83791:323-83791:346.

9505190062 Discusses dry cask storage issues at plant.Requests assistance in determining appropriate hydrostatic test requirements for TN-40 cask & evaluation of welding noncompliances w/ASME Section III Class I.
GREENMAN,E.G. Region 3 (Post 820201). 95/05/02. CARPENTER,C.A. . 1p. 83973:161-83973:161.

9505100025 Provides info in response to questions raised during 950428 public meeting on plant ISFSI.
ANDERSON,R.O. Northern States Power Co. 95/05/03. Document Control Branch (Document Control Desk). 3pp. 83873:194-83873:196.

9505150114 Provides info re unloading of TN-40 cask.
STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/05. ANDERSON,R.O. Northern States Power Co. 2pp. 83942:360-83942:361.

9505250080 Forwards certified resolution adopted by City Council of Lake City,dtd 950509 re storage of high-level nuclear waste as proposed by NSP.
BREMER,W. Affiliation Not Assigned. 95/05/10. Region 3 (Post 820201). 4pp. 84063:305-84063:308.

9505180442 Forwards exemption from requirements of 10CFR72 for submittal of rept of preoperational test acceptance criteria & test results at least 30 days prior to receipt of SF or high-level radwaste.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. ANDERSON,R.O. Northern States Power Co. 4pp. 84013:275-84013:284.

--9505180450 Exemption from requirements of 10CFR72 for submittal of rept of preoperational test acceptance criteria & test results at least 30 days prior to receipt of SF or high-level radwaste.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. 6pp. 84013:279-84013:284.

9505220051 Forwards safety evaluation concluding that composite storage cask at plant acceptable w/o any addl hydrostatic testing & other casks under Part 72 license need to be tested w/ 25 psig hydrostatic pressure on inner containment vessel.
ADENSAM,E.G. . 95/05/11. GREENMAN,E.G. Region 3 (Post 820201). 1p. 84010:215-84010:221.

--9505220056 Safety evaluation concluding that composite storage cask at plant acceptable w/o any addl hydrostatic testing & other casks under Part 72 license need to be tested w/25 psig hydrostatic pressure on inner containment vessel only.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 6pp. 84010:216-84010:221.

9505180225 "NRC Staff Authorizes Loading of Dry Cask Spent Fuel Storage Sys at Prairie Island Nuclear Power Station in MN."
* Office of Public Affairs (Post 911117). 95/05/12. 2pp. 84030:346-84030:347.

9505260165 Notifies of 950605 meeting w/NSP in Rockville,MD re new independent spent fuel storage installation NSP plans to build near Prairie Island.
SCHNEIDER,J.F. Office of Nuclear Material Safety & Safeguards. 95/05/18. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 84099:289-84099:290.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

H. General correspondence

9505150123 Informs of change in legal firm from LeBouf,Lamb,Greene & MacRae to Winston & Strawn.New name & address of attys provided.Requests that mailing distribution be updated.
PATTERSON,T.L. Omaha Public Power District. 95/05/05. Document Control Branch (Document Control Desk). 1p. 83898:327-83898:327.

P. Operating license stage documents & correspondence

9505040354 Ltr contract NRC-04-91-068,mod 2,task order 40,extending period of performance at no addl cost or obligation to government,to "IPE Reviews,Internal Events - Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83747:359-83747:360.

9505030465 Forwards corrected versions of response to NRC RAI re RV structural integrity & updated info on weld chemical content,estimated fluence projected RTPTS & projected use for FCS RV submitted by util 950405 ltr.
PATTERSON,T.L. Omaha Public Power District. 95/04/21. Document Control Branch (Document Control Desk). 17pp. 83807:344-83807:360.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505150062 Forwards amend to license DPR-40,revising TSs 2.3,3.1,3.2, 3.3 & 3.6 of plant TS.
GATES,W.G. Omaha Public Power District. 95/05/08. Document Control Branch (Document Control Desk). 2pp. 83938:050-83938:075.

--9505150064 Application for amend to license DPR-40,incorporating revs per GL 93-05 to Specs 2.3,3.1,3.2,3.3 & 3.6.
GATES,W.G. Omaha Public Power District. 95/05/08. 2pp. 83938:052-83938:053.

--9505150066 Proposed tech specs,incorporating proposed revs per GL 93-05 to Specs 2.3,3.1,3.2,3.3 & 3.6.
* Omaha Public Power District. 95/05/08. 22pp. 83938:054-83938:075.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030019 Forwards two insp repts 50-285/95-04 & 50-285/95-25 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 83720:047-83720:091.

--9505030038 Insp Procedure 40501, "Licensee Self-Assessment Related to Safety Issues Insp."
* Region 4 (Post 820201). 95/08/25. 4pp. 83720:088-83720:091.

9505030051 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83720:235-83720:278.

9505030055 Forwards copy of ltr sent to all Region IV power reactor licensees re results of NRC review of svc water sys self-assessment performed by util,as well as NRC special insp of significant safety issue identified by assessment.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. PATTERSON,T.L. Omaha Public Power District. 3pp. 83720:281-83720:285.

--9505030072 Forwards two insp repts which document results of NRC review of self-assessment performed by util at plant,as well as NRC special insp of significant safety issue identified by util self-assessment.W/o encls.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. RUEGER,G.M. Pacific Gas & Electric Co. 1p. 83720:285-83720:285.

9505030057 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. RAY,H.B. Southern California Edison Co. 5pp. 83720:286-83720:330.

9505030067 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 83721:001-83721:045.

9505030073 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 83721:046-83721:090.

9505030095 Forwards insp repts documenting results of NRC review of self-assessment performed by util & NRC insp of significant safety issue identified by util self-assessment.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 83721:140-83721:183.

9505030102 Forwards copy of insp repts documenting results of NRC review of self assessment performed by util at plant & special insp of SI identified.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. PARRISH,J.V. Washington Public Power Supply System. 5pp. 83721:186-83721:229.

9505030112 Forwards insp repts documenting results of NRC review of self-assessment performed by util & NRC insp of significant safety issue identified by util self-assessment.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. HORN,G.R. Nebraska Public Power District. 5pp. 83721:259-83721:305.

9505030126 Forwards copy of insp repts documenting results of NRC review of self assessment performed by util at plant & special insp of SI identified.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 83722:001-83722:045.

9505030292 Forwards two insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 83722:236-83722:260.

9505030003 Ack receipt of 950411 ltr informing NRC of steps taken to correct violations noted in insp rept 50-285/95-03.
COLLINS,S.J. Region 4 (Post 820201). 95/04/27. PATTERSON,T.L. Omaha Public Power District. 4pp. 83720:003-83720:010.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090213 Notification of 950510 meeting w/util in Rockville,MD to discuss plant third 10-yr ISI program.
BLOOM,S.D. . 95/05/02. BATEMAN,W.H. . 3pp. 83854:032-83854:035.

9505180325 Forwards insp rept 50-285/95-06 on 950327-31.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/10. PATTERSON,T.L. Omaha Public Power District. 4pp. 83953:291-83953:307.

--9505180328 Insp rept 50-285/95-06 on 950327-31.No violations noted. Major areas inspected:radiation protection activities in support of refueling outage.
MURRAY,B. Region 4 (Post 820201). 95/05/08. 13pp. 83953:295-83953:307.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230054 Forwards insp rept 50-285/95-04 on 950226-0408 & NOV. Violations represent lack of attention to detail by licensed operators.
BEACH,A.B. Region 4 (Post 820201). 95/05/16. PATTERSON,T.L. Omaha Public Power District. 5pp. 84001:176-84001:204.

--9505230063 Notice of violation from insp on 950226-0408.Violation noted:licensed operators removed from core fuel bundle located in position C13,out of prescribed sequence.
* Region 4 (Post 820201). 95/05/16. 2pp. 84001:181-84001:182.

--9505230070 Insp rept 50-285/95-04 on 950226-0408.Violations noted. Major areas inspected:operational safety verification, plant support activities,maint & surveillance activities, & onsite engineering.
JOHNSON,W.D. Region 4 (Post 820201). 95/05/15. 22pp. 84001:183-84001:204.

9505250179 Summary of 950510 meeting w/util re third 10-year inservice insp program for station.List of attendees & handouts encl.
LIU,T.Y. . 95/05/22. . 10pp. 84075:210-84075:219.

R. Periodic operating reports & related correspondence

9505100131 "Fort Calhoun Station Unit 1 Annual Rept for Tech Spec Section 5.9.1.B Jan-Dec 1994." W/950430 ltr.
PATTERSON,T.L. Omaha Public Power District. 94/12/31. 500pp. 83907:001-83908:136.

9505120030 "Fort Calhoun Station Radiological Environ Operating Rept TS 5.9.4.b," for period of 940101-1231.W/950430 ltr.
PATTERSON,T.L. Omaha Public Power District. 94/12/31. 41pp. 83935:292-83935:333.

9505220172 Monthly operating rept for Apr 1995 for FCS Unit 1.W/950515 ltr.
LIPPY,D.L., PATTERSON,T.L. Omaha Public Power District. 95/04/30. 7pp. 84039:198-84039:204.

9505310231 Forwards "Fort Calhoun Station Performance Indicators Apr 1995."
PATTERSON,T.L. Omaha Public Power District. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84145:001-84145:100.

--9505310234 "Fort Calhoun Station Performance Indicators Apr 1995."
* Omaha Public Power District. 95/04/30. 99pp. 84145:002-84145:100.

S. Reportable occurrences, LERs & related correspondence

9505180110 PNO-IV-95-006:on 950220,plant prematurely entered 1995 refueling outage scheduled for 950211 & began shutdown due to leakage from control element assembly 35.State of NE notified & press release issued.
JOHNSON,W.D., AZUA,R.V. Region 4 (Post 820201). 95/02/21. 1p. 83952:162-83952:162.

9505150047 LER 95-002-00:on 950327,containment polar crane was used to move reactor vessel internals lift rig over reactor vessel.USAR & TS did not clearly identify containment closure requirements.CA will revise USAR.W/950508 ltr.
GESCHWENDER,J., PATTERSON,T.L. Omaha Public Power District. 95/05/08. 8pp. 83899:085-83899:092.

V. Operator Examinations

9505050028 Forwards copy of master exam re Generic Fundamentals Exam Section of written operator licensing exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. PATTERSON,T.L. Omaha Public Power District. 2pp. 83758:089-83758:090.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505020213 Forwards replacement pages to updated EALs recently proposed for facility.Changes to pages reflect recent telcon between util & NRC re logic for entry into EAL Section 8.1.4, "General Emergency."
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/04/25. Document Control Branch (Document Control Desk). 4pp. 83757:333-83757:336.

9505220024 Forwards insp rept 50-286/95-81 on 950130-0324.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/11. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 4pp. 83985:077-83985:132.

--9505220031 Insp rept 50-286/95-81 on 950130-0324.No violations noted. Major areas inspected:adequacy of util followup actions to resolve fire protection,App R & EDSFI followup or NRC restart issues.
SKOKOWSKI,R.A. Region 1 (Post 820201). 95/05/11. 45pp. 83985:081-83985:132.

9505300035 Revised EPIPs,including revised Table of Contents,rev 3 to IP-2001 & voided rev 5 to IP-1085.
CHUBARD,M.A. Power Authority of the State of New York (New York Power Authority). 95/05/16. 22pp. 84104:308-84104:329.

9505310086 Forwards insp rept 50-286/95-08 on 950508-11.No safety concerns or violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/23. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 84095:348-84095:356.

--9505310105 Insp rept 50-286/95-08 on 950508-11.No safety concerns or violations noted.Major areas inspected:effectiveness of mgt controls,security program plans,maintenance,compensatory measures,security training & qualification.
KING,E.B., SMITH,G.C. Region 1 (Post 820201). 95/05/11. 6pp. 84095:351-84095:356.

H. General correspondence

9505220199 Responds to 950413 ltr to NRC Chairman Selin re regulatory oversight responsibility of nuclear facilities for protection of public health & safety.
RUSSELL,W. Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. GRUSKIN,D. New York, State of. 6pp. 84002:246-84002:251.

I. Financial information

9505040008 "Annual Rept 1994." W/950426 ltr.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 94/12/31. 48pp. 83837:220-83837:269.

P. Operating license stage documents & correspondence

9505250218 Ack receipt of 950316 internet mail from P Blanch dtd 950317.
ZWOLINSKI,J.A. . 95/03/20. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 2pp. 84078:341-84078:347.

--9505250239 Requests info as to whether IP-3 & NRC verified that every MOV operable as required by TS.
BLANCH,P.M. Affiliation Not Assigned. 95/03/16. ZWOLINSKI,J.A. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84078:346-84078:347.

9505040349 Ltr contract,Mod 1,extending period of performance to task order 35, "IPE Reviews,Internal Events - Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83748:316-83748:317.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505150305 Requests enforcement discretion for TS Section 3.3.A.2 action statement which requires that RHR sys be restored to operability within 1 h or reactor shall be in cold shutdown condition within next 20 h.Justification & nuclear SE encl.
HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/05/08. Document Control Branch (Document Control Desk). 19pp. 83977:326-83977:344.

9505260057 Informs that util request not to enforce compliance actions required per plant TS granted as result of safety rationale provided which adequately addressed criterion B.3 of Part 9900 of NRC Insp Manual "10CFR2,App C Enforcement...."
COOPER,R.W. Region 1 (Post 820201). 95/05/11. HILL,L. Power Authority of the State of New York (New York Power Authority). 4pp. 84062:196-84062:218.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505250218 Ack receipt of 950316 internet mail from P Blanch dtd 950317.
ZWOLINSKI,J.A. . 95/03/20. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 2pp. 84078:341-84078:347.

--9505250239 Requests info as to whether IP-3 & NRC verified that every MOV operable as required by TS.
BLANCH,P.M. Affiliation Not Assigned. 95/03/16. ZWOLINSKI,J.A. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84078:346-84078:347.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505090065 Forwards corrected insp rept 50-286/94-29 correcting omissions & typographical errors noted in 950328 rept.
MODES,M.C. Region 1 (Post 820201). 95/04/26. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 2pp. 83816:311-83816:351.

--9505090070 Corrected insp rept 50-289/94-29 on 941114-950224.No violations noted.Major areas inspected:adequacy of licensee followup actions to resolve engineering-related issues categorized by NRC as restart issues.
CHAUDHARY,S.K., MODES,M.C. Region 1 (Post 820201). 95/04/26. 39pp. 83816:313-83816:351.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505100111 Forwards insp rept 50-286/95-03 on 950124-0413.No violations noted.Corrective actions to resolve restart issues adequate.
KELLY,E.M Region 1 (Post 820201). 95/05/01. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 83828:208-83828:229.

--9505100127 Insp rept 50-286/95-03 on 950124-0413.No violations noted. Major areas inspected:assess licensee resolution of engineering related topics categorized by NRC as restart issues.
PRIVIDY,L.J., KELLY,E.M. Region 1 (Post 820201). 95/04/28. 19pp. 83828:211-83828:229.

9505110020 Forwards insp rept 50-286/95-02 on 950212-0327.Noncited violations identified.
COWGILL,C.J. Region 1 (Post 820201). 95/05/03. HILL,L. Power Authority of the State of New York (New York Power Authority). 3pp. 83850:235-83850:271.

--9505110023 Insp rept 50-286/95-02 on 950212-0327.Noncited violations identified.Major areas inspected:plant operations,maint, engineering,plant support & safety assessment & quality verification.
COWGILL,C.J. Region 1 (Post 820201). 95/05/03. 34pp. 83850:238-83850:271.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220024 Forwards insp rept 50-286/95-81 on 950130-0324.No violations noted.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/11. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 4pp. 83985:077-83985:132.

--9505220031 Insp rept 50-286/95-81 on 950130-0324.No violations noted. Major areas inspected:adequacy of util followup actions to resolve fire protection,App R & EDSFI followup or NRC restart issues.
SKOKOWSKI,R.A. Region 1 (Post 820201). 95/05/11. 45pp. 83985:081-83985:132.

9505220002 Forwards insp rept 50-286/95-04 on 950328-0417 & notice of violation.NRC concerned w/util weak performance during containment closeout walkdowns.
COWGILL,C.J. Region 1 (Post 820201). 95/05/12. HILL,L. Power Authority of the State of New York (New York Power Authority). 5pp. 83985:002-83985:036.

--9505220003 Notice of violation from insp on 950328-0417.Violation noted:on 950315,125 volt direct current control panels 33 & 34 had been cross tied w/o being prescribed or accomplished IAW documented instructions of type per circumstances.
* Region 1 (Post 820201). 95/05/12. 1p. 83985:007-83985:007.

--9505220004 Insp rept 50-286/95-04 on 950328-0417.Violations noted. Major areas inspected:plant operations,maint,engineering, plant support & safety assessment & quality verification.
COWGILL,C.J. Region 1 (Post 820201). 95/05/12. 29pp. 83985:008-83985:036.

9505310086 Forwards insp rept 50-286/95-08 on 950508-11.No safety concerns or violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/23. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 84095:348-84095:356.

--9505310105 Insp rept 50-286/95-08 on 950508-11.No safety concerns or violations noted.Major areas inspected:effectiveness of mgt controls,security program plans,maintenance,compensatory measures,security training & qualification.
KING,E.B., SMITH,G.C. Region 1 (Post 820201). 95/05/11. 6pp. 84095:351-84095:356.

9505310048 Forwards insp rept 50-286/95-07 on 950501-05.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/05/24. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 84095:119-84095:128.

--9505310052 Insp rept 50-286/95-07 on 950501-05.No violations noted. Major areas inspected:ISI of Class 1-3 pressure training components.
CHAUDHARY,S. Region 1 (Post 820201). 95/05/24. 7pp. 84095:122-84095:128.

R. Periodic operating reports & related correspondence

9505090077 "1994 Radiological Environ Operating Rept,Indian Point NPPs, Jan-Dec 1994." W/950428 ltr.
HILL,L.M., QUINN,S. Power Authority of the State of New York (New York Power Authority). 94/12/31. 118pp. 83893:202-83893:319.

9505100034 "Annual Environ Protection Plan Rept," for CY94.W/950426 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 94/12/31. 7pp. 83873:339-83873:345.

9505240347 Monthly operating rept for Apr 1995 for Indian Point Unit 3. W/950515 ltr.
ORLANDO,T., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/04/30. 6pp. 84073:166-84073:171.

S. Reportable occurrences, LERs & related correspondence

9505040063 LER 95-007-00:on 950327,loss of motor control ctr 36B due to personnel error caused EDG 32 to become inoperable,condition prohibited by TS.Conducted electrical inspections & tests & MCC-36B was reenergized & declared operable.W/ 950426 ltr.
HEUBERGER,N., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/04/26. 10pp. 83845:022-83845:031.

9505150071 LER 95-003-01:on 950202,potential single failure of C dioxide,fire protection sys could result in loss of vantilation to 480 VAC switchgear room placing plant in unanalyzed condition.W/950505 ltr.
KLEIN,T., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/05/05. 8pp. 83899:106-83899:113.

9505300075 LER 95-008-00:on 950408,plant was found outside design basis due to failure to analyze access to manual safety injection sys valve.Added procedural requirement to open valve 898 when entering hot leg recirculation.W/950519 ltr.
BOUFFORD,J., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/05/19. 7pp. 84132:082-84132:088.

V. Operator Examinations

9505090021 Informs that Region I can no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 2pp. 83816:096-83816:097.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505020079 Informs that rev 94-06 to emergency plan,satisfactory & meets planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
CLINE,W.E. Region 2 (Post 820201). 95/04/19. HAMPTON,J.W. Duke Power Co. 3pp. 83689:344-83689:346.

9505030336 Forwards corrected page D-8 to Rev 94-06 of Vol A of Oconee Nuclear Site emergency plan.Making change indicated in Dec 1994 submittal that EAL for initiating condition 11 revised.
HAMPTON,J.W. Duke Power Co. 95/04/20. Document Control Branch (Document Control Desk). 1p. 83832:283-83832:284.

--9505030337 Changes to page D-8 of Rev 94-06 to Vol A of Oconee Nuclear Site emergency plan.
* Duke Power Co. 95/04/20. 1p. 83832:284-83832:284.

9505050339 Informs that in order to complete review & approval process, submittal date for calculation for Keowee operating limits changed to 950508,per util 950419 ltr supplementing proposed emergency power mod action plan.
HAMPTON,J.W. Duke Power Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83839:302-83839:302.

9505240448 Requests approval of changes to min emergency staffing levels for DPC nuclear site emergency plans under Cost Beneficial Licensing Actions (CBLA) process.Supporting justification of proposed changes & info re CBLA encl.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 16pp. 84073:054-84073:069.

9505240110 Forwards insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05 & notice of violation.Violation of concern because activity allowed for disclosure of safeguards info through util unsecured automatic data processing sys.
STOHR,J.P. Region 2 (Post 820201). 95/05/12. HAMPTON,J.W. Duke Power Co. 4pp. 84021:177-84021:185.

–9505240115 Notice of violation from insp on 950403-05.Violation noted: failure to retain drawings in secured automatic data processing sys.
* Region 2 (Post 820201). 95/05/12. 1p. 84021:181-84021:181.

–9505240123 Insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05.Violation noted.Major areas inspected:licensee discovery,on 950220,of unsecured drawings stamped as being safeguards info.
TOBIN,W.J. Region 2 (Post 820201). 95/05/12. 4pp. 84021:182-84021:185.

9505240071 Advises of results of 950320 review of recent performance at facility to determine if NRC present planned insp effort for rest of current SALP cycle should be revised.Forwards insps planned for remainder of SALP cycle 12.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/17. HAMPTON,J.W. Duke Power Co. 4pp. 84021:065-84021:068.

P. Operating license stage documents & correspondence

9505020050 Forwards summary of 940224 meeting re plant svc water related issues.Attendees listed in encl 2.
GIBSON,A.F. Region 2 (Post 820201). 95/04/05. HAMPTON,J.W. Duke Power Co. 10pp. 83689:240-83689:249.

9505030143 Expresses appreciation for NRC prompt response to request to perform technical audit of util use of fuel rod code methodology.
TUCKMAN,M.S. Duke Power Co. 95/04/20. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83791:347-83791:347.

9505010027 Forwards addl info re SGTR event trees for comparison of isolation of affected SG w/steaming affected SG for B&W Nuclear Steam Supply Sys.
LYON,W.C. . 95/04/24. JONES,R.C. . 17pp. 83699:341-83699:357.

9505020382 Submits suppl info to GL 90-06,informing that util intends to no longer repack block valves every refueling outage.
HAMPTON,J.W. Duke Power Co. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83799:346-83799:348.

9505020222 Discusses 940308-09 visit to plant,in which NRC identified noncompliance w/licensing basis requirement.
WIENS,L.A. . 95/04/27. HAMPTON,J.W. Duke Power Co. 4pp. 83717:250-83717:253.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110291 Forwards changes to ONS Unit 3 Cycle 16 reload rept which addresses new LOCA linear heat rate limit analyses performed for Mark B10T fuel due to change in fuel rod pre-pressure described in util 950313 ltr.TS bases rev also encl.
HAMPTON,J.W. Duke Power Co. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83930:312-83930:331.

–9505110294 Changes to ONS Unit 3 Cycle 16 reload rept,addressing new LOCA linear heat rate limit analyses for Mark B10T fuel.
* Duke Power Co. 95/05/02. 12pp. 83930:314-83930:325.

–9505110296 Proposed tech specs bases addressing new LOCA limits for fresh Batch 18 fuel.
* Duke Power Co. 95/05/02. 6pp. 83930:326-83930:331.

9505100185 Forwards amends 209,209 & 206 to licenses DPR-38,DPR-47 & DPR-55 & safety evaluation.Amends revise TS 3.8 to establish restricted loading patterns & associated burnup criteria for placing fuel in plant spent fuel pools.
WIENS,L.A. . 95/05/03. HAMPTON,J.W. Duke Power Co. 3pp. 83856:131-83856:171.

–9505100196 Amends 209,209 & 206 to licenses DPR-38,DPR-47 & DPR-55, respectively,revising TS 3.8 to establish restricted loading patterns & associated burnup criteria for placing fuel in plant spent fuel pools.
BERKOW,H.N. . 95/05/03. 29pp. 83856:134-83856:162.

–9505100199 Safety evaluation supporting amends 209,209 & 206 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/03. 9pp. 83856:163-83856:171.

9505150023 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval.
TUCKMAN,M.S. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 3pp. 83899:044-83899:046.

9505120106 Forwards calculation which supports Keowee generation limits.
HAMPTON,J.W. Duke Power Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 83885:001-83885:293.

–9505120109 Rev 1 to calculation KC UNIT 1-2-0106, "Keowee Power Operating Restrictions for NSM-52966."
* Duke Power Co. KC UNIT 1-2-0106 R01. 95/05/04. 292pp. 83885:002-83885:293.

9505240362 Offers listed comments on proposed rev to 10CFR50 App J, "Containment Leakage Testing," published in 950221 FR & endorses comments submitted by NEI on subj.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 4pp. 84068:358-84068:360.

9505180338 Discusses 941205 memo re determination that steam stop valves should have been classified as safety-related. Informs that failure to so classify valves would be deviation from commitment.
BERKOW,H.N. . 95/05/15. MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 83988:305-83988:305.

9505180391 Discusses 941219 memo re evaluation of four issues associated w/potential failure scenarios involving piping sys attached to main steam sys at facility.
BERKOW,H.N. . 95/05/15. MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 83964:360-83964:360.

9505310442 Forwards revs to "ONS Selected Licensee Commitments Manual," Section 16.8.3 to add power battery parameters to establish requirements for operability of 250 Vdc power batteries.
HAMPTON,J.W. Duke Power Co. 95/05/16. Document Control Branch (Document Control Desk). 1p. 84163:102-84163:116.

–9505310449 Revs to "ONS Selected Licensee Commitments Manual," adding power battery parameters to establish requirements for operability of 250 Vdc power batteries.
* Duke Power Co. 95/05/11. 14pp. 84163:103-84163:116.

9505260227 Requests NRC approval for util to use recent Rev 3 to CROV computer code (approved by NRC on 950420).
TUCKMAN,M.S. Duke Power Co. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84104:079-84104:082.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505300028 Forwards "Oconee 3 Cycle 16,Core Operating Limits Rept, Rev 0,QA Condition 1."
CANADY,K.S. Duke Power Co. 95/05/19. Document Control Branch (Document Control Desk). 1p. 84096:322-84096:360.

–9505300033 "Oconee 3 Cycle 16,Core Operating Limits Rept,Rev 0, QA Condition 1."
FORSTER,J.D., MCCLAIN,L.D., ST CLAIR,R.R. Duke Power Co. ONEI-0400-70 R00. 95/05/19. 38pp. 84096:323-84096:360.

Q. Inspection reports, IE Bulletins & correspondence

9505020052 Forwards insp rept 72-0004/95-01 on 950327-28.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/20. HAMPTON,J.W. Duke Power Co. 3pp. 83689:250-83689:260.

–9505020061 Insp rept 72-0004/95-01 on 950327-28.No violations noted. Major areas inspected:occupational exposure controls associated w/ISFSI,audits,changes to program,external exposure controls & control of radioactive matls.
LOO,W.T., RANKIN,W.H, Region 2 (Post 820201). 95/04/19. 8pp. 83689:253-83689:260.

9505030129 Forwards insp repts 50-269/95-03,50-270/95-03 & 50-287/95-03 on 950226-0325 & notice of violation.
CRLENJAK,R.V. Region 2 (Post 820201). 95/04/21. HAMPTON,J.W. Duke Power Co. 3pp. 83797:341-83797:362.

–9505030134 Notice of violation from insp on 950226-0325.Violation noted:KHU aligned to grid was technically inoperable due to potential overspeed lockout while operating in excess of 72 MW.
* Region 2 (Post 820201). 95/04/21. 2pp. 83797:344-83797:345.

–9505030140 Insp repts 50-269/95-03,50-270/95-03 & 50-287/95-03 on 950226-0325.Violation noted.Major areas inspected:plant operations,surveillance testing,maint activities,onsite engineering & technical assistance.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/04/21. 16pp. 83797:346-83797:362.

9505020122 Discusses 950418 telcon re arrangements made for NRC to inspect licensed operator requalification program at plant during wk of 950515.
PEEBLES,T.A. Region 2 (Post 820201). 95/04/24. HAMPTON,J.W. Duke Power Co. 3pp. 83690:224-83690:226.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020232 Authorizes proposed alternative to ASME Boiler & Pressure Vessel Code,which provides relief for ISI program.
BERKOW,H.N. . 95/04/26. TUCKMAN,M.S. Duke Power Co. 4pp. 83717:254-83717:262.

–9505020244 Safety evaluation authorizing licensee ISI request for relief from code hydrostatic pressure test requirement.
* . 95/04/26. 5pp. 83717:258-83717:262.

9505050217 Submits suppl info re request for relief 95-02 for third ten yr ISI interval.
HAMPTON,J.W. Duke Power Co. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83862:352-83862:353.

9505080039 Submits answers to questions re second 10-yr interval request for relief 94-07.
HAMPTON,J.W. Duke Power Co. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83865:002-83865:004.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180585 Corrects error in 950309 ltr,summarizing commitments made during 950224 meeting re outstanding issues associated w/SWS operational performance insp,finding 7,part f concerning trench covers.
HAMPTON,J.W. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 83991:357-83991:358.

9505110166 Forwards insp repts 50-269/95-05,50-270/95-05 & 50-287/95-05 on 950410-12.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/05. HAMPTON,J.W. Duke Power Co. 2pp. 83851:221-83851:227.

–9505110170 Insp repts 50-269/95-05,50-270/95-02 & 50-287/95-05 on 950410-12.No violations noted.Major areas inspected: inservice insp,exam of limited access welds & followup feedwater drain line cracking.
ECONOMOS,N., BLAKE,J.J. Region 2 (Post 820201). 95/05/02. 5pp. 83851:223-83851:227.

9505240137 Submits insp activities associated w/Oconee Emergency Power Project to facilitate planning discussed at 940929 mgt meeting.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/08. HAMPTON,J.W. Duke Power Co. 3pp. 84021:288-84021:290.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505250009 Forwards addl info requested by NRC on 950501 re plant third ten year interval ISI plan for Units 2 & 3.W/one oversize drawing.
HAMPTON,J.W. Duke Power Co. 95/05/11. Document Control Branch (Document Control Desk). 5pp. 84173:352-84173:356.

9505250027 Provides revised response to NRC 940211 NOV re insp repts 50-269/93-25,50-270/93-25 & 50-287/93-25.Util requires extension of commitment completion date re obtaining dynamic matl property data.
HAMPTON,J.W. Duke Power Co. 95/05/11. Document Control Branch (Document Control Desk). 3pp. 84073:359-84073:361.

9505240110 Forwards insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05 & notice of violation.Violation of concern because activity allowed for disclosure of safeguards info through util unsecured automatic data processing sys.
STOHR,J.P. Region 2 (Post 820201). 95/05/12. HAMPTON,J.W. Duke Power Co. 4pp. 84021:177-84021:185.

–9505240115 Notice of violation from insp on 950403-05.Violation noted: failure to retain drawings in secured automatic data processing sys.
* Region 2 (Post 820201). 95/05/12. 1p. 84021:181-84021:181.

–9505240123 Insp repts 50-269/95-04,50-270/95-04 & 50-287/95-04 on 950403-05.Violation noted.Major areas inspected:licensee discovery,on 950220,of unsecured drawings stamped as being safeguards info.
TOBIN,W.J., MCGUIRE,D.R. Region 2 (Post 820201). 95/05/12. 4pp. 84021:182-84021:185.

9505240071 Advises of results of 950320 review of recent performance at facility to determine if NRC present planned insp effort for rest of current SALP cycle should be revised.Forwards insps planned for remainder of SALP cycle 12.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/17. HAMPTON,J.W. Duke Power Co. 4pp. 84021:065-84021:068.

9505260403 Forwards response to NRC 950421 ltr re violations noted in insp repts 50-269/95-03,50-270/95-03 & 50-287/95-03. Corrective actions:began calculations on 950315.
HAMPTON,J.W. Duke Power Co. 95/05/18. Document Control Branch (Document Control Desk). 3pp. 84099:338-84099:340.

9505250315 Forwards SE accepting util response to NRC bulletin 90-01, suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount."
WIENS,L.A. . 95/05/19. HAMPTON,J.W. Duke Power Co. 3pp. 84078:318-84078:340.

–9505250316 Safety evaluation accepting util response to NRC bulletin 90-01,suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount."
* . 95/05/19. 2pp. 84078:321-84078:340.

9505250214 Forwards SE authorizing proposed alternative (Code Case N-522) to ASME Boiler & Pressure Vessel Code (ASME Code),per 940622 ltr.Alternative testing authorized for duration of currently approved ISI program.
BERKOW,H. . 95/05/22. TUCKMAN,M.S. Duke Power Co. 3pp. 84075:199-84075:206.

–9505250220 Safety evaluation authorizing proposed alternative (Code Case N-522) to ASME Boiler & Pressure Vessel Code (ASME Code),per 940622 ltr.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 5pp. 84075:203-84075:206.

9505310067 Forwards insp repts 50-269/95-06,50-270/95-06 & 50-287/95-06 on 950326-0429 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/24. HAMPTON,J.W. Duke Power Co. 3pp. 84095:320-84095:338.

–9505310071 Notice of violation from insp on 950326-0429.Violation noted:appropriate measures not established to assure correction of adverse condition to quality re inadequate control of load limit changes at plant.
* Region 2 (Post 820201). 95/05/24. 1p. 84095:323-84095:323.

–9505310076 Insp repts 50-269/95-06,50-270/95-06 & 50-287/95-06 on 950326-0429.Violations noted.Major areas inspected:plant operations,maint & surveillance testing.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/05/24. 13pp. 84095:324-84095:338.

R. Periodic operating reports & related correspondence

9505030175 "Oconee Nuclear Station Units 1 & 2 Annual Radiological Environ Operating Rept 1994."
HAMPTON,J.W. Duke Power Co. 94/12/31. 124pp. 83861:060-83861:183.

9505050331 Annual radioactive effluent release rept for 1994.W/950426 ltr.
HAMPTON,J.W. Duke Power Co. 94/12/31. 78pp. 83862:262-83862:339.

9505220154 Forwards monthly operating repts for Apr 1995 for Oconee Nuclear Station & revised Mar rept.
WEBER,R.L. Duke Power Co. 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84039:152-84039:169.

–9505220273 Monthly operating repts for Apr 1995 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/04/30. 15pp. 84039:154-84039:168.

–9505220274 Revised monthly operating status rept for Mar 1995 for ONS.
* Duke Power Co. 95/03/31. 1p. 84039:169-84039:169.

V. Operator Examinations

9505020122 Discusses 950418 telcon re arrangements made for NRC to inspect licensed operator requalification program at plant during wk of 950515.
PEEBLES,T.A. Region 2 (Post 820201). 95/04/24. HAMPTON,J.W. Duke Power Co. 3pp. 83690:224-83690:226.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505020052 Forwards insp rept 72-0004/95-01 on 950327-28.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/20. HAMPTON,J.W. Duke Power Co. 3pp. 83689:250-83689:260.

–9505020061 Insp rept 72-0004/95-01 on 950327-28.No violations noted. Major areas inspected:occupational exposure controls associated w/ISFSI,audits,changes to program,external exposure controls & control of radioactive matls.
LOO,W.T. Region 2 (Post 820201). 95/04/19. 8pp. 83689:253-83689:260.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

V. Operator Examinations

9505230381 Forwards copy of Results of Operator Initial Exam conducted at Reed College on 950501-02.W/o encl.
RICHARDS,S.A. . 95/05/18. KOBLIK,S.S. Reed College, Portland, OR. 1p. 84039:301-84039:301.

9505240222 Informs that during wk of 950501,NRC administered initial exam to employees of facility who applied for license to operate Reed College Reactor.Exam conducted in accordance w/NUREG-1478,Rev 0.
RICHARDS,S.A. . 95/05/18. KOBLIK,S.S. Reed College, Portland, OR. 1p. 84039:319-84039:319.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505180144 Ack receipt of 950210 correspondence re changes to plant training & qualification plan,Rev 12.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84030:307-84030:309.

9505180150 Ack receipt of 950210 correspondence re changes to plant modified amended physical security plan,Rev 31.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84026:344-84026:346.

9505040423 Confirms that util intends to enhance emergency response capabilities by implementing severe accident mgt (SAM) guidelines in TSC.Util intends to complete assessment of SAM capabilities & implement any enhancements prior to 981231.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/04/28. Document Control Branch (Document Control Desk). 1p. 83832:336-83832:336.

9505120067 Forwards insp rept 50-289/95-03 on 950219-0403.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/05/04. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 83872:245-83872:264.

–9505120074 Insp rept 50-289/95-03 on 950219-0403.No violations noted. Major areas inspected:plant operations,maint,engineering, radiological controls & security activities re plant safety.
ROGGE,J.F. Region 1 (Post 820201). 95/04/24. 17pp. 83872:248-83872:264.

9505190242 Rev 5 to emergency plan implementing document 6410-ADM-1300.02, "Emergency Preparedness Training," incorporating PCR 1-EP-94-0046.
BEAVER,J., NELSON,M.A. General Public Utilities Corp. - GPU Service Corp. 95/05/08. 16pp. 84009:243-84009:258.

9505310644 Requests exemption from provision of 10CFR50 App R, subsection III.G.2.c that requires that "encl & cable & equipment & associated non-safety circuits of one redundant train in fire barrier having 1-h fire rating" be provided.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/05/25. Document Control Branch (Document Control Desk). 8pp. 84162:321-84162:342.

–9505310648 Rev 0 "TMI-1 Evaluation of Thermo-Lag Fire Barriers."
BARBIERI,F.P. General Public Utilities Corp. - GPU Service Corp. 094 R00. 95/05/09. 14pp. 84162:329-84162:342.

I. Financial information

9505020470 Forwards "GPU Annual Rept 1994," 1994 uniform statistical rept,1994 GPU actual source & application of funds satatement & 1995 GPU forecast source & application of funds statement per 10CFR50.71(b) & 10CFR140.21.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/04/25. Document Control Branch (Document Control Desk). 1p. 83763:203-83763:287.

--**9505020472** "GPU Annual Rept 1994."
LEVA,J.R. General Public Utilities Corp. - GPU Service Corp. 94/12/31. 84pp. 83763:204-83763:287.

P. Operating license stage documents & correspondence

9505240320 FOIA request for documents re baffle removal & cutting of internals reactors at listed plants.
KATZ,D. Citizens Awareness Network. 94/10/17. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84024:181-84024:183.

9505010095 Forwards Rev 0 to Topical Rept TR 087, "TMI-1 Core Thermal- Hydraulic Methodology Using VIPRE-01 Computer Code."
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/04/25. Document Control Branch (Document Control Desk). 2pp. 83753:250-83753:335.

--**9505010097** "TMI-1 Core Thermal-Hydraulic Methodology Using VIPRE-01 Computer Code."
IRANI,A.A., BYOUN,T.Y., LUOMA,J.D. General Public Utilities Corp. - GPU Service Corp. TR 087 R00. 95/03/10. 80pp. 83753:252-83753:335.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505220143 Forwards request for addl info re proposed changes to plant TS to incorporate certain TS from revised Babcox & Wilcox STS.
HERNAN,R.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/16. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 6pp. 84002:258-84002:263.

9505230299 Forwards TS change requests 252 re removal of chemical addition sys requirements from TS to COLR.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84045:350-84045:358.

--**9505230301** Application for amend to license DPR-50,consisting of change request 252,removing chemical addition sys requirements from TS to COLR.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/05/17. 5pp. 84045:352-84045:356.

--**9505230304** Proposed tech specs,consisting of change requests 252, removing chemical addition sys requirements from TS to COLR.
* General Public Utilities Corp. - GPU Service Corp. 95/05/17. 2pp. 84045:357-84045:358.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310201 Application for amend to license DPR-50.Amend would change surveillance test requirements for source-range nuclear instrumentation.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/05/24. Document Control Branch (Document Control Desk). 8pp. 84163:272-84163:282.

--**9505310206** Proposed tech specs re change in surveillance test requirements for source-range nuclear instrumentation.
* General Public Utilities Corp. - GPU Service Corp. 95/05/24. 3pp. 84163:280-84163:282.

9505310644 Requests exemption from provision of 10CFR50 App R, subsection III.G.2.c that requires that "encl & cable & equipment & associated non-safety circuits of one redundant train in fire barrier having 1-h fire rating" be provided.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/05/25. Document Control Branch (Document Control Desk). 8pp. 84162:321-84162:342.

--**9505310648** Rev 0 "TMI-1 Evaluation of Thermo-Lag Fire Barriers."
BARBIERI,F.P. General Public Utilities Corp. - GPU Service Corp. 094 R00. 95/05/09. 14pp. 84162:329-84162:342.

Q. Inspection reports, IE Bulletins & correspondence

9505010078 Provides status of actions taken since followup SALP review meeting on 920924.
CLARK,P.R. General Public Utilities Corp. - GPU Service Corp. 93/07/02. MARTIN,T.T. Region 1 (Post 820201). 13pp. 83722:319-83722:331.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505120067 Forwards insp rept 50-289/95-03 on 950219-0403.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/05/04. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 83872:245-83872:264.

--**9505120074** Insp rept 50-289/95-03 on 950219-0403.No violations noted. Major areas inspected:plant operations,maint,engineering, radiological controls & security activities re plant safety.
ROGGE,J.F. Region 1 (Post 820201). 95/04/24. 17pp. 83872:248-83872:264.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505010103 "TMI Nuclear Generating Station Radiological Environ Monitoring Rept 1994." W/950424 ltr.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 94/12/31. 193pp. 83748:001-83748:193.

9505040384 Forwards combined 1994 annual radioactive effluent releases rept,including summary of quantities of radioactive liquid & gaseous effluents & solid waste released from site as outlined in Reg Guide 1.21,Rev 1.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83808:130-83808:183.

--**9505040389** Combined 1994 annual radioactive effluent releases rept.
* General Public Utilities Corp. - GPU Service Corp. 94/12/31. 52pp. 83808:132-83808:183.

9505150132 Monthly operating rept for April 1995 for Three Mile Island Nuclear Station.W/950508 ltr.
HEYSEK,W.G., BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/04/30. 8pp. 83899:001-83899:008.

U. Congressional/Executive Correspondence

9504140194 Responds to 950213 request re info on approval process used for apparent exemptions from federal regulatory standards.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/04. STATORUM,R. Senate. 1p. 84190:291-84190:305.

--**9505300347** Expresses concern about apparent exemptions in federal regulatory stds made for Peach Bottom 2 & 3 & TMI nuclear facilities.
SANTORUM,R. Senate. 95/02/13. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 1p. 84190:306-84190:306.

V. Operator Examinations

9505090043 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 2pp. 83816:160-83816:161.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505020016 Revised EPIPs,including rev 6 to EP-IP-100,rev 4 to EP-IP-130,rev 5 to EP-IP-140,rev 4 to EP-IP-150,rev 2 to EP-IP-231,rev 3 to EP-IP-240,rev 1 to EP-IP-251,rev 4 to EP-IP-252 & rev 1 to EP-IP-259.W/950424 ltr.
ROTHERT,W.C. Boston Edison Co. 95/04/24. 360pp. 83754:001-83754:360.

9505100067 Forwards insp rept 50-293/95-07 on 950222-0403.No violations noted.
LINVILLE,J. Region 1 (Post 820201). 95/05/01. BOULETTE,E.T. Boston Edison Co. 4pp. 83828:139-83828:163.

--**9505100071** Insp rept 50-293/95-07 on 950222-0403.No violations noted. Major areas inspected:plant operations,maint & surveillance, engineering & plant support & review of security force shift staffing during periods of increased compensatory measures.
CONTE,R. Region 1 (Post 820201). 95/04/28. 21pp. 83828:143-83828:163.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--**8904190092** Forwards most recent status repts of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/04/04. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:017-83834:020.

--**8904190115** Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

--**8908280168** Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:024-83834:028.

--**8912040012** Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:029-83834:034.

I. Financial information

9505040018 Forwards 1994 annual financial repts for CT Light & Power Co,Western MA Electric Co,Public Svc Co of NH & North Atlantic Energy Corp.
GUGLIELMO,F.J. Northeast Utilities Service Co. 95/04/25. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83803:128-83803:290.

--9505040028 "Western MA Electric 1994 Annual Rept."
* Northeast Utilities Service Co. * Boston Edison Co. 94/12/31. 36pp. 83803:180-83803:222.

P. Operating license stage documents & correspondence

9505050336 Informs that info requested in NRC 950417 ltr re plant core shroud mod,provided by GE on util behalf on 950331. Affidavits for withholding subj info from public disclosure per 10CFR2.790 encl.
BOULETTE,E.T. Boston Edison Co. 95/04/27. Document Control Branch (Document Control Desk). 10pp. 83839:292-83839:301.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110077 Advises NRC that tie rod threads in alloy XM-19 matl do not require solution annealing to restore matl properties.Metal acceptable w/o treatment.
BOULETTE,E.T. Boston Edison Co. 95/05/03. Document Control Branch (Document Control Desk). 10pp. 83929:346-83929:355.

9505150221 Ack receipt of 950503 E-Mail to T Marsh,which advanced questions for upcoming meeting at plant.
ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/05/08. RUSSELL,W., MIRAGLIA,F., THADANI,A. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83948:275-83948:276.

--9505150225 Provides list of info to be discussed during meeting at plant.
BLANCH,P.M. Affiliation Not Assigned. 95/05/03. MARSH,L.B. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83948:276-83948:276.

9505220084 Forwards safety evaluation re GL 94-03,concerning core shroud cracking in boiling water reactor.Proposed core shroud repair has been designed as alternative to requirements of ASME Boiler & Pressure Code & acceptable.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/12. BOULETTE,E.T. Boston Edison Co. 3pp. 84002:293-84002:313.

--9505220098 Safety evaluation accepting proposed mod to plant core shroud.
* Project Directorate I-1 (PD1-1) (Post 941001). 95/05/12. 18pp. 84002:296-84002:313.

9505220290 Discusses recent telcons w/P Blanch re various topics as listed including NUREG-0933,whistleblowers,10CFR100 & status of NRR response to ltrs.
ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 95/05/16. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 2pp. 84029:352-84029:353.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505100067 Forwards insp rept 50-293/95-07 on 950222-0403.No violations noted.
LINVILLE,J. Region 1 (Post 820201). 95/05/01. BOULETTE,E.T. Boston Edison Co. 4pp. 83828:139-83828:163.

--9505100071 Insp rept 50-293/95-07 on 950222-0403.No violations noted. Major areas inspected:plant operations,maint & surveillance, engineering & plant support & review of security force shift staffing during periods of increased compensatory measures.
CONTE,R. Region 1 (Post 820201). 95/04/28. 21pp. 83828:143-83828:163.

9505180372 Informs of commitment to furnish ISI plan of core shroud mod based on BWR VIP recommendations by 9501109.
BOULETTE,E.T. Boston Edison Co. 95/05/09. Document Control Branch (Document Control Desk). 1p. 84000:355-84000:355.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240407 Forwards SE granting util 950209 request for relief for inservice insp requirements of Class 2 RHR fuel pool cooling intertie piping welds & supports for current inservice insp interval.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/18. BOULETTE,E.T. Boston Edison Co. 4pp. 84048:341-84048:348.

--9505240411 Safety evaluating granting util 950209 request for relief for inservice insp requirements of Class 2 RHR fuel pool cooling intertie piping welds & supports for current inservice insp interval.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/18. 4pp. 84048:345-84048:348.

R. Periodic operating reports & related correspondence

9505040165 "Radiological Environ Monitoring Program Rept 27,Jan-Dec 1994." W/ 950427 ltr.
BOULETTE,E.T., SEJKORA,K.J., MONTT,D.A. Boston Edison Co. 94/12/31. 102pp. 83787:001-83787:102.

9505040263 "Marine Ecology Studies Re Operation of Pilgrim Station Semiannual Rept 45 Jan-Dec 1994." W/950424 ltr.
ROTHERT,W.C. Boston Edison Co. 94/12/31. 100pp. 83853:001-83853:277.

9505150218 Monthly operating rept for Apr 1995 for Pilgrim Nuclear Power Station.W/ 950511 ltr.
MONRO,W., OLIVIER,L.J. Boston Edison Co. 95/04/30. 7pp. 83975:347-83975:353.

9505240439 NPDES discharge monitoring rept for Apr 1995 for Pilgrim Nuclear Power Station.W/950517 ltr.
SULLIVAN,T.A., ROTHERT,W.C. Boston Edison Co. 95/04/30. 14pp. 84073:027-84073:040.

S. Reportable occurrences, LERs & related correspondence

9505010269 LER 95-004-00:on 950324,drywell-to-torus portion of primary containment vaccuum relief sys actuated while de-inerting drywell.Caused by deficiency in approved procedure being used.Revised procedure to correct deficiency.W/950424 ltr.
ELLIS,D.W., BOULETTE,E.T. Boston Edison Co. 95/04/24. 6pp. 83717:011-83717:016.

9505020150 LER 95-003-00:on 950324,manually initiated RPS scram signal & scram occurred.Caused by deliberate movement of reactor mode selector switch from run position.Controller & linkage being replaced.
DEVIK,T.R., BOULETTE,E.T. Boston Edison Co. 95/04/24. 10pp. 83757:115-83757:124.

V. Operator Examinations

9505090033 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. BOULETTE,E.T. Boston Edison Co. 2pp. 83816:150-83816:151.

9505100037 Forwards both forms of GFE section of written operator licensing exam including answer keys & grading results for util employees who took exam on 950405.W/o encl
MEYER,G.W. Region 1 (Post 820201). 95/05/03. ALEXANDER,J. Boston Edison Co. 2pp. 83828:068-83828:069.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505020196 Revised EPIPs,including rev 1 to EPIP 180-1,rev 7 to EPIP 320-1 & EPIP Index.
KASSNER,G. Commonwealth Edison Co. 95/04/25. 36pp. 83757:254-83757:289.

9505190274 Revised pages ZA 6-11 & 6-12 to Rev 7g of generating station emergency plan annex,dtd May 1995.
SCOTT,D.J. Commonwealth Edison Co. 95/05/04. 4pp. 84008:341-84008:344.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

P. Operating license stage documents & correspondence

9505010002 Confirms 950421 telcon between staff & util in which staff granted notice of enforcement discretion for util re plant, Units 1 & 2.
CAPRA,R.A. . 95/04/24. FARRAR,D.L. Commonwealth Edison Co. 4pp. 83685:356-83685:359.

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--9505050159 Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--9505050162 Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505030477 Comments on draft GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
VONK,M.J. Commonwealth Edison Co. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83791:352-83791:354.

9505120143 Provides review of plant performance.
TUETKEN,R.P. Commonwealth Edison Co. 95/04/26. Document Control Branch (Document Control Desk). 9pp. 83948:347-83948:355.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037. .

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505110076 Request results of review & disposition re radiation protection concerns at plant,which was submitted to Region III ofc.Responses requested within 30 days of ltr date.W/o encl.
CANIANO,R.J. Region 3 (Post 820201). 95/05/05. TUETKEN,R. Commonwealth Edison Co. 2pp. 83851:209-83851:210.

9505110284 Forwards amends 162 & 150 to licenses DPR-39 & DPR-48 & SE. Amends change TSs by modifying surveillance testing periodicity requirements of automatic actuation logic of ES equipment.
SHIRAKI,C.Y. . 95/05/05. FARRAR,D.L. Commonwealth Edison Co. 2pp. 83938:153-83938:171.

--9505110288 Amends 162 & 150 to licenses DPR-39 & DPR-48,respectively, changing TSs by modifying surveillance testing periodicity requirements of automatic actuation logic of ES equipment.
CAPRA,R.A. . 95/05/05. 17pp. 83938:155-83938:163.

--9505110305 Safety evaluation supporting amends 162 & 150 to licenses DPR-39 & DPR-48,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 8pp. 83938:164-83938:171.

9505150157 Advises that as of 950509 107 of 113 DET commitments complete in response to diagnostic evaluation of Zion Station.
SIMPKIN,T.W. Commonwealth Edison Co. 95/05/09. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 83943:260-83943:262.

9505150160 Advises util determined mod to containment isolation valve used to isolate RCS hot leg from suction of RHR pumps.
SIMPKIN,T.W. Commonwealth Edison Co. 95/05/10. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 83972:253-83972:254.

9505150167 Informs that notice of enforcement discretion was verbally granted to licensee on 950421,in which NRC agreed not to enforce compliance w/TS 4.4.2 to perform channel functional testing of automatic actuation functions of EFS.
SHIRAKI,C.Y. . 95/05/10. CAPRA,R.A. . 29pp. 83971:324-83971:352.

9505180002 Requests schedular exemption from requirements of 10CFR50, App J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors."
SIMPKIN,T.W. Commonwealth Edison Co. 95/05/12. Office of Nuclear Reactor Regulation (Post 941001). 34pp. 84031:001-84031:034.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505240412 Application for amend to license DPR-39,modifying TS 4.3.1.B.4.A.6 by adding note allowing 154 SG tubes to remain in svc until entry into Mode 5 (cold shutdown) for refueling outage Z1R14.Request for enforcement discretion encl.
SIMPKIN,T.W. Commonwealth Edison Co. 95/05/17. Office of Nuclear Reactor Regulation (Post 941001). 8pp. 84072:182-84072:228.

--9505240413 Proposed tech specs,allowing 154 SG tubes to remain in svc until entry into Mode 5 (cold shutdown) for refueling outage Z1R14,curently scheduled to begin in Sept 1995.
* Commonwealth Edison Co. 95/05/17. 39pp. 84072:190-84072:228.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505240377 Responds to 950517 request that NRC exercise discretion not to enforce compliance w/TS 4.3.1.B associated w/SG tube plugging or repair criteria.Documents 950516 telcon granting notice of enforcement discretion.
CAPRA,R.A. . 95/05/18. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84048:337-84048:340.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090103 Forwards response to NRC 950403 ltr re violations noted in insp repts 50-295/95-07 & 50-304/95-07 on 950314-16. Corrective actions:on 950201 memo was provided at guardhouse to personnel entering station.
TUETKEN,R.P. Commonwealth Edison Co. 95/05/03. Document Control Branch (Document Control Desk). 9pp. 83896:299-83896:307.

9505090107 Forwards response to NRC 950403 ltr re violations noted in insp repts 50-295/95-03 & 50-304/95-03
TUETKEN,R.P. Commonwealth Edison Co. 95/05/03. Document Control Branch (Document Control Desk). 9pp. 83896:308-83896:316.

9505190012 Forwards insp repts 50-295/95-06 & 50-304/95-06 on 950228- 0410 & notice of violation.Several events noted weaknesses in ability of operators to control plant configuration & to maintain awareness of plant conditions.
AXELSON,W.L. Region 3 (Post 820201). 95/05/05. TUETKEN,R. Commonwealth Edison Co. 6pp. 83973:008-83973:030.

--9505190021 Notice of violation from insp on 950228-0410.Violations noted:charging pump & safety injection pump crosstie valve was returned to svc w/o proper verification of alignment.
* Region 3 (Post 820201). 95/05/05. 2pp. 83973:014-83973:015.

--9505190028 Insp repts 50-295/95-06 & 50-304/95-06 on 950228-0410. Violations noted.Major areas inspected:licensee activities in areas of operations,maint & surveillance engineering & plant support.
MILLER,L.F. Region 3 (Post 820201). 95/05/05. 15pp. 83973:016-83973:030.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180176 Discusses DET insp at plant,units 1 & 2 re effectiveness of licensed activities performed by licensee in achieving safe operation of plant & determined causes of performance deficiencies.
SHIRAKI C.Y. . 95/05/15. FARRAR,D.L. Commonwealth Edison Co. 2pp. 83974:358-83974:359.

9505240100 Informs that no further regulatory issues exist re allegation of deliberate matl false statements made at 930416 enforcement conference concerning negative pressure in plant auxiliary bldg.
MARTIN,J.B. Region 3 (Post 820201). 95/05/17. TUETKEN,R. Commonwealth Edison Co. 3pp. 84021:119-84021:121.

R. Periodic operating reports & related correspondence

9505190389 Monthly operating rept for Apr 1995 for Zion Generating Station.W/950515 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 95/04/30. 13pp. 84010:325-84010:337.

S. Reportable occurrences, LERs & related correspondence

9505300127 Forwards LER 95-003-01,missed surveillance on SG water level low-low actuation channel for turbine driven feedwater pump.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84132:092-84132:106.

--9505300131 LER 95-003-01:on 950322,surveillance was missed on SG water level low-low actuation channel for turbine driven AF pump. Caused by mgt deficiency.Placed Unit 1 on 24 h action clock.
BRANDOLINO,B.A. Commonwealth Edison Co. 95/04/20. 14pp. 84132:093-84132:106.

9505260343 LER 88-015-01:on 880715,autostart of 0 DG occurred due to degraded voltage on engineered safeguards Bus 147.Addl 345kV line has been added to sys that connects southern region to northern.W/950523 ltr.
FANNING,G., SCHWARTZ,G.K. Commonwealth Edison Co. 95/05/23. 4pp. 84132:078-84132:081.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. 1p. 83758:352-83758:352.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505180169 Informs of completion of review of rev 19 to radiological emergency plan for plant.Proposed changes satisfactory & meet planning stds of 10CFR50.47.
BARR,K.P. Region 2 (Post 820201). 95/05/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83952:349-83952:352.

9505310084 Forwards list of all expected insp activities for remainder of SALP cycle which ends in 960921 re 950322 recent performance at plant to determine if present planned insp effort for rest of SALP cycle should be revised.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/22. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84095:342-84095:345.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505250254 Forwards "Browns Ferry Nuclear Plant,Updated FSAR," amend 12.
MACHON,R.D. Tennessee Valley Authority. 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84091:001-84092:322.

--9505250262 "Browns Ferry Nuclear Plant,updated FSAR," amend 12.
* Tennessee Valley Authority. 95/05/23. 400pp. 84091:004-84092:322.

P. Operating license stage documents & correspondence

9505110015 Discusses 950419 mgt meeting at Region II ofcs w/util mgt staff re status & schedule for plant,Unit 3.List of attendees & handout matl encl.
JOHNSON,J.R. Region 2 (Post 820201). 95/04/26. KINGSLEY,O. Tennessee Valley Authority. 54pp. 83850:166-83850:220.

9505230057 Comment on proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valve."
CARIER,P.P. Tennessee Valley Authority. 95/04/26. Rules & Directives Review Branch (Post 920323). 3pp. 84001:308-84001:310.

9505030483 Describes TVA current plans for compliance w/generic SER, "BWR Scram Discharge Sys," included in NRC 801209 ltr to all BWR licensees.Notifies NRC of withdrawal of proposed TS 312, submitted by TVA 930930 ltr.
SALAS,P. Tennessee Valley Authority. 95/04/27. Document Control Branch (Document Control Desk). 10pp. 83808:102-83808:111.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505240152 Confirms telcon between P Salas & author on 950504 concerning meeting which has been scheduled for 950525 to discuss status & schedule for unit 3 restart activities.
LESSER,M.S. Region 2 (Post 820201). 95/05/10. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84022:106-84022:108.

9505190089 Application for amends to licenses DPR-33,DPR-52 & DPR-68, reflecting interim addition of scram pilot air header low pressure trip function on Unit 3.
SALAS,P. Tennessee Valley Authority. 95/05/11. Document Control Branch (Document Control Desk). 13pp. 84012:324-84012:355.

--9505190093 Proposed tech specs,reflecting interim addition of scram pilot air header low pressure trip function on Unit 3.
* Tennessee Valley Authority. 95/05/11. 19pp. 84012:337-84012:355.

9505220159 Forwards safety evaluation re inservice testing program for pumps & valves relief requests for plant,units 1,2 & 3.
HEBDON,F.J. . 95/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84010:233-84010:250.

--9505220170 Safety evaluation denying relief request PV-33 because licensee did not provide sufficient technical basis to support determination that proposed alternative provides acceptable level of quality & safety.
* . 95/05/16. 14pp. 84010:237-84010:250.

9505230163 Informs of changes to TS bases,revising Bases Sections 2.1.B & 3.2 to clarify design function of ARPM rod block sys & 3.5.M to reflect current info on core thermal-hydraulic instabilities.
SALAS,P. Tennessee Valley Authority. 95/05/18. Document Control Branch (Document Control Desk). 6pp. 84051:230-84051:266.

--9505230169 Proposed tech specs bases,clarifying design function of APRM rod block sys & reflecting current info on core thermal- hydraulic instabilities.
* Tennessee Valley Authority. 95/05/18. 31pp. 84051:236-84051:266.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020203 Requests attendance at 950511 SALP meeting between NRC & util to discuss plant performance over past 18 months.Addl time to be allotted to discuss matters of mutual interest re regulation & performance at plant.
EBNETER,S.D. Region 2 (Post 820201). 95/04/19. GILLESPIE,M. Affiliation Not Assigned. 4pp. 83691:122-83691:125.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505050181 Ack receipt of 950316 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-35, 50-260/95-95 & 50-296/95-35.
CASTO,C.A. Region 2 (Post 820201). 95/04/27. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83758:358-83758:360.

9505110019 Forwards insp repts 50-259/95-21,50-260/95-21 & 50-296/95-21 on 950403-07.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/04/27. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83850:221-83850:234.

--9505110026 Insp repts 50-259/95-21,50-260/95-21 & 50-296/95-21 on 950403-07.No violations noted.Major areas inspected: electrical maint to review licensee actions to resolve electrical design & EDG.
MOORE,R., SHYMLOCK,M.B. Region 2 (Post 820201). 95/04/20. 11pp. 83850:224-83850:234.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110078 Discusses insp repts 50-259/95-15,50-260/95-15 & 50-296/95-15 on 950306-10 & 0406 & forwards NOV.Violation of concern because work plan was closed out w/o required work being completed.
GIBSON,A.F. Region 2 (Post 820201). 95/05/05. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83851:228-83851:286.

--9505110082 Notice of violation from insp on 950306-10 & 0406.Violation noted:fillet welds that attached stiffener plates to embedded plate were not increased to 3/16 inch size specified on design drawing.
* Region 2 (Post 820201). 95/05/05. 2pp. 83851:232-83851:233.

--9505110087 Insp repts 50-259/95-15,50-260/95-15 & 50-296/95-15 on 950306-10 & 0406.Violations noted.Major areas inspected: modifications for conduit supports,structural steel frames, platforms & licensee action on previous open items.
CHOU,R.C., LENAHAN,J.J., BLAKE,J.J. Region 2 (Post 820201). 95/05/05. 52pp. 83851:234-83851:286.

9505110084 Ack receipt of util 950413 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-03, 50-260/95-03 & 50-296/95-03.
CASTO,C.A. Region 2 (Post 820201). 95/05/05. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83851:211-83851:213.

9505240147 Forwards insp repts 50-259/95-22,50-260/95-22 & 50-296/95-22 on 950319-0415.No violations or deviations noted.
LESSER,M.S. Region 2 (Post 820201). 95/05/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:316-84021:350.

--9505240155 Insp repts 50-259/95-22,50-260/95-22 & 50-296/95-22 on 950319-0415.No violations or deviations noted.Major areas inspected:operations,surveillance testing,maint activities, unit 3 recovery actions & review of open items.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/05/05. 32pp. 84021:319-84021:350.

9505180032 Forwards insp repts 50-259/95-23,50-260/95-23 & 50-296/95-23 on 950424-28.No violations or deviations noted.Requests copy of SWS Operational Performance Assessment rept along w/any CA plans or documents when rept issued.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83952:061-83952:070.

--9505180036 Insp repts 50-259/95-23,50-260/95-23 & 50-296/95-23 on 950424-28.No violations noted.Major areas inspected:exams of procedure & representative records,interviews w/personnel & observation of activities in progress.
ROGERS,W.G., KELLOGG,P.J. Region 2 (Post 820201). 95/05/08. 7pp. 83952:064-83952:070.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240030 Forwards insp repts 50-259/95-20,50-260/95-20 & 50-296/95-20 on 950410-14.No violations or deviations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84020:277-84020:286.

--9505240037 Insp repts 50-259/95-20,50-260/95-20 & 50-296/95-20 on 950410-14.No violations noted.Major areas inspected: electrical issues associated w/restart of unit 3.
RUDISAIL,S., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/11. 7pp. 84020:280-84020:286.

9505300128 Forwards synopsis of NRC OI completed rept re allegation of discrimination as result of raising safety concerns.
EBNETER,S.D. Region 2 (Post 820201). 95/05/17. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 84077:305-84077:309.

9505310084 Forwards list of all expected insp activities for remainder of SALP cycle which ends in 960921 re 950322 recent performance at plant to determine if present planned insp effort for rest of SALP cycle should be revised.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/22. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84095:342-84095:345.

R. Periodic operating reports & related correspondence

9505030152 Forwards "Annual Radiological Environ Operating Rept Browns Ferry Nuclear Plant 1994," including results of land use censuses,results of radiological environ samples,description of monitoring program & map of sample locations.
SALAS,P. Tennessee Valley Authority. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83799:021-83799:150.

--9505030157 "Annual Radiological Environ Operating Rept Browns Ferry Nuclear Plant 1994."
* Tennessee Valley Authority. 94/12/31. 122pp. 83799:024-83799:150.

9505220062 Monthly operating repts for Apr 1995 for Browns Ferry Nuclear Plant Units 1,2 & 3.W/950515 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/04/30. 13pp. 84035:330-84035:342.

V. Operator Examinations

9505040385 Ltr contract,Mod 1 to task order 9,increasing funding to allow for an increase in level of effort required to include preparation of RO & SRO written exam,to "Refresher Training, Browns Ferry."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-5. 95/04/03. VOGEL,A.M. Sonalysts, Inc. 4pp. 83759:306-83759:309.

DOCKET 50-297 NORTH CAROLINA STATE UNIV. PULSTAR REACTOR

P. Operating license stage documents & correspondence

9505110009 Requests addl 90 days to respond to NRC 950209 RAI.
PEREZ,P.B. North Carolina State Univ., Raleigh, NC. 95/05/01. ADAMS,A. . 1p. 83902:351-83902:351.

9505300066 Discusses 950516 ltr re actions taken to repair primary sys water leak identified in Nov 1993.
STOHR,J.P. Region 2 (Post 820201). 95/05/18. PEREZ,P.B. North Carolina State Univ., Raleigh, NC. 2pp. 84076:325-84076:326.

Q. Inspection reports, IE Bulletins & correspondence

9505020106 Forwards insp rept 50-297/95-01 on 950404-06.No violations noted.Record copy.
COLLINS,D.M. Region 2 (Post 820201). 95/04/25. PEREZ,D.B. North Carolina State Univ., Raleigh, NC. 2pp. 83790:038-83790:046.

9505020106 Forwards insp rept 50-297/95-01 on 950404-06.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/04/25. PEREZ,D.B. North Carolina State Univ., Raleigh, NC. 2pp. 83690:136-83690:144.

--9505020113 Insp rept 50-297/95-01 on 950404-06.No violations noted. Major areas inspected:licensee preparations to resume operation of non-power reactor following repairs of N-16 holdup tank.
BASSETT,E.J., MCALPINE,E.J. Region 2 (Post 820201). 95/04/25. 6pp. 83690:138-83690:144.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9505010160 Rev 18 to EPIP 5.7.10, "Personnel Assembly & Accountability." W/950424 ltr.
HORN,G.R. Nebraska Public Power District. 95/04/24. 13pp. 83714:329-83714:341.

9505120049 Ack receipt of util 950419 ltr re proposed Rev 30 to plant Emergency Plan & informs that certain changes not acceptable as outlined.
COLLINS,S.J. Region 4 (Post 820201). 95/05/08. HORN,G.R. Nebraska Public Power District. 5pp. 83870:166-83870:170.

9505190024 Forwards matl which represents info to be placed on Cooper docket,PDR & LPDR re significant programmatic & operational problems identified at plant.
HALL,J.R. . 95/05/12. MCKNIGHT,J.C. Document Control Branch (Document Control Desk). 1p. 83989:001-83991:265.

--9505190162 Discusses records of telcons on 950118 & 19 re emergency preparedness issues & proposed restart of plant.
BARSS,D.M. NRC - No Detailed Affiliation Given. 95/01/23. NRC - No Detailed Affiliation Given. 1p. 83990:095-83990:095.

--9505190167 Forwards ltr from JA Miller of FEMA,notifying State of NE of FEMA decision to rescind requirement for remedial exercise to demonstrate correction of deficiency noted during 941116 exercise w/station.
MILLER,C.L. . 95/01/20. MURRAY,B. Region 4 (Post 820201). 4pp. 83990:096-83990:103.

I. Financial information

9505150241 "Strategic Direction in Changing Industry,1994 Nebraska Public Power District Annual Rept." W/950510 ltr.
GUSTAFSON,B., WATKINS,R., HORN,G.R. Nebraska Public Power District. 94/12/31. 44pp. 84008:001-84008:050.

P. Operating license stage documents & correspondence

9211100359 Trip rept of 920817-20 site audit of plant.
BAGCHI,G. Civil Engineering & Geosciences Branch. 92/11/01. LARKINS,J.T. Project Directorate IV-1. 175pp. 83704:304-83705:112.

9505020021 Notification of licensee meeting w/util on 950504 to discuss status of design basis reconstitution project, enhancements to TS & implementation of corrective measures for 50.9 issues.
BEACH,A.B. Region 4 (Post 820201). 95/04/26. Region 4 (Post 820201). 5pp. 83689:077-83689:081.

9505030446 Requests that info re RV beltline matl be withheld from public disclosure per 10CFR2.790.
MUELLER,J.H. Nebraska Public Power District. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83791:355-83791:357.

9505020369 Forwards SE granting licensee 950124 requests for relief from certian requirements of Section XI of ASME Boiler & Pressure Vessel Code for IST program at plant.
BECKNER,W.D. . 95/04/27. HORN,G.R. Nebraska Public Power District. 4pp. 83717:269-83717:282.

--9505020372 Safety evaluation granting relief from requirements of Section XI of ASME Boiler & Pressure Vessel Code for IST program.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. 10pp. 83717:273-83717:282.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080087 Forwards bases for commitment revs re CREFS 31-day test & operability limit.
MUELLER,J.H. Nebraska Public Power District. 95/04/28. Document Control Branch (Document Control Desk). 5pp. 83865:029-83865:033.

9505100050 Application for amend to license DPR-46,Amend would temporarily revise SR 4.7.A.2.f.1 to extend two year LLRT interval requirement.
HORN,G.R. Nebraska Public Power District. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 83873:263-83873:274.

--9505100051 Proposed tech specs re temporary rev to SR to extend two year LLRT interval requirement.
* Nebraska Public Power District. 95/05/02. 4pp. 83873:271-83873:274.

9505110110 Application for amend to license DPR-46.Amend would revise listed TSs & associated bases.
HORN,G.R. Nebraska Public Power District. 95/05/05. Document Control Branch (Document Control Desk). 16pp. 83933:268-83933:309.

--9505110113 Proposed tech specs reflecting changes to TSs & associated bases for license DPR-46.
* Nebraska Public Power District. 95/05/05. 26pp. 83933:284-83933:309.

9505180594 Requests withdrawal of 940426 submittal of Proposed Change 126 to TS re intermittent operation of hydrogen/oxygen analyzers.
MUELLER,J.H. Nebraska Public Power District. 95/05/10. Document Control Branch (Document Control Desk). 2pp. 84013:344-84013:345.

9505190024 Forwards matl which represents info to be placed on Cooper docket,PDR & LPDR re significant programmatic & operational problems identified at plant.
HALL,J.R. . 95/05/12. MCKNIGHT,J.C. Document Control Branch (Document Control Desk). 1p. 83989:001-83991:265.

--9505190027 Submits section of NRC Manual Chapter 0350, "Staff Guidelines for Restart Approval," process which officially ended w/public meeting on 950228.
REIS,T. NRC - No Detailed Affiliation Given. 95/03/06. NRC - No Detailed Affiliation Given. 3pp. 83989:002-83989:026.

--9505190039 Discusses 940527,0616 & 0701 confirmatory action ltrs which confirmed util commitment to address four items prior to restart of station.
HORN,G.R. Nebraska Public Power District. 94/07/28. CALLAN,L.J. Region 4 (Post 820201). 21pp. 83989:027-83989:085.

--9505190051 Recommends that Restart Panel be created based on wide variety,complexity & volume of issues at station.
BEACH,A.B. Division of Reactor Projects I/II (DRPE) Post 941001). ROE,J.W. . 94/11/10. CALLAN,L.J. Region 4 (Post 820201). ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 3pp. 83989:086-83989:089.

--9505190068 Informs that Cooper Restart Panel has initiated implementation of Manual Chapter 0350 & as result has developed Restart Action Plan.Submits plan for review & approval.
BEACH,A.B. Region 4 (Post 820201). ROE,J.W. . 94/12/20. CALLAN,L.J. Region 4 (Post 820201). ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 36pp. 83989:090-83989:125.

--9505190076 Manual Chapter 0350, "Staff Guidelines for Restart Approval."
* Region 4 (Post 820201). 93/09/30. 64pp. 83989:126-83989:189.

--9505190080 Rev 3 to "Phase 1 Plan," dtd 941109.
* Nebraska Public Power District. 94/11/09. 90pp. 83989:190-83989:279.

--9505190087 Rev 0 to "Restart Readiness Program."
* Nebraska Public Power District. 94/11/08. 74pp. 83989:280-83989:353.

--9505190091 Rev 1 to "Restart Readiness Program."
* Nebraska Public Power District. 95/01/20. 79pp. 83989:354-83990:071.

--9505190108 Rev 2 to "Startup & Power Ascension Plan."
* Nebraska Public Power District. 95/01/13. 12pp. 83990:072-83990:083.

--9505190112 Responds to 941129 ltr from JM Taylor to RW Watkins re request to provide plans for addressing identified root causes of deficiencies observed in both SET & DSAT repts.
WATKINS,R.W. Nebraska Public Power District. 95/01/30. TAYLOR,J.M. Ofc of the Executive Director for Operations. 9pp. 83990:084-83990:094.

--9505190162 Discusses records of telcons on 950118 & 19 re emergency preparedness issues & proposed restart of plant.
BARSS,D.M. NRC - No Detailed Affiliation Given. 95/01/23. NRC - No Detailed Affiliation Given. 1p. 83990:095-83990:095.

--9505190167 Forwards ltr from JA Miller of FEMA,notifying State of NE of FEMA decision to rescind requirement for remedial exercise to demonstrate correction of deficiency noted during 941116 exercise w/station.
MILLER,C.L. . 95/01/20. MURRAY,B. Region 4 (Post 820201). 4pp. 83990:096-83990:103.

--9505190174 Provides assessment of challenges util faces in improving performance & progress made in meeting challenges re 941108 public meeting.
MUELLER,J.H. Nebraska Public Power District. 94/11/07. CALLAN,L.J. Region 4 (Post 820201). 10pp. 83990:104-83990:113.

--9505190180 Informs that all restart issues re SORC have been resolved.
HORN,G.R. Nebraska Public Power District. 94/12/23. CALLAN,L.J. Region 4 (Post 820201). 4pp. 83990:114-83990:233.

--9505190193 Submits daily highlight.On 950206,regional administrator granted NRC approval of plant restart.Plant has been shut down since 940525 due to discovery of significant problems w/electrical distribution sys.
HALL,J.R. . 95/02/08. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 19pp. 83990:234-83990:256.

--**9505190212** PNO-IV-94-029:on 940525,both EDG had been declared inoperable.Cause due to test had not properly verified load shedding of all loads on criticality 480 volt busses. State of NE & Region IV have been notified.
HARRELL,P. Region 4 (Post 820201). 94/05/26. 108pp. 83990:257-83991:265.

9505190067 Summarizes 950504 meeting w/util re self-assessment of util operational activities following restart of facility in Feb & design basis reconstitution program,TS improvement efforts & efforts to improve accuracy of correspondence to NRC.
BEACH,A.B. Region 4 (Post 820201). 95/05/12. HORN,G.R. Nebraska Public Power District. 38pp. 83973:186-83973:223.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030112 Forwards insp repts documenting results of NRC review of self-assessment performed by util & NRC insp of significant safety issue identified by util self-assessment.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. HORN,G.R. Nebraska Public Power District. 5pp. 83721:259-83721:305.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050063 Ack receipt of 950323 ltr informing NRC of steps taken to correct violations noted in insp of license DPR-46 on 950221.
BEACH,A.B. Region 4 (Post 820201). 95/04/28. HORN,G.R. Nebraska Public Power District. 4pp. 83758:200-83758:212.

--**9505050069** Responds to NRC 950221 ltr re violations noted in insp of license DPR-46.Corrective actions:changed composition of SORC w/addition of new Plant,Engineering & Operations Managers.
MUELLER,J.H. Nebraska Public Power District. 95/03/23. Document Control Branch (Document Control Desk). 9pp. 83758:204-83758:212.

9505090142 Response to NRC ltr re violations noted in insp rept 50-298/95-05 on 950306-10.Corrective actions:District Phase I plan has adequately addressed mgt expectations re regulatory correspondence.
MUELLER,J.H. Nebraska Public Power District. 95/05/01. Document Control Branch (Document Control Desk). 4pp. 83868:356-83868:359.

9505100153 Forwards SE accepting util 930305 & 940128 responses to NRC bulletin 90-01,suppl 1, "Loss of Fill Oil in Transmitters Mfg By Rosemount."
HALL,J.R. . 95/05/02. HORN,G.R. Nebraska Public Power District. 4pp. 83890:048-83890:071.

--**9505100158** SE accepting util response to NRC bulletin 90-01,suppl 1, Loss of Fill-Oil in Transmitters Mfg by Rosemount."
* . 95/05/02. 2pp. 83890:052-83890:053.

--**9505100167** "Evaluation Of Utility Response to Suppl 1 to NRC Bulletin 90-01," technical evaluation rept.
UDY,A.C. Idaho National Engineering Laboratory. UDY,A.C. EG&G Idaho, Inc. FIN L-1695. EGG-RTAP-10825. 93/06/30. NRC - No Detailed Affiliation Given. 16pp. 83890:054-83890:071.

9505100019 Ack receipt of 950317 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/95-01.
GWYNN,T.P. Region 4 (Post 820201). 95/05/04. HORN,G.R. Nebraska Public Power District. 4pp. 83828:017-83828:024.

9505150070 Informs that current ten yr ISI interval for plant extended until 960101.
MUELLER,J.H. Nebraska Public Power District. 95/05/05. Document Control Branch (Document Control Desk). 3pp. 83955:353-83955:355.

9505180045 Forwards insp rept 50-498/95-06 on 950305-0415.No violations noted.
BEACH,A.B. Region 4 (Post 820201). 95/05/10. HORN,G.R. Nebraska Public Power District. 5pp. 83970:321-83970:344.

--**9505180051** Insp rept 50-298/95-06 on 950305-0415.No violations noted. Major areas inspected:operational safety verification,plant support activities,surveillance & maint observations.
HARRELL,P.H. Region 4 (Post 820201). 95/05/03. 19pp. 83970:326-83970:344.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230033 Responds to NRC 950405 ltr re violations noted in insp rept 50-298/95-03 on 950122-0304.Corrective actions:Limitorque operator maintenance procedures will be revised to include guidance to prevent overinsertion into operator covers.
MUELLER,J.H. Nebraska Public Power District. 95/05/15. Ofc of Enforcement (Post 870413). 7pp. 84058:346-84058:352.

9505230003 Forwards insp rept 50-298/95-04 on stated date & notice of violation.Violation of NRC concern because of indication of continued reluctance to initiate CA process.
BEACH,A.B. Region 4 (Post 820201). 95/05/16. HORN,G.R. Nebraska Public Power District. 6pp. 84001:023-84001:062.

--**9505230006** Notice of violation from insp on stated date.Violation noted:on 950220,operators did not initiate condition rept for spurious alarm of turbine exhaust Hi Hi drip leg until questioned by inspector.
* Region 4 (Post 820201). 95/05/16. 2pp. 84001:029-84001:030.

--**9505230008** Insp rept 50-298/95-04 on stated date.Violations noted. Major areas inspected:maint & surveillance program implementation & observation of plant operational activities.
HARRELL,P.H. Region 4 (Post 820201). 95/05/12. 30pp. 84001:031-84001:062.

9505230012 Informs of team insp at plant,scheduled for 950612-16 & 26-30 to evaluate effectiveness of controls in identifying, resolving & preventing issues that affect quality of plant operations.
GWYNN,T.P. Region 4 (Post 820201). 95/05/16. HORN,G.R. Nebraska Public Power District. 6pp. 84001:070-84001:075.

9505230017 Ack receipt of 950501 ltr informing NRC of steps taken to correct violations noted in insp rept 50-298/95-05.
GWYNN,T.P. Region 4 (Post 820201). 95/05/16. HORN,G.R. Nebraska Public Power District. 4pp. 84001:081-84001:088.

9505240116 Insp rept 50-298/94-25 cancelled.
BEACH,A.B. Region 4 (Post 820201). 95/05/19. HORN,G.R. Nebraska Public Power District. 4pp. 84021:187-84021:190.

9505240128 Insp rept 50-298/94-22 cancelled.
BEACH,A.B. Region 4 (Post 820201). 95/05/19. HORN,G.R. Nebraska Public Power District. 4pp. 84021:247-84021:250.

R. Periodic operating reports & related correspondence

9505030035 "Annual Radiological Environ Operating Rept," for period of 940101-1231.W/950417 ltr.
MARTIN,J.D. Teledyne Brown Engineering Co. HORN,G.R. Nebraska Public Power District. 94/12/31. 217pp. 83859:085-83859:302.

9505180240 Monthly operating rept for Apr 1995 for Cooper Nuclear Station.W/950510 ltr.
KRAUSE,E.A., HERRON,J.T. Nebraska Public Power District. 95/04/30. 5pp. 84005:347-84005:351.

S. Reportable occurrences, LERs & related correspondence

9505180149 PNO-IV-95-002:on 950206,regional administrator to allow plant restart on 950208 by issuing ltr to util,lifting CALs. State of NE informed & NRC to issue press release.
HARRELL,P.H., KOPRIVA,R.A. Region 4 (Post 820201). 95/02/07. 1p. 83952:297-83952:297.

9505230001 Special rept:on 950515,loss of switchyard 12.5 kV power resulted in temporary inoperability of fire suppression water sys.Caused by short circuit due to failed shield wire. Pumps restored to normal switch configurations.
DI RITO,P.J. Nebraska Public Power District. 95/05/16. Document Control Branch (Document Control Desk). 3pp. 84039:303-84039:305.

V. Operator Examinations

9505050097 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam,administered on 950405,for info.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. HORN,G.R. Nebraska Public Power District. 2pp. 83758:311-83758:312.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505040258 Informs that in response to NRC comments during 950209 & 16 telcons,WIEP modified TS Change Request 176 submitted on 950124,by withdrawing TS 15.6.5.3, "Fire Protection Audits" & retaining spec 15.7.8.2.C re transmittal of audit repts.
LINK,B. Wisconsin Electric Power Co. 95/04/25. Document Control Branch (Document Control Desk). 2pp. 83814:337-83814:338.

H. General correspondence

9505220231 Responds to 950227 ltr to President Clinton expressing concerns re dry cask storage of radioactive spent fuel at plant.
ADENSAM,E.G. . 95/05/15. KOPECKY,M.L. Affiliation Not Assigned. 24pp. 84029:289-84029:317.

--**9505220236** Forwards ltr from L Kopecky.NRC has responded to concerns presented in ltr to President Clinton.Ltr suggests utilizing super-collider facility for storage of spent nuclear fuel.
ADENSAM,E.G. . 95/05/15. DREYFUS,D.A. Energy, Dept. of. 1p. 84029:312-84029:312.

--**9505220242** Forwards ltr from ML Kopecky re storage of spent nuclear fuel by Lake Michigan.
SPRINGER,R. Environmental Protection Agency. 95/04/07. CHILK,S.J. Office of the Secretary of the Commission. 6pp. 84029:313-84029:317.

P. Operating license stage documents & correspondence

9112190216 Trip rept of 911021-25 audit at facility re structures & civil engineering features.
KIM,Y. Structural & Geosciences Branch. 91/12/09. BAGCHI,G. Structural & Geosciences Branch. 76pp. 83705:113-83705:190.

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--**9505190289** Advises that J Hannon contacted listed plants who did not provide responses to Stello ltr of 870427 on restrictive language in agreement.
HANNON,J.N. NRC - No Detailed Affiliation Given. 89/08/21. QUAY,T. NRC - No Detailed Affiliation Given. 1p. 84038:121-84038:121.

9505030301 Application for amend to licenses DPR-24 & DPR-27,consisting of change request 171 re heatup & cooldown limit curve expiration date extension response to request for addl info for plant.
LINK,B. Wisconsin Electric Power Co. 95/04/25. Document Control Branch (Document Control Desk). 5pp. 83808:088-83808:092.

9505040258 Informs that in response to NRC comments during 950209 & 16 telcons,WIEP modified TS Change Request 176 submitted on 950124,by withdrawing TS 15.6.5.3, "Fire Protection Audits" & retaining spec 15.7.8.2.C re transmittal of audit repts.
LINK,B. Wisconsin Electric Power Co. 95/04/25. Document Control Branch (Document Control Desk). 2pp. 83814:337-83814:338.

9505020253 Application for amends to licenses DPR-24 & DPR-27,modifying TS Section 15.3.5, "Instrumentation Sys."
LINK,B. Wisconsin Electric Power Co. 95/04/27. Document Control Branch (Document Control Desk). 13pp. 83764:023-83764:039.

--**9505020258** Proposed tech specs,modifying TS Section 15.3.5, "Instrumentation Sys."
* Wisconsin Electric Power Co. 95/04/27. 4pp. 83764:036-83764:039.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110232 Application for amends to licenses DPR-24 & DPR-27, consisting of TS change request 172,modifying TS Section 15.4.1, "Operational Safety Review."
LINK,B. Wisconsin Electric Power Co. 95/05/02. Document Control Branch (Document Control Desk). 7pp. 83930:239-83930:251.

--**9505110233** Proposed tech specs,consisting of change request 172, modifying TS Section 15.4.1, "Operational Safety Review."
* Wisconsin Electric Power Co. 95/05/02. 6pp. 83930:246-83930:251.

9505220010 Expresses appreciation for 10CFR50.54(a) submittal dtd 950407 which incorporates changes in licensee QA program description.Informs that revs continue to meet requirements & acceptable.
RING,M.A. Region 3 (Post 820201). 95/05/15. LINK,R. Wisconsin Electric Power Co. 1p. 83985:053-83985:053.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110147 Ack receipt of 941221 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/94-24 & 50-301/94-24.Violation occurred as stated in NOV dtd 941122.
FARBER,M.J. Region 3 (Post 820201). 95/05/05. LINK,R. Wisconsin Electric Power Co. 4pp. 83851:216-83851:219.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505180264 Forwards monthly operating repts for Apr 1995 & revised repts for Mar 1995 for Point Beach Nuclear Plant Units 1 & 2.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/05/08. Document Control Branch (Document Control Desk). 1p. 84013:285-84013:295.

--**9505180276** Monthly operating repts for Apr 1995 for Point Beach Nuclear Plant Units 1 & 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 95/04/30. 9pp. 84013:286-84013:294.

--**9505180284** Revised monthly operating repts for Mar 1995 for Point Beach Nuclear Plant Unit 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 95/03/31. 1p. 84013:295-84013:295.

9505310246 Forwards corrected monthly operating repts for Apr 1995 for Point Beach Nuclear Plant,Units 1 & 2.Ltr dtd 950508 did not take into account for daylight saving time.Requests that encl data for Apr 1995 be used.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/05/24. Document Control Branch (Document Control Desk). 1p. 84163:314-84163:324.

--**9505310249** Corrected monthly operating repts for Apr 1995 for Point Beach Nuclear Plant,Units 1 & 2.
KOUDELKA,M.B. Wisconsin Electric Power Co. 95/04/30. 10pp. 84163:315-84163:324.

S. Reportable occurrences, LERs & related correspondence

9505300156 Interim Part 21 rept re contact failure of square D type KPD relay used in diesel generator control panel.Relays replaced at plant.Review of matter expected to be completed on 950508.
NUDING,M. MKW Power Systems, Inc. 95/04/24. MURLEY,T. Office of Nuclear Reactor Regulation (Post 941001). 12pp. 84090:001-84090:012.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. LASPISA,L.J. Commonwealth Edison Co. 1p. 83758:352-83758:352.

9505090023 Informs of arrangements made for administration of written & operating licensing exams at plant scheduled for wk of 951002.NRC will prepare & administer exams in accordance w/ES-401 & ES-402 of NUREG-1021.
RING,M.A. Region 3 (Post 820201). 95/05/05. LINK,R. Wisconsin Electric Power Co. 3pp. 83816:100-83816:102.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505080059 Forwards ltr from ML Kopecky re storage of spent fuel along shore of Lake Michigan & EPA response.W/o EPA response.
SPRINGER,R. Environmental Protection Agency. 95/04/07. CHILK,S.J. Office of the Secretary of the Commission. 3pp. 83852:101-83852:103.

9505110088 Responds to 950407 ltr to J Hoyle re concerns about dry cask storage of radioactive spent fuel at plant.
ADENSAM,E.G. . 95/05/04. TELLER,J. Menominee Tribe. 122pp. 83900:235-83900:359.

--**9505110093** Requests federal government intervention on plant constructing of dry cask storage facility for storage of spent fuel containing U-235.
TELLER,J. Menominee Tribe. 95/04/07. HOYLE,J. Office of the Secretary of the Commission. BABBITT,B. Interior, Dept. of. 3pp. 83900:357-83900:359.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9505110293 Summary of 950425 meeting w/listed participants in Rockville,MD re thermo-lag resolution fire analysis & EPRI tailored-collaboration.List of attendees & licensee handouts encl.
RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. NRC - No Detailed Affiliation Given. 41pp. 83938:172-83938:212.

9505180185 Informs of completion of review of rev 15 to plant radiological emergency response plan.Changes satisfactory to meet planning stds of 10CFR50.47 & requirements of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/03. BEARD,P.M. Florida Power & Light Co. 3pp. 83953:001-83953:003.

9505120006 Forwards rev 8 to operating procedure AR-601, "TGF M Annunciator Response" & revised EPIPs,including rev 70 to EM-206, "Emergency Plan Roster & Notification" & rev 14 to EM-209, "Re-Entry Procedure."
* Florida Power Corp. 95/05/05. Document Control Branch (Document Control Desk). 1p. 83884:218-83884:287.

--**9505120008** Rev 8 to operating procedure AR-601, "TGF M Annunciator Response."
* Florida Power Corp. 95/05/03. 38pp. 83884:219-83884:258.

--**9505120011** Revised EPIPs,including rev 70 to EM-206, "Emergency Plan Roster & Notification" & rev 14 to EM-209, "Re-Entry Procedure."
STEPHENSON,J.D. Florida Power Corp. 95/05/04. 29pp. 83884:259-83884:287.

9505180529 Rev 50 to Radiological Emergency Planning Dept Procedure REP-02, "Activation & Notification of Corporate Emergency Support Organization."
STEPHENSON,J.D. Florida Power Corp. 95/05/05. 54pp. 84032:268-84032:322.

9505220279 Forwards follow-up request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/12. BEARD,P.M. Florida Power Corp. 6pp. 84029:346-84029:351.

9505250301 Rev 16 to EPIP EM-204A, "Off-Site Dose Assessment During Radiological Emergencies (Initial Assessment Method)."
STEPHENSON,J.D. Florida Power Corp. 95/05/12. 113pp. 84087:001-84087:114.

9505240353 Responds to questions posed by NRC 950407 ltr re FPC rept of fire endurance tests conducted on barriers constructed of Thermo-Lag & combination of Thermo-Lag & Mecatiss matl, provided by FPC 950306 ltr per GL 86-10.
BOLDT,G.L. Florida Power Corp. 95/05/17. Document Control Branch (Document Control Desk). 11pp. 84071:347-84071:357.

9505250083 Advises that 950321 rev 6-6 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 95/05/17. BEARD,P.M. Florida Power Corp. 3pp. 84073:356-84073:358.

9505310247 Rev 82 to Radiological Emergency Planning Dept Procedure index.
* Florida Power Corp. 95/05/19. 2pp. 84142:360-84142:361.

I. Financial information

9505250053 Forwards 1994 internal cash flow projection for plant.
BOLDT,G.L. Florida Power Corp. 95/05/16. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84083:343-84083:344.

P. Operating license stage documents & correspondence

9505240320 FOIA request for documents re baffle removal & cutting of internals reactors at listed plants.
KATZ,D. Citizens Awareness Network. 94/10/17. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84024:181-84024:183.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040304 Discusses NRC 950320-24 site visit to plant to review implementaion of maint rule.
MATTHEWS,D. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/28. BEARD,P.M. Florida Power Corp. 19pp. 83759:219-83759:237.

9505100129 Informs that IPEEE will not be submitted on 950630 as previously noted.FPC anticipates submittal of IPEEE by 960628.
BEARD,P.M. Florida Power Corp. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83875:011-83875:012.

9505050268 Responds to request for withholding info from public disclosure re BAW-2209, "Crystal River Unit 3,Spent Fuel Storage Pool B Criticality Analysis," dtd Oct 1993. BAW-2209 will be withheld from public disclosure.
RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/01. TAYLOR,J.H. Babcock & Wilcox Co. 3pp. 83813:355-83813:357.

9505110293 Summary of 950425 meeting w/listed participants in Rockville,MD re thermo-lag resolution fire analysis & EPRI tailored-collaboration.List of attendees & licensee handouts encl.
RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. NRC - No Detailed Affiliation Given. 41pp. 83938:172-83938:212.

9505230102 Comment re proposed GL concerning pressure locking & thermal binding of safety related power operated valves.TIs to insp personnel,surveys or other means could confirm that SR power operated valves capable of performing safety function.
WILSON,K.R. Florida Power Corp. 95/05/05. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84001:349-84001:350.

9505220279 Forwards follow-up request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/12. BEARD,P.M. Florida Power Corp. 6pp. 84029:346-84029:351.

9505250040 Forwards background section,brief conclusion & two attachments containing summary of follow-up questions & util responses to study performed by Gilbert Commonwealth re plant fifth tendon surveillance.
BOLDT,G.L. Florida Power Corp. 95/05/15. Document Control Branch (Document Control Desk). 33pp. 84075:140-84075:172.

9505220235 Forwards page 2 to attachment,omitted from 950410 ltr, requesting addl info re util 950309 submittal for TS changes to increase allowable U-235 enrichment of fuel to be stored in new & SF storage facilities of plant.
RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/17. BEARD,P.M. Florida Power Corp. 5pp. 84067:322-84067:326.

9505240353 Responds to questions posed by NRC 950407 ltr re FPC rept of fire endurance tests conducted on barriers constructed of Thermo-Lag & combination of Thermo-Lag & Mecatiss matl, provided by FPC 950306 ltr per GL 86-10.
BOLDT,G.L. Florida Power Corp. 95/05/17. Document Control Branch (Document Control Desk). 11pp. 84071:347-84071:357.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505300084 Requests one-time schedular exemption from requirements of 10CFR50,App J, "Primary Reactor Containment Leakage Testing for Water Cooled Power Reactors," re ILRT.
BEARD,P.M. Florida Power & Light Co. 95/05/19. Document Control Branch (Document Control Desk). 14pp. 84105:337-84105:350.

9505310632 Forwards response to NRC 950410 RAI re util 950126 submittal of TS Change Request 201 to increase allowable U-235 enrichment of fuel to be stored in new & existing spent fuel storage facilities of Crystal River Unit 3.
BOLDT,G.L. Florida Power Corp. 95/05/24. Document Control Branch (Document Control Desk). 8pp. 84163:183-84163:195.

–9505310635 Proposed tech specs supporting fuel enrichment increase.
* Florida Power Corp. 95/05/24. 5pp. 84163:191-84163:195.

Q. Inspection reports, IE Bulletins & correspondence

9505120159 EN-95-018:on 950324,notice of violation & proposed imposition of civil penalty in amount of $25,000 will be issued to licensee.Action based on TS requirements violation re failure to ensure that trip setpoints were set.
BEALL,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/03/21. 1p. 83871:207-83871:207.

9505020082 Informs of NRC plans to inspect implementation of CA Plan & to meet w/ util in July 1995 to discuss progress.List of currently planned addl insp & meetings to assess progress on CA Plan,encl.
LANDIS,K.D. Region 2 (Post 820201). 95/04/18. BEARD,P.M. Florida Power Corp. 4pp. 83689:357-83689:360.

9505020394 Informs that responses to CAL issued on 940426,acceptable.
RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/20. BEARD,P.M. Florida Power Corp. 2pp. 83717:288-83717:289.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030480 Updates NRC re related actions that FPC performed since Svc Water Sys Operational Performance Assessment conducted from 941003-1110.Summary of major actions taken or planned in stated broad categories encl.
BEARD,P.M. Florida Power Corp. 95/04/25. Document Control Branch (Document Control Desk). 9pp. 83808:093-83808:101.

9505050046 Forwards insp rept 50-302/95-08 on 950305-0408.No violations noted.Licensee efforts in identifying &/or correcting violation meet criteria specified in Enforcement Policy.
LANDIS,K.D. Region 2 (Post 820201). 95/04/26. BEARD,P.M. Florida Power Corp. 3pp. 83758:146-83758:171.

–9505050053 Insp rept 50-302/95-08 on 950305-0408.No violations noted. Major areas inspected:plant operations,surveillance observation,maint,plant support,licensee continued to demonstrate satisfactory performance to ensure plant safety.
BUTCHER,R., LANDIS,K. Region 2 (Post 820201). 95/04/25. 23pp. 83758:149-83758:171.

9505050151 Forwards response to NRC 950330 ltr re violations noted in insp rept 50-302/95-07.Corrective actions:counselled maint crew members conducting procedure re event.
BEARD,P.M. Florida Power Corp. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83864:014-83864:016.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180380 Ack receipt of 950426 ltr informing NRC of steps taken to correct violations noted in insp of license DPR-72.
CANDIS,K.D. Region 2 (Post 820201). 95/05/05. Florida Power Corp. 3pp. 83955:077-83955:079.

9505180484 Provides addl info from continuing review of unresolved item 94-22-01, "Makeup Tank Operations."
BEARD,P.M. Florida Power Corp. 95/05/05. EBNETER,S. Region 2 (Post 820201). 5pp. 84000:356-84000:360.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240186 Ack receipt of 950421 ltr & wire transfer for payment of civil penalty proposed by NRC ltr dtd 950324.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/19. BEARD,P.M. Florida Power Corp. 1p. 84022:254-84022:254.

9505300042 Confirms 950517 telcon between J Smith & R Aiello re meeting to be held on 950524 to discuss emergency operating procedures,plant requalification insp follow-up programs for SRO limited to fuel handling & other training issues.
LANDIS,K.D. Region 2 (Post 820201). 95/05/19. BEARD,P.M. Florida Power Corp. 4pp. 84076:117-84076:120.

R. Periodic operating reports & related correspondence

9505050080 "Radioactive Effluent Release Rept 1994 Crystal River Unit 3." W/950428 ltr.
BOLDT,G.L. Florida Power Corp. 94/12/31. 174pp. 83815:001-83815:174.

9505220069 "Annual Radiological Environ Operating Rept 1994." W/950512 ltr.
BOLDT,G.L., JOHNSON,S.G. Florida Power Corp. 94/12/31. 57pp. 84035:264-84035:320.

9505180248 Monthly operating rept for Apr 1995 for Crystal River Unit 3.W/950511 ltr.
DAO,T.V., BOLDT,G.L. Florida Power Corp. 95/04/30. 5pp. 84005:330-84005:334.

S. Reportable occurrences, LERs & related correspondence

9505230292 LER 95-006-00:on 950417,general knowledge deficiency caused level instrumentation to be subjected to low temp that resulted in challenge to design basis.Re-evaluated environ zone temps.W/950517 ltr.
FRIJOUF,J.A., BOLDT,G.L. Florida Power Corp. 95/05/17. 7pp. 84078:070-84078:076.

9505310304 Forwards LER 95-007 re delay in performance of surveillance resulting in violation of TSs.
KELLEY,L.C. Florida Power Corp. 95/05/23. Document Control Branch (Document Control Desk). 1p. 84162:082-84162:087.

–9505310319 LER 95-007-00:on 950421,inattention to detail caused delay in performance of surveillance that resulted in violation of improved TS.Counselled individuals involved & revised procedures.
FRIJOUF,J.A. Florida Power Corp. 95/05/19. 5pp. 84162:083-84162:087.

V. Operator Examinations

9505300042 Confirms 950517 telcon between J Smith & R Aiello re meeting to be held on 950524 to discuss emergency operating procedures,plant requalification insp follow-up programs for SRO limited to fuel handling & other training issues.
LANDIS,K.D. Region 2 (Post 820201). 95/05/19. BEARD,P.M. Florida Power Corp. 4pp. 84076:117-84076:120.

DOCKET 50-303 CRYSTAL RIVER NUCLEAR PLANT, UNIT 4

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:024-83834:028.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505020196 Revised EPIPs,including rev 1 to EPIP 180-1,rev 7 to EPIP 320-1 & EPIP Index.
KASSNER,G. Commonwealth Edison Co. 95/04/25. 36pp. 83757:254-83757:289.

9505190274 Revised pages ZA 6-11 & 6-12 to Rev 7g of generating station emergency plan annex,dtd May 1995.
SCOTT,D.J. Commonwealth Edison Co. 95/05/04. 4pp. 84008:341-84008:344.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

P. Operating license stage documents & correspondence

9505010002 Confirms 950421 telcon between staff & util in which staff granted notice of enforcement discretion for util re plant, Units 1 & 2.
CAPRA,R.A. . 95/04/24. FARRAR,D.L. Commonwealth Edison Co. 4pp. 83685:356-83685:359.

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--9505050159 Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--9505050162 Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505030477 Comments on draft GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
VONK,M.J. Commonwealth Edison Co. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83791:352-83791:354.

9505120143 Provides review of plant performance.
TUETKEN,R.P. Commonwealth Edison Co. 95/04/26. Document Control Branch (Document Control Desk). 9pp. 83948:347-83948:355.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505110076 Request results of review & disposition re radiation protection concerns at plant,which was submitted to Region III ofc.Responses requested within 30 days of ltr date.W/o encl.
CANIANO,R.J. Region 3 (Post 820201). 95/05/05. TUETKEN,R. Commonwealth Edison Co. 2pp. 83851:209-83851:210.

9505110284 Forwards amends 162 & 150 to licenses DPR-39 & DPR-48 & SE. Amends change TSs by modifying surveillance testing periodicity requirements of automatic actuation logic of ES equipment.
SHIRAKI,C.Y. . 95/05/05. FARRAR,D.L. Commonwealth Edison Co. 2pp. 83938:153-83938:171.

--9505110288 Amends 162 & 150 to licenses DPR-39 & DPR-48,respectively, changing TSs by modifying surveillance testing periodicity requirements of automatic actuation logic of ES equipment.
CAPRA,R.A. . 95/05/05. 17pp. 83938:155-83938:163.

--9505110305 Safety evaluation supporting amends 162 & 150 to licenses DPR-39 & DPR-48,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 8pp. 83938:164-83938:171.

9505150157 Advises that as of 950509 107 of 113 DET commitments complete in response to diagnostic evaluation of Zion Station.
SIMPKIN,T.W. Commonwealth Edison Co. 95/05/09. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 83943:260-83943:262.

9505150160 Advises util determined mod to containment isolation valve used to isolate RCS hot leg from suction of RHR pumps.
SIMPKIN,T.W. Commonwealth Edison Co. 95/05/10. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 83972:253-83972:254.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505240377 Responds to 950517 request that NRC exercise discretion not to enforce compliance w/TS 4.3.1.B associated w/SG tube plugging or repair criteria.Documents 950516 telcon granting notice of enforcement discretion.
CAPRA,R.A. . 95/05/18. FARRAR,D.L. Commonwealth Edison Co. 4pp. 84048:337-84048:340.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090103 Forwards response to NRC 950403 ltr re violations noted in insp repts 50-295/95-07 & 50-304/95-07 on 950314-16. Corrective actions:on 950201 memo was provided at guardhouse to personnel entering station.
TUETKEN,R.P. Commonwealth Edison Co. 95/05/03. Document Control Branch (Document Control Desk). 9pp. 83896:299-83896:307.

9505090107 Forwards response to NRC 950403 ltr re violations noted in insp repts 50-295/95-03 & 50-304/95-03
TUETKEN,R.P. Commonwealth Edison Co. 95/05/03. Document Control Branch (Document Control Desk). 9pp. 83896:308-83896:316.

9505190012 Forwards insp repts 50-295/95-06 & 50-304/95-06 on 950228- 0410 & notice of violation.Several events noted weaknesses in ability of operators to control plant configuration & to maintain awareness of plant conditions.
AXELSON,W.L. Region 3 (Post 820201). 95/05/05. TUETKEN,R. Commonwealth Edison Co. 6pp. 83973:008-83973:030.

--9505190021 Notice of violation from insp on 950228-0410.Violations noted:charging pump & safety injection pump crosstie valve was returned to svc w/o proper verification of alignment.
* Region 3 (Post 820201). 95/05/05. 2pp. 83973:014-83973:015.

--9505190028 Insp repts 50-295/95-06 & 50-304/95-06 on 950228-0410. Violations noted.Major areas inspected:licensee activities in areas of operations,maint & surveillance engineering & plant support.
MILLER,L.F. Region 3 (Post 820201). 95/05/05. 15pp. 83973:016-83973:030.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180176 Discusses DET insp at plant,units 1 & 2 re effectiveness of licensed activities performed by licensee in achieving safe operation of plant & determined causes of performance deficiencies.
SHIRAKI C.Y. . 95/05/15. FARRAR,D.L. Commonwealth Edison Co. 2pp. 83974:358-83974:359.

9505240100 Informs that no further regulatory issues exist re allegation of deliberate matl false statements made at 930416 enforcement conference concerning negative pressure in plant auxiliary bldg.
MARTIN,J.B. Region 3 (Post 820201). 95/05/17. TUETKEN,R. Commonwealth Edison Co. 3pp. 84021:119-84021:121.

R. Periodic operating reports & related correspondence

9505190389 Monthly operating rept for Apr 1995 for Zion Generating Station.W/950515 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 95/04/30. 13pp. 84010:325-84010:337.

S. Reportable occurrences, LERs & related correspondence

9505090113 Special rept:on 950401,during "Manual Actuation of SI & Shutdown Sys & DG Loading Test" for Bus 248,2A EDG was unloaded & shutdown by CR operator after notification by local operator of oil leak that was creating housekeeping.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/05/03. Document Control Branch (Document Control Desk). 2pp. 83896:317-83896:318.

9505150119 LER 94-011-01:update to 94-011,licensing basis for electrical sys is single unit loss of off-site power coincident w/LOCA.LER 2-94-011,dtd 941208 retracted. W/ 950509 ltr.
STOJKOVICH,S., SCHWARTZ,G.K. Commonwealth Edison Co. 95/05/09. 3pp. 83898:324-83898:326.

9505260271 RO:on 940307,2A AF pump tripped on overspeed.Caused by failure of fuse in voltage regulation circuit in conjunction w/accumulation of zebra mussell shells in lube oil jacket water coolers.
SIMPKIN,T.W. Commonwealth Edison Co. 95/05/19. Document Control Branch (Document Control Desk). 3pp. 84099:296-84099:298.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. 1p. 83758:352-83758:352.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9505030485 Forwards pages 14 through 20 of Rev 17 to emergency plan. Pages inadvertently omitted from 950419 submittal of Rev 17 to emergency plan.
MARCHI,M.L. Wisconsin Public Service Corp. 95/04/25. Document Control Branch (Document Control Desk). 1p. 83832:298-83832:305.

--9505030486 Pages 14 through 20 to Rev 17 of emergency plan.
* Wisconsin Public Service Corp. 95/04/25. 7pp. 83832:299-83832:305.

9505260285 Forwards plant writers guide documents requested by NRR.
HARRINGTON,G.I. Wisconsin Public Service Corp. 95/05/18. ARILDSEN,J. . 1p. 84083:001-84083:126.

--9505260295 "Integrated Plant Emergency Operating Procedure Writer Manual."
* Wisconsin Public Service Corp. 93/12/21. 46pp. 84083:002-84083:047.

J. Insurance & indemnity information

9505230326 Forwards Endorsement 118 to NELIA Policy NF-204.
MARCHI,M.L. Wisconsin Public Service Corp. 95/05/19. Document Control Branch (Document Control Desk). 2pp. 84049:352-84049:353.

P. Operating license stage documents & correspondence

9505040153 Forwards amend 120 to license DPR-43 & SE.Amend revises KNPP TS 3.1.b.1 & figure TS 3.1-4 re LTOP protection for RCPB.
LAUFER,R.J. . 95/04/26. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 83759:191-83759:203.

--9505040158 Amend 120 to license DPR-43,revising KNPP TS 3.1.b.1 & figure TS 3.1-4 re LTOP protection for RCPB.
LAUFER,R.J. . 95/04/26. 6pp. 83759:194-83759:199.

--9505040163 Safety evaluation supporting amend 120 to license DPR-43.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/26. 4pp. 83759:200-83759:203.

9505020478 Forwards proprietary rept WCAP-14359, "Structural Integrity Evaluation for Feedwater Nozzle Safe-end-Region of Kewaunee Nuclear Plant," per 10CFR50.55a(g)(4) & subarticle IWB-3600 of Section XI of ASME BP&PV Code.Proprietary rept withheld.
MARCHI,M.L. Wisconsin Public Service Corp. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83814:086-83814:088.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040060 Application for amend to license DPR-43.Amend would revise current heatup & cooldown limit curves for plant.
STEINHARDT,C.R. Wisconsin Public Service Corp. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83886:119-83887:007.

--9505040068 "Analysis of Capsule S from Wisconsin Public Svc Corp Kewaunee Nuclear Plant Reactor Vessel Radiation Surveillance Program."
RISHEL,R.D., TEREK,E., WRIGHTS,G.N. Westinghouse Electric Corp. WCAP-14279. 95/03/31. 162pp. 83886:122-83886:283.

--9505040077 "Evaluation of Pressurized Thermal Shock for Kewaunee RV."
RISHEL,R.D., TEREK,E. Westinghouse Electric Corp. WCAP-14280. 95/03/31. 29pp. 83886:284-83886:311.

--9505040082 "Kewaunee RV Heatup & Cooldown Limit Curves for Normal Operation."
RISHEL,R.D., PETER,P.A. Westinghouse Electric Corp. WCAP-14278. 95/04/30. 39pp. 83886:312-83886:349.

--9505040091 Proposed tech specs re proposed revision of heatup & cool- down limit curves for plant.
* Wisconsin Public Service Corp. 95/04/28. 22pp. 83886:350-83887:007.

9505040189 Notification of 950504 meeting w/util in Rockville,MD to discuss preliminary test program for sleeved SG tubes that were pulled from plant SGs & Westinghouse action plan for alloy 600 SG tube plugs.
LAUFER,R.J. . 95/04/28. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 4pp. 83759:187-83759:190.

9505080260 Forwards corrections to amends 117,118 & 119 to license DPR-43.
LAUFER,R.J. . 95/04/28. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 83827:329-83827:336.

--9505080265 Corrections to amends 117,118 & 119 to license DPR-43. Corrections made to TS 3.1-11 to correct typo,TS B3.1-12 to include previous changes of amend 117,shifting pages TS B3.1-13 & TS B3.1-14 & TS ii to include amend 118.
LAUFER,R.J. . 95/04/28. 5pp. 83827:332-83827:336.

9505090309 Forwards SE accepting 941031 response to 940831 request for addl info on plant third ten year inservice insp program & associated requests for relief.
MARCUS,G.H. . 95/04/28. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 83852:294-83852:332.

--9505090310 Safety evaluation accepting licensee 941031 response to 940831 request for addl info,related to plant third ten year inservice insp program & associated requests for relief.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 36pp. 83852:297-83852:332.

9505180085 Forwards safety evaluation accepting util 950427 ltr re evaluation of flaw indications identified on feedwater nozzle-to-pipe welds of 1A & 1B SG at plant.Reported flaws acceptable w/o repair until next ASME code required re-exam.
LAUFER,R.J. . 95/05/09. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 83979:306-83979:311.

--9505180092 Safety evaluation accepting util 950427 ltr re evaluation of flaw indications in SG feedwater nozzle-to-pipe welds identified during ultrasonic & radiographic exams conducted during 1995 refueling outage.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/09. 3p. 83979:309-83979:311.

9505240224 Summary of 950413 meeting w/util in Rockville,MD re RPV issues.List of participants & util meeting handouts encl.
LAUFER,R.J. . 95/05/17. . 46pp. 84059:234-84059:279.

9505260285 Forwards plant writers guide documents requested by NRR.
HARRINGTON,G.I. Wisconsin Public Service Corp. 95/05/18. ARILDSEN,J. . 1p. 84083:001-84083:126.

--9505260295 "Integrated Plant Emergency Operating Procedure Writer Manual."
* Wisconsin Public Service Corp. 93/12/21. 46pp. 84083:002-84083:047.

--9505260305 "Procedure Writer Guide."
MEYER,S.M. Wisconsin Public Service Corp. 93/09/14. 79pp. 84083:048-84083:126.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505090088 Forwards insp rept 50-305/95-04 on 950219-0406.No violations noted.
FARBER,M.J. Region 3 (Post 820201). 95/04/21. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 83817:040-83817:054.

--9505090093 Insp rept 50-305/95-04 on 950219-0406.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & corrective actions on previous findings.
FARBER,M.J. Region 3 (Post 820201). 95/04/21. 12pp. 83817:043-83817:054.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090309 Forwards SE accepting 941031 response to 940831 request for addl info on plant third ten year inservice insp program & associated requests for relief.
MARCUS,G.H. . 95/04/28. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 83852:294-83852:332.

--9505090310 Safety evaluation accepting licensee 941031 response to 940831 request for addl info,related to plant third ten year inservice insp program & associated requests for relief.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 36pp. 83852:297-83852:332.

9505190107 Forwards Rev 1 to ISI Relief Request RR-G-1,encompassing pressure test & insp of RCS required to be completed during hot shutdown conditions as part of startup from current refueling outage.
MARCHI,M.L. Wisconsin Public Service Corp. 95/05/10. Document Control Branch (Document Control Desk). 7pp. 84010:310-84010:316.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505310030 Forwards insp rept 50-305/95-07 on 950508-12.No violations noted.
RING,M.A. Region 3 (Post 820201). 95/05/24. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 84094:168-84094:176.

-9505310035 Insp rept 50-305/95-07 on 950508-12.No violations noted. Major areas inspected:licensed operator requalification program evaluation.
EHRHARDT,F., HANSEN,J., BURDICK,T. Region 3 (Post 820201). 95/05/24. 7pp. 84094:170-84094:176.

R. Periodic operating reports & related correspondence

9505050077 "Kewaunee Nuclear Power Plant Radioactive Effluent Release Rept Jan-Dec 1994." W/forwarding ltr.
MARCHI,M.L. Wisconsin Public Service Corp. 94/12/31. 373pp. 83838:001-83839:009.

9505180208 Monthly operating rept for Apr 1995 for Kewaunee Nuclear Power Plant.W/ 950512 ltr.
ANDERSON,M.L., MARCHI,M.L. Wisconsin Public Service Corp. 95/04/30. 5pp. 84007:357-84007:361.

S. Reportable occurrences, LERs & related correspondence

9505150227 LER 95-002-00:on 950406,improperly seated check valves caused local leak rate "As Found" leakage to exceed TS requirements.Disassembled & inspected CVC-205B & CVC-206A. W/950508 ltr.
SCHOMMER,K.J., MARCHI,M.I. Wisconsin Public Service Corp. 95/05/08. 6pp. 84007:215-84007:220.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M., CHERNICK,A.J. Commonwealth Edison Co. WALKER,W.P. Northern States Power Co. 1p. 83758:313-83758:313.

9505310030 Forwards insp rept 50-305/95-07 on 950508-12.No violations noted.
RING,M.A. Region 3 (Post 820201). 95/05/24. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 84094:168-84094:176.

-9505310035 Insp rept 50-305/95-07 on 950508-12.No violations noted. Major areas inspected:licensed operator requalification program evaluation.
EHRHARDT,F., HANSEN,J., BURDICK,T. Region 3 (Post 820201). 95/05/24. 7pp. 84094:170-84094:176.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505110253 Forwards summary rept,encapsulating investigation & corrective actions for inappropriate statement by security officer,as requested on 950417.
AXT,D.A. Northern States Power Co. 95/04/24. PIRTLE,G. Region 3 (Post 820201). 5pp. 83942:175-83942:179.

9505020218 Ack receipt of 941202 ltr transmitting changes identified in rev 32 to plant security plan.Changes acceptable & being withheld from public disclosure per 10CFR73.21.
CREED,J.R. Region 3 (Post 820201). 95/04/25. ANDERSON,R.O. Northern States Power Co. 1p. 83799:354-83799:354.

9505030061 Forwards info to clarify & support util modified corrective action response to OSRE weapons training concerns.Encl withheld per 10CFR73.21.
WADLEY,M.D. Northern States Power Co. 95/04/25. Document Control Branch (Document Control Desk). 1p. 83783:328-83783:328.

9505090217 Ack receipt of 950109 ltr,which transmitted changes identified as rev 7 to plant safeguards contingency plan.
CREED,J.R. Region 3 (Post 820201). 95/04/28. ANDERSON,R.O. Northern States Power Co. 2pp. 83962:358-83962:359.

H. General correspondence

9505090123 Comment on proposed rule 10CFR50 re primary reactor containment leakage testing for water-cooled power reactors. Urges NRC to support rev to NEI 94-01 which will allow use of two reduced pressure Type A tests as prerequisites.
WADLEY,M.D. Northern States Power Co. 95/04/28. Docketing & Services Branch. 4pp. 83817:185-83817:188.

I. Financial information

9505020143 "1994 Annual Rept," for Monticello Nuclear Generating Station.W/950424 ltr.
ANDERSON,R.O. Northern States Power Co. 94/12/31. 54pp. 83791:268-83791:322.

9505090003 Forwards schedule showing cash flow generated by util in 1994 & includes project flow for 1995.Util 1994 10-K annual rept encl.
CURRIER,J.A. Northern States Power Co. 95/04/27. Office of Nuclear Reactor Regulation (Post 941001). 88pp.

P. Operating license stage documents & correspondence

9505020349 Forwards nonproprietary WCAP-14330 & proprietary WCAP-13032, Rev 1, "Handbook on Flaw Evaluation Prairie Island Units 1 & 2 SGs Upper Shell to Dome Weld Region." Propriretary rept withheld per 10CFR2.790.
ANDERSON,R.O. Northern States Power Co. 95/04/24. Document Control Branch (Document Control Desk). 4pp. 83814:001-83814:085.

-9505020351 Requests that proprietary WCAP-13032,Rev 1, "Handbook on Flaw Evaluation Prairie Island Units 1 & 2 SGs Upper Shell to Dome Weld Region" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/05. RUSSELL,W.T. Document Control Branch (Document Control Desk). 6pp. 83814:005-83814:012.

-9505020354 Nonproprietary "Handbook on Flaw Evaluation Prairie Island Units 1 & 2 SGs Upper Shell to Dome Weld Region."
TANDON,S., PRAGER,D.E., SCHMERTZ,J.C. Westinghouse Electric Corp. WCAP-14330. 95/03/31. 74pp. 83814:013-83814:085.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110215 Forwards Annual Rept of ECCS Model Changes & Errors For 1994,per 10CFR50.46.
ANDERSON,R.O. Northern States Power Co. 95/05/02. Document Control Branch (Document Control Desk). 17pp. 83930:222-83930:238.

9505110319 Closes out commitment to provide semiannual configuration mgt status rept for plants.
ANDERSON,R.O. Northern States Power Co. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83945:301-83945:302.

9505120140 Application for amends to licenses DPR-42 & DPR-60.Amends would revise plant MSSV lift setting tolerances.
WADLEY,M.D. Northern States Power Co. 95/05/04. Document Control Branch (Document Control Desk). 19pp. 83928:293-83928:360.

-9505120145 Proposed tech specs reflecting rev to plant MSSV lift setting tolerances.
* Northern States Power Co. 95/05/04. 49pp. 83928:312-83928:360.

9505190096 Provides rev to relief request 63 for Unit 2 second ten-yr interval ASME Section XI ISI & testing program,replacing original relief request 63 alternate exam requirements for RCP casement weld w/requirement in Code Case N-481.
ANDERSON,R.O. Northern States Power Co. 95/05/11. Document Control Branch (Document Control Desk). 3pp. 84010:317-84010:319.

9505220036 Forwards amends 118 & 111 to licenses DPR-42 & DPR-60, respectively & SE.Amends change TS to allow use of alternate SG tube plugging criteria for part of tubes within tubesheet.
WETZEL,B.A. . 95/05/15. ANDERSON,R. Northern States Power Co. 3pp. 84010:176-84010:203.

-9505220041 Amends 118 & 111 to licenses DPR-42 & DPR-60,respectively, changing TS to allow use of alternate SG tube plugging criteria for part of tubes within tubesheets.
WETZEL,B.A. . 95/05/15. 2pp. 84010:179-84010:194.

-9505220042 Safety evaluation supporting amends 118 & 111 to licenses DPR-42 & DPR-60,respectively.
* . 95/05/15. 9pp. 84010:195-84010:203.

9505250022 Provides suppl to 941205 application for amend to licenses DPR-42 & DPR-60.Modifications to original application in area re containment door in each air lock & containment fan coil unit fans available to operate at high speed.
WADLEY,M.D. Northern States Power Co. 95/05/15. Document Control Branch (Document Control Desk). 4pp. 84075:123-84075:139.

-9505250024 Proposed tech specs reflecting suppl mods re containment refueling integrity requirements.
* Northern States Power Co. 95/05/15. 13pp. 84075:127-84075:139.

9505230247 Confirms commitments made during discussions w/NRC staff following premature actuation of auxiliary building crane overload sensing device during lifting of TN-40 cask on 950513.
WADLEY,M.D. Northern States Power Co. 95/05/16. Document Control Branch (Document Control Desk). 2pp. 84051:314-84051:315.

9505250166 Provides addl info re auxiliary bldg crane overload protection sys actuation.
WADLEY,M.D. Northern States Power Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84099:239-84099:240.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310248 Provides updated info re plant 950315 response to RAI re F* SG license amend request,dtd 950109.
ANDERSON,R.O. Northern States Power Co. 95/05/24. Document Control Branch (Document Control Desk). 2pp. 84145:239-84145:240.

Q. Inspection reports, IE Bulletins & correspondence

9504250106 Responds to 950125 ltr & provides addl info re insp rept 72-0010/94-212.
WATZL,E.L. Northern States Power Co. 95/04/20. Document Control Branch (Document Control Desk). 4pp. 83654:331-83654:334.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090029 Informs of NRC decision to conduct reduced scope svc water sys operational performance insp in lieu of extensive insp required by TI 2515/118.
GRANT,G.E. Region 3 (Post 820201). 95/05/03. WATZL,E. Northern States Power Co. 2pp. 83816:143-83816:144.

9505190061 Forwards insp repts 50-282/95-04 & 50-306/95-04 on 950316- 0504.No violations noted.Continuing efforts to develop program to assess risk involved w/ taking multiple components out of svc for on-line maint commendable.
KROPP,W.J. Region 3 (Post 820201). 95/05/05. WATZL,E. Northern States Power Co. 4pp. 83973:147-83973:160.

–9505190073 Insp repts 50-282/95-04 & 50-306/95-04 on 950316-0504.No violations noted.Major areas inspected:work planning & configuration mgt re three on-line maint activities that occurred during period from 950309 to 950414.
KROPP,W.J. Region 3 (Post 820201). 95/05/05. 10pp. 83973:151-83973:160.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505190096 Provides rev to relief request 63 for Unit 2 second ten-yr interval ASME Section XI ISI & testing program,replacing original relief request 63 alternate exam requirements for RCP casement weld w/requirement in Code Case N-481.
ANDERSON,R.O. Northern States Power Co. 95/05/11. Document Control Branch (Document Control Desk). 3pp. 84010:317-84010:319.

9505220051 Forwards safety evaluation concluding that composite storage cask at plant acceptable w/o any addl hydrostatic testing & other casks under Part 72 license need to be tested w/ 25 psig hydrostatic pressure on inner containment vessel.
ADENSAM,E.G. . 95/05/11. GREENMAN,E.G. Region 3 (Post 820201). 1p. 84010:215-84010:221.

–9505220056 Safety evaluation concluding that composite storage cask at plant acceptable w/o any addl hydrostatic testing & other casks under Part 72 license need to be tested w/25 psig hydrostatic pressure on inner containment vessel only.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 6pp. 84010:216-84010:221.

R. Periodic operating reports & related correspondence

9505040269 Forwards "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1994."
ANDERSON,R.O. Northern States Power Co. 95/04/26. Document Control Branch (Document Control Desk). 1p. 83807:191-83807:271.

–9505040268 "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1994."
HUEBNER,L.G. Teledyne Isotopes. 94/12/31. 83pp. 83807:192-83807:271.

9505100012 Forwards monthly operating repts for Apr 1995 & revised repts for Jan,Feb & Mar 1995.
ANDERSON,R.O. Northern States Power Co. 95/05/03. Document Control Branch (Document Control Desk). 1p. 83889:177-83889:191.

–9505100014 Monthly operating repts for Apr 1995 for Prairie Island Nuclear Plant.
DUGSTAD,D. Northern States Power Co. 95/04/30. 8pp. 83889:178-83889:185.

–9505100015 Revised monthly operating repts for Mar 1995 for Prairie Island Nuclear Plant.
DUGSTAD,D. Northern States Power Co. 95/03/31. 2pp. 83889:186-83889:187.

–9505100028 Revised monthly operating repts for Feb 1995 for Prairie Island Nuclear Plant.
DUGSTAD,D. Northern States Power Co. 95/02/28. 2pp. 83889:188-83889:189.

–9505100033 Monthly operating repts for Jan 1995 for Prairie Island Nuclear Plant.
DUGSTAD,D. Northern States Power Co. 95/01/31. 2pp. 83889:190-83889:191.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M. Commonwealth Edison Co. 1p. 83758:313-83758:313.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505190056 Discusses load testing of dry cask trunnions at plant. Requests assistance in determining if application of 150% of actual load acceptable in lieu of load test of 150% or 300% in correct direction.
GREENMAN,E.G. Region 3 (Post 820201). 95/03/27. CARPENTER,C.A. . 2pp. 83973:139-83973:140.

9505020118 Responds to 950310 ltr which requested comments on draft MOU among Bureau of Indian Affairs,several other Federal agencies & Prairie Island Dakota Indian Community.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/12. MOFFETT,E. Interior, Dept. of, Bureau of Indian Affairs. 2pp. 83690:198-83690:222.

–9505020120 Requests comments on encl draft MOU by 950414 & help in drafting action plan.Action plan will describe specific actions that each agency has in areas of mutual interest.
MOFFETT,E. Interior, Dept. of, Bureau of Indian Affairs. 95/03/10. TAYLOR,J. Ofc of the Executive Director for Operations. 13pp. 83690:210-83690:222.

9504240061 Confirms discussion between M Wadley & EG Greenman to hold meeting on 950428 to discuss results of special team insp re Dry Cask Storage Program.
GREENMAN,E.G. Region 3 (Post 820201). 95/04/13. WATZL,E. Northern States Power Co. 2pp. 83598:099-83598:099.

9505030409 Forwards rept of preoperational test acceptance criteria & test results for Prairie Island ISFSI.W/Work Orders 9500766, 9500910,9501131,9501488,9501361 & Rev 0 to Maint Procedure D95.1 & Draft Rev 0 to Maint Procedure D95.2.
ANDERSON,R.O. Northern States Power Co. 95/04/20. Document Control Branch (Document Control Desk). 486pp. 83796:001-83797:281.

–9505030411 Rev 0 to Maint Procedure D95.1, "TN-40 Cask Loading Procedure."
* Northern States Power Co. 94/12/22. 159pp. 83797:123-83797:281.

9505020397 Submits info re hydrostatic test of TN-40 cask.
ANDERSON,R.O. Northern States Power Co. 95/04/26. Document Control Branch (Document Control Desk). 24pp. 83791:323-83791:346.

9505190062 Discusses dry cask storage issues at plant.Requests assistance in determining appropriate hydrostatic test requirements for TN-40 cask & evaluation of welding noncompliances w/ASME Section III Class I.
GREENMAN,E.G. Region 3 (Post 820201). 95/05/02. CARPENTER,C.A. . 1p. 83973:161-83973:161.

9505100025 Provides info in response to questions raised during 950428 public meeting on plant ISFSI.
ANDERSON,R.O. Northern States Power Co. 95/05/03. Document Control Branch (Document Control Desk). 3pp. 83873:194-83873:196.

9505150114 Provides info re unloading of TN-40 cask.
STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/05.
ANDERSON,R.O. Northern States Power Co. 2pp. 83942:360-83942:361.

9505250080 Forwards certified resolution adopted by City Council of Lake City,dtd 950509 re storage of high-level nuclear waste as proposed by NSP.
BREMER,W. Affiliation Not Assigned. 95/05/10. Region 3 (Post 820201). 4pp. 84063:305-84063:308.

9505180442 Forwards exemption from requirements of 10CFR72 for submittal of rept of preoperational test acceptance criteria & test results at least 30 days prior to receipt of SF or high-level radwaste.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11.
ANDERSON,R.O. Northern States Power Co. 4pp. 84013:275-84013:284.

–9505180450 Exemption from requirements of 10CFR72 for submittal of rept of preoperational test acceptance criteria & test results at least 30 days prior to receipt of SF or high-level radwaste.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. 6pp. 84013:279-84013:284.

9505220051 Forwards safety evaluation concluding that composite storage cask at plant acceptable w/o any addl hydrostatic testing & other casks under Part 72 license need to be tested w/ 25 psig hydrostatic pressure on inner containment vessel.
ADENSAM,E.G. . 95/05/11. GREENMAN,E.G. Region 3 (Post 820201). 1p. 84010:215-84010:221.

–9505220056 Safety evaluation concluding that composite storage cask at plant acceptable w/o any addl hydrostatic testing & other casks under Part 72 license need to be tested w/25 psig hydrostatic pressure on inner containment vessel only.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 6pp. 84010:216-84010:221.

9505180225 "NRC Staff Authorizes Loading of Dry Cask Spent Fuel Storage Sys at Prairie Island Nuclear Power Station in MN."
* Office of Public Affairs (Post 911117). 95/05/12. 2pp. 84030:346-84030:347.

9505260165 Notifies of 950605 meeting w/NSP in Rockville,MD re new independent spent fuel storage installation NSP plans to build near Prairie Island.
SCHNEIDER,J.F. Office of Nuclear Material Safety & Safeguards. 95/05/18.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 84099:289-84099:290.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9505020174 Forwards insp rept 50-309/95-06 on 950322-24 & 28-31. Violations noted.Advises that number & characterization of apparent violations described in encl insp rept may change as result of further NRC review.
HEHL,C.W. Region 1 (Post 820201). 95/04/21. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 83691:034-83691:051.

–9505020182 Insp rept 50-309/95-06 on 950320-24 & 28-31.Violations noted.Major areas inspected:circumstances surrounding unplanned exposures that occurred on 950211-13 in refueling cavity & 950324 in RCP element handling can.
RAGLAND,R., NICK,J., BORES,R. Region 1 (Post 820201). 95/04/21. 14pp. 83691:038-83691:051.

9505090007 Revised EPIPs,including rev 14 to EPIP 2-50-0,Attachment H, "Emergency Classification," & page 1 of Index 2.50.
* Maine Yankee Atomic Power Co. 95/04/21. 3pp. 83910:340-83910:342.

9505020172 Forwards proposed plant emergency plan EALs & attachment A to procedure 2-50-0,rev 0.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/04/24. Document Control Branch (Document Control Desk). 6p. 83749:137-83749:307.

–9505020178 "Maine Yankee Emergency Plan,EALs Basis Document."
* Maine Yankee Atomic Power Co. 95/04/24. 165pp. 83749:143-83749:307.

9505040257 Forwards rev 20 to security plan.Encl withheld.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/04/25. Document Control Branch (Document Control Desk). 1p. 83783:329-83783:329.

9505150309 Rev 4 to EPIP 2-50-9,Attachment H, "Periodic Review Date Extension."
* Maine Yankee Atomic Power Co. 95/05/01. 2pp. 83977:317-83977:318.

9505180035 Revised EPIPs,including periodic review date extension forms for EPIP 2-50-9,rev 5 & EPIP 2-50-22,rev 6.
* Maine Yankee Atomic Power Co. 95/05/01. 5pp. 84026:333-84026:337.

9505100079 Responds to NRC ltr re violations noted in insp rept 50-309/95-02.Corrective actions:posted security personnel.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/05/05. Document Control Branch (Document Control Desk). 3pp. 83889:194-83889:196.

9505250079 Informs that response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers" was evaluated & found acceptable.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84083:354-84083:355.

9505260130 Approves changes to EALs submitted in ltr dtd 940719, 950413 & 24,per 10CFR50.47(b)(4) & 10CFR50 app E & forwards SE.Changes incorporate guidance of NUMARC/NESP-007,rev 2.
TROTTIER,E.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/19. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 5pp. 84082:354-84082:358.

--9505260161 Safety evaluation supporting changes to EALs.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 2pp. 84082:357-84082:358.

H. General correspondence

9505090030 Comment supporting proposed rule 10CFR50 re "Primary Reactor Containment Leakage Testing For Water-Cooled Power Reactor.
GRANT,J.M. Yankee Atomic Electric Co. 95/05/04. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83816:145-83816:147.

9505190401 Responds to HR Meyers 950125 ltr expressing concerns re probability & consequences of multiple SG tube rupture event at plant & informs that Commission requested briefing on SG tube degradation issues on 950601.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/10. MYERS,H.R. Affiliation Not Assigned. 4pp. 83991:324-83991:335.

9505190196 Responds to 950412 ltr re questions on sleeving SG tubes. Sleeving SG tubes acceptable repair method for 20 yrs.Util requested amend to OLs to allow installation of sleeves using C-E & Westinghouse methods.
TROTTIER,E.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/12. PERKINS,J. Affiliation Not Assigned. 4pp. 83984:210-83984:220.

--9505190201 Forwards 950412 ltr from J Perkins & requests that response be made to ltr.
HOOVER,D.J. NRC - No Detailed Affiliation Given. 95/04/18. MCKEE,P. NRC - No Detailed Affiliation Given. 1p. 83984:214-83984:214.

--9505190203 Requests estimate of reduction in flow of primary coolant & resultant decrease in efficiency caused by sleeving of SG tubes.
PERKINS,J. Affiliation Not Assigned. 95/04/12. NRC - No Detailed Affiliation Given. 3pp. 83984:215-83984:220.

9505300253 Shares concerns re MYAPS in Wiscasset,ME.Encourages E Trottier to give support & that State of ME file legal petition w/NRC in calling for independent investigation of age related & generic problems at plant.
PAPINEAU,S.M. Affiliation Not Assigned. 95/05/18. KING,A., TROTTIER,E. Maine, State of. 3pp. 84138:356-84138:358.

I. Financial information

9505090149 "MYAP Annual Financial Rept for 1994." W/950505 ltr.
HEBERT,J.R. Maine Yankee Atomic Power Co. 94/12/31. 48pp. 83865:305-83865:352.

9505040018 Forwards 1994 annual financial repts for CT Light & Power Co,Western MA Electric Co,Public Svc Co of NH & North Atlantic Energy Corp.
GUGLIELMO,F.J. Northeast Utilities Service Co. 95/04/25. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83803:128-83803:290.

--9505040022 "CT Light & Power 1994 Annual Rept."
* Northeast Utilities Service Co. * Vermont Yankee Nuclear Power Corp. * Maine Yankee Atomic Power Co. 94/12/31. 43pp. 83803:129-83803:179.

J. Insurance & indemnity information

9505150028 Notifies that licensee plans to temporarily reduce insurance coverage to min effective 950501.Upon commencement of fuel reloading,util will restore coverage to previous level.
LYDON,P.S. Maine Yankee Atomic Power Co. 95/05/02. Document Control Branch (Document Control Desk). 1p. 83898:168-83898:168.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505180330 Application for amend to license DPR-36,extending surveillance frequencies of certain equipment & instrumentation provided.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 95/05/05. Document Control Branch (Document Control Desk). 4pp. 84000:338-84000:345.

--9505180368 Proposed tech specs,extending surveillance frequencies of certain equipment & instrumentation provided.
* Maine Yankee Atomic Power Co. 95/05/05. 4pp. 84000:342-84000:345.

9505240195 Ack receipt of 950414 ltr,which transmitted proposed TS change 190,re plant SG tube sleeving.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/16. LEITCH,G.M. Maine Yankee Atomic Power Co. 3pp. 84022:257-84022:259.

9505250079 Informs that response to GL 92-08, "Thermo-Lag 330-1 Fire Barriers" was evaluated & found acceptable.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84083:354-84083:355.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240422 Advises that WCAP-14346,Rev 1, "Specific Application of Laser Welded Sleeves for Maine Yankee Nuclear Power Plant Steam Generators" will be withheld from public disclosure (ref 10CFR2.790),per 950412 request.
MCKEE,P. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/22. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84048:353-84048:355.

9505240430 Advises that Rev 2 to WCAP-1398, "Laser Welded Sleeves for 3/4-inch Diameter Tube Feedring-Type & W Preheater SGs" will be withheld from public disclosure (ref 10CFR2.790),per 950331 & 0406 requests.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/22. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84048:356-84048:358.

9505250238 Forwards Amend 150 to License DPR-36 & safety evaluation. Amend changes TS to allow use of Westinghouse sleeving process for repairing SG tubes.
TROTTIER,E.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/22. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 84082:298-84082:314.

--9505250246 Amend 150 to License DPR-36,re changes to TS to allow use of Westinghouse sleeving process for repair of SG tubes.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/22. 7pp. 84082:301-84082:307.

--9505250248 Safety evaluation supporting Amend 150 to License DPR-36.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/22. 7pp. 84082:308-84082:314.

9505260188 Forwards GL 95-03 re circumferential cracking of SG tubes, issued on 950428 & sent to all holders of operating licenses or const permits for PWRs.Informs that addl guidance, including schedules will be provided in future memo.
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/22. NRC - No Detailed Affiliation Given. 2pp. 84090:290-84090:300.

Q. Inspection reports, IE Bulletins & correspondence

9505020174 Forwards insp rept 50-309/95-06 on 950322-24 & 28-31. Violations noted.Advises that number & characterization of apparent violations described in encl insp rept may change as result of further NRC review.
HEHL,C.W. Region 1 (Post 820201). 95/04/21. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 83691:034-83691:051.

--9505020182 Insp rept 50-309/95-06 on 950320-24 & 28-31.Violations noted.Major areas inspected:circumstances surrounding unplanned exposures that occurred on 950211-13 in refueling cavity & 950324 in RCP element handling can.
RAGLAND,R., NICK,J., BORES,R. Region 1 (Post 820201). 95/04/21. 14pp. 83691:038-83691:051.

9505030020 Notification of significant licensee meeting 95-43 w/util on 950505 to discuss apparent violations of radiation safety requirements identified in NRC insp rept 50-309/95-06.
LAZARUS,W.J. Region 1 (Post 820201). 95/04/24. Region 1 (Post 820201). 2pp. 83720:092-83720:093.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050329 Notification of 950511 meeting w/util in Rockville,MD to present summary of SG insps conducted during refueling outage & discuss new insp equipment & techniques used,plus preliminary lab result from sections removed from 3 SG tube.
TROTTIER,E.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/01. MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 4pp. 83822:297-83822:300.

9505100079 Responds to NRC ltr re violations noted in insp rept 50-309/95-02.Corrective actions:posted security personnel.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/05/05. Document Control Branch (Document Control Desk). 3pp. 83889:194-83889:196.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240043 Forwards insp rept 50-309/95-05 on 950308-09 & 20-30.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/05/15. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 84020:308-84020:324.

--9505240049 Insp rept 50-309/95-05 on 950308-09 & 20-30.No violations noted.Major areas inspected:ISI introduction,background, planned scope,overall eddy current testing results & eddy current data anaylsis.
BEARDSLEE,C.D., MODES,M.C. Region 1 (Post 820201). 95/05/11. 14pp. 84020:311-84020:324.

9505240089 Forwards insp rept 50-309/95-11 on 950501-05.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/16. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 84021:101-84021:108.

--**9505240093** Insp rept 50-309/95-11 on 950501-05.No violations noted. Major areas inspected:radioactive effluent control programs.
JANG,J.C., ULLRICH,E. Region 1 (Post 820201). 95/05/16. 5pp. 84021:104-84021:108.

9505240162 Forwards insp rept 50-309/95-08 on 950327-31.No violations noted.Concern had been identified re degradation of primary component coolant sys.
MODES,M.C. Region 1 (Post 820201). 95/05/16. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 84022:139-84022:150.

--**9505240167** Insp rept 50-309/95-08 on 950327-31.No violations noted. Major areas inspected:util containment foundation drainage sys & structural integrity of containment liner,concrete & associated penetrations.
CARRASCO,J.E., MODES,M.C. Region 1 (Post 820201). 95/05/16. 9pp. 84022:142-84022:150.

9505310016 Forwards meeting rept for 950505 enforcement conference which discussed apparent violations & other insp findings identified in NRC insp 50-309/95-06.
JOYNER,J.H. Region 1 (Post 820201). 95/05/22. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 84094:040-84094:098.

--**9505310032** Enforcement conference 50-309/95-06 on 950505.Violations noted.Areas discussed:violations & other insp findings identified in NRC insp 50-309/95-06 & details of licensee dose assessments for unplanned exposures.W/tapes.
RAGLAND,R., BORES,R. Region 1 (Post 820201). 95/05/22. 56pp. 84094:043-84094:098.

R. Periodic operating reports & related correspondence

9505030238 "Annual Radiological Environ Operating Rept 1994." W/950427 ltr.
HEBERT,J.R. Maine Yankee Atomic Power Co. 94/12/31. MARTIN,T.T. Region 1 (Post 820201). 90pp. 83801:242-83801:331.

9505150019 Monthly statistical rept for Apr 1995 for Maine Yankee NPP. W/950508 ltr.
BAILEY,S.J., HEBERT,J.R. Maine Yankee Atomic Power Co. 95/04/30. 6pp. 83899:038-83899:043.

S. Reportable occurrences, LERs & related correspondence

9505180474 Documents completion of initial actions prior to restart of high radiation work.Event Review Board Rept ERB-010, "Unplanned Worker Exposure in RCP Impeller Decontamination Container," encl.
LEITCH,G.N. Maine Yankee Atomic Power Co. 95/04/28. Document Control Branch (Document Control Desk). 4pp. 84015:235-84015:300.

--**9505180479** Event Review Board Rept ERB-010, "Unplanned Worker Exposure in RCP Impeller Decontamination Container."
ANDERSON,P.L., CONNELL,J.M., SHEAN,A.R. Maine Yankee Atomic Power Co. ERB-010. 95/04/27. 162pp. 84015:239-84015:300.

9505220092 LER 95-007-00:on 950412,discovered possible instance of inadequate train separation in ECCS due to failure to identify SOV-3412/PCC-A-238 as ECCS Train B component. Casual factors analysis will be performed.W/950512 ltr.
STOWERS,G.N., HEBERT,J.R. Maine Yankee Atomic Power Co. 95/05/12. 4pp. 84049:001-84049:004.

U. Congressional/Executive Correspondence

9505300423 Requests that NRC perform listed review & safety assessment re MYAPC proposed change 190,permitting alternative sleeving repair process employing Westinghouse laser welding technique,prior to plant starting up.
DOSTIE,P.J. Maine, State of. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84138:351-84138:352.

V. Operator Examinations

9505090022 Informs that Region I can no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 2pp. 83816:098-83816:099.

9505310138 Advises that JL Grant no longer performing duties at plant requiring operator license.
FRIXXLE,C.D. Maine Yankee Atomic Power Co. 95/05/24. Document Control Branch (Document Control Desk). 1p. 84163:231-84163:231.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505150102 Revised EPIPs,including Rev 7 to EPIP 201S & Rev 29 to EPIP 204S.
* Public Service Electric & Gas Co. of New Jersey. 95/04/10. 79pp. 83972:170-83972:248.

9505180155 Forwards 950406 ltr from P McIntire to JA Momm re actions taken by State of NJ Ofc of Emergency Mgt to remediate deficiency identified by FEMA at 940524 exercise at Artificial Island.
JOYNER,J.H. Region 1 (Post 820201). 95/05/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 83952:306-83952:310.

9505240007 Revised EPIPs,including rev 3 to EPIP 401 & rev 26 to EPIP-TOC-EOF.
* Public Service Electric & Gas Co. of New Jersey. 95/05/12. 10pp. 84069:349-84069:358.

9505260023 Revised EPIPs,including rev 15 to ECG ATT 1,rev 8 to ECG ATT 2 & 3,rev 7 to ECG ATT 4,rev 23 to ECG ATT 6,rev 22 to ECG ATT 7,rev 14 to ECG ATT 8,rev 21 to ECG ATT 9,rev 41 to ECG SECG Table of Contents & rev 3 to ECG Section 13.
* Public Service Electric & Gas Co. of New Jersey. 95/05/21. 92pp. 84088:086-84088:176.

P. Operating license stage documents & correspondence

9505020331 Discusses util cost beneficial licensing actions process,in response to NRC interest expressed during recent visit w/ PSE&G Board of Directors.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 95/04/19. Region 1 (Post 820201). RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 83763:354-83763:359.

9505010009 Forwards request for addl info on IPE submittal for plant Units 1 & 2.Request re internal event analysis in IPE, including human reliability analysis & CPI program.
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/04/25. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 15pp. 83693:340-83693:354.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110064 Responds to NRC 940629 verbal comments re util amend request to increase min required vol of fuel oil stored in 30,000 gallon diesel fuel oil storage tanks.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/05/02. Document Control Branch (Document Control Desk). 3pp. 83933:265-83933:267.

9505110141 Application for amends to licenses DPR-70 & DPR-75.Amends would eliminate manual start requirement for auxiliary FW.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/05/02. Document Control Branch (Document Control Desk). 6pp. 83936:204-83936:220.

--**9505110144** Proposed tech specs re elimination of manual start of auxiliary FW for licenses DPR-70 & DPR-75.
* Public Service Electric & Gas Co. of New Jersey. 95/05/02. 11pp. 83936:210-83936:220.

9505090170 Forwards amends 166 & 148 to licenses DPR-70 & DPR-75, respectively & safety evaluation.Amends add new action statement to TS 3.1.3.2.1, "Position Indicating Sys Operating."
OLSHAN,L.N. Project Directorate I-2 (PD1-2) Post 941001). 95/05/03. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 83853:292-83853:304.

--**9505090172** Amends 166 & 148 to licenses DPR-70 & DPR-75,respectively, adding new action statement to TS 3.1.3.2.1, "Position Indicating Sys - Operating."
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/03. 8pp. 83853:295-83853:302.

--**9505090174** Safety evaluation supporting amends 166 & 148 to licenses DPR-70 & DPR-75,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/03. 2pp. 83853:303-83853:304.

9505110080 Forwards util plan re issue mgt & prioritized actions to be taken to achieve significant near term & sustained long term improvements in operational performance.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 95/05/03. MARTIN,T.T. Region 1 (Post 820201). 2pp. 83932:230-83932:310.

--**9505110086** "NBU Issue Mgt & Prioritized Action Plan," dtd May 1995.
* Public Service Electric & Gas Co. of New Jersey. 95/05/31. 86pp. 83932:232-83932:310.

9505120091 Informs that 950407 request that organizational effectiveness assessment rept be withheld from public disclosure,per 10CFR2.790,granted.
WHITE,J.R. Region 1 (Post 820201). 95/05/04. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 83870:356-83870:358.

9505190379 Forwards safety evaluation concluding that welding of SA-351,Grade CD4MCu matl for svc water pumps at plant authorized,per 10CFR50.55a(a)(3)(i).
OLSHAN,L.N. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 83991:272-83991:278.

--**9505190380** Safety evaluation concluding that welding of SA-351,Grade CD4MCu matl for svc water pumps at plant authorized,per 10CFR50.55a(a)(3)(i).
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 3pp. 83991:276-83991:278.

9505230210 Documents proposed revs to schedules for submittal of Salem & Hope Creek Generating Stations IPE of external events repts.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/05/11. Document Control Branch (Document Control Desk). 3pp. 84049:345-84049:347.

9505260180 Submits summary of plant startup & power escalation testing for ninth cycle of operation.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/05/15. Document Control Branch (Document Control Desk). 8pp. 84102:354-84102:361.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505260026 Informs that request for withholding info from public disclosure of Independent Technical Issue Investigation Rept,plant,units 1 & 2,granted (ref 10CFR2.790).
WHITE,J.R. Region 1 (Post 820201). 95/05/19. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 84062:080-84062:083.

Q. Inspection reports, IE Bulletins & correspondence

9505120167 EN-95-022:on 950411 notice of violation & proposed civil penalty in amount of $80,000 will be issued to util,based on investigation conducted by Office of Investigations & enforcement conference conducted between staff & GM-SO.
SATORIUS,M., LEIBERMAN,J. Ofc of Enforcement (Post 870413). 95/04/06. 1p. 83871:209-83871:209.

9505120180 EN-95-021:on 950411,notice of violation & proposed imposition of civil penalty in the amount of $80,000 issued to licensee.Action based on investigation by OIG & consists of Severity Level 2 violation for harassment & intimidation.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/04/06. 1p. 83871:221-83871:221.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030016 Notification of significant licensee meeting 95-42 w/util on 950601 to discuss apparent violation of 10CFR50,App B, involving inadequate measures.
WHITE,J.R. Region 1 (Post 820201). 95/04/27. Region 1 (Post 820201). 2pp. 83720:045-83720:046.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180012 Responds to NRC 950411 ltr re violations noted in insp of licenses DPR-70 & DPR-75 & proposed imposition of civil penalty.Corrective actions:investigation,followed by mgt review & appropriate/extensive corrective actions taken.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 95/05/10. Document Control Branch (Document Control Desk). 10pp. 84007:333-84007:342.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230255 Provides ninety (90) day rept for ISI activities conducted at plant during eighth refueling outage.
HAGAN,J.J Public Service Electric & Gas Co. of New Jersey. 95/05/11. Document Control Branch (Document Control Desk). 2pp. 84061:119-84061:343.

--9505240048 "Ninety Day Rept for ISI Activities at Salem Generating Station During Eighth Refueling Outage."
* Public Service Electric & Gas Co. of New Jersey. 95/05/11. 208pp. 84061:121-84061:343.

R. Periodic operating reports & related correspondence

9505040192 "1994 Annual Environ Operating Rept (Non-Radiological),Jan through Dec 1994." W/950428 ltr.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/31. 8pp. 83803:311-83803:318.

9505050075 "Radiological Environ Monitoring Program 1994 Annual Radiological Environ Operating Rept Jan-Dec 1994." W/950428 ltr.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 94/12/31. 163pp. 83863:001-83863:163.

9505040176 "New Jersey Pollutant Discharge Elimination Sys Disccharge Monitoring Repts." W/950421 ltr.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/03/31. CAPORALE,G. New Jersey, State of. 19pp. 83845:045-83845:051.

9505180213 Monthly operating rept for Apr 1995 for Salem Unit 2.W/ 950512 ltr.
PHILLIPS,R., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/04/30. 7pp. 84007:326-84007:332.

9505240245 Forwards corrected discharge monitoring rept for Feb 1995 for Salem Generating Station,correcting effluent net values for temp for both discharges.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/09. CAPORALE,G. New Jersey, State of. 3pp. 84072:351-84072:357.

--9505240251 Corrected discharge monitoring rept for Feb 1995 for Salem Generating Station.
ALLEN,R.M., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/02/28. 4pp. 84072:354-84072:357.

S. Reportable occurrences, LERs & related correspondence

9505180131 LER 95-003-00:on 890309,failed to perform type C local leak rate testing following piping mod to 21 containment spray piping sys due to not identifying need to perform required testing.Enhanced business procedures.W/950512 ltr.
PASTVA,M.J., SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/12. 5pp. 84039:253-84039:259.

9505260138 Special rept:on 950506,RMS declared inoperable due to problems encountered w/operation of Victoreen "MET" package. Caused by "MET" package inconsistencies.Appropriate computer software corrections being researched & will be implemented.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/19. Document Control Branch (Document Control Desk). 3pp. 84099:261-84099:263.

V. Operator Examinations

9505090036 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 83816:152-83816:153.

9505100171 Forwards both forms of exam,answer keys,grading results & individual answer sheet for 950405 GFES of exam administered to twelve individuals.Individuals passed exam.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/02. ORTICELLE,A. Public Service Electric & Gas Co. of New Jersey. 2pp. 83828:249-83828:250.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9505150128 Revised EPIPs,including Rev 9 to EPIP-5200, "Technical Support Ctr" & Rev 8 to EPIP-5430, "Onsite Dose Calculations."
* Sacramento Municipal Utility District. 95/05/08. 22pp. 83898:333-83898:354.

9505150134 Revised pages to table of contents of emergency plan manual.
* Sacramento Municipal Utility District. 95/05/08. 7pp. 83899:009-83899:015.

9505240263 Advises NRC that util has revised plant emergency plan & several EPIPs in past 30 days.Summary of each change & justification listed.
REDEKER,S.J. Sacramento Municipal Utility District. 95/05/10. Document Control Branch (Document Control Desk). 6pp. 84083:318-84083:323.

9505260284 Requests technical assistance of C Gaskin in reviewing Rancho Seco ISFSI Physical Protection Plan & Training & Qualification Plan submitted 950508.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/19. PIERSON,R. Licensing Branch. 1p. 84106:334-84106:334.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190092 Forwards most recent status repts of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/04/04. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:017-83834:020.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

J. Insurance & indemnity information

9505230257 Forwards endorsement 123 to NELIA Policy NF-0212.
DELEZENSKI,J. Sacramento Municipal Utility District. 95/05/16. Document Control Branch (Document Control Desk). 1p. 84049:356-84049:358.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505300137 Corrected memo re RSNGS ISFSI insp on 950412 & 13,Trojan Nuclear Power Station site familiarization tour on 950414 & 950515 public info meeting re decommissioning of Trojan plant site.
RADDATZ,M.G. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84120:352-84120:354.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505260055 Forwards insp rept 72-0011/95-01 on 950417-21.No violations noted.Weakness noted in quality assurance activities.
GWYNN,T.P. Region 4 (Post 820201). 95/05/19. SHETLER,J.R. Sacramento Municipal Utility District. 5pp. 84062:175-84062:192.

--9505260058 Insp rept 72-0011/95-01 on 950417-21.No violations noted. Major areas inspected:horizontal dry spent fuel storage module pad for ISFSI.
POWERS,D.A. Region 4 (Post 820201). 95/05/18. 12pp. 84062:181-84062:192.

W. Decommissioning Stage Documents & Correspondence

9505030474 Forwards updated version of Table 5-1 of decommissioning plan,as requested in NRC 950320 order approving Rancho Seco decommissioning plan.
REDEKER,S. Sacramento Municipal Utility District. 95/04/13. Document Control Branch (Document Control Desk). 29pp. 83804:326-83804:354.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505260132 Forwards response to NRC request for addl info re ISFSI SAR. Encl withheld.
REDEKER,S. Sacramento Municipal Utility District. 95/05/09. Office of Nuclear Material Safety & Safeguards. 24pp. 84160:149-84160:178.

9505260055 Forwards insp rept 72-0011/95-01 on 950417-21.No violations noted.Weakness noted in quality assurance activities.
GWYNN,T.P. Region 4 (Post 820201). 95/05/19. SHETLER,J.R. Sacramento Municipal Utility District. 5pp. 84062:175-84062:192.

--9505260058 Insp rept 72-0011/95-01 on 950417-21.No violations noted. Major areas inspected:horizontal dry spent fuel storage module pad for ISFSI.
POWERS,D.A. Region 4 (Post 820201). 95/05/18. 12pp. 84062:181-84062:192.

9505260284 Requests technical assistance of C Gaskin in reviewing Rancho Seco ISFSI Physical Protection Plan & Training & Qualification Plan submitted 950508.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/19. PIERSON,R. Licensing Branch. 1p. 84106:334-84106:334.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9505050278 Forwards amends 180 & 161 to licenses DPR-51 & NPF-6. Amend revises requirements re site perimeter security sys.
KALMAN,G. . 95/04/28. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 83822:284-83822:296.

--9505050284 Amends 180 & 161 to licenses DPR-51 & NPF-6,respectively, revising requirements re site perimeter security sys.
KALMAN,G. . 95/04/28. 8pp. 83822:287-83822:294.

--9505050288 Safety evaluation supporting amends 180 & 161 to licenses DPR-51 & NPF-6,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 2pp. 83822:295-83822:296.

9505050007 Ack receipt of 950303 ltr which transmitted Rev 19 to Arkansas Nuclear One Emergency Plan.Informs that changes to plan,acceptable.
COLLINS,S.J. Region 4 (Post 820201). 95/05/02. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 83758:020-83758:023.

9505180509 Rev 5 to procedure/work plan 1905.004, "EOF Radiological Controls."
COTON,S.R. Entergy Operations, Inc. 95/05/05. 19pp. 83992:259-83992:277.

9505180522 Rev 4 to procedure/work plan 1905.031, "Airborne I-131 Determination Using RM-14-HP-210."
COTTON,S.R. Entergy Operations, Inc. 95/05/05. 6pp. 84015:302-84015:307.

9505180524 Rev 9 to procedure/work plan 1903.034, "EOF Evacuation."
COTTON,S.R. Entergy Operations, Inc. 95/05/05. 19pp. 84015:308-84015:326.

9505250241 Rev 6 to procedure/work plan 1903.064, "Emergency Response Facility - CR."
COTTON,S.R. Entergy Operations, Inc. 95/05/16. 20pp. 84086:338-84086:357.

9505250244 Rev 13 to procedure/work plan 1905.002, "Offsite Emergency Monitoring."
COTTON,S.R. Entergy Operations, Inc. 95/05/16. 37pp. 84085:311-84085:347.

9505250247 Rev 31 to procedure/work plan 1903.060, "Emergency Supplies & Equipment."
COTTON,S.R. Entergy Operations, Inc. 95/05/16. 70pp. 84085:191-84085:260.

I. Financial information

9505100044 "1994 Annual Rept," for Entergy Operations,Inc.W/950504 ltr.
MIMS,D.C. Entergy Operations, Inc. 94/12/31. 59pp. 83947:202-83947:265.

J. Insurance & indemnity information

9505310091 Forwards Nuclear Mutual Ltd Certificate P95-045.
MIMS,D.C. Entergy Operations, Inc. 95/05/23. Document Control Branch (Document Control Desk). 5pp. 84145:274-84145:278.

P. Operating license stage documents & correspondence

9505030163 Submits drug testing lab performance rept.
MIMS,D.C. Entergy Operations, Inc. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83832:269-83832:271.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050278 Forwards amends 180 & 161 to licenses DPR-51 & NPF-6. Amend revises requirements re site perimeter security sys.
KALMAN,G. . 95/04/28. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 83822:284-83822:296.

--9505050284 Amends 180 & 161 to licenses DPR-51 & NPF-6,respectively, revising requirements re site perimeter security sys.
KALMAN,G. . 95/04/28. 8pp. 83822:287-83822:294.

--9505050288 Safety evaluation supporting amends 180 & 161 to licenses DPR-51 & NPF-6,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 2pp. 83822:295-83822:296.

9505120053 Advises of mod to QA manual operations.
MIMS,D.C. Entergy Operations, Inc. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83929:321-83929:322.

9505220080 Documents util position discussed on 950512 w/NRC & requests enforcement discretion from specific test flow requirement of TS 4.5.2.1.2(a)(1) to allow determining proper sys operation by engineering evaluation in bases of TS 3.3.
MIMS,D.C. Entergy Operations, Inc. 95/05/15. Document Control Branch (Document Control Desk). 10pp. 84038:017-84038:026.

9505240151 Application for amend to license DPR-51.Amend would revise SR for verifying adequate SW flow to each train of RB emergency cooling.
YELVERTON,J.W. Entergy Operations, Inc. 95/05/15. Document Control Branch (Document Control Desk). 11pp. 84072:229-84072:244.

--9505240156 Proposed tech specs reflecting change to SR for verifying adequate SW flow to each train RB emergency cooling.
* Entergy Operations, Inc. 95/05/15. 5pp. 84072:240-84072:244.

9505220262 Forwards notice of consideration of issuance of amend to license DPR-51 & proposed NSHC determination & opportunity for hearing.Amend would authorize reconfiguration of cooling water flow to reactor bldg emergency cooling sys.
KALMAN,G. . 95/05/16. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84010:222-84010:232.

--9505220268 Notice of consideration of issuance of amend to license DPR-51 & proposed NSHC determination & opportunity for hearing.Amend would modify operability requirements re reactor bldg (containment) emergency cooling sys.
KALMAN,G. . 95/05/16. 8pp. 84010:225-84010:232.

9505220161 Advises that 950515 ltr,requesting that NRC exercise discretion not to enforce compliance w/actions required in TS section 4.5.2.1.2 acceptable.
ADENSAM,E.G. . 95/05/17. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84010:211-84010:214.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240226 Application for amends to licenses DPR-51 & NPF-6,revising reactor containment bldg closure requirements during fuel movement & core alterations.
YELVERTON,J.W. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 16pp. 84072:294-84072:324.

--9505240230 Proposed tech specs re reactor containment building closure requirements during fuel movement & core alterations.
* Entergy Operations, Inc. 95/05/19. 15pp. 84072:310-84072:324.

9505240287 Application for amend to license DPR-51,verifying adequate SW flow to each train of reactor bldg emergency cooling.
YELVERTON,J.W. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 6pp. 84069:317-84069:348.

--9505240292 Proposed tech specs,verifying adequate SW flow to each train of reactor bldg emergency cooling.
* Entergy Operations, Inc. 95/05/19. 26pp. 84069:323-84069:348.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030095 Forwards insp repts documenting results of NRC review of self-assessment performed by util & NRC insp of significant safety issue identified by util self-assessment.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 83721:140-83721:183.

9505020310 Submits rev to corrective actions of insp repts 50-313/94-09 & 50-368/94-09.
MIMS,D.C. Entergy Operations, Inc. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83783:326-83783:327.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050010 Ack receipt of 950414 ltr informing NRC of steps taken to correct violations noted in insp rept 50-313/95-02 & 50-368/95-02 on 950315.
BEACH,A.B. Region 4 (Post 820201). 95/04/28. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 83758:027-83758:039.

9505120003 Forwards insp repts 50-313/95-03 & 50-368/95-03 on 950219- 0401 & NOV.Violation of concern because staff failed to initiate condition rept when determined that reactor bldg coolers not installed.
BEACH,A.B. Region 4 (Post 820201). 95/05/05. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 83869:321-83869:350.

--9505120007 Notice of violation from insp on 950219-0401.Violation noted:licensee failed to take prompt & adequate corrective action for condition adverse to quality.
* Region 4 (Post 820201). 95/05/05. 1p. 83869:326-83869:326.

--9505120012 Insp repts 50-313/95-03 & 50-368/95-03 on 950219-0401. Violations noted.Major areas inspected:operational safety verification,maint & surveillance observations,onsite engineering,plant support activities.
HARRELL,P. Region 4 (Post 820201). 95/04/25. 24pp. 83869:327-83869:350.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180124 Forwards insp repts 50-313/95-16 & 50-368/95-16 on 950419-20.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 83952:211-83952:227.

--9505180129 Insp repts 50-313/95-16 & 50-368/95-16 on 950419-20.No violations noted.Major areas inspected:circumstances surrounding LER 50-313/95-S01-00 & 50-368/95-S01-00.
MURRAY,B. Region 4 (Post 820201). 95/05/10. 12pp. 83952:216-83952:227.

9505240061 Forwards insp repts 50-313/95-15 & 50-368/95-15 on 950410-21.Noncited violation re licensee failure to follow procedures to write condition rept to identify & document valves susceptible to pressure locking.
GWYNN,T.P. Region 4 (Post 820201). 95/05/17. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84021:045-84021:058.

--9505240090 Insp repts 50-313/95-15 & 50-368/95-15 on 950410-21.Non- cited violation noted.Major areas inspected:design control measures to assure operability of containment sump recirculation gate valves.
COLLINS,E.E. Region 4 (Post 820201). 95/05/16. 10pp. 84021:049-84021:058.

9505260031 Forwards insp repts 50-313/95-18 & 50-368/95-18 on 950424-0501.No violations noted.
BEACH,A.B. Region 4 (Post 820201). 95/05/22. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84062:087-84062:100.

--9505260035 Insp repts 50-313/95-18 & 50-368/95-18 on 950424-0501. Violations noted.Major areas inspected:insp of 950420 reactor trip & startup from that reactor trip & licensee root cause determination.
HARRELL,P. Region 4 (Post 820201). 95/05/18. 10pp. 84062:091-84062:100.

9505260060 Forwards insp repts 50-313/95-12 & 50-368/95-12 on 950313-14 & 0417-21.No violations noted.
BEACH,A.B. Region 4 (Post 820201). 95/05/22. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84062:219-84062:246.

--9505260062 Insp repts 50-313/95-12 & 50-368/95-12 on 950313-14 & 0417- 21.No violations noted.Major area inspected:review of event related to excessive exposures that occurred when core support assembly reinstalled in reactor vessel.
HARRELL,P.H. Region 4 (Post 820201). 95/05/15. 23pp. 84062:224-84062:246.

R. Periodic operating reports & related correspondence

9505020226 "ANO Units 1 & 2 Annual Radiological Environ Operating Rept for 1994."
MIMS,D.C. Entergy Operations, Inc. 94/12/31. 145pp. 83804:181-83804:325.

9505190244 Monthly operating rept for Apr 1995 for ANO Unit 1.W/950515 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 95/04/30. 7pp. 84009:236-84009:242.

S. Reportable occurrences, LERs & related correspondence

9505010278 LER 95-004-00:on 950403,vendor personnel error in programming upgraded MFP turbine controller resulted in manual RT & automatic EFS actuation.Corrected programming errors.W/950426 ltr.
SCOTT,T.F., MIMS,D.C. Entergy Operations, Inc. 95/04/26. 6pp. 83717:022-83717:027.

9505240276 LER 95-005-00:on 950420,logic circuit ground caused by vibration induced insulation wear resulted in reactor trip initiated by main turbine generator protective circuitry. Repaired grounded wire from "B" phase.W/950519 ltr.
SCHEIDE,R.H., MIMS,D.C. Entergy Operations, Inc. 95/05/19. 7pp. 84082:008-84082:014.

V. Operator Examinations

9505050027 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam,administered on 950405.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. YELVERTON,J.W. Entergy Operations, Inc. 2pp. 83758:087-83758:088.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505220081 Rev 21 to "Indiana Michigan Power Co Emergency Response Manual." W/950508 ltr.
MIHALIK,D.R., SMITH,B.J., FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/08. 77pp. 84039:035-84039:111.

9505190297 Forwards addl info re Thermo-Lag related ampacity derating calculations,as requested by NRC 950306 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/12. Document Control Branch (Document Control Desk). 84pp. 84035:180-84035:263.

9505240360 Rev 14 to emergency plan.W/950517 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/17. 98pp. 84071:167-84071:264.

H. General correspondence

9505090016 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing For Water-Cooled Power Reactors." Endorses NEI comments.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/01. Docketing & Services Branch. 2pp. 83816:065-83816:066.

P. Operating license stage documents & correspondence

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--9505150298 Discusses review scope re NRC 890427 on settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/14. GIITTER,J. NRC - No Detailed Affiliation Given. 1p. 84038:106-84038:106.

9505010273 Application for amend to license DPR-58,incorporating 2.0 volt interim SG tube support plate plugging criterion for fuel cycle 15.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/04/25. Document Control Branch (Document Control Desk). 17pp. 83716:248-83716:293.

--9505010275 Proposed tech specs,incorporating 2.0 volt interim SG tube support plate plugging criterion for fuel cycle 15.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/04/25. 29pp. 83716:265-83716:293.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080041 Requests NRC approval to use ASME Code Case N-416-1, "Alternative Pressure Test Requirement for Welded Repairs or Installation of Replacement Items by Welding,Class 1,2 & 3, Section XI,Div 1."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/02. Document Control Branch (Document Control Desk). 4pp. 83865:005-83865:008.

9505190297 Forwards addl info re Thermo-Lag related ampacity derating calculations,as requested by NRC 950306 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/12. Document Control Branch (Document Control Desk). 84pp. 84035:180-84035:263.

9505220225 Responds to 941202 ltr,inquiring if requirements for records on criminal history checks received from FBI could be interpreted as allowing records to be stored on optical disks vice storing actual records.
CUNNINGHAM,L.J. . 95/05/16. HODGE,W.M. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 84010:320-84010:324.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240165 Application for amends to licenses DPR-58 & DPR-74,revising TS section 3.7.1.1,Table 3.7-1 & bases re turbine cycle safety valves.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/19. Document Control Branch (Document Control Desk). 7pp. 84072:262-84072:293.

--9505240168 Proposed tech specs,modifying TS 3.7.1.1,Table 3.7-1 & associated bases.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/19. 25pp. 84072:269-84072:293.

9505310313 Application for amends to licenses DPR-58 & DPR-74.Amends would incorporate cycle & burnup dependent peaking factor penalty.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. Document Control Branch (Document Control Desk). 6pp. 84162:343-84162:359.

--9505310316 Proposed tech specs re incorporation of cycle & burnup dependent peaking factor penalty.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. 11pp. 84162:349-84162:359.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505100272 Forwards response to NRC 950405 ltr re violations noted in insp repts 50-315/95-05 & 50-316/95-05 on 950131-0320. Corrective actions:provided field personnel w/instructions prior to installation.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/05. Document Control Branch (Document Control Desk). 9pp. 83873:354-83873:362.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180503 Forwards "Svc Water Sys Operational Performance Insp (SWSOPI) Self-Assessment Rept."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/12. Document Control Branch (Document Control Desk). 1p. 84050:164-84050:279.

--9505180505 "Svc Water Sys Operational Performance Insp (SWSOPI) Self- Assessment Rept."
STANLEY,R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/05. 110pp. 84050:165-84050:279.

R. Periodic operating reports & related correspondence

9505030275 "DC Cook Nuclear Plant UNits 1 & 2 Annual Environ Operating Rept Jan-Dec 1994." W/950424 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/12/31. 403pp. 83800:001-83801:039.

9505150127 Monthly operating rept for April 1995 for Donald Cook Nuclear Plant unit 1.W/950504 ltr.
JANISSE,J.D., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/04/30. 4pp. 83898:328-83898:332.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M. Commonwealth Edison Co. SAWATZKE,B.J. Northern States Power Co. HICE,D.D. Consumers Power Co. 1p. 83758:313-83758:313.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505220081 *Rev 21 to "Indiana Michigan Power Co Emergency Response Manual."* W/ 950508 ltr.
MIHALIK,D.R., SMITH,B.J., FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/08. 77pp. 84039:035-84039:111.

9505190297 Forwards addl info re Thermo-Lag related ampacity derating calculations,as requested by NRC 950306 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/12. Document Control Branch (Document Control Desk). 84pp. 84035:180-84035:263.

9505240360 Rev 14 to emergency plan.W/950517 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/17. 98pp. 84071:167-84071:264.

H. General correspondence

9505090016 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing For Water-Cooled Power Reactors." Endorses NEI comments.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/01. Docketing & Services Branch. 2pp. 83816:065-83816:066.

P. Operating license stage documents & correspondence

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--9505150298 Discusses review scope re NRC 890427 on settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/14. GIITTER,J. NRC - No Detailed Affiliation Given. 1p. 84038:106-84038:106.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080041 Requests NRC approval to use ASME Code Case N-416-1, "Alternative Pressure Test Requirement for Welded Repairs or Installation of Replacement Items by Welding,Class 1,2 & 3, Section XI,Div 1."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/02. Document Control Branch (Document Control Desk). 4pp. 83865:005-83865:008.

9505190297 Forwards addl info re Thermo-Lag related ampacity derating calculations,as requested by NRC 950306 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/12. Document Control Branch (Document Control Desk). 84pp. 84035:180-84035:263.

9505220225 Responds to 941202 ltr,inquiring if requirements for records on criminal history checks received from FBI could be interpreted as allowing records to be stored on optical disks vice storing actual records.
CUNNINGHAM,L.J. . 95/05/16. HODGE,W.M. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 84010:320-84010:324.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240165 Application for amends to licenses DPR-58 & DPR-74,revising TS section 3.7.1.1,Table 3.7-1 & bases re turbine cycle safety valves.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/19. Document Control Branch (Document Control Desk). 7pp. 84072:262-84072:293.

--9505240168 Proposed tech specs,modifying TS 3.7.1.1,Table 3.7-1 & associated bases.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/19. 25pp. 84072:269-84072:293.

9505310313 Application for amends to licenses DPR-58 & DPR-74.Amends would incorporate cycle & burnup dependent peaking factor penalty.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. Document Control Branch (Document Control Desk). 6pp. 84162:343-84162:359.

--9505310316 Proposed tech specs re incorporation of cycle & burnup dependent peaking factor penalty.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/25. 11pp. 84162:349-84162:359.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505100272 Forwards response to NRC 950405 ltr re violations noted in insp repts 50-315/95-05 & 50-316/95-05 on 950131-0320. Corrective actions:provided field personnel w/instructions prior to installation.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/05. Document Control Branch (Document Control Desk). 9pp. 83873:354-83873:362.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ *Gamma Stereotactic Radiosurgery Unit.*"
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180503 Forwards "Svc Water Sys Operational Performance Insp (SWSOPI) Self-Assessment Rept."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/12. Document Control Branch (Document Control Desk). 1p. 84050:164-84050:279.

--9505180505 "Svc Water Sys Operational Performance Insp (SWSOPI) Self- Assessment Rept."
STANLEY,R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). *95/05/05. 110pp. 84050:165-84050:279.*

R. Periodic operating reports & related correspondence

9505030275 "DC Cook Nuclear Plant UNits 1 & 2 Annual Environ Operating Rept Jan-Dec 1994." W/950424 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 94/12/31. 403pp. 83800:001-83801:039.

9505150012 Monthly operating rept for Apr 1995 for DC Cook NPP,Unit 2. W/950504 ltr.
JANISSE,J.D., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/04/30. 5pp. 83900:043-83900:047.

S. Reportable occurrences, LERs & related correspondence

9505150175 LER 95-003-00:on 950203,two pressurizer safety valves failed to meet TS required surveillance test criteria.Partially disassembled valves 2-SV-45A & 2-SV-45C.W/950508 ltr.
WEBER,G.A., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/08. 5pp. 83985:265-83985:269.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M. Commonwealth Edison Co. SAWATZKE,B.J. Northern States Power Co. HICE,D.D. Consumers Power Co. 1p. 83758:313-83758:313.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505040097 Forwards rev 9 to plant training & qualification plan.Encl withheld.
GIBBS,L.P. Baltimore Gas & Electric Co. 94/09/30. Document Control Branch (Document Control Desk). 2pp. 83783:331-83783:332.

9505150149 Change 3 to rev 18 to ERPIP-3.1, "Responsible Individual: Shift Supervisor."
* Baltimore Gas & Electric Co. 95/05/08. 18pp. 83899:019-83899:035.

P. Operating license stage documents & correspondence

9505040378 Ltr contract NRC-04-91-068,mod 2,task 34,extending period of performance,to "IPE Reviews,Internal Events - Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83747:357-83747:358.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050117 Application for emergency amend to license DPR-53.Amend would revise CREVS TSs to provide an extension of allowed outage time.
DENTON,R.E. Baltimore Gas & Electric Co. 95/04/28. Document Control Branch (Document Control Desk). 6pp. 83864:192-83864:200.

--9505050121 Proposed tech specs re extension of allowed outage time.
* Baltimore Gas & Electric Co. 95/04/28. 3pp. 83864:198-83864:200.

9505050223 Forwards SE re util 941013 request to change method of tornado missile protection for emergency diesel generator engines intake air filters,exhaust piping & mufflers.
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/01. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 83813:343-83813:348.

--9505050226 Safety evaluation accepting analysis of tornado generated missile impact on EDG.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/01. 3pp. 83813:346-83813:348.

9505090164 Forwards amend 205 to license DPR-53 & safety evaluation. Amend revises control room emergency ventilation sys TS 3.7.6.1, "LCO."
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/02. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 83853:278-83853:291.

--9505090166 Amend 205 to license DPR-53,revising control room emergency ventilation sys TS 3.7.6.1, "LCO."
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/02. 4pp. 83853:281-83853:284.

--9505090167 Safety evaluation supporting amend 205 to license DPR-53.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 6pp. 83853:285-83853:291.

9505180563 Forwards SE supporting util 941101 request to use convolution technique for analysis of pretrip MSLB event at plant.
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/11. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 83985:346-83985:351.

--9505180567 Safety evaluation supporting use of statistical convolution for MSLB analysis.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 3pp. 83985:349-83985:351.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505220060 Forwards MORs for Apr 1995 & revised MORs for Feb & Mar 1995 for Calvert Cliffs Units 1 & 2.
CRUSE,C.H. Baltimore Gas & Electric Co. 95/05/15. Document Control Branch (Document Control Desk). 1p. 84068:061-84068:075.

--9505230168 Monthly operating repts for Apr 1995 for Calvert Cliffs Units 1 & 2.
OLSEN,H.O. Baltimore Gas & Electric Co. 95/04/30. 10pp. 84068:062-84068:071.

--9505230174 Revised MORs for Feb 1995 for Calvert Cliffs Units 1 & 2.
OLSEN,H.O. Baltimore Gas & Electric Co. 95/02/28. 2pp. 84068:072-84068:073.

--9505230177 Revised MORs for Mar 1995 for Calvert Cliffs Units 1 & 2.
OLSEN,H.O. Baltimore Gas & Electric Co. 95/03/31. 2pp. 84068:074-84068:075.

S. Reportable occurrences, LERs & related correspondence

9505150306 Interim Part 21 rept re failures of Gould-Shawmit A25X 10-15 ampere fuses due to cracking of fuse element.Util not yet verified that mfg process described cause of failures & performing own metallurgical analysis on fuses.
SLY,C. Baltimore Gas & Electric Co. 95/05/05. NRC - No Detailed Affiliation Given. 2pp. 83977:324-83977:325.

9505150034 Forwards 10CFR21 notification re failure mechanism for Gould-Shawmut A25X 10-15 ampere fuses.
CRUSE,C.H. Baltimore Gas & Electric Co. 95/05/08. Document Control Branch (Document Control Desk). 4pp. 83898:179-83898:182.

9505220089 LER 95-001-00:on 950415,Unit 1 entered TS 3.0.3 when EDG supplying backup power became inoperable.Caused by leaking fuel injector pump due to improper drainage.Drain lines cleaned.W/950515 ltr.
SLY,C., CRUSE,C.H. Baltimore Gas & Electric Co. 95/05/15. 9pp. 84075:343-84075:351.

V. Operator Examinations

9505090039 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 83816:156-83816:157.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505040097 Forwards rev 9 to plant training & qualification plan.Encl withheld.
GIBBS,L.P. Baltimore Gas & Electric Co. 94/09/30. Document Control Branch (Document Control Desk). 2pp. 83783:331-83783:332.

9505150149 Change 3 to rev 18 to ERPIP-3.1, "Responsible Individual: Shift Supervisor."
* Baltimore Gas & Electric Co. 95/05/08. 18pp. 83899:019-83899:035.

P. Operating license stage documents & correspondence

9505040378 Ltr contract NRC-04-91-068,mod 2,task 34,extending period of performance,to "IPE Reviews,Internal Events - Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83747:357-83747:358.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050223 Forwards SE re util 941013 request to change method of tornado missile protection for emergency diesel generator engines intake air filters,exhaust piping & mufflers.
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/01. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 83813:343-83813:348.

--9505050226 Safety evaluation accepting analysis of tornado generated missile impact on EDG.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/01. 3pp. 83813:346-83813:348.

9505180073 Advises that util 950420 ltr requesting approval for use of code case N-389 of ASME Boiler & Pressure Vessel Code for SG repair/replacement work acceptable.
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/10. DENTON,R.E. Baltimore Gas & Electric Co. 4pp. 83979:314-83979:317.

9505180563 Forwards SE supporting util 941101 request to use convolution technique for analysis of pretrip MSLB event at plant.
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/11. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 83985:346-83985:351.

--9505180567 Safety evaluation supporting use of statistical convolution for MSLB analysis.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 3pp. 83985:349-83985:351.

9505220038 Summarizes 950510 meeting w/Westinghouse re SG tube issues. List of attendees,action plan discussion & lognormal prediction method encl.
DEMBEK,S. . 95/05/15. STROSNIDER,J.R. . 14pp. 84023:255-84023:268.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505220060 Forwards MORs for Apr 1995 & revised MORs for Feb & Mar 1995 for Calvert Cliffs Units 1 & 2.
CRUSE,C.H. Baltimore Gas & Electric Co. 95/05/15. Document Control Branch (Document Control Desk). 1p. 84068:061-84068:075.

--9505230168 Monthly operating repts for Apr 1995 for Calvert Cliffs Units 1 & 2.
OLSEN,H.O. Baltimore Gas & Electric Co. 95/04/30. 10pp. 84068:062-84068:071.

--9505230174 Revised MORs for Feb 1995 for Calvert Cliffs Units 1 & 2.
OLSEN,H.O. Baltimore Gas & Electric Co. 95/02/28. 2pp. 84068:072-84068:073.

--9505230177 Revised MORs for Mar 1995 for Calvert Cliffs Units 1 & 2.
OLSEN,H.O. Baltimore Gas & Electric Co. 95/03/31. 2pp. 84068:074-84068:075.

S. Reportable occurrences, LERs & related correspondence

9505090279 Forwards preliminary ASP analysis of operational condition review of preliminary ASP analysis of trip,loss of 13.8 kV bus & short-term salt water cooling sys unavailability,which occurred at plant on 940112.
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/03. DENTON,R.E. Baltimore Gas & Electric Co. 32pp. 83854:038-83854:069.

9505150306 Interim Part 21 rept re failures of Gould-Shawmit A25X 10-15 ampere fuses due to cracking of fuse element.Util not yet verified that mfg process described cause of failures & performing own metallurgical analysis on fuses.
SLY,C. Baltimore Gas & Electric Co. 95/05/05. NRC - No Detailed Affiliation Given. 2pp. 83977:324-83977:325.

9505150034 Forwards 10CFR21 notification re failure mechanism for Gould-Shawmut A25X 10-15 ampere fuses.
CRUSE,C.H. Baltimore Gas & Electric Co. 95/05/08. Document Control Branch (Document Control Desk). 4pp. 83898:179-83898:182.

9505220094 LER 95-004-00:on 950414,fire occurred in section of expansion joint matl in "K" line wall,burning approx three linear feet of cork matl.Caused by sparks from welding near wall.Fire watches posted & walkdown performed.W/950515 ltr.
SLY,C.D., CRUSE,C.H. Baltimore Gas & Electric Co. 95/05/15. 7pp. 84075:352-84075:358.

V. Operator Examinations

9505090039 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 83816:156-83816:157.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505180144 Ack receipt of 950210 correspondence re changes to plant training & qualification plan,Rev 12.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84030:307-84030:309.

9505180150 Ack receipt of 950210 correspondence re changes to plant modified amended physical security plan,Rev 31.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 84026:344-84026:346.

9505190242 Rev 5 to emergency plan implementing document 6410-ADM-1300.02, "Emergency Preparedness Training," incorporating PCR 1-EP-94-0046.
BEAVER,J., NELSON,M.A. General Public Utilities Corp. - GPU Service Corp. 95/05/08. 16pp. 84009:243-84009:258.

I. Financial information

9505020470 Forwards "GPU Annual Rept 1994," 1994 uniform statistical rept,1994 GPU actual source & application of funds satatement & 1995 GPU forecast source & application of funds statement per 10CFR50.71(b) & 10CFR140.21.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/04/25. Document Control Branch (Document Control Desk). 1p. 83763:203-83763:287.

-9505020472 "GPU Annual Rept 1994."
LEVA,J.R. General Public Utilities Corp. - GPU Service Corp. 94/12/31. 84pp. 83763:204-83763:287.

P. Operating license stage documents & correspondence

9505240320 FOIA request for documents re baffle removal & cutting of internals reactors at listed plants.
KATZ,D. Citizens Awareness Network. 94/10/17. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84024:181-84024:183.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505010103 "TMI Nuclear Generating Station Radiological Environ Monitoring Rept 1994." W/950424 ltr.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 94/12/31. 193pp. 83748:001-83748:193.

9505040384 Forwards combined 1994 annual radioactive effluent releases rept,including summary of quantities of radioactive liquid & gaseous effluents & solid waste released from site as outlined in Reg Guide 1.21,Rev 1.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83808:130-83808:183.

-9505040389 Combined 1994 annual radioactive effluent releases rept.
* General Public Utilities Corp. - GPU Service Corp. 94/12/31. 52pp. 83808:132-83808:183.

U. Congressional/Executive Correspondence

9504140194 Responds to 950213 request re info on approval process used for apparent exemptions from federal regulatory standards.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/04. STATORUM,R. Senate. 1p. 84190:291-84190:305.

-9505300347 Expresses concern about apparent exemptions in federal regulatory stds made for Peach Bottom 2 & 3 & TMI nuclear facilities.
SANTORUM,R. Senate. 95/02/13. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 1p. 84190:306-84190:306.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505090105 Forwards quarterly safeguards event log for Edwin I. Hatch Nuclear Plant,per 10CFR73.71(c)(2).
BECKHAM,J.T. Georgia Power Co. 95/05/01. Document Control Branch (Document Control Desk). 33pp. 83865:272-83865:304.

9505300119 Forwards insp repts 50-321/95-09 & 50-366/95-09 on 950417-21 & notice of vioaltion.
BARR,K.P. Region 2 (Post 820201). 95/05/19. BECKHAM,J.T. Georgia Power Co. 4pp. 84077:288-84077:304.

-9505300129 Insp repts 50-321/95-09 & 50-366/95-09 on 950417-21. Violations noted.Major areas inspected:site emergency preparedness program through review of listed implementing procedures.
KREH,J.L., BARR,K.P. Region 2 (Post 820201). 95/05/19. 11pp. 84077:294-84077:304.

G. Adjudicatory correspondence

9505180560 Memorandum (CLI-95-05).* No judgement on whether it would be lawful or appropriate at this stage of proceeding for staff to make finding of NSHC.W/Certificate of Svc.Served on 950511.Re-served on 950512.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16710. 95/05/11. 7pp. 83970:269-83970:275.

H. General correspondence

9505230184 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power." Requests that NRC to expedite promulgation of option B rule.
MCCOY,C.K. Georgia Power Co. 95/05/05. Document Control Branch (Document Control Desk). 2pp. 84002:036-84002:037.

P. Operating license stage documents & correspondence

9505240323 First partial response to FOIA request for documents.App A documents already available in PDR.App B documents encl & placed in PDR.
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. KATZ,D. Citizens Awareness Network. 3pp. 84024:184-84024:300.

-9409070271 Discusses core shroud repair at Brunswick plants & same repair to be undertaken at Hatch Plants.Details discussed include dose info,repair methods,time to complete repairs, cost & insp.W/encl.
CALVO,J.A. Division of Radiation Safety & Safeguards (Post 921004). 94/08/23. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 113pp. 84024:187-84024:300.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090221 Application for amend to licenses DPR-57 & NPF-5,minimizing thermal stratification events.
BECKHAM,J.T. Georgia Power Co. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 83892:292-83892:329.

-9505090223 Proposed tech specs,minimizing thermal stratification events.
* Georgia Power Co. 95/05/04. 36pp. 83892:294-83892:329.

9505240166 Advises that info submitted to NRC on 940824 & 940923,in response to GL 94-03 & NRC RAI,respectively,does not need to be withheld from public disclosure.
BECKHAM,J.T. Georgia Power Co. 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84083:254-84083:255.

9505240358 Forwards second RAI re power uprate program for plant,which proposed to increase authorized max power level to 2,558 from current limit of 2,436 MWt.Response requested within 30 days from date of ltr.
JABBOUR,K.N. . 95/05/18. BECKHAM,J.T. Georgia Power Co. 5pp. 84049:340-84049:344.

9505250193 Provides proprietary response to RAI re core shroud mod.Info regards analytical models & supporting calculations re shroud evaluations & supporting documents on tie rod stress.Encl withheld.
BECKHAM,J.T. Georgia Power Co. 95/05/18. Document Control Branch (Document Control Desk). 2pp. 84075:293-84075:294.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020087 Ack receipt of 940421 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/94-01 & 50-366/94-01.Violation 94-01-09 will be withdrawn.
GIBSON,A.F. Region 2 (Post 820201). 95/04/17. BECKHAM,J.T. Georgia Power Co. 3pp. 83690:081-83690:083.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180093 Advises of changes to present insp activities as result of recent performance review at plant to determine if insp effort for rest of current SALP cycle should be revised before end date of 950527.
SKINNER,P.H. Region 2 (Post 820201). 95/04/28. BECKHAM,J.T. Georgia Power Co. 4pp. 83953:223-83953:226.

9505110168 Forwards insp repts 50-321/95-02 & 50-366/95-02 on 950213- 17.No violations or deviations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/05. BECKHAM,J.T. Georgia Power Co. 3pp. 83851:287-83851:312.

--9505110172 Insp repts 50-321/95-02 & 50-366/95-02 on 950213-0406.No violations noted.Major areas inspected:licensee completion of implementation of commitments made in response to GL 89-10.
GIRARD,E., CASTO,C. Region 2 (Post 820201). 95/05/05. 23pp. 83851:290-83851:312.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240184 Forwards insp repts 50-321/95-06 & 50-366/95-06 on 950305-0415.No violations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/11. BECKHAM,J.T. Georgia Power Co. 3pp. 84022:225-84022:253.

--9505240187 Insp repts 50-321/95-06 & 50-366/95-06 on 950305-0415.No violations noted.Major areas inspected:plant operations, maint,engineering,plant support & insp of open items.
HOLBROOK,B.L., CHRISTNOT,E.F., SKINNER,P.H. Region 2 (Post 820201). 95/05/10. 26pp. 84022:228-84022:253.

9505300044 Forwards insp repts 50-321/95-07 & 50-366/95-07 on 950403-07 & 17-21.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/19. BECKHAM,J.T. Georgia Power Co. 3pp. 84076:121-84076:141.

--9505300048 Insp repts 50-321/95-07 & 50-366/95-07 on 950403-07 & 17-21. No violations noted.Major areas inspected:engineering & technical support activities.
WISEMAN,G., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/18. 18pp. 84076:124-84076:141.

9505300119 Forwards insp repts 50-321/95-09 & 50-366/95-09 on 950417-21 & notice of vioaltion.
BARR,K.P. Region 2 (Post 820201). 95/05/19. BECKHAM,J.T. Georgia Power Co. 4pp. 84077:288-84077:304.

--9505300125 Notice of violation from insp on 950417-21.Violation noted: licensee failed to conduct after hours annual exercise during 6-yr period,1988 - 1993.
* Region 2 (Post 820201). 95/05/19. 2pp. 84077:292-84077:293.

--9505300129 Insp repts 50-321/95-09 & 50-366/95-09 on 950417-21. Violations noted.Major areas inspected:site emergency preparedness program through review of listed implementing procedures.
KREH,J.L., BARR,K.P. Region 2 (Post 820201). 95/05/19. 11pp. 84077:294-84077:304.

R. Periodic operating reports & related correspondence

9505110258 Monthly operating rept for Apr 1995 for El Hatch Nuclear Plant.W/950505 ltr.
BEARD,R.M., BECKHAM,J.T. Georgia Power Co. 95/04/30. 13pp. 83933:117-83933:129.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:024-83834:028.

--8912040009 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 89/10/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:035-83834:039.

--8912040010 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/11/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:040-83834:044.

--8912040012 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:029-83834:034.

J. Insurance & indemnity information

9505240257 Forwards both copies,signed by util President CV Giacomazzo, of amend 7 to Indemnity Agreement B-87.Util returning copies because effective date left blank.
PETSCHAUER,F. Long Island Lighting Co. 95/05/15. Document Control Branch (Document Control Desk). 3pp. 84083:338-84083:340.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

W. Decommissioning Stage Documents & Correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505050057 Forwards insp repts 50-275/95-03 & 50-323/95-03 on 950327-31.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/01. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 83758:175-83758:194.

--9505050064 Insp repts 50-275/95-03 & 50-323/95-03 on 950327-31.No violations noted.Major areas inspected:implementation of fire protection program.
ANG,W.P. Region 4 (Post 820201). 95/04/27. 15pp. 83758:180-83758:194.

9505110200 Forwards SE denying util 940315 & 0525 requests for exemption from technical requirements of Section III.J of App R to 10CFR50 re emergency lighting units w/8-h battery power supply.
ADENSAM,E.G. . 95/05/05. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 83936:337-83936:345.

--9505110287 Safety evaluation denying licensee request for deviation from Section III.J of App R to 10CFR50 re emergency lighting units w/8-h battery power supply.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 5pp. 83936:341-83936:345.

9505310098 Forwards request for exemption to 10CFR73.55 allowing contractors to take badge offsite instead of returning badge when exiting protected areas.Encl withheld.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 84162:257-84162:257.

9505180434 Advises that util will implement action plan to install battery-operated lights in access & egress pathways as expeditiously as possible to provide full compliance w/App R requirements.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/09. Document Control Branch (Document Control Desk). 2pp. 83991:359-83991:360.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190092 Forwards most recent status repts of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/04/04. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:017-83834:020.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

--8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:024-83834:028.

--8912040009 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 89/10/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:035-83834:039.

--8912040010 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/11/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:040-83834:044.

--8912040012 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:029-83834:034.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505110107 Rev 10 to updated FSAR for Diablo Canyon Units 1 & 2.W/ 950427 ltr.
WOMACH,L.F. Pacific Gas & Electric Co. 95/05/31. 2,480pp. 83956:001-83962:296.

P. Operating license stage documents & correspondence

9505020202 Submits response to RAI on license amend request 94-05 re relocation of selected 3/4.7 TS per NRC final policy statement & NUREG-1431.
WOMACK,L.F. Pacific Gas & Electric Co. 95/04/25. Document Control Branch (Document Control Desk). 14pp. 83763:288-83763:303.

9505040059 Forwards request for addl info on slave relay test frequency extension for plant,Units 1 & 2.
MILLER,M.A. . 95/04/27. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 83751:348-83751:353.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/26. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050142 Advises that util 950301 proposed rev to FSAR update,chapter 17,which included proposed change to QA program description, similar to 920921 submittal & does not provide sufficient justification for addl relief.Request not approved.
GWYNN,T.P. Region 4 (Post 820201). 95/04/28. RUEGER,G.M. Pacific Gas & Electric Co. 7pp. 83759:036-83759:042.

9505110260 Summary of 950418 meeting w/util in Rockville,MD re plans for extended fuel cycles.List of attendees & presentation handouts encl.
MILLER,M.A. . 95/05/02. NRC - No Detailed Affiliation Given. 44pp. 83936:095-83938:136.

9505110200 Forwards SE denying util 940315 & 0525 requests for exemption from technical requirements of Section III.J of App R to 10CFR50 re emergency lighting units w/8-h battery power supply.
ADENSAM,E.G. . 95/05/05. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 83936:337-83936:345.

--9505110287 Safety evaluation denying licensee request for deviation from Section III.J of App R to 10CFR50 re emergency lighting units w/8-h battery power supply.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 5pp. 83936:341-83936:345.

9505180434 Advises that util will implement action plan to install battery-operated lights in access & egress pathways as expeditiously as possible to provide full compliance w/App R requirements.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/09. Document Control Branch (Document Control Desk). 2pp. 83991:359-83991:360.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505300307 Requests withdrawal of LAR 95-02 re safety injection pump 2-2.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/19. Document Control Branch (Document Control Desk). 1p.pp. 84141:321-84141:321.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030055 Forwards copy of ltr sent to all Region IV power reactor licensees re results of NRC review of svc water sys self-assessment performed by util,as well as NRC special insp of significant safety issue identified by assessment.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. PATTERSON,T.L. Omaha Public Power District. 3pp. 83720:281-83720:285.

--9505030072 Forwards two insp repts which document results of NRC review of self-assessment performed by util at plant,as well as NRC special insp of significant safety issue identified by util self-assessment.W/o encls.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. RUEGER,G.M. Pacific Gas & Electric Co. 1p. 83720:285-83720:285.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505030049 Forwards insp repts 50-275/95-06 & 50-323/95-06 on 950219- 0401 & NOV.Violation of concern because it demonstrate lack of sensitivity by staff to procedural compliance.
BEACH,A.B. Region 4 (Post 820201). 95/04/28. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 83720:192-83720:233.

--9505030056 Notice of violation from insp on 950219-0401.Violation noted:licensee operated sealed Valve SI-2-8920B w/o documented authorization or shift foreman approval.
* Region 1 (Post 820201). 95/04/28. 2pp. 83720:197-83720:198.

--9505030066 Insp repts 50-275/95-06 & 50-323/95-06 on 950219-0401. Violations noted.Major areas inspected:operational safety verification,plant maintenance,surveillance observations, onsite engineering,plant support activities.
CHAMBERLAIN,D. Region 4 (Post 820201). 95/04/24. 35pp. 83720:199-83720:233.

9505050057 Forwards insp repts 50-275/95-03 & 50-323/95-03 on 950327-31.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/01. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 83758:175-83758:194.

--9505050064 Insp repts 50-275/95-03 & 50-323/95-03 on 950327-31.No violations noted.Major areas inspected:implementation of fire protection program.
ANG,W.P. Region 4 (Post 820201). 95/04/27. 15pp. 83758:180-83758:194.

9505100039 Responds to NRC RAI re NRC insp repts 50-275/95-01 & 50-323/95-01 on 950302 re completion of util test program for MOVs.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/05. Document Control Branch (Document Control Desk). 8pp. 83873:275-83873:282.

9505180019 Insp repts 50-275/95-07 & 50-323/95-07 cancelled.
GWYNN,T.P. Region 4 (Post 820201). 95/05/05. Pacific Gas & Electric Co. 4pp. 83952:018-83952:021.

9505180231 Forwards insp plans for plant in preparation for insp & incorporation of 24 month SALP period ending on 960831.Insps primarily mandatory core & safety initiative insp w/few regional insps.
CALLAN,L.J. Region 4 (Post 820201). 95/05/08. RUEGER,G.M. Pacific Gas & Electric Co. 7pp. 83953:078-83953:084.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230296 Forwards response to NRC 950417 ltr re violations noted in insp repts 50-275/95-02 & 50-323/95-02 on 950108-0218. Corrective actions:performed complete review & rev of breaker rack-in & rack-out procedure.
RUEGER,G.M. Pacific Gas & Electric Co. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84051:330-84051:333.

R. Periodic operating reports & related correspondence

9505030227 "Diablo Canyon Power Plant 1994 Annual Radioactive Effluent Release Rept Jan-Dec 1994." W/950427 ltr.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 94/12/31. 200pp. 83836:012-83836:361.

9505030256 "1994 Annual Radiological Environ Operating Rept Diablo Canyon Power Plant." W/950427 ltr.
ONG,A., GEDNEY,E.A., WOMACK,L.F. Pacific Gas & Electric Co. 94/12/31. 100pp. 83795:113-83795:286.

9505110163 "Annual Nonradiological Environ Operating Rept Diablo Canyon Power Plant." W/950428 ltr.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 94/12/31. 14pp. 83936:304-83936:317.

9505100119 "First Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/950419 ltr.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/03/31. BRIGGS,R.W. California, State of. 100pp. 83906:248-83906:341.

9505220150 Monthly operating repts for Apr 1995 for Diablo Canyon Units 1 & 2.W/ 950512 ltr.
EUBANK,T., STIPICEVICH,J., FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/04/30. 13pp. 84039:126-84039:138.

S. Reportable occurrences, LERs & related correspondence

9505230013 PNO-IV-94-061:on 941206,util announced agreement on new plan to reduce price of power produced by plant.Licensee continuing to evaluate possible organizational changes to enhance efficiency & effectiveness.
* Region 4 (Post 820201). 94/12/07. 1p. 84001:076-84001:076.

9505180142 PNO-IV-94-062:on 941214,disturbance on 500 KV distribution sys resulted in reactor trips at plant.Caused by RCP bus undervoltage on 12 KV busses.DG 1-3 declared inoperable pending further investigation.
KIRSCH,D., CORPORANDY,D. Region 4 (Post 820201). 94/12/14. 3pp. 83952:292-83952:294.

9505180122 PNO-IV-94-062A:on 941214,reactor tripped at plant due to RCP bus undervoltage on 12 kV buses of 500 kV distribution sys.Util to initiate & complete cleaning & insp process on 941220.State of CA notified.
KIRSCH,D., CORPORANDY,D. Region 4 (Post 820201). 94/12/19. 2pp. 83952:205-83952:206.

9505180117 PNO-IV-94-063:earthquake occurred approx 50 miles from plant site.Actuated site Terratech seismic monitor.No damage or injuries reported off site.Licensee implemented program for earthquake response.State of CA informed.
KIRSCH,D., CORPORANDY,D. Region 4 (Post 820201). 94/12/20. 1p. 83952:198-83952:198.

9505180003 PNO-IV-95-001:on 950131,plant identified that util had been evaluating potential vulnerability to SSPS power supplies to NRC resident inspectors.Caused by analysis of potential steam line break pipe whip.Region IV has been notified.
KIRSCH,D., MILLER,M., TSCHILTZ,M. Region 4 (Post 820201). 95/02/02. 2pp. 83951:246-83951:247.

9505250035 LER 94-013-00:on 941209,containment spray pump circuit breaker closing spring failed to charge.Caused by misalignment of charging solenoid due to personnel error. Breaker removed & replaced w/spare.W/950508 ltr.
BEHNKE,D.H., RUEGER,G.M. Pacific Gas & Electric Co. 95/05/08. 7pp. 84078:134-84078:140.

V. Operator Examinations

9505050017 Forwards copy of master exam re Generic Fundamentals Exam Section of written operator licensing exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. Pacific Gas & Electric Co. 2pp. 83758:054-83758:055.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505090089 Rev 02 to EPIP-PEP-04.7, "Brunswick Emergency Notification (Automation Telephone) Sys." W/950501 ltr.
PERGERSON,B., LOPRIORE,R.P. Carolina Power & Light Co. 95/04/03. 13pp. 83893:320-83893:332.

9505020161 Forwards info received by Region II personnel to be withheld from PDR.Requests that info be reviewed & NRC be provided w/results of findings within 45 days.W/o encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/04/20. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83691:001-83691:003.

9505030075 Forwards insp repts 50-324/95-06 & 50-325/95-06 on 950320-24.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/04/21. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83721:091-83721:094.

–9505030091 Partially withheld insp repts 50-324/95-06 & 50-325/95-06 on 950320-24 (ref 10CFR73.21).No violations noted.Major areas inspected:mgt support,security plans & implementing procedures,alarm stations & access controls.
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/04/20. 1p. 83721:094-83721:094.

9505030372 Revised plant emergency procedures (PEP),including Rev 37 to 0PEP-02.1,Rev 16 to 0PEP-02.2,Rev 19 to 0PEP-02.3,Rev 18 to 0PEP-02.4,Rev 27 to 0PEP-02.5,Rev 29 to 0PEP-02.6.21,Rev 49C to 0PEP-APP A & Rev 50C to 0PEP-APP A.W/ 950425 ltr.
LOPRIORE,R.P. Carolina Power & Light Co. 95/04/25. 178pp. 83802:001-83802:171.

9505090208 Rev 2 to EPIP OPEP-02.6.28, "Off-Site Protective Action Recommendations."
NEWTON,R. Carolina Power & Light Co. 95/05/01. 9pp. 83893:333-83893:341.

9505110119 Notification of 950518 meeting w/utils in Rockville,MD to discuss proposed util tests of darmatt fire barriers including test configurations for dummy models,schedules & test details.
KELLY,G.B. . 95/05/05. MARCUS,G.H. . 7pp. 83902:242-83902:248.

9505190282 Rev 10 to Plant Emergency Procedure OPEP-03.8.2, "Personnel Accountability & Evacuation."
PERGERSON,B. Carolina Power & Light Co. 95/05/09. 20pp. 84009:207-84009:226.

9505240026 Forwards Rev 20 to plant industrial security plan.Encl withheld per 10CFR73.21.
LOPRIORE,R.P. Carolina Power & Light Co. 95/05/09. Document Control Branch (Document Control Desk). 1p. 84059:354-84059:354.

9505230084 Rev 10 to EPIP OPEP-04.3, "Performance of Training,Exercises & Drills."
PERGERSON,B. Carolina Power & Light Co. 95/05/11. 12pp. 84051:343-84051:354.

9505250275 Revised EPIPs,including rev 41 to OREP,rev 17 to OPEP-02.6.12,rev 2 to OPEP-02.6.28,rev 10 to OPEP-03.8.2, rev 5 to OPEP-03.9.2,rev 6 to OPEP-03.9.3 rev 6 to OPEP-03.9.6 & rev 10 to OPEP-04.3.W/950519 ltr.
NEWTON,R.R. Carolina Power & Light Co. 95/05/15. 334pp. 84084:001-84084:344.

9505260033 Rev 41 to "(OERP) Radiological Emergency Response Plan (ERP)."
NEWTON,R.R., CASHWELL,C. Carolina Power & Light Co. 95/05/17. 162pp. 84089:001-84089:162.

9505260039 Rev 14 to EPIP OPEP-04.6, "Radiological Emergency Kit Inventories."
PERGERSON,B., CASHWELL,C. Carolina Power & Light Co. 95/05/17. 44pp. 84089:316-84089:359.

9505260046 Revised EPIPs,including rev 5 to OPEP-03.9.2,rev 6 to OPEP-03.9.3 & rev 6 to OPEP-03.9.6.
NEWTON,R., CASHWELL,C.K. Carolina Power & Light Co. 95/05/17. 54pp. 84089:163-84089:194.

I. Financial information

9505300150 Confirms that $595,098 was electronically transferred to US Dept of Treasury on 950517.
ROGAN,R.E. Carolina Power & Light Co. 95/05/18. Document Control Branch (Document Control Desk). 1p. 84106:343-84106:343.

P. Operating license stage documents & correspondence

9505240323 First partial response to FOIA request for documents.App A documents already available in PDR.App B documents encl & placed in PDR.
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. KATZ,D. Citizens Awareness Network. 3pp. 84024:184-84024:300.

–9409070271 Discusses core shroud repair at Brunswick plants & same repair to be undertaken at Hatch Plants.Details discussed include dose info,repair methods,time to complete repairs, cost & insp.W/encl.
CALVO,J.A. Division of Radiation Safety & Safeguards (Post 921004). 94/08/23. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 113pp. 84024:187-84024:300.

9505020414 Forwards corrections to amends 176 & 207 to licenses DPR-71, DPR-62 & SE.Corrections change TS to eliminate reactor scram & isolation functions of main steam line radiation monitors.
TRIMBLE,D.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/24. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83717:290-83717:301.

–9505020422 Corrections to amends 176 & 207 to licenses DPR-71 & DPR-62, respectively,changing TS to eliminate reactor scram & isolation functions of main steam line radiation monitors.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/03/31. 4pp. 83717:293-83717:296.

–9505020427 Correction to SE supporting amends 176 & 207 to licenses DPR-71 & DPR-62,respectively,reflecting removal of condenser offgas monitor alarm setpoint statement from SE.
* Office of Nuclear Reactor Regulation (Post 941001). 95/03/31. 5pp. 83717:297-83717:301.

9505230079 Comment on proposed GL re pressure locking & thermal binding of safety-related power-operated gate valves.
ROGAN,R.E. Carolina Power & Light Co. 95/04/27. Rules & Directives Review Branch (Post 920323). 2pp. 84001:332-84001:333.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050103 Summarizes 950424 mgt meeting w/util in region II ofc re util performance evaluation section.List of attendees & licensee handouts encl.
VERRELLI,D.M. Region 2 (Post 820201). 95/04/28. HABERMEYER,H.W. Carolina Power & Light Co. 32pp. 83758:316-83758:347.

9505150013 Confirms that listed amount electronically transferred to US DOT,NRC on 950503.Informs that payment third installment of annual licensing fee for FY95 per 10CFR171 for listed plants.
ROGAN,R.E. Carolina Power & Light Co. 95/05/08. Document Control Branch (Document Control Desk). 1p. 83898:004-83898:004.

9505240144 Confirms 950503 telcon between Cowan & D Verrelli re mgt meeting to be held at NRC request scheduled for 950530 in Atlanta,GA to discuss result of NRC review of personnel errors at plant.
VERRELLI,D.M. Region 2 (Post 820201). 95/05/10. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84021:313-84021:315.

9505220234 Discusses 941024 ltr which forwarded staff, "Task Action Plan for Spent Fuel Storage Pool Safety," for SSES.Forwards completed assessment repts for Brunswick & Monticello sites.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/17. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 26pp. 84033:321-84033:349.

9505240017 Provides synopsis of results of special review assessing human errors or inappropriate actions at Brunswick.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/17. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84020:026-84020:029.

9505240065 Responds to verbal RAI re review of IPE submittal.
LOPRIORE,R.P. Carolina Power & Light Co. 95/05/18. Document Control Branch (Document Control Desk). 4pp. 84063:329-84063:332.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505260236 *Requests relief from ASME Code,Section XI re temporary non- code repairs to two through-wall leaks identified on vital header supply line from SWS nuclear & conventional header.*
LOPRIORE,R.P. Carolina Power & Light Co. 95/05/19. Document Control Branch (Document Control Desk). 5pp. 84104:086-84104:090.

Q. Inspection reports, IE Bulletins & correspondence

9505030075 Forwards insp repts 50-324/95-06 & 50-325/95-06 on 950320-24.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/04/21. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83721:091-83721:094.

--9505030091 Partially withheld insp repts 50-324/95-06 & 50-325/95-06 on 950320-24 (ref 10CFR73.21).No violations noted.Major areas inspected:mgt support,security plans & implementing procedures,alarm stations & access controls.
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/04/20. 1p. 83721:094-83721:094.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505050137 Forwards insp repts 50-324/95-05 & 50-325/95-05 on 950304-31 & NOV.Enforcement action will not be considered because licensee efforts correcting violation meet criteria of Enforcement Policy.
VERRELLI,D.M. Region 2 (Post 820201). 95/04/25. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83759:001-83759:025.

--9505050144 Notice of violation from insp on 950304-31.Violation noted:surveillance of record for 10% sample of control rods for TS 3.1.3.3 was not completed before expiration of 120 days.
* Region 2 (Post 820201). 95/04/25. 1p. 83759:005-83759:005.

--9505050150 Insp repts 50-324/95-05 & 50-325/95-05 on 950304-31.No violations noted.Major areas inspected:operations, maintenance,surveillance,engineering,plant support & control rod slow scram times.
PATTERSON,C.A., BYRON,P.M., JANUS,M.T. Region 2 (Post 820201). 95/04/25. 18pp. 83759:006-83759:025.

9505050079 Ack receipt of 940117 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/93-39 & 50-325/93-39.Records will be adjusted to reflect that no violation of regulatory requirements occurred re item 1.
GIBSON,A.F. Region 2 (Post 820201). 95/04/27. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83758:273-83758:275.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240099 Expresses appreciation for efforts of V Wagoner in support of recent Region II resident inspector counterpart meeting on 950503 re BWR vessel internals project & history behind core shroud cracking phenomena.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/17. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 84021:116-84021:118.

9505230315 Requests relief from ASME B&PV code,Section XI re ISI program on reactor pressure vessel support skirt.
LOPRIORE,R.P. Carolina Power & Light Co. 95/05/18. Document Control Branch (Document Control Desk). 4pp. 84051:326-84051:329.

9505300046 Forwards insp repts 50-324/95-11 & 50-325/95-11 on 950417- 21.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/18. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84076:142-84076:155.

--9505300051 Insp repts 50-324/95-11 & 50-325/95-11 on 950417-21.No violations noted.Major areas inspected:licensee hydrogen water chemistry program,zinc injection program & control rod blade pins & rollers changeout.
CARRION,R.P., DECKER,T.R. Region 3 (Post 820201). 95/05/17. 3pp. 84076:145-84076:155.

9505300428 Responds to NRC 950425 ltr re violation noted in insp rept 50-324/95-05.Util denies violation.Reason for denial included.
ANDERSON,R.A. Carolina Power & Light Co. 95/05/24. Document Control Branch (Document Control Desk). 6pp. 84141:287-84141:292.

R. Periodic operating reports & related correspondence

9505010124 "Radiological Environ Operating Rept,1994," Vols I,II & III. W/950426 ltr.
COWAN,J.P. Carolina Power & Light Co. 94/12/31. 303pp. 83750:001-83750:303.

9505180235 Monthly operating repts for Apr 1995 for Brunswick Steam Electric Plant.W/950508 ltr.
HARRISON,F., LEVIS,W. Carolina Power & Light Co. 95/04/30. 8pp. 84007:343-84007:350.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505090089 Rev 02 to EPIP-PEP-04.7, "Brunswick Emergency Notification (Automation Telephone) Sys." W/950501 ltr.
PERGERSON,B., LOPRIORE,R.P. Carolina Power & Light Co. 95/04/03. 13pp. 83893:320-83893:332.

9505020161 *Forwards info received by Region II personnel to be withheld from* PDR.Requests that info be reviewed & NRC be provided w/results of findings within 45 days.W/o encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/04/20. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83691:001-83691:003.

9505030075 Forwards insp repts 50-324/95-06 & 50-325/95-06 on 950320-24.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/04/21. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83721:091-83721:094.

--9505030091 Partially withheld insp repts 50-324/95-06 & 50-325/95-06 on 950320-24 (ref 10CFR73.21).No violations noted.Major areas inspected:mgt support,security plans & implementing procedures,alarm stations & access controls.
THOMPSON,D. Region 2 (Post 820201). 95/04/20. 1p. 83721:094-83721:094.

9505030372 Revised plant emergency procedures (PEP),including Rev 37 to 0PEP-02.1,Rev 16 to 0PEP-02.2,Rev 19 to 0PEP-02.3,Rev 18 to 0PEP-02.4,Rev 27 to 0PEP-02.5,Rev 29 to 0PEP-02.6.21,Rev 49C to 0PEP-APP A & Rev 50C to 0PEP-APP A.W/ 950425 ltr.
LOPRIORE,R.P. Carolina Power & Light Co. 95/04/25. 178pp. 83802:001-83802:171.

9505090208 Rev 2 to EPIP OPEP-02.6.28, "Off-Site Protective Action Recommendations."
NEWTON,R. Carolina Power & Light Co. 95/05/01. 9pp. 83893:333-83893:341.

9505110119 Notification of 950518 meeting w/utils in Rockville,MD to discuss proposed util tests of darmatt fire barriers including test configurations for dummy models,schedules & test details.
KELLY,G.B. . 95/05/05. MARCUS,G.H. . 7pp. 83902:242-83902:248.

9505190282 Rev 10 to Plant Emergency Procedure OPEP-03.8.2, "Personnel Accountability & Evacuation."
PERGERSON,B. Carolina Power & Light Co. 95/05/09. 20pp. 84009:207-84009:226.

9505240026 Forwards Rev 20 to plant industrial security plan.Encl withheld per 10CFR73.21.
LOPRIORE,R.P. Carolina Power & Light Co. 95/05/09. Document Control Branch (Document Control Desk). 1p. 84059:354-84059:354.

9505230084 Rev 10 to EPIP OPEP-04.3, "Performance of Training,Exercises & Drills."
PERGERSON,B. Carolina Power & Light Co. 95/05/11. 12pp. 84051:343-84051:354.

9505250275 Revised EPIPs,including rev 41 to OREP,rev 17 to OPEP-02.6.12,rev 2 to OPEP-02.6.28,rev 10 to OPEP-03.8.2, rev 5 to OPEP-03.9.2,rev 6 to OPEP-03.9.3 rev 6 to OPEP-03.9.6 & rev 10 to OPEP-04.3.W/950519 ltr.
NEWTON,R.R. Carolina Power & Light Co. 95/05/15. 334pp. 84084:001-84084:344.

9505260033 Rev 41 to "(OERP) Radiological Emergency Response Plan (ERP)."
NEWTON,R.R., CASHWELL,C. Carolina Power & Light Co. 95/05/17. 162pp. 84089:001-84089:162.

9505260039 Rev 14 to EPIP OPEP-04.6, "Radiological Emergency Kit Inventories."
PERGERSON,B., CASHWELL,C. Carolina Power & Light Co. 95/05/17. 44pp. 84089:316-84089:359.

9505260046 Revised EPIPs,including rev 5 to OPEP-03.9.2,rev 6 to OPEP-03.9.3 & rev 6 to OPEP-03.9.6.
NEWTON,R., CASHWELL,C.K. Carolina Power & Light Co. 95/05/17. 54pp. 84089:163-84089:194.

I. Financial information

9505300150 Confirms that $595,098 was electronically transferred to US Dept of Treasury on 950517.
ROGAN,R.E. Carolina Power & Light Co. 95/05/18. Document Control Branch (Document Control Desk). 1p. 84106:343-84106:343.

P. Operating license stage documents & correspondence

9505240323 First partial response to FOIA request for documents.App A documents already available in PDR.App B documents encl & placed in PDR.
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. KATZ,D. Citizens Awareness Network. 3pp. 84024:184-84024:300.

--9409070271 Discusses core shroud repair at Brunswick plants & same repair to be undertaken at Hatch Plants.Details discussed include dose info,repair methods,time to complete repairs, cost & insp.W/encl.
CALVO,J.A. Division of Radiation Safety & Safeguards (Post 921004). 94/08/23. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). 113pp. 84024:187-84024:300.

9505020414 Forwards corrections to amends 176 & 207 to licenses DPR-71, DPR-62 & SE.Corrections change TS to eliminate reactor scram & isolation functions of main steam line radiation monitors.
TRIMBLE,D.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/24. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83717:290-83717:301.

--9505020422 Corrections to amends 176 & 207 to licenses DPR-71 & DPR-62, respectively,changing TS to eliminate reactor scram & isolation functions of main steam line radiation monitors.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/03/31. 4pp. 83717:293-83717:296.

--9505020427 Correction to SE supporting amends 176 & 207 to licenses DPR-71 & DPR-62,respectively,reflecting removal of condenser offgas monitor alarm setpoint statement from SE.
* Office of Nuclear Reactor Regulation (Post 941001). 95/03/31. 5pp. 83717:297-83717:301.

9505230079 Comment on proposed GL re pressure locking & thermal binding of safety-related power-operated gate valves.
ROGAN,R.E. Carolina Power & Light Co. 95/04/27. Rules & Directives Review Branch (Post 920323). 2pp. 84001:332-84001:333.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050103 Summarizes 950424 mgt meeting w/util in region II ofc re util performance evaluation section.List of attendees & licensee handouts encl.
VERRELLI,D.M. Region 2 (Post 820201). 95/04/28. HABERMEYER,H.W. Carolina Power & Light Co. 32pp. 83758:316-83758:347.

9505080008 Forwards revised insp scope & associated technical basis for core shroud welds H6a & H6b.
COWAN,J.P. Carolina Power & Light Co. 95/04/28. Document Control Branch (Document Control Desk). 14pp. 83864:282-83864:295.

9505150013 Confirms that listed amount electronically transferred to US DOT,NRC on 950503.Informs that payment third installment of annual licensing fee for FY95 per 10CFR171 for listed plants.
ROGAN,R.E. Carolina Power & Light Co. 95/05/08. Document Control Branch (Document Control Desk). 1p. 83898:004-83898:004.

9505240144 Confirms 950503 telcon between Cowan & D Verrelli re mgt meeting to be held at NRC request scheduled for 950530 in Atlanta,GA to discuss result of NRC review of personnel errors at plant.
VERRELLI,D.M. Region 2 (Post 820201). 95/05/10. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84021:313-84021:315.

9505300141 Forwards "Core Operating Limits Rept,Cycle 10," for BSEP Unit 1, "Suppl Reload Licensing Rept For BSEP Unit 1,Reload 9,Cycle 10," & proprietary, "LOCA Analysis Rept For BSEP, Unit 1 Reload,Cycle 10."
LOPRIORE,R.P. Carolina Power & Light Co. 95/05/15. Document Control Branch (Document Control Desk). 8pp. 84105:248-84105:299.

–9505300154 "Brunswick Unit 1,Cycle 10,Core Operating Limits Rept, May 1995."
BLOM,M.A., KARCHER,K.E. Carolina Power & Light Co. NF-2495.0015 R00. 95/05/08. 17pp. 84105:256-84105:272.

–9505300160 "Suppl Reload Licensing Rept For BSEP,Unit 1,Reload 9 Cycle 10."
KLAPPROTH,J.F., HULL,G.R. General Electric Co. 24A5159 R00. 95/02/28. 27pp. 84105:273-84105:299.

9505220234 Discusses 941024 ltr which forwarded staff, "Task Action Plan for Spent Fuel Storage Pool Safety," for SSES.Forwards completed assessment repts for Brunswick & Monticello sites.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/17. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 26pp. 84033:321-84033:349.

9505240017 Provides synopsis of results of special review assessing human errors or inappropriate actions at Brunswick.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/17. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84020:026-84020:029.

9505240065 Responds to verbal RAI re review of IPE submittal.
LOPRIORE,R.P. Carolina Power & Light Co. 95/05/18. Document Control Branch (Document Control Desk). 4pp. 84063:329-84063:332.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505030075 Forwards insp repts 50-324/95-06 & 50-325/95-06 on 950320-24.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/04/21. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83721:091-83721:094.

–9505030091 Partially withheld insp repts 50-324/95-06 & 50-325/95-06 on 950320-24 (ref 10CFR73.21).No violations noted.Major areas inspected:mgt support,security plans & implementing procedures,alarm stations & access controls.
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/04/20. 1p. 83721:094-83721:094.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505050137 Forwards insp repts 50-324/95-05 & 50-325/95-05 on 950304-31 & NOV.Enforcement action will not be considered because licensee efforts correcting violation meet criteria of Enforcement Policy.
VERRELLI,D.M. Region 2 (Post 820201). 95/04/25. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83759:001-83759:025.

–9505050150 Insp repts 50-324/95-05 & 50-325/95-05 on 950304-31.No violations noted.Major areas inspected:operations, maintenance,surveillance,engineering,plant support & control rod slow scram times.
PATTERSON,C.A., BYRON,P.M., JANUS,M.T. Region 2 (Post 820201). 95/04/25. 18pp. 83759:006-83759:025.

9505050079 Ack receipt of 940117 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/93-39 & 50-325/93-39.Records will be adjusted to reflect that no violation of regulatory requirements occurred re item 1.
GIBSON,A.F. Region 2 (Post 820201). 95/04/27. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 83758:273-83758:275.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090272 Requests concurrence w/change to CP&L re-inspection schedule for two 28-inch reactor recirculation sys suction piping-to-elbow welds for BSEP Unit 1.
COWAN,J.P. Carolina Power & Light Co. 95/05/03. Document Control Branch (Document Control Desk). 5pp. 83865:353-83865:357.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505190313 Informs that NRC staff finds that proposal for one-time extension in schedule for re-inspection of weldments 1B32RECIRC-28A4 & IB32RECIRC-28B4,acceptable.
TRIMBLE,D.C. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/11. ANDERSON,R.A. Carolina Power & Light Co. 4pp. 83991:292-83991:296.

9505240099 Expresses appreciation for efforts of V Wagoner in support of recent Region II resident inspector counterpart meeting on 950503 re BWR vessel internals project & history behind core shroud cracking phenomena.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/17. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 84021:116-84021:118.

9505230315 Requests relief from ASME B&PV code,Section XI re ISI program on reactor pressure vessel support skirt.
LOPRIORE,R.P. Carolina Power & Light Co. 95/05/18. Document Control Branch (Document Control Desk). 4pp. 84051:326-84051:329.

9505300046 Forwards insp repts 50-324/95-11 & 50-325/95-11 on 950417- 21.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/18. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84076:142-84076:155.

–9505300051 Insp repts 50-324/95-11 & 50-325/95-11 on 950417-21.No violations noted.Major areas inspected:licensee hydrogen water chemistry program,zinc injection program & control rod blade pins & rollers changeout.
CARRION,R.P., DECKER,T.R. Region 3 (Post 820201). 95/05/17. 3pp. 84076:145-84076:155.

9505300113 Forwards exam rept 50-325/95-300 on 950421-28.No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/19. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84077:063-84077:283.

–9505300120 Exam rept 50-325/95-300 on 950421-28.No violations noted. Exam results:all five SRO & two RO candidates passed exams.
HOOPER,G.T., PEEBLES,T.A. Region 2 (Post 820201). 95/05/17. 218pp. 84077:066-84077:283.

R. Periodic operating reports & related correspondence

9505010124 "Radiological Environ Operating Rept,1994," Vols I,II & III. W/950426 ltr.
COWAN,J.P. Carolina Power & Light Co. 94/12/31. 303pp. 83750:001-83750:303.

9505180235 Monthly operating repts for Apr 1995 for Brunswick Steam Electric Plant.W/950508 ltr.
HARRISON,F., LEVIS,W. Carolina Power & Light Co. 95/04/30. 8pp. 84007:343-84007:350.

S. Reportable occurrences, LERs & related correspondence

9505120044 LER 95-003-00:on 950404,identified that non-staggered testing of EDGs had occurred during various times of plant operating history.Caused by defective procedures & deficiency.Testing schedule revised.W/950503 ltr.
TABOR,S.F., COWAN,J. Carolina Power & Light Co. 95/05/04. 5pp. 83938:286-83938:290.

9505110092 Forwards LER 95-004 re plant mod wire lift results in isolation of sys not properly separated from mod work.
COWAN,J. Carolina Power & Light Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 83924:151-83924:155.

–9505110099 LER 95-004-00:on 950410,plant mod wire lift resulted in isolation of sys not properly separated from mod work.Pulled outage mod packages,affecting logic,from field & was reviewed by engineering.
THERALING,G.M. Carolina Power & Light Co. 95/05/05. 3pp. 83924:152-83924:155.

9505180292 Forwards LER 95-002 re multiple chlorine sensors used for control bldg isolation logic found to be outside TS tolerances during routine calibr.
COWAN,J. Carolina Power & Light Co. 95/05/08. Document Control Branch (Document Control Desk). 1p. 84039:281-84039:287.

–9505180302 LER 95-002-00:on 950323,found multiple Cl sensors used for control bldg isolation logic to be outside TS tolerances during routine calibr.Caused by design deficiency. Re-evaluated design changes to maintain control bldg sensor.
THEARLING,G.M. Carolina Power & Light Co. 95/05/08. 5pp. 84039:282-84039:287.

9505260066 LER 95-005-00:on 950419,power supply for Channel B RB ventilation exhaust RM failed.Caused by mis-orientation of ground terminal.Terminal properly oriented in both installed & spare power supplies.W/950519 ltr.
MCGOWAN,J.F., COWAN,J. Carolina Power & Light Co. 95/05/19. 5pp. 84082:097-84082:102.

9505260126 LER 95-006-00:on 950424,Div II Group 2,6 & 8 isolation signal received,resulting in closure of two Group 2 valves & eleven Group 6 valves.Caused by inadequate processes.Task force will be established to review controls.W/950522 ltr.
TABOR,S.F., COWAN,J. Carolina Power & Light Co. 95/05/22. 6pp. 84106:317-84106:322.

V. Operator Examinations

9505300113 Forwards exam rept 50-325/95-300 on 950421-28.No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/19. ANDERSON,R.A. Carolina Power & Light Co. 3pp. 84077:063-84077:283.

–9505300120 Exam rept 50-325/95-300 on 950421-28.No violations noted. Exam results:all five SRO & two RO candidates passed exams.
HOOPER,G.T., PEEBLES,T.A. Region 2 (Post 820201). 95/05/17. 218pp. 84077:066-84077:283.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505050093 Forwards most recent status rept re progress achieved & areas needing further action re plant fire protection program.
SHELL,R.H. Tennessee Valley Authority. 95/04/28. Document Control Branch (Document Control Desk). 3pp. 83864:174-83864:176.

9505180158 Forwards amends 198 & 189 to licenses DPR-77 & DPR-79 & SE. Amends remove frequencies specified in TSs for performing audits & delete requirements to perform REP,PSP & Safeguard Contingency Plan reviews.
LABARGE,D.E. . 95/05/10. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 83979:158-83979:175.

--9505180168 Amends 198 & 189 to licenses DPR-77 & DPR-79,respectively, removing frequencies specified in TSs for performing audits & deleting requirements to perform REP,PSP & Safeguards Contingency Plan reviews.
HEBDON,F.J. . 95/05/10. 11pp. 83979:159-83979:169.

--9505180178 Safety evaluation supporting amends 198 & 189 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/10. 6pp. 83979:170-83979:175.

9505240300 Forwards insp repts 50-327/95-11 & 50-328/95-11 on 950410-14.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84023:139-84023:150.

--9505240303 Insp repts 50-327/95-11 & 50-328/95-11 on 950410-14.No violations or deviations noted.Major areas inspected: meteorological monitoring,CREV,training for post-accident sampling sys & followup on previously identified issues.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/05/11. 9pp. 84023:142-84023:150.

9505240279 Advises of completion of review of Rev 20 to Radiological Emergency Plan for Plant.Concludes that changes satisfactory to meet planning standards of 10CFR50.47(b) & requirements of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84023:110-84023:112.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505240011 Forwards Amend 11 to updated FSAR & "Sequoyah Nuclear Plant Units 1 & 2 10CFR50.59 Rept to NRC."
ADNEY,R.J. Tennessee Valley Authority. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84064:001-84067:036.

--9505240013 "Sequoyah Nuclear Plant 10CFR50.59 Rept to NRC."
* Tennessee Valley Authority. 94/11/16. 56pp. 84064:003-84064:057.

--9505240015 Amend 11 to updated FSAR for Sequoyah Nuclear Plant.
* Tennessee Valley Authority. 95/05/12. 764pp. 84065:001-84067:036.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080204 Forwards amends 197 & 188 to licenses DPR-77 & DPR-79, respectively & SE.Amends clarify LCO applicable to dual function of containment vacuum relief isolation lines.
LABARGE,D.E. . 95/04/28. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 83822:301-83822:332.

--9505080213 Amends 197 & 188 to licenses DPR-77 & DPR-79,respectively, clarifying LCO applicable to dual function of containment vacuum relief isolation lines.
HEBDON,F.J. . 95/04/28. 24pp. 83822:303-83822:326.

--9505080215 Safety evaluation supporting amends 197 & 188 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 6pp. 83822:327-83822:332.

9505120256 Informs of revised amend implementation date for TS change 93-09.
SHELL,R.H. Tennessee Valley Authority. 95/05/03. Document Control Branch (Document Control Desk). 4pp. 83948:356-83948:359.

9505180158 Forwards amends 198 & 189 to licenses DPR-77 & DPR-79 & SE. Amends remove frequencies specified in TSs for performing audits & delete requirements to perform REP,PSP & Safeguard Contingency Plan reviews.
LABARGE,D.E. . 95/05/10. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 83979:158-83979:175.

--9505180168 Amends 198 & 189 to licenses DPR-77 & DPR-79,respectively, removing frequencies specified in TSs for performing audits & deleting requirements to perform REP,PSP & Safeguards Contingency Plan reviews.
HEBDON,F.J. . 95/05/10. 11pp. 83979:159-83979:169.

--9505180178 Safety evaluation supporting amends 198 & 189 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/10. 6pp. 83979:170-83979:175.

9505180353 Discusses licensee 920901 ltr submitting IPE for plant as required by GL 88-20.Concludes that licensee has met intent of GL 88-20.
LABARGE,D.E. . 95/05/15. KINGSLEY,O.D. Tennessee Valley Authority. 24pp. 83974:325-83974:348.

9505240034 Provides number of allegations received & open re facilities for period of 950401-30.
IGNATONIS,A. Region 2 (Post 820201). 95/05/17. HARDING,M.R. Tennessee Valley Authority. 1p. 84020:289-84020:289.

9505300178 Confirms telcon between R Shell & S Sparks re mgt meeting scheduled for 950531 to discuss licensee activities in area of corrective action.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84077:356-84077:358.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505260208 Application for amends to licenses DPR-77 & DPR-79.Amends would conditionally exempt EOL MTC measurement required in TS SR 4.1.1.3.
SHELL,R.H. Tennessee Valley Authority. 95/05/19. Document Control Branch (Document Control Desk). 3pp. 84102:285-84102:319.

--9505260212 Proposed tech specs re conditional exemption of EOL MTC measurement required in TS SR 4.1.1.3.
* Tennessee Valley Authority. 95/05/19. 32pp. 84102:288-84102:319.

Q. Inspection reports, IE Bulletins & correspondence

9505020151 Forwards insp repts 50-327/95-10 & 50-328/95-10 on 950320- 24.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83690:331-83690:349.

--9505020159 Insp repts 50-327/95-10 & 50-328/95-10 on 950320-24.No violations noted.Major areas inspected:organization & mgt control,self-assessment programs,training,external & internal exposure controls & surveys & monitoring.
FORBES,D.B., RANKIN,W.H. Region 2 (Post 820201). 95/04/17. 16pp. 83690:334-83690:349.

9505020028 Forwards insp repts 50-327/95-03 & 50-328/95-03 on 950109-0309 & notice of violation.Violations involved inadequate procedural guidance or personnel not following procedures for diverse quality related activities.
GIBSON,A.F. Region 2 (Post 820201). 95/04/21. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83689:112-83689:168.

--9505020030 Notice of violation from insp on 950109-0309.Violations noted:on 950109,measures had been inadequately established to assure that applicable regulatory requirements had been correctly translated into specifications & drawings.
* Region 2 (Post 820201). 95/04/21. 5pp. 83689:116-83689:120.

--9505020036 Insp repts 50-327/95-03 & 50-328/95-03 on 950109-0309. Violations noted.Major areas inspected:SWSOP! had been conducted from 950109-0309,according to NRC Temporary Instruction 2515/118.
ROGERS,W.G., PEEBLES,T.A. Region 2 (Post 820201). 95/04/17. 48pp. 83689:121-83689:168.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110004 Forwards insp repts 50-327/95-08 & 50-328/95-08 on 950305-0408 & notice of violations.
LESSER,M.S. Region 2 (Post 820201). 95/05/01. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83850:069-83850:096.

--9505110005 Notice of violation from insp on 950305-0408.Violation noted:licensee failed to demonstrate remote shutdown monitoring source range nuclear flux instrumentation channels operable.
* Region 2 (Post 820201). 95/05/01. 3pp. 83850:073-83850:075.

--9505110007 Insp repts 50-327/95-08 & 50-328/95-08 on 950305-0418. Violations noted.Major areas inspected:plant operations, maint & surveillance observations,onsite engineering & plant support.
HOLLAND,W.E., LESSER,M.S. Region 2 (Post 820201). 95/04/25. 21pp. 83850:076-83850:096.

9505180029 Advises of results of recent performance review at plant to determine if present planned insp effort for rest of current SALP cycle should be revised before end date of 960727. Informs that no changes to NRC Master Insp Plan warranted.
LESSER,M.S. Region 2 (Post 820201). 95/05/05. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83952:037-83952:040.

9505240280 Ack receipt of 950421 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-41 & 50-328/94-41.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84023:113-84023:115.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240056 Forwards insp repts 50-327/95-09 & 95-328/95-09 on 950417- 20.No violations or deviations identified.
CASTO,C.A. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:001-84021:018.

--9505240096 Insp repts 50-327/95-09 & 50-328/95-09 on 950417-20.No violations noted.Major areas inspected:drawing program backlogs,related commitments to NRC stemming from 1993 timeframe & current actions to prevent recurrence.
LONG,E.R., CASTO,C.A. Region 2 (Post 820201). 95/05/12. 15pp. 84021:004-84021:018.

9505240300 Forwards insp repts 50-327/95-11 & 50-328/95-11 on 950410-14.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84023:139-84023:150.

--9505240303 Insp repts 50-327/95-11 & 50-328/95-11 on 950410-14.No violations or deviations noted.Major areas inspected: meteorological monitoring,CREV,training for post-accident sampling sys & followup on previously identified issues.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/05/11. 9pp. 84023:142-84023:150.

9505300145 Forwards synopsis re allegations of fraud,waste & abuse by mgt,harassment & intimidation in Dec 1993.Based on results of investigation,facility did not misled NRC re drawing control program.
EBNETER,S.D. Region 2 (Post 820201). 95/05/17. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84077:313-84077:316.

9505310140 Responds to NRC 950421 ltr re violations noted in insp repts 50-327/95-03 & 50-328/95-03.Corrective actions:personnel dismissed from employment & lessons learned review has been conducted w/group personnel re deficiencies identified.
ADNEY,R.J. Tennessee Valley Authority. 95/05/22. Document Control Branch (Document Control Desk). 23pp. 84142:329-84142:351.

R. Periodic operating reports & related correspondence

9505030181 "Annual Radioactive Effluent Release Rept for Jan-Dec 1994." W/950426 ltr.
SHELL,R.H. Tennessee Valley Authority. 94/12/31. 240pp. 83806:001-83806:240.

9505180226 Monthly operating repts for Apr 1995 for Sequoyah Nuclear Plant.W/ 950512 ltr.
HOLLOMAN,T.J., SHELL,R.H. Tennessee Valley Authority. 95/04/30. 11pp. 84007:302-84007:312.

S. Reportable occurrences, LERs & related correspondence

9505100065 Forwards LER 95-004 re identification that SR for source range instruments in both units auxiliary CRs was not being performed as required by TS 3.3.3.5.
ADNEY,R.J. Tennessee Valley Authority. 95/05/01. Document Control Branch (Document Control Desk). 2pp. 83924:094-83924:100.

--9505100080 LER 95-004-00:on 950331,missed surveillance resulted from inadequate procedural guidance.Revised surveillance instructions to ensure proper performance of TS requirements.
PROFFITT,J.W. Tennessee Valley Authority. 95/05/01. 5pp. 83924:096-83924:100. .

9505190192 Special Rept 95-03:on 950404,auxiliary bldg pipe sleeve located on floor elevation 690 breached to support routing of drain hose.Roving fire watch established & after fire detectors on one side of penetration verified operable.
SHELL,R.H. Tennessee Valley Authority. 95/05/09. Document Control Branch (Document Control Desk). 5pp. 84009:340-84009:344.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505050093 Forwards most recent status rept re progress achieved & areas needing further action re plant fire protection program.
SHELL,R.H. Tennessee Valley Authority. 95/04/28. Document Control Branch (Document Control Desk). 3pp. 83864:174-83864:176.

9505180158 Forwards amends 198 & 189 to licenses DPR-77 & DPR-79 & SE. Amends remove frequencies specified in TSs for performing audits & delete requirements to perform REP,PSP & Safeguard Contingency Plan reviews.
LABARGE,D.E. . 95/05/10. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 83979:158-83979:175.

--9505180168 Amends 198 & 189 to licenses DPR-77 & DPR-79,respectively, removing frequencies specified in TSs for performing audits & deleting requirements to perform REP,PSP & Safeguards Contingency Plan reviews.
HEBDON,F.J. . 95/05/10. 11pp. 83979:159-83979:169.

--9505180178 Safety evaluation supporting amends 198 & 189 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/10. 6pp. 83979:170-83979:175.

9505240300 Forwards insp repts 50-327/95-11 & 50-328/95-11 on 950410-14.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84023:139-84023:150.

--9505240303 Insp repts 50-327/95-11 & 50-328/95-11 on 950410-14.No violations or deviations noted.Major areas inspected: meteorological monitoring,CREV,training for post-accident sampling sys & followup on previously identified issues.
JONES,D.W. Region 2 (Post 820201). 95/05/11. 9pp. 84023:142-84023:150.

9505240279 Advises of completion of review of Rev 20 to Radiological Emergency Plan for Plant.Concludes that changes satisfactory to meet planning standards of 10CFR50.47(b) & requirements of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84023:110-84023:112.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505240011 Forwards Amend 11 to updated FSAR & "Sequoyah Nuclear Plant Units 1 & 2 10CFR50.59 Rept to NRC."
ADNEY,R.J. Tennessee Valley Authority. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84064:001-84067:036.

--9505240013 "Sequoyah Nuclear Plant 10CFR50.59 Rept to NRC."
* Tennessee Valley Authority. 94/11/16. 56pp. 84064:003-84064:057.

--9505240015 Amend 11 to updated FSAR for Sequoyah Nuclear Plant.
* Tennessee Valley Authority. 95/05/12. 764pp. 84065:001-84067:036.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080204 Forwards amends 197 & 188 to licenses DPR-77 & DPR-79, respectively & SE.Amends clarify LCO applicable to dual function of containment vacuum relief isolation lines.
LABARGE,D.E. . 95/04/28. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 83822:301-83822:332.

--9505080213 Amends 197 & 188 to licenses DPR-77 & DPR-79,respectively, clarifying LCO applicable to dual function of containment vacuum relief isolation lines.
HEBDON,F.J. . 95/04/28. 24pp. 83822:303-83822:326.

--9505080215 Safety evaluation supporting amends 197 & 188 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 6pp. 83822:327-83822:332.

9505120256 Informs of revised amend implementation date for TS change 93-09.
SHELL,R.H. Tennessee Valley Authority. 95/05/03. Document Control Branch (Document Control Desk). 4pp. 83948:356-83948:359.

9505180158 Forwards amends 198 & 189 to licenses DPR-77 & DPR-79 & SE. Amends remove frequencies specified in TSs for performing audits & delete requirements to perform REP,PSP & Safeguard Contingency Plan reviews.
LABARGE,D.E. . 95/05/10. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 83979:158-83979:175.

--9505180168 Amends 198 & 189 to licenses DPR-77 & DPR-79,respectively, removing frequencies specified in TSs for performing audits & deleting requirements to perform REP,PSP & Safeguards Contingency Plan reviews.
HEBDON,F.J. . 95/05/10. 11pp. 83979:159-83979:169.

--9505180178 Safety evaluation supporting amends 198 & 189 to licenses DPR-77 & DPR-79,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/10. 6pp. 83979:170-83979:175.

9505180353 Discusses licensee 920901 ltr submitting IPE for plant as required by GL 88-20.Concludes that licensee has met intent of GL 88-20.
LABARGE,D.E. . 95/05/15. KINGSLEY,O.D. Tennessee Valley Authority. 24pp. 83974:325-83974:348.

9505240034 Provides number of allegations received & open re facilities for period of 950401-30.
IGNATONIS,A. Region 2 (Post 820201). 95/05/17. HARDING,M.R. Tennessee Valley Authority. 1p. 84020:289-84020:289.

9505300178 Confirms telcon between R Shell & S Sparks re mgt meeting scheduled for 950531 to discuss licensee activities in area of corrective action.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84077:356-84077:358.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505260208 Application for amends to licenses DPR-77 & DPR-79.Amends would conditionally exempt EOL MTC measurement required in TS SR 4.1.1.3.
SHELL,R.H. Tennessee Valley Authority. 95/05/19. Document Control Branch (Document Control Desk). 3pp. 84102:285-84102:319.

--9505260212 Proposed tech specs re conditional exemption of EOL MTC measurement required in TS SR 4.1.1.3.
* Tennessee Valley Authority. 95/05/19. 32pp. 84102:288-84102:319.

9505260216 Application for amend to license DPR-79.Amend would extend response time surveillances during Cycle 7 operation.
SHELL,R.H. Tennessee Valley Authority. 95/05/19. Document Control Branch (Document Control Desk). 3pp. 84104:045-84104:056.

--9505260222 Proposed tech specs re extension of response time surveillances during Cycle 7 operation.
* Tennessee Valley Authority. 95/05/19. 9pp. 84104:048-84104:056.

Q. Inspection reports, IE Bulletins & correspondence

9505020151 Forwards insp repts 50-327/95-10 & 50-328/95-10 on 950320- 24.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83690:331-83690:349.

--9505020159 Insp repts 50-327/95-10 & 50-328/95-10 on 950320-24.No violations noted.Major areas inspected:organization & mgt control,self-assessment programs,training,external & internal exposure controls & surveys & monitoring.
FORBES,D.B., RANKIN,W.H. Region 2 (Post 820201). 95/04/17. 16pp. 83690:334-83690:349.

9505020028 Forwards insp repts 50-327/95-03 & 50-328/95-03 on 950109-0309 & notice of violation.Violations involved inadequate procedural guidance or personnel not following procedures for diverse quality related activities.
GIBSON,A.F. Region 2 (Post 820201). 95/04/21. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83689:112-83689:168.

--**9505020030** Notice of violation from insp on 950109-0309.Violations noted:on 950109,measures had been inadequately established to assure that applicable regulatory requirements had been correctly translated into specifications & drawings.
* Region 2 (Post 820201). 95/04/21. 5pp. 83689:116-83689:120.

--**9505020036** Insp repts 50-327/95-03 & 50-328/95-03 on 950109-0309. Violations noted.Major areas inspected:SWSOPI had been conducted from 950109-0309,according to NRC Temporary Instruction 2515/118.
ROGERS,W.G., PEEBLES,T.A. Region 2 (Post 820201). 95/04/17. 48pp. 83689:121-83689:168.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110004 Forwards insp repts 50-327/95-08 & 50-328/95-08 on 950305-0408 & notice of violations.
LESSER,M.S. Region 2 (Post 820201). 95/05/01. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83850:069-83850:096.

--**9505110005** Notice of violation from insp on 950305-0408.Violation noted:licensee failed to demonstrate remote shutdown monitoring source range nuclear flux instrumentation channels operable.
* Region 2 (Post 820201). 95/05/01. 3pp. 83850:073-83850:075.

--**9505110007** Insp repts 50-327/95-08 & 50-328/95-08 on 950305-0418. Violations noted.Major areas inspected:plant operations, maint & surveillance observations,onsite engineering & plant support.
HOLLAND,W.E., LESSER,M.S. Region 2 (Post 820201). 95/04/25. 21pp. 83850:076-83850:096.

9505180029 Advises of results of recent performance review at plant to determine if present planned insp effort for rest of current SALP cycle should be revised before end date of 960727. Informs that no changes to NRC Master Insp Plan warranted.
LESSER,M.S. Region 2 (Post 820201). 95/05/05. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83952:037-83952:040.

9505240280 Ack receipt of 950421 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/94-41 & 50-328/94-41.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/05/09. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84023:113-84023:115.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240056 Forwards insp repts 50-327/95-09 & 95-328/95-09 on 950417- 20.No violations or deviations identified.
CASTO,C.A. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:001-84021:018.

--**9505240096** Insp repts 50-327/95-09 & 50-328/95-09 on 950417-20.No violations noted.Major areas inspected:drawing program backlogs,related commitments to NRC *stemming from 1993 timeframe & current actions to prevent recurrence.*
LONG,E.R., CASTO,C.A. Region 2 (Post 820201). 95/05/12. 15pp. 84021:004-84021:018.

9505240300 Forwards insp repts 50-327/95-11 & 50-328/95-11 on 950410-14.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84023:139-84023:150.

--**9505240303** Insp repts 50-327/95-11 & 50-328/95-11 on 950410-14.No violations or deviations noted.Major areas inspected: meteorological monitoring,CREV,training for post-accident sampling sys & followup on previously identified issues.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/05/11. 9pp. 84023:142-84023:150.

9505300145 Forwards synopsis re allegations of fraud,waste & abuse by mgt,harassment & intimidation in Dec 1993.Based on results of investigation,facility did not misled NRC re drawing control program.
EBNETER,S.D. Region 2 (Post 820201). 95/05/17. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84077:313-84077:316.

9505310140 Responds to NRC 950421 ltr re violations noted in insp repts 50-327/95-03 & 50-328/95-03.Corrective actions:personnel dismissed from employment & lessons learned review has been conducted w/group personnel re deficiencies identified.
ADNEY,R.J. Tennessee Valley Authority. 95/05/22. Document Control Branch (Document Control Desk). 23pp. 84142:329-84142:351.

R. Periodic operating reports & related correspondence

9505030181 "Annual Radioactive Effluent Release Rept for Jan-Dec 1994." W/950426 ltr.
SHELL,R.H. Tennessee Valley Authority. 94/12/31. 240pp. 83806:001-83806:240.

9505180226 Monthly operating repts for Apr 1995 for Sequoyah Nuclear Plant.W/ 950512 ltr.
HOLLOMAN,T.J., SHELL,R.H. Tennessee Valley Authority. 95/04/30. 11pp. 84007:302-84007:312.

S. Reportable occurrences, LERs & related correspondence

9505190192 Special Rept 95-03:on 950404,auxiliary bldg pipe sleeve located on floor elevation 690 breached to support routing of drain hose.Roving fire watch established & after fire detectors on one side of penetration verified operable.
SHELL,R.H. Tennessee Valley Authority. 95/05/09. Document Control Branch (Document Control Desk). 5pp. 84009:340-84009:344.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

V. Operator Examinations

9505090045 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. OPEKA,J.F. Northeast Utilities. 2pp. 83816:164-83816:165.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9505110119 Notification of 950518 meeting w/utils in Rockville,MD to discuss proposed util tests of darmatt fire barriers including test configurations for dummy models,schedules & test details.
KELLY,G.B. . 95/05/05. MARCUS,G.H. . 7pp. 83902:242-83902:248.

P. Operating license stage documents & correspondence

9505020206 Forwards revised TS page 6.5-10 reflecting proposed deletion of TS 6.5.3.1.2 which will no longer be necessary when audit frequency requirements removed.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/04/21. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 83757:326-83757:328.

--**9505020323** Proposed tech specs reflecting deletion of TS 6.5.3.1.2 due to audit frequency requirements being removed from TS.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/04/21. 1p. 83757:328-83757:328.

9505020361 Requests withdrawal of RTS-240A, "Rev of ESW Flow Requirement 4.8.E.1."
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/04/21. RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 83799:352-83799:352.

9505020366 Provides results of core shroud weld insps at plant in response to GL 94-03 item 3.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/04/21. RUSSELL,W.T. Document Control Branch (Document Control Desk). 6pp. 83764:040-83764:045.

9505010120 Forwards rev 0 to GENE-523-A018-0295, "Duane Arnold & Vermont Yankee Shroud Safety Assessment" & Draft Calculation VYC-1364, "Vermont Yankee Core Shroud Flaw Evaluation."
DORMAN,D.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/04/25. Project Directorate I-3 (PD1-3) (Post 941001). 1p. 83753:028-83753:249.

--9505010125 "Duane Arnold & Vermont Yankee Ahroud Safety Assessment."
ELECTONA,E.O., CASILLAS,J.L., RANGANATH,S. General Electric Co. GENE-523-A018-0295. 95/04/18. 36pp. 83753:029-83753:063.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040241 Notifies of changes to TS bases,adding clarification to TS bases for single core spray pump requirement.Changes not submitted as application for amend to license since requirements of 10CFR50.90 not applicable to changes.
YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/04/28. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 83814:331-83814:334.

--9505040244 Proposed tech specs bases page 3.5-20,adding clarification for single core spray pump requirement.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/04/28. 2pp. 83814:333-83814:334.

9505260105 Forwards Amend 210 to License DPR-49 & safety evaluation. Amend revises TS to change surveillance criteria from every 3 months to testing frequency specified by plant IST Program.
KELLY,G.B. . 95/05/18. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 84075:295-84075:309.

--9505260113 Amend 210 to License DPR-49,revising TS to change surveillance criteria from every 3 months to testing frequency specified by plant IST Program.
MARCUS,G.H. . 95/05/18. 10pp. 84075:298-84075:307.

--9505260117 Safety evaluation supporting Amend 210 to License DPR-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/18. 2pp. 84075:308-84075:309.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020366 Provides results of core shroud weld insps at plant in response to GL 94-03 item 3.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/04/21. RUSSELL,W.T. Document Control Branch (Document Control Desk). 6pp. 83764:040-83764:045.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505090017 Forwards insp rept 50-331/95-03 on 950218-0404.Violations noted will not be subject to enforcement action.Violations involved examples of weaknesses in tagout program & self checking & verification per recent insp repts.
LANKSBURY,R.D. Region 3 (Post 820201). 95/04/26. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 83816:067-83816:089.

--9505090047 Insp rept 50-331/95-03 on 950218-0404.Non-cited violations noted.Major areas inspected:plant operations,maint, surveillance,onsite engineering,plant support,followup of events,followup of previous insp findings & LER followup.
LANKSBURY,R.D. Region 3 (Post 820201). 95/04/26. 20pp. 83816:069-83816:089.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505230143 Monthly operating rept for Apr 1994 for DAEC.W/950515 ltr.
WOODWARD,R., WILSON,D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/04/30. MARTIN,J.B. Region 3 (Post 820201). 6pp. 84051:301-84051:306.

S. Reportable occurrences, LERs & related correspondence

9505220194 Forwards LER 95-003.Improvements to enhance facility ability to accurately determine values of reactivity factors calculated on-site will will be processed prior to next scheduled refueling outage.
WILSON,D.L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/05/10. MARTIN,J.B. Region 3 (Post 820201). 1p. 84075:324-84075:329.

--9505220195 LER 95-003-00:on 950417,reactor shutdown completed due to shutdown margin calculation error.Vendor reviewing processes to determine cause of misprediction of designed shutdown margin.
MCGEE,R. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/05/10. 5pp. 84075:325-84075:329.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. CANTRELL,J.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). EBERHARDT,R.R. Detroit Edison Co. 1p. 83758:352-83758:352.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9505300443 Revised EPIPs,including Rev 17 to App H,Rev 1 to IAP-2,Rev 27 to EAP-8,Rev 64 to EAP-17,Rev 27 to EAP-43 & Rev 44 to SAP-3.
* Power Authority of the State of New York (New York Power Authority). 95/04/30. 14pp. 84141:302-84141:315.

9505120032 Forwards revs to plant Emergency Plan & corresponding implementing procedures.
* Power Authority of the State of New York (New York Power Authority). 95/05/03. Document Control Branch (Document Control Desk). 2pp. 83942:296-83942:343.

--9505120034 Rev 17 to "JA Fitzpatrick NPP Emergency Plan Vol 1."
* Power Authority of the State of New York (New York Power Authority). 95/01/01. 31pp. 83942:298-83942:331.

--9505120035 Revised EPIPs,including rev 27 to EAP-8,rev 64 to EAP-17,rev 27 to EAP-43 & rev 44 to SAP-3.
* Power Authority of the State of New York (New York Power Authority). 95/05/03. 12pp. 83942:332-83942:343.

9505120161 Forwards response to NRC RAI re proposed EALs for plant.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/05/03. Document Control Branch (Document Control Desk). 371pp. 83871:227-83872:233.

I. Financial information

9505040008 "Annual Rept 1994." W/950426 ltr.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 94/12/31. 48pp. 83837:220-83837:269.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040135 Forwards Rev 3 to "Reload 11/Cycle 12 COLR."
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83795:331-83795:358.

9505090212 Advises that 950216 "CERT Testing of Type XM-19 in Simulated BWR Environ" will be withheld from public disclosure,per request.
CARPENTER,C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/03. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 83853:334-83853:337.

9505230183 Forwards application for amend to License DPR-59,extending surveillance test intervals for ESWS to support 24 month operating cycles,per GL 91-04.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84063:259-84063:273.

--9505220073 Application for amend to license DPR-59,extending surveillance test intervals for ESWS to support 24 month operating cycles,per GL 91-04.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/05/12. 2pp. 84063:261-84063:262.

--9505220078 Proposed tech specs re extension of surveillance test intervals for ESWS to support 24 month operating cycles.
* Power Authority of the State of New York (New York Power Authority). 95/05/12. 11pp. 84063:263-84063:273.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505030079 Forwards insp rept 50-333/95-06 on 950212-0325 & notice of violation.Violation involved personnel performance errors that involved radiation protection requirements.
COWGILL,C.J. Region 1 (Post 820201). 95/04/18. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 83721:095-83721:116.

--9505030083 Notice of violation from insp on 950212-0325.Violation noted:during performance of Section 8.1 on 950319, unanticipated discharge of CO2 in relay room occurred & neither test personnel or control room staff entered AOP-63.
* Region 1 (Post 820201). 95/04/18. 2pp. 83721:098-83721:099.

--9505030085 Insp rept 50-333/95-06 on 950212-0325.Violations noted. Major areas inspected:plant operations,maint,engineering & plant support.
COWGILL,C.J. Region 1 (Post 820201). 95/04/18. 17pp. 83721:100-83721:116.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505250178 Forwards response to NRC 950418 ltr re violations noted in insp rept 50-333/95-06 on 950212-0325.Corrective actions: review was performed of all C02 heat detection sys surveillance test procedures to identify addl procedures.
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/05/18. FITZPATRICK,J. Document Control Branch (Document Control Desk). 10pp. 84086:326-84086:337.

R. Periodic operating reports & related correspondence

9505030221 "1994 Radiological Environ Operating Rept JA FitzPatrick Nuclear Power Plant." W/950426 ltr.
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 94/12/31. MARTIN,T.T. Region 1 (Post 820201). 204pp. 83860:192-83861:031.

9505180304 Forwards monthly operating rept for Apr 1995 & revised rept for Mar 1995 for JA FitzPatrick NPP.
SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/05/08. Document Control Branch (Document Control Desk). 1p. 84013:246-84013:251.

--9505180309 Monthly operating rept for Apr 1995 for JA FitzPatrick NPP.
FLAGG,R. Power Authority of the State of New York (New York Power Authority). 95/04/30. 4pp. 84013:247-84013:250.

--9505180317 Revised monthly operating rept for Mar 1995 for JA FitzPatrick NPP.
FLAGG,R. Power Authority of the State of New York (New York Power Authority). 95/03/31. 1p. 84013:251-84013:251.

S. Reportable occurrences, LERs & related correspondence

9505180099 Part 21 rept re Model 200,227A,288A & 289A differential pressure instruments mfg w/B-fill fluid possibly not functioning if subj to radiation field greater than 1 million rads.Long-term evaluation in progress.
ANDERSON,J. ITT Barton. 95/03/14. LAWTON,R. Power Authority of the State of New York (New York Power Authority). 5pp. 83974:163-83974:167.

9505180148 LER 95-008-00:on 950326,HPCI sys tripped on overspeed due to procedure deficiency.Adjusted HPCI flow controller output current limits to limit saturation of controller.W/950508 ltr.
CHILDS,V., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/05/08. 7pp. 84039:273-84039:280.

V. Operator Examinations

9505090049 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 2pp. 83816:187-83816:188.

9505100132 Forwards both forms of exam,answer keys,grading results & individual answer sheet re 950405 GFE section of operator licensing exam administered to one individual.Individual passed exam.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. SPOERRY,D. Power Authority of the State of New York (New York Power Authority). 2pp. 83828:234-83828:235.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505100036 Advises that Rev 24 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. THOMAS,G.S. Duquesne Light Co. 3pp. 83906:353-83906:355.

9505100041 Advises that rev 24 to contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. THOMAS,G.S. Duquesne Light Co. 3pp. 83906:356-83906:358.

9505110132 Forwards ERDS data point library (DPL) change,in accordance w/NUREG-1394,Rev 1,Section 3.6.DPL undergone change in hi alarm setpoint.
THOMAS,G.S. Duquesne Light Co. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83933:342-83933:343.

9505180531 Forwards Rev 26 to Issue 4 of Beaver Valley Power Station physical security plan.Encl withheld per 10CFR2.790(d) & 10CFR73.21.
THOMAS,G.S. Duquesne Light Co. 95/05/12. Document Control Branch (Document Control Desk). 1p. 84015:352-84015:352.

9505300441 Withdraws portions of 940831 proposed amends to licenses,re audits of BVPS fire protection program & changes to QA program to introduce 25 percent grace period for audit frequencies.
THOMAS,G.S. Duquesne Light Co. 95/05/18. Document Control Branch (Document Control Desk). 3pp. 84138:353-84138:355.

I. Financial information

9505300337 Forwards "1994 Annual Repts To Shareholders," for Duquesne Light Co, "OH Edison 1994 Annual Rept," "Annual Rept 1994 for Penn Power" & "Centerior Energy Annual Rept 1994."
THOMAS,G.S. Duquesne Light Co. 95/05/18. Document Control Branch (Document Control Desk). 1p. 84138:183-84138:334.

--9505300344 "1994 Annual Rept to Shareholders," for Duquesne Light Company.
* Duquesne Light Co. 94/12/31. 47pp. 84138:184-84138:233.

--9505300362 "OH Edison 1994 Annual Rept."
* Ohio Edison Co. 94/12/31. 32pp. 84138:234-84138:271.

--9505300367 "Annual Rept 1994 for Penn Power."
* Pennsylvania Power & Light Co. 94/12/31. 20pp. 84138:272-84138:294.

--9505300370 "Centerior Energy Annual Rept 1994."
* Centerior Energy. 94/12/31. 37pp. 84138:295-84138:334.

P. Operating license stage documents & correspondence

9505010013 Forwards amends 186 & 67 to licenses DPR-66 & NPF-73 & safety evaluation.Amends revise App A TS re required surveillance frequency for comparing incore & excore axial imbalance.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/04/26. CROSS,J.E. Duquesne Light Co. 3pp. 83693:326-83693:339.

--9505010015 Amends 186 & 67 to licenses DPR-66 & NPF-73,respectively, revising App A TS re required surveillance frequency for comparing incore & excore axial imbalance.
STOLTZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/04/26. 7pp. 83693:329-83693:336.

--9505010018 Safety evaluation supporting amends 186 & 67 to licenses DPR-66 & NPF-73,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/26. 3pp. 83693:337-83693:339.

9505030196 Ack receipt of 950407 ltr from GS Thomas re 10CFR50.54 submittal concerning changing to quality assurance program for plant,units 1 & 2.
MODES,M.C. Region 1 (Post 820201). 95/04/26. CROSS,J.E. Duquesne Light Co. 2pp. 83722:111-83722:113.

9505050302 Notifies NRC of intention to revise schedule for submittal of seismic evaluation rept based on revised schedules for refueling outages,in ref to util 920922 response to Suppl 1 to GL 87-02 on SQUG resolution of USI A-46.
THOMAS,G.S. Duquesne Light Co. 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83839:229-83839:230.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050119 Notification of 950511 meeting w/utils in Rockville,MD to inform NRC of plans to develop electrosleeving & ensure that all technical concerns are addressed during qualification.
DEMBEK,S. . 95/05/02. HEBDON,F.J. . 4pp. 83822:148-83822:151.

9505090141 Informs that Westinghouse 940729 submittal of proprietary rept WCAP-14122, "Beaver Valley Unit 1 SG Tube Plugging Criteria for Indications at Tube Support Plates - Jul 1994," to be withheld from public disclosure,per 10CFR2.790(b)(5).
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/05/02. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 83856:106-83856:109.

9505120100 Forwards request for relief for noncode repair on MS drain line SHPD-1-601-Q2 for NRC review & approval.Informs that pinhole leak discovered in line on 950428 which could not be isolated.
NOONAN,T.P. Duquesne Light Co. 95/05/04. Document Control Branch (Document Control Desk). 16pp. 83871:112-83871:127.

9505100187 Discusses NUREG-1511, "RV Status Rept," re NRC comprehensive assessment of all PWR RPVs in US plants.Rept identified Beaver Valley 1 & Palisades as only plants projected to potentially exceed PTS screening criteria before end.
STROSNIDER,J.R. . 95/05/05. THADANI,A.C. . 8pp. 83906:342-83906:349.

9505190357 Forwards amends 187 & 69 to licenses DPR-66 & NPF-73, respectively & SE.Amends revise TSs 3.4.9.3 & 3.4.11 to incorporate changes to power operated relief valve TS in accordance w/guidance in GL 90-06 re GIs 70 & 94.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/05/15. CROSS,J.E. Duquesne Light Co. 3pp. 84002:038-84002:103.

--9505190370 Amends 187 & 69 to licenses DPR-66 & NPF-73,respectively, revising TSs 3.4.9.3 & 3.4.11 to incorporate changes to PORV TS IAW guidance of GL 90-06, "Resolution of GI 70, 'PORV & Block...' & GI 94, 'Addl LTOP for LWRs.'"
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/15. 60pp. 84002:041-84002:100.

--9505190375 Safety evaluation supporting amends 187 & 69 to licenses DPR-66 & NPF-73,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. 3pp. 84002:101-84002:103.

9505300441 Withdraws portions of 940831 proposed amends to licenses,re audits of BVPS fire protection program & changes to QA program to introduce 25 percent grace period for audit frequencies.
THOMAS,G.S. Duquesne Light Co. 95/05/18. Document Control Branch (Document Control Desk). 3pp. 84138:353-84138:355.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310062 Advises that plant has completed commitment activities necessary re resolution of GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies, 10CFR50.54(f)."
THOMAS,G.S. Duquesne Light Co. 95/05/19. Document Control Branch (Document Control Desk). 1p. 84145:273-84145:273.

9505240435 Forwards Environ Assessment & FONSI re licensee application for 950208 exemption from requirements of 10CFR73.55(d)(5).
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/05/22. CROSS,J.E. Duquesne Light Co. 3pp. 84059:191-84059:200.

--9505240436 Environ assessment & finding of no significant impact re licensee application for 950208 exemption from requirements of 10CFR73.55(d)(5).
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/22. 7pp. 84059:194-84059:200.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505220047 Forwards Safety Evaluation & technical ltr rept granting eight & denying one requests for relief from requirements of ASME Code applicable to second 10-yr ISI interval for plant, license DPR-66.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/05. CROSS,J.E. Duquesne Light Co. 4pp. 84000:276-84000:298.

--9505220061 Safety evaluation granting eight & denying one requests for relief from requirements of ASME Code applicable to second 10-yr ISI interval for plant,DPR-66.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 2pp. 84000:280-84000:281.

--9505220130 Technical ltr rept supporting SE,granting eight & denying one request for relief from requirements of ASME Code applicable to second 10-yr ISI interval for plant,license DPR-66.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 17pp. 84000:282-84000:298.

9505190053 Forwards insp repts 50-334/95-07 & 50-412/95-07 on 950228- 0417.No violations noted.C/As to address weaknesses in root cause analysis of human performance problems do not appear to be effective.
LINVILLE,J.C. Region 1 (Post 820201). 95/05/10. CROSS,J.E. Duquesne Light Co. 3pp. 83973:101-83973:138.

--9505190059 Insp repts 50-334/95-07 & 50-412/95-07 on 950228-0417.No violations noted.Major areas inspected:plant operations, maint & surveillance,engineering,plant support & safety assessment/quality verification.
LAZARUS,W.J. Region 1 (Post 820201). 95/05/08. 36pp. 83973:104-83973:138.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505100143 Monthly operating repts for Apr 1995 for BVPS. W/950505 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 95/04/30. 9pp. 83875:083-83875:091.

S. Reportable occurrences, LERs & related correspondence

9505240370 LER 95-005-00:on 950420,TS 3.0.3 entry occurred due to isolation of CR emergency breathing air pressurization sys. Revised procedures to isolate CREBAPS headers during CR radiation monitor testing.W/950518 ltr.
FREELAND,L.R. Duquesne Light Co. 95/05/18. 5pp. 84078:114-84078:118.

V. Operator Examinations

9505090058 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. CROSS,J.E. Duquesne Light Co. 2pp. 83816:224-83816:225.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505050112 Forwards insp repts 50-335/95-08 & 50-389/95-08 on 950327-31.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/04/20. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83758:348-83758:351.

--9505050122 Partially withheld insp repts 50-335/95-08 & 50-389/95-08 on 950327-31 (ref 10CFR73.21).No violations or deviations noted.
TOBIN,W., MCGUIRE,D. Region 2 (Post 820201). 95/04/20. 1p. 83758:351-83758:351.

9505020264 Discusses Region II review of Rev 27 to plant emergency plan.Review of Modes 5 & 6 EALs scenarios identified in which EALs as written would fail to support emergency classification levels intended.
CLINE,W.E. Region 2 (Post 820201). 95/04/25. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 83691:139-83691:142.

9505180516 Forwards Rev 44 to physical security plan.Encl withheld per 10CFR2.790(a)(3).
SAGER,D.A. Florida Power & Light Co. 95/05/09. Document Control Branch (Document Control Desk). 1p. 84015:346-84015:346.

9505310564 Rev 28 to "Radiological Emergency Plan for St Lucie Plant." W/950522 ltr.
GOLDBERG,J.H., SAGER,D.A. Florida Power & Light Co. 95/05/11. 242pp. 84143:001-84143:242.

9505300088 Informs util of results of review of recent performance at St Lucie facility to determine if present planned insp effort for rest of current SALP cycle be revised before ending date of 960106.
LANDIS,D.D. Region 2 (Post 820201). 95/05/18. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84077:002-84077:005.

9505300021 Ack receipt of 950509 ltr forwarding Rev 44 to plant physical security plan.NRC finds changes acceptable for inclusion into plan.
COLLINS,D.M. Region 2 (Post 820201). 95/05/23. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84106:347-84106:349.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

9505150101 Forwards Director's Decision DD-95-07,denying petitions filed on 940307 & 0607 requesting that NRC take escalated enforcement action against certain util employees for violating NRC requirements.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. SAPORITO,T.J. Saporito, T.J. 1p. 83898:259-83898:323.

--9505150136 Director's Decision DD-95-07 denying actions requested in petition,since petitioner has not raised any issues that would warrant requested actions.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. Saporito, T.J. 8pp. 83898:260-83898:267.

--9505150065 Notice of issuance of Director's Decision re petition filed by TJ Saporito on 940307 & 0607.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. 35pp. 83898:268-83898:323.

P. Operating license stage documents & correspondence

9505040086 Forwards amends 135 & 74 to licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends will relocate seismic monitoring instrumentation LCO,SR & associated tables contained in TS 3.3.3.3,4.3.3.3.1 & 4.3.3.3.2.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/25. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83752:225-83752:246.

--9505040092 Amends 135 & 74 to licenses DPR-67 & NPF-16,respectively, relocating seismic monitoring instrumentation LCO,SR & associated tables contained in TS 3.3.3.3,4.3.3.3.1 & 4.3.3.3.2 to UFSAR.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/25. 16pp. 83752:228-83752:243.

--9505040096 Safety evaluation supporting amends 135 & 74 to licenses DPR-67 & NPF-16,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/25. 3pp. 83752:244-83752:246.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505190301 Informs of NRC belief that formal consultation w/National Marine Fisheries Svc,necessary as reported in Annual Environmental Operating Rept 1994-Volume 1 & based on conversations w/representatives of util.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83991:297-83991:301.

--9505190309 Informs that NRC believes that formal consultation w/Natl Marine Fisheries Svc,necessary based on increasing number of federally protected sea turtles being removed from St Lucie intake canal in recent months.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/05/11. KAMMERER,A.J. Commerce, Dept. of, National Marine Fisheries Service. 2pp. 83991:300-83991:301.

9505180414 Requests formal consultation w/Natl Marine Fisheries Svc re sea turtles per 50CFR402,section 7.NRC intends to prepare biological assessment to determine level of impact plant operation may have on sea turtles.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/05/11. KAMMERER,A.J. . 3pp. 83964:357-83964:359.

9505240102 Application for amends to licenses DPR-67 & NPF-16 re administrative & conforming update.
SAGER,D.A. Florida Power & Light Co. 95/05/17. Document Control Branch (Document Control Desk). 11pp. 84072:114-84072:134.

--9505240105 Proposed tech specs re administrative & conforming update.
* Florida Power & Light Co. 95/05/17. 10pp. 84072:125-84072:134.

9505240223 Application for amend to license DPR-67,extending applicability of current RCS pressure/temp limits & maximum allowed RCS heatup & cooldown rates to 23.6 Effective Full Power Yrs of operation.
SAGER,D.A. Florida Power & Light Co. 95/05/17. Document Control Branch (Document Control Desk). 17pp. 84072:325-84072:350.

--9505240234 Proposed tech specs,extending applicability of current RCS pressure/temp limits & maximum allowed RCS heatup & cooldown rates to 23.6 Effective Full Power Yrs of operation.
* Florida Power & Light Co. 95/05/17. 9pp. 84072:342-84072:350.

9505260042 Forwards amend to licenses DPR-67 & NPF 16,revising plant TS table B 3/4.4-1 for each unit,per ltr w/changes dtd 931115.TS table B 3/4.4-1 encl.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/17. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 84083:136-84083:140.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020067 Forwards insp repts 50-335/95-07 & 50-389/95-07 on 950305-0401.Non-cited violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/04/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83690:023-83690:054.

-9505020070 Insp repts 50-335/95-07 & 50-389/95-07 on 950305-0401. Non-cited violations noted.Major areas inspected:operations review,maint observations,surveillance observations, engineering support,plant support & other areas.
PREVATTE,R.L., LANDIS,K.D. Region 2 (Post 820201). 95/04/18. 29pp. 83690:026-83690:054.

9505050112 Forwards insp repts 50-335/95-08 & 50-389/95-08 on 950327-31.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/04/20. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83758:348-83758:351.

-9505050122 Partially withheld insp repts 50-335/95-08 & 50-389/95-08 on 950327-31 (ref 10CFR73.21).No violations or deviations noted.
TOBIN,W., MCGUIRE,D. Region 2 (Post 820201). 95/04/20. 1p. 83758:351-83758:351.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030201 Forwards Rev 0 to PSL-100-AOA-95-1, "St Lucie Unit 1 Second ISI Interval Request for Authorization of Alternative Exam."
SAGER,D.A. Florida Power & Light Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83799:242-83799:280.

-9505030206 "St Lucie Nuclear Plant Unit 1 Second ISI Interval Request for Authorization of Alternative Exam."
* Florida Power & Light Co. PSL-100-AOA-95-1 R00. 95/04/05. 38pp. 83799:243-83799:280.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110038 Summary of 950410 meeting w/licensee in Atlanta,GA re self-assessment of plant performance.SALP period will be extended from 18 to 24 months,currently scheduled for 960106.W/attendance list & handout.
LANDIS,K.D. Region 2 (Post 820201). 95/05/01. GOLDBERG,J.H. Florida Power & Light Co. 65pp. 83851:001-83851:065.

9505110025 Forwards insp repts 50-335/95-06 & 50-389/95-06 on 950403-07.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/05. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83850:289-83850:307.

-9505110027 Insp repts 50-335/95-06 & 50-389/95-06 on 950403-07.No violations noted.Major areas inspected:organization of Chemistry Dept & Radwaste Group,audits,primary water chemistry & Annual Radioactive Effluent Radwaste Group.
CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 95/05/05. 16pp. 83850:292-83850:307.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505300088 Informs util of results of review of recent performance at St Lucie facility to determine if present planned insp effort for rest of current SALP cycle be revised before ending date of 960106.
LANDIS,D.D. Region 2 (Post 820201). 95/05/18. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84077:002-84077:005.

9505310099 Forwards insp repts 50-335/95-09 & 50-389/95-09 on 950402-29.Non-cited violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/05/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84096:018-84096:040.

-9505310101 Insp repts 50-335/95-09 & 50-389/95-09 on 950402-29.Non- cited violation noted.Major areas inspected:plant operations review,maint observations,surveillance observations & plant support.
PREVATTE,R.L., LANDIS,K.D. Region 2 (Post 820201). 95/05/19. 20pp. 84096:021-84096:040.

R. Periodic operating reports & related correspondence

9505090143 Provides requested verification of 1993 radioactive effluent release data for plant.
SAGER,D.A. Florida Power & Light Co. 95/04/27. TICHLER,J. Brookhaven National Laboratory. 4pp. 83873:179-83873:182.

9505220139 Monthly operating repts for Apr 1995 for St Lucie.W/950515 ltr.
ROGERS,J.A., SAGER,D.A. Florida Power & Light Co. 95/04/30. 9pp. 84038:345-84038:353.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505030260 Forwards insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.
DURR,J.P. Region 1 (Post 820201). 95/04/26. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 83722:180-83722:235.

-9505030267 Notice of violation from insp on 950208-0321.Violation noted:failure to implement controls to maintain CR habitability,failure to adequately leak test 5 containment isolation valves & failure to adequately implement QA SR.
* Region 1 (Post 820201). 95/04/26. 5pp. 83722:184-83722:188.

-9505030271 Insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance,outage activities,security & licensee self-assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 95/04/17. 47pp. 83722:189-83722:235.

9505100030 Forwards insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31.No violations or safety concerns noted.
JOYNER,J.H. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83828:045-83828:054.

-9505100052 Partially withheld insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31 (ref 10CFR73.21).No violations or safety concerns noted.Major areas inspected:effectiveness of mgt controls,security plan & implementing procedures.
ALBERT,R.J. Region 1 (Post 820201). 95/04/28. 7pp. 83828:048-83828:054.

9505150282 Forwards addl info requested in NRC 950320 ltr re proposed rev to TS re EDG fuel oil supply transmitted in 941130 ltr. Rev 1 to Calculation 91-BOP-813,ES, "MP2 EDG Operating Time W/24,000 Gallons Diesel Fuel Oil..." & EOP pages also encl.
OPEKA,J.F., MILLER,D.B. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/08. Document Control Branch (Document Control Desk). 7pp. 83978:001-83978:044.

-9505150290 Rev 1 to "MP2 EDG Operating Time W/24,000 Gallons Diesel Fuel Oil Available at Continuous Rated Load of 2,750 kW Fuel Consumption." W/excerpts from MP2 EDG fuel oil supply procedures,EPIP 4400,Rev 2 & Rev 7 to EOP 2540B & EOP 2528.
KOMOSKY,G.E., WELLS,R.W. Northeast Nuclear Energy Co. 91-MOP-813-ES R01. 94/08/19. 33pp. 83978:008-83978:044.

9505240211 Provides NRC w/revised schedule for implementation of revised EAL tables at Haddam Neck & Millstone plants.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84083:331-84083:332.

9505240058 Forwards insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.
DURR,J.P. Region 1 (Post 820201). 95/05/15. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84021:019-84021:044.

-9505240064 Insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.Major areas inspected:plant operations,radiological controls,maint, surveillance,security & outage activities.
NICHOLSON,L.E. Region 1 (Post 820201). 95/05/09. 22pp. 84021:022-84021:044.

9505300446 Revised EPIPs,including Rev 1 to EPIP 4405,Rev 1 to Emergency Plan Operating Procedure (EPOP) EPOP 4411,Rev 0 to EPOP 4411A,Rev 0 to EPOP 4411B,Rev 2 to EPOP4412,Rev 1 to EPOP 4417,Rev 3 to EPOP 4419 & Rev 1 to EPOP 4422.
MCCANCE,T., RODGERS,R.C., DEVEAU,M.J. Northeast Nuclear Energy Co. 95/05/22. 767pp. 84139:001-84141:039.

G. Adjudicatory correspondence

9505190173 Provides status of Director Decision re petition per 10CFR2.206 of 940303.Advises that Director Decision should be issued shortly,provided no unexpected events exist.
VISSING,G.S. Project Directorate I-4 (PD1-4) (Post 941001). 95/05/09. GAVENSKY,R. Affiliation Not Assigned. 2pp. 83984:195-83984:196.

9505190188 Provides update on five of 10CFR2.206 petitions,dtd 941230, 950102,08 & 15.NRC currently reviewing info provided in petitions &,as stated in NRC 950223 ltr,action will be taken on AJ Ross request within reasonable time.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/09. ROSS,A.J. Affiliation Not Assigned. 2pp. 83984:197-83984:198.

H. General correspondence

9505220105 Comment opposing proposed revision to 10CFR50,App J, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.
SCACE,S.E. Northeast Utilities. 95/05/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83985:147-83985:149.

I. Financial information

9505030186 1994 annual financial rept to US Securities & Exchange Commission for Northeast Nuclear Energy Co & North Atlantic Energy Svc Corp.W/950428 ltr.
GUGLIELMO,F.J. Northeast Utilities Service Co. 94/12/31. 102pp. 83801:040-83801:141.

P. Operating license stage documents & correspondence

9505040424 Forwards response to NRC 950214 ltr identifying issues to NNECO re activities at plant.Plant Info Rept 94-527 also encl.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/04/25. MARTIN,T.T. Region 1 (Post 820201). 16pp. 83803:291-83803:310.

--9505040425 "'LPCI/CS Pump Motors Potential of Inadequate Bend Radius on Raychem Splices' Operability Evaluation."
* Northeast Nuclear Energy Co. PIR 94-527. 94/12/15. 4pp. 83803:307-83803:310.

9505040352 Forwards "Notice of Consideration of Issuance of Amend to License & Proposed NSHC Determination & Opportunity for Hearing." Proposed amend would revise TS 3.1.2.4, "Charging Pumps-Operating."
VISSING,G.S. Project Directorate I-4 (PD1-4) (Post 941001). 95/04/26. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 83759:207-83759:218.

--9505040360 Notice of consideration of issuance of amend to license DPR-21 & proposed NSHC determination & opportunity for hearing.Amend revises TS 3.1.2.4, "Charging Pumps- Operating."
VISSING,G.S. Project Directorate I-4 (PD1-4) (Post 941001). 95/04/26. 8pp. 83759:211-83759:218.

9505230094 Comment re proposed GL concerning pressure locking & thermal binding of safety-related power operated gate valves. Valves whose safety function to close & remain closed or valves that remain open should be excluded from proposed GL.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/04/26. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 84001:342-84001:348.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505100235 Forwards amend 187 to license DPR-65 & safety evaluation. Amend changes SR 4.6.1.2.a by revising surveillance interval for Type A tests.
VISSING,G.S. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/03. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83873:001-83873:010.

--9505100238 Amend 187 to license DPR-65,changing SR 4.6.1.2.a by revising surveillance interval for Type A test.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/03. 4pp. 83873:004-83873:007.

--9505100244 Safety evaluation supporting amend 187 to license DPR-65.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/03. 3pp. 83873:008-83873:010.

9505150282 Forwards addl info requested in NRC 950320 ltr re proposed rev to TS re EDG fuel oil supply transmitted in 941130 ltr. Rev 1 to Calculation 91-BOP-813,ES, "MP2 EDG Operating Time W/24,000 Gallons Diesel Fuel Oil..." & EOP pages also encl.
OPEKA,J.F., MILLER,D.B. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/08. Document Control Branch (Document Control Desk). 7pp. 83978:001-83978:044.

--9505150290 Rev 1 to "MP2 EDG Operating Time W/24,000 Gallons Diesel Fuel Oil Available at Continuous Rated Load of 2,750 kW Fuel Consumption." W/excerpts from MP2 EDG fuel oil supply procedures,EPIP 4400,Rev 2 & Rev 7 to EOP 2540B & EOP 2528.
KOMOSKY,G.E., WELLS,R.W. Northeast Nuclear Energy Co. 91-MOP-813-ES R01. 94/08/19. 33pp. 83978:008-83978:044.

9505240079 Provides schedule for submitting written response to RAI re IPE.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84083:335-84083:336.

9505260378 Forwards Amend 188 to License DPR-65 & safety evaluation. Amend revises TS to incorporate addl sections & associated SRs & bases in plant TS.
VISSING,G.S. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/17. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84099:082-84099:103.

--9505260381 Amend 188 to License DPR-65,revising TS to incorporate addl sections & associated SRs & bases into plant TS.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/17. 12pp. 84099:086-84099:097.

--9505260383 Safety evaluation supporting Amend 188 to License DPR-65.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/17. 6pp. 84099:098-84099:103.

9505240271 Forwards amend 189 to license DPR-65 & safety evaluation. Amend revises TS 3.1.2.4, "Charging Pump-Operating," by adding note that indicates that provisions of TS 3.0.4 & 4.0.4 not applicable for entry into Mode 4 from Mode 5.
VISSING,G.S. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/18. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84042:325-84042:338.

--9505240281 Amend 189 to license DPR-65,revising TS 3.1.2.4, "Charging Pumps-Operating," by adding note that indicates that provisions of TS 3.0.4 & 4.0.4 not applicable for entry into Mode 4 from Mode 5.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/18. 6pp. 84042:329-84042:334.

--9505250043 Safety evaluation supporting amend 189 to license DPR-65.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/18. 4pp. 84042:335-84042:338.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310459 Provides info committed to in 950404 ltr to NRC re readiness assessment team insp,including major activities yet to be completed,startup criteria & startup assessment team final rept.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/25. Document Control Branch (Document Control Desk). 13pp. 84163:141-84163:174.

--9505310466 "Millstone Unit 2 Startup Assessment Team (SAT) Review Final Rept."
* Northeast Nuclear Energy Co. 95/05/18. 21pp. 84163:154-84163:174.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. , 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030260 Forwards insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.
DURR,J.P. Region 1 (Post 820201). 95/04/26. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 83722:180-83722:235.

--9505030267 Notice of violation from insp on 950208-0321.Violation noted:failure to implement controls to maintain CR habitability,failure to adequately leak test 5 containment isolation valves & failure to adequately implement QA SR.
* Region 1 (Post 820201). 95/04/26. 5pp. 83722:184-83722:188.

--9505030271 Insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance,outage activities,security & licensee self-assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 95/04/17. 47pp. 83722:189-83722:235.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505100030 Forwards insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31.No violations or safety concerns noted.
JOYNER,J.H. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83828:045-83828:054.

--9505100052 Partially withheld insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31 (ref 10CFR73.21).No violations or safety concerns noted.Major areas inspected:effectiveness of mgt controls,security plan & implementing procedures.
ALBERT,R.J., SMITH,G.C. Region 1 (Post 820201). 95/04/28. 7pp. 83828:048-83828:054.

9505100056 Forwards insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07 & notice of violation.
MEYER,G. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83852:001-83852:009.

--9505100060 Notice of violation from insp on 950403-07.Violation noted: four listed instances were found where NRC was not notified within 30 days.
* Region 1 (Post 820201). 95/04/28. 1p. 83852:004-83852:004.

--9505100072 Insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07.Violations noted.Major areas inspected:observation of simulator & classroom training for Unit 1.
SISCO,C.E., MEYER,G.W. Region 1 (Post 820201). 95/04/28. 5pp. 83852:005-83852:009.

9505190031 Forwards combined insp repts 50-245/95-11,50-336/95-11 & 50-423/95-11 on 940320-23 & 27-31 & notice of violation. Deficiencies of concern because design change reviews do not always meet timeliness required.
RULAND,W. Region 1 (Post 820201). 95/05/10. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83973:042-83973:063.

--9505190037 Notice of violation from insp on 940320-31.Violations noted: condition adverse to quality not promptly identified & corrected in that design deficiency affecting undervoltage modules in Unit 2 ESFAS cabinets not fully evaluated.
* Region 1 (Post 820201). 95/05/10. 2pp. 83973:045-83973:046.

--9505190046 Insp repts 50-245/95-11,50-336/95-11 & 50-423/95-11 on 950320-31.Violations noted.Major areas inspected:review of design change & plant mod process,technical & safety evaluations of plant design change requests & plant events.
DELLA GRECA,A., RULAND,W.H. Region 1 (Post 820201). 95/05/10. 15pp. 83973:047-83973:063.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230198 Informs NRC of change in date for presenting util plan for conducting self-assessment using SWS operational performance insp module at facility.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84083:244-84083:245.

9505240148 Ack receipt of 950413 ltr informing NRC of steps taken to correct violations noted in insp rept 50-336/95-02 on 950308.
DURR,J.P. Region 1 (Post 820201). 95/05/12. OPEKA,J.F. Northeast Nuclear Energy Co. 2pp. 84021:351-84021:360.

9505240229 Provides updated response dates to certain NRC open items on plant Unit 2 electrical distribution sys functional insp re insp rept 50-336/93-81.Revised schedule encl.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/12. Document Control Branch (Document Control Desk). 5pp. 84073:081-84073:085.

9505240058 Forwards insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.
DURR,J.P. Region 1 (Post 820201). 95/05/15. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84021:019-84021:044.

--9505240064 Insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.Major areas inspected:plant operations,radiological controls,maint, surveillance,security & outage activities.
NICHOLSON,L.E. Region 1 (Post 820201). 95/05/09. 22pp. 84021:022-84021:044.

9505260330 Forwards results of insp performed during wk of 941205 on operability determination performed at plant Units 1,2 & 3.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/18. Document Control Branch (Document Control Desk). 7pp. 84104:112-84104:118.

9505310003 "NRC Staff Proposes to Fine Northeast Nuclear Energy Co $50,000 for Alleged Violations of NRC Requirements."
* Office of Public Affairs (Post 911117). 95/05/25. 2pp. 84162:016-84162:017.

R. Periodic operating reports & related correspondence

9505050060 "Annual Radioactive Effluent Rept 1994." W/950428 ltr.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/12/31. 123pp. 83827:102-83827:224.

9505050070 "Annual Radiological Environ Operating Rept Millstone Nuclear Power Station Jan-Dec 1994." W/950428 ltr.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/12/31. 100pp. 83847:082-83847:182.

9505110204 Forwards "Annual Environ Protection Plan Operating Rept Jan- Dec 1994" & "Monitoring Marine Environ of Long Island Sound at Millstone Nuclear Power Station,Waterford,CT Annual Rept 1994."
MILLER,D.B. Northeast Nuclear Energy Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83946:001-83946:256.

--9505110209 "Monitoring Marine Environ of Long Island Sound at Millstone Nuclear Power Station Annual Rept 1994."
KESER,M. Northeast Utilities Service Co. 94/12/31. 241pp. 83946:016-83946:256.

9505240345 Monthly operating repts for Apr 1995 for MNPS Units 1,2 & 3. W/950511 ltr.
NEWBURGH,G., BORCHERT,R., HUDSON,I.E. Northeast Nuclear Energy Co. 95/04/30. 17pp. 84072:245-84072:261.

S. Reportable occurrences, LERs & related correspondence

9505250259 Ack receipt of internet mail from P Blanch dtd 950302 re event at plant pressure binding of MOVs.
ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 95/03/03. RUSSELL,W., MIRAGLIA,F, THADANI,A. NRC - No Detailed Affiliation Given. 1p. 84075:197-84075:198.

--9504110236 *Requests that NRC provide info given event described in Info Notice 95-14 for unit 2 re failure of containment sump valves.*
BLANCH,P.M. Affiliation Not Assigned. 95/03/02. ZWOLINSKI,J.A. . 1p. 84075:198-84075:198.

9505110234 LER 95-014-00:on 950404,continuous fire watch was found sleeping in West 480 volt switchgear room due to personnel error.Posted another individual as fire watch.W/950502 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/05/02. 4pp. 83938:270-83938:273.

9505250094 LER 95-015-00:on 950418,crane operation over spent fuel pool w/emergency ventilation inoperable occurred due to disassembly of main exhaust *fan.Installed bypass jumper to blank off opening in ductwork.W/950518 ltr.*
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. 95/05/18. 4pp. 84078:146-84078:149.

9505310272 LER 95-016-00:on 950428,operator w/inactive SRO license assumed position of fuel handling SRO for movement of upper guide structure into RV.Caused by failure to recognize inactive status.Briefing conducted.W/950526 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/26. 4pp. 84162:078-84162:081.

V. Operator Examinations

9505100056 Forwards insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07 & notice of violation.
MEYER,G. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83852:001-83852:009.

--9505100060 Notice of violation from insp on 950403-07.Violation noted: four listed instances were found where NRC was not notified within 30 days.
* Region 1 (Post 820201). 95/04/28. 1p. 83852:004-83852:004.

--9505100072 Insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07.Violations noted.Major areas inspected:observation of simulator & classroom training for Unit 1.
SISCO,C.E. Region 1 (Post 820201). 95/04/28. 5pp. 83852:005-83852:009.

9505100020 Forwards both forms of exam,answer keys,grading results for facilities & individual answer sheets for each util employee re 950405 generic fundamentals exam.One individual failed exam & nine passed.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. HEIDECKER,R. Northeast Nuclear Energy Co. 2pp. 83828:025-83828:026.

9505310264 Requests NRC to terminate Senior Operator license SOP-10060-3 for DM Emborsky,effective 950501.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/25. Document Control Branch (Document Control Desk). 1p. 84163:357-84163:357.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505180111 Advises that rev 16 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/05/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83952:163-83952:165.

9505180536 Forwards Rev 37 to physical security plan.Encl withheld per 10CFR73.21.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/09. Document Control Branch (Document Control Desk). 1p. 84015:351-84015:351.

9505230349 Advises that 950307 rev 36 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 95/05/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84058:357-84058:359.

9505220254 Accepts util response to NRC Bulletin 92-01, "Failure of Thermo-Lag 330 Fire Barrier Sys."
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84029:333-84029:336.

9505260177 Forwards revs to corporate emergency response plan manual including revs to corporate implementing procedures.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/17. Document Control Branch (Document Control Desk). 3pp. 84088:177-84088:315.

--9505260186 Rev 4 to "Corporate Emergency Response Plan."
COLLINS,J.E. Virginia Power (Virginia Electric & Power Co.). 95/04/26. 71pp. 84088:180-84088:250.

--9505260191 Revised EPIPs,including rev 4 to CPIP-2.1,rev 4 to CPIP-3.0, rev 3 to CPIP-3.2,rev 4 to CPIP-5.0 & rev 4 to CPIP-7.0.
COLLINS,J.E. Virginia Power (Virginia Electric & Power Co.). 95/05/01. 65pp. 84088:251-84088:315.

9505300102 Advises of results of 950316 NRC managers review of recent performance at facility to determine if present planned insp effort for rest of SALP cycle should be revised before end of 961228.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. OHANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 84077:046-84077:050.

9505310107 Forwards insp repts 50-338/95-07 & 50-339/95-07 on 950424-28.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/23. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84096:041-84096:050.

--9505310125 Insp repts 50-338/95-07 & 50-339/95-07 on 950424-28.No violations noted.Major areas inspected:history of util nonsafety-related security inverter failures & associated C/As.
SALGADO,N.L., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/23. 6pp. 84096:045-84096:050.

9505310127 Forwards revised physical security plan,safeguards contingency plan & nuclear security personnel training & qualification plan.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/25. Document Control Branch (Document Control Desk). 5pp. 84162:251-84162:255.

P. Operating license stage documents & correspondence

9505030335 Forwards excerpted portions of Westinghouse rept describing changes to Westinghouse ECCS evaluation models applicable to plants & have been implemented during CY94.Info re effect of ECCS evaluation model changes also encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/04/25. Document Control Branch (Document Control Desk). 21pp. 83808:001-83808:021.

9505020379 RAI to complete review of plant IPE rept submitted on 921214.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/04/27. Document Control Branch (Document Control Desk). 73pp. 83762:212-83762:284.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090018 Provides comments on EPA PR re criteria for certification & determination of waste isolation pilot plant compliance w/ environ standards for mgt & disposal of SF,high-level & transuranic radwastes.Guidance re categorization needed.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/04/28. Environmental Protection Agency. 2pp. 83896:291-83896:292.

9505050101 Forwards amends 190 & 171 to licenses NPF-4 & NPF-7 & safety evaluation.Amends revise NA 1&2 TS by deleting requirements to periodically review administrative & technical procedures.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/01. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83813:201-83813:214.

--9505050105 Amends 190 & 171 to licenses NPF-4 & NPF-7,respectively, revising NA-1&2 TS by deleting requirements to periodically review certain administrative & technical procedures.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/01. 8pp. 83813:204-83813:211.

--9505050109 Safety evaluation supporting amends 190 & 171 to licenses NPF-4 & NPF-7,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/01. 3pp. 83813:212-83813:214.

9505040406 Forwards amends 191 & 172 to licenses NPF-4 & NPF-7, respectively & SE.Amends revise TS re review responsibilities of plant Nuclear Safety & Operating Committee & Mgt Safety Review Committee.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83759:285-83759:305.

--**9505040412** Amends 191 & 172 to licenses NPF-4 & NPF-7,respectively, revising NA-1&2 TS to review responsibilities of station Nuclear Safety & Operating Committee & Mgt Safety Review Committee.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. 16pp. 83759:288-83759:302.

--**9505040414** Safety evaluation supporting amends 191 & 172 to licenses NPF-4 & NPF-7,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 3pp. 83759:303-83759:305.

9505150135 Forwards application for reissuance of VPDES permit for North Anna Power Station w/addl data requested by 950418 ltr.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 95/05/04. PANDEY,J.R. Virginia, Commonwealth of. 241pp. 83975:022-83975:262.

9505220129 Forwards amends 192 & 173 to licenses NPF-4 & NPF-7, respectively & SE.Amends revise Hydrogen Recombiner Sys surveillance requirements in accordance w/GL 93-05, "Line- Item TS Improvements to Reduce Surveillance Requirements."
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84002:264-84002:282.

--**9505220134** Amends 192 & 173 to licenses NPF-4 & NPF-7,respecively, revising NA-1 & 2 Hydrogen Recombiner Sys surveillance requirements in accordance w/GL 93-05, "Line-Item TS Improvements to Reduce Surveillance Requirements."
MATHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/12. 10pp. 84002:268-84002:277.

--**9505220136** Safety evaluation supporting amends 192 & 173 to licenses NPF-4 & NPF-7,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. 5pp. 84002:278-84002:282.

9505190324 Forwards amends 193 & 174 to licenses NPF-4 & NPF-7 & SE. Amends revise NA-1&2 TS 4.6.1.2.a to permit approved exemptions to containment integrated leak rate frequency requirements.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/15. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83988:214-83988:226.

--**9505190325** Amends 193 & 174 to licenses NPF-4 & NPF-7,respectively, revising NA-1&2 TS 4.6.1.2.a to permit approved exemptions to containment integrated leak rate frequency requirements.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/15. 8pp. 83988:217-83988:224.

--**9505190326** Safety evaluation supporting amends 193 & 174 to licenses NPF-4 & NPF-7,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. 2pp. 83988:225-83988:226.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505300226 Provides core shroud insp scope & schedule for SSES Unit 2 in response to requirements of GL 94-03 & as committed to in util 941219 ltr.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/22. Document Control Branch (Document Control Desk). 5pp. 84117:140-84117:145.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180207 Forwards corrected Page 9 to insp repts 50-338/94-27 & 50-339/94-27.
BARR,K.P. Region 2 (Post 820201). 95/05/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 83953:049-83953:053.

--**9505180216** Corrected Page 9 to insp repts 50-338/94-27 & 50-339/94-27.
* Region 2 (Post 820201). 95/05/05. 1p. 83953:053-83953:053.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240177 Forwards insp repts 50-338/95-04 & 50-339/95-04 on 950319-0415 & notice of violation.Insp rept identifies activities that violated NRC requirements that will not be subj to enforcement action.
LANDIS,K.D. Region 2 (Post 820201). 95/05/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 84022:195-84022:219.

--**9505240182** Notice of violation from insp on 950319-0415.Violation noted:inadequate evaluation performed in order to determine effects of out-of-limit condition on fracture toughness properties of unit 1 pressurizer following excessive heatup.
* Region 2 (Post 820201). 95/05/11. 1p. 84022:200-84022:200.

--**9505240191** Insp repts 50-338/95-04 & 50-339/95-04 on 950319-0415. Violations noted.Major areas inspected:plant status,plant operations,maint observations,surveillance observations, on-site engineering,LER follow-up & plant support activity.
TINGEN,S.G., BELISLE,G.A. Region 2 (Post 820201). 95/05/11. 18pp. 84022:201-84022:219.

9505220254 Accepts util response to NRC Bulletin 92-01, "Failure of Thermo-Lag 330 Fire Barrier Sys."
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84029:333-84029:336.

9505300102 Advises of results of 950316 NRC managers review of recent performance at facility to determine if present planned insp effort for rest of SALP cycle should be revised before end of 961228.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. OHANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 84077:046-84077:050.

9505300226 Provides core shroud insp scope & schedule for SSES Unit 2 in response to requirements of GL 94-03 & as committed to in util 941219 ltr.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/22. Document Control Branch (Document Control Desk). 5pp. 84117:140-84117:145.

9505310107 Forwards insp repts 50-338/95-07 & 50-339/95-07 on 950424-28.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/23. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84096:041-84096:050.

--**9505310125** Insp repts 50-338/95-07 & 50-339/95-07 on 950424-28.No violations noted.Major areas inspected:history of util nonsafety-related security inverter failures & associated C/As.
SALGADO,N.L., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/23. 6pp. 84096:045-84096:050.

R. Periodic operating reports & related correspondence

9505050314 Annual environ operating rept for North Anna Power Station Units 1 & 2 for 1994.W/950428 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/12/31. 21pp. 83837:317-83837:337.

9505180290 Monthly operating repts for Apr 1995 for North Anna Power Station Units 1 & 2.W/950511 ltr.
STALL,J.A., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/04/30. 12pp. 84013:313-84013:324.

S. Reportable occurrences, LERs & related correspondence

9505190311 Special rept:on 950329,gap seals between top of 12 inch concrete block wall & assoc steel I beams above block wall were discovered filled w/everlastic column boxboard engineering review intiated.
OHANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/09. Document Control Branch (Document Control Desk). 2pp. 84008:354-84008:355.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505250191 Application for license to construct & operate ISFSI at North Anna Power Station.Environ rept,tech specs & SAR encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/09. 153pp. 84115:001-84116:340.

--**9505250194** "Environ Rept North Anna Power Station ISFSI."
* Virginia Power (Virginia Electric & Power Co.). 95/05/09. 108pp. 84115:158-84115:265.

--**9505250199** Proposed tech specs for ISFSI.
* Virginia Power (Virginia Electric & Power Co.). 95/05/09. 439pp. 84115:266-84116:340.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505180111 Advises that rev 16 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/05/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83952:163-83952:165.

9505180536 Forwards Rev 37 to physical security plan.Encl withheld per 10CFR73.21.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/09. Document Control Branch (Document Control Desk). 1p. 84015:351-84015:351.

9505230349 Advises that 950307 rev 36 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 95/05/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 84058:357-84058:359.

9505220254 Accepts util response to NRC Bulletin 92-01, "Failure of Thermo-Lag 330 Fire Barrier Sys."
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84029:333-84029:336.

9505260177 Forwards revs to corporate emergency response plan manual including revs to corporate implementing procedures.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/17. Document Control Branch (Document Control Desk). 3pp. 84088:177-84088:315.

--**9505260186** Rev 4 to "Corporate Emergency Response Plan."
COLLINS,J.E. Virginia Power (Virginia Electric & Power Co.). 95/04/26. 71pp. 84088:180-84088:250.

--**9505260191** Revised EPIPs,including rev 4 to CPIP-2.1,rev 4 to CPIP-3.0, rev 3 to CPIP-3.2,rev 4 to CPIP-5.0 & rev 4 to CPIP-7.0.
COLLINS,J.E. Virginia Power (Virginia Electric & Power Co.). 95/05/01. 65pp. 84088:251-84088:315.

9505300102 Advises of results of 950316 NRC managers review of recent performance at facility to determine if present planned insp effort for rest of SALP cycle should be revised before end of 961228.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. OHANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 84077:046-84077:050.

9505310107 Forwards insp repts 50-338/95-07 & 50-339/95-07 on 950424-28.
CASTO,C.A. Region 2 (Post 820201). 95/05/23. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84096:041-84096:050.

--9505310125 Insp repts 50-338/95-07 & 50-339/95-07 on 950424-28.No violations noted.Major areas inspected:history of util nonsafety-related security inverter failures & associated C/As.
SALGADO,N.L. Region 2 (Post 820201). 95/05/23. 6pp. 84096:045-84096:050.

9505310127 Forwards revised physical security plan,safeguards contingency plan & nuclear security personnel training & qualification plan.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/25. Document Control Branch (Document Control Desk). 5pp. 84162:251-84162:255.

9505310643 Forwards updated data point library ref file sheet for North Anna Unit 2,detailing mods to ERDS point as result of North Anna design change that replaced Unit 2 letdown radiation monitor.
KANSLER,M.R. Virginia Power (Virginia Electric & Power Co.). 95/05/25. Document Control Branch (Document Control Desk). 6pp. 84145:152-84145:157.

P. Operating license stage documents & correspondence

9505030335 Forwards excerpted portions of Westinghouse rept describing changes to Westinghouse ECCS evaluation models applicable to plants & have been implemented during CY94.Info re effect of ECCS evaluation model changes also encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/04/25. Document Control Branch (Document Control Desk). 21pp. 83808:001-83808:021.

9505020379 RAI to complete review of plant IPE rept submitted on 921214.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/04/27. Document Control Branch (Document Control Desk). 73pp. 83762:212-83762:284.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090018 Provides comments on EPA PR re criteria for certification & determination of waste isolation pilot plant compliance w/ environ standards for mgt & disposal of SF,high-level & transuranic radwastes.Guidance re categorization needed.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/04/28. Environmental Protection Agency. 2pp. 83896:291-83896:292.

9505050101 Forwards amends 190 & 171 to licenses NPF-4 & NPF-7 & safety evaluation.Amends revise NA 1&2 TS by deleting requirements to periodically review administrative & technical procedures.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/01. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83813:201-83813:214.

--9505050105 Amends 190 & 171 to licenses NPF-4 & NPF-7,respectively, revising NA-1&2 TS by deleting requirements to periodically review certain administrative & technical procedures.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/01. 8pp. 83813:204-83813:211.

--9505050109 Safety evaluation supporting amends 190 & 171 to licenses NPF-4 & NPF-7,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/01. 3pp. 83813:212-83813:214.

9505040406 Forwards amends 191 & 172 to licenses NPF-4 & NPF-7, respectively & SE.Amends revise TS re review responsibilities of plant Nuclear Safety & Operating Committee & Mgt Safety Review Committee.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83759:285-83759:305.

--9505040412 Amends 191 & 172 to licenses NPF-4 & NPF-7,respectively, revising NA-1&2 TS to review responsibilities of station Nuclear Safety & Operating Committee & Mgt Safety Review Committee.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/02. 16pp. 83759:288-83759:302.

--9505040414 Safety evaluation supporting amends 191 & 172 to licenses NPF-4 & NPF-7,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 3pp. 83759:303-83759:305.

9505150135 Forwards application for reissuance of VPDES permit for North Anna Power Station w/addl data requested by 950418 ltr.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 95/05/04. PANDEY,J.R. Virginia, Commonwealth of. 241pp. 83975:022-83975:262.

9505220129 Forwards amends 192 & 173 to licenses NPF-4 & NPF-7, respectively & SE.Amends revise Hydrogen Recombiner Sys surveillance requirements in accordance w/GL 93-05, "Line- Item TS Improvements to Reduce Surveillance Requirements."
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84002:264-84002:282.

--9505220134 Amends 192 & 173 to licenses NPF-4 & NPF-7,respecively, revising NA-1 & 2 Hydrogen Recombiner Sys surveillance requirements in accordance w/GL 93-05, "Line-Item TS Improvements to Reduce Surveillance Requirements."
MATHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/12. 10pp. 84002:268-84002:277.

--9505220136 Safety evaluation supporting amends 192 & 173 to licenses NPF-4 & NPF-7,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. 5pp. 84002:278-84002:282.

9505190324 Forwards amends 193 & 174 to licenses NPF-4 & NPF-7 & SE. Amends revise NA-1&2 TS 4.6.1.2.a to permit approved exemptions to containment integrated leak rate frequency requirements.
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/15. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83988:214-83988:226.

--9505190325 Amends 193 & 174 to licenses NPF-4 & NPF-7,respectively, revising NA-1&2 TS 4.6.1.2.a to permit approved exemptions to containment integrated leak rate frequency requirements.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/15. 8pp. 83988:217-83988:224.

--9505190326 Safety evaluation supporting amends 193 & 174 to licenses NPF-4 & NPF-7,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. 2pp. 83988:225-83988:226.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180207 Forwards corrected Page 9 to insp repts 50-338/94-27 & 50-339/94-27.
BARR,K.P. Region 2 (Post 820201). 95/05/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 83953:049-83953:053.

--9505180216 Corrected Page 9 to insp repts 50-338/94-27 & 50-339/94-27.
* Region 2 (Post 820201). 95/05/05. 1p. 83953:053-83953:053.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240177 Forwards insp repts 50-338/95-04 & 50-339/95-04 on 950319-0415 & notice of violation.Insp rept identifies activities that violated NRC requirements that will not be subj to enforcement action.
LANDIS,K.D. Region 2 (Post 820201). 95/05/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 84022:195-84022:219.

--9505240191 Insp repts 50-338/95-04 & 50-339/95-04 on 950319-0415. Violations noted.Major areas inspected:plant status,plant operations,maint observations,surveillance observations, on-site engineering,LER follow-up & plant support activity.
TINGEN,S.G., BELISLE,G.A. Region 2 (Post 820201). 95/05/11. 18pp. 84022:201-84022:219.

9505220254 Accepts util response to NRC Bulletin 92-01, "Failure of Thermo-Lag 330 Fire Barrier Sys."
ENGLE,L.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/17. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84029:333-84029:336.

9505300102 Advises of results of 950316 NRC managers review of recent performance at facility to determine if present planned insp effort for rest of SALP cycle should be revised before end of 961228.
LANDIS,K.D. Region 2 (Post 820201). 95/05/17. OHANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 84077:046-84077:050.

9505310019 Forwards insp rept 50-339/95-05 on 950325-0429.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/05/23. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84094:099-84094:130.

--9505310022 Insp rept 50-339/95-05 on 950325-0429.No violations noted. Major areas inspected:plant status & SG replacement project.
TAYLOR,D.R., BELISLE,G.A. Region 2 (Post 820201). 95/05/22. 28pp. 84094:103-84094:130.

9505310107 Forwards insp repts 50-338/95-07 & 50-339/95-07 on 950424-28.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/23. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 84096:041-84096:050.

--9505310125 Insp repts 50-338/95-07 & 50-339/95-07 on 950424-28.No violations noted.Major areas inspected:history of util nonsafety-related security inverter failures & associated C/As.
SALGADO,N.L., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/23. 6pp. 84096:045-84096:050.

R. Periodic operating reports & related correspondence

9505050314 Annual environ operating rept for North Anna Power Station Units 1 & 2 for 1994.W/950428 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 94/12/31. 21pp. 83837:317-83837:337.

9505180290 Monthly operating repts for Apr 1995 for North Anna Power Station Units 1 & 2.W/950511 ltr.
STALL,J.A., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/04/30. 12pp. 84013:313-84013:324.

S. Reportable occurrences, LERs & related correspondence

9505050325 Forwards LER 95-001 re main steam & pressurizer safety valve setpoints out of tolerance due to setpoint drift.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 95/04/27. Document Control Branch (Document Control Desk). 1p. 83845:055-83845:058.

--**9505050327** LER 95-001-00:on 950403,MS & pressurizer safety valve setpoints out of tolerance due to setpoint drift. Refurbished & retested safety valves to within allowable limits of TS at Wyle Labs.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 95/04/27. 3pp. 83845:056-83845:058.

9505190311 Special rept:on 950329,gap seals between top of 12 inch concrete block wall & assoc steel I beams above block wall were discovered filled w/everlastic column boxboard engineering review intiated.
OHANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/09. Document Control Branch (Document Control Desk). 2pp. 84008:354-84008:355.

Y. Dry Cask Independent Spent Fuel Storage Installations

9505250191 Application for license to construct & operate ISFSI at North Anna Power Station.Environ rept,tech specs & SAR encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/09. 153pp. 84115:001-84116:340.

--**9505250194** "Environ Rept North Anna Power Station ISFSI."
* Virginia Power (Virginia Electric & Power Co.). 95/05/09. 108pp. 84115:158-84115:265.

--**9505250199** *Proposed tech specs for ISFSI.*
* Virginia Power (Virginia Electric & Power Co.). 95/05/09. 439pp. 84115:266-84116:340.

DOCKET 50-340 SEABROOK NUCLEAR STATION, UNIT 1

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--**8912040012** Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:029-83834:034.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505150246 FOIA request for documents re TES rept 94V70-13, "Metallurgical Analysis of Fermi 2 LP 3 Eight Stage Turbine Blading," 940721 memo to LC Fron from JE Schaefer,940722 memo to LC Fron from JD Black & 940730 memo from PK Hudson. KEEGAN,M.J. Affiliation Not Assigned. 94/11/18. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 83983:134-83983:137.

9505150253 Final response to FOIA request for documents.Records in App A will be available in PDR.App B records being withheld in entirety (ref FOIA exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/29. KEEGAN,M.J. Affiliation Not Assigned. 5pp. 83983:138-83983:174.

--**9505150255** Package consisting of affidavits of R McKeon.
MCKEON,R. Detroit Edison Co. 94/08/04. 27pp. 83983:143-83983:174.

9505020281 Rev 14 to EPIP EP-292, "Emergency Call Out - Backup Method."
SHELTON,D. Detroit Edison Co. 95/04/25. 7pp. 83757:342-83757:348.

9505190221 Discusses insp rept 50-341/95-04 on 950228-0418 & forwards notice of violation.Violations of concern because failure to incorporate design basis requirements into EOP procedure.
PHILLIPS,M.P. Region 3 (Post 820201). 95/05/04. GIPSON,D.R. Detroit Edison Co. 6pp. 83974:095-83974:138.

--**9505190225** Notice of violation from insp on 950228-0418.Violation noted:design basis for restoration of drywell cooling water was not correctly translated into procedure 29.ESP.08,rev 1.
* Region 3 (Post 820201). 95/05/04. 1p. 83974:101-83974:101.

--**9505190229** Insp rept 50-341/95-04 on 950228-0418.Violations noted. Major areas inspected:operations,maintenance,engineering, plant support,emergency operating procedures,startup issues & emergency preparedness program.
PHILLIPS,M.P. Region 3 (Post 820201). 95/05/04. 37pp. 83974:102-83974:138.

9505310197 Responds to insp rept 50-341/95-06.Corrective actions: procedure for initial training,requalification & firearms policy that defines security training requirements revised.
GIPSON,D.R. Detroit Edison Co. 95/05/23. Document Control Branch (Document Control Desk). 4pp. 84142:356-84142:359.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--**8904190115** Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

H. General correspondence

9505150246 FOIA request for documents re TES rept 94V70-13, "Metallurgical Analysis of Fermi 2 LP 3 Eight Stage Turbine Blading," 940721 memo to LC Fron from JE Schaefer,940722 memo to LC Fron from JD Black & 940730 memo from PK Hudson. KEEGAN,M.J. Affiliation Not Assigned. 94/11/18. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 83983:134-83983:137.

9505150253 Final response to FOIA request for documents.Records in App A will be available in PDR.App B records being withheld in entirety (ref FOIA exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/29. KEEGAN,M.J. Affiliation Not Assigned. 5pp. 83983:138-83983:174.

9505220121 Comment supporting proposed rule 10CFR50 re primary reactor containment leakage testing.
GOODMAN,L.S. Detroit Edison Co. 95/05/08. Docketing & Services Branch. 1p. 83985:186-83985:186.

I. Financial information

9505100134 "Detroit Edison 1994 Annual Rept." W/950501 ltr.
GIPSON,D.R. Detroit Edison Co. 94/12/31. 48pp. 83947:266-83947:317.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505110122 Forwards Rev 7 to Fermi 2 updated FSAR & "Fermi 2 Safety Evaluation Summary Rept."
GIPSON,D.R. Detroit Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 7pp. 83920:001-83923:335.

--**9505110127** "Fermi 2 Safety Evaluation Summary Rept," rev 7.
* Detroit Edison Co. 95/05/08. 207pp. 83920:008-83920:214.

--**9505110130** Rev 7 to Fermi 2 updated FSAR.
* Detroit Edison Co. 95/05/05. 1,213pp. 83920:215-83923:335.

P. Operating license stage documents & correspondence

9505230009 Comment on GL, "Pressure Locking & Thermal Binding of Safety Related Power-Operated Gate Valves." Draft GL should be revised to permit some use of plant operating experience as basis for engineering judgement.
GOODMAN,L.S. Detroit Edison Co. 95/03/27. NRC - No Detailed Affiliation Given. 2pp. 84001:066-84001:067.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110122 Forwards Rev 7 to Fermi 2 updated FSAR & "Fermi 2 Safety Evaluation Summary Rept."
GIPSON,D.R. Detroit Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 7pp. 83920:001-83923:335.

--**9505110127** "Fermi 2 Safety Evaluation Summary Rept," rev 7.
* Detroit Edison Co. 95/05/08. 207pp. 83920:008-83920:214.

9505220192 Requests that proposed TS change submitted by 930729 ltr re calibr interval extension be designated as "Cost Beneficial Licensing Action."
GIPSON,D.R. Detroit Edison Co. 95/05/15. Document Control Branch (Document Control Desk). 1p. 84039:227-84039:227.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090015 Ack receipt of 950407 ltr informing NRC of steps taken to correct violations noted in insp rept 50-341/95-02.
GARDNER,R.N. Region 3 (Post 820201). 95/05/04. GIPSON,D.R. Detroit Edison Co. 2pp. 83816:055-83816:064.

9505190221 Discusses insp rept 50-341/95-04 on 950228-0418 & forwards notice of violation.Violations of concern because failure to incorporate design basis requirements into EOP procedure.
PHILLIPS,M.P. Region 3 (Post 820201). 95/05/04. GIPSON,D.R. Detroit Edison Co. 6pp. 83974:095-83974:138.

--**9505190225** Notice of violation from insp on 950228-0418.Violation noted:design basis for restoration of drywell cooling water was not correctly translated into procedure 29.ESP.08,rev 1.
* Region 3 (Post 820201). 95/05/04. 1p. 83974:101-83974:101.

--**9505190229** Insp rept 50-341/95-04 on 950228-0418.Violations noted. Major areas inspected:operations,maintenance,engineering, plant support,emergency operating procedures,startup issues & emergency preparedness program.
PHILLIPS,M.P. Region 3 (Post 820201). 95/05/04. 37pp. 83974:102-83974:138.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240343 Forwards response to NRC 950418 ltr re violations noted in insp rept 50-341/95-07.Corrective actions:reviewed procedures against appropriate IEE stds to assure proper administrative control for measurements.
GIPSON,D.R. Detroit Edison Co. 95/05/18. Document Control Branch (Document Control Desk). 14pp. 84073:107-84073:120.

9505240180 Notifies of results of insp planning portion of Mar 1995 Plant Performance Review for plant.
AXELSON,W.L. Region 3 (Post 820201). 95/05/19. GIPSON,D.R. Detroit Edison Co. 3pp. 84022:222-84022:224.

9505310197 Responds to insp rept 50-341/95-06.Corrective actions: procedure for initial training,requalification & firearms policy that defines security training requirements revised.
GIPSON,D.R. Detroit Edison Co. 95/05/23. Document Control Branch (Document Control Desk). 4pp. 84142:356-84142:359.

R. Periodic operating reports & related correspondence

9505030247 "Fermi 2 1994 Annual Radiological Environ Operating/ Monitoring Rept." W/950428 ltr.
MCKEON,R. Detroit Edison Co. 94/12/31. 125pp. 83802:172-83802:295.

9505030262 "Annual Nonradiological Environ Operating Rept 1994." W/ 950428 ltr & two oversize encl.
MCKEON,R. Detroit Edison Co. 94/12/31. 150pp. 83902:123-83902:177.

9505190235 Monthly operating rept for Apr 1995 for Fermi 2.W/950515 ltr.
STONE,B.J., GIPSON,D.R. Detroit Edison Co. 95/04/30. 4pp. 84009:323-84009:326.

S. Reportable occurrences, LERs & related correspondence

9505150198 Forwards LER 95-004.Review of post-scram feedwater logic mod will be conducted.Operator training for scram where level 2 reached will be reemphasized during operator requalification training.
GIPSON,D.R. Detroit Edison Co. 95/05/09. Document Control Branch (Document Control Desk). 2pp. 84007:205-84007:214.

--9505150201 LER 95-004-00:on 950409,unexpected reactor water level 2 & ESF actuations occurred after planned scram.Caused by selection of parameters used in post scram FW logic mod per engineering design package 9207 installed during RF04.
PENDERGAST,J.M. Detroit Edison Co. 95/05/09. 8pp. 84007:207-84007:214.

9505310471 Forwards LER 95-005 re reactor trip due to high neutron flux caused by reactor pressure transient.
GIPSON,D.R. Detroit Edison Co. 95/05/25. Document Control Branch (Document Control Desk). 2pp. 84173:018-84173:027.

--9505310478 LER 95-005-00:on 950425,reactor tripped due to high neutron flux.Caused by reactor pressure transient.Tested circuit boards to attempt further cause determination to component level.
RICHES,K. Detroit Edison Co. 95/05/25. 8pp. 84173:020-84173:027.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. KANDA,W.R. Cleveland Electric Illuminating Co. SEIZERT,R.D. Wisconsin Electric Power Co. 1p. 83758:352-83758:352.

9505310197 Responds to insp rept 50-341/95-06.Corrective actions: procedure for initial training,requalification & firearms policy that defines security training requirements revised.
GIPSON,D.R. Detroit Edison Co. 95/05/23. Document Control Branch (Document Control Desk). 4pp. 84142:356-84142:359.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9505180069 Forwards insp rept 50-344/95-05 on 950417-21 & notice of violation.Violation of NRC concern because involved security in officers not being requalified each 12 months on crucial tasks.
COLLINS,S.J. Region 4 (Post 820201). 95/05/09. QUENNOZ,S.M. Portland General Electric Co. 5pp. 83953:121-83953:139.

--9505180079 Notice of violation from insp on 950417-21.Violation noted:on 950420 three security officers had exceeded 12 month requalification dates.
* Region 4 (Post 820201). 95/05/09. 2pp. 83953:126-83953:127.

--9505180084 Insp rept 50-344/95-05 on 950417-21.Violation noted.Major areas inspected:security program plans,security program audits,mgt support,alarm station,protected area barriers & detection aids.
MURRAY,B. Region 4 (Post 820201). 95/05/09. 12pp. 83953:128-83953:139.

9505180506 Rev 3 to "Trojan Nuclear Plant Permanently Defueled Emergency Plan." W/950510 ltr.
QUENNOZ,S.M. Portland General Electric Co. PGE-1060 R03. 95/05/10. 7pp. 83992:278-83992:284.

9505310185 Ack receipt of 950328 ltr transmitting rev 3 to plant emergency plan implementing procedure 1 (EPIP 1), "Classification of Emergencies." Rev acceptable.
COLLINS,S.J. Region 4 (Post 820201). 95/05/23. QUENNOZ,S.M. Portland General Electric Co. 4pp. 84096:109-84096:112.

P. Operating license stage documents & correspondence

9109060070 Trip rept for wk of 910722 visit to plant re audit of structures & civil engineering features.
ASHAR,H. Structural & Geosciences Branch. 91/08/26. BAGCHI,G. Structural & Geosciences Branch. 146pp. 83728:163-83728:308.

9505020009 Forwards "Trojan Nuclear Plant Radioactive Effluent Release Rept for 1994" & Rev 11 to PGE-1021, "ODCM."
QUENNOZ,S.M. Portland General Electric Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83747:001-83747:282.

--9505020013 Rev 11 to PGE-1021, "ODCM."
* Portland General Electric Co. 94/12/31. 151pp. 83747:132-83747:282.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080072 Forwards Rev 18 of PGE-8010 "Portland General Electric Nuclear QA Program for TNP."
QUENNOZ,S.M. Portland General Electric Co. 95/05/01. Document Control Branch (Document Control Desk). 4pp. 83840:258-83840:266.

--9505080084 "Portland General Electric Nuclear QA Program for TNP."
* Pacific Gas & Electric Co. PGE-8010 R18. 95/05/01. 5pp. 83840:262-83840:266.

9505090078 Confirms that amend 194 to possession only license NPF-1 has been implemented.Amend 194 consisted of complete rev to Appendix A to license.
QUENNOZ,S.M. Portland General Electric Co. 95/05/01. Document Control Branch (Document Control Desk). 1p. 83910:343-83910:343.

9505180573 Requests addl info or clarification to complete NRR review of util 950126 submittal re Decommissioning Plan & Suppl to ER.
MASNIK,M.T. . 95/05/11. QUENNOZ,S.M. Portland General Electric Co. 9pp. 83988:183-83988:191.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180069 Forwards insp rept 50-344/95-05 on 950417-21 & notice of violation.Violation of NRC concern because involved security in officers not being requalified each 12 months on crucial tasks.
COLLINS,S.J. Region 4 (Post 820201). 95/05/09. QUENNOZ,S.M. Portland General Electric Co. 5pp. 83953:121-83953:139.

--9505180079 Notice of violation from insp on 950417-21.Violation noted:on 950420 three security officers had exceeded 12 month requalification dates.
* Region 4 (Post 820201). 95/05/09. 2pp. 83953:126-83953:127.

--9505180084 Insp rept 50-344/95-05 on 950417-21.Violation noted.Major areas inspected:security program plans,security program audits,mgt support,alarm station,protected area barriers & detection aids.
MURRAY,B. Region 4 (Post 820201). 95/05/09. 12pp. 83953:128-83953:139.

9505300137 Corrected memo re RSNGS ISFSI insp on 950412 & 13,Trojan Nuclear Power Station site familiarization tour on 950414 & 950515 public info meeting re decommissioning of Trojan plant site.
RADDATZ,M.G. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84120:352-84120:354.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505020004 "Operational Ecological Monitoring Program for Trojan Facility Annual Rept 1994." W/950427 ltr.
QUENNOZ,S.M. Portland General Electric Co. PGE-1009-94. 94/12/31. 75pp. 83760:015-83760:089.

9505020007 "Trojan Nuclear Plant Radiological Environ Monitoring Rept for 1994." W/ 950427 ltr.
QUENNOZ,S.M. Portland General Electric Co. PGE-1006-94. 94/12/31. 78pp. 83786:275-83786:352.

9505020009 Forwards "Trojan Nuclear Plant Radioactive Effluent Release Rept for 1994" & Rev 11 to PGE-1021, "ODCM."
QUENNOZ,S.M. Portland General Electric Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83747:001-83747:282.

--9505020011 "Trojan Nuclear Plant Radioactive Effluent Release Rept for 1994."
* Portland General Electric Co. PGE-1065-94. 94/12/31. 130pp. 83747:002-83747:131.

--**9505020013** Rev 11 to PGE-1021, "ODCM."
* Portland General Electric Co. 94/12/31. 151pp. 83747:132-83747:282.

T. Hearing transcripts on non-antitrust matters

9505230122 Transcript of 950329 public meeting on review of plant decommissioning plan.
* NRC - No Detailed Affiliation Given. 95/03/29. 146pp. 84015:085-84015:230.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505090073 Revised EPIP RA-EP-01500,rev 1, "Emergency Classification," & EPIP RA-EP-02800, "Preparation & Transport of Contaminated Injured Personnel."
* Centerior Energy. 95/05/01. 82pp. 83872:265-83872:349.

9505110317 Proposed Change 3 to Rev 3 of EPIP HS-EP-02610, "Emergency Radiological Control Organization Activation & Response."
* Centerior Energy. 95/05/03. 25pp. 83933:211-83933:235.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--**8904190115** Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

H. General correspondence

9505220101 Comment on proposed rule 10CFR50 re "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactor."
JAIN,S.C. Toledo Edison Co. 95/05/10. Docketing & Services Branch. 2pp. 83985:144-83985:145.

I. Financial information

9505230318 Provides written confirmation of Toledo Edison electronic transfer to NRC on 950502 for invoice AT0288-95 in amount of $769,250.
STETZ,J.P. Centerior Energy. 95/05/17. Document Control Branch (Document Control Desk). 1p. 84058:356-84058:356.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505240371 Rev 19 to Davis-Besse Unit 1 updated FSAR.W/950515 ltr.
STETZ,J.P. Centerior Energy. 95/05/15. 2,510pp. 84052:001-84058:326.

P. Operating license stage documents & correspondence

9505240320 FOIA request for documents re baffle removal & cutting of internals reactors at listed plants.
KATZ,D. Citizens Awareness Network. 94/10/17. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84024:181-84024:183.

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--**9505190289** Advises that J Hannon contacted listed plants who did not provide responses to Stello ltr of 870427 on restrictive language in agreement.
HANNON,J.N. NRC - No Detailed Affiliation Given. 89/08/21. QUAY,T. NRC - No Detailed Affiliation Given. 1p. 84038:121-84038:121.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090231 Forwards combined 1994 annual radiological environ operating rept/Jul-Dec 1994 effluent release rept & rev 7 to, "Davis- Besse ODCM."
STETZ,J.P. Centerior Energy. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83895:042-83896:158.

--**9505090236** "Davis-Besse Offsite Dose Calculation Manual" Rev 7.
* Centerior Energy. 95/02/03. 200pp. 83895:328-83896:158.

9505100223 Forwards amend 198 to license NPF-3 & safety evaluation. Amend revises TS 4.6.1.2.a & associated bases for TS 3/4.6.1.2 to state type A tests for overall integrated CL rate testing.
GUNDRUM,L.L. . 95/05/03. STETZ,J.P. Centerior Service Co. STETZ,J.P. Toledo Edison Co. 3pp. 83856:293-83856:303.

--**9505100237** Amend 198 to license NPF-3,revising TS 4.6.1.2a & associated bases for TS 3/4.6.1.2 to state that type A tests for overall integrated CL rate testing.
GUNDRUM,L.L. . 95/05/03. 5pp. 83856:296-83856:301.

--**9505100239** Safety evaluation supporting amend 198 to license NPF-3.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/03. 2pp. 83856:302-83856:303.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505190065 Ack receipt of 950310 ltr informing NRC of steps taken to correct violations noted in insp repts 50-346/94-16 & 50-346/94-12.First violation will be retracted.NRC concerned about weaknesses in 10CFR50.59 evaluations.
GRANT,G.E. Region 1 (Post 820201). 95/05/12. STETZ,J.P. Centerior Energy. STETZ,J.P. Toledo Edison Co. 3pp. 83973:162-83973:185.

9505240028 Forwards insp rept 50-346/95-04 on 950306-0428 & notice of deviation.
LANKSBURY,R.D. Region 3 (Post 820201). 95/05/15. STETZ,J.P. Centerior Service Co. STETZ,J.P. Toledo Edison Co. 2pp. 84020:260-84020:275.

--**9505240035** Notice of deviation from insp on 950306-0428.Deviation noted:from Mar 1993-Apr 1995,licensee did not trend 12 of 15 transmitters listed in Table 4.
* Region 3 (Post 820201). 95/05/15. 1p. 84020:262-84020:262.

--**9505240039** Insp rept 50-346/95-04 on 950306-0428.Deviations noted.Major areas inspected:plant operations,surveillance,maint,onsite engineering,plant support & licensee response to NRC Bulletin 90-01.
LANKSBURY,R.D. Region 3 (Post 820201). 95/05/15. 13pp. 84020:263-84020:275.

9505240163 Ack receipt of 950310 ltr informing NRC of steps taken to correct violations noted in insp repts 50-346/94-12 & 50-346/94-16.
GRANT,G.E. Region 3 (Post 820201). 95/05/17. STETZ,J.P. Centerior Service Co. STETZ,J.P. Toledo Edison Co. 10pp. 84022:151-84022:160.

R. Periodic operating reports & related correspondence

9505180608 Rept of faciity changes,tests & experiments for Davis-Besse Nuclear Power Station,Unit 1 for period of 930501-941115,per 10CFR50.59.W/950515 ltr.
STETZ,J.P. Centerior Energy. 94/11/15. 169pp. 84032:001-84032:169.

9505090231 Forwards combined 1994 annual radiological environ operating rept/Jul-Dec 1994 effluent release rept & rev 7 to, "Davis- Besse ODCM."
STETZ,J.P. Centerior Energy. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83895:042-83896:158.

--**9505090233** "Annual Radiological Environ Operating Rept."
* Centerior Energy. 94/12/31. 400pp. 83895:044-83895:327.

--**9505090236** "Davis-Besse Offsite Dose Calculation Manual" Rev 7.
* Centerior Energy. 95/02/03. 200pp. 83895:328-83896:158.

9505180219 Monthly operating rept for Apr 1995 for Davis-Besse Nuclear Power Plant Unit 1.W/950512 ltr.
WOLF,G.M., WOOD,J.K. Toledo Edison Co. 95/04/30. 5pp. 84013:205-84013:209.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. SIMPKINS,R.A. Centerior Energy. WEIDNER,R.C. Commonwealth Edison Co. 1p. 83758:352-83758:352.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505110044 Forwards insp repts 50-348/95-08 & 50-364/95 on 950413-0409 & notice of violation.Violation involved several examples where inadequate tagging order preparation & execution resulted in unexpected test conditions.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/02. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 83851:066-83851:095.

--**9505110052** Insp repts 50-348/95-08 & 50-364/95-08 on 950313-0409. Violations noted.Major areas inspected:maint & surveillance, physical security,fire protection & emergency preparedness & follow up of previous insp findings.
ROSS,T.M., MORGAN,M.J., SCOTT,M.A. Region 2 (Post 820201). 95/05/02. 23pp. 83851:073-83851:095.

9505180554 Forwards response to concern noted in NRC operational safeguards response evaluation rept,as requested by NRC 950405 transmittal.Response withheld per 10CFR73.21.
MOREY,D. Southern Nuclear Operating Co. 95/05/04. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84015:350-84015:350.

9505180162 Forwards SALP repts 50-348/95-99 & 50-364/95-99 for 930926-950325.Plant performance remained superior in functional areas of operations,engineering & plant support.
EBNETER,S.D. Region 2 (Post 820201). 95/05/08. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 83952:335-83952:341.

--9505180170 SALP repts 50-348/95-99 & 50-364/95-99 for 930926-950325.
* Region 2 (Post 820201). 95/05/08. 4pp. 83952:338-83952:341.

9505240006 Informs that NRC completed review of Rev 28 to plant emergency plan.Changes satisfactory & meet planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/11. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84020:012-84020:014.

9505240112 Informs of completion of review of rev 27 to plant emergency plan.Based on review of remainder of changes,rev meet planning standards of 10CFR50.47(b) & requirements of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/11. MOREY,D.N. Alabama Power Co. 3pp. 84021:196-84021:198.

9505240160 Forwards insp repts 50-348/95-06 & 50-364/95-06 on 950320-24,0404-06 & 11-12.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/12. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84022:114-84022:138.

--9505240170 Insp repts 50-348/95-06 & 50-364/95-06 on 950320-24,0404-06 & 11-12.No violations noted.Major areas inspected:review of HP activities primarily associated w/on-going Unit 2 refueling outage.
WRIGHT,F.N., RANKIN,W.H. Region 2 (Post 820201). 95/05/12. 22pp. 84022:117-84022:138.

9505310601 Rev 0 to EPIP FNP-0-EIP-8.2, "Plant Notification Roster." W/ 950524 ltr.
HUDSPETH,J.B. Southern Nuclear Operating Co. 95/05/24. 108pp. 84143:243-84143:350.

H. General correspondence

9505230121 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power." Util in total agreement w/NEI comments.
MOREY,D. Southern Nuclear Operating Co. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 84001:359-84001:360.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505230056 Forwards revised TS Bases for reactor coolant pump bus undervoltage & underfrequency.Changes result of safety evaluation which reclassified undervoltage & underfrequency reactor coolant pump bus trips.
MOREY,D. Southern Nuclear Operating Co. 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84058:339-84058:345.

--9505230062 Proposed tech specs bases for reactor coolant pump bus undervoltage & underfrequency.
* Southern Nuclear Operating Co. 95/05/15. 5pp. 84058:341-84058:345.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020140 Ack receipt of 950406 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/94-03 & 50-364/94-03.
CHRISTENSEN,H. Region 2 (Post 820201). 95/04/20. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 83690:261-83690:262.

9505020065 Forwards insp repts 50-348/95-07 & 50-364/95-07 on 950320-24 & 0328-30.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/04/21. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 83690:001-83690:022.

--9505020073 Insp repts 50-348/95-07 & 50-364/95-07 on 950320-25 & 0327- 30.No violations noted.Major areas inspected:inservice insp, flow accelerated corrosion & reactor vessel head insp & maint activities.
KLEINSORGE,W.P., BLAKE,J.J. Region 2 (Post 820201). 95/04/14. 19pp. 83690:004-83690:022.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030119 Notifies of 950519 SALP meeting to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/04/27. HILL,T. Georgia, State of. 3pp. 83721:311-83721:313.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110011 Responds to NRC 950406 ltr re violations noted in insp repts 50-348/95-05 & 50-364/95-05.Corrective actions:personnel involved coached on need to utilize self-checking to ensure actions accurate.
MOREY,D. Southern Nuclear Operating Co. 95/05/02. Document Control Branch (Document Control Desk). 5pp. 83902:352-83902:356.

9505110044 Forwards insp repts 50-348/95-08 & 50-364/95 on 950413-0409 & notice of violation.Violation involved several examples where inadequate tagging order preparation & execution resulted in unexpected test conditions.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/02. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 83851:066-83851:095.

--9505110047 Notice of violation from insp on 950313-0409.Violation noted:in Mar & Apr 1995,four examples of inadequate tagging order preparation & execution resulted in instances of improper sys configuration & clearance control.
* Region 2 (Post 820201). 95/05/02. 3pp. 83851:070-83851:072.

--9505110052 Insp repts 50-348/95-08 & 50-364/95-08 on 950313-0409. Violations noted.Major areas inspected:maint & surveillance, physical security,fire protection & emergency preparedness & follow up of previous insp findings.
ROSS,T.M., MORGAN,M.J., SCOTT,M.A. Region 2 (Post 820201). 95/05/02. 23pp. 83851:073-83851:095.

9505180162 Forwards SALP repts 50-348/95-99 & 50-364/95-99 for 930926-950325.Plant performance remained superior in functional areas of operations,engineering & plant support.
EBNETER,S.D. Region 2 (Post 820201). 95/05/08. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 83952:335-83952:341.

--9505180170 SALP repts 50-348/95-99 & 50-364/95-99 for 930926-950325.
* Region 2 (Post 820201). 95/05/08. 4pp. 83952:338-83952:341.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240249 Confirms arrangements w/H Christensen concerning mgt meeting to be conducted at facility on 950519 to discuss systematic assessment of licensee performance of Farley facility during period from 930926 to 950325.
JAUDON,J.P. Region 2 (Post 820201). 95/05/11. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84022:351-84022:352.

9505240160 Forwards insp repts 50-348/95-06 & 50-364/95-06 on 950320-24,0404-06 & 11-12.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/12. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84022:114-84022:138.

--9505240170 Insp repts 50-348/95-06 & 50-364/95-06 on 950320-24,0404-06 & 11-12.No violations noted.Major areas inspected:review of HP activities primarily associated w/on-going Unit 2 refueling outage.
WRIGHT,F.N., RANKIN,W.H. Region 2 (Post 820201). 95/05/12. 22pp. 84022:117-84022:138.

9505240256 Forwards insp repts 50-348/95-09 & 50-364/95-09 on 950410-14 & notice of deviation.Insp did not reveal violations of NRC requirements.
CASTO,C.A. Region 2 (Post 820201). 95/05/12. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84023:007-84023:021.

--9505240264 Notice of deviation from insp on 950410-14.Deviation noted: failure to include four transmitters in enhanced surveillance monitoring program.
* Region 2 (Post 820201). 95/05/12. 1p. 84023:010-84023:010.

--9505240270 Insp repts 50-348/95-09 & 50-364/95-09 on 950410-14. Violations noted.Major areas inspected:maint of instrumentation & control sys.
SALGADO,N.L., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/10. 11pp. 84023:011-84023:021.

9505240307 Ack receipt of 950502 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/95-05 & 50-364/95-05.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/12. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84023:151-84023:152.

9505230081 Advises NRC that listed four transmitters marked by asterisk replaced in accordance w/commitment in 930211 & 0407 responses to Suppl 1 to NRC Bulletin 90-001.Identifies transmitters omitted from responses.
MOREY,D. Southern Nuclear Operating Co. 95/05/15. Document Control Branch (Document Control Desk). 3pp. 84058:336-84058:338.

9505240008 Forwards corrected page of Notice of Violation of insp repts 50-348/95-05 & 50-364/95-05.Corrections made due to typographical error.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/16. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84020:015-84020:017.

--9505240308 Corrected notice of violation of insp repts 50-348/95-05 & 50-364/95-05.Corrections made due to typographical error.
* Region 2 (Post 820201). 95/05/06. 1p. 84020:017-84020:017.

9505300032 Advises of results of SALP Board review of performance of plant facility.Forwards list of all planned insp activities for remainder of SALP cycle.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/22. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84076:104-84076:106.

R. Periodic operating reports & related correspondence

9505020344 "Farley Nuclear Plant Annual Radioactive Effluent Release Rept CY94." W/950426 ltr.
MOREY,D. Southern Nuclear Operating Co. 94/12/31. 100pp. 83805:001-83805:105.

9505030185 "Annual Environ Operating Rept Part B:Radiological JM Farley Nuclear Plant Units 1 & 2 for Period Ending 941231." W/ 950426 ltr.
MOREY,D. Southern Nuclear Operating Co. 94/12/31. 62pp. 83802:296-83803:007.

9505180201 Monthly operating repts for Apr 1995 for Joseph M Farley Nuclear Plant,Units 1 & 2.W/950511 ltr.
ALLISON,S.M., WOODWARD,J.D. Southern Nuclear Operating Co. 95/04/30. 9pp. 84013:186-84013:194.

DOCKET 50-349 FUKUSHIMA STATION, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

9505150042 Responds to NRC listed ltrs re violations noted in insp repts 50-237/95-04 & 50-249/95-04.Corrective actions: training re procedural changes will be given to operations dept personnel during continuous training.
JOYCE,T.P. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 15pp. 83898:213-83898:227.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505180125 Ack receipt of 950314 correspondence re changes to plant physical security plan.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. MACFARLAND,W. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84026:338-84026:340.

9505180156 Ack receipt of 950314 correspondence re changes to plant training & qualification plan,Issue 2,Rev 0.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. MACFARLAND,W. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84030:304-84030:306.

9505150051 Forwards Rev a to "Upgraded EALs," based on methodology outlined in NUMARC/NESP-007.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 3pp. 84137:001-84137:324.

--9505150054 Rev a to "Upgraded EALs."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/26. 321pp. 84137:004-84137:324.

9505180526 Forwards Issue 2,Rev 4 to physical security plan.Encl withheld per 10CFR73.21.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/08. Document Control Branch (Document Control Desk). 1p. 84015:358-84015:359.

9505180026 Rev 4 to EPIP ERP-660, "Distribution of Thyroid Blocking Tablets." W/ 950510 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/10. 10pp. 83988:314-83988:323.

9505190206 Forwards revised TS pages to TS Change Request 89-10-0 submitted by 941202 ltr re relocation of fire protection requirements,per NRC request for clarifying info.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84009:333-84009:339.

--9505190210 Proposed tech specs re relocation of fire protection requirements.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/12. 5pp. 84009:335-84009:339.

9505310121 Forwards SALP repts 50-352/93-99 & 50-353/93-99 for period 930926-950401.No violations noted.NRC observed excellent level of performance at plant.
MARTIN,T.T. Region 1 (Post 820201). 95/05/24. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84096:072-84096:087.

--9505310123 SALP repts 50-352/93-99 & 50-353/93-99 for 930926-950401.
* Region 1 (Post 820201). 95/05/24. 10pp. 84096:078-84096:087.

I. Financial information

9505180017 "PECO Energy Co 1994 Annual Rept." W/950512 ltr.
PAQUETTE,J.F., HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 48pp. 84024:302-84024:353.

P. Operating license stage documents & correspondence

9505230066 Comment supporting proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/26. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 3pp. 84001:328-84001:330.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505120141 Submits requested info re plant NPDES Permit PA0051926.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/01. GARG,S. Pennsylvania, Commonwealth of. 3pp. 83949:359-83949:361.

9505150041 Forwards Rev 3 to Relief Request GPRR-2 which requested relief from requirements of Section XI of ASME & B&PV Code concerning accuracy of pump instrumentation.Submits info inadvertently omitted from Rev 2.
HUNGER,J.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 6pp. 83898:207-83898:212.

9505150059 Notifies NRC that Relief Request 51-VRR-1 for plant first 10 yr Interval Pump & Valve IST Program no longer needed. Request for relief from ASME B&PV Code re RHR sys to be deleted from subj program.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 1p. 83898:247-83898:247.

9505150020 Responds to 930825 ltr re util submittal of TS change request 92-13-0,for LGS,units 1 & 2.Revised TS pages describing when spray pond spray netswork piping will be drained encl,per NRC request.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/05. Document Control Branch (Document Control Desk). 3pp. 83899:054-83899:058.

--9505150027 Revised TS pages,clearly describing when Spray Pond spray network piping will be drained.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/05. 2pp. 83899:057-83899:058.

9505230029 Responds to NRC RAI re util TS Change Request 94-32-0, submitted by 940831 ltr to delete requirements of Section 3/4.3.8 for turbine overspeed protection sys.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/11. Document Control Branch (Document Control Desk). 4pp. 84039:314-84039:317.

9505190206 Forwards revised TS pages to TS Change Request 89-10-0 submitted by 941202 ltr re relocation of fire protection requirements,per NRC request for clarifying info.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84009:333-84009:339.

--9505190210 Proposed tech specs re relocation of fire protection requirements.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/12. 5pp. 84009:335-84009:339.

9505240176 Notifies NRC of changes to NPDES permit,consisting of establishment of two internal monitoring points for monitoring condenser waterbox drain down discharges to Possom Hollow Run through Outfalls 003 & 005.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/15. Document Control Branch (Document Control Desk). 11pp. 84063:333-84063:343.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505260288 Application for amends to licenses NPF-39 & NPF-85, consisting of change request 95-02,revising TS Table 3.3.3-3, "ECCS Response Times" to reflect value of 60 seconds for HPCI sys response time instead of 30 seconds.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/19. Document Control Branch (Document Control Desk). 2pp. 84101:320-84101:328.

--9505260291 Proposed tech specs,consisting of change request 95-02, revising TS Table 3.3.3-3, "ECCS Response Times" to reflect value of 60 seconds for HPCI sys response time instead of 30 seconds as specified.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/19. 7pp. 84101:322-84101:328.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. , 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505050204 Informs of ISI,IST & repair & replacement program basis for continued use of 1986 edition of ASME Section XI Code requirements.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83837:358-83837:360.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505150067 Forwards for review revised relief requests for plant from requirements of ASME B&PV Code re pressure tests for Class 1-3 sys & pressure retaining components.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 7pp. 83898:248-83898:255.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505260024 Notification of significant licensee meeting 95-50 w/util on 950602 to present results of recent SALP assessment for period 930926 to 950401 for plant.
ANDERSON,C.J. Region 1 (Post 820201). 95/05/19. Region 1 (Post 820201). 2pp. 84062:078-84062:079.

9505310121 Forwards SALP repts 50-352/93-99 & 50-353/93-99 for period 930926-950401.No violations noted.NRC observed excellent level of performance at plant.
MARTIN,T.T. Region 1 (Post 820201). 95/05/24. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84096:072-84096:087.

--9505310123 SALP repts 50-352/93-99 & 50-353/93-99 for 930926-950401.
* Region 1 (Post 820201). 95/05/24. 10pp. 84096:078-84096:087.

R. Periodic operating reports & related correspondence

9505040265 Forwards "Limerick Generating Station Units 1 & 2 Annual Radiological Operating Rept 11 Jan-Dec 1994." Operation of LGS has had no adverse impact on environ.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/28. Document Control Branch (Document Control Desk). 1p. 83833:001-83833:135.

--9505040266 "Limerick Generating Station Units 1 & 2 Annual Radiological Environ Operating Rept 11 for Jan-Dec 1994."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 126pp. 83833:002-83833:135.

9505180301 Monthly operating repts for Apr 1995 for Limerick Generating Station.W/ 950515 ltr.
HENRICKS,D.R., MUNTZ,J.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/30. 12pp. 84005:257-84005:268.

S. Reportable occurrences, LERs & related correspondence

9505100110 Discusses final rept 94-003 re OP 38TD8-1/8 CS injection pump erosion sleeve cavitation.
FRATIANNE,S.A. Coltec Industries, Inc. 95/04/25. Document Control Branch (Document Control Desk). 1p. 83875:103-83875:103.

V. Operator Examinations

9505090108 Informs that Region I can no longer participate in certificate presentations to licensed operator & SRO.Util mgt encouraged to continue efforts to recognize importance to safety required to obtain reactor operator license.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 83817:158-83817:159.

9505100026 Forwards copies of both forms of GFE section of written operator licensing exam including answer keys & grading results for util employees who took exam administered on 950405.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. HOPKINS,L. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 83828:036-83828:037.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505180125 Ack receipt of 950314 correspondence re changes to plant physical security plan.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. MACFARLAND,W. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84026:338-84026:340.

9505180156 Ack receipt of 950314 correspondence re changes to plant training & qualification plan,Issue 2,Rev 0.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. MACFARLAND,W. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84030:304-84030:306.

9505150051 Forwards Rev a to "Upgraded EALs," based on methodology outlined in NUMARC/NESP-007.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 3pp. 84137:001-84137:324.

–9505150054 Rev a to "Upgraded EALs."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/26. 321pp. 84137:004-84137:324.

9505180526 Forwards Issue 2,Rev 4 to physical security plan.Encl withheld per 10CFR73.21.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/08. Document Control Branch (Document Control Desk). 1p. 84015:358-84015:359.

9505180026 Rev 4 to EPIP ERP-660, "Distribution of Thyroid Blocking Tablets." W/950510 ltr.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/10. 10pp. 83988:314-83988:323.

9505190206 Forwards revised TS pages to TS Change Request 89-10-0 submitted by 941202 ltr re relocation of fire protection requirements,per NRC request for clarifying info.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84009:333-84009:339.

–9505190210 Proposed tech specs re relocation of fire protection requirements.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/12. 5pp. 84009:335-84009:339.

9505310121 Forwards SALP repts 50-352/93-99 & 50-353/93-99 for period 930926-950401.No violations noted.NRC observed excellent level of performance at plant.
MARTIN,T.T. Region 1 (Post 820201). 95/05/24. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84096:072-84096:087.

–9505310123 SALP repts 50-352/93-99 & 50-353/93-99 for 930926-950401.
* Region 1 (Post 820201). 95/05/24. 10pp. 84096:078-84096:087.

I. Financial information

9505180017 "PECO Energy Co 1994 Annual Rept." W/950512 ltr.
PAQUETTE,J.F. PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 48pp. 84024:302-84024:353.

P. Operating license stage documents & correspondence

9505230066 Comment supporting proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/26. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 3pp. 84001:328-84001:330.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505120141 Submits requested info re plant NPDES Permit PA0051926.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/01. GARG,S. Pennsylvania, Commonwealth of. 3pp. 83949:359-83949:361.

9505150041 Forwards Rev 3 to Relief Request GPRR-2 which requested relief from requirements of Section XI of ASME & B&PV Code concerning accuracy of pump instrumentation.Submits info inadvertently omitted from Rev 2.
HUNGER,J.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 6pp. 83898:207-83898:212.

9505150059 Notifies NRC that Relief Request 51-VRR-1 for plant first 10 yr Interval Pump & Valve IST Program no longer needed. Request for relief from ASME B&PV Code re RHR sys to be deleted from subj program.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 1p. 83898:247-83898:247.

9505150020 Responds to 930825 ltr re util submittal of TS change request 92-13-0,for LGS,units 1 & 2.Revised TS pages describing when spray pond spray netswork piping will be drained encl,per NRC request.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/05. Document Control Branch (Document Control Desk). 3pp. 83899:054-83899:058.

–9505150027 Revised TS pages,clearly describing when Spray Pond spray network piping will be drained.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/05. 2pp. 83899:057-83899:058.

9505230029 Responds to NRC RAI re util TS Change Request 94-32-0, submitted by 940831 ltr to delete requirements of Section 3/4.3.8 for turbine overspeed protection sys.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/11. Document Control Branch (Document Control Desk). 4pp. 84039:314-84039:317.

9505190206 Forwards revised TS pages to TS Change Request 89-10-0 submitted by 941202 ltr re relocation of fire protection requirements,per NRC request for clarifying info.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84009:333-84009:339.

–9505190210 Proposed tech specs re relocation of fire protection requirements.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/12. 5pp. 84009:335-84009:339.

9505240176 Notifies NRC of changes to NPDES permit,consisting of establishment of two internal monitoring points for monitoring condenser waterbox drain down discharges to Possom Hollow Run through Outfalls 003 & 005.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/15. Document Control Branch (Document Control Desk). 11pp. 84063:333-84063:343.

9505240067 Forwards "PECO Energy Co Limerick Generating Station Unit 2 Startup Rept Cycle 4."
MACFARLAND,W.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/18. Document Control Branch (Document Control Desk). 1p. 84072:135-84072:181.

–9505240073 "PECO Energy Co Limerick Generating Station Unit 2 Startup Rept Cycle 4."
GARDNER,P.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/18. 45pp. 84072:136-84072:181.

9505260288 Application for amends to licenses NPF-39 & NPF-85, consisting of change request 95-02,revising TS Table 3.3.3-3, "ECCS Response Times" to reflect value of 60 seconds for HPCI sys response time instead of 30 seconds.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/19. Document Control Branch (Document Control Desk). 2pp. 84101:320-84101:328.

–9505260291 Proposed tech specs,consisting of change request 95-02, revising TS Table 3.3.3-3, "ECCS Response Times" to reflect value of 60 seconds for HPCI sys response time instead of 30 seconds as specified.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/19. 7pp. 84101:322-84101:328.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. , 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505050204 Informs of ISI,IST & repair & replacement program basis for continued use of 1986 edition of ASME Section XI Code requirements.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83837:358-83837:360.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505150067 Forwards for review revised relief requests for plant from requirements of ASME B&PV Code re pressure tests for Class 1-3 sys & pressure retaining components.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 7pp. 83898:248-83898:255.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505250102 Forwards Books 1 & 2 of "LGS Unit 2 Summary Rept for 930317- 950219 Periodic ISI - Rept 3."
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/19. Document Control Branch (Document Control Desk). 1p. 84074:001-84075:039.

–9505250108 Books 1 & 2 of "LGS Unit 2 Summary Rept for 930317-950219 Periodic ISI - Rept 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/16. 402pp. 84074:002-84075:039.

9505260024 Notification of significant licensee meeting 95-50 w/util on 950602 to present results of recent SALP assessment for period 930926 to 950401 for plant.
ANDERSON,C.J. Region 1 (Post 820201). 95/05/19. Region 1 (Post 820201). 2pp. 84062:078-84062:079.

9505310121 Forwards SALP repts 50-352/93-99 & 50-353/93-99 for period 930926-950401.No violations noted.NRC observed excellent level of performance at plant.
MARTIN,T.T. Region 1 (Post 820201). 95/05/24. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 84096:072-84096:087.

--9505310123 SALP repts 50-352/93-99 & 50-353/93-99 for 930926-950401.
* Region 1 (Post 820201). 95/05/24. 10pp. 84096:078-84096:087.

R. Periodic operating reports & related correspondence

9505040265 Forwards "Limerick Generating Station Units 1 & 2 Annual Radiological Operating Rept 11 Jan-Dec 1994." Operation of LGS has had no adverse impact on environ.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/28. Document Control Branch (Document Control Desk). 1p. 83833:001-83833:135.

--9505040266 "Limerick Generating Station Units 1 & 2 Annual Radiological Environ Operating Rept 11 for Jan-Dec 1994."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 94/12/31. 126pp. 83833:002-83833:135.

9505180301 Monthly operating repts for Apr 1995 for Limerick Generating Station.W/ 950515 ltr.
HENRICKS,D.R., MUNTZ,J.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/04/30. 12pp. 84005:257-84005:268.

S. Reportable occurrences, LERs & related correspondence

9505100110 Discusses final rept 94-003 re OP 38TD8-1/8 CS injection pump erosion sleeve cavitation.
FRATIANNE,S.A. Coltec Industries, Inc. 95/04/25. Document Control Branch (Document Control Desk). 1p. 83875:103-83875:103.

V. Operator Examinations

9505090108 Informs that Region I can no longer participate in certificate presentations to licensed operator & SRO.Util mgt encouraged to continue efforts to recognize importance to safety required to obtain reactor operator license.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 83817:158-83817:159.

9505100026 Forwards copies of both forms of GFE section of written operator licensing exam including answer keys & grading results for util employees who took exam administered on 950405.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. HOPKINS,L. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 83828:036-83828:037.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505030053 Revised EPIPs,including rev 29 to EPIP 204H & rev 52 to EPIP-TOC-HC.
* Public Service Electric & Gas Co. of New Jersey. 95/04/10. 60pp. 83808:022-83808:078.

9505180135 Forwards insp rept 50-354/95-03 on 950305-0422.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 95/05/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 83952:236-83952:278.

--9505180145 Insp rept 50-354/95-03 on 950305-0422.No violations noted. Major areas inspected:operations,radiological controls,maint & surveillance testing,EP,security engineering/technical support & safety assessment/quality verification.
WHITE,J.R. Region 1 (Post 820201). 95/05/08. 40pp. 83952:239-83952:278.

9505180155 Forwards 950406 ltr from P McIntire to JA Momm re actions taken by State of NJ Ofc of Emergency Mgt to remediate deficiency identified by FEMA at 940524 exercise at Artificial Island.
JOYNER,J.H. Region 1 (Post 820201). 95/05/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 83952:306-83952:310.

9505240007 Revised EPIPs,including rev 3 to EPIP 401 & rev 26 to EPIP-TOC-EOF.
* Public Service Electric & Gas Co. of New Jersey. 95/05/12. 10pp. 84069:349-84069:358.

9505260029 Revised EPIPs,including rev 14 to ECG ATT 1,rev 8 to ECG ATT 2,rev 9 to ECG ATT 3,rev 8 to ECG ATT 4,rev 23 to ECG ATT 6 & 7,rev 15 to ECG ATT 8,rev 22 to ECG ATT 9,rev 41 to ECG HECG Table of Contents & rev 35 to ECG SIG ATT.
* Public Service Electric & Gas Co. of New Jersey. 95/05/21. 85pp. 84088:001-84088:085.

P. Operating license stage documents & correspondence

9505030456 Application for amend to license NPF-57,revising TS Table 4.3.7.1-1, "Radiation Monitoring Instrumentation SRs" by extending channel functional test interval from monthly to quarterly for each instrument.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/04/18. Document Control Branch (Document Control Desk). 6pp. 83793:353-83793:360.

--9505030459 Proposed tech specs Table 4.3.7.1-1, "Radiation Monitoring Instrumentation SRs," extending channel functional test interval from monthly to quarterly for each instrument.
* Public Service Electric & Gas Co. of New Jersey. 95/04/18. 2pp. 83793:359-83793:360.

9505020331 Discusses util cost beneficial licensing actions process,in response to NRC interest expressed during recent visit w/ PSE&G Board of Directors.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 95/04/19. Region 1 (Post 820201). RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 83763:354-83763:359.

9505090009 Forwards redacted version of rept re inadequate CR staffing at plant.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/04/19. Document Control Branch (Document Control Desk). 2pp. 83892:330-83892:356.

--9505090010 "Investigation of an Allegation of Inadequate CR Staffing at Hope Creek Generating Station."
* Public Service Electric & Gas Co. of New Jersey. 94/10/11. 25pp. 83892:332-83892:356.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110080 Forwards util plan re issue mgt & prioritized actions to be taken to achieve significant near term & sustained long term improvements in operational performance.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 95/05/03. MARTIN,T.T. Region 1 (Post 820201). 2pp. 83932:230-83932:310.

--9505110086 "NBU Issue Mgt & Prioritized Action Plan," dtd May 1995.
* Public Service Electric & Gas Co. of New Jersey. 95/05/31. 86pp. 83932:232-83932:310.

9505150026 Application for amend to App A of license NPF-57,increasing annual operational limit for drywell & suppression chamber purge sys from 120 h to 500 h.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/05/04. Document Control Branch (Document Control Desk). 8pp. 83898:158-83898:167.

--9505150162 Proposed tech specs re changes to section 3/4.6.1.8, "Drywell & Suppression Chamber Purge Sys." Submittal increases annual operational limit for drywell & suppression chamber purge sys from 120 h to 500 h.
* Public Service Electric & Gas Co. of New Jersey. 95/05/04. 2pp. 83898:166-83898:167.

9505190379 Forwards safety evaluation concluding that welding of SA-351,Grade CD4MCu matl for svc water pumps at plant authorized,per 10CFR50.55a(a)(3)(i).
OLSHAN,L.N. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 83991:272-83991:278.

--9505190380 Safety evaluation concluding that welding of SA-351,Grade CD4MCu matl for svc water pumps at plant authorized,per 10CFR50.55a(a)(3)(i).
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/05. 3pp. 83991:276-83991:278.

9505150170 Forwards New Jersey Pollutant Discharge Elimination Sys Permit NJ0025411 application supplement,per requirements of subsection 3.2 of plant environ protection plan, non-radiological (App B to facility OL).
THOMPSON,F.X. Public Service Electric & Gas Co. of New Jersey. 95/05/08. Document Control Branch (Document Control Desk). 131pp. 83899:281-83900:042.

9505230210 Documents proposed revs to schedules for submittal of Salem & Hope Creek Generating Stations IPE of external events repts.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/05/11. Document Control Branch (Document Control Desk). 3pp. 84049:345-84049:347.

9505190378 Forwards RAI re internal event analysis in individual plant exam.
MORAN,D.H. Project Directorate I-2 (PD1-2) Post 941001). 95/05/12. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 13pp. 83991:279-83991:291.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505150038 Forwards response to NRC 950329 ltr re violations noted in insp rept 50-354/95-01 on 950417-0304.Corrective actions: counseled appropriate personnel re lack of sufficient review of EDG TS LCO & lack of attention to detail.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/04/28. Document Control Branch (Document Control Desk). 14pp. 83943:296-83943:309.

9505150080 Informs of commitments made by plant mgt re operation of decontamination solution evaporator in response to NRC insp team investigation of 950405 event at plant concerning release of radiological matl from south vent.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 95/05/04. Document Control Branch (Document Control Desk). 3pp. 83898:256-83898:258.

9505180135 Forwards insp rept 50-354/95-03 on 950305-0422.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 95/05/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 83952:236-83952:278.

--9505180145 Insp rept 50-354/95-03 on 950305-0422.No violations noted. Major areas inspected:operations,radiological controls,maint & surveillance testing,EP,security engineering/technical support & safety assessment/quality verification.
WHITE,J.R. Region 1 (Post 820201). 95/05/08. 40pp. 83952:239-83952:278.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505020048 "Hope Creek Generating Station Annual Radioactive Effluent Release Rept RERR-17." W/950427 ltr.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. RERR-17. 94/12/31. 206pp. 83775:077-83775:282.

9505040187 "1994 Annual Environ Operating Rept (Non-Radiological),Jan through Dec 1994." W/950428 ltr.
HAGAN,J.J. Public Service Electric & Gas Co. of New Jersey. 94/12/31. 8pp. 83862:017-83862:024.

9505050075 "Radiological Environ Monitoring Program 1994 Annual Radiological Environ Operating Rept Jan-Dec 1994." W/950428 ltr.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 94/12/31. 163pp. 83863:001-83863:163.

9505180223 Monthly operating rept for Apr 1995 for Hope Creek Unit 1.W/ 950515 ltr.
LYONS,D.W., HOVEY,R.J. Public Service Electric & Gas Co. of New Jersey. 95/04/30. 9pp. 84005:352-84005:360.

S. Reportable occurrences, LERs & related correspondence

9505030198 Part 21 rept re hinge arms associated w/sixteen swing check valves mfg by Anchor-Darling Valve Co.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. 95/04/26. Document Control Branch (Document Control Desk). 13pp. 83790:025-83790:037.

V. Operator Examinations

9505090036 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 83816:152-83816:153.

9505100116 Forwards both forms of exam,answer keys,grading results & individual answer sheets for 950405 GFES section of exam administered to two individuals.Individuals passed exam.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. ORTICELLE,A. Public Service Electric & Gas Co. of New Jersey. 2pp. 83828:232-83828:233.

DOCKET 50-356 UNIV. OF ILLINOIS RESEARCH REACTOR

P. Operating license stage documents & correspondence

9505010264 Provides response to RAI dtd 940417 re LOPRA.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 95/04/24. ADAMS,A. NRC - No Detailed Affiliation Given. 2pp. 83716:356-83716:357.

9505090128 Ack receipt of 950418 ltr re licensee actions in light of fact that on 950413,NRC-licensed operator at licensee facility sought treatment for abuse of alcohol.Finds actions taken by licensee to be responsive & relevant.
WEISS,S.H. . 95/05/03. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 4pp. 83856:088-83856:091.

9505220169 Forwards notice of proposed issuance of orders authorizing disposition of components parts & terminating facility license,per 950210 application.
ADAMS,A. . 95/05/15. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 3pp. 84010:204-84010:210.

--9505220178 Notice of proposed issuance of orders authorizing disposition of component parts & terminating facility license.Order would partially dismantle low power reactor assembly.
WEISS,S.H. . 95/05/09. 4pp. 84010:207-84010:210.

V. Operator Examinations

9505240247 Informs NRC that SRO previously removed from duties,as stated in licensee 950418 ltr to NRC,has been reinstated to full duties effective 950508.
HOLM,R.L. Illinois, Univ. of, Urbana, IL. 95/05/15. ADAMS,A. NRC - No Detailed Affiliation Given. 1p. 84083:337-84083:337.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505010105 Rev 6.1 to "Emergency Plan for San Onofre Nuclear Generating Station Units 1,2 & 3." W/950426 ltr.
MARSH,W.C. Southern California Edison Co. 95/05/01. 450pp. 83715:001-83716:086.

9505100195 Rev 6.1 to "Emergency Plan For SONGS,Units 1,2 & 3."
* Southern California Edison Co. 95/05/01. 300pp. 83905:041-83906:119.

9505180067 Ack receipt of 950111 & 30 ltrs which transmitted Revs 44 & 45 to physical security plan at plant.
COLLINS,S.J. Region 4 (Post 820201). 95/05/08. RAY,H.B. Southern California Edison Co. 4pp. 83953:111-83953:116.

9505230026 Revised EPIPs,including rev 4 to SO123-VIII-1,rev 5 to SO123-VIII-1,TCN 8-3 to rev 8 to SO123-VIII-10,TCN 3-4 to rev 3 to SO123-VIII-10.1,TCN 1-3 to rev 1 to SO123-VIII-10.2 & TCN 1-2 to rev 1 to SO123-VIII-10.3.W/950512 ltr.
MARSH,W.C. Southern California Edison Co. 95/05/12. 289pp. 84041:267-84042:184.

9505240092 Responds to NRC 950412 ltr re violations noted in insp repts 50-361/95-05 & 50-362/95-05 on 950320-24.Corrective actions: replaced clerk involved & counselled access authorization staff.
ROSENBLUM,R.M. Southern California Edison Co. 95/05/18. Document Control Branch (Document Control Desk). 2pp. 84083:252-84083:253.

G. Adjudicatory correspondence

9505090283 Responds to petition dtd 940810 requesting that NRC shut down & dismantle plant.Request denied based on reasons stated in encl director's decision DD-95-06.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. DOUHERTY,T. Affiliation Not Assigned. 7pp. 83890:027-83890:045.

--9505090286 Director's decision under 10CFR2.206 re T Dougherty request that NRC shut down plant.Request denied.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. Affiliation Not Assigned. 10pp. 83890:034-83890:043.

--9505090289 Notice of issuance of director's decision under 10CFR2.206 re request for shutdown of plant.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. 2pp. 83890:044-83890:045.

I. Financial information

9505240366 Forwards cash flow statement for yr ending Dec 1994 & SCE Corp annual rept to Securities & Exchange Commission for yr ending Dec 1994.
MARSH,W.C. Southern California Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 44pp. 84068:272-84068:315.

P. Operating license stage documents & correspondence

9505030305 Forwards comments on proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
MARSH,W.C. Southern California Edison Co. 95/04/26. NRC - No Detailed Affiliation Given. 6pp. 83832:285-83832:290.

9505010137 Informs of withdrawal of four license amend applications that have been superseded by TSIP submittal.
MARSH,W.C. Southern California Edison Co. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83722:356-83722:357.

9505010156 Expresses concern w/classification from performance indicator program.
MARSH,W.C. Southern California Edison Co. 95/04/27. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 2pp. 83716:311-83716:312.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505020285 Informs that util amending 950417 ltr to withdraw portions of submittals that contain proprietary info.
MARSH,W.C. Southern California Edison Co. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83757:349-83757:350.

9505020287 Informs that util will be relocating business ofc from 23 Parker Street,Irvine,CA to San Onofre Nuclear Generating Station,San Clemente,CA on 950501.
MARSH,W.C. Southern California Edison Co. 95/04/28. Document Control Branch (Document Control Desk). 1p. 83799:356-83799:356.

9505180592 Notifies that util completed design-basis reviews,analyses, verifications,tests & insps to comply w/recommendations (a) through (h) of GL 89-10 for facility.
MARSH,W.C. Southern California Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84000:353-84000:354.

9505230112 Requests that CA Public Util Commission (CPUC) relieve CA Energy Co (Cal Energy) & Luz Intl of any cost responsibility for expenditures incurred in const of transmission line.
* Southern California Edison Co. 95/05/16. California, State of. 3pp. 84051:322-84051:324.

9505240193 Package consisting of notice of filing application 95-04-038 re proposed revenue increase due to 1995 demand-side mgt earnings claim.CA Public Utilities Commission will conduct evidentiary hearing on matter.
* Southern California Edison Co. 95/05/16. 2pp. 84083:329-84083:330.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310506 Forwards Rev 2 to "SONGS,Unit 2 Response to GL 92-01" & Rev 2 to "SONGS,Unit 3 Response to GL 92-01" re reactor vessel structural integrity.
MARSH,W.C. Southern California Edison Co. 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84142:001-84142:283.

--9505310556 Rev 2 to "SONGS,Unit 2 Response to GL 92-01."
* ATI Consulting. * Sartrex Corp. 94/05/19. 140pp. 84142:003-84142:142.

--9505310559 Rev 2 to "SONGS,Unit 3 Response to GL 92-01."
* ATI Consulting. * Sartrex Corp. 94/05/19. 140pp. 84142:143-84142:283.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030057 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. RAY,H.B. Southern California Edison Co. 5pp. 83720:286-83720:330.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090028 Forwards insp repts 50-361/95-02 & 50-362/95-02 on 950129-0311 & notice of violation.
BEACH,A.B. Region 4 (Post 820201). 95/05/03. RAY,H.B. Southern California Edison Co. 5pp. 83816:109-83816:142.

–9505090035 Notice of violation from insp on 950129-0311.Violation noted:while unit in mode 3,operators attempted to close MFIV.Valve did not fully close & nitrogen accumulator pressure reduced,making valve inoperable.
* Region 4 (Post 820201). 95/05/03. 3pp. 83816:114-83816:116.

–9505090041 Insp repts 50-361/95-02 & 50-362/95-02 on 950129-0311.No violations noted.Major areas inspected:onsite followup of events,operationsl safety verification,maint & surveillance observations & refueling activities.
WONG,H.J. Region 4 (Post 820201). 95/04/20. 26pp. 83816:117-83816:142.

9505230024 Ack receipt of 950321 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/94-25 & 50-362/94-25.
PERKINS,K.E. Region 4 (Post 820201). 95/05/03. RAY,H.B. Southern California Edison Co. 3pp. 84001:119-84001:121.

9505150242 Provides discussion of util evaluation of five listed areas, in response to NRC questions during maint reliability insp re loading capability of Unit 2 or Unit 3 following loss of voltage signal w/o coincident SIAS.
MARSH,W.C. Southern California Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 74pp. 83978:148-83978:221.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180592 Notifies that util completed design-basis reviews,analyses, verifications,tests & insps to comply w/recommendations (a) through (h) of GL 89-10 for facility.
MARSH,W.C. Southern California Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84000:353-84000:354.

9505240092 Responds to NRC 950412 ltr re violations noted in insp repts 50-361/95-05 & 50-362/95-05 on 950320-24.Corrective actions: replaced clerk involved & counselled access authorization staff.
ROSENBLUM,R.M. Southern California Edison Co. 95/05/18. Document Control Branch (Document Control Desk). 2pp. 84083:252-84083:253.

9505260432 Forwards insp repts 50-361/94-22 & 50-362/94-22 re fasteners to be used at plants,for info.
STROSNIDER,J.R. . 95/05/22. JOHNSON,S.P. Affiliation Not Assigned. 3pp. 84090:206-84090:226.

9505310443 Responds to NRC 950420 ltr re violations noted in insp repts 50-361/95-01 & 50-362/95-01 on 950130-0314.Corrective actions:SONGS locks have been placed on switchyard vehicle access gates.
KRIEGER,R.W. Southern California Edison Co. 95/05/22. Document Control Branch (Document Control Desk). 3pp. 84145:162-84145:164.

R. Periodic operating reports & related correspondence

9505040122 "San Onofre Nuclear Generating Station Annual Radioactive Effluent Release Rept Jan-Dec 1994." W/950426 ltr.
MARSH,W.C. Southern California Edison Co. 94/12/31. 476pp. 83794:001-83795:112.

9505040259 "Annual Radiological Environ Operating Rept for 1994 San Onofre Nuclear Generating Station Units 1,2 & 3." W/950426 ltr.
GOEDERS,M., MARSH,W.C. Southern California Edison Co. 94/12/31. 195pp. 83861:184-83862:014.

9505080238 Provides Annual Personnel Monitoring Rept for 1994 per 10CFR20.2206 & sections 6.9.1.5 of app A,TS to licenses DPR-13,NPF-10 & NPF-15 for plant.Disk withheld.
MARSH,W.C. Southern California Edison Co. 95/04/26. Document Control Branch (Document Control Desk). 1p. 83873:093-83873:095.

9505220300 Monthly operating repts for Apr 1995 for SONGS,Units 2 & 3. W/950512 ltr.
KAPLAN,R.L., MARSH,W.C. Southern California Edison Co. 95/04/30. 13pp. 84039:229-84039:241.

S. Reportable occurrences, LERs & related correspondence

9505240268 Part 21 rept re mismarked AMP 12-10 insulated lugs at SONGS. All AMP lugs currently in inventory at ABB Distribution Sys Div inspected for discrepancy on 950503.No mismarked lugs found.Training also held w/QA personnel on finding.
JACKSON,A., HAGENHOFF,N. ASEA Brown Boveri, Inc. 95/04/13. NRC - No Detailed Affiliation Given. 6pp. 84078:091-84078:096.

9505090013 Part 21 rept re mismarked AMP 12-10 insulated lugs at San Onofre Plant.Lugs oversize but have not failed & of no immediate reliability concern.Caused by mfg error in marking equipment.Lugs in inventory inspected & none mismarked.
STONE,D. ASEA Brown Boveri, Inc. 95/05/03. NRC - No Detailed Affiliation Given. 4pp. 83924:032-83924:035.

9505150181 Forwards LER 95-005 re reduction of pressurizer level due to valve alignment error.
KRIEGER,R.W. Southern California Edison Co. 95/05/08. Document Control Branch (Document Control Desk). 1p. 83985:281-83985:285.

–9505150183 LER 95-005-00:on 950406,loss of pressurizer level occurred due to valve alignment error.Terminated event at 0207 when licensee reclosed mini-flow isolation valves.
KRIEGER,R.W. Southern California Edison Co. 95/05/08. 4pp. 83985:282-83985:285.

9505150185 Forwards LER 95-006 re reactor coolant sys dissolved oxygen out of specification.
KRIEGER,R.W. Southern California Edison Co. 95/05/08. Document Control Branch (Document Control Desk). 1p. 84007:191-84007:194.

–9505150187 LER 95-006-00:on 950406,RCS dissolved Oxygen found out of specification.Caused by failure to follow procedure.Returned oxygen level to below TS steady state limit by addition of hydrazine.
KRIEGER,R.W. Southern California Edison Co. 95/05/08. 3pp. 84007:192-84007:194.

9505150189 Forwards LER 95-008 re TS 3.0.3 entry due to inoperable containment emergency cooling fans.
KRIEGER,R.W. Southern California Edison Co. 95/05/09. Document Control Branch (Document Control Desk). 1p. 84007:195-84007:198.

–9505150193 LER 95-008-00:on 950412,TS 3.0.3 entry occurred due to inoperable containment emergency cooling fans.Removed fan immediately upon discovery.
KRIEGER,R.W. Southern California Edison Co. 95/05/09. 3pp. 84007:196-84007:198.

9505310286 Forwards LER 95-004 re discovery of inoperable non-SR fire sprinkler sys.
KRIEGER,R.W. Southern California Edison Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84162:073-84162:077.

–9505310297 LER 95-004-00:on 941114,valve release weight stuck & did not drop upon electronic actuation & valve did not open as required.Replaced incorrectly mfg weight switch on 950126 & ensured correct positioning.
KRIEGER,R.W. Southern California Edison Co. 94/11/14. 4pp. 84162:074-84162:077.

V. Operator Examinations

9505050019 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam administered on 950405.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. RAY,H.B. Southern California Edison Co. 2pp. 83758:056-83758:057.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505010105 Rev 6.1 to "Emergency Plan for San Onofre Nuclear Generating Station Units 1,2 & 3." W/950426 ltr.
MARSH,W.C. Southern California Edison Co. 95/05/01. 450pp. 83715:001-83716:086.

9505100195 Rev 6.1 to "Emergency Plan For SONGS,Units 1,2 & 3."
* Southern California Edison Co. 95/05/01. 300pp. 83905:041-83906:119.

9505180067 Ack receipt of 950111 & 30 ltrs which transmitted Revs 44 & 45 to physical security plan at plant.
COLLINS,S.J. Region 4 (Post 820201). 95/05/08. RAY,H.B. Southern California Edison Co. 4pp. 83953:111-83953:116.

9505230026 Revised EPIPs,including rev 4 to SO123-VIII-1,rev 5 to SO123-VIII-1,TCN 8-3 to rev 8 to SO123-VIII-10,TCN 3-4 to rev 3 to SO123-VIII-10.1,TCN 1-3 to rev 1 to SO123-VIII-10.2 & TCN 1-2 to rev 1 to SO123-VIII-10.3.W/950512 ltr.
MARSH,W.C. Southern California Edison Co. 95/05/12. 289pp. 84041:267-84042:184.

9505240092 Responds to NRC 950412 ltr re violations noted in insp repts 50-361/95-05 & 50-362/95-05 on 950320-24.Corrective actions: replaced clerk involved & counselled access authorization staff.
ROSENBLUM,R.M. Southern California Edison Co. 95/05/18. Document Control Branch (Document Control Desk). 2pp. 84083:252-84083:253.

G. Adjudicatory correspondence

9505090283 Responds to petition dtd 940810 requesting that NRC shut down & dismantle plant.Request denied based on reasons stated in encl director's decision DD-95-06.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. DOUHERTY,T. Affiliation Not Assigned. 7pp. 83890:027-83890:045.

–9505090286 Director's decision under 10CFR2.206 re T Dougherty request that NRC shut down plant.Request denied.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. Affiliation Not Assigned. 10pp. 83890:034-83890:043.

–9505090289 Notice of issuance of director's decision under 10CFR2.206 re request for shutdown of plant.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. 2pp. 83890:044-83890:045.

I. Financial information

9505240366 Forwards cash flow statement for yr ending Dec 1994 & SCE Corp annual rept to Securities & Exchange Commission for yr ending Dec 1994.
MARSH,W.C. Southern California Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 44pp. 84068:272-84068:315.

P. Operating license stage documents & correspondence

9505030305 Forwards comments on proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
MARSH,W.C. Southern California Edison Co. 95/04/26. NRC - No Detailed Affiliation Given. 6pp. 83832:285-83832:290.

9505010137 Informs of withdrawal of four license amend applications that have been superseded by TSIP submittal.
MARSH,W.C. Southern California Edison Co. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83722:356-83722:357.

9505010156 Expresses concern w/classification from performance indicator program.
MARSH,W.C. Southern California Edison Co. 95/04/27. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 2pp. 83716:311-83716:312.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505020285 Informs that util amending 950417 ltr to withdraw portions of submittals that contain proprietary info.
MARSH,W.C. Southern California Edison Co. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83757:349-83757:350.

9505020287 Informs that util will be relocating business ofc from 23 Parker Street,Irvine,CA to San Onofre Nuclear Generating Station,San Clemente,CA on 950501.
MARSH,W.C. Southern California Edison Co. 95/04/28. Document Control Branch (Document Control Desk). 1p. 83799:356-83799:356.

9505230112 Requests that CA Public Util Commission (CPUC) relieve CA Energy Co (Cal Energy) & Luz Intl of any cost responsibility for expenditures incurred in const of transmission line.
* Southern California Edison Co. 95/05/16. California, State of. 3pp. 84051:322-84051:324.

9505240193 Package consisting of notice of filing application 95-04-038 re proposed revenue increase due to 1995 demand-side mgt earnings claim.CA Public Utilities Commission will conduct evidentiary hearing on matter.
* Southern California Edison Co. 95/05/16. 2pp. 84083:329-84083:330.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240062 Informs NRC of util planned course of action to address inoperability of plant RCS RWL probe during Unit 3 Cycle 8 & 9 refueling outages.
MARSH,W.C. Southern California Edison Co. 95/05/19. Document Control Branch (Document Control Desk). 8pp. 84073:129-84073:136.

9505310506 Forwards Rev 2 to "SONGS,Unit 2 Response to GL 92-01" & Rev 2 to "SONGS,Unit 3 Response to GL 92-01" re reactor vessel structural integrity.
MARSH,W.C. Southern California Edison Co. 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84142:001-84142:283.

--**9505310559** Rev 2 to "SONGS,Unit 3 Response to GL 92-01."
* ATI Consulting. * Sartrex Corp. 94/05/19. 140pp. 84142:143-84142:283.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030057 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. RAY,H.B. Southern California Edison Co. 5pp. 83720:286-83720:330.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090028 Forwards insp repts 50-361/95-02 & 50-362/95-02 on 950129-0311 & notice of violation.
BEACH,A.B. Region 4 (Post 820201). 95/05/03. RAY,H.B. Southern California Edison Co. 5pp. 83816:109-83816:142.

--**9505090035** Notice of violation from insp on 950129-0311.Violation noted:while unit in mode 3,operators attempted to close MFIV.Valve did not fully close & nitrogen accumulator pressure reduced,making valve inoperable.
* Region 4 (Post 820201). 95/05/03. 3pp. 83816:114-83816:116.

--**9505090041** Insp repts 50-361/95-02 & 50-362/95-02 on 950129-0311.No violations noted.Major areas inspected:onsite followup of events,operationsl safety verification,maint & surveillance observations & refueling activities.
WONG,H.J. Region 4 (Post 820201). 95/04/20. 26pp. 83816:117-83816:142.

9505230024 Ack receipt of 950321 ltr informing NRC of steps taken to correct violations noted in insp repts 50-361/94-25 & 50-362/94-25.
PERKINS,K.E. Region 4 (Post 820201). 95/05/03. RAY,H.B. Southern California Edison Co. 3pp. 84001:119-84001:121.

9505150242 Provides discussion of util evaluation of five listed areas, in response to NRC questions during maint reliability insp re loading capability of Unit 2 or Unit 3 following loss of voltage signal w/o coincident SIAS.
MARSH,W.C. Southern California Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 74pp. 83978:148-83978:221.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240092 Responds to NRC 950412 ltr re violations noted in insp repts 50-361/95-05 & 50-362/95-05 on 950320-24.Corrective actions: replaced clerk involved & counselled access authorization staff.
ROSENBLUM,R.M. Southern California Edison Co. 95/05/18. Document Control Branch (Document Control Desk). 2pp. 84083:252-84083:253.

9505260432 Forwards insp repts 50-361/94-22 & 50-362/94-22 re fasteners to be used at plants,for info.
STROSNIDER,J.R. . 95/05/22. JOHNSON,S.P. Affiliation Not Assigned. 3pp. 84090:206-84090:226.

9505310443 Responds to NRC 950420 ltr re violations noted in insp repts 50-361/95-01 & 50-362/95-01 on 950130-0314.Corrective actions:SONGS locks have been placed on switchyard vehicle access gates.
KRIEGER,R.W. Southern California Edison Co. 95/05/22. Document Control Branch (Document Control Desk). 3pp. 84145:162-84145:164.

R. Periodic operating reports & related correspondence

9505040122 "San Onofre Nuclear Generating Station Annual Radioactive Effluent Release Rept Jan-Dec 1994." W/950426 ltr.
MARSH,W.C. Southern California Edison Co. 94/12/31. 476pp. 83794:001-83795:112.

9505040259 "Annual Radiological Environ Operating Rept for 1994 San Onofre Nuclear Generating Station Units 1,2 & 3." W/950426 ltr.
GOEDERS,M., MARSH,W.C. Southern California Edison Co. 94/12/31. 195pp. 83861:184-83862:014.

9505220300 Monthly operating repts for Apr 1995 for SONGS,Units 2 & 3. W/950512 ltr.
KAPLAN,R.L., MARSH,W.C. Southern California Edison Co. 95/04/30. 13pp. 84039:229-84039:241.

S. Reportable occurrences, LERs & related correspondence

9505240268 Part 21 rept re mismarked AMP 12-10 insulated lugs at SONGS. All AMP lugs currently in inventory at ABB Distribution Sys Div inspected for discrepancy on 950503.No mismarked lugs found.Training also held w/QA personnel on finding.
JACKSON,A., HAGENHOFF,N. ASEA Brown Boveri, Inc. 95/04/13. NRC - No Detailed Affiliation Given. 6pp. 84078:091-84078:096.

9505090013 Part 21 rept re mismarked AMP 12-10 insulated lugs at San Onofre Plant.Lugs oversize but have not failed & of no immediate reliability concern.Caused by mfg error in marking equipment.Lugs in inventory inspected & none mismarked.
STONE,D. ASEA Brown Boveri, Inc. 95/05/03. NRC - No Detailed Affiliation Given. 4pp. 83924:032-83924:035.

V. Operator Examinations

9505050019 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam administered on 950405.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. RAY,H.B. Southern California Edison Co. 2pp. 83758:056-83758:057.

DOCKET 50-363 FORKED RIVER NUCLEAR STATION, UNIT 1

R. Periodic operating reports & related correspondence

9505080238 Provides Annual Personnel Monitoring Rept for 1994 per 10CFR20.2206 & sections 6.9.1.5 of app A,TS to licenses DPR-13,NPF-10 & NPF-15 for plant.Disk withheld.
MARSH,W.C. Southern California Edison Co. 95/04/26. Document Control Branch (Document Control Desk). 1p. 83873:093-83873:095.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505110044 Forwards insp repts 50-348/95-08 & 50-364/95 on 950413-0409 & notice of violation.Violation involved several examples where inadequate tagging order preparation & execution resulted in unexpected test conditions.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/02. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 83851:066-83851:095.

--**9505110052** Insp repts 50-348/95-08 & 50-364/95-08 on 950313-0409. Violations noted.Major areas inspected:maint & surveillance, physical security,fire protection & emergency preparedness & follow up of previous insp findings.
ROSS,T.M., CHRISTENSEN,H. Region 2 (Post 820201). 95/05/02. 23pp. 83851:073-83851:095.

9505180554 Forwards response to concern noted in NRC operational safeguards response evaluation rept,as requested by NRC 950405 transmittal.Response withheld per 10CFR73.21.
MOREY,D. Southern Nuclear Operating Co. 95/05/04. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84015:350-84015:350.

9505180162 Forwards SALP repts 50-348/95-99 & 50-364/95-99 for 930926-950325.Plant performance remained superior in functional areas of operations,engineering & plant support.
EBNETER,S.D. Region 2 (Post 820201). 95/05/08. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 83952:335-83952:341.

--**9505180170** SALP repts 50-348/95-99 & 50-364/95-99 for 930926-950325.
* Region 2 (Post 820201). 95/05/08. 4pp. 83952:338-83952:341.

9505240006 Informs that NRC completed review of Rev 28 to plant emergency plan.Changes satisfactory & meet planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/11. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84020:012-84020:014.

9505240112 Informs of completion of review of rev 27 to plant emergency plan.Based on review of remainder of changes,rev meet planning standards of 10CFR50.47(b) & requirements of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/11. MOREY,D.N. Alabama Power Co. 3pp. 84021:196-84021:198.

9505240160 Forwards insp repts 50-348/95-06 & 50-364/95-06 on 950320-24,0404-06 & 11-12.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/12. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84022:114-84022:138.

--9505240170 Insp repts 50-348/95-06 & 50-364/95-06 on 950320-24,0404-06 & 11-12.No violations noted.Major areas inspected:review of HP activities primarily associated w/on-going Unit 2 refueling outage.
WRIGHT,F.N. Region 2 (Post 820201). 95/05/12. 22pp. 84022:117-84022:138.

9505310601 Rev 0 to EPIP FNP-0-EIP-8.2, "Plant Notification Roster." W/ 950524 ltr.
HUDSPETH,J.B. Southern Nuclear Operating Co. 95/05/24. 108pp. 84143:243-84143:350.

H. General correspondence

9505230121 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power." Util in total agreement w/NEI comments.
MOREY,D. Southern Nuclear Operating Co. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 84001:359-84001:360.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505230056 Forwards revised TS Bases for reactor coolant pump bus undervoltage & underfrequency.Changes result of safety evaluation which reclassified undervoltage & underfrequency reactor coolant pump bus trips.
MOREY,D. Southern Nuclear Operating Co. 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84058:339-84058:345.

--9505230062 Proposed tech specs bases for reactor coolant pump bus undervoltage & underfrequency.
* Southern Nuclear Operating Co. 95/05/15. 5pp. 84058:341-84058:345.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020140 Ack receipt of 950406 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/94-03 & 50-364/94-03.
CHRISTENSEN,H. Region 2 (Post 820201). 95/04/20. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 83690:261-83690:262.

9505020065 Forwards insp repts 50-348/95-07 & 50-364/95-07 on 950320-24 & 0328-30.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/04/21. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 83690:001-83690:022.

--9505020073 Insp repts 50-348/95-07 & 50-364/95-07 on 950320-25 & 0327- 30.No violations noted.Major areas inspected:inservice insp, flow accelerated corrosion & reactor vessel head insp & maint activities.
KLEINSORGE,W.P., BLAKE,J.J. Region 2 (Post 820201). 95/04/14. 19pp. 83690:004-83690:022.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030119 Notifies of 950519 SALP meeting to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/04/27. HILL,T. Georgia, State of. 3pp. 83721:311-83721:313.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110011 Responds to NRC 950406 ltr re violations noted in insp repts 50-348/95-05 & 50-364/95-05.Corrective actions:personnel involved coached on need to utilize self-checking to ensure actions accurate.
MOREY,D. Southern Nuclear Operating Co. 95/05/02. Document Control Branch (Document Control Desk). 5pp. 83902:352-83902:356.

9505110044 Forwards insp repts 50-348/95-08 & 50-364/95 on 950413-0409 & notice of violation.Violation involved several examples where inadequate tagging order preparation & execution resulted in unexpected test conditions.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/02. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 83851:066-83851:095.

--9505110047 Notice of violation from insp on 950313-0409.Violation noted:in Mar & Apr 1995,four examples of inadequate tagging order preparation & execution resulted in instances of improper sys configuration & clearance control.
* Region 2 (Post 820201). 95/05/02. 3pp. 83851:070-83851:072.

--9505110052 Insp repts 50-348/95-08 & 50-364/95-08 on 950313-0409. Violations noted.Major areas inspected:maint & surveillance, physical security,fire protection & emergency preparedness & follow up of previous insp findings.
ROSS,T.M., MORGAN,M.J., SCOTT,M.A. Region 2 (Post 820201). 95/05/02. 23pp. 83851:073-83851:095.

9505180162 Forwards SALP repts 50-348/95-99 & 50-364/95-99 for 930926-950325.Plant performance remained superior in functional areas of operations,engineering & plant support.
EBNETER,S.D. Region 2 (Post 820201). 95/05/08. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 83952:335-83952:341.

--9505180170 SALP repts 50-348/95-99 & 50-364/95-99 for 930926-950325.
* Region 2 (Post 820201). 95/05/08. 4pp. 83952:338-83952:341.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240249 Confirms arrangements w/H Christensen concerning mgt meeting to be conducted at facility on 950519 to discuss systematic assessment of licensee performance of Farley facility during period from 930926 to 950325.
JAUDON,J.P. Region 2 (Post 820201). 95/05/11. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84022:351-84022:352.

9505240160 Forwards insp repts 50-348/95-06 & 50-364/95-06 on 950320-24,0404-06 & 11-12.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/12. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84022:114-84022:138.

--9505240170 Insp repts 50-348/95-06 & 50-364/95-06 on 950320-24,0404-06 & 11-12.No violations noted.Major areas inspected:review of HP activities primarily associated w/on-going Unit 2 refueling outage.
WRIGHT,F.N., RANKIN,W.H. Region 2 (Post 820201). 95/05/12. 22pp. 84022:117-84022:138.

9505240256 Forwards insp repts 50-348/95-09 & 50-364/95-09 on 950410-14 & notice of deviation.Insp did not reveal violations of NRC requirements.
CASTO,C.A. Region 2 (Post 820201). 95/05/12. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84023:007-84023:021.

--9505240264 Notice of deviation from insp on 950410-14.Deviation noted: failure to include four transmitters in enhanced surveillance monitoring program.
* Region 2 (Post 820201). 95/05/12. 1p. 84023:010-84023:010.

--9505240270 Insp repts 50-348/95-09 & 50-364/95-09 on 950410-14. Violations noted.Major areas inspected:maint of instrumentation & control sys.
SALGADO,N.L., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/10. 11pp. 84023:011-84023:021.

9505240307 Ack receipt of 950502 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/95-05 & 50-364/95-05.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/12. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84023:151-84023:152.

9505230081 Advises NRC that listed four transmitters marked by asterisk replaced in accordance w/commitment in 930211 & 0407 responses to Suppl 1 to NRC Bulletin 90-001.Identifies transmitters omitted from responses.
MOREY,D. Southern Nuclear Operating Co. 95/05/15. Document Control Branch (Document Control Desk). 3pp. 84058:336-84058:338.

9505240008 Forwards corrected page of Notice of Violation of insp repts 50-348/95-05 & 50-364/95-05.Corrections made due to typographical error.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/16. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 84020:015-84020:017.

9505300032 Advises of results of SALP Board review of performance of plant facility.Forwards list of all planned insp activities for remainder of SALP cycle.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/22. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 84076:104-84076:106.

R. Periodic operating reports & related correspondence

9505020344 "Farley Nuclear Plant Annual Radioactive Effluent Release Rept CY94." W/950426 ltr.
MOREY,D. Southern Nuclear Operating Co. 94/12/31. 100pp. 83805:001-83805:105.

9505030185 "Annual Environ Operating Rept Part B:Radiological JM Farley Nuclear Plant Units 1 & 2 for Period Ending 941231." W/ 950426 ltr.
MOREY,D. Southern Nuclear Operating Co. 94/12/31. 62pp. 83802:296-83803:007.

9505180201 Monthly operating repts for Apr 1995 for Joseph M Farley Nuclear Plant,Units 1 & 2.W/950511 ltr.
ALLISON,S.M., WOODWARD,J.D. Southern Nuclear Operating Co. 95/04/30. 9pp. 84013:186-84013:194.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505090105 Forwards quarterly safeguards event log for Edwin I. Hatch Nuclear Plant,per 10CFR73.71(c)(2).
BECKHAM,J.T. Georgia Power Co. 95/05/01. Document Control Branch (Document Control Desk). 33pp. 83865:272-83865:304.

9505300119 Forwards insp repts 50-321/95-09 & 50-366/95-09 on 950417-21 & notice of vioaltion.
BARR,K.P. Region 2 (Post 820201). 95/05/19. BECKHAM,J.T. Georgia Power Co. 4pp. 84077:288-84077:304.

--**9505300129** Insp repts 50-321/95-09 & 50-366/95-09 on 950417-21. Violations noted.Major areas inspected:site emergency preparedness program through review of listed implementing procedures.
KREH,J.L. Region 2 (Post 820201). 95/05/19. 11pp. 84077:294-84077:304.

G. Adjudicatory correspondence

9505180560 Memorandum (CLI-95-05).* No judgement on whether it would be lawful or appropriate at this stage of proceeding for staff to make finding of NSHC.W/Certificate of Svc.Served on 950511.Re-served on 950512.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16710. 95/05/11. 7pp. 83970:269-83970:275.

H. General correspondence

9505230184 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power." Requests that NRC to expedite promulgation of option B rule.
MCCOY,C.K. Georgia Power Co. 95/05/05. Document Control Branch (Document Control Desk). 2pp. 84002:036-84002:037.

P. Operating license stage documents & correspondence

9505240323 First partial response to FOIA request for documents.App A documents already available in PDR.App B documents encl & placed in PDR.
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. KATZ,D. Citizens Awareness Network. 3pp. 84024:184-84024:300.

--**9409070271** Discusses core shroud repair at Brunswick plants & same repair to be undertaken at Hatch Plants.Details discussed include dose info,repair methods,time to complete repairs, cost & insp.W/encl.
CALVO,J.A. Division of Radiation Safety & Safeguards (Post 921004). 94/08/23. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 113pp. 84024:187-84024:300.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080021 Requests that 950314 util temporary request to revise TSs re drywell & wetwell purge valves be withdrawn.
BECKHAM,J.T. Georgia Power Co. 95/05/01. Document Control Branch (Document Control Desk). 2pp. 83864:355-83864:356.

9505090221 Application for amend to licenses DPR-57 & NPF-5,minimizing thermal stratification events.
BECKHAM,J.T. Georgia Power Co. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 83892:292-83892:329.

--**9505090223** Proposed tech specs,minimizing thermal stratification events.
* Georgia Power Co. 95/05/04. 36pp. 83892:294-83892:329.

9505240315 Forwards notice of withdrawal of application for amend to license NPF-5 per licensee request dtd 950501.
JABBOUR,K.N. . 95/05/18. BECKHAM,J.T. Georgia Power Co. 3pp. 84059:215-84059:219.

--**9505240330** Notice of withdrawal of application for amend to license NPF-5.
JABBOUR,K.N. . 95/05/18. 2pp. 84059:218-84059:219.

9505240358 Forwards second RAI re power uprate program for plant,which proposed to increase authorized max power level to 2,558 from current limit of 2,436 MWt.Response requested within 30 days from date of ltr.
JABBOUR,K.N. . 95/05/18. BECKHAM,J.T. Georgia Power Co. 5pp. 84049:340-84049:344.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020087 Ack receipt of 940421 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/94-01 & 50-366/94-01.Violation 94-01-09 will be withdrawn.
GIBSON,A.F. Region 2 (Post 820201). 95/04/17. BECKHAM,J.T. Georgia Power Co. 3pp. 83690:081-83690:083.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180093 Advises of changes to present insp activities as result of recent performance review at plant to determine if insp effort for rest of current SALP cycle should be revised before end date of 950527.
SKINNER,P.H. Region 2 (Post 820201). 95/04/28. BECKHAM,J.T. Georgia Power Co. 4pp. 83953:223-83953:226.

9505110168 Forwards insp repts 50-321/95-02 & 50-366/95-02 on 950213- 17.No violations or deviations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/05. BECKHAM,J.T. Georgia Power Co. 3pp. 83851:287-83851:312.

--**9505110172** Insp repts 50-321/95-02 & 50-366/95-02 on 950213-0406.No violations noted.Major areas inspected:licensee completion of implementation of commitments made in response to GL 89-10.
GIRARD,E., CASTO,C. Region 2 (Post 820201). 95/05/05. 23pp. 83851:290-83851:312.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240184 Forwards insp repts 50-321/95-06 & 50-366/95-06 on 950305-0415.No violations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/11. BECKHAM,J.T. Georgia Power Co. 3pp. 84022:225-84022:253.

--**9505240187** Insp repts 50-321/95-06 & 50-366/95-06 on 950305-0415.No violations noted.Major areas inspected:plant operations, maint,engineering,plant support & insp of open items.
HOLBROOK,B.L., CHRISTNOT,E.F., SKINNER,P.H. Region 2 (Post 820201). 95/05/10. 26pp. 84022:228-84022:253.

9505300044 Forwards insp repts 50-321/95-07 & 50-366/95-07 on 950403-07 & 17-21.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/19. BECKHAM,J.T. Georgia Power Co. 3pp. 84076:121-84076:141.

--**9505300048** Insp repts 50-321/95-07 & 50-366/95-07 on 950403-07 & 17-21. No violations noted.Major areas inspected:engineering & technical support activities.
WISEMAN,G., SHYMLOCK,M.B. Region 2 (Post 820201). 95/05/18. 18pp. 84076:124-84076:141.

9505300119 Forwards insp repts 50-321/95-09 & 50-366/95-09 on 950417-21 & notice of vioaltion.
BARR,K.P. Region 2 (Post 820201). 95/05/19. BECKHAM,J.T. Georgia Power Co. 4pp. 84077:288-84077:304.

--**9505300125** Notice of violation from insp on 950417-21.Violation noted: licensee failed to conduct after hours annual exercise during 6-yr period,1988 - 1993.
* Region 2 (Post 820201). 95/05/19. 2pp. 84077:292-84077:293.

--**9505300129** Insp repts 50-321/95-09 & 50-366/95-09 on 950417-21. Violations noted.Major areas inspected:site emergency preparedness program through review of listed implementing procedures.
KREH,J.L., BARR,K.P. Region 2 (Post 820201). 95/05/19. 11pp. 84077:294-84077:304.

R. Periodic operating reports & related correspondence

9505110258 Monthly operating rept for Apr 1995 for El Hatch Nuclear Plant.W/950505 ltr.
BEARD,R.M., BECKHAM,J.T. Georgia Power Co. 95/04/30. 13pp. 83933:117-83933:129.

S. Reportable occurrences, LERs & related correspondence

9505090186 LER 95-001-00:on 950411,personnel error resulted in automatic reactor shutdown.Operator was disciplined under util positive discipline program.W/950504 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 95/05/04. 7pp. 83924:046-83924:052.

9505120152 LER 95-002-00:on 950417,personnel error resulted in missed surveillance of suppression chamber to drywell vacuum breakers.Performed surveillance & counselled involved personnel.W/950504 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 95/05/04. 5pp. 83938:321-83938:325.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9505050278 Forwards amends 180 & 161 to licenses DPR-51 & NPF-6. Amend revises requirements re site perimeter security sys.
KALMAN,G. . 95/04/28. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 83822:284-83822:296.

--**9505050284** Amends 180 & 161 to licenses DPR-51 & NPF-6,respectively, revising requirements re site perimeter security sys.
KALMAN,G. . 95/04/28. 8pp. 83822:287-83822:294.

--**9505050288** Safety evaluation supporting amends 180 & 161 to licenses DPR-51 & NPF-6,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 2pp. 83822:295-83822:296.

9505050007 Ack receipt of 950303 ltr which transmitted Rev 19 to Arkansas Nuclear One Emergency Plan.Informs that changes to plan,acceptable.
COLLINS,S.J. Region 4 (Post 820201). 95/05/02. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 83758:020-83758:023.

9505180509 Rev 5 to procedure/work plan 1905.004, "EOF Radiological Controls."
COTON,S.R. Entergy Operations, Inc. 95/05/05. 19pp. 83992:259-83992:277.

9505180522 Rev 4 to procedure/work plan 1905.031, "Airborne I-131 Determination Using RM-14.HP-210."
COTTON,S.R. Entergy Operations, Inc. 95/05/05. 6pp. 84015:302-84015:307.

9505180524 Rev 9 to procedure/work plan 1903.034, "EOF Evacuation."
COTTON,S.R. Entergy Operations, Inc. 95/05/05. 19pp. 84015:308-84015:326.

9505250241 Rev 6 to procedure/work plan 1903.064, "Emergency Response Facility - CR."
COTTON,S.R. Entergy Operations, Inc. 95/05/16. 20pp. 84086:338-84086:357.

9505250244 Rev 13 to procedure/work plan 1905.002, "Offsite Emergency Monitoring."
COTTON,S.R. Entergy Operations, Inc. 95/05/16. 37pp. 84085:311-84085:347.

9505250247 Rev 31 to procedure/work plan 1903.060, "Emergency Supplies & Equipment."
COTTON,S.R. Entergy Operations, Inc. 95/05/16. 70pp. 84085:191-84085:260.

I. Financial information

9505100044 "1994 Annual Rept," for Entergy Operations,Inc.W/950504 ltr.
MIMS,D.C. Entergy Operations, Inc. 94/12/31. 59pp. 83947:202-83947:265.

J. Insurance & indemnity information

9505310091 Forwards Nuclear Mutual Ltd Certificate P95-045.
MIMS,D.C. Entergy Operations, Inc. 95/05/23. Document Control Branch (Document Control Desk). 5pp. 84145:274-84145:278.

P. Operating license stage documents & correspondence

9505030163 Submits drug testing lab performance rept.
MIMS,D.C. Entergy Operations, Inc. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83832:269-83832:271.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050278 Forwards amends 180 & 161 to licenses DPR-51 & NPF-6. Amend revises requirements re site perimeter security sys.
KALMAN,G. . 95/04/28. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 83822:284-83822:296.

–9505050284 Amends 180 & 161 to licenses DPR-51 & NPF-6,respectively, revising requirements re site perimeter security sys.
KALMAN,G. . 95/04/28. 8pp. 83822:287-83822:294.

–9505050288 Safety evaluation supporting amends 180 & 161 to licenses DPR-51 & NPF-6,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 2pp. 83822:295-83822:296.

9505120053 Advises of mod to QA manual operations.
MIMS,D.C. Entergy Operations, Inc. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83929:321-83929:322.

9505110105 Forwards NRR SE of util 930817 submittal re thermal stratification developed as part of pilot program. SE concludes that root cause of measured stratification in cooling line unclear & undetermined.
KALMAN,G. . 95/05/08. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 83889:311-83889:317.

–9505110109 Safety evaluation re thermal stratification phenomena.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/08. 4pp. 83889:314-83889:317.

9505110247 Forwards request for addl info re plant individual plant exam,in order to complete review.
KALMAN,G. . 95/05/08. YELVERTON,J.W. Entergy Operations, Inc. 14pp. 83889:341-83889:354.

9505180239 Forwards correction to amend 159 to license NPF-6 & SE. Corrections made to amend to ref unit 2,FOL NPF-6,docket 50-368 instead of unit 1,FOL DPR-51,docket 50-313.
KALMAN,G. . 95/05/10. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 83979:092-83979:129.

–9505180244 Correction to amend 159 to license NPF-6,correcting amend to ref unit 2,FOL NPF-6,docket 50-368 instead of unit 1,FOL DPR-51,docket 50-313.
KALMAN,G. . 95/04/03. 24pp. 83979:096-83979:129.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240213 Application for amend to license NPF-6,adding defined special interest groups for SG tube insps.
YELVERTON,J.W. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 8pp. 84073:188-84073:207.

–9505240219 Proposed tech specs,defining special interest groups for SG insps.
* Entergy Operations, Inc. 95/05/19. 11pp. 84073:197-84073:207.

9505240226 Application for amends to licenses DPR-51 & NPF-6,revising reactor containment bldg closure requirements during fuel movement & core alterations.
YELVERTON,J.W. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 16pp. 84072:294-84072:324.

–9505240230 Proposed tech specs re reactor containment building closure requirements during fuel movement & core alterations.
* Entergy Operations, Inc. 95/05/19. 15pp. 84072:310-84072:324.

9505240447 Forwards correction to amend 160 to license NPF-6.Amend 160 did not include changes to TS page 6-13.
KALMAN,G. . 95/05/19. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 84059:280-84059:283.

–9505240449 Errata to amend 160 to license NPF-6,including changes to TS page 6-13.
* . 95/05/19. 1p. 84059:283-84059:283.

9505260241 TS Change request to amend license NPF-6 re allowable outage time extension for safety injection tanks.
YELVERTON,J.W. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 9pp. 84096:173-84096:229.

–9505260245 Proposed tech specs re AOT extension for safety injection tanks.
* Entergy Operations, Inc. 95/05/19. 6pp. 84096:182-84096:187.

–9505260250 "Joint Applications Rept for Safety Injection Tank AOT/STI Extension."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. CE-NPSD-994. 95/05/30. 36pp. 84096:188-84096:229.

9505260256 TS change request for amend to license NPF-6,re AOT extension for low pressure safety injection train.
YELVERTON,J.W. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 8pp. 84096:114-84096:172.

–9505260262 Proposed tech specs re AOT extension fow low pressure safety injection train.
* Entergy Operations, Inc. 95/05/19. 3pp. 84096:122-84096:124.

–9505260267 "Joint Applications Rept For Low Pressure Safety Injection Sys AOT Extension."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. CE NPSD-995. 95/05/30. 50pp. 84096:125-84096:172.

9505260270 TS change request for amend to license NPF-6 re emergency diesel generator AOT extension.
YELVERTON,J.W. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 9pp. 84093:259-84093:327.

–9505260273 Proposed tech specs re emergency diesel generator AOT extension.
* Entergy Operations, Inc. 95/05/19. 5pp. 84093:268-84093:272.

–9505260276 "Joint Applications Rept For Emergency Diesel Generators AOT Extension."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. CE-NPSD-996. 95/05/30. 60pp. 84093:273-84093:327.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030095 Forwards insp repts documenting results of NRC review of self-assessment performed by util & NRC insp of significant safety issue identified by util self-assessment.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 83721:140-83721:183.

9505020310 Submits rev to corrective actions of insp repts 50-313/94-09 & 50-368/94-09.
MIMS,D.C. Entergy Operations, Inc. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83783:326-83783:327.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050010 Ack receipt of 950414 ltr informing NRC of steps taken to correct violations noted in insp rept 50-313/95-02 & 50-368/95-02 on 950315.
BEACH,A.B. Region 4 (Post 820201). 95/04/28. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 83758:027-83758:039.

9505120003 Forwards insp repts 50-313/95-03 & 50-368/95-03 on 950219- 0401 & NOV.Violation of concern because staff failed to initiate condition rept when determined that reactor bldg coolers not installed.
BEACH,A.B. Region 4 (Post 820201). 95/05/05. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 83869:321-83869:350.

–9505120012 Insp repts 50-313/95-03 & 50-368/95-03 on 950219-0401. Violations noted.Major areas inspected:operational safety verification,maint & surveillance observations,onsite engineering,plant support activities.
HARRELL,P. Region 4 (Post 820201). 95/04/25. 24pp. 83869:327-83869:350.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180124 Forwards insp repts 50-313/95-16 & 50-368/95-16 on 950419-20.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 83952:211-83952:227.

–9505180129 Insp repts 50-313/95-16 & 50-368/95-16 on 950419-20.No violations noted.Major areas inspected:circumstances surrounding LER 50-313/95-S01-00 & 50-368/95-S01-00.
MURRAY,B. Region 4 (Post 820201). 95/05/10. 12pp. 83952:216-83952:227.

9505240061 Forwards insp repts 50-313/95-15 & 50-368/95-15 on 950410-21.Non-cited violation re licensee failure to follow procedures to write condition rept to identify & document valves susceptible to pressure locking.
GWYNN,T.P. Region 4 (Post 820201). 95/05/17. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84021:045-84021:058.

–9505240090 Insp repts 50-313/95-15 & 50-368/95-15 on 950410-21.Non- cited violation noted.Major areas inspected:design control measures to assure operability of containment sump recirculation gate valves.
COLLINS,E.E. Region 4 (Post 820201). 95/05/16. 10pp. 84021:049-84021:058.

9505240213 Application for amend to license NPF-6,adding defined special interest groups for SG tube insps.
YELVERTON,J.W. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 8pp. 84073:188-84073:207.

--9505240219 Proposed tech specs,defining special interest groups for SG insps.
* Entergy Operations, Inc. 95/05/19. 11pp. 84073:197-84073:207.

9505260031 Forwards insp repts 50-313/95-18 & 50-368/95-18 on 950424-0501.No violations noted.
BEACH,A.B. Region 4 (Post 820201). 95/05/22. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 84062:087-84062:100.

--9505260035 Insp repts 50-313/95-18 & 50-368/95-18 on 950424-0501. Violations noted.Major areas inspected:insp of 950420 reactor trip & startup from that reactor trip & licensee root cause determination.
HARRELL,P. Region 4 (Post 820201). 95/05/18. 10pp. 84062:091-84062:100.

9505260060 Forwards insp repts 50-313/95-12 & 50-368/95-12 on 950313-14 & 0417-21.No violations noted.
BEACH,A.B. Region 4 (Post 820201). 95/05/22. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 84062:219-84062:246.

--9505260062 Insp repts 50-313/95-12 & 50-368/95-12 on 950313-14 & 0417- 21.No violations noted.Major area inspected:review of event related to excessive exposures that occurred when core support assembly reinstalled in reactor vessel.
HARRELL,P.H. Region 4 (Post 820201). 95/05/15. 23pp. 84062:224-84062:246.

9505310186 Forwards Rev 1 to ANO Unit 2 ISI Relief Request B-JB4.5. Relief request revised based upon not achieving ASME B&PV code Section XI requirements for exam coverage of piping weld 25-017 during tenth refueling outage for ANO Unit 2.
MIMS,D.C. Entergy Operations, Inc. 95/05/23. Document Control Branch (Document Control Desk). 4pp. 84142:352-84142:355.

R. Periodic operating reports & related correspondence

9505020226 "ANO Units 1 & 2 Annual Radiological Environ Operating Rept for 1994."
MIMS,D.C. Entergy Operations, Inc. 94/12/31. 145pp. 83804:181-83804:325.

9505190261 Monthly operating rept for Apr 1995 for ANO Unit 2.W/950515 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 95/04/30. 7pp. 84009:306-84009:312.

V. Operator Examinations

9505050027 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam,administered on 950405.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. YELVERTON,J.W. Entergy Operations, Inc. 2pp. 83758:087-83758:088.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505030182 Forwards public version of listed revised EPIPs & Rev 36 to RP Manual Section 18.2.
MCMEEKIN,T.C. Duke Power Co. 95/04/19. Document Control Branch (Document Control Desk). 3pp. 83723:010-83723:245.

--9505030184 Public version of listed revised EPIPs,including Rev 36 to RP Manual Section 18.2.
DOLAN,B. Duke Power Co. 95/04/19. 233pp. 83723:013-83723:245.

9505190163 Forwards public version of EPIPs,including Index pp 1 & 2 & EPIP RP/O/A/5700/01,RP/O/A/5700/02,RP/O/A5700/03, RP/O/A/5700/04,RP/O/A/5700/10 & HP/O/B/1009/10.W/950512 release memo.
MCMEEKIN,T.C. Duke Power Co. 95/05/02. Document Control Branch (Document Control Desk). 3pp. 84009:001-84009:192.

--9505190178 Public version of revised EPIPs,including Index pp 1 & 2 & EPIP RP/O/A/5700/01,RP/O/A/5700/02,RP/O/A/5700/03 RP/O/A/5700/04,RP/O/A/5700/10,RP/O/A/5700/14 & HP/O/B/1009/10.W/950512 release memo.
* Duke Power Co. 95/05/02. 189pp. 84009:004-84009:192.

9505180115 Advises that rev 95-01 to emergency plan consistent w/ planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/05/04. MCMEEKIN,T.C. Duke Power Co. 3pp. 83952:195-83952:197.

9505110029 Forwards insp repts 50-369/95-11 & 50-370/95-11 on 950403-07.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/05. MCMEEKIN,T.C. Duke Power Co. 3pp. 83850:308-83850:322.

--9505110032 Insp repts 50-369/95-11 & 50-370/95-11 on 950403-07.No violations noted.Major areas inspected:adequacy & operational readiness of licensee emergency preparedness program in areas of emergency detection & classification.
GOODEN,A., BARR,K. Region 2 (Post 820201). 95/05/05. 12pp. 83850:311-83850:322.

9505240448 Requests approval of changes to min emergency staffing levels for DPC nuclear site emergency plans under Cost Beneficial Licensing Actions (CBLA) process.Supporting justification of proposed changes & info re CBLA encl.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 16pp. 84073:054-84073:069.

9505300010 Forwards insp repts 50-369/95-10 & 50-370/95-10 on 950411-13 & notice of violation.
STOHR,J.P. Region 2 (Post 820201). 95/05/18. MCMEEKIN,T.C. Duke Power Co. 3pp. 84076:031-84076:039.

--9505300013 Notice of violation from insp on 950411-13.Violation noted: licensee found documents marked as being Safeguards Info in unsecured file cabinets,exterior to protected area & not under control of authorized individuals.
* Region 2 (Post 820201). 95/05/18. 2pp. 84076:034-84076:035.

--9505300016 Insp repts 50-369/95-10 & 50-370/95-10 on 950411-13. Violations noted.Major areas inspected:Safeguards insp conducted to review licensee discovery of several incidents involving Safeguards Info documents being unsecured.
TOBIN,W.J., STRATTON,L.C., MCGUIRE,D.R. Region 2 (Post 820201). 95/05/17. 4pp. 84076:036-84076:039.

P. Operating license stage documents & correspondence

9505030143 Expresses appreciation for NRC prompt response to request to perform technical audit of util use of fuel rod code methodology.
TUCKMAN,M.S. Duke Power Co. 95/04/20. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83791:347-83791:347.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090226 Forwards RAI re topical rept DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Response should be submitted within 30 days of ltr date.
MARTIN,R.E. . 95/05/03. TUCKMAN,M.S. Duke Power Co. 7pp. 83853:338-83853:344.

9505090277 Forwards notice of consideration of issuance of amends to licenses NPF-9 & NPF-17.Amends would change SR for boron concentration in SFP,remove option to use alternative storage configuration in SFP & add info in Bases.
NERSES,V. . 95/05/03. MCMEEKIN,T.C. Duke Power Co. 3pp. 83854:001-83854:011.

--9505090282 Notice of consideration of issuance of amends to licenses NPF-9 & NPF-17 & proposed NSHC determination & opportunity for hearing.Amends would change SR for boron concentration in SFP.
NERSES,V. . 95/05/03. 8pp. 83854:004-83854:011.

9505120055 Provides suppl info re 940928 application for amend per NRC 950203 RAI.W/one oversize encl.
MCMEEKIN,T.C. Duke Power Co. 95/05/03. Document Control Branch (Document Control Desk). 53pp. 83942:111-83942:168.

9505150023 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval.
TUCKMAN,M.S. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 3pp. 83899:044-83899:046.

9505240362 Offers listed comments on proposed rev to 10CFR50 App J, "Containment Leakage Testing," published in 950221 FR & endorses comments submitted by NEI on subj.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 4pp. 84068:358-84068:360.

9505300384 Forwards proprietary & nonproprietary versions of responses to NRC questions re Topical Rept DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Proprietary responses withheld per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 95/05/12. Document Control Branch (Document Control Desk). 19pp. 84162:223-84162:241.

9505260227 Requests NRC approval for util to use recent Rev 3 to CROV computer code (approved by NRC on 950420).
TUCKMAN,M.S. Duke Power Co. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84104:079-84104:082.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020063 Forwards insp repts 50-369/95-09 & 50-370/95-09 on 950320-24.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/04/20. MCMEEKIN,T.C. Duke Power Co. 3pp. 83689:328-83689:340.

--9505020076 Insp repts 50-370/95-09 & 50-370/95-09 on 950320-24.No violations noted.Major areas inspected:limited access weld exam program,stress corrosion cracking of component coolant pipe welds & review of corrective actions.
ECONOMOS,N., BLAKE,J. Region 2 (Post 820201). 95/04/19. 10pp. 83689:331-83689:340.

9505020053 Forwards insp repts 50-369/95-07 & 50-370/95-07 on 950301- 0401.No violations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/04/24. MCMEEKIN,T.C. Duke Power Co. 3pp. 83689:261-83689:282.

--9505020059 Insp repts 50-369/95-07 & 50-370/95-07 on 950301-0401.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
MAXWELL,G.F., CRLENJAK,R.V. Region 2 (Post 820201). 95/04/24. 19pp. 83689:264-83689:282.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505080014 Provides suppl response to 950103 NOV from insp repts 50-369/94-28 & 50-370/94-28.Suppl reflects deletion of commitment to enhance labeling requirements.
MCMEEKIN,T.C. Duke Power Co. 95/04/27. Document Control Branch (Document Control Desk). 4pp. 83864:351-83864:354.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110029 Forwards insp repts 50-369/95-11 & 50-370/95-11 on 950403-07.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/05. MCMEEKIN,T.C. Duke Power Co. 3pp. 83850:308-83850:322.

--9505110032 Insp repts 50-369/95-11 & 50-370/95-11 on 950403-07.No violations noted.Major areas inspected:adequacy & operational readiness of licensee emergency preparedness program in areas of emergency detection & classification.
GOODEN,A., BARR,K. Region 2 (Post 820201). 95/05/05. 12pp. 83850:311-83850:322.

9505190216 Responds to 950216 ltr re dam insp of NRC regulated dams in State of NC.Dam safety program plan encl.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/05/05. LEUMAS,J.K. North Carolina, State of. 21pp. 83984:221-83984:241.

9505240124 Forwards insp repts 50-369/95-06 & 50-370/95-06 on stated dates & notice of violation.Violations of NRC concern because of indication of deficiencies in design & procedural control measures applied to calculations in design measures.
CASTO,C.A. Region 2 (Post 820201). 95/05/10. MCMEEKIN,T.C. Duke Power Co. 3pp. 84021:218-84021:244.

--9505240126 Notice of violation from insp on stated dates.Violation noted:on 950329,licensee design control measures did not assure proper translation of design basis info into sizing & setting for motor operated valves.
* Region 2 (Post 820201). 95/05/10. 2pp. 84021:221-84021:222.

--9505240132 Insp repts 50-369/95-06 & 50-370/95-06 on stated dates. Violations noted.Major areas inspected:implementation of commitments made in response to GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance."
GIRARD,E., SHYMLOCK,M. Region 2 (Post 820201). 95/05/09. 22pp. 84021:223-84021:244.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505300010 Forwards insp repts 50-369/95-10 & 50-370/95-10 on 950411-13 & notice of violation.
STOHR,J.P. Region 2 (Post 820201). 95/05/18. MCMEEKIN,T.C. Duke Power Co. 3pp. 84076:031-84076:039.

--9505300013 Notice of violation from insp on 950411-13.Violation noted: licensee found documents marked as being Safeguards Info in unsecured file cabinets,exterior to protected area & not under control of authorized individuals.
* Region 2 (Post 820201). 95/05/18. 2pp. 84076:034-84076:035.

--9505300016 Insp repts 50-369/95-10 & 50-370/95-10 on 950411-13. Violations noted.Major areas inspected:Safeguards insp conducted to review licensee discovery of several incidents involving Safeguards Info documents being unsecured.
TOBIN,W.J., STRATTON,L.C., MCGUIRE,D.R. Region 2 (Post 820201). 95/05/17. 4pp. 84076:036-84076:039.

R. Periodic operating reports & related correspondence

9505010101 "McGuire Nuclear Station Units 1 & 2 Annual Radiological Environ Operating Rept 1994." W/950418 ltr.
MCMEEKIN,T.C. Duke Power Co. 94/12/31. 200pp. 83749:001-83749:136.

9505080012 Annual Environ Operating Rept for CY94.W/950427 ltr.
MCMEEKIN,T.C. Duke Power Co. 94/12/31. 15pp. 83864:322-83864:336.

9505220158 Forwards monthly operating repts for Apr 1995 for McGuire Nuclear Station.
WEBER,R.L. Duke Power Co. 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84039:170-84039:182.

--9505220285 Monthly operating repts for Apr 1995 for McGuire Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/04/30. 10pp. 84039:172-84039:181.

--9505220286 Revised monthly operating status rept for Mar 1995 for MNS.
* Duke Power Co. 95/03/31. 1p. 84039:182-84039:182.

S. Reportable occurrences, LERs & related correspondence

9505230095 Forwards LER 94-010-01 re failure to perform TS required surveillance because testing not specified.Event considered to be of no significance w/respect to health & safety of public.
MCMEEKIN,T.C. Duke Power Co. 95/05/11. Document Control Branch (Document Control Desk). 2pp. 84078:059-84078:064.

--9505230103 LER 94-010-01:on 950227,determined that addl abandoned/spare instrument penetrations existed which had not been included in procedures PT/1 & 2/4200/02B & 02C.Caps on subj penetrations will be tack welded.
DEESE,R.J. Duke Power Co. 95/05/11. 4pp. 84078:061-84078:064.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505030182 Forwards public version of listed revised EPIPs & Rev 36 to RP Manual Section 18.2.
MCMEEKIN,T.C. Duke Power Co. 95/04/19. Document Control Branch (Document Control Desk). 3pp. 83723:010-83723:245.

--9505030184 Public version of listed revised EPIPs,including Rev 36 to RP Manual Section 18.2.
DOLAN,B. Duke Power Co. 95/04/19. 233pp. 83723:013-83723:245.

9505190163 Forwards public version of EPIPs,including Index pp 1 & 2 & EPIP RP/O/A/5700/01,RP/O/A/5700/02,RP/O/A5700/03, RP/O/A/5700/04,RP/O/A/5700/10 & HP/O/B/1009/10.W/950512 release memo.
MCMEEKIN,T.C. Duke Power Co. 95/05/02. Document Control Branch (Document Control Desk). 3pp. 84009:001-84009:192.

--9505190178 Public version of revised EPIPs,including Index pp 1 & 2 & EPIP RP/O/A/5700/01,RP/O/A/5700/02,RP/O/A/5700/03 RP/O/A/5700/04,RP/O/A/5700/10,RP/O/A/5700/14 & HP/O/B/1009/10.W/950512 release memo.
* Duke Power Co. 95/05/02. 189pp. 84009:004-84009:192.

9505180115 Advises that rev 95-01 to emergency plan consistent w/ planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/05/04. MCMEEKIN,T.C. Duke Power Co. 3pp. 83952:195-83952:197.

9505110029 Forwards insp repts 50-369/95-11 & 50-370/95-11 on 950403-07.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/05. MCMEEKIN,T.C. Duke Power Co. 3pp. 83850:308-83850:322.

--9505110032 Insp repts 50-369/95-11 & 50-370/95-11 on 950403-07.No violations noted.Major areas inspected:adequacy & operational readiness of licensee emergency preparedness program in areas of emergency detection & classification.
GOODEN,A. Region 2 (Post 820201). 95/05/05. 12pp. 83850:311-83850:322.

9505240448 Requests approval of changes to min emergency staffing levels for DPC nuclear site emergency plans under Cost Beneficial Licensing Actions (CBLA) process.Supporting justification of proposed changes & info re CBLA encl.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 16pp. 84073:054-84073:069.

9505300010 Forwards insp repts 50-369/95-10 & 50-370/95-10 on 950411-13 & notice of violation.
STOHR,J.P. Region 2 (Post 820201). 95/05/18. MCMEEKIN,T.C. Duke Power Co. 3pp. 84076:031-84076:039.

--9505300013 Notice of violation from insp on 950411-13.Violation noted: licensee found documents marked as being Safeguards Info in unsecured file cabinets,exterior to protected area & not under control of authorized individuals.
* Region 2 (Post 820201). 95/05/18. 2pp. 84076:034-84076:035.

--9505300016 Insp repts 50-369/95-10 & 50-370/95-10 on 950411-13. Violations noted.Major areas inspected:Safeguards insp conducted to review licensee discovery of several incidents involving Safeguards Info documents being unsecured.
TOBIN,W.J. Region 2 (Post 820201). 95/05/17. 4pp. 84076:036-84076:039.

P. Operating license stage documents & correspondence

9505030143 Expresses appreciation for NRC prompt response to request to perform technical audit of util use of fuel rod code methodology.
TUCKMAN,M.S. Duke Power Co. 95/04/20. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83791:347-83791:347.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090226 *Forwards RAI re topical rept DPC-NE-3004-P,* "Mass & Energy Release & Containment Response Methodology." Response should be submitted within 30 days of ltr date.
MARTIN,R.E. . 95/05/03. TUCKMAN,M.S. Duke Power Co. 7pp. 83853:338-83853:344.

9505090277 Forwards notice of consideration of issuance of amends to licenses NPF-9 & NPF-17.Amends would change SR for boron concentration in SFP,remove option to use alternative storage configuration in SFP & add info in Bases.
NERSES,V. . 95/05/03. MCMEEKIN,T.C. Duke Power Co. 3pp. 83854:001-83854:011.

--9505090282 Notice of consideration of issuance of amends to licenses NPF-9 & NPF-17 & proposed NSHC determination & opportunity for hearing.Amends would change SR for boron concentration in SFP.
NERSES,V. . 95/05/03. 8pp. 83854:004-83854:011.

9505120055 Provides suppl info re 940928 application for amend per NRC 950203 RAI.W/one oversize encl.
MCMEEKIN,T.C. Duke Power Co. 95/05/03. Document Control Branch (Document Control Desk). 53pp. 83942:111-83942:168.

9505150023 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval.
TUCKMAN,M.S. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 3pp. 83899:044-83899:046.

9505240362 Offers listed comments on proposed rev to 10CFR50 App J, "Containment Leakage Testing," published in 950221 FR & endorses comments submitted by NEI on subj.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 4pp. 84068:358-84068:360.

9505300384 Forwards proprietary & nonproprietary versions of responses to NRC questions re Topical Rept DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Proprietary responses withheld per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 95/05/12. Document Control Branch (Document Control Desk). 19pp. 84162:223-84162:241.

9505260227 Requests NRC approval for util to use recent Rev 3 to CROV computer code (approved by NRC on 950420).
TUCKMAN,M.S. Duke Power Co. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84104:079-84104:082.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020063 Forwards insp repts 50-369/95-09 & 50-370/95-09 on 950320-24.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/04/20. MCMEEKIN,T.C. Duke Power Co. 3pp. 83689:328-83689:340.

--9505020076 Insp repts 50-370/95-09 & 50-370/95-09 on 950320-24.No violations noted.Major areas inspected:limited access weld exam program,stress corrosion cracking of component coolant pipe welds & review of corrective actions.
ECONOMOS,N., BLAKE,J. Region 2 (Post 820201). 95/04/19. 10pp. 83689:331-83689:340.

9505020053 Forwards insp repts 50-369/95-07 & 50-370/95-07 on 950301- 0401.No violations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/04/24. MCMEEKIN,T.C. Duke Power Co. 3pp. 83689:261-83689:282.

--9505020059 Insp repts 50-369/95-07 & 50-370/95-07 on 950301-0401.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
MAXWELL,G.F., CRLENJAK,R.V. Region 2 (Post 820201). 95/04/24. 19pp. 83689:264-83689:282.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505080014 Provides suppl response to 950103 NOV from insp repts 50-369/94-28 & 50-370/94-28.Suppl reflects deletion of commitment to enhance labeling requirements.
MCMEEKIN,T.C. Duke Power Co. 95/04/27. Document Control Branch (Document Control Desk). 4pp. 83864:351-83864:354.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110029 Forwards insp repts 50-369/95-11 & 50-370/95-11 on 950403-07.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/05. MCMEEKIN,T.C. Duke Power Co. 3pp. 83850:308-83850:322.

--9505110032 Insp repts 50-369/95-11 & 50-370/95-11 on 950403-07.No violations noted.Major areas inspected:adequacy & operational readiness of licensee emergency preparedness program in areas of emergency detection & classification.
GOODEN,A., BARR,K. Region 2 (Post 820201). 95/05/05. 12pp. 83850:311-83850:322.

9505190216 Responds to 950216 ltr re dam insp of NRC regulated dams in State of NC.Dam safety program plan encl.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/05/05. LEUMAS,J.K. North Carolina, State of. 21pp. 83984:221-83984:241.

9505240124 Forwards insp repts 50-369/95-06 & 50-370/95-06 on stated dates & notice of violation.Violations of NRC concern because of indication of deficiencies in design & procedural control measures applied to calculations in design measures.
CASTO,C.A. Region 2 (Post 820201). 95/05/10. MCMEEKIN,T.C. Duke Power Co. 3pp. 84021:218-84021:244.

--9505240126 Notice of violation from insp on stated dates.Violation noted:on 950329,licensee design control measures did not assure proper translation of design basis info into sizing & setting for motor operated valves.
* Region 2 (Post 820201). 95/05/10. 2pp. 84021:221-84021:222.

--9505240132 Insp repts 50-369/95-06 & 50-370/95-06 on stated dates. Violations noted.Major areas inspected:implementation of commitments made in response to GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance."
GIRARD,E., SHYMLOCK,M. Region 2 (Post 820201). 95/05/09. 22pp. 84021:223-84021:244.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505300010 Forwards insp repts 50-369/95-10 & 50-370/95-10 on 950411-13 & notice of violation.
STOHR,J.P. Region 2 (Post 820201). 95/05/18. MCMEEKIN,T.C. Duke Power Co. 3pp. 84076:031-84076:039.

--9505300013 Notice of violation from insp on 950411-13.Violation noted: licensee found documents marked as being Safeguards Info in unsecured file cabinets,exterior to protected area & not under control of authorized individuals.
* Region 2 (Post 820201). 95/05/18. 2pp. 84076:034-84076:035.

--9505300016 Insp repts 50-369/95-10 & 50-370/95-10 on 950411-13. Violations noted.Major areas inspected:Safeguards insp conducted to review licensee discovery of several incidents involving Safeguards Info documents being unsecured.
TOBIN,W.J., STRATTON,L.C., MCGUIRE,D.R. Region 2 (Post 820201). 95/05/17. 4pp. 84076:036-84076:039.

R. Periodic operating reports & related correspondence

9505010101 "McGuire Nuclear Station Units 1 & 2 Annual Radiological Environ Operating Rept 1994." W/950418 ltr.
MCMEEKIN,T.C. Duke Power Co. 94/12/31. 200pp. 83749:001-83749:136.

9505080012 Annual Environ Operating Rept for CY94.W/950427 ltr.
MCMEEKIN,T.C. Duke Power Co. 94/12/31. 15pp. 83864:322-83864:336.

9505220158 Forwards monthly operating repts for Apr 1995 for McGuire Nuclear Station.
WEBER,R.L. Duke Power Co. 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84039:170-84039:182.

--9505220285 Monthly operating repts for Apr 1995 for McGuire Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/04/30. 10pp. 84039:172-84039:181.

--9505220286 Revised monthly operating status rept for Mar 1995 for MNS.
* Duke Power Co. 95/03/31. 1p. 84039:182-84039:182.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505120079 Forwards revised EPIPs,including rev 3 to LZP-1340-2, "Implementing Procedure for Fire:Fire Chief (Incident Commander),(Designated Shift Supervisor)" & rev 2 to LZP-1340-4, "Implementing Procedure...Fire:Fire Brigade."
* Commonwealth Edison Co. 95/04/27. NRC - No Detailed Affiliation Given. 8pp. 83870:338-83870:353.

--9505120099 Revised EPIPs,including rev 3 to LZP-1340-2, "Implementing Procedure for Fire:Fire Chief (Incident Commander), (Designated Shift Supervisor)" & Rev 2 to LZP-1340-4, "Implementing Procedure for Fire:Fire Brigade."
* Commonwealth Edison Co. 95/04/20. 8pp. 83870:346-83870:353.

9505190213 Forwards Rev 52 of plant security plan,addressing issue identified in RJ Caniano 950203 ltr re Rev 48 of plant security plan.Encl withheld per 10CFR73.21.
JOHNSON,I.M. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 84010:360-84010:360.

9505100083 Revised pages LA 6-13 & 6-14,rev 6e,dtd May 1995 to emergency plan.
SCOTT,D.J. Commonwealth Edison Co. 95/05/08. 4pp. 83873:233-83873:236.

9505180060 Expresses appreciation for 950502 ltr in response to NRC 950303 ltr requesting info re physical security concern involving live round of 12 gauge shotgun ammunition found mixed w/Firearms Training Sys simulator ammunition.
CREED,J.R. Region 3 (Post 820201). 95/05/08. QUERIO,R.E. Commonwealth Edison Co. 3pp. 83952:128-83952:130.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

9505260340 Advises that 950505 rev 52 to security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/05/17. JOHNSON,I. Commonwealth Edison Co. 2pp. 84101:329-84101:330.

9505240298 Application for amends to licenses NPF-11 & NPF-18,revising TS requirement that verifies each fire protection valve in correct position at least once per 31 days.
BENES,G.G. Commonwealth Edison Co. 95/05/19. Document Control Branch (Document Control Desk). 6pp. 84073:091-84073:106.

--9505240302 Proposed tech specs,revising TS requirement that verifies each fire protection valve in correct position at least once per 31 days.
* Commonwealth Edison Co. 95/05/19. 10pp. 84073:097-84073:106.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

P. Operating license stage documents & correspondence

9505040413 Application for amend to license NPF-18,revising SRV safety function lift setting tolerances.Nonproprietary & proprietary GE SRV setpoint relaxation analysis encl. Proprietary GE SRV setpoint relaxation analysis withheld.
BENES,G.G. Commonwealth Edison Co. 95/03/31. Document Control Branch (Document Control Desk). 15pp. 83814:094-83814:176.

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--9505050159 Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--9505050162 Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040393 Advises NRC of Comm Ed review of Cycle 7 reload under provisions of 10CFR50.59 & transmits "LaSalle Unit 1 Cycle 7 COLR" & "LaSalle Unit 2 Cycle 7 COLR," per GL 88-16.
GERNER,L.F. Commonwealth Edison Co. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83807:272-83807:324.

--9505040397 "LaSalle Unit 1 Cycle 7 COLR."
* Commonwealth Edison Co. 95/04/28. 25pp. 83807:274-83807:298.

--9505040399 "LaSalle Unit 2 Cycle 7 COLR."
* Commonwealth Edison Co. 95/04/28. 26pp. 83807:299-83807:324.

9505110328 Provides update on progress of improvements at LaSalle County Nuclear Power Station Units 1 & 2.
QUERIO,R.E. Commonwealth Edison Co. 95/04/28. Office of Nuclear Reactor Regulation (Post 941001). 8pp. 83930:332-83930:339.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505300311 Notifies of intention to convert LaSalle County Station TS to improved standard TS.
QUERIO,R.E. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 1p. 84138:339-84138:339.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240298 Application for amends to licenses NPF-11 & NPF-18,revising TS requirement that verifies each fire protection valve in correct position at least once per 31 days.
BENES,G.G. Commonwealth Edison Co. 95/05/19. Document Control Branch (Document Control Desk). 6pp. 84073:091-84073:106.

--9505240302 Proposed tech specs,revising TS requirement that verifies each fire protection valve in correct position at least once per 31 days.
* Commonwealth Edison Co. 95/05/19. 10pp. 84073:097-84073:106.

9505310457 Application for amends to licenses NPF-11 & NPF-18, clarifying described equipment out-of-svc options.
BENES,G.G. Commonwealth Edison Co. 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84163:117-84163:137.

--9505310463 Proposed tech specs,clarifying described equipment out-of- svc options.
* Commonwealth Edison Co. 95/05/23. 19pp. 84163:119-84163:137.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505090074 Forwards insp repts 50-373/95-03 & 50-374/95-03 on 950218-0324 & notice of violation.
MILLER,L.F. Region 3 (Post 820201). 95/04/27. QUERIO,R.E. Commonwealth Edison Co. 5pp. 83817:001-83817:028.

--9505090081 Notice of violation from insp on 950218-0324.Violation noted:Rev 16 to plant operating procedure LOP-RH-13 allowed operation of low pressure ECCS pumps in configuration outside plant design basis.
* Region 3 (Post 820201). 95/04/27. 2pp. 83817:006-83817:007.

--9505090085 Insp repts 50-373/95-03 & 50-374/95-03 on 950218-0324. Violations noted.Major areas inspected:review of plant operations,maint,engineering,plant support & licensee actions on previous insp findings.
MILLER,L.F. Region 3 (Post 820201). 95/04/27. 21pp. 83817:008-83817:028.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505300227 Informs that plant revising commitment response date from 950531 to 951101 in response to Insp Repts 50-373/91-19 & 50-374/91-19.
BENES,G.G. Commonwealth Edison Co. 95/05/19. Document Control Branch (Document Control Desk). 7pp. 84160:354-84160:360.

R. Periodic operating reports & related correspondence

9505010084 "LaSalle County Station Annual Radiological Environ Operating Rept 1994." W/950420 ltr.
RAY,D.J. Commonwealth Edison Co. 94/12/31. 115pp. 83748:194-83748:311.

9505040121 "LaSalle County Station Environ Protection Plan 1994 Annual Operating Rept." W/950427 ltr.
RAY,D.J. Commonwealth Edison Co. 94/12/31. 2pp. 83832:327-83832:328.

9505180279 Monthly operating repts for Apr 1995 for Lasalle County Nuclear Power Station.W/950512 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 95/04/30. 17pp. 84013:296-84013:312.

9505150058 Forwards "LaSalle Nuclear Power Station Course of Action (Formerly Mgt Overview) Revised to Include Issue Ref Numbers Apr 1995" & "LaSalle Nuclear Power Station Course of Action Progress Rept May 1995."
QUERIO,R.E. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 83972:001-83972:169.

--9505150060 "LaSalle Nuclear Power Station Course of Action (Formerly Mgt Overview) Revised to Include Issue Ref Numbers Apr 1995."
* Commonwealth Edison Co. 95/04/30. 105pp. 83972:002-83972:107.

--9505150061 "LaSalle Nuclear Power Station Course of Action Progress Rept May 1995."
* Commonwealth Edison Co. 95/05/31. 63pp. 83972:108-83972:169.

S. Reportable occurrences, LERs & related correspondence

9505230083 LER 95-010-00:on 950415,auto start of standby gas treatment, Units 1 & 2 Division 2 reactor bldg ventilation isolation & other isolation signals received due to wrong fuse being pulled due to personnel error.Replaced fuse.W/950515 ltr.
GIUFFRE,J., RAY,D.J. Commonwealth Edison Co. 95/05/15. 5pp. 84078:049-84078:053.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M., CHERNICK,A.J. Commonwealth Edison Co. WALKER,W.P. Northern States Power Co. 1p. 83758:313-83758:313.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505120079 Forwards revised EPIPs,including rev 3 to LZP-1340-2, "Implementing Procedure for Fire:Fire Chief (Incident Commander),(Designated Shift Supervisor)" & rev 2 to LZP-1340-4, "Implementing Procedure...Fire:Fire Brigade."
* Commonwealth Edison Co. 95/04/27. NRC - No Detailed Affiliation Given. 8pp. 83870:338-83870:353.

--9505120099 Revised EPIPs,including rev 3 to LZP-1340-2, "Implementing Procedure for Fire:Fire Chief (Incident Commander), (Designated Shift Supervisor)" & Rev 2 to LZP-1340-4, "Implementing Procedure for Fire:Fire Brigade."
* Commonwealth Edison Co. 95/04/20. 8pp. 83870:346-83870:353.

9505190213 Forwards Rev 52 of plant security plan,addressing issue identified in RJ Caniano 950203 ltr re Rev 48 of plant security plan.Encl withheld per 10CFR73.21.
JOHNSON,I.M. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 84010:360-84010:360.

9505100083 Revised pages LA 6-13 & 6-14,rev 6e,dtd May 1995 to emergency plan.
SCOTT,D.J. Commonwealth Edison Co. 95/05/08. 4pp. 83873:233-83873:236.

9505180060 Expresses appreciation for 950502 ltr in response to NRC 950303 ltr requesting info re physical security concern involving live round of 12 gauge shotgun ammunition found mixed w/Firearms Training Sys simulator ammunition.
CREED,J.R. Region 3 (Post 820201). 95/05/08. QUERIO,R.E. Commonwealth Edison Co. 3pp. 83952:128-83952:130.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

9505260340 Advises that 950505 rev 52 to security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/05/17. JOHNSON,I. Commonwealth Edison Co. 2pp. 84101:329-84101:330.

9505240298 Application for amends to licenses NPF-11 & NPF-18,revising TS requirement that verifies each fire protection valve in correct position at least once per 31 days.
BENES,G.G. Commonwealth Edison Co. 95/05/19. Document Control Branch (Document Control Desk). 6pp. 84073:091-84073:106.

--9505240302 Proposed tech specs,revising TS requirement that verifies each fire protection valve in correct position at least once per 31 days.
* Commonwealth Edison Co. 95/05/19. 10pp. 84073:097-84073:106.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

P. Operating license stage documents & correspondence

9505040413 Application for amend to license NPF-18,revising SRV safety function lift setting tolerances.Nonproprietary & proprietary GE SRV setpoint relaxation analysis encl. Proprietary GE SRV setpoint relaxation analysis withheld.
BENES,G.G. Commonwealth Edison Co. 95/03/31. Document Control Branch (Document Control Desk). 15pp. 83814:094-83814:176.

--9505040416 Proposed tech specs Section 3.4.2,revising SRV safety function lift setting tolerances.
* Commonwealth Edison Co. 95/03/31. 12pp. 83814:109-83814:120.

--9505040418 Informs that Sargent & Lundy analysis contained in Attachment G of 950331 request for amend to change SRV safety fucntion lift setting tolerances non-proprietary & does not need to be withheld per 10CFR2.790.
BENES,G.G. Commonwealth Edison Co. 95/05/01. Document Control Branch (Document Control Desk). 2pp. 83814:121-83814:122.

--9505040420 "Evaluation of Effect of Relaxing LaSalle Mainsteam SRV Overpressurization Setpoint Tolerance."
O'BRIEN,C.E., OLSON,P.R., PRESSBURGER,M. Sargent & Lundy, Inc. LAS-NPD-95-0020 R01. 95/03/30. 8pp. 83814:123-83814:130.

--9505040421 Nonproprietary "Safety Review for LSCS Unit 1 & 2 SRVs Reduction & Setpoint Tolerance Relaxation Analyses."
HOANG,H.X. General Electric Co. GE-NE-B13-01760. 95/03/31. 46pp. 83814:131-83814:176.

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--9505050159 Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--9505050162 Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505010028 Grants request for withholding info from public disclosure submitted on 950331 re document entitle "Safety Review for La Salle County Station,Units 1 & 2,Safety/Relief Valves Reduction & Setpoint Tolerance Relaxation Analyses."
RECKLEY,W.D. . 95/04/27. FARRAR,D.L Commonwealth Edison Co. 3pp. 83693:356-83693:358.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040393 Advises NRC of Comm Ed review of Cycle 7 reload under provisions of 10CFR50.59 & transmits "LaSalle Unit 1 Cycle 7 COLR" & "LaSalle Unit 2 Cycle 7 COLR," per GL 88-16.
GERNER,L.F. Commonwealth Edison Co. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83807:272-83807:324.

--9505040399 "LaSalle Unit 2 Cycle 7 COLR."
* Commonwealth Edison Co. 95/04/28. 26pp. 83807:299-83807:324.

9505110328 Provides update on progress of improvements at LaSalle County Nuclear Power Station Units 1 & 2.
QUERIO,R.E. Commonwealth Edison Co. 95/04/28. Office of Nuclear Reactor Regulation (Post 941001). 8pp. 83930:332-83930:339.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505110270 Forwards core shroud insp results for LaSalle County Nuclear Power Station Unit 2 sixth refuel outage (L2R06),as required by GL 94-03.Core shroud insp for L2R06 completed on 950410.
BENES,G.G. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 10pp. 83933:135-83933:144.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505300311 Notifies of intention to convert LaSalle County Station TS to improved standard TS.
QUERIO,R.E. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 1p. 84138:339-84138:339.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240298 Application for amends to licenses NPF-11 & NPF-18,revising TS requirement that verifies each fire protection valve in correct position at least once per 31 days.
BENES,G.G. Commonwealth Edison Co. 95/05/19. Document Control Branch (Document Control Desk). 6pp. 84073:091-84073:106.

--9505240302 Proposed tech specs,revising TS requirement that verifies each fire protection valve in correct position at least once per 31 days.
* Commonwealth Edison Co. 95/05/19. 10pp. 84073:097-84073:106.

9505310457 Application for amends to licenses NPF-11 & NPF-18, clarifying described equipment out-of-svc options.
BENES,G.G. Commonwealth Edison Co. 95/05/23. Document Control Branch (Document Control Desk). 2pp. 84163:117-84163:137.

--9505310463 Proposed tech specs,clarifying described equipment out-of- svc options.
* Commonwealth Edison Co. 95/05/23. 19pp. 84163:119-84163:137.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505090074 Forwards insp repts 50-373/95-03 & 50-374/95-03 on 950218-0324 & notice of violation.
MILLER,L.F. Region 3 (Post 820201). 95/04/27. QUERIO,R.E. Commonwealth Edison Co. 5pp. 83817:001-83817:028.

--9505090081 Notice of violation from insp on 950218-0324.Violation noted:Rev 16 to plant operating procedure LOP-RH-13 allowed operation of low pressure ECCS pumps in configuration outside plant design basis.
* Region 3 (Post 820201). 95/04/27. 2pp. 83817:006-83817:007.

--9505090085 Insp repts 50-373/95-03 & 50-374/95-03 on 950218-0324. Violations noted.Major areas inspected:review of plant operations,maint,engineering,plant support & licensee actions on previous insp findings.
MILLER,L.F. Region 3 (Post 820201). 95/04/27. 21pp. 83817:008-83817:028.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110270 Forwards core shroud insp results for LaSalle County Nuclear Power Station Unit 2 sixth refuel outage (L2R06),as required by GL 94-03.Core shroud insp for L2R06 completed on 950410.
BENES,G.G. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 10pp. 83933:135-83933:144.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505300227 Informs that plant revising commitment response date from 950531 to 951101 in response to Insp Repts 50-373/91-19 & 50-374/91-19.
BENES,G.G. Commonwealth Edison Co. 95/05/19. Document Control Branch (Document Control Desk). 7pp. 84160:354-84160:360.

R. Periodic operating reports & related correspondence

9505010084 "LaSalle County Station Annual Radiological Environ Operating Rept 1994." W/950420 ltr.
RAY,D.J. Commonwealth Edison Co. 94/12/31. 115pp. 83748:194-83748:311.

9505040121 "LaSalle County Station Environ Protection Plan 1994 Annual Operating Rept." W/950427 ltr.
RAY,D.J. Commonwealth Edison Co. 94/12/31. 2pp. 83832:327-83832:328.

9505180279 Monthly operating repts for Apr 1995 for Lasalle County Nuclear Power Station.W/950512 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 95/04/30. 17pp. 84013:296-84013:312.

9505150058 Forwards "LaSalle Nuclear Power Station Course of Action (Formerly Mgt Overview) Revised to Include Issue Ref Numbers Apr 1995" & "LaSalle Nuclear Power Station Course of Action Progress Rept May 1995."
QUERIO,R.E. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 83972:001-83972:169.

--9505150060 "LaSalle Nuclear Power Station Course of Action (Formerly Mgt Overview) Revised to Include Issue Ref Numbers Apr 1995."
* Commonwealth Edison Co. 95/04/30. 105pp. 83972:002-83972:107.

--9505150061 "LaSalle Nuclear Power Station Course of Action Progress Rept May 1995."
* Commonwealth Edison Co. 95/05/31. 63pp. 83972:108-83972:169.

S. Reportable occurrences, LERs & related correspondence

9505150195 LER 95-007-00:on 950411,division 2 ESF actuation occurred due to instrument ref line pressure spike.Closed injection valve 2E12-F042C & secured 2A DG.W/ 950508 ltr.
ELLSWORTH,M.J., RAY,D.J. Commonwealth Edison Co. 95/05/08. 6pp. 84007:199-84007:204.

9505230091 LER 95-008-00:on 950415,reactor scrammed from high scram discharge vol water due to mgt deficiency.Operating personnel responded to alarm/annunciator conditions & performed required immediate action.W/950515 ltr.
BEJLOVEC,W., RAY,D.J. Commonwealth Edison Co. 95/05/15. 5pp. 84078:054-84078:058.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M. Commonwealth Edison Co. 1p. 83758:313-83758:313.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505010111 Revised EPIPs,including rev 19,change 1 to EP-002-060, "Radiological Field Monitoring" & rev 18 to EP-003-040, "Emergency Equipment Inventory." W/ 950425 ltr.
BURSKI,R.F. Entergy Operations, Inc. 95/04/25. 47pp. 83716:196-83716:240.

9505030024 Ack receipt of 950329 ltr which forwarded proposed objectives for Waterford-3 1995 emergency preparedness exercise scheduled for 950712.
COLLINS,S.J. Region 4 (Post 820201). 95/04/27. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 83720:096-83720:101.

9505030193 Revised EPIPs,including rev 23 to EP-002-010,rev 14 to EP-002-050 & rev 14 to EP-003-070.W/950428 ltr.
BURSKI,R.F. Entergy Operations, Inc. 95/04/28. 60pp. 83797:282-83797:340.

9505180511 Forwards annual emergency planning brochure & updated state & local emergency plans.
BURSKI,R.F. Entergy Operations, Inc. 95/05/12. Incident Response Branch. 13pp. 84041:001-84041:266.

--9505180514 Updated Rev 7 to "LA Peacetime Radiological Response Plan."
* Louisiana, State of. 94/12/31. 253pp. 84041:014-84041:266.

9505240138 Rev 22 to EPIP EP-002-100, "Technical Support Ctr (TSC) Activation,Operation & Deactivation." W/950512 ltr.
BURSKI,R.F. Entergy Operations, Inc. 95/05/12. 98pp. 84068:174-84068:271.

I. Financial information

9505240368 "1994 Annual Rept," for Entergy Corp.W/950518 ltr.
BURSKI,R.F. Entergy Operations, Inc. 94/12/31. 60pp. 84120:191-84120:257.

P. Operating license stage documents & correspondence

9505040101 Forwards amend 105 to license NPF-38 & safety evaluation. Amend changes TS by revising TSs for moderator temp coefficient.
PATEL,C.P. . 95/04/27. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 83752:247-83752:260.

--9505040103 Amend 105 to license NPF-38,changing TS by revising TSs for moderator temp coefficient.
PATEL,C.P. . 95/04/27. 5pp. 83752:250-83752:254.

--9505040105 Safety evaluation supporting amend 105 to license NPF-38.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. 6pp. 83752:255-83752:260.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505030200 Requests approval for continued use of tubing installed in essential chiller 'B' evaporator heat exchanger w/o complete code certification.
BURSKI,R.F. Entergy Operations, Inc. 95/04/28. Document Control Branch (Document Control Desk). 6pp. 83804:355-83804:360.

9505050293 Application for amend to license NPF-38,modifying spec 3/4.7.12,essential svcs chilled water sys to accurately reflect sys normal operating alignment & eliminate redundant SR.
BARKHURST,R.P. Entergy Operations, Inc. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 83839:215-83839:226.

--9505050295 Proposed tech specs,modifying spec 3/4.7.12,essential svcs chilled water sys to accurately reflect sys normal operating alignment & eliminate redundant SRs.
* Entergy Operations, Inc. 95/05/02. 4pp. 83839:223-83839:226.

9505050297 Informs NRC of intent to invoke ASME Code case N-481, "Alternative Exam Requirements for Cast Austenitic Pump Casings," at plant.
BURSKI,R.F. Entergy Operations, Inc. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83839:227-83839:228.

9505180196 Forwards amend 106 to license NPF-38 & SE.Amend changes app A TSs by removing RV matl specimen withdrawal schedule & by updating RCS P/T curves.
PATEL,C.P. . 95/05/08. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 83979:130-83979:157.

--9505180202 Amend 106 to license NPF-38,changing app A TSs by removing RV matl specimen withdrawal schedule & by updating RCS P/T curves.
PATEL,C.P. . 95/05/08. 19pp. 83979:133-83979:151.

--9505180206 Safety evaluation supporting amend 106 to license NPF-38.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/08. 6pp. 83979:152-83979:157.

9505180267 Suppl to TS Change Request NPF-38-145 to license NPF-38, modifying SRs of TS 3.6.1.2 for containment leakage by removing specified schedular criteria for Type A testing,per requirements of C-E improved STS (NUREG-1432).
BARKHURST,R.P. Entergy Operations, Inc. 95/05/12. Document Control Branch (Document Control Desk). 7pp. 84005:303-84005:318.

--9505180274 Proposed TS 3.6.1.2 SRs for containment leakage,reflecting removal of schedular criteria for Type A testing.
* Entergy Operations, Inc. 95/05/12. 9pp. 84005:310-84005:318.

9505180294 Responds to NRC 950412 telcon RAI re TS Change Request NPF-38-146,submitted on 931206 to allow installation of tube sleeves as alternative to plugging defective SG tubes.
BURSKI,R.F. Entergy Operations, Inc. 95/05/12. Document Control Branch (Document Control Desk). 3pp. 84013:239-84013:241.

9505260106 Discusses revision to reactor vessel matl surveillance withdrawal schedule for plant,Unit 3.Concludes that proposed withdrawal schedules in compliance w/ 10CFR50.
PATEL,C.P. . 95/05/18. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 84090:264-84090:268.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240382 Application for amend to license NPF-38,consisting of change request NPF-38-159 re H recombiners.
BARKHURST,R.P. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 16pp. 84068:316-84068:338.

--9505240384 Proposed tech spec,consisting of change request NPF-38-159 re H recombiners.
* Entergy Operations, Inc. 95/05/19. 6pp. 84068:332-84068:338.

9505250098 Informs that NRC forwarding INES disseminated event rating form re 950325 declaration of alert at plant concerning gaseous release from nearby chemical plant.
PATEL,C.P. . 95/05/22. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 84068:021-84068:024.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030126 Forwards copy of insp repts documenting results of NRC review of self assessment performed by util at plant & special insp of SI identified.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 83722:001-83722:045.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505150222 Forwards response to NRC ltr re violations noted in insp rept 50-382/95-03 on 950205-0318.Corrective actions: operations superintendent issued daily instruction requiring NAO to discuss EDG reset processes w/individual supervisors.
BURSKI,R.F. Entergy Operations, Inc. 95/05/11. Document Control Branch (Document Control Desk). 4pp. 83978:358-83978:360.

9505250048 Forwards response to NRC ltr re violations noted in insp rept 50-382/95-13 on 950306-17.Corrective actions:Condition Rept 95-0182 was generated to address improperly installed gasket on EGA-159 B.
BURSKI,R.F. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 15pp. 84075:173-84075:187.

R. Periodic operating reports & related correspondence

9505180242 Monthly operating rept for Apr 1995 for Waterford 3.W/950512 ltr.
FREEMAN,D.S., BURSKI,R.F. Entergy Operations, Inc. 95/04/30. 7pp. 84005:340-84005:346.

S. Reportable occurrences, LERs & related correspondence

9505110255 LER 95-001-00:on 950406,inability to perform moderator temp coefficient testing due to movement of main turbine rotor after startup from refuel 6 outage & initial mispositioning in thrust bearing.Stopped all MTC tests.W/950503 ltr.
VINCI,D.W., KEUTER,D.R. Entergy Operations, Inc. 95/05/03. 8pp. 83938:278-83938:285.

V. Operator Examinations

9505050081 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam,administered on 950405.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. BARKHURST,R.P. Entergy Operations, Inc. 2pp. 83758:276-83758:277.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505110035 Responds to NRC RAI re analysis supporting deviations from BWROG Emergency Procedure Guidelines,Rev 4.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/04. Document Control Branch (Document Control Desk). 29pp. 83933:236-83933:264.

9505180112 Notification of significant licensee meeting 95-046 w/util on 950516 in King of Prussia,PA to discuss Aug full participation exercise,corrective actions for siren failures & action plan for EP awareness issues from recent insp.
WHITE,J.R. Region 1 (Post 820201). 95/05/04. Region 1 (Post 820201). 2pp. 83952:166-83952:167.

9505250088 Advises that 950511 rev H to security training & qualifications plan consistent w/provisins of 10CFR50.54(p) & acceptable.
JOYNER,J.H. Region 1 (Post 820201). 95/05/11. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84075:194-84075:196.

9505260098 Responds to request for addl info re App R safe shutdown analysis fire protection review rept,rev 4.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/22. Document Control Branch (Document Control Desk). 36pp. 84096:230-84096:321.

--9505260325 Rev 3 to Nuclear Dept Procedure ON-100-009, "Control Room Evacuation."
* Pennsylvania Power & Light Co. 95/04/26. 28pp. 84096:266-84096:293.

--9505260328 Rev 3 to Nuclear Dept Procedure ON-200-009, "Control Room Evacuation."
* Pennsylvania Power & Light Co. 95/04/13. 28pp. 84096:294-84096:321.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505120081 Corrections to Rev 48 to FSAR for Susquehanna SES Units 1 & 2.
* Pennsylvania Power & Light Co. 95/04/26. 100pp.

P. Operating license stage documents & correspondence

9505040102 Forwards safety evaluation accepting util inservice testing program relief requests for pumps & valves for second 10-yr interval,provided items identified in section 5 of TER addressed within 1-yr or by end of next refueling outage.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/04/26. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 83752:261-83753:027.

--9505040118 Safety evaluation accepting util inservice testing program relief requests for pumps & valves for second 10-yr interval provided action items identified in section 5 of TER addressed within 1-yr or by end of next refueling outage.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/26. 16pp. 83752:265-83752:280.

--9503020307 "Technical Evaluation Rept:PP&L,Susquehanna Steam Electric Station,Pump & Valve Inservice Testing Program,Rev 10,Unit 1 Second 10-Yr Interval,Rev 7,Unit 2 Second 10-Yr Interval."
FRESCO,A., DIBIASIO,A.M. Brookhaven National Laboratory. FIN L-2301. 95/02/28. . 111pp. 83752:281-83753:027.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505230113 Comment re proposed GL concerning pressure locking & thermal binding of SR power operated gate valves.Believes that schedule for completion of final analyses to new criteria should be more realistic & in line w/associated risk.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/04/28. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84001:355-84001:356.

9505050333 Provides addl info requested by NRC re PP&L core shroud weld insps & evaluation techniques,per GL 94-03.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/01. Document Control Branch (Document Control Desk). 23pp. 83837:294-83837:316.

9505180535 Forwards SE accepting supplemental response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/05/03. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 83979:050-83979:061.

--9505180544 Safety evaluation accepting supplemental response to GL 94-03 "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/03. 9pp. 83979:053-83979:061.

9505110035 Responds to NRC RAI re analysis supporting deviations from BWROG Emergency Procedure Guidelines,Rev 4.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/04. Document Control Branch (Document Control Desk). 29pp. 83933:236-83933:264.

9505220234 Discusses 941024 ltr which forwarded staff, "Task Action Plan for Spent Fuel Storage Pool Safety," for SSES.Forwards completed assessment repts for Brunswick & Monticello sites.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/17. LOCHBAUM,D.A. Affiliation Not Assigned. 26pp. 84033:321-84033:349.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310130 Forwards util response to questions raised during three follow-up telcons w/NRC re util 950303 response to NRC RAI on evaluation of structural & seismic analysis & proposed amend.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/24. Document Control Branch (Document Control Desk). 33pp. 84144:267-84144:299.

Q. Inspection reports, IE Bulletins & correspondence

9505110143 Forwards "Susquehanna SES Units 1 & 2 ISI Program Master Selection Document Class 1,2 & 3 Components & Component Supports for Second ISI Interval." W/712 oversize drawings.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/03/31. Document Control Branch (Document Control Desk). 10pp. 83944:001-83945:243.

--9505110148 Rev 0 to ISI-T-108.0/208.0, "Susquehanna SES Units 1 & 2 ISI Program Master Selection Document Class 1,2 & 3 Components & Component Supports for Second ISI Interval." W/oversize drawings.
MILLER,M.S., GALLINO,D.A., LINDBERG,J.T. Pennsylvania Power & Light Co. 94/06/01. 600pp. 83944:011-83945:243.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030014 Forwards insp repts 50-387/95-05 & 50-388/95-05 on 950214-0327.No violations identified.
WHITE,J.R. Region 1 (Post 820201). 95/04/26. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 83720:025-83720:044.

--9505030017 Insp repts 50-387/95-05 & 50-388/95-05 on 950214-0327.No violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & plant support.
WHITE,J. Region 1 (Post 820201). 95/04/25. 17pp. 83720:028-83720:044.

9505030080 Forwards insp rept 50-387/95-09 on 950403-07.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/04/26. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 83721:117-83721:125.

--9505030087 Insp rept 50-387/95-09 on 950403-07.No violations noted. Major areas inspected:inservice insp program,evaluation of computerized ISI data mgt sys & results of mechanical stress improvement process.
PATNAIK,P., MODES,M.C. Region 1 (Post 820201). 95/04/26. 7pp. 83721:119-83721:125.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050333 Provides addl info requested by NRC re PP&L core shroud weld insps & evaluation techniques,per GL 94-03.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/01. Document Control Branch (Document Control Desk). 23pp. 83837:294-83837:316.

9505120104 EN-95-028:on 950509,notice of violation will be issued to licensee.Action based on investigation by Ofc of Investigations & enforcement conference conducted between staff & former SSS.
ROSANO,R., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/04. 1p. 83871:200-83871:200.

9505180112 Notification of significant licensee meeting 95-046 w/util on 950516 in King of Prussia,PA to discuss Aug full participation exercise,corrective actions for siren failures & action plan for EP awareness issues from recent insp.
WHITE,J.R. Region 1 (Post 820201). 95/05/04. Region 1 (Post 820201). 2pp. 83952:166-83952:167.

9505150118 Provides results of independent review of util calculations performed to support disposition of flaws found in core shroud welds H2,H4,H5 & H6B during plant core shroud insps.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/05. Document Control Branch (Document Control Desk). 5pp. 83975:354-83975:358.

9505180010 Forwards notice of violation re investigation conducted by Ofc of Investigation at station between 921001 & 940822. Zdanavage violated 10CFR50.5(a)(2) because info had been deliberately submitted incomplete or inaccurate.
MARTIN,T.T. Region 1 (Post 820201). 95/05/09. ZDANAVAGE,D.R. Affiliation Not Assigned. 4pp. 83951:255-83951:359.

--9505180014 Notice of violation from insp on 921001 & 940822.Violation noted:on 920903,D Zdanavge deliberately submitted incomplete or inaccurate info to util.
* Region 1 (Post 820201). 95/05/09. 101pp. 83951:259-83951:359.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240121 Forwards insp repts 50-387/95-10 & 50-388/95-10 on 950410- 14.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84021:204-84021:217.

--9505240129 Insp repts 50-387/95-10 & 50-388/95-10 on 950410-14.No violations noted.Major areas inspected:radiological controls implemented during refueling outage.
RAGLAND,R.C., BORES,R.J. Region 1 (Post 820201). 95/05/15. 11pp. 84021:207-84021:217.

9505240139 Forwards insp repts 50-387/95-11 & 50-388/95-11 on 950501- 05.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84021:291-84021:299.

--9505240142 Insp repts 50-387/95-11 & 50-388/95-11 on 950501-05.No violations noted.Major areas inspected:radiological environ monitoring program & meteorological monitoring program.
PELUSO,L., ULLRICH,E. Region 1 (Post 820201). 95/05/10. 6pp. 84021:294-84021:299.

9505310189 Forwards results of core shroud insp per reporting requirements of GL 94-03.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/25. Document Control Branch (Document Control Desk). pp. 84163:254-84163:271.

R. Periodic operating reports & related correspondence

9505050188 Forwards "Generator Quarterly Hazardous Waste Rept for Jan- Mar 1995," resubmittal.
BELLES,T.D. Pennsylvania Power & Light Co. 95/04/26. Pennsylvania, Commonwealth of. 1p. 83839:170-83839:178.

--9505050193 "Generator Quarterly Hazardous Waste Rept for Jan-Mar 1995," resubmittal.
STANLEY,H.G. Pennsylvania Power & Light Co. 95/03/31. 8pp. 83839:171-83839:178.

9505030239 Forwards "Susquehanna SES Units 1 & 2 1994 Annual Environ Operating Rept (Nonradiological)" & "Susquehanna SES Units 1 & 2 1994 Annual Rept Radiological Environ Monitoring Program."
BYRAM,R.G. Pennsylvania Power & Light Co. 95/04/28. MARTIN,T.T. Region 1 (Post 820201). 1p. 83859:303-83860:191.

--9505030243 "Susquehanna SES Units 1 & 2 1994 Annual Environ Operating Rept (Nonradiological)."
* Pennsylvania Power & Light Co. 94/12/31. 37pp. 83859:304-83859:340.

--9505030250 "Susquehanna SES Units 1 & 2 1994 Annual Rept Radiological Environ Monitoring Program."
* Pennsylvania Power & Light Co. 94/12/31. 215pp. 83859:341-83860:191.

9505230151 Monthly operating repts for Apr 1995 for SSES Units 1 & 2. W/950515 ltr.
BALL,R.S., BYRAM,R.G. Pennsylvania Power & Light Co. 95/04/30. 15pp. 84051:286-84051:300.

S. Reportable occurrences, LERs & related correspondence

9505050123 LER 95-005-00:on 950329,discovered that hot restart capability test per TS 4.8.1.1.2.d.8 for D DG not performed. Caused by procedural misinterpretation.Clarifications to subj test procedures being made.W/950427 ltr.
WEHRY,R.R., STANLEY,H.G. Pennsylvania Power & Light Co. 95/04/27. 4pp. 83856:006-83856:009.

9505050132 LER 95-006-00:on 950401,MSL penetration leakage rate exceeded TS limit due to combined performance of MSIVs.No definitive cause attributed to high as found leakage rate.A, C & D inboard & D outboard MSL MSIVs stroked.W/950428 ltr.
KICHLINE,R.D., STANLEY,H.G. Pennsylvania Power & Light Co. 95/04/28. 4pp. 83856:010-83856:013.

9505310074 LER 95-007-00:on 950424,an unplanned ESF actuation of RPS logic occurred.Caused by spurious neutron monitoring instrumentation upscale signals.Personnel reset RPS trip logic following RPS full actuation.W/950524 ltr.
KICHLINE,R.D., STANLEY,H.G. Pennsylvania Power & Light Co. 95/05/24. 4pp. 84162:033-84162:036.

V. Operator Examinations

9505090040 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 83816:158-83816:159.

9505100043 Forwards copies of both forms of GFE section of written operator licensing exam including answer keys & grading results for util employees who took 950405 exam.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. LOWTHERT,W. Pennsylvania Power & Light Co. 2pp. 83828:076-83828:077.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505110035 Responds to NRC RAI re analysis supporting deviations from BWROG Emergency Procedure Guidelines,Rev 4.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/04. Document Control Branch (Document Control Desk). 29pp. 83933:236-83933:264.

9505180112 Notification of significant licensee meeting 95-046 w/util on 950516 in King of Prussia,PA to discuss Aug full participation exercise,corrective actions for siren failures & action plan for EP awareness issues from recent insp.
WHITE,J.R. Region 1 (Post 820201). 95/05/04. Region 1 (Post 820201). 2pp. 83952:166-83952:167.

9505250088 Advises that 950511 rev H to security training & qualifications plan consistent w/provisins of 10CFR50.54(p) & acceptable.
JOYNER,J.H. Region 1 (Post 820201). 95/05/11. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84075:194-84075:196.

9505260098 Responds to request for addl info re App R safe shutdown analysis fire protection review rept,rev 4.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/22. Document Control Branch (Document Control Desk). 36pp. 84096:230-84096:321.

--9505260325 Rev 3 to Nuclear Dept Procedure ON-100-009, "Control Room Evacuation."
* Pennsylvania Power & Light Co. 95/04/26. 28pp. 84096:266-84096:293.

--9505260328 Rev 3 to Nuclear Dept Procedure ON-200-009, "Control Room Evacuation."
* Pennsylvania Power & Light Co. 95/04/13. 28pp. 84096:294-84096:321.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505120081 Corrections to Rev 48 to FSAR for Susquehanna SES Units 1 & 2.
* Pennsylvania Power & Light Co. 95/04/26. 100pp.

P. Operating license stage documents & correspondence

9505040102 Forwards safety evaluation accepting util inservice testing program relief requests for pumps & valves for second 10-yr interval,provided items identified in section 5 of TER addressed within 1-yr or by end of next refueling outage.
POSLUSNY,C. Project Directorate I-2 (PD1-2) Post 941001). 95/04/26. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 83752:261-83753:027.

--9505040118 Safety evaluation accepting util inservice testing program relief requests for pumps & valves for second 10-yr interval provided action items identified in section 5 of TER addressed within 1-yr or by end of next refueling outage.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/26. 16pp. 83752:265-83752:280.

--9503020307 "Technical Evaluation Rept:PP&L,Susquehanna Steam Electric Station,Pump & Valve Inservice Testing Program,Rev 10,Unit 1 Second 10-Yr Interval,Rev 7,Unit 2 Second 10-Yr Interval."
FRESCO,A., DIBIASIO,A.M. Brookhaven National Laboratory. FIN L-2301. 95/02/28. . 111pp. 83752:281-83753:027.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505230113 Comment re proposed GL concerning pressure locking & thermal binding of SR power operated gate valves.Believes that schedule for completion of final analyses to new criteria should be more realistic & in line w/associated risk.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/04/28. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84001:355-84001:356.

9505110035 Responds to NRC RAI re analysis supporting deviations from BWROG Emergency Procedure Guidelines,Rev 4.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/04. Document Control Branch (Document Control Desk). 29pp. 83933:236-83933:264.

9505120042 Transmits proposed amend to Susquehanna SES Unit 2 TS which deletes three relief valves from Residual Heat Removal sys.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/05. Document Control Branch (Document Control Desk). 4pp. 83870:055-83870:060.

--9505120043 Application for amend to license NPF-22 which contains rev to Susquehanna SES Unit 2 TS.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/05. 2pp. 83870:059-83870:060.

9505220234 Discusses 941024 ltr which forwarded staff, "Task Action Plan for Spent Fuel Storage Pool Safety." for SSES.Forwards completed assessment repts for Brunswick & Monticello sites.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). 95/05/17. LOCHBAUM,D.A. Affiliation Not Assigned. 26pp. 84033:321-84033:349.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310130 Forwards util response to questions raised during three follow-up telcons w/NRC re util 950303 response to NRC RAI on evaluation of structural & seismic analysis & proposed amend.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/05/24. Document Control Branch (Document Control Desk). 33pp. 84144:267-84144:299.

Q. Inspection reports, IE Bulletins & correspondence

9505110143 Forwards "Susquehanna SES Units 1 & 2 ISI Program Master Selection Document Class 1,2 & 3 Components & Component Supports for Second ISI Interval." W/712 oversize drawings.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/03/31. Document Control Branch (Document Control Desk). 10pp. 83944:001-83945:243.

--9505110148 Rev 0 to ISI-T-108.0/208.0, "Susquehanna SES Units 1 & 2 ISI Program Master Selection Document Class 1,2 & 3 Components & Component Supports for Second ISI Interval." W/oversize drawings.
MILLER,M.S., GALLINO,D.A., LINDBERG,J.T. Pennsylvania Power & Light Co. 94/06/01. 600pp. 83944:011-83945:243.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030014 Forwards insp repts 50-387/95-05 & 50-388/95-05 on 950214-0327.No violations identified.
WHITE,J.R. Region 1 (Post 820201). 95/04/26. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 83720:025-83720:044.

--9505030017 Insp repts 50-387/95-05 & 50-388/95-05 on 950214-0327.No violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & plant support.
WHITE,J. Region 1 (Post 820201). 95/04/25. 17pp. 83720:028-83720:044.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505120104 EN-95-028:on 950509,notice of violation will be issued to licensee.Action based on investigation by Ofc of Investigations & enforcement conference conducted between staff & former SSS.
ROSANO,R., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/04. 1p. 83871:200-83871:200.

9505180112 Notification of significant licensee meeting 95-046 w/util on 950516 in King of Prussia,PA to discuss Aug full participation exercise,corrective actions for siren failures & action plan for EP awareness issues from recent insp.
WHITE,J.R. Region 1 (Post 820201). 95/05/04. Region 1 (Post 820201). 2pp. 83952:166-83952:167.

9505180010 Forwards notice of violation re investigation conducted by Ofc of Investigation at station between 921001 & 940822. Zdanavage violated 10CFR50.5(a)(2) because info had been deliberately submitted incomplete or inaccurate.
MARTIN,T.T. Region 1 (Post 820201). 95/05/09. ZDANAVAGE,D.R. Affiliation Not Assigned. 4pp. 83951:255-83951:359.

--9505180014 Notice of violation from insp on 921001 & 940822.Violation noted:on 920903,D Zdanavge deliberately submitted incomplete or inaccurate info to util.
* Region 1 (Post 820201). 95/05/09. 101pp. 83951:259-83951:359.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240121 Forwards insp repts 50-387/95-10 & 50-388/95-10 on 950410- 14.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84021:204-84021:217.

--9505240129 Insp repts 50-387/95-10 & 50-388/95-10 on 950410-14.No violations noted.Major areas inspected:radiological controls implemented during refueling outage.
RAGLAND,R.C., BORES,R.J. Region 1 (Post 820201). 95/05/15. 11pp. 84021:207-84021:217.

9505240139 Forwards insp repts 50-387/95-11 & 50-388/95-11 on 950501- 05.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/05/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 84021:291-84021:299.

--9505240142 Insp repts 50-387/95-11 & 50-388/95-11 on 950501-05.No violations noted.Major areas inspected:radiological environ monitoring program & meteorological monitoring program.
PELUSO,L., ULLRICH,E. Region 1 (Post 820201). 95/05/10. 6pp. 84021:294-84021:299.

R. Periodic operating reports & related correspondence

9505050188 Forwards "Generator Quarterly Hazardous Waste Rept for Jan- Mar 1995," resubmittal.
BELLES,T.D. Pennsylvania Power & Light Co. 95/04/26. Pennsylvania, Commonwealth of. 1p. 83839:170-83839:178.

--9505050193 "Generator Quarterly Hazardous Waste Rept for Jan-Mar 1995," resubmittal.
STANLEY,H.G. Pennsylvania Power & Light Co. 95/03/31. 8pp. 83839:171-83839:178.

9505030239 Forwards "Susquehanna SES Units 1 & 2 1994 Annual Environ Operating Rept (Nonradiological)" & "Susquehanna SES Units 1 & 2 1994 Annual Rept Radiological Environ Monitoring Program."
BYRAM,R.G. Pennsylvania Power & Light Co. 95/04/28. MARTIN,T.T. Region 1 (Post 820201). 1p. 83859:303-83860:191.

--9505030243 "Susquehanna SES Units 1 & 2 1994 Annual Environ Operating Rept (Nonradiological)."
* Pennsylvania Power & Light Co. 94/12/31. 37pp. 83859:304-83859:340.

--9505030250 "Susquehanna SES Units 1 & 2 1994 Annual Rept Radiological Environ Monitoring Program."
* Pennsylvania Power & Light Co. 94/12/31. 215pp. 83859:341-83860:191.

9505230151 Monthly operating repts for Apr 1995 for SSES Units 1 & 2. W/950515 ltr.
BALL,R.S., BYRAM,R.G. Pennsylvania Power & Light Co. 95/04/30. 15pp. 84051:286-84051:300.

S. Reportable occurrences, LERs & related correspondence

9505230105 Forwards LER 95-005 re reactor scram following turbine trip on load reject.Generator load rejection occurred when 500 kV switchyard main distribution circuit breaker opened, isolating main generator from power grid.
STANLEY,H.G. Pennsylvania Power & Light Co. 95/05/15. Document Control Branch (Document Control Desk). 1p. 84078:065-84078:069.

--9505230140 LER 95-005-00:on 950415,reactor scram occurred when generating load reject was received.Caused by turbine control valve fast closure.Auxiliary cam switch adjusted & functionally tested to verify correct configuration.
KICHLINE,R.D. Pennsylvania Power & Light Co. 95/05/15. 4pp. 84078:066-84078:069.

V. Operator Examinations

9505090040 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 83816:158-83816:159.

9505100043 Forwards copies of both forms of GFE section of written operator licensing exam including answer keys & grading results for util employees who took 950405 exam.W/o encl.
MEYER,G.W. Region 1 (Post 820201). 95/05/03. LOWTHERT,W. Pennsylvania Power & Light Co. 2pp. 83828:076-83828:077.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505050112 Forwards insp repts 50-335/95-08 & 50-389/95-08 on 950327-31.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/04/20. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83758:348-83758:351.

--9505050122 Partially withheld insp repts 50-335/95-08 & 50-389/95-08 on 950327-31 (ref 10CFR73.21).No violations or deviations noted.
TOBIN,W. Region 2 (Post 820201). 95/04/20. 1p. 83758:351-83758:351.

9505020264 Discusses Region II review of Rev 27 to plant emergency plan.Review of Modes 5 & 6 EALs scenarios identified in which EALs as written would fail to support emergency classification levels intended.
CLINE,W.E. Region 2 (Post 820201). 95/04/25. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 83691:139-83691:142.

9505180516 Forwards Rev 44 to physical security plan.Encl withheld per 10CFR2.790(a)(3).
SAGER,D.A. Florida Power & Light Co. 95/05/09. Document Control Branch (Document Control Desk). 1p. 84015:346-84015:346.

9505310564 Rev 28 to "Radiological Emergency Plan for St Lucie Plant." W/950522 ltr.
GOLDBERG,J.H., SAGER,D.A. Florida Power & Light Co. 95/05/11. 242pp. 84143:001-84143:242.

9505300088 Informs util of results of review of recent performance at St Lucie facility to determine if present planned insp effort for rest of current SALP cycle be revised before ending date of 960106.
LANDIS,D.D. Region 2 (Post 820201). 95/05/18. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84077:002-84077:005.

9505300021 Ack receipt of 950509 ltr forwarding Rev 44 to plant physical security plan.NRC finds changes acceptable for inclusion into plan.
COLLINS,D.M. Region 2 (Post 820201). 95/05/23. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84106:347-84106:349.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--9412210064 Discusses petition under 2.206 filed by TJ Saporito which requests that NRC take action against util as operator of Turkey Point & St Lucie nuclear power stations.Petition, draft ltr of acknowledgement & draft FRN,encl.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 94/06/16. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 3pp. 83834:128-83834:135.

9505150101 Forwards Director's Decision DD-95-07,denying petitions filed on 940307 & 0607 requesting that NRC take escalated enforcement action against certain util employees for violating NRC requirements.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. SAPORITO,T.J. Saporito, T.J. 1p. 83898:259-83898:323.

--9505150136 Director's Decision DD-95-07 denying actions requested in petition,since petitioner has not raised any issues that would warrant requested actions.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. Saporito, T.J. 8pp. 83898:260-83898:267.

--9505150065 Notice of issuance of Director's Decision re petition filed by TJ Saporito on 940307 & 0607.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/11. 35pp. 83898:268-83898:323.

P. Operating license stage documents & correspondence

9505040086 Forwards amends 135 & 74 to licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends will relocate seismic monitoring instrumentation LCO,SR & associated tables contained in TS 3.3.3.3,4.3.3.3.1 & 4.3.3.3.2.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/25. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83752:225-83752:246.

--9505040092 Amends 135 & 74 to licenses DPR-67 & NPF-16,respectively, relocating seismic monitoring instrumentation LCO,SR & associated tables contained in TS 3.3.3.3,4.3.3.3.1 & 4.3.3.3.2 to UFSAR.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/04/25. 16pp. 83752:228-83752:243.

--9505040096 Safety evaluation supporting amends 135 & 74 to licenses DPR-67 & NPF-16,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/25. 3pp. 83752:244-83752:246.

9505040051 Requests review & appeal of fees assessed by invoice SS0455-95,dtd 950417.Util disagrees w/prescribed fee J2080 for listed amount on invoice.
SAGER,D.A. Florida Power & Light Co. FIN J-2080. 95/04/27. License Fee & Debt Collection Branch (Post 890827). 4pp. 83832:306-83832:326.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505190301 Informs of NRC belief that formal consultation w/National Marine Fisheries Svc,necessary as reported in Annual Environmental Operating Rept 1994-Volume 1 & based on conversations w/representatives of util.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83991:297-83991:301.

--**9505190309** Informs that NRC believes that formal consultation w/Natl Marine Fisheries Svc,necessary based on increasing number of federally protected sea turtles being removed from St Lucie intake canal in recent months.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/05/11. KAMMERER,A.J. Commerce, Dept. of, National Marine Fisheries Service. 2pp. 83991:300-83991:301.

9505180414 Requests formal consultation w/Natl Marine Fisheries Svc re sea turtles per 50CFR402,section 7.NRC intends to prepare biological assessment to determine level of impact plant operation may have on sea turtles.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/05/11. KAMMERER,A.J. . 3pp. 83964:357-83964:359.

9505240102 Application for amends to licenses DPR-67 & NPF-16 re administrative & conforming update.
SAGER,D.A. Florida Power & Light Co. 95/05/17. Document Control Branch (Document Control Desk). 11pp. 84072:114-84072:134.

--**9505240105** Proposed tech specs re administrative & conforming update.
* Florida Power & Light Co. 95/05/17. 10pp. 84072:125-84072:134.

9505260042 Forwards amend to licenses DPR-67 & NPF 16,revising plant TS table B 3/4.4-1 for each unit,per ltr w/changes dtd 931115.TS table B 3/4.4-1 encl.
NORRIS,J.A. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/17. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 84083:136-84083:140.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020067 Forwards insp repts 50-335/95-07 & 50-389/95-07 on 950305-0401.Non-cited violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/04/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83690:023-83690:054.

--**9505020070** Insp repts 50-335/95-07 & 50-389/95-07 on 950305-0401. Non-cited violations noted.Major areas inspected:operations review,maint observations,surveillance observations, engineering support,plant support & other areas.
PREVATTE,R.L., LANDIS,K.D. Region 2 (Post 820201). 95/04/18. 29pp. 83690:026-83690:054.

9505050112 Forwards insp repts 50-335/95-08 & 50-389/95-08 on 950327-31.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/04/20. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83758:348-83758:351.

--**9505050122** Partially withheld insp repts 50-335/95-08 & 50-389/95-08 on 950327-31 (ref 10CFR73.21).No violations or deviations noted.
TOBIN,W., MCGUIRE,D. Region 2 (Post 820201). 95/04/20. 1p. 83758:351-83758:351.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110038 Summary of 950410 meeting w/licensee in Atlanta,GA re self-assessment of plant performance.SALP period will be extended from 18 to 24 months,currently scheduled for 960106.W/attendance list & handout.
LANDIS,K.D. Region 2 (Post 820201). 95/05/01. GOLDBERG,J.H. Florida Power & Light Co. 65pp. 83851:001-83851:065.

9505090243 Forwards SE of second ten-year interval inservice insp program plan & associated requests for relief for facility.
NORRIS,J.A. . 95/05/04. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 83852:229-83852:293.

--**9505090245** Safety evaluation of second 10-yr inservice insp program plan & associated requests for relief.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/04. 6pp. 83852:231-83852:236.

--**9505090253** "Technical Evaluation Rept on Second 10-Year Interval Insp Program Plan."
BROWN,B.W., FEIGE,E.J. Idaho National Engineering Laboratory. BROWN,B.W. . INEL-94-0147. 95/03/31. . 57pp. 83852:237-83852:293.

9505110025 Forwards insp repts 50-335/95-06 & 50-389/95-06 on 950403-07.No violations or deviations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/05. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 83850:289-83850:307.

--**9505110027** Insp repts 50-335/95-06 & 50-389/95-06 on 950403-07.No violations noted.Major areas inspected:organization of Chemistry Dept & Radwaste Group,audits,primary water chemistry & Annual Radioactive Effluent Radwaste Group.
CARRION,R.P., DECKER,T.R. Region 2 (Post 820201). 95/05/05. 16pp. 83850:292-83850:307.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505300088 Informs util of results of review of recent performance at St Lucie facility to determine if present planned insp effort for rest of current SALP cycle be revised before ending date of 960106.
LANDIS,D.D. Region 2 (Post 820201). 95/05/18. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 84077:002-84077:005.

9505310099 Forwards insp repts 50-335/95-09 & 50-389/95-09 on 950402-29.Non-cited violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/05/19. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 84096:018-84096:040.

--**9505310101** Insp repts 50-335/95-09 & 50-389/95-09 on 950402-29.Non- cited violation noted.Major areas inspected:plant operations review,maint observations,surveillance observations & plant support.
PREVATTE,R.L., LANDIS,K.D. Region 2 (Post 820201). 95/05/19. 20pp. 84096:021-84096:040.

R. Periodic operating reports & related correspondence

9505090143 Provides requested verification of 1993 radioactive effluent release data for plant.
SAGER,D.A. Florida Power & Light Co. 95/04/27. TICHLER,J. Brookhaven National Laboratory. 4pp. 83873:179-83873:182.

9505120015 Forwards St Lucie Unit 2 annual environ operating rept for 1994,Vols I & II.
SAGER,D.A. Florida Power & Light Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83947:141-83947:201.

--**9505120017** "St Lucie Plant Unit 2 Annual Environ Operating Rept 1994 - Vol I."
* Florida Power & Light Co. 94/12/31. 55pp. 83947:142-83947:197.

--**9505120020** "St Lucie Plant Unit 2 Annual Environ Operating Rept (FPL-94),Vol II."
* Florida Power & Light Co. 94/12/31. 4pp. 83947:198-83947:201.

9505220139 Monthly operating repts for Apr 1995 for St Lucie.W/950515 ltr.
ROGERS,J.A., SAGER,D.A. Florida Power & Light Co. 95/04/30. 9pp. 84038:345-84038:353.

S. Reportable occurrences, LERs & related correspondence

9505180324 LER 95-003-00:on 950410,TS scheduled surveillance was missed due to procedural deficiency.Performed airlock leak test within 24 h deferral interval of TS 4.0.3.W/950509 ltr.
KORTH,K.J., SAGER,D.A. Florida Power & Light Co. 95/05/09. 5pp. 84039:288-84039:292.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9505020039 Confirms 950420 telcon between P Pace & P Fredrickson re mgt meeting scheduled for 950505 to discuss issues concerning Watts Bar Vendor Info CA Program.
JAUDON,J.P. Region 2 (Post 820201). 95/04/20. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83689:208-83689:210.

9505020137 Provides summary of 950419 meeting held in Atlanta,GA to discuss plant master tracking sys & vendor info corrective action program.List of attendees encl.
JAUDON,J.P. Region 2 (Post 820201). 95/04/20. KINGSLEY,O.D. Tennessee Valley Authority. 11pp. 83690:249-83690:260.

9505020439 Forwards NRC rept on plant audit re Thermo-Lag fire barrier seismic adequacy.Informs that review of application of thermo-lag matls ongoing as part of plant fire protection review.
TAM,P.S. . 95/04/27. KINGSLEY,O.D. Tennessee Valley Authority. 8pp. 83706:302-83706:309.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050228 Summary of 950428 meeting w/util in Rockville,MD to discuss status of unresolved safety issues,generic safety issues & TMI issues.W/attendance list,TVA generic issues task rept & NRC disposition of 84 open licensing actions.
TAM,P.S. . 95/05/02. . 23pp. 83822:237-83822:259.

9505050231 Summary of 950427 meeting w/util in Rockville,MD re util plan to perform & document assessment which will provide "reasonable assurance" that facility meets all regulatory requirements needed to support issuance of OL.W/encl.
TAM,P.S. . 95/05/02. . 24pp. 83822:260-83822:283.

9505100085 Informs NRC of TVA plan to disposition remaining Matls Improvement Project (MIP) inventory within TVA CAP rather than under Replacement Items Program (RIP) CAP procedure.
BARON,R.R. Tennessee Valley Authority. 95/05/02. Document Control Branch (Document Control Desk). 3pp. 83910:337-83910:339.

9505110065 Confirms 950501 telcon re 950525 mgt meeting.Purpose of meeting to discuss plant status & associated on-going activities.
JAUDON,J.P. Region 2 (Post 820201). 95/05/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83851:199-83851:201.

9505260052 Requests free copy of suppl NUREG-0498,Suppl 1.
FRIESEMA,H.P. Northwestern Univ., Evanston, IL. 95/05/02. FLANDUS,S.C. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84082:352-84082:353.

9505180140 Informs of results of review of 950216 ltr which provided results of util review of potential chilling effect at util. NRC did not find that chilling effect resulted from circumstances surrounding complaint filed by Matthews.
JAUDON,J.P. Region 2 (Post 820201). 95/05/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83952:288-83952:291.

9505180153 Discusses review of 950323 & 0502 ltrs concerning results of replacement items program CAP independent assessment & basis for curtailing review of remaining replacement items for indeterminate status.
JOUDON,J.P. Region 2 (Post 820201). 95/05/03. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83952:300-83952:302.

9505090263 Informs that licensee was provided w/working copy of Scientech,Inc rept,evaluating status of various unresolved safety issues,generic issues,TMI issues & other multiplant actions.
TAM,P.S. . 95/05/04. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 83856:104-83856:105.

9505180181 Provides long-term cable bend radius program plan.
BARON,R.R. Tennessee Valley Authority. 95/05/08. Document Control Branch (Document Control Desk). 8pp. 84013:195-84013:202.

9505180188 Provides notification of recent changes to WBN's ECCS Evaluation Model.
BARON,R.R. Tennessee Valley Authority. 95/05/08. Document Control Branch (Document Control Desk). 12pp. 83988:330-83988:341.

9505240266 Informs that mgt meeting for 950525 will be rescheduled for 950524,to discuss Watts Bar status & associated ongoing activities.
JAUDON,J.P. Region 2 (Post 820201). 95/05/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84023:096-84023:098.

9505150111 Responds to DOI Fish & Wildlife Svc 950424 ltr requesting copy of draft EPP for plant & forwards subj EPP.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/09. BARCLAY,L.A. Interior, Dept. of, Fish & Wildlife Service. 7pp. 83948:206-83948:212.

9505230011 Advises that five phases of plant Program for Assurance of Completion & Assurance of Quality (PAC/AQ) completed.PAC/AQ concluded that listed personnel,processes & procedures operationally ready for fuel load & power operation.
BARON,R.R. Tennessee Valley Authority. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84039:312-84039:313.

9505240044 Summarizes 950505 meeting w/util re Vendor Info CAP.List of attendees & handout info encl.
JAUDON,J.P. Region 2 (Post 820201). 95/05/15. KINGSLEY,O.D. Tennessee Valley Authority. 12pp. 84020:325-84020:337.

9505230219 Forwards response to questions on proof & review version of TSs.
BARON,R.R. Tennessee Valley Authority. 95/05/16. Document Control Branch (Document Control Desk). 80pp. 84060:001-84061:118.

–9505230221 Proposed proof & review version of TSs.
* Tennessee Valley Authority. 95/05/16. 403pp. 84060:080-84061:118.

9505240068 Submits rev to DCRDR special program commitments & schedules.
BARON,R.R. Tennessee Valley Authority. 95/05/16. Document Control Branch (Document Control Desk). 3pp. 84071:358-84071:360.

9505220200 Discusses special rept on employee concerns special program deviations.Finds justification for Level II deviations acceptable.No Level I deviations noted.Concurs w/licensee assessment.
TAM,P.S. . 95/05/17. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84010:251-84010:253.

9505240034 Provides number of allegations received & open re facilities for period of 950401-30.
IGNATONIS,A. Region 2 (Post 820201). 95/05/17. HARDING,M.R. Tennessee Valley Authority. 1p. 84020:289-84020:289.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310202 Forwards first part of three part response to NRC 950223 & 0504 ltrs re status of GSIs at Watts Bar Unit 1.
BARON,R.R. Tennessee Valley Authority. 95/05/19. Document Control Branch (Document Control Desk). 20pp. 84145:219-84145:238.

D. NRC Draft/Final Environmental Statements, suppls & correspondence

9505010005 Forwards two copies of rept re final environ statement, Suppl 1 for plant,units 1 & 2.W/o encl.
FLANDERS,S.C. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/04/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83693:359-83693:361.

9505010073 Forwards listed documents for "official filing" w/EPA re suppl to plant FES.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/04/26. YOUNG,P. Environmental Protection Agency. 2pp. 83687:279-83687:280.

9505180344 FINAL ENVIRONMENTAL STATEMENT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2.Docket Nos. 50-390 And 50-391.(Tennessee Valley Authority)
* Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). NUREG-0498 S01. 95/04/30. 366pp. 83965:118-83966:119.

E. NRC Safety Evaluation Report (SER), suppls & correspondence

9505190166 Forwards RAI re carbon dioxide automatic FSS,in order to determine adequacy of sys to perform automatic fire control & extinguishing function for associated fire hazards in DG rooms,auxiliary instrument rooms & DG board rooms.
TAM,P.S. . 95/05/10. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 83984:190-83984:194.

F. Security, medical, emergency & fire protection plans

9505120095 Rev 21 to "Radiological Emergency Plan." W/950428 ltr.
CARIER,P.P. Tennessee Valley Authority. 95/04/12. 244pp. 83943:001-83943:244.

9505020439 Forwards NRC rept on plant audit re Thermo-Lag fire barrier seismic adequacy.Informs that review of application of thermo-lag matls ongoing as part of plant fire protection review.
TAM,P.S. . 95/04/27. KINGSLEY,O.D. Tennessee Valley Authority. 8pp. 83706:302-83706:309.

9505100097 Forwards Rev 1 to "Watts Bar Nuclear Plant Fire Protection Rept."
BARON,R.R. Tennessee Valley Authority. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83887:008-83889:063.

–9505100103 Rev 1 to "Watts Bar Nuclear Plant Fire Protection Rept."
* Tennessee Valley Authority. 95/04/27. 781pp. 83887:011-83889:063.

9505110014 Forwards insp repts 50-390/95-26 & 50-391/95-26 on 950403-07.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/05/01. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83850:144-83850:165.

–9505110018 Insp repts 50-390/95-26 & 50-391/95-26 on 950403-07.No violations noted.Major areas inspected:status of Fire Protection CA Program Rept commitments & completed fire protection pre-operational test data.
MILLER,W.H., JULIAN,C.A. Region 2 (Post 820201). 95/04/26. 18pp. 83850:147-83850:165.

9505150116 Summary of 950427 meeting w/TVA re fire protection & cable issues.List of participants,observers,TVA cable cuts & fire protection handouts encl.
TAM,P.S. . 95/05/09. . 25pp. 83971:298-83971:322.

9505260167 Informs of site review to evaluate plant fire protection rept to be performed by P Madden on 950530.Meeting is closed to public per NRC mgt directive 3.5.
TAM,P.S. . 95/05/19. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84082:348-84082:349.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505310004 Forwards Amend 89 to FSAR for Watts Bar Nuclear Plant.Amend includes changes to several chapters generated as result of plant completion activities,preoperational testing activities & responses to NRC RAIs.
BARON,R.R. Tennessee Valley Authority. 95/05/16. Document Control Branch (Document Control Desk). 2pp. 84185:001-84190:205.

–9505310005 Amend 89 to FSAR for Watts Bar Nuclear Plant.
* Tennessee Valley Authority. 95/05/16. 2,023pp. 84185:003-84190:205.

Q. Inspection reports, IE Bulletins & correspondence

9505020041 Forwards insp repts 50-390/95-19 & 50-391/95-19 on 950320- 24.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/04/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83689:211-83689:225.

–9505020046 Insp repts 50-390/95-19 & 50-391/95-19 on 950320-24.No violations noted.Major areas inspected:insp procedures 57050,57060,57070 & 57080.
COLEY,J.L., FREDRICKSON,P. Region 2 (Post 820201). 95/04/18. 12pp. 83689:214-83689:225.

9505020272 Ack receipt of 950307 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-37 & 50-391/94-37.Util revised response to NOV meets 10CFR2.201 requirements.
JAUDON,J.P. Region 2 (Post 820201). 95/04/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83691:171-83691:173.

9505020049 Ack receipt of 950224 revised response to notice of deviation & supplemental response of 950227 to NOV. Implementation of CA will be examined during future insps.
JAUDON,J.P. Region 2 (Post 820201). 95/04/20. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83689:237-83689:239.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020177 Discusses licensee 950106 response to NRC notice of violations issued on 941110 of insp repts 50-390/94-72 & 50-391/94-72.Informs that licensee response to violation B meets requirements of 10CFR2.201.
JAUDON,J.P. Region 2 (Post 820201). 95/04/25. KINGLSEY,O.D. Tennessee Valley Authority. 3pp. 83691:053-83691:055.

9505020304 Forwards response to NRC 950317 ltr re violations noted in insp repts 50-390/95-10-01 & 50-391/95-10-01.Corrective actions:seven of PERs addressed deficiency of not following procedural requirements in development & implementation.
ZERINGUE,O.J. Tennessee Valley Authority. 95/04/25. Document Control Branch (Document Control Desk). 6pp. 83764:007-83764:012.

9505180068 Informs of enforcement decision concerning apparent violation of 10CFR50.7, "Employee Protection," involving alleged deliberate discrimination by plant operations manager against DR Matthews.No violation of 10CFR50.7 noted.
EBNETER,S.D. Region 2 (Post 820201). 95/04/25. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83953:117-83953:120.

9505180123 Informs of enforcement decision concerning apparent violations of 10CFR50.7," Employment Protection" & 10CFR50.5," Deliberate misconduct," re employee discrimination complaint filed by TVA employee.
EBNETER,S.D. Region 2 (Post 820201). 95/04/25. JACKSON,L.L. Affiliation Not Assigned. 4pp. 83952:207-83952:210.

9505080015 Responds to NRC ltr re violations noted in insp rept 50-390/95-08 & 50-391/95-08.Corrective actions:util will revise calculation to include analyses of 120 volt circuits covered in rev 7.
ZERINGUE,O.J. Tennessee Valley Authority. 95/04/27. Document Control Branch (Document Control Desk). 5pp. 83839:353-83839:357.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505080001 Provides addl info re recent discussions w/NRC personnel & NRC 950413 ltr re NOV from insp repts 50-390/94-88 & 50-391/94-88.
BARON,R.R. Tennessee Valley Authority. 95/04/28. Document Control Branch (Document Control Desk). 5pp. 83839:348-83839:352.

9505110014 Forwards insp repts 50-390/95-26 & 50-391/95-26 on 950403-07.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/05/01. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83850:144-83850:165.

—9505110018 Insp repts 50-390/95-26 & 50-391/95-26 on 950403-07.No violations noted.Major areas inspected:status of Fire Protection CA Program Rept commitments & completed fire protection pre-operational test data.
MILLER,W.H., JULIAN,C.A. Region 2 (Post 820201). 95/04/26. 18pp. 83850:147-83850:165.

9505110054 Forwards insp repts 50-390/95-23 & 50-391/95-23 on 950313-0418.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/05/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83851:148-83851:170.

—9505110058 Insp repts 50-390/95-23 & 50-391/95-23 on 950313-0408.No violations noted.Major areas inspected:employee concerns special program corrective actions,reactor vessel & interval & instrument line corrective action program.
BRADY,J.B., FREDRICKSON,P.E Region 2 (Post 820201). 95/05/02. 20pp. 83851:151-83851:170.

9505180193 Provides completion schedules for commitments from several inspection repts.
BARON,R.R. Tennessee Valley Authority. 95/05/05. Document Control Branch (Document Control Desk). 3pp. 84000:327-84000:329.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240052 Ack receipt of 950428 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-88 & 50-391/94-88.
JAUDON,J.P. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84020:350-84020:352.

9505240231 Forwards insp repts 50-390/95-18 & 50-391/95-18 on 950305- 0415 & notice of violation.Informs that continued attention warranted re personnel attitude & ownership.
JAUDON,J.P. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 84023:022-84023:094.

—9505240240 Notice of violation from insp on 950305-0415.Violation noted:failure to follow procedures for implementation of design change.
* Region 2 (Post 820201). 95/05/12. 2pp. 84023:027-84023:028.

—9505240248 Insp repts 50-390/95-18 & 50-391/95-18 on 950305-0415. Violations noted.Major areas inspected:preoperational test program implementation verification,preoperational test procedure review & preoperational test witnessing.
VAN-DOORN,P.K., JULIAN,C.A. Region 2 (Post 820201). 95/05/09. 66pp. 84023:029-84023:094.

9505240103 Ack receipt of 950427 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-08 & 50-391/95-08.
JAUDON,J.P. Region 2 (Post 820201). 95/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:161-84021:163.

9505240136 Ack receipt of 950414 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-24 & 50-391/94-24.
JAUDON,J.P. Region 2 (Post 820201). 95/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:285-84021:287.

9505310055 Forwards insp repts 50-390/95-24 & 50-391/95-24 on 950319-0422 & notice of violation.Activities appear to be in violation of NRC requirements.
JAUDON,J.P. Region 2 (Post 820201). 95/05/19. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84095:130-84095:176.

—9505310064 Notice of violation from insp on 950319-0422.Violation noted:on 950413,motor termination splice installation instructions determined inadequate in that splicing requirements had been represented w/no clear quantitative.
* Region 2 (Post 820201). 95/05/19. 1p. 84095:134-84095:134.

—9505310069 Insp repts 50-390/95-24 & 50-391/95-24 on 950319-0422. Violations noted.Major areas inspected:quality assurance effectiveness,construction work activities,cable & splice damage inspections & open item status review.
WALTON,G.A., FREDRICKSON,P. Region 2 (Post 820201). 95/05/19. 42pp. 84095:135-84095:176.

R. Periodic operating reports & related correspondence

9505120094 Forwards "Annual Radiological Environ Operating Rept Watts Bar Nuclear Plant 1994" & data suppl.Util implemented radiological environ monitoring program described in ODCM on 950101.
BARON,R.R. Tennessee Valley Authority. 95/05/03. Document Control Branch (Document Control Desk). 2pp. 83941:001-83941:270.

—9505120097 "Annual Radiological Environ Operating Rept Watts Bar Nuclear Plant 1994" & data suppl.
* Tennessee Valley Authority. 94/12/31. 268pp. 83941:003-83941:270.

S. Reportable occurrences, LERs & related correspondence

9505110263 Clarifies statement made in revised final rept re deficiency in intake pumping station & DG bldg environ control sys.
BARON,R.R. Tennessee Valley Authority. 95/05/01. Document Control Branch (Document Control Desk). 2pp. 83930:297-83930:298.

V. Operator Examinations

9505120040 Notifies of change in operator status on 950601.Listed employees will be in positions where license no longer required.
ZERINGUE,O.J. Tennessee Valley Authority. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 83884:330-83884:331.

9505240118 Requests info re 950508 occurrence in which NRC-licensed operator tested positive for marijuana following fitness-for-duty test taken on 950501.
GIBSON,A.F. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:191-84021:193.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9505020039 Confirms 950420 telcon between P Pace & P Fredrickson re mgt meeting scheduled for 950505 to discuss issues concerning Watts Bar Vendor Info CA Program.
JAUDON,J.P. Region 2 (Post 820201). 95/04/20. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83689:208-83689:210.

9505020137 Provides summary of 950419 meeting held in Atlanta,GA to discuss plant master tracking sys & vendor info corrective action program.List of attendees encl.
JAUDON,J.P. Region 2 (Post 820201). 95/04/20. KINGSLEY,O.D. Tennessee Valley Authority. 11pp. 83690:249-83690:260.

9505020439 Forwards NRC rept on plant audit re Thermo-Lag fire barrier seismic adequacy.Informs that review of application of thermo-lag matls ongoing as part of plant fire protection review.
TAM,P.S. . 95/04/27. KINGSLEY,O.D. Tennessee Valley Authority. 8pp. 83706:302-83706:309.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110065 Confirms 950501 telcon re 950525 mgt meeting.Purpose of meeting to discuss plant status & associated on-going activities.
JAUDON,J.P. Region 2 (Post 820201). 95/05/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83851:199-83851:201.

9505260052 Requests free copy of suppl NUREG-0498,Suppl 1.
FRIESEMA,H.P. Northwestern Univ., Evanston, IL. 95/05/02. FLANDUS,S.C. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84082:352-84082:353.

9505180140 Informs of results of review of 950216 ltr which provided results of util review of potential chilling effect at util. NRC did not find that chilling effect resulted from circumstances surrounding complaint filed by Matthews.
JAUDON,J.P. Region 2 (Post 820201). 95/05/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 83952:288-83952:291.

9505180181 Provides long-term cable bend radius program plan.
BARON,R.R. Tennessee Valley Authority. 95/05/08. Document Control Branch (Document Control Desk). 8pp. 84013:195-84013:202.

9505180188 Provides notification of recent changes to WBN's ECCS Evaluation Model.
BARON,R.R. Tennessee Valley Authority. 95/05/08. Document Control Branch (Document Control Desk). 12pp. 83988:330-83988:341.

9505240266 Informs that mgt meeting for 950525 will be rescheduled for 950524,to discuss Watts Bar status & associated ongoing activities.
JAUDON,J.P. Region 2 (Post 820201). 95/05/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84023:096-84023:098.

9505150111 Responds to DOI Fish & Wildlife Svc 950424 ltr requesting copy of draft EPP for plant & forwards subj EPP.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/09. BARCLAY,L.A. Interior, Dept. of, Fish & Wildlife Service. 7pp. 83948:206-83948:212.

9505230011 Advises that five phases of plant Program for Assurance of Completion & Assurance of Quality (PAC/AQ) completed.PAC/AQ concluded that listed personnel,processes & procedures operationally ready for fuel load & power operation.
BARON,R.R. Tennessee Valley Authority. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84039:312-84039:313.

9505240044 Summarizes 950505 meeting w/util re Vendor Info CAP.List of attendees & handout info encl.
JAUDON,J.P. Region 2 (Post 820201). 95/05/15. KINGSLEY,O.D. Tennessee Valley Authority. 12pp. 84020:325-84020:337.

9505240034 Provides number of allegations received & open re facilities for period of 950401-30.
IGNATONIS,A. Region 2 (Post 820201). 95/05/17. HARDING,M.R. Tennessee Valley Authority. 1p. 84020:289-84020:289.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

D. NRC Draft/Final Environmental Statements, suppls & correspondence

9505010005 Forwards two copies of rept re final environ statement, Suppl 1 for plant,units 1 & 2.W/o encl.
FLANDERS,S.C. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/04/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83693:359-83693:361.

9505010073 Forwards listed documents for "official filing" w/EPA re suppl to plant FES.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/04/26. YOUNG,P. Environmental Protection Agency. 2pp. 83687:279-83687:280.

9505180344 FINAL ENVIRONMENTAL STATEMENT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2.Docket Nos. 50-390 And 50-391.(Tennessee Valley Authority)
* Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). NUREG-0498 S01. 95/04/30. 366pp. 83965:118-83966:119.

F. Security, medical, emergency & fire protection plans

9505120095 Rev 21 to "Radiological Emergency Plan." W/950428 ltr.
CARIER,P.P. Tennessee Valley Authority. 95/04/12. 244pp. 83943:001-83943:244.

9505020439 Forwards NRC rept on plant audit re Thermo-Lag fire barrier seismic adequacy.Informs that review of application of thermo-lag matls ongoing as part of plant fire protection review.
TAM,P.S. . 95/04/27. KINGSLEY,O.D. Tennessee Valley Authority. 8pp. 83706:302-83706:309.

9505100097 Forwards Rev 1 to "Watts Bar Nuclear Plant Fire Protection Rept."
BARON,R.R. Tennessee Valley Authority. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83887:008-83889:063.

–9505100103 Rev 1 to "Watts Bar Nuclear Plant Fire Protection Rept."
* Tennessee Valley Authority. 95/04/27. 781pp. 83887:011-83889:063.

9505110014 Forwards insp repts 50-390/95-26 & 50-391/95-26 on 950403-07.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/05/01. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83850:144-83850:165.

–9505110018 Insp repts 50-390/95-26 & 50-391/95-26 on 950403-07.No violations noted.Major areas inspected:status of Fire Protection CA Program Rept commitments & completed fire protection pre-operational test data.
MILLER,W.H. Region 2 (Post 820201). 95/04/26. 18pp. 83850:147-83850:165.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505310004 Forwards Amend 89 to FSAR for Watts Bar Nuclear Plant.Amend includes changes to several chapters generated as result of plant completion activities,preoperational testing activities & responses to NRC RAIs.
BARON,R.R. Tennessee Valley Authority. 95/05/16. Document Control Branch (Document Control Desk). 2pp. 84185:001-84190:205.

–9505310005 Amend 89 to FSAR for Watts Bar Nuclear Plant.
* Tennessee Valley Authority. 95/05/16. 2,023pp. 84185:003-84190:205.

Q. Inspection reports, IE Bulletins & correspondence

9505020041 Forwards insp repts 50-390/95-19 & 50-391/95-19 on 950320- 24.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/04/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83689:211-83689:225.

–9505020046 Insp repts 50-390/95-19 & 50-391/95-19 on 950320-24.No violations noted.Major areas inspected:insp procedures 57050,57060,57070 & 57080.
COLEY,J.L., FREDRICKSON,P. Region 2 (Post 820201). 95/04/18. 12pp. 83689:214-83689:225.

9505020272 Ack receipt of 950307 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-37 & 50-391/94-37.Util revised response to NOV meets 10CFR2.201 requirements.
JAUDON,J.P. Region 2 (Post 820201). 95/04/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83691:171-83691:173.

9505020049 Ack receipt of 950224 revised response to notice of deviation & supplemental response of 950227 to NOV. Implementation of CA will be examined during future insps.
JAUDON,J.P. Region 2 (Post 820201). 95/04/20. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83689:237-83689:239.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020177 Discusses licensee 950106 response to NRC notice of violations issued on 941110 of insp repts 50-390/94-72 & 50-391/94-72.Informs that licensee response to violation B meets requirements of 10CFR2.201.
JAUDON,J.P. Region 2 (Post 820201). 95/04/25. KINGLSEY,O.D. Tennessee Valley Authority. 3pp. 83691:053-83691:055.

9505020304 Forwards response to NRC 950317 ltr re violations noted in insp repts 50-390/95-10-01 & 50-391/95-10-01.Corrective actions:seven of PERs addressed deficiency of not following procedural requirements in development & implementation.
ZERINGUE,O.J. Tennessee Valley Authority. 95/04/25. Document Control Branch (Document Control Desk). 6pp. 83764:007-83764:012.

9505180123 Informs of enforcement decision concerning apparent violations of 10CFR50.7," Employment Protection" & 10CFR50.5," Deliberate misconduct," re employee discrimination complaint filed by TVA employee.
EBNETER,S.D. Region 2 (Post 820201). 95/04/25. JACKSON,L.L. Affiliation Not Assigned. 4pp. 83952:207-83952:210.

9505080015 Responds to NRC ltr re violations noted in insp rept 50-390/95-08 & 50-391/95-08.Corrective actions:util will revise calculation to include analyses of 120 volt circuits covered in rev 7.
ZERINGUE,O.J. Tennessee Valley Authority. 95/04/27. Document Control Branch (Document Control Desk). 5pp. 83839:353-83839:357.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505080001 Provides addl info re recent discussions w/NRC personnel & NRC 950413 ltr re NOV from insp repts 50-390/94-88 & 50-391/94-88.
BARON,R.R. Tennessee Valley Authority. 95/04/28. Document Control Branch (Document Control Desk). 5pp. 83839:348-83839:352.

9505110214 Reinstates commitment in TVA 940901 response to NRC 880907 ltr re violation noted in insp rept 50-391/86-14 concerning failure to establish measures to ensure that deviations from quality stds controlled.
BARON,R.R. Tennessee Valley Authority. 95/04/28. Document Control Branch (Document Control Desk). 57pp. 83930:165-83930:221.

9505110014 Forwards insp repts 50-390/95-26 & 50-391/95-26 on 950403-07.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/05/01. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83850:144-83850:165.

–9505110018 Insp repts 50-390/95-26 & 50-391/95-26 on 950403-07.No violations noted.Major areas inspected:status of Fire Protection CA Program Rept commitments & completed fire protection pre-operational test data.
MILLER,W.H., JULIAN,C.A. Region 2 (Post 820201). 95/04/26. 18pp. 83850:147-83850:165.

9505110054 Forwards insp repts 50-390/95-23 & 50-391/95-23 on 950313-0418.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/05/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83851:148-83851:170.

–9505110058 Insp repts 50-390/95-23 & 50-391/95-23 on 950313-0408.No violations noted.Major areas inspected:employee concerns special program corrective actions,reactor vessel & interval & instrument line corrective action program.
BRADY,J.B., FREDRICKSON,P.E Region 2 (Post 820201). 95/05/02. 20pp. 83851:151-83851:170.

9505180193 Provides completion schedules for commitments from several inspection repts.
BARON,R.R. Tennessee Valley Authority. 95/05/05. Document Control Branch (Document Control Desk). 3pp. 84000:327-84000:329.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240052 Ack receipt of 950428 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-88 & 50-391/94-88.
JAUDON,J.P. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 84020:350-84020:352.

9505240231 Forwards insp repts 50-390/95-18 & 50-391/95-18 on 950305- 0415 & notice of violation.Informs that continued attention warranted re personnel attitude & ownership.
JAUDON,J.P. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 84023:022-84023:094.

–9505240248 Insp repts 50-390/95-18 & 50-391/95-18 on 950305-0415. Violations noted.Major areas inspected:preoperational test program implementation verification,preoperational test procedure review & preoperational test witnessing.
VAN-DOORN,P.K., JULIAN,C.A. Region 2 (Post 820201). 95/05/09. 66pp. 84023:029-84023:094.

9505240103 Ack receipt of 950427 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-08 & 50-391/95-08.
JAUDON,J.P. Region 2 (Post 820201). 95/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:161-84021:163.

9505240136 Ack receipt of 950414 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/94-24 & 50-391/94-24.
JAUDON,J.P. Region 2 (Post 820201). 95/05/16. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:285-84021:287.

9505310055 Forwards insp repts 50-390/95-24 & 50-391/95-24 on 950319-0422 & notice of violation.Activities appear to be in violation of NRC requirements.
JAUDON,J.P. Region 2 (Post 820201). 95/05/19. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 84095:130-84095:176.

–9505310069 Insp repts 50-390/95-24 & 50-391/95-24 on 950319-0422. Violations noted.Major areas inspected:quality assurance effectiveness,construction work activities,cable & splice damage inspections & open item status review.
WALTON,G.A., FREDRICKSON,P. Region 2 (Post 820201). 95/05/19. 42pp. 84095:135-84095:176.

R. Periodic operating reports & related correspondence

9505120094 Forwards "Annual Radiological Environ Operating Rept Watts Bar Nuclear Plant 1994" & data suppl.Util implemented radiological environ monitoring program described in ODCM on 950101.
BARON,R.R. Tennessee Valley Authority. 95/05/03. Document Control Branch (Document Control Desk). 2pp. 83941:001-83941:270.

–9505120097 "Annual Radiological Environ Operating Rept Watts Bar Nuclear Plant 1994" & data suppl.
* Tennessee Valley Authority. 94/12/31. 268pp. 83941:003-83941:270.

S. Reportable occurrences, LERs & related correspondence

9505110263 Clarifies statement made in revised final rept re deficiency in intake pumping station & DG bldg environ control sys.
BARON,R.R. Tennessee Valley Authority. 95/05/01. Document Control Branch (Document Control Desk). 2pp. 83930:297-83930:298.

V. Operator Examinations

9505120040 Notifies of change in operator status on 950601.Listed employees will be in positions where license no longer required.
ZERINGUE,O.J. Tennessee Valley Authority. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 83884:330-83884:331.

9505240118 Requests info re 950508 occurrence in which NRC-licensed operator tested positive for marijuana following fitness-for-duty test taken on 950501.
GIBSON,A.F. Region 2 (Post 820201). 95/05/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 84021:191-84021:193.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505040185 Ack receipt of 950221 ltr that transmitted amend 34 to Physical Security Plan.Informs that changes consistent w/provisions of 10CFR50.54.
COLLINS,D.M. Region 2 (Post 820201). 95/04/21. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 83862:015-83862:016.

9505020149 Forwards corrected page to insp rept 50-395/95-04,correcting previously issued insp rept 50-395/95-03 on 950306-10.
CLINE,W.E. Region 2 (Post 820201). 95/04/24. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 83690:314-83690:330.

--9505020158 Corrected page to insp rept 50-395/95-04,correcting previously issued insp rept 50-395/95-03 on 950306-10.
SALYERS,G.W., BARR,K.P. Region 2 (Post 820201). 95/04/20. 1p. 83690:316-83690:316.

--9505020162 Forwards insp rept 50-395/95-04 on 950227-0303.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 95/03/28. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 83690:317-83690:318.

--9505020169 Insp rept 50-395/95-03 on 950306-10.No violations or deviations noted.Major areas inspected:emergency preparedness program.
SALYERS,G.W., BARR,K.P. Region 2 (Post 820201). 95/03/27. 12pp. 83690:319-83690:330.

9505240190 Advises that rev 35 to radiation emergency plan for plant,consistent w/provisions of 10CFR50.47(b) & requirements of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/12. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 84022:255-84022:256.

9505300448 Forwards Amend 95-01 to fire protection evaluation rept.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/05/15. Document Control Branch (Document Control Desk). 1p. 84141:293-84141:301.

--9505300450 Amend 95-01 to fire protection evaluation rept.
* South Carolina Electric & Gas Co. 95/05/15. 8pp. 84141:294-84141:301.

9505240010 Forwards corrected page to insp rept 50-395/95-04.Rept has wrong insp date on cover page of rept details.Date shown of 950306-10 should be 950227-0303.
BARR,K.P. Region 2 (Post 820201). 95/05/16. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 84020:022-84020:024.

--9505240016 Corrected page to insp rept 50-395/95-04 on 950227-0303. Major areas inspected:licensee program was reviewed to determine whether licensee was maintaining capability for emergency detection & classification.
SALYERS.G.W., BARR,K.P. Region 2 (Post 820201). 95/05/15. 1p. 84020:024-84020:024.

9505300003 Forwards insp rept 50-395/95-08 on 950401-30 & notice of violation.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/23. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 84076:005-84076:028.

--9505300005 Notice of violation from insp on 950401-30.Violation noted: nonsafety-related fire damper installed in ventilation sys which was required to contain all safety-related components.
* Region 2 (Post 820201). 95/05/23. 1p. 84076:008-84076:008.

P. Operating license stage documents & correspondence

9505230107 Comment re proposed GL concerning pressure locking & thermal binding of SR power operated gate valves.Believes that full backfit analysis should be performed to enable utils to perform cost-benefit analysis to be utilized.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/04/26. Docketing & Services Branch. 2pp. 84001:351-84001:352.

9505040088 Responds to 950316 conference call between plant,NRC project manager & Idaho Falls.Informs that 10CFR50.55 allows NRC to grant relief from applicable ASME Code requirements provided requestor demonstrates compliance w/specified requirements.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83803:341-83803:343.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090083 Provides proposed schedule for SCEG up-rate licensing of VSNS w/respect to large break LOCA analyses.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/05/02. DEMBEK,S. Document Control Branch (Document Control Desk). 2pp. 83910:344-83910:345.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020149 Forwards corrected page to insp rept 50-395/95-04,correcting previously issued insp rept 50-395/95-03 on 950306-10.
CLINE,W.E. Region 2 (Post 820201). 95/04/24. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 83690:314-83690:330.

--9505020158 Corrected page to insp rept 50-395/95-04,correcting previously issued insp rept 50-395/95-03 on 950306-10.
SALYERS,G.W., BARR,K.P. Region 2 (Post 820201). 95/04/20. 1p. 83690:316-83690:316.

--9505020162 Forwards insp rept 50-395/95-04 on 950227-0303.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 95/03/28. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 83690:317-83690:318.

--9505020169 Insp rept 50-395/95-03 on 950306-10.No violations or deviations noted.Major areas inspected:emergency preparedness program.
SALYERS,G.W., BARR,K.P. Region 2 (Post 820201). 95/03/27. 12pp. 83690:319-83690:330.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505050168 Forwards insp rept 50-395/95-07 on 950327-31.No violations or deviations noted.
CASTO,C.A. Region 2 (Post 820201). 95/04/27. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 83759:043-83759:052.

--9505050174 Insp rept 50-395/95-07 on 950327-31.No violations or deviations noted.Major areas inspected:engineering re leaks & transients in piping sys.
CHOU,R., BLAKE,J. Region 2 (Post 820201). 95/04/24. 6pp. 83759:046-83759:052.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505240141 Ack receipt of 950424 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/95-02.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/09. TAYLOR,G. Southern California Edison Co. 2pp. 84021:300-84021:301.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220207 Forwards SE re relief requests for first 10-yr interval ISI, per 931102 ltr re requirements for 100% volumetric exam of several reactor vessel welds & inner radius SG nozzle welds.
HEBDON,F.J. . 95/05/16. TAYLOR,G.J. South Carolina Electric & Gas Co. 4pp. 84033:276-84033:289.

--9505220213 Safety evaluation of first 10-yr interval ISI requests for relief for plant.
* Office of Nuclear Reactor Regulation (Post 941001). 94/09/20. 11pp. 84033:280-84033:289.

9505240010 Forwards corrected page to insp rept 50-395/95-04.Rept has wrong insp date on cover page of rept details.Date shown of 950306-10 should be 950227-0303.
BARR,K.P. Region 2 (Post 820201). 95/05/16. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 84020:022-84020:024.

--9505240016 Corrected page to insp rept 50-395/95-04 on 950227-0303. Major areas inspected:licensee program was reviewed to determine whether licensee was maintaining capability for emergency detection & classification.
SALYERS.G.W., BARR,K.P. Region 2 (Post 820201). 95/05/15. 1p. 84020:024-84020:024.

9505300003 Forwards insp rept 50-395/95-08 on 950401-30 & notice of violation.
CHRISTENSEN,H. Region 2 (Post 820201). 95/05/23. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 84076:005-84076:028.

--9505300005 Notice of violation from insp on 950401-30.Violation noted: nonsafety-related fire damper installed in ventilation sys which was required to contain all safety-related components.
* Region 2 (Post 820201). 95/05/23. 1p. 84076:008-84076:008.

--9505300007 Insp rept 50-395/95-08 on 950401-30.Violations noted.Major areas inspected:operational safety verification,maint & surveillance observation,onsite engineering,plant support activities & followup on previous insp findings.
HAAG,R.C., FARNHOLTZ,T.R., MILLER,M.N. Region 2 (Post 820201). 95/05/23. 20pp. 84076:009-84076:028.

R. Periodic operating reports & related correspondence

9505190254 Monthly operating rept for Apr 1995 for VC Summer Nuclear Station.W/ 950511 ltr.
HALTIWANGER,J., TAYLOR,G.J. South Carolina Electric & Gas Co. 95/04/30. 5pp. 84009:313-84009:317.

9505180548 Forwards Technical Rept 94-4, "Seismic Activity Near VC Summer Nuclear Station for Period Oct-Dec 1994."
QUINTON,M.D. South Carolina Electric & Gas Co. 95/05/11. Document Control Branch (Document Control Desk). 2pp. 84031:306-84031:333.

--9505180550 "Seismic Activity Near VC Summer Nuclear Station for Period Oct-Dec 1994."
TALWANI,P., COBB,J.S. South Carolina, Univ. of, Columbia, SC. 94-4. 94/12/31. 26pp. 84031:308-84031:333.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505030158 Provides plan & schedule for resolution of concerns associated w/use of Thermo-Lag 330-1 to protect plant capability to safely shutdown in event of fire.
PARRISH,J.V. Washington Public Power Supply System. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83832:266-83832:267.

9505100003 Forwards revised summary description of proposed vehicle control measures.Encl withheld per 10CFR73.21.
PARRISH,J.V. Washington Public Power Supply System. 95/05/04. Document Control Branch (Document Control Desk). 1p. 83880:305-83880:305.

9505100077 Forwards results of FEMA emergency coordination center drill evaluation rept of 950104 drill for State of WA.
COLLINS,S.J. Region 4 (Post 820201). 95/05/05. PARRISH,J.V. Washington Public Power Supply System. 4pp. 83836:001-83836:011.

--9504210268 Forwards 950406 ltr from M Hepler transmitting FEMA final rept of 950104 drill of State of WA emergency coordination ctr site-specific to plant.No deficiencies or areas requiring corrective action.
ESSIG,T.H. . 95/04/19. MURRAY,B. Region 4 (Post 820201). 1p. 83836:005-83836:011.

--9504210281 Forwards final rept for 950104 drill site-specific to plant. No deficiencies noted.
HEPLER,O.M. Federal Emergency Management Agency. 95/04/06. SPESSARD,R.L. . 1p. 83836:006-83836:006.

--9504210288 "WNP-2 Nuclear Power Plant Unannounced/Off Hours ECC Drill on 950104."
* Federal Emergency Management Agency. 95/03/31. 6pp. 83836:007-83836:011.

9505110119 Notification of 950518 meeting w/utils in Rockville,MD to discuss proposed util tests of darmatt fire barriers including test configurations for dummy models,schedules & test details.
KELLY,G.B. . 95/05/05. MARCUS,G.H. . 7pp. 83902:242-83902:248.

9505180080 Forwards insp rept 50-397/95-10 on 950403-07.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/08. PARRISH,J.V. Washington Public Power Supply System. 5pp. 83953:198-83953:205.

--9505180087 Partially withheld insp rept 50-397/95-10 on 950403-07 (ref 10CFR73.21).No violations noted.Major areas inspected: mgt effectiveness,security plans,procedures,records & repts, testing & maint & security locks & keys.
MURRAY,B. Region 4 (Post 820201). 95/05/01. 3pp. 83953:203-83953:205.

9505250012 Forwards results of FEMA evaluation rept of 940913-14. Requests that licensee follows up w/offsite officials on Areas Requiring Corrective Actions & Plan Inadequacies.
COLLINS,S.J. Region 4 (Post 820201). 95/05/18. PARRISH,J.V. Washington Public Power Supply System. 3pp. 84043:128-84043:314.

--9505040190 Forwards 950323 ltr from M Hepler,which transmitted FEMA final exercise rept for 940913-14 exercise of offsite radiological emergency response plans site specific to plant.
ESSIG,T.H. . 95/05/01. MURRAY,B. Region 4 (Post 820201). 1p. 84043:132-84043:314.

--9505040207 Forwards final exercise rept for 940913-14,full- participation plume exposure & ingestion pathway joint exercise of offsite radiological emergency response plans site-specific for plant.
HEPLER,O.M. Federal Emergency Management Agency. 95/03/23. SPESSARD,R.L. . 1p. 84043:133-84043:133.

--9505040388 "Date of Full Scale Ingestion Pathway Exercise:940913-14."
* Federal Emergency Management Agency. 95/03/31. 181pp. 84043:134-84043:314.

P. Operating license stage documents & correspondence

9505030029 Informs that Operation QA Program Description,Revs 18,19 & 20,acceptable.
GWYNN,T.P. Region 4 (Post 820201). 95/04/17. PARRISH,J.V. Washington Public Power Supply System. 4pp. 83720:106-83720:109.

9505010066 Forwards amend 136 to license NPF-21 & SE.Amend revises TS 3.8.1 by increasing min required level of DG fuel storage capacity.
CLIFFORD,J.W. . 95/04/25. PARRISH,J.V. Washington Public Power Supply System. 4pp. 83687:249-83687:262.

--9505010071 Amend 136 to license NPF-21,revising TS 3.8.1 by increasing min required level of DG fuel storage capacity.
CLIFFORD,J.W. . 95/04/25. 7pp. 83687:253-83687:259.

--9505010075 Safety evaluation supporting amend 136 to license NPF-21.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/25. 3pp. 83687:260-83687:262.

9505030438 Forwards amend to license NPF-21,adding RWCU sys high blowdown containment isolation trip function & associated LCO & SR to Tables 3.3.2.-1,3.3.2-2 & 4.3.2.1-1.
PARRISH,J.V. Washington Public Power Supply System. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83808:112-83808:129.

--9505030441 Application for amend to license NPF-21,adding RWCU sys high blowdown containment isolation trip function & associated LCO & SRs to Tables 3.3.2-1,3.3.2-2 & 4.3.2.1-1.
PARRISH,J.V. Washington Public Power Supply System. 95/04/25. 10pp. 83808:115-83808:124.

--9505030443 Proposed tech specs,adding RWCU sys high blowdown containment isolation trip function & associated LCO & SRs to Tables 3.3.2-1,3.3.2-2 & 4.3.2.1-1.
* Washington Public Power Supply System. 95/04/25. 5pp. 83808:125-83808:129.

9505030158 Provides plan & schedule for resolution of concerns associated w/use of Thermo-Lag 330-1 to protect plant capability to safely shutdown in event of fire.
PARRISH,J.V. Washington Public Power Supply System. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83832:266-83832:267.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040211 Forwards copy of EA & FONSI re util 930709 application for amend to license to increase allowable max core power for plant.
CLIFFORD,J.W. . 95/04/28. PARRISH,J.V. Washington Public Power Supply System. 3pp. 83822:124-83822:130.

--9505040215 Notice of issuance of EA & FONSI re util application to amend license to increase allowable max core power for plant.
BATEMAN,W.H. . 95/04/28. 4pp. 83822:127-83822:130.

9505100203 Forwards amend 137 to license NPF-21 & safety evaluation. Amend increases authorized max power level of reactor from current limit of 3,323 MWt to 3,486 MWt.
CLIFFORD,J.W. . 95/05/02. PARRISH,J.V. Washington Public Power Supply System. 4pp. 83856:172-83856:292.

--9505100210 Amend 137 to license NPF-21,increasing authorized max power level of reactor from current limit of 3,323 MWt to 3,486 MWt.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 76pp. 83856:176-83856:251.

--9505100211 Safety evaluation supporting amend 137 to license NPF-21.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 41pp. 83856:252-83856:292.

9505120069 Refers to mgt meeting conducted on 950314 at Region IV office in Arlington,TX re midcycle performance assessment at WNP-2.List of attendees & briefing matl encl.
BEACH,A.B. Region 4 (Post 820201). 95/05/05. PARRISH,J.V. Washington Public Power Supply System. 28pp. 83870:305-83870:333.

9505180047 Forwards safety evaluation supporting util 940824 ltr, responding to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs," for plant.
CLIFFORD,J.W. . 95/05/08. PARRISH,J.V. Washington Public Power Supply System. 4pp. 83979:324-83979:333.

--9505180056 Safety evaluation supporting util 940824 ltr responding to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs." Concludes that util matls-based safety assessment of shroud justifies continued safe operation.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/08. 6pp. 83979:328-83979:333.

9505180211 Forwards SE authorizing licensee 941227 submittal requesting approval to use ASME Code Case N-416-1.
BATEMAN,W.H. . 95/05/12. PARRISH,J.V. Washington Public Power Supply System. 4pp. 83974:349-83974:357.

--9505180234 Safety evaluation authorizing licensee 941227 submittal, requesting approval to use ASME Code Case N-416-1.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. 5pp. 83974:353-83974:357.

9505250073 Forwards results of exam & evaluation of flaw in recirculation piping weld 20RRC(6)-8.Concludes that structural integrity of weld will be maintained during next operating cycle.Weld will remain in GL 88-01 categorg F.
PARRISH,J.V. Washington Public Power Supply System. 95/05/15. Document Control Branch (Document Control Desk). 21pp. 84063:274-84063:294.

9505260124 Forwards Amend 138 to License NPF-21 & safety evaluation. Amend revises TS to change Figure 3.1.5-2 "Sodium Pentaborate Tank,Vol vs. Concentration Requirements" to reflect actual low vol alarm & low limit values.
CLIFFORD,J.W. . 95/05/17. PARRISH,J.V. Washington Public Power Supply System. 4pp. 84075:310-84075:319.

--9505260134 Amend 138 to License NPF-21,revising TS to change Figure 3.1.5-2 "Sodium Pentaborate Tank,Vol vs Concentration Requirements" to reflect low vol alarm & low limit values.
CLIFFORD,J.W. . 95/05/17. 5pp. 84075:314-84075:317.

--9505260137 Safety evaluation supporting Amend 138 to License NPF-21.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/17. 2pp. 84075:318-84075:319.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505010053 Forwards SE re reuse of channel boxes for plant.Util 941201 ltr satisfactorily addressed issues discussed in NRC bulletin 90-02 for cycle 11.
CLIFFORD,J.W. . 95/04/25. PARRISH,J.V. Washington Public Power Supply System. 3pp. 83688:309-83688:315.

--9505010059 Safety evaluation accepting licensee evaluation re cycle 11 reload design w/reused channel boxes & methods used to account for channel box impact on core operation limits acceptable.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/25. 4pp. 83688:312-83688:315.

9505030102 Forwards copy of insp repts documenting results of NRC review of self assessment performed by util at plant & special insp of SI identified.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. PARRISH,J.V. Washington Public Power Supply System. 5pp. 83721:186-83721:229.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505190161 Provides clarification to paragraph 3.2.1.1 of NRC 950410 ltr re insp rept 50-397/95-05.
PARRISH,J.V. Washington Public Power Supply System. 95/05/05. Document Control Branch (Document Control Desk). 3pp. 84008:351-84008:353.

9505120057 Forwards summary of enforcement conference conducted on 950407,to discuss apparent violations identified in NRC insp 50-397/95-34.List of attendees & briefing matls encl.
BEACH,A.B. Region 4 (Post 820201). 95/05/08. PARRISH,J.V. Washington Public Power Supply System. 40pp. 83870:175-83870:214.

9505180080 Forwards insp rept 50-397/95-10 on 950403-07.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/08. PARRISH,J.V. Washington Public Power Supply System. 5pp. 83953:198-83953:205.

--9505180087 Partially withheld insp rept 50-397/95-10 on 950403-07 (ref 10CFR73.21).No violations noted.Major areas inspected: mgt effectiveness,security plans,procedures,records & repts, testing & maint & security locks & keys.
MURRAY,B. Region 4 (Post 820201). 95/05/01. 3pp. 83953:203-83953:205.

9505180197 Forwards insp rept 50-397/95-11 on 950410-14.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/10. PARRISH,J.V. Washington Public Power Supply System. 4pp. 83953:026-83953:038.

--9505180215 Insp rept 50-397/95-11 on 950410-14.Major areas inspected: audits,appraisals & changes re util implementation of revised 10CFR20.
MURRAY,B. Region 4 (Post 820201). 95/04/26. 9pp. 83953:030-83953:038.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180363 Forwards info supporting review of First & Second 10-yr ISI program plans.
PARRISH,J.V. Washington Public Power Supply System. 95/05/12. Document Control Branch (Document Control Desk). 69pp. 84031:235-84031:305.

9505190081 Forwards insp rept 50-397/95-17 on 950411-14.No violations noted.Addl mgt attention needed to ensure that all personnel aware of program & to reinforce commitment to discrimination-free work environ.
BEACH,A.B. Region 4 (Post 820201). 95/05/12. PARRISH,J.V. Washington Public Power Supply System. 4pp. 83973:346-83973:354.

--9505190085 Insp rept 50-397/95-17 on 950411-14.No violations noted. Major areas inspected:licensee employee concerns program.
CHAMBERLAIN,D. Region 4 (Post 820201). 95/05/12. 5pp. 83973:350-83973:354.

9505240196 Discusses insp rept 50-397/94-34 on 950123-0215 & forwards notice of violation & proposed imposition of civil penalty in amount of $50,000.Enforcement conference conducted on 950407 to discuss violations.
CALLAN,L.J. Region 4 (Post 820201). 95/05/18. PARRISH,J.V. Washington Public Power Supply System. 5pp. 84022:260-84022:268.

--9505240210 Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:on 941026,w/plant in operational condition 1,Train B of control room emergency filtration sys became inoperable when door gasket removed.
* Region 4 (Post 820201). 95/05/18. 4pp. 84022:266-84022:268.

9505260045 Forwards insp rept 50-397/95-09 on 950305-0422 & notice of violation.Violation of NRC concern because violation resulted in operation of containment atmosphere monitors in excess of qualified life.
BEACH,A.B. Region 4 (Post 820201). 95/05/22. PARRISH,J.V. Washington Public Power Supply System. 5pp. 84062:140-84062:168.

--9505260048 Notice of violation from insp on 950305-0422.Violation noted:on 950328,noted that qualified life of H Sensor 1301 had been extended by 25% & sensor had not been qualified by thermal aging.
* Region 4 (Post 820201). 95/05/22. 1p. 84062:145-84062:145.

--9505260050 Insp rept 50-397/95-09 on 950305-0422.Violations noted. Major areas inspected:control room operations,licensee action on previous insp findings,operational safety verification,surviellance program & maint program.
CHAMBERLAIN,D. Region 4 (Post 820201). 95/05/15. 23pp. 84062:146-84062:168.

R. Periodic operating reports & related correspondence

9505020252 "Operational Ecological Monitoring Program for Nuclear Plant 2." W/ 950428 ltr.
PARRISH,J.V. Washington Public Power Supply System. 94/12/31. ZELLER,J.J. Washington, State of. 100pp. 83763:129-83763:202.

9505180272 Monthly operating rept for Apr 1995 for WNP-2. W/950510 ltr.
EMBREE,D.G., PARRISH,J.V. Washington Public Power Supply System. 95/04/30. 4pp. 84000:330-84000:333.

S. Reportable occurrences, LERs & related correspondence

9505120051 LER 95-005-00:on 950222,inoperable IRM had been relied upon to meet TS requirements during reactor startup.Caused by lack of neutron source to test instrumentation. Sys knowledge gained will be incorporated.W/950503 ltr.
PEDRO,J.M., PARRISH,J.V. Washington Public Power Supply System. 95/05/03. 7pp. 83938:291-83938:297.

9505100247 LER 95-006-00:on 950405,main turbine trip occurred during performance of surveillance test due to protective sys relay failed.Replaced failed relay before plant startup.W/950504 ltr.
HUGO,B.R., PARRISH,J.V. Washington Public Power Supply System. 95/05/04. 5pp. 83924:114-83924:118.

9505100253 Forwards LER 95-007 re actuation of EDG.
PARRISH,J.V. Washington Public Power Supply System. 95/05/05. Document Control Branch (Document Control Desk). 1p. 83924:128-83924:131.

--9505100258 LER 95-007-00:on 950222,emergency diesel start occurred due to voltage transient on BPA grid.Confirmation was received at 17:51 h that disturbance had originated in BPA grid.
FOLEY,C.J. Washington Public Power Supply System. 95/05/05. 3pp. 83924:129-83924:131.

9505180269 Informs that on 950503,Operating Reactor Events Briefing 95-09 conducted to inform senior managers from listed ofcs of selected events that occurred since last briefing on 950322.
CHAFFEE,A.E. . 95/05/08. GRIMES,B.K. . 21pp. 83972:338-83972:358.

9505250089 LER 95-008-00:on 940125,TS wording lead to potential TS violation.Caused by lack of clarity in TS.Submitted "improved" TS for plant to provide addl clarity.W/950512 ltr.
LEWIS,K.B., PARRISH,J.V. Washington Public Power Supply System. 95/05/12. 5pp. 84078:141-84078:145.

V. Operator Examinations

9505050196 Informs that,although NRC administered GFE section of written operator licensing exam on 950405,plant did not participate.Master exam & answer key encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. PARRISH,J.V. Washington Public Power Supply System. 2pp. 83759:054-83759:055.

DOCKET 50-398 MENDOCINO, UNIT 1

P. Operating license stage documents & correspondence

9505230014 Comment on proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." Util believes that ability to justify actuator capability by analysis should not be restricted to population of "small valves."
PARRISH,J.V. Washington Public Power Supply System. 95/04/26. NRC - No Detailed Affiliation Given. 2pp. 84001:077-84001:078.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505030167 Revised EPIPs,including rev 10 to PEP-301,rev 7 to PEP-343, rev 9 to PEP-321,rev 6 to PEP-206 & rev 5 to PEP-216.W/ 950426 ltr.
ROBINSON,W.R. Carolina Power & Light Co. 95/04/26. 40pp. 83799:281-83799:322.

9505180109 Advises that rev 24 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.
BARR,K.P. Region 2 (Post 820201). 95/05/03. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 83952:159-83952:161.

9505110119 Notification of 950518 meeting w/utils in Rockville,MD to discuss proposed util tests of darmatt fire barriers including test configurations for dummy models,schedules & test details.
KELLY,G.B. . 95/05/05. MARCUS,G.H. . 7pp. 83902:242-83902:248.

9505300047 Forwards 950503 ltr from FEMA informing util of deficiency identified during 950418 exercise at plant NPP.
BARR,K.P. Region 2 (Post 820201). 95/05/19. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 84076:156-84076:158.

9505300037 Forwards 950503 FEMA ltr that was inadvertently omitted from ltr transmitted on 950519,re offsite exercise evaluation for plant.
BARR,K.P. Region 2 (Post 820201). 95/05/24. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 84076:109-84076:114.

9505310025 Forwards insp rept 50-400/95-07 on 950417-21.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/24. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 84094:135-84094:153.

--9505310028 Insp rept 50-400/95-07 on 950417-21.No violations noted. Major areas inspected:observation & evaluation of annual emergency preparedness exercise.
SARTOR,W.M., BARR,K,.P. Region 2 (Post 820201). 95/05/24. 3pp. 84094:138-84094:153.

I. Financial information

9505300150 Confirms that $595,098 was electronically transferred to US Dept of Treasury on 950517.
ROGAN,R.E. Carolina Power & Light Co. 95/05/18. Document Control Branch (Document Control Desk). 1p. 84106:343-84106:343.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050103 Summarizes 950424 mgt meeting w/util in region II ofc re util performance evaluation section.List of attendees & licensee handouts encl.
VERRELLI,D.M. Region 2 (Post 820201). 95/04/28. HABERMEYER,H.W. Carolina Power & Light Co. 32pp. 83758:316-83758:347.

9505090298 Forwards amend 58 to license NPF-63 & safety evaluation. Amend requests line-item improvement to radiological effluent TS per guidance of GL 89-01 & incorporates requirements of revised 10CFR20 & 10CFR50.36a.
LE,N.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/01. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 83852:170-83852:228.

--**9505090301** Amend 58 to license NPF-63,requesting line-item improvement to radiological effluent TS per guidance of GL 89-01 & incorporates requirements of revised 10CFR20 & 10CFR50.36a.
MATTHEWS,D.B. Project Directorate II-1 (PD2-1) (Post 941001). 95/05/01. 38pp. 83852:174-83852:211.

--**9505090302** Safety evaluation supporting amend 58 to license NPF-63.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/01. 17pp. 83852:212-83852:228.

9505100204 Forwards rev to NPDES permit,changing monitoring frequency for several effluent characteristics from daily to three times per wk for plant outfall 002.
ROBINSON,W.R. Carolina Power & Light Co. 95/05/01. Document Control Branch (Document Control Desk). 3pp. 83906:350-83906:352.

9505150013 Confirms that listed amount electronically transferred to US DOT,NRC on 950503.Informs that payment third installment of annual licensing fee for FY95 per 10CFR171 for listed plants.
ROGAN,R.E. Carolina Power & Light Co. 95/05/08. Document Control Branch (Document Control Desk). 1p. 83898:004-83898:004.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180021 Advises of results of recent performance review at plant facility to determine if present planned insp effort for rest of current SALP cycle should be revised before end date of 960316.List of plant scheduled insps,encl.
VERRELLI,D.M. Region 2 (Post 820201). 95/04/28. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 83952:023-83952:026.

9505090072 Forwards response to NRC 950331 ltr re violations noted in insp rept 50-400/95-04.Corrective action:procedure CM-10113 was revised on 950213 to incorporate line/load regulation & AC ripple during bench testing of SSPC power supplies.
ROBINSON,W.R. Carolina Power & Light Co. 95/05/01. Document Control Branch (Document Control Desk). 4pp. 83873:183-83873:186.

9505180366 Forwards insp rept 50-400/95-05 on 950305-0408.No violations or deviations noted.
VERRELLI,D.M. Region 2 (Post 820201). 95/05/05. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 83955:054-83955:076.

--**9505180374** Insp rept 50-400/95-05 on 950305-0408.No violations noted. Major areas inspected:operational safety,maintenance surveillance,engineering activities,plant support & licensee action on previous insp items.
ELROD,S., ROBERTS,D., BYRON,P. Region 2 (Post 820201). 95/05/05. 19pp. 83955:058-83955:076.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240173 Forwards insp rept 50-400/95-06 on 950410-13.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/12. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 84022:180-84022:194.

--**9505240179** Insp rept 50-400/95-06 on 950410-13.No violations noted. Major areas inspected:licensee program & practices for maintaining radiation exposures ALARA.
PARKER,B.A., RANKIN,W.H. Region 2 (Post 820201). 95/05/12. 12pp. 84022:183-84022:194.

9505240272 Ack receipt of 950501 ltr informing NRC of steps taken to correct violations noted in insp rept 50-400/95-04.
VERRELLI,D.M. Region 2 (Post 820201). 95/05/17. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 84023:104-84023:106.

9505310025 Forwards insp rept 50-400/95-07 on 950417-21.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/05/24. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 84094:135-84094:153.

--**9505310028** Insp rept 50-400/95-07 on 950417-21.No violations noted. Major areas inspected:observation & evaluation of annual emergency preparedness exercise.
SARTOR,W.M., BARR,K,.P. Region 2 (Post 820201). 95/05/24. 3pp. 84094:138-84094:153.

R. Periodic operating reports & related correspondence

9505020473 "Shearon Harris Nuclear Power Plant Unit 1 Annual Environ (Nonradiological) Operating Rept for Jan -Dec 1994." W/ 950421 ltr.
ROBINSON,W.R. Carolina Power & Light Co. 94/12/31. 10pp. 83760:001-83760:010.

9505180263 Monthly operating rept for Apr 1995 for SHNPP. W/950511 ltr.
ROGERS,S., ROBINSON,W.R. Carolina Power & Light Co. 95/04/30. 5pp. 84013:234-84013:238.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

S. Reportable occurrences, LERs & related correspondence

9505080020 LER 95-001-00:on 950417,noted that HPSW to containment building isolated.Caused by momentary LOP due to operational test of 1A EDG.Procedures for test being modified to include instructions to verify value being open.W/950420 ltr.
GREEN,W.R., BERG,W.L. Dairyland Power Cooperative. 95/04/20. 3pp. 83845:052-83845:054.

W. Decommissioning Stage Documents & Correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505240032 Revised Emergency Plan Maint Procedures,including rev 0 to EPMP-EPP-0102, "Unit 2 Emergency Classification Technical Bases" & rev 0 to EPMP-EPP-0101, "Unit 1 Emergency Classification Technical Bases."
MCCORMICK,M.J. Niagara Mohawk Power Corp. 95/05/13. 234pp. 84070:001-84070:234.

H. General correspondence

9505250172 Requests that JV Vinquist be added to distribution of correspondence from NRC.
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/05/15. Document Control Branch (Document Control Desk). 1p. 84099:234-84099:234.

I. Financial information

9505240376 Forwards 1994 Annual Financial Repts of Niagara Mohawk & Co-Tenant Companies Of Nine Mile Point Units 1 & 2.
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/05/15. Document Control Branch (Document Control Desk). 1p. 84106:001-84106:316.

--**9505240379** "Rochester Gas & Electric Corp Annual Rept for 1994."
* Rochester Gas & Electric Corp. 94/12/31. 60pp. 84106:002-84106:069.

--**9505240396** "Niagara Mohawk Power Corp 1994 Annual Rept."
* Niagara Mohawk Power Corp. 94/12/31. 53pp. 84106:070-84106:125.

--**9505240398** "Central Hudson Gas & Electric Corp 1994 Annual Rept."
* Central Hudson Gas & Electric Corp. 94/12/31. 53pp. 84106:126-84106:182.

--**9505240399** "1994 Annual Rept," for NYSEG.
* New York State Electric & Gas Corp. 94/12/31. 48pp. 84106:183-84106:239.

--**9505240400** "Long Island Lighting Co 1994 Annual Rept."
* Long Island Power Authority. 94/12/31. 56pp. 84106:240-84106:316.

P. Operating license stage documents & correspondence

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--**9505190275** Discusses Niagara Mohawk Power Corp settlement agreement re review scope,per Stello ltr dtd 890427.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/18. SLOSSON,M. NRC - No Detailed Affiliation Given. 1p. 84038:118-84038:118.

9505010208 Discusses issuance of schedular exemption from requirements of 10CFR50,app J for plant re delay of next required type A leakage rate test.High degree of confidence exists that containment will not degrade to unacceptable extent.
MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 95/04/24. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 83691:211-83691:221.

--9505010210 Exemption from requirements of 10CFR50,App J,section III.D.1.(a) re containment integrated leakage rate tests.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/04/24. Niagara Mohawk Power Corp. 8pp. 83691:215-83691:221.

9505020415 Forwards corrected page to one-time exemption issued to license NPF-69,issued on 950424.
EDISON,G.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/04/27. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 83717:302-83717:305.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090250 Forwards amend 66 to license NPF-69 & SE.Amend modifies FOL NPF-69 & NMP-2 TSs to authorize increase in max power level of NMP-2 from 3,323 to 3,467 MWt & approves changes to implement updated power operation.
EDISON,G.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/04/28. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 83852:104-83852:169.

--9505090255 Amend 66 to license NPF-69,modifying FOL NPF-69 & NMP-2 TSs to authorize increase in max power level of NMP-2 from 3,323 to 3,467 MWt & approving changes to implement updated power operation.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 28pp. 83852:108-83852:135.

--9505090259 Safety evaluation supporting amend 66 to license NPF-69.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/28. 34pp. 83852:136-83852:169.

9505180549 Submits response to rept of effectiveness of licensee activities re performance of safety-related check valves.
TERRY,C.D. Niagara Mohawk Power Corp. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 84013:107-84013:108.

9505230074 Advises that util will implement Amend 66 to License NPF-69, authorizing increase in max power level from 3,323 MWt to 3,467 MWt prior to restart from fourth refueling outage. Restart scheduled to occur on 950524.
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/05/15. Document Control Branch (Document Control Desk). 5pp. 84051:355-84051:359.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505300452 Forwards "Evaluation of Nine Mile Point Unit 2 Recirculation Inlet Nozzle Indications," in reponse to GL 88-01, "NRC Position on IGSCC in BWR Austentic Stainless Steel Piping."
TERRY,C.D. Niagara Mohawk Power Corp. 95/05/20. Document Control Branch (Document Control Desk). 2pp. 84136:286-84136:319.

--9505300453 "Evaluation of Nine Mile Point Unit 2 Recirculation Inlet Nozzle Indications."
HERRERA,M.L., MILLER,W.F. General Electric Co. GENE-523-A050-0595. 95/05/31. 32pp. 84136:288-84136:319.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240143 Forwards insp repts 50-220/95-10 & 50-410/95-10 on 950424-28 & NOV.
JOYNER,J.H. Region 1 (Post 820201). 95/05/16. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84021:302-84021:312.

--9505240153 Notice of violation from insp on 950424-28.Violation noted:util failed to properly implement Radiation Protection Program procedures as listed.
* Region 1 (Post 820201). 95/05/16. 2pp. 84021:305-84021:306.

--9505240159 Insp repts 50-220/95-10 & 50-410/95-10 on 950424-28. Violations noted.Major areas inspected:radiological controls during refueling outage & instructions to radiological workers.
FURIA,J., BORES,R. Region 1 (Post 820201). 95/05/16. 6pp. 84021:307-84021:312.

9505310060 Forwards insp rept 50-410/95-07 on 950320-24 & 0403-07.Non- cited violation noted.
RULAND,W.H. Region 1 (Post 820201). 95/05/23. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 84095:297-84095:314.

--9505310072 Insp rept 50-410/95-07 on 950320-24 & 0403-07.Violation noted.Major areas inspected:licensee implementation program for SBO rule,10CFR50.63.
CHEUNG,L., RULAND,W.H. Region 1 (Post 820201). 95/05/22. 15pp. 84095:300-84095:314.

9505310131 Addresses issues raised in insps required by GL 88-01, "NRC Position in IGSCC in BWR Austentic Stainless Steel Piping."
TERRY,C.D. Niagara Mohawk Power Corp. 95/05/24. Document Control Branch (Document Control Desk). 2pp. 84163:229-84163:230.

R. Periodic operating reports & related correspondence

9505020210 "Annual Radiological Environ Operating Rept Nine Mile Point Nuclear Station." W/950428 ltr.
ABBOTT,R.B. Niagara Mohawk Power Corp. 94/12/31. 151pp. 83791:007-83791:157.

9505110016 "Annual Environ Operating Rept," for CY94.W/950501 ltr.
DAHLBERG,K.A. Niagara Mohawk Power Corp. 94/12/31. 4pp. 83929:334-83929:337.

9505030159 Informs of correction of Semi-Annual rept re SPDES permit.
STORZ,L.F. Niagara Mohawk Power Corp. 95/04/24. Document Control Branch (Document Control Desk). 1p. 83832:268-83832:268.

9505220166 Monthly operating rept for Apr 1995 for NMPNS Unit 2.W/ 950510 ltr.
CAROCCIO,C.J., DAHLBERG,K.A. Niagara Mohawk Power Corp. 95/04/30. 5pp. 84039:193-84039:197.

S. Reportable occurrences, LERs & related correspondence

9505300195 Final Part 21 rept re KEPCO,Inc model RMX24-D-20804 power supplies in which transistors Q15 &/or Q16 failed to open & R1 was open.Replacement of transmitters w/XSIS-095 along w/ replacement of electrolytic capacitors provides solution.
* Affiliation Not Assigned. 95/04/26. NRC - No Detailed Affiliation Given. 18pp. 84090:017-84090:034.

V. Operator Examinations

9505090024 Informs that Region I can no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. SYLVIA,B.R. Niagara Mohawk Power Corp. 2pp. 83816:103-83816:104.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505100036 Advises that Rev 24 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. THOMAS,G.S. Duquesne Light Co. 3pp. 83906:353-83906:355.

9505100041 Advises that rev 24 to contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. THOMAS,G.S. Duquesne Light Co. 3pp. 83906:356-83906:358.

9505180531 Forwards Rev 26 to Issue 4 of Beaver Valley Power Station physical security plan.Encl withheld per 10CFR2.790(d) & 10CFR73.21.
THOMAS,G.S. Duquesne Light Co. 95/05/12. Document Control Branch (Document Control Desk). 1p. 84015:352-84015:352.

9505300441 Withdraws portions of 940831 proposed amends to licenses,re audits of BVPS fire protection program & changes to QA program to introduce 25 percent grace period for audit frequencies.
THOMAS,G.S. Duquesne Light Co. 95/05/18. Document Control Branch (Document Control Desk). 3pp. 84138:353-84138:355.

I. Financial information

9505300337 Forwards "1994 Annual Repts To Shareholders," for Duquesne Light Co, "OH Edison 1994 Annual Rept," "Annual Rept 1994 for Penn Power" & "Centerior Energy Annual Rept 1994."
THOMAS,G.S. Duquesne Light Co. 95/05/18. Document Control Branch (Document Control Desk). 1p. 84138:183-84138:334.

--9505300344 "1994 Annual Rept to Shareholders," for Duquesne Light Company.
* Duquesne Light Co. 94/12/31. 47pp. 84138:184-84138:233.

--9505300362 "OH Edison 1994 Annual Rept."
* Ohio Edison Co. 94/12/31. 32pp. 84138:234-84138:271.

--9505300367 "Annual Rept 1994 for Penn Power."
* Pennsylvania Power & Light Co. 94/12/31. 20pp. 84138:272-84138:294.

--9505300370 "Centerior Energy Annual Rept 1994."
* Centerior Energy. 94/12/31. 37pp. 84138:295-84138:334.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505180233 Rev 7 to Beaver Valley Power Station Updated FSAR.W/950511 ltr & 26 oversize encls.
THOMAS,G.S. Duquesne Light Co. 95/05/11. 456pp. 83987:001-83988:092.

P. Operating license stage documents & correspondence

9505030240 Forwards Cycle 6 reload & COLR.
THOMAS,G.S. Duquesne Light Co. 95/04/24. Document Control Branch (Document Control Desk). 6pp. 83787:338-83787:350.

--9505040065 "Core Operating Limits Rept."
* Duquesne Light Co. 95/04/24. 7pp. 83787:342-83787:350.

9505010013 Forwards amends 186 & 67 to licenses DPR-66 & NPF-73 & safety evaluation.Amends revise App A TS re required surveillance frequency for comparing incore & excore axial imbalance.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/04/26. CROSS,J.E. Duquesne Light Co. 3pp. 83693:326-83693:339.

--9505010015 Amends 186 & 67 to licenses DPR-66 & NPF-73,respectively, revising App A TS re required surveillance frequency for comparing incore & excore axial imbalance.
STOLTZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/04/26. 7pp. 83693:329-83693:336.

--9505010018 Safety evaluation supporting amends 186 & 67 to licenses DPR-66 & NPF-73,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/26. 3pp. 83693:337-83693:339.

9505030196 Ack receipt of 950407 ltr from GS Thomas re 10CFR50.54 submittal concerning changing to quality assurance program for plant,units 1 & 2.
MODES,M.C. Region 1 (Post 820201). 95/04/26. CROSS,J.E. Duquesne Light Co. 2pp. 83722:111-83722:113.

9505050305 Application for amend to license NPF-73,consisting of change request 92,adding 2CHS*MOV373,centrifugal charging/ high head SI pump min flow valve to SRs for TS 3.5.2.
THOMAS,G.S. Duquesne Light Co. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83839:231-83839:247.

--9505050307 Proposed tech specs 3.5.2,adding 2CHS*MOV373,centrifugal charging/ high head SI pump min flow valve to SRs.
* Duquesne Light Co. 95/04/26. 14pp. 83839:234-83839:247.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050119 Notification of 950511 meeting w/utils in Rockville,MD to inform NRC of plans to develop electrosleeving & ensure that all technical concerns are addressed during qualification.
DEMBEK,S. . 95/05/02. HEBDON,F.J. . 4pp. 83822:148-83822:151.

9505090176 Forwards amend 68 to license NPF-73 & safety evaluation. Amend revises TS 4.6.3.3.d to delete ref to specific test acceptance criteria for Containment Recirculation Spray Pumps.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/05/03. CROSS,J.E. Duquesne Light Co. 3pp. 83853:305-83853:316.

--9505090178 Amend 68 to license NPF-73,revising TS 4.6.2.2.d to delete ref to specific test acceptance criteria for Containment Recirculation Spray Pumps.
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/03. 4pp. 83853:308-83853:311.

--9505090181 Safety evaluation supporting amend 68 to license NPF-63.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/03. 5pp. 83853:312-83853:316.

9505190357 Forwards amends 187 & 69 to licenses DPR-66 & NPF-73, respectively & SE.Amends revise TSs 3.4.9.3 & 3.4.11 to incorporate changes to power operated relief valve TS in accordance w/guidance in GL 90-06 re GIs 70 & 94.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/05/15. CROSS,J.E. Duquesne Light Co. 3pp. 84002:038-84002:103.

--9505190370 Amends 187 & 69 to licenses DPR-66 & NPF-73,respectively, revising TSs 3.4.9.3 & 3.4.11 to incorporate changes to PORV TS IAW guidance of GL 90-06, "Resolution of GI 70, 'PORV & Block...' & GI 94, 'Addl LTOP for LWRs.'"
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/15. 60pp. 84002:041-84002:100.

--9505190375 Safety evaluation supporting amends 187 & 69 to licenses DPR-66 & NPF-73,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. 3pp. 84002:101-84002:103.

9505300441 Withdraws portions of 940831 proposed amends to licenses,re audits of BVPS fire protection program & changes to QA program to introduce 25 percent grace period for audit frequencies.
THOMAS,G.S. Duquesne Light Co. 95/05/18. Document Control Branch (Document Control Desk). 3pp. 84138:353-84138:355.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310062 Advises that plant has completed commitment activities necessary re resolution of GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Control Cluster Assemblies, 10CFR50.54(f)."
THOMAS,G.S. Duquesne Light Co. 95/05/19. Document Control Branch (Document Control Desk). 1p. 84145:273-84145:273.

9505240435 Forwards Environ Assessment & FONSI re licensee application for 950208 exemption from requirements of 10CFR73.55(d)(5).
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). 95/05/22. CROSS,J.E. Duquesne Light Co. 3pp. 84059:191-84059:200.

--9505240436 Environ assessment & finding of no significant impact re licensee application for 950208 exemption from requirements of 10CFR73.55(d)(5).
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). 95/05/22. 7pp. 84059:194-84059:200.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505040126 Submits SR re 950414 ISI of tubing on SGs 2RCS-E21A,2RCS- E21B & 2RCS-E21C was completed.
FREELAND,L.R. Duquesne Light Co. 95/04/27. Document Control Branch (Document Control Desk). 4pp. 83806:241-83806:256.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505190053 Forwards insp repts 50-334/95-07 & 50-412/95-07 on 950228- 0417.No violations noted.C/As to address weaknesses in root cause analysis of human performance problems do not appear to be effective.
LINVILLE,J.C. Region 1 (Post 820201). 95/05/10. CROSS,J.E. Duquesne Light Co. 3pp. 83973:101-83973:138.

--9505190059 Insp repts 50-334/95-07 & 50-412/95-07 on 950228-0417.No violations noted.Major areas inspected:plant operations, maint & surveillance,engineering,plant support & safety assessment/quality verification.
LAZARUS,W.J. Region 1 (Post 820201). 95/05/08. 36pp. 83973:104-83973:138.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505150297 "Beaver Valley Power Station Unit 2 Rept of Facility Changes,Tests & Experiments 931101-941031." W/950505 ltr.
THOMAS,G.S. Duquesne Light Co. 94/10/31. 64pp. 83977:236-83977:299.

9505100143 Monthly operating repts for Apr 1995 for BVPS. W/950505 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 95/04/30. 9pp. 83875:083-83875:091.

V. Operator Examinations

9505090058 Informs that Region 1 will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. CROSS,J.E. Duquesne Light Co. 2pp. 83816:224-83816:225.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505020171 Forwards final rept dtd 950309 from FEMA re findings of joint exercise of offsite radiological ER plan for plant on 940301.Although no deficiencies identified,eight areas requiring C/A found.W/o encl.
CLINE,W.E. Region 2 (Post 820201). 95/04/21. REHN,D.L. Duke Power Co. 4pp. 83691:030-83691:033.

9505240448 Requests approval of changes to min emergency staffing levels for DPC nuclear site emergency plans under Cost Beneficial Licensing Actions (CBLA) process.Supporting justification of proposed changes & info re CBLA encl.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 16pp. 84073:054-84073:069.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505310582 Forwards corrections to Catawba Nuclear Station 1994 FSAR update issued 950329 due to CAIP reproduction error in 950329 issue.
LOWERY,J.L. Duke Power Co. 95/05/17. NRC - No Detailed Affiliation Given. 2pp. 84144:001-84144:136.

--9505310586 Corrections to Catawba Nuclear Station 1994 FSAR update.
* Duke Power Co. 95/05/16. 136pp. 84144:003-84144:136.

P. Operating license stage documents & correspondence

9505030143 Expresses appreciation for NRC prompt response to request to perform technical audit of util use of fuel rod code methodology.
TUCKMAN,M.S. Duke Power Co. 95/04/20. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83791:347-83791:347.

9505040108 Application for amends to licenses NPF-35 & NPF-52, increasing allowable enrichment limit for fuel stored in spent fuel pools.
TUCKMAN,M.S. Duke Power Co. 95/04/26. Document Control Branch (Document Control Desk). 19pp. 83806:288-83806:344.

--9505040114 Proposed tech specs,increasing allowable enrichment limit for fuel stored in spent fuel pools.
* Duke Power Co. 95/04/26. 38pp. 83806:307-83806:344.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090226 Forwards RAI re topical rept DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Response should be submitted within 30 days of ltr date.
MARTIN,R.E. . 95/05/03. TUCKMAN,M.S. Duke Power Co. 7pp. 83853:338-83853:344.

9505150023 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval.
TUCKMAN,M.S. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 3pp. 83899:044-83899:046.

9505180345 Confirms 950504 telcon between DL Rehn & RV Crlenjak re mgt meeting scheduled for 950317 at plant site to discuss current plant related issues.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/05. REHN,D.L. Duke Power Co. 4pp. 83955:048-83955:051.

9505240362 Offers listed comments on proposed rev to 10CFR50 App J, "Containment Leakage Testing," published in 950221 FR & endorses comments submitted by NEI on subj.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 4pp. 84068:358-84068:360.

9505190147 Requests that 950315 approval ltr from SC Dept of Health & Environ Control,approving use of listed treatment chemicals, be modified & reissued for listed reasons.
CARTER,J.S. Duke Power Co. 95/05/10. ELEAZER,T.M. South Carolina, State of. 6pp. 84010:274-84010:279.

9505230147 Forwards relief requests 95-03 re leaks in nuclear SWS piping.
REHN,D.L. Duke Power Co. 95/05/11. Document Control Branch (Document Control Desk). 66pp. 84068:076-84068:141.

--9505230259 Calculation CNC 120600-02-0007, "90-05 Cal on RN Stainless Steel Butt Welds."
* Duke Power Co. CNC 120600-02-0007. 95/05/02. 18pp. 84068:081-84068:098.

--9505230270 Calculation CNC 1206.00-02-0008, "90-05 Cal RN Stainless Steel Socket Welds."
WILLIS,J.F. Duke Power Co. CNC 1206.00-02-0008. 95/05/02. 26pp. 84068:099-84068:124.

--9505230287 "Catawba-RN Sys Corrosion in Stainless Steel Welds Metallurgical Analysis Rept."
ANDERSON,S., FRYE,C.R. Duke Power Co. 1812. 95/04/24. 17pp. 84068:125-84068:141.

9505300384 Forwards proprietary & nonproprietary versions of responses to NRC questions re Topical Rept DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Proprietary responses withheld per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 95/05/12. Document Control Branch (Document Control Desk). 19pp. 84162:223-84162:241.

9505250059 Forwards groundwater monitoring data for CNS conventional wastewater treatment ponds.Samples collected on 950313,in accordance w/protocol outlined in sampling analysis plan.
CARTER,J. Duke Power Co. 95/05/16. APONTE,H. South Carolina, State of. 6pp. 84063:309-84063:314.

9505310593 Forwards Request for Relief 95-01.Relief request necessary because during CNS Unit 1 EOC 8 refueling outage,complete coverage of weld 1RHRB-W3 could not be obtained.
REHN,D.L. Duke Power Co. 95/05/16. Document Control Branch (Document Control Desk). 42pp. 84144:225-84144:266.

9505260227 Requests NRC approval for util to use recent Rev 3 to CROV computer code (approved by NRC on 950420).
TUCKMAN,M.S. Duke Power Co. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84104:079-84104:082.

9505310435 Application for amends to licenses NPF-35 & NPF-52 re change to TS to defer next scheduled containment ILRT at plant one outage from EOC seven refueling outage to EOC eight.
TUCKMAN,M.S. Duke Power Co. 95/05/18. Document Control Branch (Document Control Desk). 9pp. 84145:101-84145:114.

--9505310436 Proposed tech specs re change to TS to defer next scheduled containment ILRT at plant for one outage from EOC seven to EOC eight.
* Duke Power Co. 95/05/18. 5pp. 84145:110-84145:114.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505300208 Forwards Rev 3 of COLR for plant that incorporates cycle specific info plant Cycle 8 operation.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84105:300-84105:322.

--9505300211 Rev 3 to "GGNS COLR SR."
* Entergy Operations, Inc. GGNS-MS-48.0 R03. 95/05/22. 21pp. 84105:302-84105:322.

Q. Inspection reports, IE Bulletins & correspondence

9505020110 Ack receipt of 950322 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/94-30 & 50-414/94-30 on 950221.
CASTO,C.A. Region 2 (Post 820201). 95/04/20. REHN,D.L. Duke Power Co. 3pp. 83690:145-83690:147.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505100148 Forwards response to NRC 950331 ltr re violations noted in insp repts 50-413/95-05 & 50-414/95-05.Corrective actions: 594 ft elevation was immediately surveyed by radiation protection.
REHN,D.L. Duke Power Co. 95/04/27. Document Control Branch (Document Control Desk). 4pp. 83873:346-83873:349.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505150057 Forwards response to NRC 950330 ltr re violations noted in insp repts 50-413/95-07 & 50-414/95-07.Corrective actions: entered AP/1/A/5500/19,loss of RHR sys to restore core cooling.
REHN,D.L. Duke Power Co. 95/04/28. Document Control Branch (Document Control Desk). 9pp. 83943:285-83943:293.

9505180046 Forwards insp repts 50-413/95-10 & 50-414/95-10 on 950305-0408 & notice of violation.Violation of NRC concern because of importance that positive control of reactivity be maintained at all times.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/05. REHN,D.L. Duke Power Co. 4pp. 83952:088-83952:111.

--9505180052 Notice of violation from insp on 950305-0408.Violation noted:on 950323,during performance of Control Rod Worth Measurements,requirements of procedure PT/O/A/4150/11B,had not been properly implemented.
* Region 3 (Post 820201). 95/05/05. 1p. 83952:092-83952:092.

--9505180054 Insp repts 50-413/95-10 & 50-414/95-10 on 950305-0408. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
FREUDENBERGER, CRLENJAK,R.V. Region 2 (Post 820201). 95/05/05. 19pp. 83952:093-83952:111.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240286 Ack receipt of 950428 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/95-07 & 50-414/95-07.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/11. REHN,D.L. Duke Power Co. 3pp. 84023:116-84023:118.

9505240290 Ack receipt of 950427 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/95-05 & 50-414/95-05.
BARR,K.P. Region 2 (Post 820201). 95/05/11. REHN,D.L. Duke Power Co. 3pp. 84023:119-84023:121.

R. Periodic operating reports & related correspondence

9505010162 Annual environ operating rept for CY94.W/950405 ltr.
REHN,D.L. Duke Power Co. 94/12/31. 43pp. 83716:313-83716:355.

9505020278 "Catawba Nuclear Station Units 1 & 2 Annual Radiological Environ Operating Rept 1994." W/950424 ltr.
REHN,D.L. Duke Power Co. 94/12/31. 124pp. 83767:133-83767:256.

9505020334 "Annual Radioactive Effluent Release Rept Catawba Nuclear Station." W/ 950425 ltr.
RHEN,D.L. Duke Power Co. 94/12/31. 128pp. 83763:001-83763:128.

9505220152 Forwards monthly operating repts for Apr 1995 for Catawba Nuclear Station.
WEBER,R.L. Duke Power Co. 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84039:139-84039:151.

--9505220281 Monthly operating repts for Apr 1995 for Catawba Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/04/30. 10pp. 84039:141-84039:150.

--9505220282 Revised monthly operating status rept for Mar 1995 for CNS.
* Duke Power Co. 95/03/31. 1p. 84039:151-84039:151.

S. Reportable occurrences, LERs & related correspondence

9505230156 Imforms that since mid-March,continuous flow observed coming from Stormwater Outfall 17/18.Util concluded that source of effluent at Stormwater Outfall 17/18,leakage from conventional waste treatment basins.
COOK,T.E. Duke Power Co. 95/05/17. ROBINSON,L. South Carolina, State of. 2pp. 84083:242-84083:243.

9505310514 Forwards LER 95-001 re TS 3.0.3 entry due to both trains of CR ventilation inoperable.
REHN,D.L. Duke Power Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84162:112-84162:118.

--9505310523 LER 95-001-00:on 950420,TS 3.0.3 was entered due to both trains of CR ventilation being inoperable.Operations mgt communicated expectations for human performance improvement to all operations work groups.
KIMBALL,D.P. Duke Power Co. 95/05/22. 6pp. 84162:113-84162:118.

V. Operator Examinations

9505300020 Confirms arrangements made during 950517 telcon,re administration of retake operating test for individual at plant.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/19. REHN,D.L. Duke Power Co. 6pp. 84076:054-84076:059.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505020171 Forwards final rept dtd 950309 from FEMA re findings of joint exercise of offsite radiological ER plan for plant on 940301.Although no deficiencies identified,eight areas requiring C/A found.W/o encl.
CLINE,W.E. Region 2 (Post 820201). 95/04/21. REHN,D.L. Duke Power Co. 4pp. 83691:030-83691:033.

9505240448 Requests approval of changes to min emergency staffing levels for DPC nuclear site emergency plans under Cost Beneficial Licensing Actions (CBLA) process.Supporting justification of proposed changes & info re CBLA encl.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 16pp. 84073:054-84073:069.

K. Utility Final Safety Analysis Report (FSAR) & amends

9505310582 Forwards corrections to Catawba Nuclear Station 1994 FSAR update issued 950329 due to CAIP reproduction error in 950329 issue.
LOWERY,J.L. Duke Power Co. 95/05/17. NRC - No Detailed Affiliation Given. 2pp. 84144:001-84144:136.

--9505310586 Corrections to Catawba Nuclear Station 1994 FSAR update.
* Duke Power Co. 95/05/16. 136pp. 84144:003-84144:136.

P. Operating license stage documents & correspondence

9505030143 Expresses appreciation for NRC prompt response to request to perform technical audit of util use of fuel rod code methodology.
TUCKMAN,M.S. Duke Power Co. 95/04/20. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83791:347-83791:347.

9505040108 Application for amends to licenses NPF-35 & NPF-52, increasing allowable enrichment limit for fuel stored in spent fuel pools.
TUCKMAN,M.S. Duke Power Co. 95/04/26. Document Control Branch (Document Control Desk). 19pp. 83806:288-83806:344.

--9505040114 Proposed tech specs,increasing allowable enrichment limit for fuel stored in spent fuel pools.
* Duke Power Co. 95/04/26. 38pp. 83806:307-83806:344.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505150023 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval.
TUCKMAN,M.S. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 3pp. 83899:044-83899:046.

9505180345 Confirms 950504 telcon between DL Rehn & RV Crlenjak re mgt meeting scheduled for 950317 at plant site to discuss current plant related issues.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/05. REHN,D.L. Duke Power Co. 4pp. 83955:048-83955:051.

9505240362 Offers listed comments on proposed rev to 10CFR50 App J, "Containment Leakage Testing," published in 950221 FR & endorses comments submitted by NEI on subj.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 4pp. 84068:358-84068:360.

9505190147 Requests that 950315 approval ltr from SC Dept of Health & Environ Control,approving use of listed treatment chemicals, be modified & reissued for listed reasons.
CARTER,J.S. Duke Power Co. 95/05/10. ELEAZER,T.M. South Carolina, State of. 6pp. 84010:274-84010:279.

9505230147 Forwards relief requests 95-03 re leaks in nuclear SWS piping.
REHN,D.L. Duke Power Co. 95/05/11. Document Control Branch (Document Control Desk). 66pp. 84068:076-84068:141.

--9505230259 Calculation CNC 120600-02-0007, "90-05 Cal on RN Stainless Steel Butt Welds."
* Duke Power Co. CNC 120600-02-0007. 95/05/02. 18pp. 84068:081-84068:098.

--9505230270 Calculation CNC 1206.00-02-0008, "90-05 Cal RN Stainless Steel Socket Welds."
WILLIS,J.F. Duke Power Co. CNC 1206.00-02-0008. 95/05/02. 26pp. 84068:099-84068:124.

--9505230287 "Catawba-RN Sys Corrosion in Stainless Steel Welds Metallurgical Analysis Rept."
ANDERSON,S., FRYE,C.R. Duke Power Co. 1812. 95/04/24. 17pp. 84068:125-84068:141.

9505300384 Forwards proprietary & nonproprietary versions of responses to NRC questions re Topical Rept DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Proprietary responses withheld per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 95/05/12. Document Control Branch (Document Control Desk). 19pp. 84162:223-84162:241.

9505250059 Forwards groundwater monitoring data for CNS conventional wastewater treatment ponds.Samples collected on 950313,in accordance w/protocol outlined in sampling analysis plan.
CARTER,J. Duke Power Co. 95/05/16. APONTE,H. South Carolina, State of. 6pp. 84063:309-84063:314.

9505310541 Forwards relief request 95-02 from requirements to perform visual exam for one of two RCS pressurizer spray valves.
REHN,D.L. Duke Power Co. 95/05/16. Document Control Branch (Document Control Desk). 7pp. 84163:176-84163:182.

9505260227 Requests NRC approval for util to use recent Rev 3 to CROV computer code (approved by NRC on 950420).
TUCKMAN,M.S. Duke Power Co. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84104:079-84104:082.

9505310435 Application for amends to licenses NPF-35 & NPF-52 re change to TS to defer next scheduled containment ILRT at plant one outage from EOC seven refueling outage to EOC eight.
TUCKMAN,M.S. Duke Power Co. 95/05/18. Document Control Branch (Document Control Desk). 9pp. 84145:101-84145:114.

--9505310436 Proposed tech specs re change to TS to defer next scheduled containment ILRT at plant for one outage from EOC seven to EOC eight.
* Duke Power Co. 95/05/18. 5pp. 84145:110-84145:114.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020110 Ack receipt of 950322 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/94-30 & 50-414/94-30 on 950221.
CASTO,C.A. Region 2 (Post 820201). 95/04/20. REHN,D.L. Duke Power Co. 3pp. 83690:145-83690:147.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505100148 Forwards response to NRC 950331 ltr re violations noted in insp repts 50-413/95-05 & 50-414/95-05.Corrective actions: 594 ft elevation was immediately surveyed by radiation protection.
REHN,D.L. Duke Power Co. 95/04/27. Document Control Branch (Document Control Desk). 4pp. 83873:346-83873:349.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505150057 Forwards response to NRC 950330 ltr re violations noted in insp repts 50-413/95-07 & 50-414/95-07.Corrective actions: entered AP/1/A/5500/19,loss of RHR sys to restore core cooling.
REHN,D.L. Duke Power Co. 95/04/28. Document Control Branch (Document Control Desk). 9pp. 83943:285-83943:293.

9505180046 Forwards insp repts 50-413/95-10 & 50-414/95-10 on 950305-0408 & notice of violation.Violation of NRC concern because of importance that positive control of reactivity be maintained at all times.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/05. REHN,D.L. Duke Power Co. 4pp. 83952:088-83952:111.

--9505180054 Insp repts 50-413/95-10 & 50-414/95-10 on 950305-0408. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
FREUDENBERGER, CRLENJAK,R.V. Region 2 (Post 820201). 95/05/05. 19pp. 83952:093-83952:111.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240286 Ack receipt of 950428 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/95-07 & 50-414/95-07.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/11. REHN,D.L. Duke Power Co. 3pp. 84023:116-84023:118.

9505240290 Ack receipt of 950427 ltr informing NRC of steps taken to correct violations noted in insp repts 50-413/95-05 & 50-414/95-05.
BARR,K.P. Region 2 (Post 820201). 95/05/11. REHN,D.L. Duke Power Co. 3pp. 84023:119-84023:121.

R. Periodic operating reports & related correspondence

9505010162 Annual environ operating rept for CY94.W/950405 ltr.
REHN,D.L. Duke Power Co. 94/12/31. 43pp. 83716:313-83716:355.

9505020278 "Catawba Nuclear Station Units 1 & 2 Annual Radiological Environ Operating Rept 1994." W/950424 ltr.
REHN,D.L. Duke Power Co. 94/12/31. 124pp. 83767:133-83767:256.

9505020334 "Annual Radioactive Effluent Release Rept Catawba Nuclear Station." W/ 950425 ltr.
RHEN,D.L. Duke Power Co. 94/12/31. 128pp. 83763:001-83763:128.

9505220152 Forwards monthly operating repts for Apr 1995 for Catawba Nuclear Station.
WEBER,R.L. Duke Power Co. 95/05/15. Document Control Branch (Document Control Desk). 2pp. 84039:139-84039:151.

--9505220281 Monthly operating repts for Apr 1995 for Catawba Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/04/30. 10pp. 84039:141-84039:150.

--9505220282 Revised monthly operating status rept for Mar 1995 for CNS.
* Duke Power Co. 95/03/31. 1p. 84039:151-84039:151.

S. Reportable occurrences, LERs & related correspondence

9505230156 Imforms that since mid-March,continuous flow observed coming from Stormwater Outfall 17/18.Util concluded that source of effluent at Stormwater Outfall 17/18,leakage from conventional waste treatment basins.
COOK,T.E. Duke Power Co. 95/05/17. ROBINSON,L. South Carolina, State of. 2pp. 84083:242-84083:243.

9505310109 LER 95-002-00:on 950420,determined that containment integrity would not be ensured during calibrations involving containment pressure sensing transmitters.Caused by procedural inadequacy.Procedure created.W/950522 ltr.
KIMBALL,D.P., REHN,D.L. Duke Power Co. 95/05/22. 9pp. 84162:041-84162:050.

9505310323 LER 95-004-00 on 950427,component in "A" RTB cubicle failed to change state during surveillance testing.Cause due to required procedures not being used.Management counseling provided to individual involved.W/950524 ltr.
KIMBALL,D.P., REHN,D.L. Duke Power Co. 95/05/24. 7pp. 84162:088-84162:094.

V. Operator Examinations

9505300020 Confirms arrangements made during 950517 telcon,re administration of retake operating test for individual at plant.
PEEBLES,T.A. Region 2 (Post 820201). 95/05/19. REHN,D.L. Duke Power Co. 6pp. 84076:054-84076:059.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505020165 Concludes that rev 27 to licensee emergency plan acceptable & meets planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
CLINE,W.E. Region 2 (Post 820201). 95/04/21. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 83690:356-83690:360.

9505020010 Forwards insp rept 50-416/95-04 on 950305-0408 & notice of violation.
CHRISTENSEN,H. Region 2 (Post 820201). 95/04/24. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 83689:022-83689:044.

--9505020020 Notice of violation from insp on 950305-0408.Violation noted:corrective actions following reactor scram on 941101, inadequate in that maint practices not corrected & did not prevent similar reactor scram on 950316.
* Region 2 (Post 820201). 95/04/24. 1p. 83689:026-83689:026.

--9505020022 Insp rept 50-416/95-04 on 950305-0408.Violations noted.Major areas inspected:maint & surveillance observations,onsite engineering,security,fire protection,review of licensee event repts & plant housekeeping.
TEDROW,J., HUGHEY,C., CHRISTENSEN,H. Region 2 (Post 820201). 95/04/24. 18pp. 83689:027-83689:044.

9505030046 Forwards plant security safeguards event log for first quarter of 1995.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/04/27. Document Control Branch (Document Control Desk). 6pp. 83832:260-83832:265.

9505180387 Informs of completion of review of rev 27.001-95 to plant emergency plan.Proposed changes satisfactory to meet planning stds of 10CFR50.47(b) & requirments of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/03. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 83955:080-83955:083.

9505150177 Forwards Rev 27 to physical security plan.Encl withheld per 10CFR73.21.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/05/05. Document Control Branch (Document Control Desk). 2pp. 83977:304-83977:305.

9505180576 Forwards Rev 6 to training & qualification plan.Encl withheld per 10CFR2.790(d).
HUTCHINSON,C.R. Entergy Operations, Inc. 95/05/05. Document Control Branch (Document Control Desk). 2pp. 84015:348-84015:349.

9505300186 Forwards insp rept 50-416/95-03 on 950417-21.Violations noted but not cited.
BARR,K.P. Region 2 (Post 820201). 95/05/18. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 84078:001-84078:017.

--9505300196 Insp rept 50-416/95-03 on 950417-21.Violations noted but not cited.Major areas inspected:review of health physics activities,elements of program examined were audits & appraisals,planing & preparation.
FORBES,D.B., RANKIN,D.B. Region 2 (Post 820201). 95/05/15. 13pp. 84078:005-84078:017.

J. Insurance & indemnity information

9505030023 Provides NRC w/two copies of listed liability endorsement info.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/04/27. Document Control Branch (Document Control Desk). 4pp. 83832:256-83832:259.

9505310618 Submits certificate of insurance for nuclear property insurance issued by Nuclear Mutual Limited per 10CFR50.54.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/05/25. Document Control Branch (Document Control Desk). 7pp. 84143:351-84143:357.

P. Operating license stage documents & correspondence

9505050306 Forwards safety evaluation granting util exemption from certain requirements of 10CFR50,App J,to permit selection of containment leakage rate testing intervals for components on basis of performance.Exemption also encl.
O'CONNOR,P.W. . 95/04/26. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 83822:207-83822:236.

--9505050309 Exemption granted from requirements of 10CFR50,App J, Sections III.D.1(a),III.D.2,III.D.2.(b)(i),III.D.2.(b)(iii) & III.D.3,to permit selection of containment leakage rate testing intervals for components on basis of performance.
ADENSAM,E.G. . 95/04/26. Entergy Operations, Inc. 8pp. 83822:211-83822:219.

--9505050313 Safety evaluation granting util exemption from requirements of 10CFR50,App J,Sections III.D.1(a),III.D.2,III.D.2.(b)(i), III.D.2.(b)(iii) & III.D.3,to permit selection of containment leakage rate testing intervals for components.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/26. 17pp. 83822:220-83822:236.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505180151 Summary of 950504 meeting w/util re proposed plan to implement graded QA plan at util plants.List of attendees & licensee handouts encl.
O'CONNOR,P.W. . 95/05/08. . 88pp. 83974:237-83974:324.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020010 Forwards insp rept 50-416/95-04 on 950305-0408 & notice of violation.
CHRISTENSEN,H. Region 2 (Post 820201). 95/04/24. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 83689:022-83689:044.

--9505020020 Notice of violation from insp on 950305-0408.Violation noted:corrective actions following reactor scram on 941101, inadequate in that maint practices not corrected & did not prevent similar reactor scram on 950316.
* Region 2 (Post 820201). 95/04/24. 1p. 83689:026-83689:026.

--9505020022 Insp rept 50-416/95-04 on 950305-0408.Violations noted.Major areas inspected:maint & surveillance observations,onsite engineering,security,fire protection,review of licensee event repts & plant housekeeping.
TEDROW,J., HUGHEY,C., CHRISTENSEN,H. Region 2 (Post 820201). 95/04/24. 18pp. 83689:027-83689:044.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505300186 Forwards insp rept 50-416/95-03 on 950417-21.Violations noted but not cited.
BARR,K.P. Region 2 (Post 820201). 95/05/18. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 84078:001-84078:017.

--9505300196 Insp rept 50-416/95-03 on 950417-21.Violations noted but not cited.Major areas inspected:review of health physics activities,elements of program examined were audits & appraisals,planing & preparation.
FORBES,D.B., RANKIN,D.B. Region 2 (Post 820201). 95/05/15. 13pp. 84078:005-84078:017.

9505310089 Forwards insp rept 50-416/95-06 on 950501-05.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/05/23. HUTCHINSON,C.R. Entergy Operations, Inc. 3pp. 84096:002-84096:014.

--9505310095 Insp rept 50-416/95-06 on 950501-05.No violations noted. Major areas inspected:ISI & flow accelerated corrosion.
KLEINSORGE,W.P., BLAKE,J.J. Region 2 (Post 820201). 95/05/22. 10pp. 84096:005-84096:014.

9505310171 Responds to NRC 950424 ltr re violations noted in insp rept 50-416/95-04.Corrective actions:frequency of checks for grounds increased from being performed weekly to being performed every shift & large caution labels installed.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/05/24. Document Control Branch (Document Control Desk). 5pp. 84163:244-84163:248.

R. Periodic operating reports & related correspondence

9505030142 "Grand Gulf Nuclear Station 1994 Annual Radiological Environ Operating Rept." W/950425 ltr.
HUTCHINSON,C.R. Entergy Operations, Inc. 94/12/31. 146pp. 83798:239-83799:020.

9505030192 Forwards "Grand Gulf Nuclear Station Annual Radioactive Effluent Release Rept Jan-Dec 1994." W/950427 ltr.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83801:142-83801:241.

--9505030195 "Grand Gulf Nuclear Station Annual Radioactive Effluent Release Rept Jan-Dec 1994."
* Entergy Operations, Inc. 94/12/31. 100pp. 83801:145-83801:241.

9505240350 Monthly operating rept for Apr 1995 for GGNS Unit 1. W/950512 ltr.
LIN,S.D., HUTCHINSON,C.R. Entergy Operations, Inc. 95/04/30. 5pp. 84072:358-84072:362.

S. Reportable occurrences, LERs & related correspondence

9505250277 LER 95-005-00:on 950419,unplanned ESF actuation occurred due to reliance on inadequate impact statement.Breaker reclosed & affected sys restored to pre-event status.W/950518 ltr.
HOLIFIELD,C., HUTCHINSON,C.R. Entergy Operations, Inc. 95/05/18. 5pp. 84082:032-84082:036.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505020165 Concludes that rev 27 to licensee emergency plan acceptable & meets planning stds of 10CFR50.47(b) & requirements of App E to 10CFR50.
CLINE,W.E. Region 2 (Post 820201). 95/04/21. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 83690:356-83690:360.

9505180387 *Informs of completion of review of rev 27.001-95 to plant emergency* plan.Proposed changes satisfactory to meet planning stds of 10CFR50.47(b) & requirments of App E to 10CFR50.
BARR,K.P. Region 2 (Post 820201). 95/05/03. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 83955:080-83955:083.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505030260 *Forwards insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on* 950208-0321.Violations noted.
DURR,J.P. Region 1 (Post 820201). 95/04/26. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 83722:180-83722:235.

--9505030267 Notice of violation from insp on 950208-0321.Violation noted:failure to implement controls to maintain CR habitability,failure to adequately leak test 5 containment isolation valves & failure to adequately implement QA SR.
* Region 1 (Post 820201). 95/04/26. 5pp. 83722:184-83722:188.

--9505030271 Insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance,outage activities,security & licensee self-assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 95/04/17. 47pp. 83722:189-83722:235.

9505100030 Forwards insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31.No violations or safety concerns noted.
JOYNER,J.H. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83828:045-83828:054.

--9505100052 Partially withheld insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31 (ref 10CFR73.21).No violations or safety concerns noted.Major areas inspected:effectiveness of mgt controls,security plan & implementing procedures.
ALBERT,R.J. Region 1 (Post 820201). 95/04/28. 7pp. 83828:048-83828:054.

9505240211 Provides NRC w/revised schedule for implementation of revised EAL tables at Haddam Neck & Millstone plants.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84083:331-84083:332.

9505240058 Forwards insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.
DURR,J.P. Region 1 (Post 820201). 95/05/15. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84021:019-84021:044.

--9505240064 Insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.Major areas inspected:plant operations,radiological controls,maint, surveillance,security & outage activities.
NICHOLSON,L.E. Region 1 (Post 820201). 95/05/09. 22pp. 84021:022-84021:044.

9505300446 Revised EPIPs,including Rev 1 to EPIP 4405,Rev 1 to Emergency Plan Operating Procedure (EPOP) EPOP 4411,Rev 0 to EPOP 4411A,Rev 0 to EPOP 4411B,Rev 2 to EPOP4412,Rev 1 to EPOP 4417,Rev 3 to EPOP 4419 & Rev 1 to EPOP 4422.
MCCANCE,T., RODGERS,R.C., DEVEAU,M.J. Northeast Nuclear Energy Co. 95/05/22. 767pp. 84139:001-84141:039.

G. Adjudicatory correspondence

9505190173 Provides status of Director Decision re petition per 10CFR2.206 of 940303.Advises that Director Decision should be issued shortly,provided no unexpected events exist.
VISSING,G.S. Project Directorate I-4 (PD1-4) (Post 941001). 95/05/09. GAVENSKY,R. Affiliation Not Assigned. 2pp. 83984:195-83984:196.

9505190188 Provides update on five of 10CFR2.206 petitions,dtd 941230, 950102,08 & 15.NRC currently reviewing info provided in petitions &,as stated in NRC 950223 ltr,action will be taken on AJ Ross request within reasonable time.
ANDERSEN,J.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/09. ROSS,A.J. Affiliation Not Assigned. 2pp. 83984:197-83984:198.

H. General correspondence

9505220105 Comment opposing proposed revision to 10CFR50,App J, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.
SCACE,S.E. Northeast Utilities. 95/05/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83985:147-83985:149.

I. Financial information

9505030186 1994 annual financial rept to US Securities & Exchange Commission for Northeast Nuclear Energy Co & North Atlantic Energy Svc Corp.W/950428 ltr.
GUGLIELMO,F.J. Northeast Utilities Service Co. 94/12/31. 102pp. 83801:040-83801:141.

P. Operating license stage documents & correspondence

9505110213 Supplements relief request (IR-19) made on 941216 re performance of volumetric exam of inner radius of SG main steam nozzles at Millstone Unit 3.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/03/29. Document Control Branch (Document Control Desk). 3pp. 84000:307-84000:324.

9505020207 Submits rev to TSs re reactor coolant sys flow rate per NRC staff questions.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/04/25. Document Control Branch (Document Control Desk). 4pp. 83757:329-83757:332.

9505040424 *Forwards response to NRC 950214 ltr identifying issues to NNECO re* activities at plant.Plant Info Rept 94-527 also encl.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/04/25. MARTIN,T.T. Region 1 (Post 820201). 16pp. 83803:291-83803:310.

--9505040425 "'LPCI/CS Pump Motors Potential of Inadequate Bend Radius on Raychem Splices' Operability Evaluation."
* Northeast Nuclear Energy Co. PIR 94-527. 94/12/15. 4pp. 83803:307-83803:310.

9505010245 Forwards amend 109 to license NPF-49 & safety evaluation. Amend changes Millstone 3 TS table 4.3-1 by adding note for certain functional units which would allow entry into mode 2 or 1 before performing calibr for power range detectors.
ROONEY,V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/04/26. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 83691:222-83691:232.

--9505010250 Amend 109 to license NPF-49,changing TS table 4.3-1 by adding note for certain functional units which would allow entry into mode 2 or 1 before performing calibr for power range detectors.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/04/26. 5pp. 83691:225-83691:229.

--9505010254 Safety evaluation supporting amend 109 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/26. 3pp. 83691:230-83691:232.

9505050107 Requests that "SG Schematic Flow Diagram," be withheld from public disclosure.Diagram submitted as supplementary info for relief request for performing volumetric exam of inner radius of SG nozzle.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83837:270-83837:293.

--9505050110 Requests that "SG Schematic Flow Diagram," be withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/20. RUSSELL,W.T. Document Control Branch (Document Control Desk). 21pp. 83837:273-83837:293.

9505230094 Comment re proposed GL concerning pressure locking & thermal binding of safety-related power operated gate valves. Valves whose safety function to close & remain closed or valves that remain open should be excluded from proposed GL.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/04/26. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 84001:342-84001:348.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040014 Forwards EA & FONSI re application for exemption dtd 940928 which would provide partial exemption & schedular exemption from requirements of Section III.D.1.(a) of 10CFR50,App J.
ROONEY,V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/04/28. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83751:341-83751:347.

--9505040053 Environ assessment & finding of no significant impact re potential environmental issues re licensee application of 940928,as supplmented on 950224.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/04/28. 4pp. 83751:344-83751:347.

9505050166 Application for amend to license NPF-49,revising action statement of LCO 3.7.5 to permit plant Unit 3 to remain in Modes 1-4 w/average water temp of UHS greater than 75 degrees F for 12 h.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/04/28. Document Control Branch (Document Control Desk). 9pp. 83863:325-83863:353.

--9505050169 Proposed tech specs,revising action statement of LCO 3.7.5 to permit plant Unit 3 to remain in Modes 1-4 w/average water temp of UHS greater 75 degrees F for 12 h.
* Northeast Nuclear Energy Co. 95/04/28. 20pp. 83863:334-83863:353.

9505050175 Application for amend to license NPF-49,revising DG fuel oil testing performed on new fuel prior to addition of new fuel to storage tank.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/04/28. Document Control Branch (Document Control Desk). 6pp. 83864:004-83864:013.

--9505050178 Proposed tech specs,revising DG fuel oil testing performed on new fuel prior to addition of new fuel to storage tank.
* Northeast Nuclear Energy Co. 95/04/28. 4pp. 83864:010-83864:013.

9505050345 Informs of correction of certain info util provided on behalf of plant in response to GL 88-17.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/04/28. Document Control Branch (Document Control Desk). 7pp. 83839:306-83839:312.

9505040218 Forwards amend 110 to license NPF-49 & safety evaluation. Amend changes acceptance criteria for peak transient generator voltage from 4,784 volts to 5,000 volts during full load rejections tests of DG.
ROONEY,V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/01. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83777:175-83777:186.

--9505040219 Amend 110 to license NPF-49,changing acceptance criteria for peak transient generator voltage during full load rejection tests of DG.
MCKEE,P.F. Project Directorate I-4 (PD1-4) (Post 941001). 95/05/01. 5pp. 83777:178-83777:182.

--9505040222 Safety evaluation supporting amend 110 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/01. 4pp. 83777:183-83777:186.

9505050182 Application for amend to license NPF-49,revising 24-month fuel cycle.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/05/01. Document Control Branch (Document Control Desk). 4pp. 83825:182-83825:255.

--9505050185 Proposed tech specs,revising 24-month fuel cycle.
* Northeast Nuclear Energy Co. 95/05/01. 71pp. 83825:186-83825:255.

9505050189 Application for amend to license NPF-49,requesting exemption from requirements of III.D.2 & III.D.3 of App J to 10CFR50 to permit plant to perform Type B & C tests & bypass leakage tests beyond 24 months.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/05/01. Document Control Branch (Document Control Desk). 4pp. 83815:288-83815:336.

--9505050192 Proposed tech specs,requesting exemption from requirements from III.D.2 & III.D.3 of App J to 10CFR50 to permit plant to perform Type B & C tests & bypass leakage tests beyond 24 months.
* Northeast Nuclear Energy Co. 95/05/01. 45pp. 83815:292-83815:336.

9505090303 Forwards corrected TS page B 3/4 9-8 issued w/amend 107, incorporating changes made by amend 105.
ROONEY,V.L. Project Directorate I-4 (PD1-4) (Post 941001). 95/05/03. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 83923:336-83923:340.

--9505090305 Corrected TS page B 3/4 9-8 issued w/amend 107 to license NPF-49,incorporating changes made by amend 105.
* Project Directorate I-4 (PD1-4) (Post 941001). 95/05/03. 1p. 83923:340-83923:340.

9505110265 Informs that licensee 940928 request for partial exemption & schedular exemption from requirements of Section III.D.1.(a) of 10CFR50,App J,granted.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83938:137-83938:145.

--9505110268 Exemption from requirements of Section III.D.1.(a) of 10CFR50,App J.
VARGA,S.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/05/08. Northeast Nuclear Energy Co. 6pp. 83938:140-83938:145.

9505150006 Forwards amend 111 to license NPF-49 & SE.Amend revises SR 4.6.1.2.a of TSs to eliminate requirement to perform Type A tests on interval of 40 +/-10 months while reiterating app J requirement that Type A be performed.
ROONEY,V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/08. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83948:176-83948:185.

--9505150007 Amend 111 to license NPF-49,revising SR 4.6.1.2.a of TSs to eliminate requirement to perform Type A tests on interval of 40 +/- 10 months while reiterating app J requirement that Type A tests be performed three times during 10-yr period.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/08. 5pp. 83948:179-83948:183.

--9505150008 Safety evaluation supporting amend 111 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/08. 2pp. 83948:184-83948:185.

9505240221 Provides suppl to 941214 request for rev to TSs re SR for leak collection & release sys & overall containment integrated leakage rate.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/05/11. Document Control Branch (Document Control Desk). 6pp. 84073:145-84073:150.

9505190129 Forwards amend 112 to license NPF-49 & SE.Amend eliminates certain SRs for EDGs,in accordance w/staff guidance in GL 93-05.
ROONEY,V.L. Project Directorate I-4 (PD1-4) (Post 941001). 95/05/12. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83988:280-83988:301.

--9505190132 Amend 112 to license NPF-49,eliminating certain SRs for EDGs,in accordance w/staff guidance in GL 93-05.
ROONEY,V.L. Project Directorate I-4 (PD1-4) (Post 941001). 95/05/12. 13pp. 83988:283-83988:295.

--9505190136 Safety evaluation supporting amend 112 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. 6pp. 83988:296-83988:301.

9505240239 Provides update to info Northeast Nuclear Energy Co submitted to NRC in response to GL 89-13 on behalf of plant Unit 3.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84083:333-84083:334.

9505240150 Forwards amend 113 to license NPF-49 & safety evaluation. Amend revises TSs to increase min required boron concentration in BAT from 6,300 to 6,600 ppm.
ROONEY,V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/17. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 84059:284-84059:301.

--9505240157 Amend 113 to license NPF-49,revising TSs to increase min required boron concentration in BAT from 6,300 to 6,600 ppm.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/17. 11pp. 84059:288-84059:298.

--9505240161 Safety evaluation supporting amend 113 to license NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/17. 3pp. 84059:299-84059:301.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505260317 Application for amend to license NPF-49,clarifying LCO by indicating in Section 3.7.4.3, "Demineralized Water Storage Tank" that total vol of 334,000 gallons consists of usable & unusable vol in tank.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/19. Document Control Branch (Document Control Desk). 9pp. 84104:095-84104:111.

--9505260322 Proposed tech specs,clarifying LCO by indicating in Section 3.7.1.3, "Demineralized Water Storage Tank" that total vol of 334,000 gallons consists of usable & unusable vol in tank.
* Northeast Nuclear Energy Co. 95/05/19. 8pp. 84104:104-84104:111.

9505250226 Forwards Amend 114 to License NPF-49 & safety evaluation. Amend revises TS to reduce min RCS flow rate by 4%.
ROONEY,V.L. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/23. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84082:283-84082:297.

--9505250231 Amend 114 to License NPF-49,re TS changes to reduce min RCS flow rate by 4%.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/23. 8pp. 84082:286-84082:293.

--9505250234 Safety evaluation supporting Amend 114 to License NPF-49.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/23. 4pp. 84082:294-84082:297.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030260 Forwards insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.
DURR,J.P. Region 1 (Post 820201). 95/04/26. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 83722:180-83722:235.

--9505030267 Notice of violation from insp on 950208-0321.Violation noted:failure to implement controls to maintain CR habitability,failure to adequately leak test 5 containment isolation valves & failure to adequately implement QA SR.
* Region 1 (Post 820201). 95/04/26. 5pp. 83722:184-83722:188.

--9505030271 Insp repts 50-245/95-07,50-336/95-07 & 50-423/95-07 on 950208-0321.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance,outage activities,security & licensee self-assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 95/04/17. 47pp. 83722:189-83722:235.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505100030 Forwards insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31.No violations or safety concerns noted.
JOYNER,J.H. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83828:045-83828:054.

--9505100052 Partially withheld insp repts 50-245/95-13,50-336/95-13 & 50-423/95-13 on 950328-31 (ref 10CFR73.21).No violations or safety concerns noted.Major areas inspected:effectiveness of mgt controls,security plan & implementing procedures.
ALBERT,R.J., SMITH,G.C. Region 1 (Post 820201). 95/04/28. 7pp. 83828:048-83828:054.

9505100056 Forwards insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07 & notice of violation.
MEYER,G. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83852:001-83852:009.

--9505100072 Insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07.Violations noted.Major areas inspected:observation of simulator & classroom training for Unit 1.
SISCO,C.E., MEYER,G.W. Region 1 (Post 820201). 95/04/28. 5pp. 83852:005-83852:009.

9505110111 Forwards SE granting licensee 941216 & 950329 ltrs submitting relief request IR-19 for plant inservice insp program.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/04. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 83889:318-83889:327.

--9505110115 Safety evaluation granting licensees relief request IR-19 for plant inservice insp program.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/04. 5pp. 83889:324-83889:327.

9505190031 Forwards combined insp repts 50-245/95-11,50-336/95-11 & 50-423/95-11 on 940320-23 & 27-31 & notice of violation. Deficiencies of concern because design change reviews do not always meet timeliness required.
RULAND,W. Region 1 (Post 820201). 95/05/10. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83973:042-83973:063.

--9505190037 Notice of violation from insp on 940320-31.Violations noted: condition adverse to quality not promptly identified & corrected in that design deficiency affecting undervoltage modules in Unit 2 ESFAS cabinets not fully evaluated.
* Region 1 (Post 820201). 95/05/10. 2pp. 83973:045-83973:046.

--9505190046 Insp repts 50-245/95-11,50-336/95-11 & 50-423/95-11 on 950320-31.Violations noted.Major areas inspected:review of design change & plant mod process,technical & safety evaluations of plant design change requests & plant events.
DELLA GRECA,A., RULAND,W.H. Region 1 (Post 820201). 95/05/10. 15pp. 83973:047-83973:063.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240058 Forwards insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.
DURR,J.P. Region 1 (Post 820201). 95/05/15. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 84021:019-84021:044.

--9505240064 Insp repts 50-245/95-12,50-336/95-12 & 50-423/95-12 on 950322-0425.Noncited violations identified.Major areas inspected:plant operations,radiological controls,maint, surveillance,security & outage activities.
NICHOLSON,L.E. Region 1 (Post 820201). 95/05/09. 22pp. 84021:022-84021:044.

9505250204 Submits special rept re SG tube plugging.Synopsis of results of SG tube insp,location of tubes plugged during RFO5 & summary of total tubes plugged to date provided in encl.
MILLER,D.B. Northeast Nuclear Energy Co. 95/05/18. Document Control Branch (Document Control Desk). 2pp. 84099:229-84099:230.

9505260330 Forwards results of insp performed during wk of 941205 on operability determination performed at plant Units 1,2 & 3.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/05/18. Document Control Branch (Document Control Desk). 7pp. 84104:112-84104:118.

R. Periodic operating reports & related correspondence

9505050060 "Annual Radioactive Effluent Rept 1994." W/950428 ltr.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/12/31. 123pp. 83827:102-83827:224.

9505050070 "Annual Radiological Environ Operating Rept Millstone Nuclear Power Station Jan-Dec 1994." W/950428 ltr.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/12/31. 100pp. 83847:082-83847:182.

9505110204 Forwards "Annual Environ Protection Plan Operating Rept Jan- Dec 1994" & "Monitoring Marine Environ of Long Island Sound at Millstone Nuclear Power Station,Waterford,CT Annual Rept 1994."
MILLER,D.B. Northeast Nuclear Energy Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83946:001-83946:256.

--9505110206 "Annual Environ Protection Plan Operating Rept Jan-Dec 1994" for Millstone Unit 3.
* Northeast Utilities Service Co. 94/12/31. 14pp. 83946:002-83946:015.

--9505110209 "Monitoring Marine Environ of Long Island Sound at Millstone Nuclear Power Station Annual Rept 1994."
KESER,M. Northeast Utilities Service Co. 94/12/31. 241pp. 83946:016-83946:256.

9505240345 Monthly operating repts for Apr 1995 for MNPS Units 1,2 & 3. W/950511 ltr.
NEWBURGH,G., BORCHERT,R., HUDSON,I.E. Northeast Nuclear Energy Co. 95/04/30. 17pp. 84072:245-84072:261.

S. Reportable occurrences, LERs & related correspondence

9505190048 LER 95-006-00:on 950413,MSSV simmer tested below TS setpoint tolerance.Cause unknown.No generic problem w/safety valves or pre-existing condition identified.Valve reset & verified. W/950510 ltr.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. 95/05/10. 4pp. 84048:315-84048:318.

9505190055 LER 95-005-00:on 950413,discovered that primary containment potentially breached for almost 2 h on 950405.Caused by personnel error & program & procedure weaknesses.Personnel counselled & tags put on drain valves.W/950510 ltr.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. 95/05/10. 5pp. 84048:310-84048:314.

9505250002 LER 95-007-00:on 950416,partial CDA signal generated when limit switch contacts grounded while performing mods.Caused by personnel error & programmatic weaknesses.Reviews w/ affected dept personnel performed.W/950515 ltr.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/15. 4pp. 84078:119-84078:122.

9505310080 LER 95-008-00:on 950423,an individual w/non-active SRO license assumed position of refueling SRO w/o activating license per requirements of 10CFR55.53(f).Cause due to lack of SROs.Active SRO dispatched for oversight.W/950522 ltr.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/05/22. 4pp. 84162:037-84162:040.

9505310327 LER 95-004-00:on 950322,historical breaches affected CR pressurization & secondary containment vacuum due to misinterpretation of TS.Work controls minimized possibility of pressure boundary breaches.
MCGUINNESS,R.L., MILLER,D.B. Northeast Nuclear Energy Co. 95/05/22. 6pp. 84162:095-84162:100.

V. Operator Examinations

9505100056 Forwards insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07 & notice of violation.
MEYER,G. Region 1 (Post 820201). 95/04/28. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 83852:001-83852:009.

--9505100072 Insp repts 50-245/95-14,50-336/95-14 & 50-423/95-14 on 950403-07.Violations noted.Major areas inspected:observation of simulator & classroom training for Unit 1.
SISCO,C.E. Region 1 (Post 820201). 95/04/28. 5pp. 83852:005-83852:009.

9505090045 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. OPEKA,J.F. Northeast Utilities. 2pp. 83816:164-83816:165.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505240417 FOIA request for documents re NRC investigation of Houston & Lighting & Power Co or Nuclear Support Svcs,Inc re revocation of TJ Saporito unescorted access to plants in Feb 1992 & subsequent allegations by Saporito.
SAPORITO,T.J. Saporito, T.J. 94/08/23. Ofc of the Executive Director for Operations. 5pp. 84042:296-84042:300.

9505050118 Ack receipt of 950116 ltr,transmitting amend 27 to physical security plan & contingency plan.Util will be advised of NRC deliberations on matter by separate correspondence.Encl to 950116 ltr withheld ref 10CFR73.21.
COLLINS,D.M. Region 2 (Post 820201). 95/04/18. MCCOY,C.K. Georgia Power Co. 3pp. 83758:353-83758:355.

9505050147 Resubmits plant safeguards event log for first quarter of 1995.
MCCOY,C.K. Georgia Power Co. 95/04/27. Document Control Branch (Document Control Desk). 7pp. 83864:216-83864:222.

9505180306 Revised EPIPs,including Rev 15 to 91001-C & Rev 8 to 91403-C.W/ 950509 ltr.
BEASLEY,J.B. Georgia Power Co. 95/05/09. 23pp. 83992:338-83992:360.

9505180590 Forwards response to NRC 941230 RAI re GL 92-08 concerning Thermo-Lag fire barriers.
MCCOY,C.K. Georgia Power Co. 95/05/10. Document Control Branch (Document Control Desk). 4pp. 84000:349-84000:352.

9505300105 Forwards insp repts 50-424/95-12 & 50-425/95-12 on 950424-28.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/19. MCCOY,C.K. Georgia Power Co. 3pp. 84077:051-84077:054.

--9505300112 Partially withheld insp repts 50-424/95-12 & 50-425/95-12 on 950424-28 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:mgt,organization,alarm stations, detection aids & assessment.
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/05/19. 1p. 84077:054-84077:054.

G. Adjudicatory correspondence

9502240272 Board notification 95-002:discussing addl allegations received on 950109 & 18 re character,competence & integrity of GPC & Southern Nuclear Operating Co mgt personnel that may be relevant to issue.
BERKOW,H.N. . 95/02/24. Atomic Safety & Licensing Board Panel. 2pp. 83777:137-83777:138.

9505040027 Response to 950413 Memorandum & Order.* Staff submits encl affidavit of L Robinson & informs that intervenor request for L Robinson to testify should be denied.
HULL,J.T. Office of the General Counsel (Post 860701). #295 16640. 95/04/20. 1p. 83743:165-83743:169.

--9505040034 Affidavit of LL Robinson re OI Case 2-90-020R concerning allegations of false & misleading statements of reliability of EDGs at plant by util executives.
ROBINSON,L.L. Ofc of Investigations (Post 880201). 95/04/14. 4pp. 83743:166-83743:169.

9505040020 NRC Staff response in support of Georgia Power Co motion for summary disposition.* Advises that petition in opposition does not establish that general issue of matl fact exists & therefore,motion for summary disposition should be granted.
BARTH,C.A. Office of the General Counsel (Post 860701). #295 16651. 95/04/25. Atomic Safety & Licensing Board Panel. 5pp. 83743:133-83743:144.

--9505040024 Affidavit of PH Skinner re Georgia Power Co motion for summary disposition of intervenor air quality statements allegation.W/Certificate of Svc.
SKINNER,P.H. Office of the General Counsel (Post 860701). SKINNER,P.H. Region 2 (Post 820201). 95/04/21. 7pp. 83743:138-83743:144.

9505040031 FRN (evidentiary hearing).* Advises that public evidentiary hearing will continue on 950515-18 in Rockville,MD,per 10CFR2.752.W/Certificate of Svc.Served on 950425.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16650. 95/04/25. 4pp. 83743:190-83743:193.

9505040056 Georgia Power Co motion to strike partially intervenor prefiled testimony.* Testimony of Mosbaugh should be stricken.W/Certificate of Svc.
LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #295 16659. 95/04/25. Atomic Safety & Licensing Board Panel. 57pp. 83744:001-83744:057.

9505040066 Ack receipt of ltr cancelling 950425 joint deposition of Zimmerman & Reyes.Related correspondence.
YOUNG,M.A. Office of the General Counsel (Post 860701). #295 16657. 95/04/25. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 1p. 83744:150-83744:150.

9505040001 Forwards modified exhibits for review,in attempt to reach agreement w/MD Kohn & J Lamberski on tape transcript excerpt identified as exhibits.Related Correspondence.
HULL,J.T. Office of the General Counsel (Post 860701). #295 16668. 95/04/27. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2pp. 83743:023-83743:024.

9505040015 Georgia Power Co motion for order preserving Licensing Board jurisdiction.* Requests that Commission grant relief request.W/Certificate of Svc & svc list.
LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. LEWIS,D.R. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16669. 95/04/27. Office of the General Counsel (Post 860701). 54pp. 83850:001-83850:054.

9505040042 Notice (site visit).* Notifies that Board will visit plant on 950502,for purpose of observing conditions that may be relevant to proceeding described in App J of NUREG-1410. W/Certificate of Svc.Served on 950427.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16656. 95/04/27. 3pp. 83743:258-83743:260.

9505040072 Memorandum & order (svc list).* JH Carpenter should be served at stated addl address.W/Certificate of Svc.Served on 950428.
BLOCH,P.B. Office of the General Counsel (Post 860701). #295 16660. 95/04/27. Office of the General Counsel (Post 860701). 3pp. 83743:357-83743:359.

9505040083 Memorandum & order (summary disposition:air quality).* Georgia Power Co 950303 motion for summary disposition of intervenor air quality statements allegation denied. W/Certificate of Svc.Served on 950428.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16661. 95/04/27. Georgia Power Co. 10pp. 83743:341-83743:350.

9505090071 Forwards Staff proposed corrections to transcript for in camera,ex parte session held on 950406.W/o encl.
YOUNG,M.A. Office of the General Counsel (Post 860701). #295 16672. 95/04/28. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 83817:263-83817:263.

9505090151 Intervenor motion for enlargement of time.* Requests enlargement of time to respond to Georgia Power Co motion to strike partially prefiled testimony.W/Certificate of Svc & svc list.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #295 16681. 95/05/02. Atomic Safety & Licensing Board Panel. 4pp. 83817:307-83817:310.

9505090158 Memorandum & order (request for extension of time).* Grants intervenor request for extension of time to file response to Georgia Power Co motion to strike partially intervenors testimony.W/Certificate of Svc.Served on 950503.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16680. 95/05/03. Office of the General Counsel (Post 860701). 3pp. 83817:311-83817:313.

9505180579 Intervenor's response to GPC motion to strike partially intervenor's prefiled testimony.* Requests that GPC motion to strike partially intervenor's prefiled testimony be overruled in entirety.W/Certificate of Svc & svc list.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #295 16692. 95/05/07. Atomic Safety & Licensing Board Panel. 269pp. 83970:001-83970:268.

9505180349 Federal Register notice (evidentiary hearing).* Hearing will be held in Augusta,GA on 950522.W/Certificate of Svc. Served on 950510.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16700. 95/05/09. 4pp. 83970:284-83970:287.

9505180469 Georgia Power Co response to Board question re diesel testing transparency.* Util believes that Cash did not include Start 128-131 since starts were not included on typed list.W/Certificate of Svc & svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16701. 95/05/09. Atomic Safety & Licensing Board Panel. 7pp. 83954:196-83954:202.

9505180602 Georgia Power Co response to Board question re definition of successful start.* W/Certificate of Svc.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16703. 95/05/09. Atomic Safety & Licensing Board Panel. 110pp. 83971:043-83971:152.

9505180061 NRC Staff response to Georgia Power Co motion to strike Intervenor prefiled testimony.* Staff responds to util motion to strike Intervenor A Mosbaugh prefiled testimony dtd 950425.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #295 16702. 95/05/10. Atomic Safety & Licensing Board Panel. 32pp. 83954:047-83954:078.

9505180508 Georgia Power Co response to Board question re 900410 IIT questions.* Licensing Board requests that util advise Board of response to A Chaffee 900410 request for Calcon sensor data.W/Certificate of Svc & svc list.
LAMBERSKI,J.E. Georgia Power Co. LAMBERSKI,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16708. 95/05/10. Atomic Safety & Licensing Board Panel. 9pp. 83955:001-83955:009.

9505180205 Memorandum & order (motion to strike Mosbaugh Testimony).* Util filed motion to strike partially Intervenor prefiled testimony on 950425.Denies Intervenor motion to admit New Contention.W/Cerfiticate of Svc.Served on 950511.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16702. 95/05/11. Georgia Power Co. 25pp. 83954:079-83954:103.

9505180560 Memorandum (CLI-95-05).* No judgement on whether it would be lawful or appropriate at this stage of proceeding for staff to make finding of NSHC.W/Certificate of Svc.Served on 950511.Re-served on 950512.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16710. 95/05/11. 7pp. 83970:269-83970:275.

9505180438 GPC response to questions raised by Board during DG hearing.* Advises that GPC accepted definition of term "comprehensive test program" as appropriate basis to correct LER 90-006.W/Certificate of Svc & svc list.
JOINER,J.E. Georgia Power Co. JOINER,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16714. 95/05/12. Atomic Safety & Licensing Board Panel. 7pp. 83969:074-83969:336.

--9505180456 Affidavit of KR Holmes discussing evaluation of test plan for 1A diesel following 900320 site area emergency,in order to determine root cause of 900320 diesel failure.
HOLMES,K.R. Georgia Power Co. 95/05/12. 138pp. 83969:081-83969:218.

--9505180502 Affidavit of G Bockhold,describing decision making involved w/util determination as of 900409,that plant diesels operable & capable of performing intended safety functions.
BOCKHOLD,G. Georgia Power Co. 95/05/11. 118pp. 83969:219-83969:336.

9505180498 Intervenor response to util motion for order preserving Licensing Board jurisdiction.* Intervenor requests that Commission deny util motion for order preserving Licensing Board jurisdiction.W/Certificate of Svc & svc list.
MOSBAUGH,A.L. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #295 16713. 95/05/12. Commissioners (Post 750119). 30pp. 83955:010-83955:039.

9505260238 Georgia Power Company list of addl exhibits re DG statements hearing.* W/Certificate of Svc & svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16717. 95/05/16. 15pp. 84062:339-84062:353.

9505260297 Addl Staff exhibits.* Submits list of exhibits.W/Certificate of Svc.
HULL,J.T. Office of the General Counsel (Post 860701). #295 16726. 95/05/16. 2pp. 84063:058-84063:060.

9505260228 NRC response to Georgia Power Company motion for order preserving Licensing Board jurisdiction.* Advises that motion should be denied.W/Certificate of Svc.
BARTH,C.A. Office of the General Counsel (Post 860701). #295 16718. 95/05/17. Commissioners (Post 750119). 8pp. 84062:327-84062:334.

9505260316 Georgia Power Company brief on inadmissibility of OI rept or in alternative motion for certification to Commission.* Advises that exhibits should not be admitted into evidence in proceeding.W/Certificate of Svc & svc list.
BLAKE,E.L. Georgia Power Co. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. #295 16733. 95/05/18. Atomic Safety & Licensing Board Panel. 18pp. 84063:069-84063:086.

9505260272 Intervenor preliminary phase II witness schedule.* Advises that list preliminary & intervenor reserves right to call addl witnesses,as necessary.W/Certificate of Svc & svc list. Related correspondence.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #295 16731. 95/05/19. 3pp. 84063:026-84063:028.

H. General correspondence

9505230356 Eighteenth partial response to FOIA request for documents. Records in App OO,PP & QQ being withheld in part (ref FOIA exemptions 6 & 7).
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84112:024-84112:049.

--9505260311 Partially withheld ltr re discriminatory conduct in violation of NRC requirements implemented in 10CFR50.7.
* Affiliation Not Assigned. 92/03/04. Region 2 (Post 820201). 3pp. 84112:043-84112:045.

--9505260367 Partially withheld ltr discussing 920304 ltr expressing concern re alleged blacklisting practices by util & STP & Nuclear Support Svcs,Inc,contractor at Vogtle Electric Generating Plant.
LERKINS,G.R. Region 2 (Post 820201). 92/03/11. Affiliation Not Assigned. 1p. 84112:046-84112:046.

--9505260370 Partially withheld ltr ack receipt of NRC 920311 ltr re NRC actions to review facts & circumstances of concern re alleged blacklisting practices by util.
* Affiliation Not Assigned. 92/03/14. DEMIRANDA,O. Region 2 (Post 820201). 3pp. 84112:047-84112:049.

9505230184 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power." Requests that NRC to expedite promulgation of option B rule.
MCCOY,C.K. Georgia Power Co. 95/05/05. Document Control Branch (Document Control Desk). 2pp. 84002:036-84002:037.

P. Operating license stage documents & correspondence

9505030028 Forwards amends 84 & 62 to licenses NPF-68 & NPF-81 & SE. Amends revise TS 6.4.1.2 re areas of technical expertise that must be represented on PRB.
WHEELER,L. . 95/04/27. MCCOY,C.K. Georgia Power Co. 3pp. 83767:348-83767:358.

--9505030040 Amends 84 & 62 to licenses NPF-68 & NPF-81,respectively, revising TS 6.4.1.2 re areas of technical expertise that must be represented on PRB.
BERKOW,H.N. . 95/04/27. 6pp. 83767:351-83767:356.

--9505030044 Safety evaluation supporting amends 84 & 62 to licenses NPF-68 & NPF-81,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. 2pp. 83767:357-83767:358.

9505100011 Forwards Part 2 of 1994 Annual Rept of operating info & rev 9 to "ODCM."
MCCOY,C.K. Georgia Power Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83909:179-83910:195.

--9505090163 "Offsite Dose Calculation Manual," rev 9.
* Georgia Power Co. 94/01/01. 226pp. 83909:334-83910:195.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040080 Application for amends to licenses NPF-68 & NPF-81, converting TSs to improved TSs for Westinghouse plants as represented in NUREG-1431.
MCCOY,C.K. Georgia Power Co. 95/05/01. Document Control Branch (Document Control Desk). 11pp. 83911:001-83919:116.

--9505040081 Proposed tech specs,re conversion to improved TSs based on NUREG-1431.
* Georgia Power Co. 95/05/31. 3,000pp. 83911:012-83919:116.

9505090171 Forwards minor editorial changes to T/S Bases pages;B 3/4 3-1 & B 3/4 8-1 submitted w/request to add automatic load sequencer to plant TS.
MCCOY,C.K. Georgia Power Co. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83896:287-83896:290.

--9505100055 Proposed tech specs,adding automatic load sequencer to plant TS.
* Georgia Power Co. 95/05/02. 2pp. 83896:289-83896:290.

9505110267 Summary of 950412 meeting w/GPC in Rockville,MD re plans for converting Vogtle to improved std TSs.List of attendees encl.
WHEELER,L.L. . 95/05/02. NRC - No Detailed Affiliation Given. 5pp. 83938:090-83938:094.

9505180590 Forwards response to NRC 941230 RAI re GL 92-08 concerning Thermo-Lag fire barriers.
MCCOY,C.K. Georgia Power Co. 95/05/10. Document Control Branch (Document Control Desk). 4pp. 84000:349-84000:352.

9505190094 Application for amend to License NPF-68,changing TS SR 4.6.1.2 to support one-time exemption from Section III.D.1(a) of 10CFR50,App J,extending interval for Type A test from scheduled 36 months to approx 54 months.
MCCOY,C.K. Georgia Power Co. 95/05/12. Document Control Branch (Document Control Desk). 14pp. 84010:255-84010:269.

--9505190100 Proposed tech specs revising SR 4.1.6.2 to support exemption from 10CFR50,App J Type A test schedule.
* Georgia Power Co. 95/05/12. 1p. 84010:269-84010:269.

9505190333 Forwards amends 85 & 63 to licenses NPF-68 & NPF-81 & SE. Amends revise TSs 3/4.3.3.6,3/4.6.4.1 & associated Bases to incorporate technical substance of Spec 3.3.3 from NUREG-1431,rev 0.
WHEELER,L.L. . 95/05/15. MCCOY,C.K. Georgia Power Co. 3pp. 83988:161-83988:182.

--9505190337 Amends 85 & 63 to licenses NPF-68 & NPF-81,respectively, revising TSs 3/4.3.3.6,3/4.6.4.1 and associated Bases to incorporate technical substance of Spec 3.3.3 from NUREG-1431,rev 0.
BERKOW,H.N. . 95/05/15. 14pp. 83988:164-83988:177.

--9505190339 Safety evaluation supporting amends 85 & 63 to licenses NPF-68 & NPF-81,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. 5pp. 83988:178-83988:182.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020029 Forwards insp repts 50-424/95-09 & 50-425/95-09 on 950320- 24.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/04/18. MCCOY,C.K. Georgia Power Co. 3pp. 83689:169-83689:183.

--9505020034 Insp repts 50-424/95-09 & 50-425/95-09 on 950320-24.No violations noted.Major areas inspected:licensee program to address issues described in NRC Bulletin 90-01,Suppl 1.
MOORE,R., SALGADO,N., SHYMLOCK,M.B. Region 2 (Post 820201). 95/04/13. 12pp. 83689:172-83689:183.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180034 Advises of results of recent performance review at plant to determine if present insp effort for rest of current SALP cycle should be revised before end date of 951230.Informs that insp effort does not need revising at present time.
SKINNER,P.H. Region 2 (Post 820201). 95/04/28. MCCOY,C.K. Georgia Power Co. 3pp. 83952:071-83952:073.

9505110053 Forwards insp repts 50-424/94-11 & 50-425/94-11 on 950319-0415 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/02. MCCOY,C.K. Georgia Power Co. 3pp. 83851:128-83851:147.

--9505110060 Notice of violation from insp on 950319-0415.Violation noted:during core alterations at plant,containment integrity not maintained.
* Region 2 (Post 820201). 95/05/02. 1p. 83851:131-83851:131.

--9505110066 Insp repts 50-424/95-11 & 50-425/95-11 on 950319-0415. Violations noted.Major areas inspected:plant operations, surveillance & maint.
BONSER,B.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 95/05/01. 16pp. 83851:132-83851:147.

9505090153 Forwards response to NRC ltr re violations noted in insp repts 50-424/95-06 & 50-425/95-06 on 950219-0318.Corrective actions:procedure 28835-C was revised on 950324 to clarify measuring resistance to ground test points.
MCCOY,C.K. Georgia Power Co. 95/05/03. Document Control Branch (Document Control Desk). 5pp. 83880:356-83880:360.

9505240154 Ack receipt of 950503 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-06 & 50-425/95-06.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/10. MCCOY,C.K. Georgia Power Co. 3pp. 84022:109-84022:111.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505300105 Forwards insp repts 50-424/95-12 & 50-425/95-12 on 950424-28.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/19. MCCOY,C.K. Georgia Power Co. 3pp. 84077:051-84077:054.

--9505300112 Partially withheld insp repts 50-424/95-12 & 50-425/95-12 on 950424-28 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:mgt,organization,alarm stations, detection aids & assessment.
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/05/19. 1p. 84077:054-84077:054.

9505260400 Forwards response to NRC ltr re violations noted in insp repts 50-424/95-11 & 50-425/95-11 on 950319-0415.Corrective actions:CR personnel immediately closed valve 2PV-3020.
MCCOY,C.K. Georgia Power Co. 95/05/22. Document Control Branch (Document Control Desk). 4pp. 84103:358-84103:361.

R. Periodic operating reports & related correspondence

9505100011 Forwards Part 2 of 1994 Annual Rept of operating info & rev 9 to "ODCM."
MCCOY,C.K. Georgia Power Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83909:179-83910:195.

--9505090159 "Vogtle Electric Generating Plant 1994 Annual Rept-Part 2."
MCCOY,C.K. Georgia Power Co. 94/12/31. 154pp. 83909:180-83909:333.

--9505090163 "Offsite Dose Calculation Manual," rev 9.
* Georgia Power Co. 94/01/01. 226pp. 83909:334-83910:195.

9505150139 Forwards monthly operating rept for Apr 1995 & revised page for Mar 1995 monthly operating rept for Vogtle electric generating plant.
MCCOY,C.K. Georgia Power Co. 95/05/08. Document Control Branch (Document Control Desk). 2pp. 83900:166-83900:180.

--9505150186 Monthly operating rept for April 1995 for Vogtle Electric Generating Plant unit 1.
HOOPER,G.L. Georgia Power Co. 95/04/30. 10pp. 83900:168-83900:178.

--9505150190 Revised monthly operating rept for Mar 1995 for Vogtle Electric Generating Plant unit 1.
HOOPER,G.L. Georgia Power Co. 95/03/31. 2pp. 83900:179-83900:180.

9505300056 Forwards revised pages to Part 2 of plant 1994 Annual Rept, submitted on 950427.
MCCOY,C.K. Georgia Power Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84106:353-84106:355.

--9505300059 Revised pages for Part 2 of Vogtle 1994 Annual Rept.
* Georgia Power Co. 94/12/31. 2pp. 84106:354-84106:355.

S. Reportable occurrences, LERs & related correspondence

9505050143 LER 94-009-01:on 941129,ability to remove decay heat via SGs was degraded during period of time involved due to lack of understanding of bases of TS for SGs to be affective heat removing component.Revised procedures.W/950427 ltr.
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 95/04/27. 5pp. 83856:001-83856:005.

T. Hearing transcripts on non-antitrust matters

9504260240 Transcript of 950420 hearing in Rockville,MD re Vogtle Electric Generating Plant.Pp 3,796-3,921.
* Atomic Safety & Licensing Board Panel. #295 16690. 95/04/20. 144pp. 83700:200-83700:343.

9505180478 Forwards Supplemental Testimony of G Bockhold re Intervenor exhibit 18 (involving "as found" calibr readings of certain Calcon sensors).
LAMMERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16691. 95/05/04. BLOCH,P., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 83954:203-83954:351.

--9505180491 Supplemental Testimony of G Bockhold re Intervenor Exhibit 18.W/Certificate of Svc & svc list.
BOCKHOLD,G. Affiliation Not Assigned. 95/05/04. 150pp. 83954:204-83954:351.

9505180405 Forwards original transcript of deposition of BB Hayes taken on 950317 IAW 10CFR2.740a(e).Informs that court reporter states that more than 30 days had been given to deponet to read & sign deposition.Related correspondence.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16709. 95/05/10. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 83968:122-83969:073.

--9505180435 Transcript of deposition of BB Hayes on 950317 in Atlanta, GA.Pp 1-307.
* Atomic Safety & Licensing Board Panel. 95/03/17. 311pp. 83968:123-83969:073.

9505190045 Transcript of 950515 hearing re Vogtle Electric Generating Plant Units 1 & 2 in Rockville,MD Pp 4,328-4,357.
* Atomic Safety & Licensing Board Panel. 95/05/15. 29pp. 84035:148-84035:179.

9505190050 Transcript of 950516 hearing re Vogtle Electric Generating Plant in Rockville,MD Pp 4,358-4,619.
* Atomic Safety & Licensing Board Panel. 95/05/16. 291pp. 84034:001-84034:291.

9505240038 Transcript of 950516 hearing in Rockville,MD in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 4,620-4,862.
* Atomic Safety & Licensing Board Panel. 95/05/16. 250pp. 84102:001-84102:284.

9505240033 Transcript of 950518 hearing in Rockville,MD in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 4,863-5,111.
* Atomic Safety & Licensing Board Panel. 95/05/18. 265pp. 84101:036-84101:300.

9505260116 Transcript of 950522 evidentiary hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 5,112-5,256.
* Atomic Safety & Licensing Board Panel. 95/05/22. 152pp. 84103:001-84103:152.

9505300071 Transcript of 950523 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 5,257-5,492.
* Atomic Safety & Licensing Board Panel. 95/05/23. 247pp. 84105:001-84105:247.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505240417 FOIA request for documents re NRC investigation of Houston & Lighting & Power Co or Nuclear Support Svcs,Inc re revocation of TJ Saporito unescorted access to plants in Feb 1992 & subsequent allegations by Saporito.
SAPORITO,T.J. Saporito, T.J. 94/08/23. Ofc of the Executive Director for Operations. 5pp. 84042:296-84042:300.

9505050118 Ack receipt of 950116 ltr,transmitting amend 27 to physical security plan & contingency plan.Util will be advised of NRC deliberations on matter by separate correspondence.Encl to 950116 ltr withheld ref 10CFR73.21.
COLLINS,D.M. Region 2 (Post 820201). 95/04/18. MCCOY,C.K. Georgia Power Co. 3pp. 83758:353-83758:355.

9505050147 Resubmits plant safeguards event log for first quarter of 1995.
MCCOY,C.K. Georgia Power Co. 95/04/27. Document Control Branch (Document Control Desk). 7pp. 83864:216-83864:222.

9505180306 Revised EPIPs,including Rev 15 to 91001-C & Rev 8 to 91403-C.W/ 950509 ltr.
BEASLEY,J.B. Georgia Power Co. 95/05/09. 23pp. 83992:338-83992:360.

9505180590 Forwards response to NRC 941230 RAI re GL 92-08 concerning Thermo-Lag fire barriers.
MCCOY,C.K. Georgia Power Co. 95/05/10. Document Control Branch (Document Control Desk). 4pp. 84000:349-84000:352.

9505300105 Forwards insp repts 50-424/95-12 & 50-425/95-12 on 950424-28.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/19. MCCOY,C.K. Georgia Power Co. 3pp. 84077:051-84077:054.

--9505300112 Partially withheld insp repts 50-424/95-12 & 50-425/95-12 on 950424-28 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:mgt,organization,alarm stations, detection aids & assessment.
THOMPSON,D. Region 2 (Post 820201). 95/05/19. 1p. 84077:054-84077:054.

G. Adjudicatory correspondence

9502240272 Board notification 95-002:discussing addl allegations received on 950109 & 18 re character,competence & integrity of GPC & Southern Nuclear Operating Co mgt personnel that may be relevant to issue.
BERKOW,H.N. . 95/02/24. Atomic Safety & Licensing Board Panel. 2pp. 83777:137-83777:138.

9505040027 Response to 950413 Memorandum & Order.* Staff submits encl affidavit of L Robinson & informs that intervenor request for L Robinson to testify should be denied.
HULL,J.T. Office of the General Counsel (Post 860701). #295 16640. 95/04/20. 1p. 83743:165-83743:169.

--9505040034 Affidavit of LL Robinson re OI Case 2-90-020R concerning allegations of false & misleading statements of reliability of EDGs at plant by util executives.
ROBINSON,L.L. Ofc of Investigations (Post 880201). 95/04/14. 4pp. 83743:166-83743:169.

9505040020 NRC Staff response in support of Georgia Power Co motion for summary disposition.* Advises that petition in opposition does not establish that general issue of matl fact exists & therefore,motion for summary disposition should be granted.
BARTH,C.A. Office of the General Counsel (Post 860701). #295 16651. 95/04/25. Atomic Safety & Licensing Board Panel. 5pp. 83743:133-83743:144.

--9505040024 Affidavit of PH Skinner re Georgia Power Co motion for summary disposition of intervenor air quality statements allegation.W/Certificate of Svc.
SKINNER,P.H. Office of the General Counsel (Post 860701). SKINNER,P.H. Region 2 (Post 820201). 95/04/21. 7pp. 83743:138-83743:144.

9505040031 FRN (evidentiary hearing).* Advises that public evidentiary hearing will continue on 950515-18 in Rockville,MD,per 10CFR2.752.W/Certificate of Svc.Served on 950425.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16650. 95/04/25. 4pp. 83743:190-83743:193.

9505040056 Georgia Power Co motion to strike partially intervenor prefiled testimony.* Testimony of Mosbaugh should be stricken.W/Certificate of Svc.
LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #295 16659. 95/04/25. Atomic Safety & Licensing Board Panel. 57pp. 83744:001-83744:057.

9505040066 Ack receipt of ltr cancelling 950425 joint deposition of Zimmerman & Reyes.Related correspondence.
YOUNG,M.A. Office of the General Counsel (Post 860701). #295 16657. 95/04/25. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 1p. 83744:150-83744:150.

9505040001 Forwards modified exhibits for review,in attempt to reach agreement w/MD Kohn & J Lamberski on tape transcript excerpt identified as exhibits.Related Correspondence.
HULL,J.T. Office of the General Counsel (Post 860701). #295 16668. 95/04/27. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). 2pp. 83743:023-83743:024.

9505040015 Georgia Power Co motion for order preserving Licensing Board jurisdiction.* Requests that Commission grant relief request.W/Certificate of Svc & svc list.
LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. LEWIS,D.R. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16669. 95/04/27. Office of the General Counsel (Post 860701). 54pp. 83850:001-83850:054.

9505040042 Notice (site visit).* Notifies that Board will visit plant on 950502,for purpose of observing conditions that may be relevant to proceeding described in App J of NUREG-1410. W/Certificate of Svc.Served on 950427.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16656. 95/04/27. 3pp. 83743:258-83743:260.

9505040072 Memorandum & order (svc list).* JH Carpenter should be served at stated addl address.W/Certificate of Svc.Served on 950428.
BLOCH,P.B. Office of the General Counsel (Post 860701). #295 16660. 95/04/27. Office of the General Counsel (Post 860701). 3pp. 83743:357-83743:359.

9505040083 Memorandum & order (summary disposition:air quality).* Georgia Power Co 950303 motion for summary disposition of intervenor air quality statements allegation denied. W/Certificate of Svc.Served on 950428.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16661. 95/04/27. Georgia Power Co. 10pp. 83743:341-83743:350.

9505090071 Forwards Staff proposed corrections to transcript for in camera,ex parte session held on 950406.W/o encl.
YOUNG,M.A. Office of the General Counsel (Post 860701). #295 16672. 95/04/28. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 83817:263-83817:263.

9505090151 Intervenor motion for enlargement of time.* Requests enlargement of time to respond to Georgia Power Co motion to strike partially prefiled testimony.W/Certificate of Svc & svc list.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #295 16681. 95/05/02. Atomic Safety & Licensing Board Panel. 4pp. 83817:307-83817:310.

9505090158 Memorandum & order (request for extension of time).* Grants intervenor request for extension of time to file response to Georgia Power Co motion to strike partially intervenors testimony.W/Certificate of Svc.Served on 950503.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16680. 95/05/03. Office of the General Counsel (Post 860701). 3pp. 83817:311-83817:313.

9505180579 Intervenor's response to GPC motion to strike partially intervenor's prefiled testimony.* Requests that GPC motion to strike partially intervenor's prefiled testimony be overruled in entirety.W/Certificate of Svc & svc list.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #295 16692. 95/05/07. Atomic Safety & Licensing Board Panel. 269pp. 83970:001-83970:268.

9505180349 Federal Register notice (evidentiary hearing).* Hearing will be held in Augusta,GA on 950522.W/Certificate of Svc. Served on 950510.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16700. 95/05/09. 4pp. 83970:284-83970:287.

9505180469 Georgia Power Co response to Board question re diesel testing transparency.* Util believes that Cash did not include Start 128-131 since starts were not included on typed list.W/Certificate of Svc & svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16701. 95/05/09. Atomic Safety & Licensing Board Panel. 7pp. 83954:196-83954:202.

9505180602 Georgia Power Co response to Board question re definition of successful start.* W/Certificate of Svc.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16703. 95/05/09. Atomic Safety & Licensing Board Panel. 110pp. 83971:043-83971:152.

9505180061 NRC Staff response to Georgia Power Co motion to strike Intervenor prefiled testimony.* Staff responds to util motion to strike Intervenor A Mosbaugh prefiled testimony dtd 950425.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #295 16702. 95/05/10. Atomic Safety & Licensing Board Panel. 32pp. 83954:047-83954:078.

9505180508 Georgia Power Co response to Board question re 900410 IIT questions.* Licensing Board requests that util advise Board of response to A Chaffee 900410 request for Calcon sensor data.W/Certificate of Svc & svc list.
LAMBERSKI,J.E. Georgia Power Co. LAMBERSKI,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16708. 95/05/10. Atomic Safety & Licensing Board Panel. 9pp. 83955:001-83955:009.

9505180205 Memorandum & order (motion to strike Mosbaugh Testimony).* Util filed motion to strike partially Intervenor prefiled testimony on 950425.Denies Intervenor motion to admit New Contention.W/Cerfiticate of Svc.Served on 950511.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16702. 95/05/11. Georgia Power Co. 25pp. 83954:079-83954:103.

9505180560 Memorandum (CLI-95-05).* No judgement on whether it would be lawful or appropriate at this stage of proceeding for staff to make finding of NSHC.W/Certificate of Svc.Served on 950511.Re-served on 950512.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16710. 95/05/11. 7pp. 83970:269-83970:275.

9505180438 GPC response to questions raised by Board during DG hearing.* Advises that GPC accepted definition of term "comprehensive test program" as appropriate basis to correct LER 90-006.W/Certificate of Svc & svc list.
JOINER,J.E. Georgia Power Co. JOINER,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16714. 95/05/12. Atomic Safety & Licensing Board Panel. 7pp. 83969:074-83969:336.

--9505180456 Affidavit of KR Holmes discussing evaluation of test plan for 1A diesel following 900320 site area emergency,in order to determine root cause of 900320 diesel failure.
HOLMES,K.R. Georgia Power Co. 95/05/12. 138pp. 83969:081-83969:218.

--9505180502 Affidavit of G Bockhold,describing decision making involved w/util determination as of 900409,that plant diesels operable & capable of performing intended safety functions.
BOCKHOLD,G. Georgia Power Co. 95/05/11. 118pp. 83969:219-83969:336.

9505180498 Intervenor response to util motion for order preserving Licensing Board jurisdiction.* Intervenor requests that Commission deny util motion for order preserving Licensing Board jurisdiction.W/Certificate of Svc & svc list.
MOSBAUGH,A.L. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #295 16713. 95/05/12. Commissioners (Post 750119). 30pp. 83955:010-83955:039.

9505260238 Georgia Power Company list of addl exhibits re DG statements hearing.* W/Certificate of Svc & svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16717. 95/05/16. 15pp. 84062:339-84062:353.

9505260297 Addl Staff exhibits.* Submits list of exhibits.W/Certificate of Svc.
HULL,J.T. Office of the General Counsel (Post 860701). #295 16726. 95/05/16. 2pp. 84063:058-84063:060.

9505260228 NRC response to Georgia Power Company motion for order preserving Licensing Board jurisdiction.* Advises that motion should be denied.W/Certificate of Svc.
BARTH,C.A. Office of the General Counsel (Post 860701). #295 16718. 95/05/17. Commissioners (Post 750119). 8pp. 84062:327-84062:334.

9505260316 Georgia Power Company brief on inadmissibility of OI rept or in alternative motion for certification to Commission.* Advises that exhibits should not be admitted into evidence in proceeding.W/Certificate of Svc & svc list.
BLAKE,E.L. Georgia Power Co. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. #295 16733. 95/05/18. Atomic Safety & Licensing Board Panel. 18pp. 84063:069-84063:086.

9505260272 Intervenor preliminary phase II witness schedule.* Advises that list preliminary & intervenor reserves right to call addl witnesses,as necessary.W/Certificate of Svc & svc list. Related correspondence.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #295 16731. 95/05/19. 3pp. 84063:026-84063:028.

H. General correspondence

9505230356 Eighteenth partial response to FOIA request for documents. Records in App OO,PP & QQ being withheld in part (ref FOIA exemptions 6 & 7).
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84112:024-84112:049.

--9505260311 Partially withheld ltr re discriminatory conduct in violation of NRC requirements implemented in 10CFR50.7.
* Affiliation Not Assigned. 92/03/04. Region 2 (Post 820201). 3pp. 84112:043-84112:045.

--9505260367 Partially withheld ltr discussing 920304 ltr expressing concern re alleged blacklisting practices by util & STP & Nuclear Support Svcs,Inc,contractor at Vogtle Electric Generating Plant.
LERKINS,G.R. Region 2 (Post 820201). 92/03/11. Affiliation Not Assigned. 1p. 84112:046-84112:046.

--9505260370 Partially withheld ltr ack receipt of NRC 920311 ltr re NRC actions to review facts & circumstances of concern re alleged blacklisting practices by util.
* Affiliation Not Assigned. 92/03/14. DEMIRANDA,O. Region 2 (Post 820201). 3pp. 84112:047-84112:049.

9505230184 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power." Requests that NRC to expedite promulgation of option B rule.
MCCOY,C.K. Georgia Power Co. 95/05/05. Document Control Branch (Document Control Desk). 2pp. 84002:036-84002:037.

P. Operating license stage documents & correspondence

9505020357 Forwards SE authorizing licensee 941028 request for relief from requirement to apply Section III of ASME Boiler & Pressure Vessel Code to certain repair activities.
BERKOW,H.N. . 95/04/26. MCCOY,C.K. Georgia Power Co. 3pp. 83717:263-83717:268.

--9505020359 Safety evaluation authorizing licensee request for relief from repair requirements of ASME Code.
* . 95/04/26. 3pp. 83717:266-83717:268.

9505030028 Forwards amends 84 & 62 to licenses NPF-68 & NPF-81 & SE. Amends revise TS 6.4.1.2 re areas of technical expertise that must be represented on PRB.
WHEELER,L. . 95/04/27. MCCOY,C.K. Georgia Power Co. 3pp. 83767:348-83767:358.

--9505030040 Amends 84 & 62 to licenses NPF-68 & NPF-81,respectively, revising TS 6.4.1.2 re areas of technical expertise that must be represented on PRB.
BERKOW,H.N. . 95/04/27. 6pp. 83767:351-83767:356.

--9505030044 Safety evaluation supporting amends 84 & 62 to licenses NPF-68 & NPF-81,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/27. 2pp. 83767:357-83767:358.

9505100011 Forwards Part 2 of 1994 Annual Rept of operating info & rev 9 to "ODCM."
MCCOY,C.K. Georgia Power Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83909:179-83910:195.

--9505090163 "Offsite Dose Calculation Manual," rev 9.
* Georgia Power Co. 94/01/01. 226pp. 83909:334-83910:195.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040080 Application for amends to licenses NPF-68 & NPF-81, converting TSs to improved TSs for Westinghouse plants as represented in NUREG-1431.
MCCOY,C.K. Georgia Power Co. 95/05/01. Document Control Branch (Document Control Desk). 11pp. 83911:001-83919:116.

--9505040081 Proposed tech specs,re conversion to improved TSs based on NUREG-1431.
* Georgia Power Co. 95/05/31. 3,000pp. 83911:012-83919:116.

9505090171 Forwards minor editorial changes to T/S Bases pages;B 3/4 3-1 & B 3/4 8-1 submitted w/request to add automatic load sequencer to plant TS.
MCCOY,C.K. Georgia Power Co. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83896:287-83896:290.

--9505100055 Proposed tech specs,adding automatic load sequencer to plant TS.
* Georgia Power Co. 95/05/02. 2pp. 83896:289-83896:290.

9505110267 Summary of 950412 meeting w/GPC in Rockville,MD re plans for converting Vogtle to improved std TSs.List of attendees encl.
WHEELER,L.L. . 95/05/02. NRC - No Detailed Affiliation Given. 5pp. 83938:090-83938:094.

9505180590 Forwards response to NRC 941230 RAI re GL 92-08 concerning Thermo-Lag fire barriers.
MCCOY,C.K. Georgia Power Co. 95/05/10. Document Control Branch (Document Control Desk). 4pp. 84000:349-84000:352.

9505190333 Forwards amends 85 & 63 to licenses NPF-68 & NPF-81 & SE. Amends revise TSs 3/4.3.3.6,3/4.6.4.1 & associated Bases to incorporate technical substance of Spec 3.3.3 from NUREG-1431,rev 0.
WHEELER,L.L. . 95/05/15. MCCOY,C.K. Georgia Power Co. 3pp. 83988:161-83988:182.

--9505190337 Amends 85 & 63 to licenses NPF-68 & NPF-81,respectively, revising TSs 3/4.3.3.6,3/4.6.4.1 and associated Bases to incorporate technical substance of Spec 3.3.3 from NUREG-1431,rev 0.
BERKOW,H.N. . 95/05/15. 14pp. 83988:164-83988:177.

--9505190339 Safety evaluation supporting amends 85 & 63 to licenses NPF-68 & NPF-81,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. 5pp. 83988:178-83988:182.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9505020029 Forwards insp repts 50-424/95-09 & 50-425/95-09 on 950320- 24.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/04/18. MCCOY,C.K. Georgia Power Co. 3pp. 83689:169-83689:183.

--9505020034 Insp repts 50-424/95-09 & 50-425/95-09 on 950320-24.No violations noted.Major areas inspected:licensee program to address issues described in NRC Bulletin 90-01,Suppl 1.
MOORE,R., SALGADO,N., SHYMLOCK,M.B. Region 2 (Post 820201). 95/04/13. 12pp. 83689:172-83689:183.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505180034 Advises of results of recent performance review at plant to determine if present insp effort for rest of current SALP cycle should be revised before end date of 951230.Informs that insp effort does not need revising at present time.
SKINNER,P.H. Region 2 (Post 820201). 95/04/28. MCCOY,C.K. Georgia Power Co. 3pp. 83952:071-83952:073.

9505110053 Forwards insp repts 50-424/94-11 & 50-425/94-11 on 950319-0415 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/02. MCCOY,C.K. Georgia Power Co. 3pp. 83851:128-83851:147.

--9505110060 Notice of violation from insp on 950319-0415.Violation noted:during core alterations at plant,containment integrity not maintained.
* Region 2 (Post 820201). 95/05/02. 1p. 83851:131-83851:131.

--9505110066 Insp repts 50-424/95-11 & 50-425/95-11 on 950319-0415. Violations noted.Major areas inspected:plant operations, surveillance & maint.
BONSER,B.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 95/05/01. 16pp. 83851:132-83851:147.

9505090153 Forwards response to NRC ltr re violations noted in insp repts 50-424/95-06 & 50-425/95-06 on 950219-0318.Corrective actions:procedure 28835-C was revised on 950324 to clarify measuring resistance to ground test points.
MCCOY,C.K. Georgia Power Co. 95/05/03. Document Control Branch (Document Control Desk). 5pp. 83880:356-83880:360.

9505240154 Ack receipt of 950503 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-06 & 50-425/95-06.
CRLENJAK,R.V. Region 2 (Post 820201). 95/05/10. MCCOY,C.K. Georgia Power Co. 3pp. 84022:109-84022:111.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505300105 Forwards insp repts 50-424/95-12 & 50-425/95-12 on 950424-28.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/19. MCCOY,C.K. Georgia Power Co. 3pp. 84077:051-84077:054.

--**9505300112** Partially withheld insp repts 50-424/95-12 & 50-425/95-12 on 950424-28 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:mgt,organization,alarm stations, detection aids & assessment.
THOMPSON,D., MCGUIRE,D. Region 2 (Post 820201). 95/05/19. 1p. 84077:054-84077:054.

9505260400 Forwards response to NRC ltr re violations noted in insp repts 50-424/95-11 & 50-425/95-11 on 950319-0415.Corrective actions:CR personnel immediately closed valve 2PV-3020.
MCCOY,C.K. Georgia Power Co. 95/05/22. Document Control Branch (Document Control Desk). 4pp. 84103:358-84103:361.

R. Periodic operating reports & related correspondence

9505100011 Forwards Part 2 of 1994 Annual Rept of operating info & rev 9 to "ODCM."
MCCOY,C.K. Georgia Power Co. 95/04/27. Document Control Branch (Document Control Desk). 1p. 83909:179-83910:195.

--**9505090159** "Vogtle Electric Generating Plant 1994 Annual Rept-Part 2."
MCCOY,C.K. Georgia Power Co. 94/12/31. 154pp. 83909:180-83909:333.

9505150139 Forwards monthly operating rept for Apr 1995 & revised page for Mar 1995 monthly operating rept for Vogtle electric generating plant.
MCCOY,C.K. Georgia Power Co. 95/05/08. Document Control Branch (Document Control Desk). 2pp. 83900:166-83900:180.

--**9505150186** Monthly operating rept for April 1995 for Vogtle Electric Generating Plant unit 1.
HOOPER,G.L. Georgia Power Co. 95/04/30. 10pp. 83900:168-83900:178.

9505300056 Forwards revised pages to Part 2 of plant 1994 Annual Rept, submitted on 950427.
MCCOY,C.K. Georgia Power Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84106:353-84106:355.

--**9505300059** Revised pages for Part 2 of Vogtle 1994 Annual Rept.
* Georgia Power Co. 94/12/31. 2pp. 84106:354-84106:355.

T. Hearing transcripts on non-antitrust matters

9505180478 Forwards Supplemental Testimony of G Bockhold re Intervenor exhibit 18 (involving "as found" calibr readings of certain Calcon sensors).
LAMMERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16691. 95/05/04. BLOCH,P., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 83954:203-83954:351.

--**9505180491** Supplemental Testimony of G Bockhold re Intervenor Exhibit 18.W/Certificate of Svc & svc list.
BOCKHOLD,G. Affiliation Not Assigned. 95/05/04. 150pp. 83954:204-83954:351.

9505180405 Forwards original transcript of deposition of BB Hayes taken on 950317 IAW 10CFR2.740a(e).Informs that court reporter states that more than 30 days had been given to deponet to read & sign deposition.Related correspondence.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #295 16709. 95/05/10. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 83968:122-83969:073.

--**9505180435** Transcript of deposition of BB Hayes on 950317 in Atlanta, GA.Pp 1-307.
* Atomic Safety & Licensing Board Panel. 95/03/17. 311pp. 83968:123-83969:073.

9505190045 Transcript of 950515 hearing re Vogtle Electric Generating Plant Units 1 & 2 in Rockville,MD Pp 4,328-4,357.
* Atomic Safety & Licensing Board Panel. 95/05/15. 29pp. 84035:148-84035:179.

9505190050 Transcript of 950516 hearing re Vogtle Electric Generating Plant in Rockville,MD Pp 4,358-4,619.
* Atomic Safety & Licensing Board Panel. 95/05/16. 291pp. 84034:001-84034:291.

9505240038 Transcript of 950516 hearing in Rockville,MD in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 4,620-4,862.
* Atomic Safety & Licensing Board Panel. 95/05/16. 250pp. 84102:001-84102:284.

9505240033 Transcript of 950518 hearing in Rockville,MD in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 4,863-5,111.
* Atomic Safety & Licensing Board Panel. 95/05/18. 265pp. 84101:036-84101:300.

9505260116 Transcript of 950522 evidentiary hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 5,112-5,256.
* Atomic Safety & Licensing Board Panel. 95/05/22. 152pp. 84103:001-84103:152.

9505300071 Transcript of 950523 hearing in Martinez,GA in matter of GA Power Co re license amend (transfer to Southern Nuclear).Pp 5,257-5,492.
* Atomic Safety & Licensing Board Panel. 95/05/23. 247pp. 84105:001-84105:247.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

A. Application/construction stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9505020117 Confirms 950418 telcon w/M Morrison re mgt meeting requested by util & scheduled for 950613.Purpose of meeting to discuss plant const status.
JAUDON,J.P. Region 2 (Post 820201). 95/04/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83690:195-83690:197.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505240034 Provides number of allegations received & open re facilities for period of 950401-30.
IGNATONIS,A. Region 2 (Post 820201). 95/05/17. HARDING,M.R. Tennessee Valley Authority. 1p. 84020:289-84020:289.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020005 Forwards insp repts 50-438/95-01 & 50-439/95-01 on 950404-07.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/04/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83689:001-83689:012.

--**9505020006** Insp repts 50-438/95-01 & 50-439/95-01 on 950404-07.No violations noted.Major areas inspected:layup & maint of plant sys & review of open items.
BEARDEN,W.C., FREDRICKSON,P. Region 2 (Post 820201). 95/04/25. 9pp. 83689:004-83689:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9505020117 Confirms 950418 telcon w/M Morrison re mgt meeting requested by util & scheduled for 950613.Purpose of meeting to discuss plant const status.
JAUDON,J.P. Region 2 (Post 820201). 95/04/19. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83690:195-83690:197.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505240034 Provides number of allegations received & open re facilities for period of 950401-30.
IGNATONIS,A. Region 2 (Post 820201). 95/05/17. HARDING,M.R. Tennessee Valley Authority. 1p. 84020:289-84020:289.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020005 Forwards insp repts 50-438/95-01 & 50-439/95-01 on 950404-07.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/04/25. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83689:001-83689:012.

--9505020006 Insp repts 50-438/95-01 & 50-439/95-01 on 950404-07.No violations noted.Major areas inspected:layup & maint of plant sys & review of open items.
BEARDEN,W.C., FREDRICKSON,P. Region 2 (Post 820201). 95/04/25. 9pp. 83689:004-83689:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505110167 Forwards Rev 2 to Plant Administrative Procedure PAP-0806, "Oil/Chemical Release Contingency Plan."
KLOOSTERMAN,J. Cleveland Electric Illuminating Co. 95/05/01. Ohio, State of. SORRELL,R.W. Lake Hosp. Systems-East, Painesville, OH. 5pp. 83902:285-83902:338.

--9505110171 Rev 2 to Plant Administrative Procedure PAP-0806, "Oil/ Chemical Release Contingency Plan."
TIZZANO,D. Cleveland Electric Illuminating Co. 94/10/20. 49pp. 83902:290-83902:338.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190092 Forwards most recent status repts of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/04/04. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:017-83834:020.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

--8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:024-83834:028.

--8912040009 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 89/10/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:035-83834:039.

--8912040010 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/11/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:040-83834:044.

P. Operating license stage documents & correspondence

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--9505190289 Advises that J Hannon contacted listed plants who did not provide responses to Stello ltr of 870427 on restrictive language in agreement.
HANNON,J.N. NRC - No Detailed Affiliation Given. 89/08/21. QUAY,T. NRC - No Detailed Affiliation Given. 1p. 84038:121-84038:121.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050120 Application for amend to license NPF-58,proposing extension for one operating cycle of exception to LCO 3.0.4 as applies to TS for MSIV LCS.
SHELTON,D.C. Centerior Energy. 95/04/28. Document Control Branch (Document Control Desk). 7pp. 83864:129-83864:141.

--9505050126 Proposed tech specs,proposing extension for one operating cycle of exception to LCO 3.0.4 as applies to TS for MSIV LCS.
* Centerior Energy. . 95/04/28. 6pp. 83864:136-83864:141.

9505050133 Application for amend to license NPF-58 re removal of license conditions for TDI EDGs specified by paragraph 2.c & defined in attachment 2 to operating license.
SHELTON,D.C. Centerior Energy. 95/04/28. Document Control Branch (Document Control Desk). 5pp. 83862:340-83862:348.

--9505050136 Proposed tech specs re removal of license conditions for TDI EDGs specified by paragraph 2.c & in attachment 2 to operating license.
* Centerior Energy. 95/04/28. 5pp. 83862:345-83862:348.

9505050102 Application for amend to license NPF-58.Amend would incorporate results of work performed by BWROG re elimination of selected response time testing requirements.
SHELTON,D.C. Centerior Energy. 95/05/01. Document Control Branch (Document Control Desk). 64pp. 83825:256-83825:360.

--9505050104 Proposed tech specs re incorporation of results of work performed by BWROG.
* Centerior Energy. 95/05/01. 40pp. 83825:321-83825:360.

9505110097 Suppl application for amend to license NPF-58,App A TSs. Suppl addresses minor discrepancies & items needing clarification.
SHELTON,D.C. Centerior Energy. 95/05/05. Document Control Branch (Document Control Desk). 3pp. 83931:001-83932:102.

--9505110100 Proposed tech specs re changes to App A TSs.
* Centerior Energy. 95/05/05. 463pp. 83931:004-83932:102.

9505110138 Informs that util enlisted Betz Industrial to perform chemical cleaning of main condenser in circulation water sys.Info required in accordance w/OH EPA procedures encl.
SHELTON,D.C. Centerior Energy. 95/05/05. JONES,K.L. Ohio, State of. 22pp. 83936:182-83936:203.

9505150072 Forwards addl info to support review of license amend request dtd 931122 entitled "Replacement of Selected Analog Leak Detection Sys Instruments w/GE NUMAC Leak Detection Monitors."
SHELTON,D.C. Centerior Energy. 95/05/05. Document Control Branch (Document Control Desk). 1p. 83899:114-83899:146.

--9505150075 "GE NUMAC Leak Detection Sys EMI/RFI Analysis Rept," for DCP 87-0725.
LAWRENCE,L.P., MCGUIRE,L. General Electric Co. 95/03/03. 28pp. 83899:115-83899:142.

--9505150077 "GE NUMAC Leak Detection Sys Seismic Analysis Summary," for DCP 87-0725.
LAWRENCE,L.P., THORNTON,J. General Electric Co. 95/04/27. 4pp. 83899:143-83899:146.

9505220066 Forwards draft SE re licensee amend request dtd 931216 to license NPF-58 for conversion of plant TS to improved STS.Requests that util provide specific implementation dates that must be included in amend by 950518.
HOPKINS,J. . 95/05/10. SHELTON,D.C. Centerior Energy. 3pp. 84010:001-84010:175.

--9505220072 Draft SE rept re amend to license NPF-48.
* . 95/05/10. 172pp. 84010:004-84010:175.

9505250155 Forwards supplemental info re previous applications for amend to license NPF-58 for conversion of current TS to TS based on NUREG-1434, "Improved BWR6 TS," per discussions w/ NRC re acceptability of proposed changes to LCO 3.0.4.
SHELTON,D.C. Centerior Energy. 95/05/18. Document Control Branch (Document Control Desk). 4pp. 84086:293-84086:327.

--9505250171 Proposed tech specs for conversion to TS based on NUREG-1434, "Improved BWR6 TS."
* Centerior Energy. 95/05/18. 31pp. 84086:297-84086:327.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505300380 Forwards OH EPA approval for use of cooling water additives for condenser cleaning at facility.
SHELTON,D.C. Centerior Energy. 95/05/22. Document Control Branch (Document Control Desk). 4pp. 84136:355-84136:358.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505190182 Discusses insp rept 50-440/95-04 on 950224-0410 & forwards notice of violation.Violation of concern because it involved excessive delay in implementing corrective actions related to protection overhead power lines.
LANKSBURY,R.D. Region 3 (Post 820201). 95/05/03. SHELTON,D.C. Centerior Service Co. 4pp. 83974:070-83974:094.

--9505190202 Notice of violation from insp on 950224-0410.Violation noted:conditions adverse to quality identified in condition repts 93-157 & 93-206 in July & Sept 1993,not fully corrected until Mar 1995.
* Region 3 (Post 820201). 95/05/03. 1p. 83974:074-83974:074.

--**9505190208** Insp rept 50-440/95-04 on 950224-0410.Violations noted. Major areas inspected:operations,maintenance,surveillance, engineering,plant support,safety assessment,quality verification & licensee action on previous identified items.
LANKSBURY,R. Region 3 (Post 820201). 95/05/03. 20pp. 83974:075-83974:094.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230118 Informs that NRC will perform engineering & technical support team insp at plant on 950807-21.
RING,M.A. Region 3 (Post 820201). 95/05/17. SHELTON,D.C. Centerior Energy. 2pp. 84001:357-84001:358.

R. Periodic operating reports & related correspondence

9505020001 "Perry Nuclear Power Plant Unit 1 Annual Radioactive Effluent Release Rept 1994:Quarter 1-4." W/950427 ltr.
SHELTON,D.C. Centerior Energy. 94/12/31. 217pp. 83785:084-83785:300.

9505180520 "NPDES Discharge Monitoring Rept for Apr 1995." W/950512 ltr.
SHELTON,D.C. Centerior Energy. 95/04/30. 5pp. 84026:354-84026:358.

9505190238 Monthly operating rept for Apr 1995 for Perry Nuclear Power Plant,Unit 1.W/950515 ltr.
NEUMAN,G.M., SHELTON,D.C. Centerior Energy. 95/04/30. 6pp. 84039:293-84039:298.

S. Reportable occurrences, LERs & related correspondence

9505300195 Final Part 21 rept re KEPCO,Inc model RMX24-D-20804 power supplies in which transistors Q15 &/or Q16 failed to open & R1 was open.Replacement of transmitters w/XSIS-095 along w/ replacement of electrolytic capacitors provides solution.
* Affiliation Not Assigned. 95/04/26. NRC - No Detailed Affiliation Given. 18pp. 84090:017-84090:034.

V. Operator Examinations

9505050116 Informs that NRC administered GFE section of written operator licensing exam to employees at plant on 950405 & forwards exam answer key,grading results & answer sheets. W/o encl.
RING,M.A. Region 3 (Post 820201). 95/05/01. LACROIX,D.G. Consumers Power Co. KANDA,W.R. Cleveland Electric Illuminating Co. SEIZERT,R.D. Wisconsin Electric Power Co. 1p. 83758:352-83758:352.

9505090020 Informs of arrangements made for administration of written & operating licensing exams at plant scheduled for wk of 950828.NRC will prepare & administer exams in accordance w/ES-401 & ES-402 of NUREG-1021.
RING,M.A. Region 3 (Post 820201). 95/05/05. SHELTON,D.C. Centerior Service Co. 3pp. 83816:093-83816:095.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--**8904190092** Forwards most recent status repts of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/04/04. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:017-83834:020.

--**8904190115** Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

--**8908280168** Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:024-83834:028.

--**8912040009** Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 89/10/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:035-83834:039.

--**8912040010** Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/11/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:040-83834:044.

--**8912040012** Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:029-83834:034.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

S. Reportable occurrences, LERs & related correspondence

9505300195 Final Part 21 rept re KEPCO,Inc model RMX24-D-20804 power supplies in which transistors Q15 &/or Q16 failed to open & R1 was open.Replacement of transmitters w/XSIS-095 along w/ replacement of electrolytic capacitors provides solution.
* Affiliation Not Assigned. 95/04/26. NRC - No Detailed Affiliation Given. 18pp. 84090:017-84090:034.

V. Operator Examinations

9505090020 Informs of arrangements made for administration of written & operating licensing exams at plant scheduled for wk of 950828.NRC will prepare & administer exams in accordance w/ES-401 & ES-402 of NUREG-1021.
RING,M.A. Region 3 (Post 820201). 95/05/05. SHELTON,D.C. Centerior Service Co. 3pp. 83816:093-83816:095.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505180108 Ack receipt of 950213 correspondence re changes to plant safeguards contingency plan,Rev 6.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 83988:324-83988:326.

9505180116 Ack receipt of 950213 correspondence re changes to plant physical security plan,Rev 18.NRC finds changes acceptable for inclusion into plan.
JOYNER,J.H. Region 1 (Post 820201). 95/04/25. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 83988:327-83988:329.

9505020111 Forwards proposed revs to Seabrook Station physical security plan & safeguards contingency plan.Encl withheld.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83729:355-83729:356.

9505180599 Rev 19 to "Seabrook Station Radiological Emergency Plan (SSREP)." W/950512 ltr.
BAER,J.W., TAILLEART,D.R., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/04/26. 81pp. 84023:270-84023:351.

9505150143 Forwards Rev 74 to "Emergency Response Manual (SSER)" & Rev 18 to "Seabrook Station Radiological Emergency Plan (SSREP)."
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/05/02. Document Control Branch (Document Control Desk). 6pp. 83976:001-83977:059.

--**9505150148** Rev 74 to "Emergency Response Manual (SSER)."
BAER,J.W., TAILLEART,D.R., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 95/04/19. 392pp. 83976:007-83977:034.

--**9505150150** Rev 18 to "Seabrook Station Radiological Emergency Plan (SSREP)."
BAER,J.W., TAILLEART,D.R., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 95/03/29. 15pp. 83977:035-83977:059.

9505190199 Forwards proposed revs to plant physical security plan & safeguards contingency plan in support of issuance of exemption from certain requirements of 10CFR73.55,as requested in util 941017 ltr.Encl withheld per 10CFR73.21.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/05/12. Document Control Branch (Document Control Desk). 2pp. 84019:357-84019:358.

9505260040 Forwards amend 39 to license NPF-86 & safety evaluation. Amend deletes from TS certain audit responsibilities of Nuclear Safety Audit Review Committee & review responsibilities of Station Operation Review Committee.
DE AGAZIO,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/19. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84090:237-84090:251.

--**9505260047** *Amend 39 to license NPF-86,deleting from TS,certain audit responsibilities* of Nuclear Safety Audit Review Committee & review responsibilities of Station Operation Review Committee re emergency plan,security plan & procedures.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/19. 9pp. 84090:240-84090:248.

--**9505260053** Safety evaluation supporting amend 39 to license NPF-86.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 3pp. 84090:249-84090:251.

H. General correspondence

9505090030 Comment supporting proposed rule 10CFR50 re "Primary Reactor Containment Leakage Testing For Water-Cooled Power Reactor.
GRANT,J.M. Yankee Atomic Electric Co. 95/05/04. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83816:145-83816:147.

9505220105 Comment opposing proposed revision to 10CFR50,App J, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.
SCACE,S.E. Northeast Utilities. 95/05/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83985:147-83985:149.

I. Financial information

9505040018 Forwards 1994 annual financial repts for CT Light & Power Co,Western MA Electric Co,Public Svc Co of NH & North Atlantic Energy Corp.
GUGLIELMO,F.J. Northeast Utilities Service Co. 95/04/25. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83803:128-83803:290.

--**9505040033** "Public Svc of NH 1994 Annual Rept."
* Northeast Utilities Service Co. * Public Service Co. of New Hampshire. 94/12/31. 41pp. 83803:223-83803:265.

J. Insurance & indemnity information

9505150100 Forwards two certified copies of Endorsement 60 of Policy NF-0296 of liability insurance policy for plant.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/05/05. Document Control Branch (Document Control Desk). 4pp. 83943:277-83943:280.

P. Operating license stage documents & correspondence

9505230094 Comment re proposed GL concerning pressure locking & thermal binding of safety-related power operated gate valves. Valves whose safety function to close & remain closed or valves that remain open should be excluded from proposed GL.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/04/26. Division of Freedom of Information & Publications Services (Post 940714). 7pp. 84001:342-84001:348.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110101 Provides suppl info re util relief request to use alternatives to ASME B&PV Code,Section XI,1983 edition through summer of 1983 addendum for plant per 10CFR50.55.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/05/04. Document Control Branch (Document Control Desk). 8pp. 83933:350-83933:357.

9505220214 Forwards Environ Assessment & Finding of No Significant Impact re licensee request for 950217 exemption which would allow postponement of second Type A test of first 10-yr svc period from fourth to fifth refueling outage.
DE AGAZIO,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/16. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 84029:337-84029:344.

--**9505220224** Environ assessment & finding of no significant impact re licensee request for exemption from periodic retest schedule requirements of 10CFR50,App J, "Delay of Next Required Type Leakage Rate Test."
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/16. 4pp. 84029:341-84029:344.

9505240262 Forwards amend 37 to license NPF-86 & SE.Amend revises app A TSs re schedule for performing Type A containment ILRTs.
DE AGAZIO,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/17. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 84059:223-84059:233.

--**9505240275** Amend 37 to license NPF-86,revising app A TSs re schedule for performing Type A containment ILRTs.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/17. 5pp. 84059:227-84059:231.

--**9505240284** Safety evaluation supporting amend 37 to license NPF-86.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/17. 2pp. 84059:232-84059:233.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505250331 Forwards amend 38 to license NPF-86 & safety evaluation. Amend revises TS re AC power sources during operation in modes 1-4.
DE AGAZIO,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/19. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84075:263-84075:275.

--**9505250333** Amend 38 to license NPF-86,revising TS re AC power sources during operation in modes 1-4.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/19. 7pp. 84075:266-84075:272.

--**9505250336** *Safety evaluation supporting amend 38 to license NPF-86.*
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 3pp. 84075:273-84075:275.

9505260040 Forwards amend 39 to license NPF-86 & safety evaluation. Amend deletes from TS certain audit responsibilities of Nuclear Safety Audit Review Committee & review responsibilities of Station Operation Review Committee.
DE AGAZIO,A.W. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/19. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84090:237-84090:251.

--**9505260047** Amend 39 to license NPF-86,deleting from TS,certain audit responsibilities of Nuclear Safety Audit Review Committee & review responsibilities of Station Operation Review Committee re emergency plan,security plan & procedures.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). 95/05/19. 9pp. 84090:240-84090:248.

--**9505260053** Safety evaluation supporting amend 39 to license NPF-86.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 3pp. 84090:249-84090:251.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020200 Forwards "Seabrook Station SG B & C ISI."
GEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/04/26. Document Control Branch (Document Control Desk). 3pp. 83760:292-83760:345.

--**9505020201** "Seabrook Station SG B & C ISI."
LARSEN,C. North Atlantic Energy Service Corp. (NAESCO). 95/05/31. 51pp. 83760:295-83760:345.

9505050020 *Forwards insp rept 50-443/95-03 on 950218-0402.No violations noted.*
DURR,J.P. Region 1 (Post 820201). 95/04/27. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 83758:058-83758:084.

--**9505050026** Insp rept 50-443/95-03 on 950218-0402.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & safety assessment/quality verification.
ROGGE,J. Region 1 (Post 820201). 95/04/24. 22pp. 83758:063-83758:084.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505240209 Discusses insp rept 50-443/95-05 on 950424-28 & forwards notice of violation.
JOYNER,J.H. Region 1 (Post 820201). 95/05/13. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 84022:285-84022:292.

--**9505240216** Insp rept 50-443/95-05 on 950424-28.No violations noted. Major areas inspected:previously identified item,audits, C/A & mgt support.
ALBERT,R.J., SMITH,G.C. Region 1 (Post 820201). 95/05/13. 5pp. 84022:288-84022:292.

R. Periodic operating reports & related correspondence

9505020038 "Seabrook Station Annual Radiological Environ Operating Rept for Period Jan-Dec 1994." W/950428 ltr.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 94/12/31. 200pp. 83760:090-83760:291.

9505110208 Forwards 1994 Annual Environmental Operating Rept for Seabrook Station & 1993 Environmental Studies In Hampton- Seabrook Area.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83939:001-83940:276.

--**9505110211** "Seabrook Station Annual Environ Operating Rept Jan-Dec 1994."
* North Atlantic Energy Service Corp. (NAESCO). 94/12/31. 2pp. 83939:003-83939:004.

--**9505110212** "1993 Environ Studies In Hampton-Seabrook Area."
* North Atlantic Energy Service Corp. (NAESCO). 93/12/31. 636pp. 83939:005-83940:276.

9505020018 Forwards "Effluent & Waste Disposal Annual Rept 1994," joint frequency distributions of wind speed,wind direction & atmospheric stability,radiation dose assessment & minor corrections to 1993 effluent release data.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83756:001-83756:273.

--**9505020032** "Effluent & Waste Disposal Annual Rept 1994."
* North Atlantic Energy Service Corp. (NAESCO). 94/12/31. 268pp. 83756:003-83756:270.

--**9505020035** Revised "Effluent & Waste Disposal Annual Rept 1993."
* North Atlantic Energy Service Corp. (NAESCO). 93/12/31. 3pp. 83756:271-83756:273.

9505180255 Monthly operating rept for Apr 1995 for Seabrook Station Unit 1.W/950511 ltr.
NARDONE,P.E., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/04/30. 5pp. 84005:319-84005:323.

V. Operator Examinations

9505090037 Informs that Region I will no longer participate in certificate presentations to licensed operators & SROs. Instead,NRC will send certificates directly to facilities.
WIGGINS,J.T. Region 1 (Post 820201). 95/05/01. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 2pp. 83816:154-83816:155.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

H. General correspondence

9505090030 Comment supporting proposed rule 10CFR50 re "Primary Reactor Containment Leakage Testing For Water-Cooled Power Reactor.
GRANT,J.M. Yankee Atomic Electric Co. 95/05/04. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83816:145-83816:147.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505050088 Ack receipt of 950321 ltr transmitting Rev 21 to Emergency Plan for plant & informs that changes acceptable & do not appear to degrade effectiveness of emergency planning.
COLLINS,S.J. Region 4 (Post 820201). 95/05/02. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 83758:280-83758:283.

9505090002 Forwards insp repts 50-445/95-09 & 50-446/95-09 on 950417-21.No violations identified.
COLLINS,S.J. Region 4 (Post 820201). 95/05/03. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 83816:001-83816:007.

--9505090004 Partially withheld insp repts 50-445/95-09 & 50-446/95-09 on 950417-21 (ref 10CFR73.21).No violations identified.Major areas inspected:records & repts,assessment aids,security audit program,alarm stations & communication.
MURRAY,B. Region 4 (Post 820201). 95/05/01. 2pp. 83816:006-83816:007.

9505100076 Revised EPIPs,including rev 1 to EPP-215,rev 220 to Procedure Index,rev 221 to Procedure Index,rev 119 to Form Index,rev 120 to Form Index,rev 121 to Form Index & EPIP EPP-100,rev 0.W/950504 ltr.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/04. 26pp. 83873:237-83873:262.

9505220097 Forwards exemption granted from certain requirements of 10CFR73.55,to implement hand geometry biometric sys for site access control at plant such that photographic identification badges may be taken offsite.
POLICH,T.J. . 95/05/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84002:283-84002:292.

--9505220104 Exemption granted from certain requirements of 10CFR73.55,to implement hand geometry biometric sys for site access control at plant such that photographic identification badges may be taken offsite.
ADENSAM,E.G. . 95/05/16. Texas Utilities Electric Co. (TU Electric). 6pp. 84002:287-84002:292.

9505220145 Forwards follow-up request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Concludes that util response re training of Thermal Science,Inc employees acceptable.
POLICH,T.J. . 95/05/17. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. 84002:252-84002:257.

9505250332 Ack receipt of 950116,0301 & 0403 ltrs that transmitted exemption request to use hand geometry biometric access control equipment & rev to plant physical security plan. Rev to physical security plan acceptable.
POLICH,T.J. . 95/05/18. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84090:042-84090:044.

9505260275 Forwards Rev 11 to "CPSES Fire Protection Rept."
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/19. Document Control Branch (Document Control Desk). 4pp. 84099:299-84099:311.

--9505260375 Rev 11 to "CPSES Fire Protection Rept."
* Texas Utilities Electric Co. (TU Electric). 95/05/19. 9pp. 84099:302-84099:311.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:024-83834:028.

--8912040009 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 89/10/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:035-83834:039.

--8912040010 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/11/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:040-83834:044.

--8912040012 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:029-83834:034.

H. General correspondence

9505300203 Comment suporting proposed rule 10CFR50 re containment leakage testing.Supports NEI comments.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/19. Docketing & Services Branch. 1p. 84077:359-84077:359.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080005 Informs NRC that current order timing & surveillance mods have been implemented in Unit 1 & complete as of 950420.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83865:049-83865:050.

9505080209 Notification of 950509 meeting w/util in Rockville,MD to discuss spent fuel storage capacity seismic issues.
POLICH,T.J. . 95/04/28. BECKNER,W.D. . 4pp. 83827:352-83827:355.

9505080026 Application for amends to licenses NPF-87 & NPF-89.Amends would reduce min fuel oil vol requirement during Modes 5 & 6 for operable EDGs.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/05/01. Document Control Branch (Document Control Desk). 14pp. 83873:058-83873:092.

--9505080029 Proposed tech specs re reduction of min fuel oil vol required during Modes 5 & 6 for operable EDGs.
* Texas Utilities Electric Co. (TU Electric). 95/05/01. 21pp. 83873:072-83873:092.

9505220095 Application for amend to licenses NPF-87 & NPF-89,consisting of LAR 95-03,removing cycle-specific parameter limits from TS,per GL 88-16.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/05/12. Document Control Branch (Document Control Desk). 10pp. 84038:306-84038:344.

--9505220100 Proposed tech specs,removing several cycle-specific parameter limits.
* Texas Utilities Electric Co. (TU Electric). 95/05/12. 29pp. 84038:316-84038:344.

9505250077 Forwards Rev 19 to plant Technical Requirements Manual.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/05/15. Document Control Branch (Document Control Desk). 10pp. 84063:295-84063:304.

9505220145 Forwards follow-up request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Concludes that util response re training of Thermal Science,Inc employees acceptable.
POLICH,T.J. . 95/05/17. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. 84002:252-84002:257.

9505250319 Forwards corrected TS pages 3/4 3-2 & 3/4 3-8 of amends 39 & 25 to license NPF-87 & NPF-89,respectively.Pages corrected to reflect changes made from previous amends.
POLICH,T.J. . 95/05/18. JERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84090:035-84090:041.

--9505250329 Corrected TS pages 3/4 3-2 & 3/4 3-8 of amends 39 & 25 to licenses NPF-87 & NPF-89,respectively.
* . 95/05/18. 4pp. 84090:038-84090:041.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505250176 Forwards request for addl info re SFSP rack application at plant,units 1 & 2.Response requested within 60 days of receipt of ltr.
POLICH,T.J. . 95/05/23. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 7pp. 84075:220-84075:226.

9505310156 Forwards supplemental changes to plant proposed amends re incorporation of appropriate refs to/& provisions of new 10CFR20 regulations.Changes reflect editorial corrections.
TERRY,C.L., KELLEY,J.J. Texas Utilities Electric Co. (TU Electric). 95/05/23. Document Control Branch (Document Control Desk). 3pp. 84163:235-84163:243.

--9505310159 Proposed tech specs reflecting editorial correction to proposed amends re incorporation of new requirements of 10CFR20.
* Texas Utilities Electric Co. (TU Electric). 95/05/23. 6pp. 84163:238-84163:243.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030067 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 83721:001-83721:045.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090002 Forwards insp repts 50-445/95-09 & 50-446/95-09 on 950417-21.No violations identified.
COLLINS,S.J. Region 4 (Post 820201). 95/05/03. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 83816:001-83816:007.

--9505090004 Partially withheld insp repts 50-445/95-09 & 50-446/95-09 on 950417-21 (ref 10CFR73.21).No violations identified.Major areas inspected:records & repts,assessment aids,security audit program,alarm stations & communication.
MURRAY,B. Region 4 (Post 820201). 95/05/01. 2pp. 83816:006-83816:007.

9505090112 Responds to NRC 950404 ltr re violations noted in insp repts 50-445/95-03 & 50-446/95-03 on 950221-24.Corrective actions: trending & analysis process has been implemented to provide tool to assess problems & allow proactive intervention.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/05/04. Document Control Branch (Document Control Desk). 9pp. 83880:347-83880:355.

9505180161 Forwards insp repts 50-445/95-08 & 50-446/95-08 on 950410-13 & NOV.
COLLINS,S.J. Region 4 (Post 820201). 95/05/10. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 83952:311-83952:334.

--9505180171 Notice of violation from insp on 950410-14.Violation noted: workers made arm entries into SG bowls w/o assessing deep dose equivalent.
* Region 4 (Post 820201). 95/05/10. 2pp. 83952:316-83952:317.

--9505180183 Insp repts 50-445/95-08 & 50-446/95-08 on 950410-13. Violations noted.Major areas inspected:audits & appraisals, changes & planning.
MURRAY,B. Region 4 (Post 820201). 95/05/04. 17pp. 83952:318-83952:334.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180106 Ack receipt of 950504 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/95-03 & 50-446/95-03 on 950221-24.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 83952:146-83952:158.

9505260013 Forwards insp repts 50-445/95-10 & 50-446/95-10 on 950501- 05.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/19. TERRY,C.L. Texas Utilities Co. 5pp. 84062:037-84062:050.

--9505260015 Insp repts 50-445/95-10 & 50-446/95-10 on 950501-05.No violations noted.Major areas inspected:licensed operator requalification program.
PELLET,J.L. Region 4 (Post 820201). 95/05/17. 9pp. 84062:042-84062:050.

9505300158 Forwards response to NRC 950313 & 950421 ltrs re violations noted in insp repts 50-445/95-02 & 50-446/95-02 on 950212- 0325.Corrective actions:required surface exam was reperformed by different technician.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/22. Document Control Branch (Document Control Desk). 14pp. 84105:323-84105:336.

R. Periodic operating reports & related correspondence

9505040138 "1994 Annual Environ Operating Rept (Nonradiological)." W/ 950427 ltr.
WOODLAN,D.R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/12/31. 13pp. 83806:275-83806:287.

9505040149 "Radiological Environ Monitoring Program 1994 Annual Rept." W/950427 ltr.
WOODLAN,D.R., TERRY,C.L., FLOYD,E.T. Texas Utilities Electric Co. (TU Electric). 94/12/31. 110pp. 83791:158-83791:267.

9505020002 Forwards "Comanche Peak SES Radiological Effluent 1994 Annual Rept," including complete copy of ODCM,rev 11.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/04/26. Document Control Branch (Document Control Desk). 1p. 83789:001-83789:239.

--9505020003 "Comanche Peak SES Radiological Effluent 1994 Annual Rept."
FLOYD,E.T., KAY,D.C., PRINCE,R.J. Texas Utilities Electric Co. (TU Electric). 94/12/31. 238pp. 83789:002-83789:239.

9505220304 Forwards monthly operating repts for Apr 1995 for CPSES Units 1 & 2 & revised monthly operating rept for Mar 1995 for CPSES Unit 1.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/05/15. Document Control Branch (Document Control Desk). 1p. 84039:242-84039:252.

--9505220306 Monthly operating repts for Apr 1995 for CPSES Units 1 & 2.
SIROIS,E. Texas Utilities Electric Co. (TU Electric). 95/04/30. 9pp. 84039:243-84039:251.

--9505220307 Revised monthly operating rept for Mar 1995 for CPSES Unit 1.
SIROIS,E. Texas Utilities Electric Co. (TU Electric). 95/03/31. 1p. 84039:252-84039:252.

S. Reportable occurrences, LERs & related correspondence

9505180134 PNO-IV-95-011:on 950307,Westinghouse contract employee suffered heart attack & collapsed dead at plant.No contamination involved.State of TX to be notified.
KIRSCH,D., GODY,T. Region 4 (Post 820201). 95/03/08. 1p. 83952:235-83952:235.

9505300142 Special rept 1-SR-95-002:on 950505,lightning strike damaged meteorological instrumentation at primary & backup towers.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/22. Document Control Branch (Document Control Desk). 3pp. 84120:357-84120:359.

V. Operator Examinations

9505050021 Forwards copy of master exam re Generic Fundamentals Exam Section of written operator licensing exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 2pp. 83758:085-83758:086.

9505250049 Advises NRC that TE Bain,TJ Daskam & MJ Sweet will no longer be performing licensed duties.Therefore,plant requests that corresponding licenses be terminated.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/17. Document Control Branch (Document Control Desk). 1p. 84085:355-84085:355.

9505260013 Forwards insp repts 50-445/95-10 & 50-446/95-10 on 950501- 05.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/19. TERRY,C.L. Texas Utilities Co. 5pp. 84062:037-84062:050.

--9505260015 Insp repts 50-445/95-10 & 50-446/95-10 on 950501-05.No violations noted.Major areas inspected:licensed operator requalification program.
PELLET,J.L. Region 4 (Post 820201). 95/05/17. 9pp. 84062:042-84062:050.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505050088 Ack receipt of 950321 ltr transmitting Rev 21 to Emergency Plan for plant & informs that changes acceptable & do not appear to degrade effectiveness of emergency planning.
COLLINS,S.J. Region 4 (Post 820201). 95/05/02. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 83758:280-83758:283.

9505090002 Forwards insp repts 50-445/95-09 & 50-446/95-09 on 950417-21.No violations identified.
COLLINS,S.J. Region 4 (Post 820201). 95/05/03. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 83816:001-83816:007.

--9505090004 Partially withheld insp repts 50-445/95-09 & 50-446/95-09 on 950417-21 (ref 10CFR73.21).No violations identified.Major areas inspected:records & repts,assessment aids,security audit program,alarm stations & communication.
MURRAY,B. Region 4 (Post 820201). 95/05/01. 2pp. 83816:006-83816:007.

9505100076 Revised EPIPs,including rev 1 to EPP-215,rev 220 to Procedure Index,rev 221 to Procedure Index,rev 119 to Form Index,rev 120 to Form Index,rev 121 to Form Index & EPIP EPP-100,rev 0.W/950504 ltr.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/04. 26pp. 83873:237-83873:262.

9505220097 Forwards exemption granted from certain requirements of 10CFR73.55,to implement hand geometry biometric sys for site access control at plant such that photographic identification badges may be taken offsite.
POLICH,T.J. . 95/05/16. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 84002:283-84002:292.

--9505220104 Exemption granted from certain requirements of 10CFR73.55,to implement hand geometry biometric sys for site access control at plant such that photographic identification badges may be taken offsite.
ADENSAM,E.G. . 95/05/16. Texas Utilities Electric Co. (TU Electric). 6pp. 84002:287-84002:292.

9505220145 Forwards follow-up request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Concludes that util response re training of Thermal Science,Inc employees acceptable.
POLICH,T.J. . 95/05/17. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. 84002:252-84002:257.

9505250332 Ack receipt of 950116,0301 & 0403 ltrs that transmitted exemption request to use hand geometry biometric access control equipment & rev to plant physical security plan. Rev to physical security plan acceptable.
POLICH,T.J. . 95/05/18. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84090:042-84090:044.

9505260275 Forwards Rev 11 to "CPSES Fire Protection Rept."
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/19. Document Control Branch (Document Control Desk). 4pp. 84099:299-84099:311.

--9505260375 Rev 11 to "CPSES Fire Protection Rept."
* Texas Utilities Electric Co. (TU Electric). 95/05/19. 9pp. 84099:302-84099:311.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:024-83834:028.

--8912040009 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 89/10/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:035-83834:039.

--8912040010 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/11/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:040-83834:044.

--8912040012 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:029-83834:034.

H. General correspondence

9505300203 Comment suporting proposed rule 10CFR50 re containment leakage testing.Supports NEI comments.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/19. Docketing & Services Branch. 1p. 84077:359-84077:359.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505080209 Notification of 950509 meeting w/util in Rockville,MD to discuss spent fuel storage capacity seismic issues.
POLICH,T.J. . 95/04/28. BECKNER,W.D. . 4pp. 83827:352-83827:355.

9505080026 Application for amends to licenses NPF-87 & NPF-89.Amends would reduce min fuel oil vol requirement during Modes 5 & 6 for operable EDGs.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/05/01. Document Control Branch (Document Control Desk). 14pp. 83873:058-83873:092.

--9505080029 Proposed tech specs re reduction of min fuel oil vol required during Modes 5 & 6 for operable EDGs.
* Texas Utilities Electric Co. (TU Electric). 95/05/01. 21pp. 83873:072-83873:092.

9505220095 Application for amend to licenses NPF-87 & NPF-89,consisting of LAR 95-03,removing cycle-specific parameter limits from TS,per GL 88-16.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/05/12. Document Control Branch (Document Control Desk). 10pp. 84038:306-84038:344.

--9505220100 Proposed tech specs,removing several cycle-specific parameter limits.
* Texas Utilities Electric Co. (TU Electric). 95/05/12. 29pp. 84038:316-84038:344.

9505250077 Forwards Rev 19 to plant Technical Requirements Manual.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/05/15. Document Control Branch (Document Control Desk). 10pp. 84063:295-84063:304.

9505220145 Forwards follow-up request for addl info re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Concludes that util response re training of Thermal Science,Inc employees acceptable.
POLICH,T.J. . 95/05/17. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 6pp. 84002:252-84002:257.

9505250319 Forwards corrected TS pages 3/4 3-2 & 3/4 3-8 of amends 39 & 25 to license NPF-87 & NPF-89,respectively.Pages corrected to reflect changes made from previous amends.
POLICH,T.J. . 95/05/18. JERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 84090:035-84090:041.

--9505250329 Corrected TS pages 3/4 3-2 & 3/4 3-8 of amends 39 & 25 to licenses NPF-87 & NPF-89,respectively.
* . 95/05/18. 4pp. 84090:038-84090:041.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505250176 Forwards request for addl info re SFSP rack application at plant,units 1 & 2.Response requested within 60 days of receipt of ltr.
POLICH,T.J. . 95/05/23. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 7pp. 84075:220-84075:226.

9505310156 Forwards supplemental changes to plant proposed amends re incorporation of appropriate refs to/& provisions of new 10CFR20 regulations.Changes reflect editorial corrections.
TERRY,C.L., KELLEY,J.J. Texas Utilities Electric Co. (TU Electric). 95/05/23. Document Control Branch (Document Control Desk). 3pp. 84163:235-84163:243.

--9505310159 Proposed tech specs reflecting editorial correction to proposed amends re incorporation of new requirements of 10CFR20.
* Texas Utilities Electric Co. (TU Electric). 95/05/23. 6pp. 84163:238-84163:243.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030067 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 83721:001-83721:045.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090002 Forwards insp repts 50-445/95-09 & 50-446/95-09 on 950417-21.No violations identified.
COLLINS,S.J. Region 4 (Post 820201). 95/05/03. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 83816:001-83816:007.

--9505090004 Partially withheld insp repts 50-445/95-09 & 50-446/95-09 on 950417-21 (ref 10CFR73.21).No violations identified.Major areas inspected:records & repts,assessment aids,security audit program,alarm stations & communication.
MURRAY,B. Region 4 (Post 820201). 95/05/01. 2pp. 83816:006-83816:007.

9505090112 Responds to NRC 950404 ltr re violations noted in insp repts 50-445/95-03 & 50-446/95-03 on 950221-24.Corrective actions: trending & analysis process has been implemented to provide tool to assess problems & allow proactive intervention.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/05/04. Document Control Branch (Document Control Desk). 9pp. 83880:347-83880:355.

9505180161 Forwards insp repts 50-445/95-08 & 50-446/95-08 on 950410-13 & NOV.
COLLINS,S.J. Region 4 (Post 820201). 95/05/10. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 83952:311-83952:334.

--9505180171 Notice of violation from insp on 950410-14.Violation noted: workers made arm entries into SG bowls w/o assessing deep dose equivalent.
* Region 4 (Post 820201). 95/05/10. 2pp. 83952:316-83952:317.

--9505180183 Insp repts 50-445/95-08 & 50-446/95-08 on 950410-13. Violations noted.Major areas inspected:audits & appraisals, changes & planning.
MURRAY,B. Region 4 (Post 820201). 95/05/04. 17pp. 83952:318-83952:334.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180106 Ack receipt of 950504 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/95-03 & 50-446/95-03 on 950221-24.
COLLINS,S.J. Region 4 (Post 820201). 95/05/12. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 83952:146-83952:158.

9505260013 Forwards insp repts 50-445/95-10 & 50-446/95-10 on 950501- 05.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/19. TERRY,C.L. Texas Utilities Co. 5pp. 84062:037-84062:050.

--9505260015 Insp repts 50-445/95-10 & 50-446/95-10 on 950501-05.No violations noted.Major areas inspected:licensed operator requalification program.
PELLET,J.L. Region 4 (Post 820201). 95/05/17. 9pp. 84062:042-84062:050.

9505300158 Forwards response to NRC 950313 & 950421 ltrs re violations noted in insp repts 50-445/95-02 & 50-446/95-02 on 950212- 0325.Corrective actions:required surface exam was reperformed by different technician.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/22. Document Control Branch (Document Control Desk). 14pp. 84105:323-84105:336.

R. Periodic operating reports & related correspondence

9505040138 "1994 Annual Environ Operating Rept (Nonradiological)." W/ 950427 ltr.
WOODLAN,D.R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 94/12/31. 13pp. 83806:275-83806:287.

9505040149 "Radiological Environ Monitoring Program 1994 Annual Rept." W/950427 ltr.
WOODLAN,D.R., TERRY,C.L., FLOYD,E.T. Texas Utilities Electric Co. (TU Electric). 94/12/31. 110pp. 83791:158-83791:267.

9505020002 Forwards "Comanche Peak SES Radiological Effluent 1994 Annual Rept," including complete copy of ODCM,rev 11.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/04/26. Document Control Branch (Document Control Desk). 1p. 83789:001-83789:239.

--9505020003 "Comanche Peak SES Radiological Effluent 1994 Annual Rept."
FLOYD,E.T., KAY,D.C., PRINCE,R.J. Texas Utilities Electric Co. (TU Electric). 94/12/31. 238pp. 83789:002-83789:239.

9505220304 Forwards monthly operating repts for Apr 1995 for CPSES Units 1 & 2 & revised monthly operating rept for Mar 1995 for CPSES Unit 1.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/05/15. Document Control Branch (Document Control Desk). 1p. 84039:242-84039:252.

--9505220306 Monthly operating repts for Apr 1995 for CPSES Units 1 & 2.
SIROIS,E. Texas Utilities Electric Co. (TU Electric). 95/04/30. 9pp. 84039:243-84039:251.

S. Reportable occurrences, LERs & related correspondence

9505180134 PNO-IV-95-011:on 950307,Westinghouse contract employee suffered heart attack & collapsed dead at plant.No contamination involved.State of TX to be notified.
KIRSCH,D., GODY,T. Region 4 (Post 820201). 95/03/08. 1p. 83952:235-83952:235.

9505150046 LER 94-005-01:on 940512,unit in mode 5 when leak noted in CT sys.On 940519,add! leaks discovred on second train.Cause of leaks determined to be vibration induced fatigue. Configuration changes implemented.W/950505 ltr.
FINNERAN,J.C., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/05/05. 7pp. 83899:078-83899:084.

9505240198 Forwards LER 94-022-01 re labeling error leading to inoperability of power range instrumentation.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/05/19. Document Control Branch (Document Control Desk). 1p. 84078:077-84078:090.

--9505240202 LER 94-022-01:on 941124,labeling error lead to inoperability of power range instrumentation.Reinstalled cables.
ELLIS,S.L. Texas Utilities Electric Co. (TU Electric). 95/05/19. 7pp. 84078:078-84078:090.

V. Operator Examinations

9505050021 Forwards copy of master exam re Generic Fundamentals Exam Section of written operator licensing exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 2pp. 83758:085-83758:086.

9505250049 Advises NRC that TE Bain,TJ Daskam & MJ Sweet will no longer be performing licensed duties.Therefore,plant requests that corresponding licenses be terminated.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 95/05/17. Document Control Branch (Document Control Desk). 1p. 84085:355-84085:355.

9505260013 Forwards insp repts 50-445/95-10 & 50-446/95-10 on 950501- 05.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/19. TERRY,C.L. Texas Utilities Co. 5pp. 84062:037-84062:050.

--9505260015 Insp repts 50-445/95-10 & 50-446/95-10 on 950501-05.No violations noted.Major areas inspected:licensed operator requalification program.
PELLET,J.L. Region 4 (Post 820201). 95/05/17. 9pp. 84062:042-84062:050.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505110013 Forwards insp repts 50-454/95-03 & 50-455/95-03 on 950131- 0329.Several significant personnel errors occurred. Activities re visitor escort requirements per station security procedures in violation.Violation not cited.
MILLER,L.F. Region 3 (Post 820201). 95/05/02. GRAESSER,K. Commonwealth Edison Co. 4pp. 83850:108-83850:143.

--9505110022 Insp repts 50-454/95-03 & 50-455/95-03 on 950131-0329.One non-cited violation & three unresolved items noted.Major areas inspected:plant operations,support,maint & surveillance activities & quality verification.
MILLER,L.F. Region 3 (Post 820201). 95/05/02. 32pp. 83850:112-83850:143.

9505150087 Revised EPIPS,including rev 8 to BZP 100-T3, rev 6 to BZP 300-A5,rev 4 to BZP 300-A6,rev 5 to BZP 380-19, rev 3 to BZP 380-A8,rev 3 to BZP 380-A9,rev 1 to BZP 380-A10,rev 6 to BZP 400-4 & rev 13 to BZP 500-T4.
* Commonwealth Edison Co. 95/05/06. 110pp. 83900:054-83900:165.

9505260094 Revised EPIPs,including rev 6 to BZP 100-T11,rev 3 to BZP 100-T4,rev 4 BZP 380-T4,rev 7 to BZP 500-T3,rev 12 to BZP 500-T6,rev 11 to BZP 500-T7,rev 16 to BZP 500-T8,rev 10 to BZP 500-T9 & rev 19 to BZP 600-A2.
* Commonwealth Edison Co. 95/05/15. 58pp. 84089:195-84089:252.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

9505150172 Updated pages BYA 6-11 & 6-12 to Byron Station site specific GSEP annex,Rev 4f.
* Commonwealth Edison Co. 95/05/31. 3pp. 83977:306-83977:308.

P. Operating license stage documents & correspondence

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--9505050159 Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--9505050162 Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505030477 Comments on draft GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
VONK,M.J. Commonwealth Edison Co. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83791:352-83791:354.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040297 Notification of 950509 meeting w/util in Rockville,MD to discuss preliminary results of test program measuring potential leakage rates from tubes.
LYNCH,M.D. . 95/04/28. CAPRA,R.A. . 3pp. 83759:204-83759:206.

9505050119 Notification of 950511 meeting w/utils in Rockville,MD to inform NRC of plans to develop electrosleeving & ensure that all technical concerns are addressed during qualification.
DEMBEK,S. . 95/05/02. HEBDON,F.J. . 4pp. 83822:148-83822:151.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505190175 Forwards SE re use of VIPRE/WRB-2 DNBR limit for Westinghouse 17x17 OFA & Vantage 5 Fuels-Byron,units 1 & 2 & Braidwood,Units 1 & 2 & technical evaluation rept.VIPRE-01 model acceptable.
DICK,G.F. . 95/05/16. FARRAR,D.L. Commonwealth Edison Co. 2pp. 83991:302-83991:323.

--9505190190 Safety evaluation re use of VIPRE/WRB-2 DNBR thermal limit for Westinghouse 17x17 OFA & Vantage 5 fuel,Byron Station, Units 1 & 2 & Braidwood Station,Units 1 & 2.VIPRE-01 model acceptable.
BREWER,S. . 95/05/16. 4pp. 83991:304-83991:323.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505300398 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS Section 3/4.4.5,allowing SG tubes to be repaired using tungsten inert gas welded sleeve process described in encl ABB C-E rept CEN-621-P.Rept withheld.
PONTIOUS,H.D. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 14pp. 84162:165-84162:222.

--9505300401 Proposed tech specs Section 3/4.4.5,allowing SG tubes to be repaired using tungsten inert gas welded sleeve process described in ABB C-E Licensing Rept CEN-621-P,Rev 0, "Comm Ed...SG Tube Repair Using Leak Tight Sleeves."
* Commonwealth Edison Co. 95/05/17. 43pp. 84162:179-84162:222.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310183 Forwards changes/clarifications to leak rate test program.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/05/25. Office of Nuclear Reactor Regulation (Post 941001). 5pp. 84163:249-84163:253.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110013 Forwards insp repts 50-454/95-03 & 50-455/95-03 on 950131- 0329.Several significant personnel errors occurred. Activities re visitor escort requirements per station security procedures in violation.Violation not cited.
MILLER,L.F. Region 3 (Post 820201). 95/05/02. GRAESSER,K. Commonwealth Edison Co. 4pp. 83850:108-83850:143.

--9505110022 Insp repts 50-454/95-03 & 50-455/95-03 on 950131-0329.One non-cited violation & three unresolved items noted.Major areas inspected:plant operations,support,maint & surveillance activities & quality verification.
MILLER,L.F. Region 3 (Post 820201). 95/05/02. 32pp. 83850:112-83850:143.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220025 Informs of arrangements made for NRC to inspect licensed operator requalification program at plant,scheduled for wk of 950619.Requests written exams & operating tests scheduled for wk of insp by 950605.
RING,M.A. Region 3 (Post 820201). 95/05/16. GRAESSER,K. Commonwealth Edison Co. 2pp. 83985:133-83985:134.

S. Reportable occurrences, LERs & related correspondence

9505010161 Part 21 rept re notifying Commission of potential design defect of KSV EDG sys.
MOWERY,J.D. Cooper Energy Services. 95/04/21. Document Control Branch (Document Control Desk). 3pp. 83783:336-83783:338.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M. Commonwealth Edison Co. THOMPSON,D.P. Illinois Power Co. CARTEAUX,P.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 83758:313-83758:313.

9505220025 Informs of arrangements made for NRC to inspect licensed operator requalification program at plant,scheduled for wk of 950619.Requests written exams & operating tests scheduled for wk of insp by 950605.
RING,M.A. Region 3 (Post 820201). 95/05/16. GRAESSER,K. Commonwealth Edison Co. 2pp. 83985:133-83985:134.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505110013 Forwards insp repts 50-454/95-03 & 50-455/95-03 on 950131- 0329.Several significant personnel errors occurred. Activities re visitor escort requirements per station security procedures in violation.Violation not cited.
MILLER,L.F. Region 3 (Post 820201). 95/05/02. GRAESSER,K. Commonwealth Edison Co. 4pp. 83850:108-83850:143.

--9505110022 Insp repts 50-454/95-03 & 50-455/95-03 on 950131-0329.One non-cited violation & three unresolved items noted.Major areas inspected:plant operations,support,maint & surveillance activities & quality verification.
MILLER,L.F. Region 3 (Post 820201). 95/05/02. 32pp. 83850:112-83850:143.

9505150087 Revised EPIPS,including rev 8 to BZP 100-T3, rev 6 to BZP 300-A5,rev 4 to BZP 300-A6,rev 5 to BZP 380-19, rev 3 to BZP 380-A8,rev 3 to BZP 380-A9,rev 1 to BZP 380-A10,rev 6 to BZP 400-4 & rev 13 to BZP 500-T4.
* Commonwealth Edison Co. 95/05/06. 110pp. 83900:054-83900:165.

9505260094 Revised EPIPs,including rev 6 to BZP 100-T11,rev 3 to BZP 100-T4,rev 4 BZP 380-T4,rev 7 to BZP 500-T3,rev 12 to BZP 500-T6,rev 11 to BZP 500-T7,rev 16 to BZP 500-T8,rev 10 to BZP 500-T9 & rev 19 to BZP 600-A2.
* Commonwealth Edison Co. 95/05/15. 58pp. 84089:195-84089:252.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

9505150172 Updated pages BYA 6-11 & 6-12 to Byron Station site specific GSEP annex,Rev 4f.
* Commonwealth Edison Co. 95/05/31. 3pp. 83977:306-83977:308.

P. Operating license stage documents & correspondence

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--9505050159 Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--9505050162 Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505030477 Comments on draft GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
VONK,M.J. Commonwealth Edison Co. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83791:352-83791:354.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050119 Notification of 950511 meeting w/Utils in Rockville,MD to inform NRC of plans to develop electrosleeving & ensure that all technical concerns are addressed during qualification.
DEMBEK,S. . 95/05/02. HEBDON,F.J. . 4pp. 83822:148-83822:151.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505190175 Forwards SE re use of VIPRE/WRB-2 DNBR limit for Westinghouse 17x17 OFA & Vantage 5 Fuels-Byron,units 1 & 2 & Braidwood,Units 1 & 2 & technical evaluation rept.VIPRE-01 model acceptable.
DICK,G.F. . 95/05/16. FARRAR,D.L. Commonwealth Edison Co. 2pp. 83991:302-83991:323.

--9505190190 Safety evaluation re use of VIPRE/WRB-2 DNBR thermal limit for Westinghouse 17x17 OFA & Vantage 5 fuel,Byron Station, Units 1 & 2 & Braidwood Station,Units 1 & 2.VIPRE-01 model acceptable.
BREWER,S. . 95/05/16. 4pp. 83991:304-83991:323.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505300398 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS Section 3/4.4.5,allowing SG tubes to be repaired using tungsten inert gas welded sleeve process described in encl ABB C-E rept CEN-621-P.Rept withheld.
PONTIOUS,H.D. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 14pp. 84162:165-84162:222.

--9505300401 Proposed tech specs Section 3/4.4.5,allowing SG tubes to be repaired using tungsten inert gas welded sleeve process described in ABB C-E Licensing Rept CEN-621-P,Rev 0, "Comm Ed...SG Tube Repair Using Leak Tight Sleeves."
* Commonwealth Edison Co. 95/05/17. 43pp. 84162:179-84162:222.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110013 Forwards insp repts 50-454/95-03 & 50-455/95-03 on 950131- 0329.Several significant personnel errors occurred. Activities re visitor escort requirements per station security procedures in violation.Violation not cited.
MILLER,L.F. Region 3 (Post 820201). 95/05/02. GRAESSER,K. Commonwealth Edison Co. 4pp. 83850:108-83850:143.

--9505110022 Insp repts 50-454/95-03 & 50-455/95-03 on 950131-0329.One non-cited violation & three unresolved items noted.Major areas inspected:plant operations,support,maint & surveillance activities & quality verification.
MILLER,L.F. Region 3 (Post 820201). 95/05/02. 32pp. 83850:112-83850:143.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505220025 Informs of arrangements made for NRC to inspect licensed operator requalification program at plant,scheduled for wk of 950619.Requests written exams & operating tests scheduled for wk of insp by 950605.
RING,M.A. Region 3 (Post 820201). 95/05/16. GRAESSER,K. Commonwealth Edison Co. 2pp. 83985:133-83985:134.

S. Reportable occurrences, LERs & related correspondence

9505010161 Part 21 rept re notifying Commission of potential design defect of KSV EDG sys.
MOWERY,J.D. Cooper Energy Services. 95/04/21. Document Control Branch (Document Control Desk). 3pp. 83783:336-83783:338.

9505020350 LER 95-002-00:on 950331,extraction steam valve was w/o LCOAR entry due to personnel error.Shift supervisor has been counseled on responsibilities re work request authorization.W/950427 ltr.
WURZ,E., PIRNAT,W., KOFRON,E.L. Commonwealth Edison Co. 95/04/27. 6pp. 83757:148-83757:153.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M. Commonwealth Edison Co. THOMPSON,D.P. Illinois Power Co. CARTEAUX,P.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 83758:313-83758:313.

9505220025 Informs of arrangements made for NRC to inspect licensed operator requalification program at plant,scheduled for wk of 950619.Requests written exams & operating tests scheduled for wk of insp by 950605.
RING,M.A. Region 3 (Post 820201). 95/05/16. GRAESSER,K. Commonwealth Edison Co. 2pp. 83985:133-83985:134.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505040226 Rev 1 to Block Index Procedure BwZP 1000-7, "A-Model Operation."
* Commonwealth Edison Co. 95/03/16. 7pp. 83814:177-83814:183.

9505190204 Forwards Rev 35 of plant security plan,addressing issue identified in RA Capra 950207 ltr re Rev 33 of plant security plan.Encl withheld per 10CFR73.21.
JOHNSON,I.M. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 84019:359-84019:359.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

9505260337 Advises that 950505 rev 35 to security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/05/17. JOHNSON,I. Commonwealth Edison Co. 2pp. 84104:139-84104:140.

9505150171 Updated pages BWA 6-14 & 6-15 to Braidwood Station site specific GSEP annex,Rev 3e.
* Commonwealth Edison Co. 95/05/31. 4pp. 83977:309-83977:312.

P. Operating license stage documents & correspondence

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--9505050159 Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--9505050162 Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505030477 Comments on draft GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
VONK,M.J. Commonwealth Edison Co. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83791:352-83791:354.

9505020347 Provides response to RAI per proposed TS amend for nominal PORV pressure relief setpoint vs RCS temp for cold overpressure protection sys.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/04/27. Office of Nuclear Reactor Regulation (Post 941001). 14pp. 83763:340-83763:353.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505040297 Notification of 950509 meeting w/util in Rockville,MD to discuss preliminary results of test program measuring potential leakage rates from tubes.
LYNCH,M.D. . 95/04/28. CAPRA,R.A. . 3pp. 83759:204-83759:206.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505110276 Forwards response to NRC 950420 RAI re proposed TS amend for nominal PORV pressure relief setpoint vs RCS temp for cold overpressure protection sys transmitted in util 941216 ltr.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/05/05. Office of Nuclear Reactor Regulation (Post 941001). 8pp. 83933:203-83933:210.

9505190122 Clarifies info re util 941130 request to use ASME Code Case N-514 in determination of LTOP sys setpoint,as noted during 950502 telcon.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/05/11. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84009:360-84009:361.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505190175 Forwards SE re use of VIPRE/WRB-2 DNBR limit for Westinghouse 17x17 OFA & Vantage 5 Fuels-Byron,units 1 & 2 & Braidwood,Units 1 & 2 & technical evaluation rept.VIPRE-01 model acceptable.
DICK,G.F. . 95/05/16. FARRAR,D.L. Commonwealth Edison Co. 2pp. 83991:302-83991:323.

--9505190190 Safety evaluation re use of VIPRE/WRB-2 DNBR thermal limit for Westinghouse 17x17 OFA & Vantage 5 fuel,Byron Station, Units 1 & 2 & Braidwood Station,Units 1 & 2.VIPRE-01 model acceptable.
BREWER,S. . 95/05/16. 4pp. 83991:304-83991:323.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505300398 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS Section 3/4.4.5,allowing SG tubes to be repaired using tungsten inert gas welded sleeve process described in encl ABB C-E rept CEN-621-P,Rept withheld.
PONTIOUS,H.D. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 14pp. 84162:165-84162:222.

--9505300401 Proposed tech specs Section 3/4.4.5,allowing SG tubes to be repaired using tungsten inert gas welded sleeve process described in ABB C-E Licensing Rept CEN-621-P,Rev 0, "Comm Ed...SG Tube Repair Using Leak Tight Sleeves."
* Commonwealth Edison Co. 95/05/17. 43pp. 84162:179-84162:222.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505310183 Forwards changes/clarifications to leak rate test program.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/05/25. Office of Nuclear Reactor Regulation (Post 941001). 5pp. 84163:249-84163:253.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505100122 Forwards "Braidwood Nuclear Station Unit 1 Fourth Refueling Outage (Mar-Apr 1994) SG ISI Results."
TULON,T.J. Commonwealth Edison Co. 95/04/26. Document Control Branch (Document Control Desk). 1p. 83908:137-83909:178.

--9505100126 "Braidwood Nuclear Station Unit 1 Fourth Refueling Outage (Mar-Apr 1994) SG ISI Results."
* Commonwealth Edison Co. 95/04/26. 405pp. 83908:138-83909:178.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090076 Discusses insp repts 50-456/95-05 & 50-457/95-05 on 950124-0303.Violation noted.Violations involve train A hydrogen monitor being inoperable from 941115,until 950203.
MARTIN,J.B. Region 3 (Post 820201). 95/05/02. WALLACE,M.J. Commonwealth Edison Co. 5pp. 83817:031-83817:037.

--9505090079 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Noncompliance noted:from 950203-15, while in Mode 1,both H monitors had been inoperable & action had not been taken to restore at least one monitor.
* Region 3 (Post 820201). 95/05/02. 2pp. 83817:036-83817:037.

9505190033 Forwards insp repts 50-456/95-06 & 50-457/95-06 on 950304-0417 & notice of violation.Violation of concern because in case of safety-related maint on RHR sys,inclusion of adequate work package instructions important measure.
MILLER,L.F. Region 3 (Post 820201). 95/05/08. KAUP,K. Commonwealth Edison Co. 5pp. 83973:065-83973:086.

--9505190041 Notice of violation from insp on 950304-0417.Violation noted:inspector discovered all four diesel generator exhaust silencer room doors blocked open although corrective actions to ensure seal tight closure of doors had been identified.
* Region 3 (Post 820201). 95/05/08. 2pp. 83973:070-83973:071.

--9505190054 Insp repts 50-456/95-06 & 50-457/95-06 on 950304-0417. Violations noted.Major areas inspected:operational safety, plant support,maint,surveillance,licensee action on previously identified findings & licensee rept.
MILLER,L.F. Region 3 (Post 820201). 95/05/08. 15pp. 83973:072-83973:086.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180004 Provides addl info in response to NRC Bulletin 90-001,Suppl 1.Info supercedes response transmitted to NRC on 941014.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/05/11. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 84030:277-84030:280.

9505180241 "NRC Proposes $100,000 Fine Against Commonwealth Edison for Violation at Braidwood Nuclear Plant."
* Office of Public Affairs (Post 911117). 95/05/12. 2pp. 84030:302-84030:303.

9505240027 Forwards exam rept 50-456/OL-95-01 on 950417-20.One reactor operator & four senior reactor operator applicants passed exam & issued licenses on 950511.
RING,M.A. Region 3 (Post 820201). 95/05/19. KAUP,K. Commonwealth Edison Co. 2pp. 84020:049-84020:259.

--9505240036 Exam rept 50-456/OL-95-01 on 950417-20.Exam results:five applicants passed exam & issued operating licenses.
BAILEY,M., BURDICK,T. Region 3 (Post 820201). 95/05/19. 209pp. 84020:051-84020:259.

R. Periodic operating reports & related correspondence

9505080036 1994 Annual Environ Operating Rept for period from 940101-1231.W/ 950420 ltr.
TULON,T.J. Commonwealth Edison Co. 94/12/31. 4pp. 83864:357-83864:360.

9505220162 Monthly operating repts for Apr 1995 for Braidwood Nuclear Generating Station.W/950504 ltr.
STANCZAK,P., TULON,T.J. Commonwealth Edison Co. 95/04/30. 10pp. 84039:183-84039:192.

9505310070 Advises that plant 1994 annual operating rept distributed in Apr 1995,contained typo.Total activity should have read 9.84E-1 Ci instead 9.48E+1 Ci.
SCOTT,D. Commonwealth Edison Co. 95/05/23. Document Control Branch (Document Control Desk). 1p. 84163:196-84163:196.

S. Reportable occurrences, LERs & related correspondence

9505150179 LER 95-004-05:on 950409,RT occurred due to failed capacitor in firing card that caused loss of vital AC instrument bus 11.Replaced firing board in instrument inverter w/new one. W/950508 ltr.
OLSON,M., TULON,T.J. Commonwealth Edison Co. 95/05/02. 7pp. 83985:274-83985:280.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M., SCHMIDT,T.L. Commonwealth Edison Co. DAMPF,J.F. Union Electric Co. 1p. 83758:313-83758:313.

9505180340 Forwards individual exam results for initial license exam administered on Apr 1995.Encl withheld (ref 10CFR2.790).
RING,M.A. Region 3 (Post 820201). 95/05/11. CHASENSKY,T.M. Commonwealth Edison Co. 2pp. 83953:308-83953:309.

9505240027 Forwards exam rept 50-456/OL-95-01 on 950417-20.One reactor operator & four senior reactor operator applicants passed exam & issued licenses on 950511.
RING,M.A. Region 3 (Post 820201). 95/05/19. KAUP,K. Commonwealth Edison Co. 2pp. 84020:049-84020:259.

--9505240036 Exam rept 50-456/OL-95-01 on 950417-20.Exam results:five applicants passed exam & issued operating licenses.
BAILEY,M., BURDICK,T. Region 3 (Post 820201). 95/05/19. 209pp. 84020:051-84020:259.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505040226 Rev 1 to Block Index Procedure BwZP 1000-7, "A-Model Operation."
* Commonwealth Edison Co. 95/03/16. 7pp. 83814:177-83814:183.

9505190204 Forwards Rev 35 of plant security plan,addressing issue identified in RA Capra 950207 ltr re Rev 33 of plant security plan.Encl withheld per 10CFR73.21.
JOHNSON,I.M. Commonwealth Edison Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 84019:359-84019:359.

9505260011 Revised EPIPs,including rev 3 to CEPIP-3214-01,rev 4 to CEPIP-3303-01,rev 6 to CEPIP-3602-01 & revised 3000 Series Table of Contents dtd 950517.
* Commonwealth Edison Co. 95/05/17. 64pp. 84089:253-84089:315.

9505260337 Advises that 950505 rev 35 to security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/05/17. JOHNSON,I. Commonwealth Edison Co. 2pp. 84104:139-84104:140.

9505150171 Updated pages BWA 6-14 & 6-15 to Braidwood Station site specific GSEP annex,Rev 3e.
* Commonwealth Edison Co. 95/05/31. 4pp. 83977:309-83977:312.

P. Operating license stage documents & correspondence

9505050155 Application for amends to App A,Section 6 of licenses DPR-2, DPR-19,DPR-25,NPF-11,NPF-18,DPR-29,DPR-30,NPF-72,NPF-77, NPF-37,NPF-66,DPR-39 & DPR-48.Amends consist of administrative changes.
BENES,G.G. Commonwealth Edison Co. 95/04/24. Document Control Branch (Document Control Desk). 20pp. 83826:001-83827:101.

--9505050159 Proposed tech specs re administrative changes to App A, Section 6 to licenses.
* Commonwealth Edison Co. 95/04/24. 219pp. 83826:020-83826:238.

--9505050162 Rev 65 to "Commonwealth Edison QA Manual."
O'CONNOR,J.J. Commonwealth Edison Co. 94/11/21. 225pp. 83826:239-83827:101.

9505030477 Comments on draft GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
VONK,M.J. Commonwealth Edison Co. 95/04/25. Document Control Branch (Document Control Desk). 3pp. 83791:352-83791:354.

9505020347 Provides response to RAI per proposed TS amend for nominal PORV pressure relief setpoint vs RCS temp for cold overpressure protection sys.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/04/27. Office of Nuclear Reactor Regulation (Post 941001). 14pp. 83763:340-83763:353.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505180441 Forwards proprietary supplemental info re util MOV testing & surveillance program,per GL 89-10.Proprietary info withheld from public disclosure per 10CFR2.790.
VONK,M.J. Commonwealth Edison Co. 95/05/02. Document Control Branch (Document Control Desk). 8pp. 84026:325-84026:332.

9505190118 Discusses senior mgt meeting w/util,open to public observation,conducted on 950502 at Region III,to discuss concerns re status of util nuclear power stations.List of attendees & handouts encl.
HILAND,P.L. Region 3 (Post 820201). 95/05/04. WALLACE,M. Commonwealth Edison Co. 118pp. 83973:224-83973:341.

9505110276 Forwards response to NRC 950420 RAI re proposed TS amend for nominal PORV pressure relief setpoint vs RCS temp for cold overpressure protection sys transmitted in util 941216 ltr.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/05/05. Office of Nuclear Reactor Regulation (Post 941001). 8pp. 83933:203-83933:210.

9505190122 Clarifies info re util 941130 request to use ASME Code Case N-514 in determination of LTOP sys setpoint,as noted during 950502 telcon.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/05/11. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84009:360-84009:361.

9505230176 Forwards summary of util radiation protection performance & efforts in progress to effect improvement.
BRONS,J.C. Commonwealth Edison Co. 95/05/12. Document Control Branch (Document Control Desk). 32pp. 84068:142-84068:173.

9505190175 Forwards SE re use of VIPRE/WRB-2 DNBR limit for Westinghouse 17x17 OFA & Vantage 5 Fuels-Byron,units 1 & 2 & Braidwood,Units 1 & 2 & technical evaluation rept.VIPRE-01 model acceptable.
DICK,G.F. . 95/05/16. FARRAR,D.L. Commonwealth Edison Co. 2pp. 83991:302-83991:323.

--9505190190 Safety evaluation re use of VIPRE/WRB-2 DNBR thermal limit for Westinghouse 17x17 OFA & Vantage 5 fuel,Byron Station, Units 1 & 2 & Braidwood Station,Units 1 & 2.VIPRE-01 model acceptable.
BREWER,S. . 95/05/16. 4pp. 83991:304-83991:323.

9505250251 Forwards Rev 65a to Comm Ed QA program Topical Rept CE-1-A, updating titles & position descriptions,including approved interpretation for change in procedure review frequency & adding two required audits.
KOVACH,T.J. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 2pp. 84087:180-84087:358.

--9505250253 Rev 65a to Comm Ed QA program.
* Commonwealth Edison Co. 95/04/17. 177pp. 84087:182-84087:358.

9505300398 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS Section 3/4.4.5,allowing SG tubes to be repaired using tungsten inert gas welded sleeve process described in encl ABB C-E rept CEN-621-P.Rept withheld.
PONTIOUS,H.D. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 14pp. 84162:165-84162:222.

--9505300401 Proposed tech specs Section 3/4.4.5,allowing SG tubes to be repaired using tungsten inert gas welded sleeve process described in ABB C-E Licensing Rept CEN-621-P,Rev 0, "Comm Ed...SG Tube Repair Using Leak Tight Sleeves."
* Commonwealth Edison Co. 95/05/17. 43pp. 84162:179-84162:222.

9505250312 Summary of 950315-16 meeting w/ComED re MOV program developed in response to GL 89-10.List of attendees, presentation agenda & util MOV program encl.
DICK,G.F. . 95/05/18. . 168pp. 84078:150-84078:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505120160 EN-95-027:on 950502,notice of proposed imposition of civil penalty in amount of $100,000 will be issued to util.Action based on failure to comply w/action statement of TS.
BEALL,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/04/27. 1p. 83871:208-83871:208.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090076 Discusses insp repts 50-456/95-05 & 50-457/95-05 on 950124-0303.Violation noted.Violations involve train A hydrogen monitor being inoperable from 941115,until 950203.
MARTIN,J.B. Region 3 (Post 820201). 95/05/02. WALLACE,M.J. Commonwealth Edison Co. 5pp. 83817:031-83817:037.

--9505090079 Notice of violation & proposed imposition of civil penalty in amount of $100,000.Noncompliance noted:from 950203-15, while in Mode 1,both H monitors had been inoperable & action had not been taken to restore at least one monitor.
* Region 3 (Post 820201). 95/05/02. 2pp. 83817:036-83817:037.

9505190033 Forwards insp repts 50-456/95-06 & 50-457/95-06 on 950304-0417 & notice of violation.Violation of concern because in case of safety-related maint on RHR sys,inclusion of adequate work package instructions important measure.
MILLER,L.F. Region 3 (Post 820201). 95/05/08. KAUP,K. Commonwealth Edison Co. 5pp. 83973:065-83973:086.

--9505190041 Notice of violation from insp on 950304-0417.Violation noted:inspector discovered all four diesel generator exhaust silencer room doors blocked open although corrective actions to ensure seal tight closure of doors had been identified.
* Region 3 (Post 820201). 95/05/08. 2pp. 83973:070-83973:071.

--**9505190054** Insp repts 50-456/95-06 & 50-457/95-06 on 950304-0417. Violations noted.Major areas inspected:operational safety, plant support,maint,surveillance,licensee action on previously identified findings & licensee rept.
MILLER,L.F. Region 3 (Post 820201). 95/05/08. 15pp. 83973:072-83973:086.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505180004 Provides addl info in response to NRC Bulletin 90-001,Suppl 1.Info superceeds response transmitted to NRC on 941014.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/05/11. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 84030:277-84030:280.

9505180241 "NRC Proposes $100,000 Fine Against Commonwealth Edison for Violation at Braidwood Nuclear Plant."
* Office of Public Affairs (Post 911117). 95/05/12. 2pp. 84030:302-84030:303.

9505240027 Forwards exam rept 50-456/OL-95-01 on 950417-20.One reactor operator & four senior reactor operator applicants passed exam & issued licenses on 950511.
RING,M.A. Region 3 (Post 820201). 95/05/19. KAUP,K. Commonwealth Edison Co. 2pp. 84020:049-84020:259.

--**9505240036** Exam rept 50-456/OL-95-01 on 950417-20.Exam results:five applicants passed exam & issued operating licenses.
BAILEY,M. Region 3 (Post 820201). 95/05/19. 209pp. 84020:051-84020:259.

R. Periodic operating reports & related correspondence

9505080036 1994 Annual Environ Operating Rept for period from 940101-1231.W/ 950420 ltr.
TULON,T.J. Commonwealth Edison Co. 94/12/31. 4pp. 83864:357-83864:360.

9505220162 Monthly operating repts for Apr 1995 for Braidwood Nuclear Generating Station.W/950504 ltr.
STANCZAK,P., TULON,T.J. Commonwealth Edison Co. 95/04/30. 10pp. 84039:183-84039:192.

9505310070 Advises that plant 1994 annual operating rept distributed in Apr 1995,contained typo.Total activity should have read 9.84E-1 Ci instead 9.48E+1 Ci.
SCOTT,D. Commonwealth Edison Co. 95/05/23. Document Control Branch (Document Control Desk). 1p. 84163:196-84163:196.

S. Reportable occurrences, LERs & related correspondence

9505310118 LER 95-003-00:on 950429,charging line flow high alarm annunciated w/ concurrent decrease in pressurizer level.Cause due to improper installation of carbon spacer in stuffing box of valves.All four valves repacked.W/950524 ltr.
LAU,P., TULON,T.J. Commonwealth Edison Co. 95/05/24. 5pp. 84162:051-84162:055.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M., SCHMIDT,T.L. Commonwealth Edison Co. DAMPF,J.F. Union Electric Co. 1p. 83758:313-83758:313.

9505180340 Forwards individual exam results for initial license exam administered on Apr 1995.Encl withheld (ref 10CFR2.790).
RING,M.A. Region 3 (Post 820201). 95/05/11. CHASENSKY,T.M. Commonwealth Edison Co. 2pp. 83953:308-83953:309.

9505240027 Forwards exam rept 50-456/OL-95-01 on 950417-20.One reactor operator & four senior reactor operator applicants passed exam & issued licenses on 950511.
RING,M.A. Region 3 (Post 820201). 95/05/19. KAUP,K. Commonwealth Edison Co. 2pp. 84020:049-84020:259.

--**9505240036** Exam rept 50-456/OL-95-01 on 950417-20.Exam results:five applicants passed exam & issued operating licenses.
BAILEY,M., BURDICK,T. Region 3 (Post 820201). 95/05/19. 209pp. 84020:051-84020:259.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505090005 Forwards insp rept 50-458/95-02 on 950212-0325 & notice of violation.
BEACH,A.B. Region 4 (Post 820201). 95/05/03. MCGAHA,J.R. Entergy Operations, Inc. 6pp. 83816:008-83816:045.

--**9505090006** Notice of violation from insp on 950212-0325.Violation noted:on 950113 & 0216,emergency lights found incapable of providing required levels of illumination.
* Region 4 (Post 820201). 95/05/03. 2pp. 83816:014-83816:015.

9505190315 Emphasizes changes taken place as result of shift in mgt philosophy between pre-merger GSU mgt & post-merger Entergy Operations,Inc mgt.Response to NRC 950322 ltr re lessons learned from Jul 1992 QA audit of security program encl.
MCGAHA,J.R. Entergy Operations, Inc. 95/05/12. Document Control Branch (Document Control Desk). 8pp. 84019:333-84019:340.

M. Antitrust correspondence

9505220058 Submits Request for Reevaluation of cities of Benton,Conway, North Little Rock,Osceola,Prescott & West Memphis,Arkansas & Farmers Electric Cooperative Corp on Anti-Trust Issues.
DONAHUE,B.C. Wilson, Z.D., P.A. 95/05/10. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 10pp. 84002:331-84002:340.

P. Operating license stage documents & correspondence

9505010134 Submits rev to plant commitments re very high radiation area issues.
FISICARO,J.J. Entergy Operations, Inc. 95/04/21. Document Control Branch (Document Control Desk). 6pp. 83714:304-83714:312.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505190315 Emphasizes changes taken place as result of shift in mgt philosophy between pre-merger GSU mgt & post-merger Entergy Operations,Inc mgt.Response to NRC 950322 ltr re lessons learned from Jul 1992 QA audit of security program encl.
MCGAHA,J.R. Entergy Operations, Inc. 95/05/12. Document Control Branch (Document Control Desk). 8pp. 84019:333-84019:340.

9505250320 Forwards draft SE for util 931130 request to amend TS to convert plant TS to improved STS & requests that specific implementation dates be included in amend by 950531.
WIGGINTON,D.L. . 95/05/18. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 84082:108-84082:282.

--**9505250323** Draft SE re util request to convert plant TS to improved STS.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/16. 170pp. 84082:113-84082:282.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505260348 Informs staff of change to previous plant commitment re initiation of condition repts during performance of ASME Section XI pump & valve surveillance testing.
FISICARO,J.J. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 2pp. 84099:314-84099:315.

9505300173 Discusses LAR 94-04,extending action times of leakage control sys.
FISICARO,J.J. Entergy Operations, Inc. 95/05/19. Document Control Branch (Document Control Desk). 4pp. 84105:357-84105:360.

Q. Inspection reports, IE Bulletins & correspondence

9505240403 Final response to FOIA request for documents.App A documents encl & placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. GARDE,B. Affiliation Not Assigned. 2pp. 84042:292-84042:295.

--**9505240405** Confirms 940816 telcon re establishment of independent regulatory review of issues raised in Ofc of Investigaions investigation rept 93-53H concerning alleged improper handling of reported uncontrolled welding activities.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/08/18. SPESSARD,R.L. Division of Reactor Inspection & Licensee Performance (Post 921004). 2pp. 84042:294-84042:295.

9505080046 Ltr contract:task order 67,definitizing subj task order,to "Engineering & Technical Support Insp - River Bend."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2062-5. 95/03/20. LOFY,R.A. PARAMETER, Inc. 2pp. 83827:360-83827:361.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030073 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 83721:046-83721:090.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505030259 Forwards response to NRC ltr re violations noted in insp rept 50-458/95-11 on 950307-10.Corrective actions:maint supervision has screened preventive maint tasks prior to releasing packages to workers.
FISICARO,J.J. Entergy Operations, Inc. 95/04/28. Document Control Branch (Document Control Desk). 9pp. 83808:079-83808:087.

9505050074 Ack receipt of 950410 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/95-01 on 950313.
BEACH,A.B. Region 4 (Post 820201). 95/05/02. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 83758:248-83758:258.

9505090005 Forwards insp rept 50-458/95-02 on 950212-0325 & notice of violation.
BEACH,A.B. Region 4 (Post 820201). 95/05/03. MCGAHA,J.R. Entergy Operations, Inc. 6pp. 83816:008-83816:045.

--**9505090006** Notice of violation from insp on 950212-0325.Violation noted:on 950113 & 0216,emergency lights found incapable of providing required levels of illumination.
* Region 4 (Post 820201). 95/05/03. 2pp. 83816:014-83816:015.

--**9505090008** Insp rept 50-458/95-02 on 950212-0325.Violations noted.Major areas inspected:licensee response to events,plant support & operations,maint & surveillance activities,plant support activities & onsite engineering.
VANDENBURGH,C. Region 4 (Post 820201). 95/04/28. 30pp. 83816:016-83816:045.

9505110187 Forwards for review & comment copy of preliminary ASP analysis of operational event resulting in reactor trip at plant on 940908 & reported in LER 50-458/94-23.Requests that review be completed in 30 days.
WIGGINTON,D.L. . 95/05/08. MCGAHA,J.R. Entergy Operations, Inc. 16pp. 83889:275-83889:310.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505190315 Emphasizes changes taken place as result of shift in mgt philosophy between pre-merger GSU mgt & post-merger Entergy Operations,Inc mgt.Response to NRC 950322 ltr re lessons learned from Jul 1992 QA audit of security program encl. MCGAHA,J.R. Entergy Operations, Inc. 95/05/12. Document Control Branch (Document Control Desk). 8pp. 84019:333-84019:340.

9505230028 Ack receipt of 950421 ltr requesting rev to commitments made in response to violations 50-458/88-26 & 50-458/90-29 that exceed requirements of 10CFR20.Concurs w/request to delete commitments requested.
COLLINS,S.J. Region 4 (Post 820201). 95/05/16. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 84001:126-84001:139.

9505260037 Forwards insp rept 50-458/95-14 on 950501-05.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/22. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 84062:110-84062:130.

--9505260038 Insp rept 50-458/95-14 on 950501-05.No violations noted. Major areas inspected:licensee implementation of revised 10CFR20 IAW Temporary Instruction 2515/123.
MURRAY,B. Region 4 (Post 820201). 95/05/17. 16pp. 84062:115-84062:130.

9505310026 Ack receipt of 950428 ltr informing NRC of steps taken to correct violations noted in insp rept 50-458/95-11.
BEACH,A.B. Region 4 (Post 820201). 95/05/24. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 84094:154-84094:167.

R. Periodic operating reports & related correspondence

9505110210 "Radiological Environ Operating Rept River Bend Station for Operating Period Jan-Dec 1994." W/950427 ltr.
REED,M., ODELL,W.H., FISICARO,J.J. Entergy Operations, Inc. 94/12/31. 53pp. 83945:244-83945:296.

9505220146 Monthly operating rept for Apr 1995 for River Bend Station. W/950512 ltr.
BOLKE,T.J., FISICARO,J.J. Entergy Operations, Inc. 95/04/30. 6pp. 84038:355-84038:360.

S. Reportable occurrences, LERs & related correspondence

9505030253 LER 93-002-03:on 930212,TS SR not properly implemented in logic sys functional tests.Caused by less than adequate reviews during procedure development stage.Established procedural requirements.W/950425 ltr.
GATES,T.W., FISICARO,J.J. Entergy Operations, Inc. 95/04/25. 9pp. 83808:337-83808:345.

9505030282 LER 95-003-00:on 950330,missed fire watch due to failure to follow fire watch work rules,failure to follow applicable procedure & inadequate shift turnover.Disciplined fire watch individual that violated work rules.W/950428 ltr.
GATES,T.W., FISICARO,J.J. Entergy Operations, Inc. 95/04/28. 5pp. 83852:028-83852:032.

9505150098 LER 95-001-01:on 950125,ESG actuation occurred during performance of surveillance test procedure.Cause could not be determined.Isolation had been reset & steam supply valve opened after event.W/950505 ltr.
GATES,T.W., FISICARO,J.J. Entergy Operations, Inc. 95/05/05. 6pp. 83899:172-83899:177.

9505110187 Forwards for review & comment copy of preliminary ASP analysis of operational event resulting in reactor trip at plant on 940908 & reported in LER 50-458/94-23.Requests that review be completed in 30 days.
WIGGINTON,D.L. . 95/05/08. MCGAHA,J.R. Entergy Operations, Inc. 16pp. 83889:275-83889:310.

9505260323 LER 95-004-00:on 950419,auxiliary bldg door determined open due to failure of latching mechanisms.Root cause being investigated.Door immediately restored to acceptable configuration.W/950519 ltr.
GATES,T.W., FISICARO,J.J. Entergy Operations, Inc. 95/05/19. 5pp. 84132:073-84132:077.

V. Operator Examinations

9505050086 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam,administered on 950405,for info.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. MCGAHA,J.R. Entergy Operations, Inc. 2pp. 83758:278-83758:279.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505310120 Forwards rev 19 to physical security plan.Encl withheld.
PHARES,R.F. Illinois Power Co. 95/05/22. Document Control Branch (Document Control Desk). 1p. 84162:256-84162:256.

P. Operating license stage documents & correspondence

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--9505190239 Discusses agreement review scope as per 890816 telcon between J Weaver & T Quay.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/16. HICKMAN,J. NRC - No Detailed Affiliation Given. 1p. 84038:115-84038:115.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090179 Forwards amend 100 to license NPF-62 & safety evaluation. Amend modifies TS 3.3.2.1, "Control Rod Block Instrumentation," to revise two surveillance requirements & associated notes for rod withdrawal limiter mode.
PICKETT,D.V. . 95/05/02. PHARES,R.F. Illinois Power Co. 3pp. 83856:092-83856:103.

--9505090183 Amend 100 to license NPF-62,amending TS 3.3.2.1, "Control Rod Block Instrumentation," to revise two surveillance requirements & associated notes for rod withdrawal limiter mode of rod pattern control sys.
PICKETT,D.V. . 95/05/02. 5pp. 83856:095-83856:099.

--9505090185 Safety evaluation supporting amend 100 to license NPF-62.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 4pp. 83856:100-83856:103.

9505110096 Requests that results of review re access authorization concern at plant & disposition of matter be submitted to region II within 30 days of ltr receipt.Details of concern withheld (ref 10CFR2.790).
CREED,J.R. Region 3 (Post 820201). 95/05/03. COOK,J. Illinois Power Co. 2pp. 83851:313-83851:314.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505090063 Forwards insp rept 50-461/95-05 on 950222-0403.Noncited violation identified.
CLAYTON,B. Region 3 (Post 820201). 95/04/25. COOK,J. Illinois Power Co. 2pp. 83816:282-83816:310.

--9505090069 Insp rept 50-461/95-05 on 950222-0403.Noncited violation identified.Major areas inspected:licensee actions on previous insp findings,operations,maint,engineering & plant support.
CLAYTON,B. Region 3 (Post 820201). 95/04/25. 25pp. 83816:284-83816:310.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505190127 Notifies util of results of insp planning portion of NRC Mar 1995 plant performance review,for purposes of assessing util performance & developing facility insp plans.Forwards schedule for NRC insp planned for next several months.
AXELSON,W.L. Region 3 (Post 820201). 95/05/05. COOK,J. Illinois Power Co. 4pp. 83974:063-83974:066.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

R. Periodic operating reports & related correspondence

9505020239 "Clinton Power Station 1994 Radiological Environ Monitoring Rept." W/950426 ltr.
PHARES,R.F. Illinois Power Co. 94/12/31. 191pp. 83764:071-83764:261.

9505020338 "Clinton Power Station Annual Radioactive Effluent Release Rept Jan-Dec 1994." W/950426 ltr.
PHARES,R.F. Illinois Power Co. 94/12/31. 62pp. 83775:286-83775:347.

9505100010 Monthly operating rept for Apr 1995 for Clinton Power Station.W/950504 ltr.
HOLLON,M.C., PHARES,R.F. Illinois Power Co. 95/04/30. 5pp. 83889:172-83889:176.

S. Reportable occurrences, LERs & related correspondence

9505250147 LER 95-003-00:on 950323,lack of appropriate PMT due to personnel error resulted in inoperable secondary containment bypass leakage path isolation valve during reactor core alterations.Performed appropriate PMT.W/950517 ltr.
SETSER,G.D., COOK,J.G. Illinois Power Co. 95/05/17. 6pp. 84082:026-84082:031.

9505310088 Part 21 rept re failure of Elgar Inverter PWM Drive logic card on 950324.Cause of failure unknown.Subsequent replacement logic card identified as deficient.Both logic cards returned to mfg for analysis.
COOK,J.G. Illinois Power Co. 95/05/22. Document Control Branch (Document Control Desk). 3pp. 84173:015-84173:017.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M., WALLACE,B.J. Commonwealth Edison Co. KWIATKOWSKI,D. Wisconsin Public Service Corp. 1p. 83758:313-83758:313.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9505120036 Informs NRC that plant emergency preparedness exercise for 1995 scheduled to be conducted on 950815-16.
JOHANNES,R.N. Wolf Creek Nuclear Operating Corp. 95/05/03. Document Control Branch (Document Control Desk). 1p. 83942:295-83942:295.

9505180163 Forwards rev 44 of plant radiological emergency response plan (RERP),revs to IPs & correction to plant RERP,rev 43.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/05/12. Document Control Branch (Document Control Desk). 1p. 84031:035-84031:161.

--9505180173 Correction page to rev 43 of plant radiological emergency response plan & rev 44 to plant radiological emergency response plan.
* Wolf Creek Nuclear Operating Corp. 95/05/04. 29pp. 84031:036-84031:066.

--9505180184 Revised EPIPs,including rev 11 to EPP 01-8.2 & rev 15 to EPP 01-2.1.
* Wolf Creek Nuclear Operating Corp. 95/05/04. 95pp. 84031:067-84031:161.

9505230030 Discusses changes to plant generating station radiological emergency response & implementing procedure.Determines that changes acceptable & do not appear to degrade effectiveness of plant emergency planning.
COLLINS,S.J. Region 4 (Post 820201). 95/05/16. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84001:140-84001:144.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190092 Forwards most recent status repts of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/04/04. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:017-83834:020.

--8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 5pp. 83834:024-83834:028.

--8912040012 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:029-83834:034.

P. Operating license stage documents & correspondence

9505020233 Provides schedule for updating IST program for second ten year interval at plant.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83757:337-83757:338.

9505020238 Advises NRC that plant intends to implement W Dynamic Rod Worth Measurement Technique during next startup.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/04/26. Document Control Branch (Document Control Desk). 1p. 83799:353-83799:353.

9505020307 Submits proposed changes to util operational QA program for review & approval.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83757:357-83757:359.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505260061 Forwards amend 86 to license NPF-42 & safety evaluation. Amend revises TS Surveillance Requirement 4.6.2.1.d to change surveillance interval specified for performance of air or smoke flow test through containment spray header.
STONE,J.C. . 95/05/17. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 84090:252-84090:263.

--9505260087 Amend 86 to license NPF-42,revising TS Surveillance Requirement 4.6.2.1.d to change surveillance interval specified for performance of air or smoke flow test through containment spray header.
STONE,J.C. . 95/05/17. 5pp. 84090:256-84090:260.

--9505260091 Safety evaluation supporting amend 86 to license NPF-42.
* . 95/05/17. 3pp. 84090:261-84090:263.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240338 Provides util reply to RAI & justification for periodic verification of MOVs & for differential pressure testing of butterfly valves.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/05/19. Document Control Branch (Document Control Desk). 4pp. 84070:356-84070:359.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030292 Forwards two insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 83722:236-83722:280.

9505030006 Ack receipt of 950410 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/95-02.
COLLINS,S.J. Region 4 (Post 820201). 95/04/27. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 83720:013-83720:017.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505090046 Forwards insp rept 50-482/95-08 on 950417-21.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/03. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 83816:166-83816:186.

--9505090050 Insp rept 50-482/95-08 on 950417-21.No violations noted. Major areas inspected:liquid gaseous radioactive waste mgt programs.
MURRAY,B. Region 4 (Post 820201). 95/05/02. 16pp. 83816:171-83816:186.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230061 Forwards insp rept 50-482/95-10 on 950410-14.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/16. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84001:311-84001:327.

--9505230067 Insp rept 50-482/95-10 on 950410-14.No violations noted. Major areas inspected:licensee action re Temporary Instruction 2515/129, "Pressure Locking of PWR Containment Sump Recirculation Gate Valves."
COLLINS,E.E. Region 4 (Post 820201). 95/05/15. 12pp. 84001:316-84001:327.

9505260079 Forwards insp rept 50-482/95-06 on 950313-17 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 95/05/19. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84062:258-84062:281.

--9505260086 Notice of violation from insp on 950313-17.Violation noted:util failed to take prompt & adequate C/A for condition adverse to quality.
* Region 4 (Post 820201). 95/05/19. 2pp. 84062:263-84062:264.

--9505260088 Insp rept 50-482/95-06 on 950313-17.Violations noted. Major areas inspected:C/As & followup of open items.
ANG,W.P. Region 4 (Post 820201). 95/05/18. 17pp. 84062:265-84062:281.

9505300052 Forwards insp rept 50-482/95-01 on 950424-28.Insp consisted of review of qualifications of applicants for operating licenses at plant.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/22. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84076:159-84076:163.

9505300080 Forwards insp rept 50-482/95-05 on 950312-0422 & notice of violation.NRC concerned by first event because licensed operator did not exercise sufficient care to distinguish between panels RP332 & RP333 during surveillance testing.
BEACH,A.B. Region 4 (Post 820201). 95/05/22. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84076:333-84076:358.

--9505300087 Notice of violation from insp on 950312-0422.Violations noted:failure to follow surveillance test procedures & improper maint causing locked high radiation area door to be unlocked for period of approx 4 h.
* Region 4 (Post 820201). 95/05/22. 2pp. 84076:338-84076:339.

--9505300095 Insp rept 50-482/95-05 on 950312-0422.Violations noted.Major areas inspected:plant status,maint observations,surveillance observations,operational safety verification,plant support, followup - operations & followup - plant support.
KIRSCH,D.F. Region 4 (Post 820201). 95/05/12. 19pp. 84076:340-84076:358.

R. Periodic operating reports & related correspondence

9505030148 "Wolf Creek Generating Station Annual Radioactive Effluent Release Rept 18 for Jan-Dec 1994." W/950426 ltr.
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 94/12/31. 238pp. 83798:001-83798:238.

9505040134 Forwards "Wolf Creek Generating Station 1994 Annual Radiological Environ Operating Rept" & revised repts for 1990-1993.
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/04/26. Document Control Branch (Document Control Desk). 1p. 83837:001-83837:219.

--9505040139 "Wolf Creek Generating Station 1994 Annual Radiological Environ Operating Rept."
* Wolf Creek Nuclear Operating Corp. 94/12/31. 166pp. 83837:002-83837:167.

--9505040142 Corrected "1993 Annual Radiological Environ Operating Rept Wolf Creek Generating Station."
* Wolf Creek Nuclear Operating Corp. 93/12/31. 23pp. 83837:168-83837:190.

--9505040151 Corrected "1992 Annual Radiological Environ Operating Rept Wolf Creek Nuclear Generating Station."
* Wolf Creek Nuclear Operating Corp. 92/12/31. 19pp. 83837:191-83837:209.

--9505040155 Corrected "1991 Annual Radiological Environ Operating Rept Wolf Creek Generating Station."
* Wolf Creek Nuclear Operating Corp. 91/12/31. 5pp. 83837:210-83837:214.

--9505040159 Corrected "1990 Annual Radiological Environ Operating Rept Wolf Creek Generating Station."
* Wolf Creek Nuclear Operating Corp. 90/12/31. 5pp. 83837:215-83837:219.

9505190386 Monthly operating rept for Apr 1995 for Wolf Creek Generating.W/950515 ltr.
MAYNORD,O.L. Wolf Creek Nuclear Operating Corp. 95/04/30. 7pp. 84012:265-84012:271.

V. Operator Examinations

9505050073 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam,administered on 950405,for info.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 2pp. 83758:246-83758:247.

9505300052 Forwards insp rept 50-482/95-01 on 950424-28.Insp consisted of review of qualifications of applicants for operating licenses at plant.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/22. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 84076:159-84076:163.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505230043 Forwards insp rept 50-483/95-07 on 950417-26.No violations noted.
CREED,J.R. Region 3 (Post 820201). 95/05/08. SCHNELL,D.F. Union Electric Co. 2pp. 84001:155-84001:163.

--9505230050 Insp rept 50-483/95-07 on 950417-26.No violations noted. Major areas inspected:physical security insp involving audits,security program plans,protected area detection equipment & protection of safeguards info.
PIRTLE,G.L., CREED,J.R. Region 3 (Post 820201). 95/05/08. 7pp. 84001:157-84001:163.

9505190303 Rev 9 to EPIP EIP-ZZ-A0020, "Maintaining Emergency Preparedness."
CRAWFORD,S.J. Union Electric Co. 95/05/11. 12pp. 84010:298-84010:309.

9505230045 Forwards Change Notices 94-07 & 95-01 to Rev 17 of radiological emergency response plan,covering changes to radio & telephone sys & changes re medical support for injuries or illnesses involving radiological contamination.
SCHNELL,D.F. Union Electric Co. 95/05/16. Office of Nuclear Reactor Regulation (Post 941001). 3pp. 84059:338-84059:353.

--9505230049 Change Notices 94-07 & 95-01 to Rev 17 of radiological emergency response plan.
* Union Electric Co. 94/01/31. 13pp. 84059:341-84059:353.

9505260063 Rev 3 to EPIP EIP-ZZ-03010,Attachment 2 entitled, "Hazmat Locator," Attachment 3 entitled, "Above Ground Oil Storage & Use Facilities," & Attachment 4 entitled, "Hazmat Sheet."
* Union Electric Co. 95/05/16. 12pp. 84088:316-84088:327.

P. Operating license stage documents & correspondence

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--9505150303 Discusses review scope re NRC 890427 ltr on settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/15. ALEXION,T. NRC - No Detailed Affiliation Given. 1p. 84038:107-84038:107.

--9505190289 Advises that J Hannon contacted listed plants who did not provide responses to Stello ltr of 870427 on restrictive language in agreement.
HANNON,J.N. NRC - No Detailed Affiliation Given. 89/08/21. QUAY,T. NRC - No Detailed Affiliation Given. 1p. 84038:121-84038:121.

9505030212 Application for amend to license NPF-30.Amend would change surveillance requirements of TS 3/4.7.6,reducing upper limit on flow rate through CR filtration subsystem.
SCHNELL,D.F. Union Electric Co. 95/04/26. Document Control Branch (Document Control Desk). 16pp. 83793:319-83793:343.

--9505030216 Proposed tech specs reflecting change in surveillance requirements of TS 3/4.7.6.
* Union Electric Co. 95/04/26. 9pp. 83793:335-83793:343.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505100221 Forwards corrected amends 96 & 97 to license NPF-30.Amends replace TS pages that did not include overleaf pages.
WHARTON,L.R. . 95/05/03. SCHNELL,D.F. Union Electric Co. 6pp. 83902:210-83902:222.

--9505100227 Corrected amend 96 to license NPF-30.Amends replace TS pages that did not include overleaf pages.
* . 95/05/03. 7pp. 83902:214-83902:220.

--9505120266 Corrected amend 97 to license NPF-30,replacing TS pages that did not include overleaf pages.
* . 95/05/03. 2pp. 83902:221-83902:222.

9505120024 Discusses seven ref documents re action required of licensees w/W CR sys.Correspondence completes util response to GL 93-04.
SCHNELL,D.F. Union Electric Co. 95/05/03. Document Control Branch (Document Control Desk). 3pp. 83945:353-83945:355.

9505190138 Discusses util commitment to implement mods designed to improve performance & increase margin of MOVs at plant,per GL 89-10.Mods completed Spring 1995 refuel outage w/ exception of valve FCHV0312.
SCHNELL,D.F. Union Electric Co. 95/05/09. Document Control Branch (Document Control Desk). 4pp. 84010:270-84010:273.

9505230158 Forwards Rev 0 of "Callaway Cycle 8 COLR."
SCHNELL,D.F. Union Electric Co. 95/05/18. Document Control Branch (Document Control Desk). 2pp. 84051:267-84051:285.

--9505230160 Rev 0 of "Callaway Cycle 8 COLR."
HONE,M.J., ROBINSON,K.R., JOHANSEN,B.J. Union Electric Co. 95/02/03. 17pp. 84051:269-84051:285.

9505230324 Informs of implementation of amend 99 to license NPF-30, revising TSs re 125-volt dc busses,adding provisions for swing battery chargers & removing provisions for 4160-volt & 480-volt ac emergency busses.
PASSWATER,A.C. Union Electric Co. 95/05/18. Document Control Branch (Document Control Desk). 2pp. 84051:316-84051:317.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110071 Ack receipt of 950417 ltr informing NRC of steps taken to correct violations noted in insp rept 50-483/95-04.
FARBER,M.J. Region 3 (Post 820201). 95/05/04. SCHNELL,D.F. Union Electric Co. 1p. 83851:208-83851:208.

9505110147 Ack receipt of 941221 ltr informing NRC of steps taken to correct violations noted in insp repts 50-266/94-24 & 50-301/94-24.Violation occurred as stated in NOV dtd 941122.
FARBER,M.J. Region 3 (Post 820201). 95/05/05. LINK,R. Wisconsin Electric Power Co. 4pp. 83851:216-83851:219.

9505230043 Forwards insp rept 50-483/95-07 on 950417-26.No violations noted.
CREED,J.R. Region 3 (Post 820201). 95/05/08. SCHNELL,D.F. Union Electric Co. 2pp. 84001:155-84001:163.

--9505230050 Insp rept 50-483/95-07 on 950417-26.No violations noted. Major areas inspected:physical security insp involving audits,security program plans,protected area detection equipment & protection of safeguards info.
PIRTLE,G.L., CREED,J.R. Region 3 (Post 820201). 95/05/08. 7pp. 84001:157-84001:163.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505190314 Submits special rept 95-01 re number of tubes plugged during eighth SG tube ISI.
BLOSSER,J.D. Union Electric Co. 95/05/11. Document Control Branch (Document Control Desk). 3pp. 84012:358-84012:360.

R. Periodic operating reports & related correspondence

9505090124 "Annual Radioactive Effluent Release Rept of 1994 " for Callaway Plant.W/950428 ltr.
SCHNELL,D.F. Union Electric Co. 94/12/31. 201pp. 83893:001-83893:201.

9505110074 "Callaway Plant Annual Environ Operating Rept 1994." W/ 950428 ltr.
SCHNELL,D.F. Union Electric Co. 94/12/31. 120pp. 83932:105-83932:229.

9505180230 Monthly operating rept for Apr 1995 for Callaway Plant Unit 1.W/950505 ltr.
HOLMES,M.A., BLOSSER,J.D. Union Electric Co. 95/04/30. 6pp. 84007:351-84007:356.

V. Operator Examinations

9505050098 Informs that,although GFE section of written operator licensing exam administered on 950405,plant did not participate in exam.
RING,M.A. Region 3 (Post 820201). 95/05/01. CHASENSKY,T.M., WALLACE,B.J. Commonwealth Edison Co. KWIATKOWSKI,D. Wisconsin Public Service Corp. 1p. 83758:313-83758:313.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9505240417 FOIA request for documents re NRC investigation of Houston & Lighting & Power Co or Nuclear Support Svcs,Inc re revocation of TJ Saporito unescorted access to plants in Feb 1992 & subsequent allegations by Saporito.
SAPORITO,T.J. Saporito, T.J. 94/08/23. Ofc of the Executive Director for Operations. 5pp. 84042:296-84042:300.

9505080157 Ninth partial response to FOIA request for documents. Forwards app T documents.Documents also available in PDR.App U documents partially withheld (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 83986:001-83986:134.

--9505080192 Partially withheld memo discussing alleged harassment & intimidation of security guards by licensee & contract mgt.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 93/05/05. WISE,R. Region 4 (Post 820201). 3pp. 83986:121-83986:123.

--9505080214 Partially withheld ltr re problems w/security mgt.
* Affiliation Not Assigned. 93/04/26. NRC - No Detailed Affiliation Given. 6pp. 83986:129-83986:134.

9505030431 Final response to FOIA request for documents.Records in App A will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/20. LARI,R. Affiliation Not Assigned. 5pp. 83925:007-83925:175.

--9505040177 Provides preliminary info re allegations being made by contract Instrument & Control employee at STP re security procedures.
SANBORN,G. NRC - No Detailed Affiliation Given. 92/02/13. WILLIAMSON,L. Ofc of Investigations (Post 880201). 90pp. 83925:012-83925:101.

--9505040191 Forwards request from TJ Saporito dtd 920219 for OIG investigation.
MARTIN,R.D. Region 4 (Post 820201). 92/02/25. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 1p. 83925:112-83925:112.

--9505040223 Requests extension of due date of 920305 for green ticket EDO 7469 involving physical security & maint activities.
BOGER,B.A. Division of Reactor Projects - III,IV,V (Post 901216). 92/03/04. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 83925:123-83925:125.

--9505040235 Requests extension of EDO due date of 920824 for green ticket EDO-7469 involving physical security.
BOGER,B.A. Division of Reactor Projects - III,IV,V (Post 901216). 92/08/18. PARTLOW,J.G. Associate Director for Projects (Post 870411). 2pp. 83925:134-83925:138.

9505110223 Forwards response to demand for info,notice of violation & proposed imposition of civil penalty transmitted by NRC 941026 ltr.HL&P denies alleged violation & requests hearing.
COTTLE,W.T. Houston Lighting & Power Co. 94/12/22. Ofc of Enforcement (Post 870413). 9pp. 83932:311-83932:349.

--9505110230 Responds to demand for info issued on 941026,stating that RL Balcom guilty of deliberate misconduct in Feb 1992 revocation of TJ Saporito unescorted access to plant.
BALCOM,R.L. Houston Lighting & Power Co. 94/12/21. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 16pp. 83932:334-83932:349.

9505190222 Partial response 20 to FOIA request for info.Forwards App SS & TT records which are partially withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/26. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 83983:175-83983:205.

--9505190255 Requests listed documents to assist w/investigation into allegations of falsifying info during IR 91-21 & activities of security dept.Info partially withheld.
NORTON,L.J. Office of the Inspector General (Post 890417). 92/06/01. HALL,D.P. Houston Lighting & Power Co. 2pp. 83983:185-83983:186.

9505030293 Provides addl info re Thermo-Lag related ampacit derating. Encl withheld.
CLONINGER,T.H. Houston Lighting & Power Co. 95/04/24. Document Control Branch (Document Control Desk). 6pp. 83806:352-83806:357.

9505090144 Revised EPIPs,including rev 4 to EPIP-0ERP01-ZV-TP01, "Offsite Dose Calculations," rev 6 to EPIP-0ERP01-ZV-EF01, "EOF Director," rev 7 to EPIP-0ERP01-ZV-TS01, "TSC Manager," & rev 4 to EPIP-0PGP05-ZV-0002.W/950503 ltr.
MARTIN,L.E. Houston Lighting & Power Co. 95/05/03. 164pp. 83892:124-83892:291.

9505150084 Forwards insp repts 50-498/95-07 & 50-499/95-07 on 950410-21.No violations or deviations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/10. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 83899:152-83899:171.

--9505150090 Insp repts 50-498/95-07 & 50-499/95-07 on 950410-21.No violations or deviations noted.Major areas inspected: operating procedures.
PELLET,J.L. Region 4 (Post 820201). 95/05/09. 17pp. 83899:157-83899:171.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

9505030431 Final response to FOIA request for documents.Records in App A will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/20. LARI,R. Affiliation Not Assigned. 5pp. 83925:007-83925:175.

--9505040191 Forwards request from TJ Saporito dtd 920219 for OIG investigation.
MARTIN,R.D. Region 4 (Post 820201). 92/02/25. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 1p. 83925:112-83925:112.

--9505100123 Appeals denial of FOIA request for ltr from DP Hall to NRC.
COLAPINTO,D.K. National Whistleblower Center. 93/04/15. Ofc of the Executive Director for Operations. 2pp. 83925:166-83925:167.

9505190099 Fourteenth partial response to FOIA request for info.App GG records encl & will be in PDR.App HH records withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/27. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 83983:206-83983:246.

--9308240140 Forwards 930505 petition filed by TJ Saporito requesting that NRC institute proceeding,per 10CFR2.202,w/regard to plant.Drafts ltr of ack to petitioner also encl.Petition should be coordinated closely w/Ofc of Enforcement.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 93/05/20. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 16pp. 83983:213-83983:228.

H. General correspondence

9505230356 Eighteenth partial response to FOIA request for documents. Records in App OO,PP & QQ being withheld in part (ref FOIA exemptions 6 & 7).
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84112:024-84112:049.

--9505260185 Partially withheld ltr ack receipt of ltr requesting that NRC review info previously provided re possible safety violations at plant.
ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 93/07/27. Affiliation Not Assigned. 3pp. 84112:040-84112:042.

--9505260311 Partially withheld ltr re discriminatory conduct in violation of NRC requirements implemented in 10CFR50.7.
* Affiliation Not Assigned. 92/03/04. Region 2 (Post 820201). 3pp. 84112:043-84112:045.

--9505260367 Partially withheld ltr discussing 920304 ltr expressing concern re alleged blacklisting practices by util & STP & Nuclear Support Svcs,Inc,contractor at Vogtle Electric Generating Plant.
LERKINS,G.R. Region 2 (Post 820201). 92/03/11. Affiliation Not Assigned. 1p. 84112:046-84112:046.

--9505260370 Partially withheld ltr ack receipt of NRC 920311 ltr re NRC actions to review facts & circumstances of concern re alleged blacklisting practices by util.
* Affiliation Not Assigned. 92/03/14. DEMIRANDA,O. Region 2 (Post 820201). 3pp. 84112:047-84112:049.

9505080291 Forwards NUREG-1517 "Rept of STP Allegations Review Team," & "Effectiveness of Implementation of NRC Insp Program & Adequacy of Licensee Employee Concerns Program at STP." W/o encl.
BECKNER,W.D. . 95/04/26. WERT,J. . 1p. 83834:159-83834:159.

P. Operating license stage documents & correspondence

9505100169 Responds to 930415 appeal of FOIA request for records.Appeal partially denied & partially granted.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 93/06/24. COLAPINTO,D.K. National Whistleblower Center. 3pp. 83925:168-83925:170.

--9505100170 Appeals 930511 denial of info in response to FOIA request.
COLAPINTO,D.K. National Whistleblower Center. 93/05/14. Ofc of the Executive Director for Operations. 2pp. 83925:174-83925:175.

9505190099 Fourteenth partial response to FOIA request for info.App GG records encl & will be in PDR.App HH records withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/27. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 83983:206-83983:246.

--9305240207 Informs that util has completed investigation of SPEAKOUT Concern 12431,NRC Allegation RIV-93-A-0027.No safety issues noted & results available for NRC review.
DENVER,D.J. Houston Lighting & Power Co. 93/05/12. Region 4 (Post 820201). 2pp. 83983:229-83983:230.

--9305270043 Responds to NRC concerns re alleged discrimination against individual for engaging in protected activity & forwards info providing basis for action against individual in rebuttal of allegations.
COTTLE,W.T. Houston Lighting & Power Co. 93/05/21. MILHOAN,J.L. Region 4 (Post 820201). 16pp. 83983:231-83983:246.

9505240278 Nineteenth partial response to FOIA request for documents. Forwards App RR documents & also being made available in PDR.NRC continuing review of records subj to request.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 2pp. 84024:001-84024:180.

--9505240289 "Staffing Analysis Rept for South Texas Project," Vol 1. Related supporting matl,including evaluation & decision process for organizational placement/ separation,job description,STEP program & questions & answers encl.
* Affiliation Not Assigned. 91/02/19. 150pp. 84024:006-84024:180.

9505240381 Final response to FOIA request for documents.App A documents already available in PDR.App B documents encl & also placed in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/01/ 12. O'MEALIA,M. Affiliation Not Assigned. 5pp. 84049:226-84049:324.

--9505240389 Approves 930222 request to form South Texas Project Oversight Panel.Charter for panel should be submitted.
MILHOAN,J.L. Region 4 (Post 820201). 93/02/24. BEACH,A.B. Region 4 (Post 820201). 1p. 84049:238-84049:263.

--9505240391 Forwards draft South Texas Project Review Panel Charter for approval,in response to 930224 memo.
BEACH,A.B. Region 4 (Post 820201). 93/03/10. MILHOAN,J.L. Region 4 (Post 820201). 16pp. 84049:284-84049:324.

9505240421 First partial response to FOIA request for documents.App A documents already available in PDR.App B documents encl & placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. SAPORITO,T.J. Saporito, T.J. 14pp. 84042:301-84042:324.

--9505240431 Informs that author contacted NRR project director to request that Zimmerman be included in meeting scheduled for 940707 re NRR position on proposed action w/South Texas Project against Saporito.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 94/07/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 84042:324-84042:324.

9505010033 Forwards NUREG-1517, "Rept of South Texas Project Allegations Review Team." Rept documents results of special team review of concerns at plant as result of congressional interest.
ALEXION,T.W. . 95/04/21. COTTLE,W.T. Houston Lighting & Power Co. 119pp. 83717:028-83717:246.

9505030293 Provides addl info re Thermo-Lag related ampacit derating. Encl withheld.
CLONINGER,T.H. Houston Lighting & Power Co. 95/04/24. Document Control Branch (Document Control Desk). 6pp. 83806:352-83806:357.

9505080002 Application for amends to licenses NPF-76 & NPF-80.Amends would change requirements for operable channels of core exit thermocouples.
GROTH,J.F. Houston Lighting & Power Co. 95/04/27. Document Control Branch (Document Control Desk). 14pp. 83864:223-83864:244.

--9505080004 Proposed tech specs re required operable channels of core exit thermocouples.
* Houston Lighting & Power Co. 95/04/27. 8pp. 83864:237-83864:244.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050071 Application for amends to licenses NPF-76 & NPF-80.Amends would incorporate proposed addition of TS 3.10.8 (special test exception).
CLONINGER,T.H. Houston Lighting & Power Co. 95/05/01. Document Control Branch (Document Control Desk). 10pp. 83863:164-83863:264.

--9505050076 Proposed tech specs re incorporation of TS 3.10.8 into licenses NPF-76 & NPF-80.
* Houston Lighting & Power Co. 95/05/01. 10pp. 83863:174-83863:183.

--9505090001 "Evaluation of Proposed Special Test Exception for Diesel Generator & Essential Cooling Water Maintenance."
* Houston Lighting & Power Co. 95/04/30. 81pp. 83863:184-83863:264.

9505090203 Forwards amends 74 & 63 to licenses NPF-76 & NPF-80, respectively & SE.Amends modify TS 4.6.2.3.a.2 to reflect reactor containment fan cooler flow rate assumed in accident analyses & to specify that flow provided by CCW sys.
ALEXION,T.W. . 95/05/02. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 83853:317-83853:331.

--9505090205 Amends 74 & 63 to licenses NPF-76 & NPF-80,respectively, revising TS 4.6.2.3.a.2 to reflect reactor containment fan cooler flow rate assumed in accident analyses & specify that flow provided by CCW sys.
ALEXION,T.W. . 95/05/02. 9pp. 83853:320-83853:328.

--9505090207 Safety evaluation supporting amends 74 & 63 to licenses NPF-76 & NPF-80,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 3pp. 83853:329-83853:331.

9505090238 Application for amend to licenses NPF-76 & NPF-80,revising LCO 3.4.2.2 & Table 3.7-2 of TSs by relaxing lift setting tolerance of pressurizer safety valves from +1% to +2% & MSSV from +1% to +3%.
CLONINGER,T.H. Houston Lighting & Power Co. 95/05/02. Document Control Branch (Document Control Desk). 10pp. 83868:343-83868:355.

--9505090239 Proposed tech specs,revising LCO 3.4.2.2 & Table 3.7-2 of TS by relaxing lift setting tolerance of pressurizer safety valves from +1% to +2% & MSSV from +1% to +3%.
* Houston Lighting & Power Co. 95/05/02. 3pp. 83868:353-83868:355.

9505090240 Notification of 950508 meeting w/util in Rockville,MD to explore potential PRA applications at plant.
ALEXION,T.W. . 95/05/02. BECKNER,W.D. . 4pp. 83854:028-83854:031.

9505090287 Revised notification of 950508 meeting w/util in Rockville, MD to discuss licensee proposal of comprehensive risk mgt applications at plant.
ALEXION,T.W. . 95/05/02. BECKNER,W.D. . 4pp. 83854:012-83854:015.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505250109 Forwards amends 75 & 64 to licenses NPF-76 & NPF-80 & safety evaluation.Amends revise TS 4.6.1.2 re test frequency requirements for overall integrated containment leakage rate tests.
ALEXION,T.W. . 95/05/19. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 84067:348-84067:359.

--9505250112 Amends 75 & 64 to licenses NPF-76 & NPF-80,respectively, revising TS 4.6.1.2,re test frequency requirements for overall integrated containment leakage rate tests.
ALEXION,T.W. . 95/05/19. 7pp. 84067:351-84067:357.

--9505250115 Safety evaluation supporting amends 75 & 64 to licenses NPF-76 & NPF-80,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 2pp. 84067:358-84067:359.

9505260298 Informs that util withdraws request in Ref 1 to withhold "Ampacity Testing in UL" rept submitted as proprietary info.
MARTIN,L.E. Houston Lighting & Power Co. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84101:331-84101:332.

9505260408 Application for amends to licenses NPF-76 & NPF-80,allowing performance of 24 h surveillance test of DG during power operation.
GROTH,J.F. Houston Lighting & Power Co. 95/05/22. Document Control Branch (Document Control Desk). 10pp. 84099:341-84099:353.

--9505260410 Proposed tech specs,allowing performance of 24 h surveillance test of DG during power operation.
* Houston Lighting & Power Co. 95/05/22. 3pp. 84099:351-84099:353.

9505310149 Forwards change QA-025 to "Operations QA Plan."
COTTLE,W.T. Houston Lighting & Power Co. 95/05/25. Document Control Branch (Document Control Desk). 2pp. 84144:300-84144:334.

--9505310154 Change QA-025 to "Operations QA Plan."
* Houston Lighting & Power Co. 95/05/25. 33pp. 84144:302-84144:334.

9505310160 Requests exemption to 10CFR50 App J & proposed changes to TSs 3.6.1.1,3.6.1.2 & 3.6.1.3.
GROTH,J.F. Houston Lighting & Power Co. 95/05/25. Document Control Branch (Document Control Desk). 22pp. 84141:322-84141:349.

--9505310162 Proposed tech specs 3.6.1.1,3.6.1.2 & 3.6.1.3 re local leak rate testing.
* Houston Lighting & Power Co. 95/05/25. 7pp. 84141:343-84141:349.

9505310173 Application for amends to licenses NPF-71 & NPF-80,revising TSs 3.3.3.5 & 3.3.3.6 re required operable channels of core exit thermocouples.
GROTH,J.F. Houston Lighting & Power Co. 95/05/25. Document Control Branch (Document Control Desk). 14pp. 84145:203-84145:218.

--9505310176 Proposed tech specs 3.3.3.5 & 3.3.3.6 re required operable channels of core exit thermocouples.
* Houston Lighting & Power Co. 95/05/25. 2pp. 84145:217-84145:218.

Q. Inspection reports, IE Bulletins & correspondence

9505240378 FOIA request for documents re Operational Safety Team Insp conducted at South Texas Nuclear Project in fall of 1992.
O'MEALIA,M. Affiliation Not Assigned. 94/11/07. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84049:225-84049:225.

9505080157 Ninth partial response to FOIA request for documents. Forwards app T documents.Documents also available in PDR.App U documents partially withheld (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 83986:001-83986:134.

--9505080161 Rept of interview w/J Barlow on 870819 re responsibilities at plant.
GRIFFIN,H.B. Ofc of Investigations (Post 880201). 87/08/19. 36pp. 83986:009-83986:051.

--9505080175 Rev 0 to "Std Deficiency Rept."
* Houston Lighting & Power Co. 86/05/09. 6pp. 83986:052-83986:057.

--9505080192 Partially withheld memo discussing alleged harassment & intimidation of security guards by licensee & contract mgt.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 93/05/05. WISE,R. Region 4 (Post 820201). 3pp. 83986:121-83986:123.

--9505080210 Partially withheld memo discussing 930902 telcon re allegation of possible harassment & intimidation by plant mgt.
KIRSPEL,R. Ofc of Investigations (Post 880201). 93/09/02. Ofc of Investigations (Post 880201). 5pp. 83986:124-83986:128.

9505030431 Final response to FOIA request for documents.Records in App A will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/20. LARI,R. Affiliation Not Assigned. 5pp. 83925:007-83925:175.

--9505040182 Discusses telcon w/TJ Saporito re STP concerns.
WISE,R. NRC - No Detailed Affiliation Given. 95/02/20. NRC - No Detailed Affiliation Given. 1p. 83925:102-83925:102.

--9505040186 Discusses telcon w/TJ Saporito re TS violations.
WISE,R. NRC - No Detailed Affiliation Given. 95/02/21. NRC - No Detailed Affiliation Given. 9pp. 83925:103-83925:111.

--**9505040191** Forwards request from TJ Saporito dtd 920219 for OIG investigation.
MARTIN,R.D. Region 4 (Post 820201). 92/02/25. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 1p. 83925:112-83925:112.

--**9505040205** Informs that statements made by TJ Saporito in complaint filed on 920224,have been found to be inaccurate or subj to misinterpretation.
SANBORN,G.F. Region 4 (Post 820201). 92/02/29. Labor, Dept. of. 1p. 83925:119-83925:119.

--**9505040213** Requests that Office of Investigations conduct investigation to determine facts surrounding denial of access of TJ Saporito to STP.
MARTIN,R.D. Region 4 (Post 820201). 92/03/03. WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 1p. 83925:122-83925:122.

--**9505040229** Ack receipt of NRC 920311 ltr from GR Jenkins re actions to review facts & circumstances of concern re alleged blacklisting practices by utils.
SAPORITO,T.J. Saporito, T.J. 92/03/14. DEMIRANDA,O. Region 2 (Post 820201). 3pp. 83925:126-83925:128.

--**9505040231** Discusses 920319 telcon from T Saporito in response to 920311 ltr re STP allegations.
SANBORN,G. NRC - No Detailed Affiliation Given. 92/03/19. WISE,R. NRC - No Detailed Affiliation Given. 5pp. 83925:129-83925:133.

9505110223 Forwards response to demand for info,notice of violation & proposed imposition of civil penalty transmitted by NRC 941026 ltr.HL&P denies alleged violation & requests hearing.
COTTLE,W.T. Houston Lighting & Power Co. 94/12/22. Ofc of Enforcement (Post 870413). 9pp. 83932:311-83932:349.

--**9505110226** Forwards response to document entitled demand for info dtd 941026.
JUMP,W.J. Houston Lighting & Power Co. 94/12/21. Ofc of Enforcement (Post 870413). 1p. 83932:320-83932:320.

--**9505110228** Response to demand for info (DFI),motion for retraction of DFI & alternatively,request for hearing.
JUMP,W.J. Houston Lighting & Power Co. 94/12/21. 13pp. 83932:321-83932:333.

--**9505110230** Responds to demand for info issued on 941026,stating that RL Balcom guilty of deliberate misconduct in Feb 1992 revocation of TJ Saporito unescorted access to plant.
BALCOM,R.L. Houston Lighting & Power Co. 94/12/21. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 16pp. 83932:334-83932:349.

9505240381 Final response to FOIA request for documents.App A documents already available in PDR.App B documents encl & also placed in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/01/12. O'MEALIA,M. Affiliation Not Assigned. 5pp. 84049:226-84049:324.

--**9505240386** Submits summary of outstanding issues at plant in areas of operations,maint & surveillance activities,corrective actions & self-assessment identified through insp.Recommends that Oversight Panel be established to track disposition.
BEACH,A.B. Region 4 (Post 820201). 93/02/22. MILHOAN,J.L. Region 4 (Post 820201). 7pp. 84049:231-84049:237.

9505240421 First partial response to FOIA request for documents.App A documents already available in PDR.App B documents encl & placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. SAPORITO,T.J. Saporito, T.J. 14pp. 84042:301-84042:324.

--**9505240423** Requests that OGC analyze Ofc of Investigations Rept 4-92-003 re alleged harassment & intimidation of contract I&C technician.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/03/16. MILHOAN,J.L. Region 4 (Post 820201). MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). GOLDBERG,J.R. Office of the General Counsel (Post 860701). 7pp. 84042:315-84042:321.

--**9505240428** Requests to be inform of when NRC investigative repts & findings re TJ Saporito allegation against util will become available for review.
COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). COLAPINTO,D.K. Saporito, T.J. 93/05/14. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84042:322-84042:322.

9505190222 Partial response 20 to FOIA request for info.Forwards App SS & TT records which are partially withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/26. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 83983:175-83983:205.

--**9505190237** Forwards 920610 memo re negotiations concerning investigation of wrongdoing at plant.Info partially withheld.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/18. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 1p. 83983:182-83983:182.

--**9505190247** Confirms results of 920610 meeting re OI/OIG cooperation in investigation at plant.
WILLIAMS,D.C. Office of the Inspector General (Post 890417). 92/06/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 83983:183-83983:184.

--**9505190255** Requests listed documents to assist w/investigation into allegations of falsifying info during IR 91-21 & activities of security dept.Info partially withheld.
NORTON,L.J. Office of the Inspector General (Post 890417). 92/06/01. HALL,D.P. Houston Lighting & Power Co. 2pp. 83983:185-83983:186.

--**9505190271** Confirms investigation of employment circumstances at plant by author ofc.Requests recipient cease investigation.Info partially deleted.
WILLIAMS,D.C. Office of the Inspector General (Post 890417). 92/06/11. HAYES,B.B. Office of Investigations (Pre 880201). 19pp. 83983:187-83983:205.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030019 Forwards two insp repts 50-285/95-04 & 50-285/95-25 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 83720:047-83720:091.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110124 Responds to NRC 950330 ltr re violations noted in insp of licenses NPF-76 & NPF-80.Corrective actions:addl drawings affected by plant change form have been revised & all currently installed temporary mods have been audited.
CLONINGER,T.H. Houston Lighting & Power Co. 95/05/01. Document Control Branch (Document Control Desk). 7pp. 83933:326-83933:332.

9505090156 Discusses enforcement conference between RL Balcom & NRC on 950222 in Rockville,MD re DFI issued on 941026.Response to DFI adequate & sufficient to address concerns expressed in DFI.
MILHOAN,J.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 95/05/05. BALCOM,R.L. Affiliation Not Assigned. 5pp. 83817:189-83817:193.

9505090173 Discusses enforcement conference between WJ Jump & NRC on 950222 re NRC issued DFI concerning discrimination against individual after he provided allegations about STP to NRC.
MILHAON,J.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 95/05/05. JUMP,W.J. Affiliation Not Assigned. 5pp. 83817:200-83817:204.

9505100250 Discusses enforcement conference conducted on 950222 in Rockville,MD re 941026 NOV & proposed imposition of civil penalty & demand for info to util.
MILHOAN,J.L. Region 4 (Post 820201). 95/05/05. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 83850:055-83850:059.

9505120168 EN-94-112A:on 941026,withdrew notice of violation & proposed imposition of civil penalty in amount of $100,000. Action based on violation for discrimination by two util managers who revoked contractor access authorization.
GRAY,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/05. 1p. 83871:217-83871:217.

9505120076 "NRC Withdraws Proposed Fine Against HLP Co."
* Office of Public Affairs (Post 911117). 95/05/08. 2pp. 83947:361-83947:362.

9505150084 Forwards insp repts 50-498/95-07 & 50-499/95-07 on 950410-21.No violations or deviations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/10. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 83899:152-83899:171.

--**9505150090** Insp repts 50-498/95-07 & 50-499/95-07 on 950410-21.No violations or deviations noted.Major areas inspected: operating procedures.
PELLET,J.L. Region 4 (Post 820201). 95/05/09. 17pp. 83899:157-83899:171.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230022 Forwards insp repts 50-498/95-08 & 50-499/95-08 on 950417-21 notice of violation.
BEACH,A.B. Region 4 (Post 820201). 95/05/15. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 84001:103-84001:117.

--**9505230027** Notice of violation from insp on 950417-21.Violation noted: licensee failed to promptly identify that multiple deficiencies in standby diesel generator low lubricating oil pressure switches constituted condition adverse of quality.
* Region 4 (Post 820201). 95/05/15. 1p. 84001:108-84001:108.

--**9505230032** Insp repts 50-498/95-08 & 50-499/95-08 on 950417-21. Violations noted.Major areas inspected:licensee corrective action program to determine circumstances leading to multiple safety-related pressure switches.
JOHNSON,W.D. Region 4 (Post 820201). 95/05/15. 9pp. 84001:109-84001:117.

9505230044 Ack receipt of 950501 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/95-202 & 50-499/95-202.
GWYNN,T.P. Region 4 (Post 820201). 95/05/16. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 84001:164-84001:175.

9505240040 Forwards insp repts 50-498/95-12 & 50-499/95-12 on 950320-24 & 0504.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/17. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 84020:290-84020:305.

--**9505240041** Insp repts 50-498/95-12 & 50-499/95-12 on 950320-24 & 0504. No violations noted.Major areas inspected:design control measures to assure operability of containment sump valves susceptible to pressure locking conditions.
COLLINS,E.E. Region 4 (Post 820201). 95/05/17. 9pp. 84020:295-84020:305.

9505300062 Forwards insp repts 50-498/95-06 & 50-499/95-06 on 950312- 0422 & notice of violation.Violation of concern because failure to conduct safety-related activities per written instructions could lead to unsafe sys configuration.
BEACH,A.B. Region 4 (Post 820201). 95/05/22. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 84076:279-84076:319.

--**9505300069** Notice of violation from insp on 950312-0422.Violation noted:performed activities that affected configuration of safety-related sys w/o written instructions & w/ o documenting activities.
* Region 4 (Post 820201). 95/05/22. 2pp. 84076:285-84076:286.

--**9505300072** Insp repts 50-498/95-06 & 50-499/95-06 on 950312-0422. Violation noted.Major areas inspected:plant status,onsite followup of events,operational safety verification,maint & surveillance observations & plant support activities review.
JOHNSON,W.D. Region 4 (Post 820201). 95/05/18. 33pp. 84076:287-84076:319.

9505300096 Insp repts 50-498/95-14 & 50-499/95-14 cancelled.
COLLINS,S.J. Region 4 (Post 820201). 95/05/22. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 84077:014-84077:017.

R. Periodic operating reports & related correspondence

9505030011 "1994 Annual Environ & Annual Radiological Environ Operating Repts." W/950427 ltr.
GROTH,J.F. Houston Lighting & Power Co. 94/12/31. 100pp. 83799:151-83799:241.

9505220144 Monthly operating repts for Apr 1995 for South Texas Project Electric Generating Station.W/950515 ltr.
HILL,R.L., GROTH,J.F. Houston Lighting & Power Co. 95/04/30. 14pp. 84039:112-84039:125.

S. Reportable occurrences, LERs & related correspondence

9505030284 Forwards LER 95-004 re failure to meet requirements of TSs due to not testing one contact of load sequencer relay.
CLONINGER,T.H. Houston Lighting & Power Co. 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83808:346-83808:351.

--9505030290 LER 95-004-00:on 950328,failed to meet requirements of TS due to not testing contact of load sequencer relay.Assembled surveillance credit package for all trains of engineered safety features diesel loss-of-offsite-power surveillances.
PINZON,J. Houston Lighting & Power Co. 95/04/26. 4pp. 83808:348-83808:351.

9505150209 Forwards LER 95-005 re failure to meet requirements of TSs due to inoperability of standby diesel generator as result of failed lug.
GROTH,J.F. Houston Lighting & Power Co. 95/05/08. Document Control Branch (Document Control Desk). 2pp. 84007:221-84007:226.

--9505150212 LER 95-005-00:on 950408,failed to meet requirements of TS due to inoperability of standby DG as result of failed lug. Replaced broken slip ring connector & addl slip ring connector.
PINZON,J. Houston Lighting & Power Co. 95/05/08. 4pp. 84007:223-84007:226.

9505240327 Forwards review of accident sequence precursor analysis for LER 94-012 re operational event discovered at STP,Unit 1 on 940311,Unit 1 daily summary from 920910-940415,DG starts log & generic implications of event.
CLONINGER,T.H. Houston Lighting & Power Co. 95/05/16. Document Control Branch (Document Control Desk). 37pp. 84071:001-84071:166.

--9505240328 Rev 1 to Dept Procedure 0POP05-EO-EC00, "Loss of all AC Power."
* Houston Lighting & Power Co. 93/10/19. 52pp. 84071:038-84071:089.

--9505240329 Rev 2 to Dept Procedure 0POP04-AE-0001, "Loss of any 13.8 kV or 4.16 kV Bus."
* Houston Lighting & Power Co. 93/09/15. 80pp. 84071:090-84071:166.

9505310331 Forwards LER 95-006 re failure to meet requirements of TS due to not performing required surveillance on H recombiner.
GROTH,J.F. Houston Lighting & Power Co. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84162:101-84162:105.

--9505310337 LER 95-006-00:on 950420,failed to meet requirements of TS due to not performing required surveillance on H recombiner. Held briefings to stress need for proper identification of components during performance of activities.
PINZON,J. Houston Lighting & Power Co. 95/05/22. 3pp. 84162:103-84162:105.

U. Congressional/Executive Correspondence

9505090284 Discusses congressional staff members concerns that discriminatory practices may have occurred at facility, technical issues may not have been addressed by licensee & insp program may not have been implemented at plant.W/repts.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/03. SCHAEFER,D. House of Rep., Energy & Commerce. FAIRCLOTH,L. Senate, Environment & Public Works. 5pp. 83856:121-83856:125.

V. Operator Examinations

9505050039 Forwards results of Generic Fundamentals Exam Section of written operator licensing exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 83758:142-83758:145.

9505180315 Discusses 950503 telcon between M Murphy & Defrees re arrangements for administration of licensing exams on 950911 & operating test on 950912-15.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 83955:040-83955:045.

9505260019 Responds to 950412 ltr re concerns over complexity,length & time allotment of GFE adminstered to operator license candidates at plant on 950405.Performance indicators show plant scores to be normal compared to natl average.
RICHARDS,S.A. . 95/05/19. GROTH,J.F. Houston Lighting & Power Co. 4pp. 84083:127-84083:131.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9505240417 FOIA request for documents re NRC investigation of Houston & Lighting & Power Co or Nuclear Support Svcs,Inc re revocation of TJ Saporito unescorted access to plants in Feb 1992 & subsequent allegations by Saporito.
SAPORITO,T.J. Saporito, T.J. 94/08/23. Ofc of the Executive Director for Operations. 5pp. 84042:296-84042:300.

9505080157 Ninth partial response to FOIA request for documents. Forwards app T documents.Documents also available in PDR.App U documents partially withheld (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 83986:001-83986:134.

--9505080192 Partially withheld memo discussing alleged harassment & intimidation of security guards by licensee & contract mgt.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 93/05/05. WISE,R. Region 4 (Post 820201). 3pp. 83986:121-83986:123.

--9505080214 Partially withheld ltr re problems w/security mgt.
* Affiliation Not Assigned. 93/04/26. NRC - No Detailed Affiliation Given. 6pp. 83986:129-83986:134.

9505030431 Final response to FOIA request for documents.Records in App A will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/20. LARI,R. Affiliation Not Assigned. 5pp. 83925:007-83925:175.

--9505040191 Forwards request from TJ Saporito dtd 920219 for OIG investigation.
MARTIN,R.D. Region 4 (Post 820201). 92/02/25. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 1p. 83925:112-83925:112.

--9505040223 Requests extension of due date of 920305 for green ticket EDO 7469 involving physical security & maint activities.
BOGER,B.A. Division of Reactor Projects - III,IV,V (Post 901216). 92/03/04. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 83925:123-83925:125.

--9505040235 Requests extension of EDO due date of 920824 for green ticket EDO-7469 involving physical security.
BOGER,B.A. Division of Reactor Projects - III,IV,V (Post 901216). 92/08/18. PARTLOW,J.G. Associate Director for Projects (Post 870411). 2pp. 83925:134-83925:138.

9505110223 Forwards response to demand for info,notice of violation & proposed imposition of civil penalty transmitted by NRC 941026 ltr.HL&P denies alleged violation & requests hearing.
COTTLE,W.T. Houston Lighting & Power Co. 94/12/22. Ofc of Enforcement (Post 870413). 9pp. 83932:311-83932:349.

--9505110230 Responds to demand for info issued on 941026,stating that RL Balcom guilty of deliberate misconduct in Feb 1992 revocation of TJ Saporito unescorted access to plant.
BALCOM,R.L. Houston Lighting & Power Co. 94/12/21. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 16pp. 83932:334-83932:349.

9505190222 Partial response 20 to FOIA request for info.Forwards App SS & TT records which are partially withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/26. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 83983:175-83983:205.

--9505190255 Requests listed documents to assist w/investigation into allegations of falsifying info during IR 91-21 & activities of security dept.Info partially withheld.
NORTON,L.J. Office of the Inspector General (Post 890417). 92/06/01. HALL,D.P. Houston Lighting & Power Co. 2pp. 83983:185-83983:186.

9505030293 Provides addl info re Thermo-Lag related ampacit derating. Encl withheld.
CLONINGER,T.H. Houston Lighting & Power Co. 95/04/24. Document Control Branch (Document Control Desk). 6pp. 83806:352-83806:357.

9505090144 Revised EPIPs,including rev 4 to EPIP-0ERP01-ZV-TP01, "Offsite Dose Calculations," rev 6 to EPIP-0ERP01-ZV-EF01, "EOF Director," rev 7 to EPIP-0ERP01-ZV-TS01, "TSC Manager," & rev 4 to EPIP-0PGP05-ZV-0002.W/950503 ltr.
MARTIN,L.E. Houston Lighting & Power Co. 95/05/03. 164pp. 83892:124-83892:291.

9505150084 Forwards insp repts 50-498/95-07 & 50-499/95-07 on 950410-21.No violations or deviations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/10. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 83899:152-83899:171.

--9505150090 Insp repts 50-498/95-07 & 50-499/95-07 on 950410-21.No violations or deviations noted.Major areas inspected: operating procedures.
PELLET,J.L. Region 4 (Post 820201). 95/05/09. 17pp. 83899:157-83899:171.

G. Adjudicatory correspondence

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

--8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 6pp. 83834:011-83834:016.

9505030431 Final response to FOIA request for documents.Records in App A will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/20. LARI,R. Affiliation Not Assigned. 5pp. 83925:007-83925:175.

--9505040191 Forwards request from TJ Saporito dtd 920219 for OIG investigation.
MARTIN,R.D. Region 4 (Post 820201). 92/02/25. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 1p. 83925:112-83925:112.

--9505100123 Appeals denial of FOIA request for ltr from DP Hall to NRC.
COLAPINTO,D.K. National Whistleblower Center. 93/04/15. Ofc of the Executive Director for Operations. 2pp. 83925:166-83925:167.

9505190099 Fourteenth partial response to FOIA request for info.App GG records encl & will be in PDR.App HH records withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/27. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 83983:206-83983:246.

--9308240140 Forwards 930505 petition filed by TJ Saporito requesting that NRC institute proceeding,per 10CFR2.202,w/regard to plant.Drafts ltr of ack to petitioner also encl.Petition should be coordinated closely w/Ofc of Enforcement.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 93/05/20. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 16pp. 83983:213-83983:228.

H. General correspondence

9505230356 Eighteenth partial response to FOIA request for documents. Records in App OO,PP & QQ being withheld in part (ref FOIA exemptions 6 & 7).
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84112:024-84112:049.

--9505260185 Partially withheld ltr ack receipt of ltr requesting that NRC review info previously provided re possible safety violations at plant.
ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 93/07/27. Affiliation Not Assigned. 3pp. 84112:040-84112:042.

--9505260311 Partially withheld ltr re discriminatory conduct in violation of NRC requirements implemented in 10CFR50.7.
* Affiliation Not Assigned. 92/03/04. Region 2 (Post 820201). 3pp. 84112:043-84112:045.

--9505260367 Partially withheld ltr discussing 920304 ltr expressing concern re alleged blacklisting practices by util & STP & Nuclear Support Svcs,Inc,contractor at Vogtle Electric Generating Plant.
LERKINS,G.R. Region 2 (Post 820201). 92/03/11. Affiliation Not Assigned. 1p. 84112:046-84112:046.

--9505260370 Partially withheld ltr ack receipt of NRC 920311 ltr re NRC actions to review facts & circumstances of concern re alleged blacklisting practices by util.
* Affiliation Not Assigned. 92/03/14. DEMIRANDA,O. Region 2 (Post 820201). 3pp. 84112:047-84112:049.

9505080291 Forwards NUREG-1517 "Rept of STP Allegations Review Team," & "Effectiveness of Implementation of NRC Insp Program & Adequacy of Licensee Employee Concerns Program at STP." W/o encl.
BECKNER,W.D. . 95/04/26. WERT,J. . 1p. 83834:159-83834:159.

P. Operating license stage documents & correspondence

9505100169 Responds to 930415 appeal of FOIA request for records.Appeal partially denied & partially granted.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 93/06/24. COLAPINTO,D.K. National Whistleblower Center. 3pp. 83925:168-83925:170.

--9505100170 Appeals 930511 denial of info in response to FOIA request.
COLAPINTO,D.K. National Whistleblower Center. 93/05/14. Ofc of the Executive Director for Operations. 2pp. 83925:174-83925:175.

9505190099 Fourteenth partial response to FOIA request for info.App GG records encl & will be in PDR.App HH records withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/27. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 83983:206-83983:246.

--9305240207 Informs that util has completed investigation of SPEAKOUT Concern 12431,NRC Allegation RIV-93-A-0027.No safety issues noted & results available for NRC review.
DENVER,D.J. Houston Lighting & Power Co. 93/05/12. Region 4 (Post 820201). 2pp. 83983:229-83983:230.

--9305270043 Responds to NRC concerns re alleged discrimination against individual for engaging in protected activity & forwards info providing basis for action against individual in rebuttal of allegations.
COTTLE,W.T. Houston Lighting & Power Co. 93/05/21. MILHOAN,J.L. Region 4 (Post 820201). 16pp. 83983:231-83983:246.

9505240278 Nineteenth partial response to FOIA request for documents. Forwards App RR documents & also being made available in PDR.NRC continuing review of records subj to request.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 2pp. 84024:001-84024:180.

--9505240289 "Staffing Analysis Rept for South Texas Project," Vol 1. Related supporting matl,including evaluation & decision process for organizational placement/separation,job description,STEP program & questions & answers encl.
* Affiliation Not Assigned. 91/02/19. 150pp. 84024:006-84024:180.

9505240381 Final response to FOIA request for documents.App A documents already available in PDR.App B documents encl & also placed in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/01/12. O'MEALIA,M. Affiliation Not Assigned. 5pp. 84049:226-84049:324.

--9505240389 Approves 930222 request to form South Texas Project Oversight Panel.Charter for panel should be submitted.
MILHOAN,J.L. Region 4 (Post 820201). 93/02/24. BEACH,A.B. Region 4 (Post 820201). 1p. 84049:238-84049:283.

--9505240391 Forwards draft South Texas Project Review Panel Charter for approval,in response to 930224 memo.
BEACH,A.B. Region 4 (Post 820201). 93/03/10. MILHOAN,J.L. Region 4 (Post 820201). 16pp. 84049:284-84049:324.

9505240421 First partial response to FOIA request for documents.App A documents already available in PDR.App B documents encl & placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. SAPORITO,T.J. Saporito, T.J. 14pp. 84042:301-84042:324.

--9505240431 Informs that author contacted NRR project director to request that Zimmerman be included in meeting scheduled for 940707 re NRR position on proposed action w/South Texas Project against Saporito.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 94/07/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 84042:324-84042:324.

9505010033 Forwards NUREG-1517, "Rept of South Texas Project Allegations Review Team." Rept documents results of special team review of concerns at plant as result of congressional interest.
ALEXION,T.W. . 95/04/21. COTTLE,W.T. Houston Lighting & Power Co. 119pp. 83717:028-83717:246.

9505030293 Provides addl info re Thermo-Lag related ampacit derating. Encl withheld.
CLONINGER,T.H. Houston Lighting & Power Co. 95/04/24. Document Control Branch (Document Control Desk). 6pp. 83806:352-83806:357.

9505080002 Application for amends to licenses NPF-76 & NPF-80.Amends would change requirements for operable channels of core exit thermocouples.
GROTH,J.F. Houston Lighting & Power Co. 95/04/27. Document Control Branch (Document Control Desk). 14pp. 83864:223-83864:244.

--9505080004 Proposed tech specs re required operable channels of core exit thermocouples.
* Houston Lighting & Power Co. 95/04/27. 8pp. 83864:237-83864:244.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505050071 Application for amends to licenses NPF-76 & NPF-80.Amends would incorporate proposed addition of TS 3.10.8 (special test exception).
CLONINGER,T.H. Houston Lighting & Power Co. 95/05/01. Document Control Branch (Document Control Desk). 10pp. 83863:164-83863:264.

--9505050076 Proposed tech specs re incorporation of TS 3.10.8 into licenses NPF-76 & NPF-80.
* Houston Lighting & Power Co. 95/05/01. 10pp. 83863:174-83863:183.

--9505090001 "Evaluation of Proposed Special Test Exception for Diesel Generator & Essential Cooling Water Maintenance."
* Houston Lighting & Power Co. 95/04/30. 81pp. 83863:184-83863:264.

9505090203 Forwards amends 74 & 63 to licenses NPF-76 & NPF-80, respectively & SE.Amends modify TS 4.6.2.3.a.2 to reflect reactor containment fan cooler flow rate assumed in accident analyses & to specify that flow provided by CCW sys.
ALEXION,T.W. . 95/05/02. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 83853:317-83853:331.

--9505090205 Amends 74 & 63 to licenses NPF-76 & NPF-80,respectively, revising TS 4.6.2.3.a.2 to reflect reactor containment fan cooler flow rate assumed in accident analyses & specify that flow provided by CCW sys.
ALEXION,T.W. . 95/05/02. 9pp. 83853:320-83853:328.

--9505090207 Safety evaluation supporting amends 74 & 63 to licenses NPF-76 & NPF-80,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 3pp. 83853:329-83853:331.

9505090238 Application for amend to licenses NPF-76 & NPF-80,revising LCO 3.4.2.2 & Table 3.7-2 of TSs by relaxing lift setting tolerance of pressurizer safety valves from +1% to +2% & MSSV from +1% to +3%.
CLONINGER,T.H. Houston Lighting & Power Co. 95/05/02. Document Control Branch (Document Control Desk). 10pp. 83868:343-83868:355.

--9505090239 Proposed tech specs,revising LCO 3.4.2.2 & Table 3.7-2 of TS by relaxing lift setting tolerance of pressurizer safety valves from +1% to +2% & MSSV from +1% to +3%.
* Houston Lighting & Power Co. 95/05/02. 3pp. 83868:353-83868:355.

9505090240 Notification of 950508 meeting w/util in Rockville,MD to explore potential PRA applications at plant.
ALEXION,T.W. . 95/05/02. BECKNER,W.D. . 4pp. 83854:028-83854:031.

9505090287 Revised notification of 950508 meeting w/util in Rockville, MD to discuss licensee proposal of comprehensive risk mgt applications at plant.
ALEXION,T.W. . 95/05/02. BECKNER,W.D. . 4pp. 83854:012-83854:015.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505250109 Forwards amends 75 & 64 to licenses NPF-76 & NPF-80 & safety evaluation.Amends revise TS 4.6.1.2 re test frequency requirements for overall integrated containment leakage rate tests.
ALEXION,T.W. . 95/05/19. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 84067:348-84067:359.

--9505250112 Amends 75 & 64 to licenses NPF-76 & NPF-80,respectively, revising TS 4.6.1.2,re test frequency requirements for overall integrated containment leakage rate tests.
ALEXION,T.W. . 95/05/19. 7pp. 84067:351-84067:357.

--9505250115 Safety evaluation supporting amends 75 & 64 to licenses NPF-76 & NPF-80,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. 2pp. 84067:358-84067:359.

9505260298 Informs that util withdraws request in Ref 1 to withhold "Ampacity Testing in UL" rept submitted as proprietary info.
MARTIN,L.E. Houston Lighting & Power Co. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84101:331-84101:332.

9505260408 Application for amends to licenses NPF-76 & NPF-80,allowing performance of 24 h surveillance test of DG during power operation.
GROTH,J.F. Houston Lighting & Power Co. 95/05/22. Document Control Branch (Document Control Desk). 10pp. 84099:341-84099:353.

--9505260410 Proposed tech specs,allowing performance of 24 h surveillance test of DG during power operation.
* Houston Lighting & Power Co. 95/05/22. 3pp. 84099:351-84099:353.

9505310149 Forwards change QA-025 to "Operations QA Plan."
COTTLE,W.T. Houston Lighting & Power Co. 95/05/25. Document Control Branch (Document Control Desk). 2pp. 84144:300-84144:334.

--9505310154 Change QA-025 to "Operations QA Plan."
* Houston Lighting & Power Co. 95/05/25. 33pp. 84144:302-84144:334.

9505310160 Requests exemption to 10CFR50 App J & proposed changes to TSs 3.6.1.1,3.6.1.2 & 3.6.1.3.
GROTH,J.F. Houston Lighting & Power Co. 95/05/25. Document Control Branch (Document Control Desk). 22pp. 84141:322-84141:349.

--9505310162 Proposed tech specs 3.6.1.1,3.6.1.2 & 3.6.1.3 re local leak rate testing.
* Houston Lighting & Power Co. 95/05/25. 7pp. 84141:343-84141:349.

9505310173 Application for amends to licenses NPF-71 & NPF-80,revising TSs 3.3.3.5 & 3.3.3.6 re required operable channels of core exit thermocouples.
GROTH,J.F. Houston Lighting & Power Co. 95/05/25. Document Control Branch (Document Control Desk). 14pp. 84145:203-84145:218.

--9505310176 Proposed tech specs 3.3.3.5 & 3.3.3.6 re required operable channels of core exit thermocouples.
* Houston Lighting & Power Co. 95/05/25. 2pp. 84145:217-84145:218.

Q. Inspection reports, IE Bulletins & correspondence

9505240378 FOIA request for documents re Operational Safety Team Insp conducted at South Texas Nuclear Project in fall of 1992.
O'MEALIA,M. Affiliation Not Assigned. 94/11/07. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84049:225-84049:225.

9505080157 Ninth partial response to FOIA request for documents. Forwards app T documents.Documents also available in PDR.App U documents partially withheld (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 83986:001-83986:134.

--9505080161 Rept of interview w/J Barlow on 870819 re responsibilities at plant.
GRIFFIN,H.B. Ofc of Investigations (Post 880201). 87/08/19. 36pp. 83986:009-83986:051.

--9505080175 Rev 0 to "Std Deficiency Rept."
* Houston Lighting & Power Co. 86/05/09. 6pp. 83986:052-83986:057.

--9505080192 Partially withheld memo discussing alleged harassment & intimidation of security guards by licensee & contract mgt.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 93/05/05. WISE,R. Region 4 (Post 820201). 3pp. 83986:121-83986:123.

--9505080210 Partially withheld memo discussing 930902 telcon re allegation of possible harassment & intimidation by plant mgt.
KIRSPEL,R. Ofc of Investigations (Post 880201). 93/09/02. Ofc of Investigations (Post 880201). 5pp. 83986:124-83986:128.

9505030431 Final response to FOIA request for documents.Records in App A will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/20. LARI,R. Affiliation Not Assigned. 5pp. 83925:007-83925:175.

--9505040186 Discusses telcon w/TJ Saporito re TS violations.
WISE,R. NRC - No Detailed Affiliation Given. 95/02/21. NRC - No Detailed Affiliation Given. 9pp. 83925:103-83925:111.

--9505040191 Forwards request from TJ Saporito dtd 920219 for OIG investigation.
MARTIN,R.D. Region 4 (Post 820201). 92/02/25. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 1p. 83925:112-83925:112.

--9505040205 Informs that statements made by TJ Saporito in complaint filed on 920224,have been found to be inaccurate or subj to misinterpretation.
SANBORN,G.F. Region 4 (Post 820201). 92/02/29. Labor, Dept. of. 1p. 83925:119-83925:119.

--9505040213 Requests that Office of Investigations conduct investigation to determine facts surrounding denial of access of TJ Saporito to STP.
MARTIN,R.D. Region 4 (Post 820201). 92/03/03. WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 1p. 83925:122-83925:122.

--9505040229 Ack receipt of NRC 920311 ltr from GR Jenkins re actions to review facts & circumstances of concern re alleged blacklisting practices by utils.
SAPORITO,T.J. Saporito, T.J. 92/03/14. DEMIRANDA,O. Region 2 (Post 820201). 3pp. 83925:126-83925:128.

--9505040231 Discusses 920319 telcon from T Saporito in response to 920311 ltr re STP allegations.
SANBORN,G. NRC - No Detailed Affiliation Given. 92/03/19. WISE,R. NRC - No Detailed Affiliation Given. 5pp. 83925:129-83925:133.

9505110223 Forwards response to demand for info,notice of violation & proposed imposition of civil penalty transmitted by NRC 941026 ltr.HL&P denies alleged violation & requests hearing.
COTTLE,W.T. Houston Lighting & Power Co. 94/12/22. Ofc of Enforcement (Post 870413). 9pp. 83932:311-83932:349.

--9505110226 Forwards response to document entitled demand for info dtd 941026.
JUMP,W.J. Houston Lighting & Power Co. 94/12/21. Ofc of Enforcement (Post 870413). 1p. 83932:320-83932:320.

--9505110228 Response to demand for info (DFI),motion for retraction of DFI & alternatively,request for hearing.
JUMP,W.J. Houston Lighting & Power Co. 94/12/21. 13pp. 83932:321-83932:333.

9505240381 Final response to FOIA request for documents.App A documents already available in PDR.App B documents encl & also placed in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/01/12. O'MEALIA,M. Affiliation Not Assigned. 5pp. 84049:226-84049:324.

--9505240386 Submits summary of outstanding issues at plant in areas of operations,maint & surveillance activities,corrective actions & self-assessment identified through insp.Recommends that Oversight Panel be established to track disposition.
BEACH,A.B. Region 4 (Post 820201). 93/02/22. MILHOAN,J.L. Region 4 (Post 820201). 7pp. 84049:231-84049:237.

9505240421 First partial response to FOIA request for documents.App A documents already available in PDR.App B documents encl & placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. SAPORITO,T.J. Saporito, T.J. 14pp. 84042:301-84042:324.

--9505240423 Requests that OGC analyze Ofc of Investigations Rept 4-92-003 re alleged harassment & intimidation of contract I&C technician.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 93/03/16. MILHOAN,J.L. Region 4 (Post 820201). MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). GOLDBERG,J.R. Office of the General Counsel (Post 860701). 7pp. 84042:315-84042:321.

--9505240428 Requests to be inform of when NRC investigative repts & findings re TJ Saporito allegation against util will become available for review.
COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). COLAPINTO,D.K. Saporito, T.J. 93/05/14. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84042:322-84042:322.

9505190222 Partial response 20 to FOIA request for info.Forwards App SS & TT records which are partially withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/26. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 83983:175-83983:205.

--9505190237 Forwards 920610 memo re negotiations concerning investigation of wrongdoing at plant.Info partially withheld.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/18. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 1p. 83983:182-83983:182.

--9505190247 Confirms results of 920610 meeting re OI/OIG cooperation in investigation at plant.
WILLIAMS,D.C. Office of the Inspector General (Post 890417). 92/06/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 83983:183-83983:184.

--9505190255 Requests listed documents to assist w/investigation into allegations of falsifying info during IR 91-21 & activities of security dept.Info partially withheld.
NORTON,L.J. Office of the Inspector General (Post 890417). 92/06/01. HALL,D.P. Houston Lighting & Power Co. 2pp. 83983:185-83983:186.

--9505190271 Confirms investigation of employment circumstances at plant by author ofc.Requests recipient cease investigation.Info partially deleted.
WILLIAMS,D.C. Office of the Inspector General (Post 890417). 92/06/11. HAYES,B.B. Office of Investigations (Pre 880201). 19pp. 83983:187-83983:205.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505030019 Forwards two insp repts 50-285/95-04 & 50-285/95-25 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 83720:047-83720:091.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505110124 Responds to NRC 950330 ltr re violations noted in insp of licenses NPF-76 & NPF-80.Corrective actions:addl drawings affected by plant change form have been revised & all currently installed temporary mods have been audited.
CLONINGER,T.H. Houston Lighting & Power Co. 95/05/01. Document Control Branch (Document Control Desk). 7pp. 83933:326-83933:332.

9505090156 Discusses enforcement conference between RL Balcom & NRC on 950222 in Rockville,MD re DFI issued on 941026.Response to DFI adequate & sufficient to address concerns expressed in DFI.
MILHOAN,J.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 95/05/05. BALCOM,R.L. Affiliation Not Assigned. 5pp. 83817:189-83817:193.

9505090173 Discusses enforcement conference between WJ Jump & NRC on 950222 re NRC issued DFI concerning discrimination against individual after he provided allegations about STP to NRC.
MILHAON,J.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 95/05/05. JUMP,W.J. Affiliation Not Assigned. 5pp. 83817:200-83817:204.

9505100250 Discusses enforcement conference conducted on 950222 in Rockville,MD re 941026 NOV & proposed imposition of civil penalty & demand for info to util.
MILHOAN,J.L. Region 4 (Post 820201). 95/05/05. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 83850:055-83850:059.

9505120168 EN-94-112A:on 941026,withdrew notice of violation & proposed imposition of civil penalty in amount of $100,000. Action based on violation for discrimination by two util managers who revoked contractor access authorization.
GRAY,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). 95/05/05. 1p. 83871:217-83871:217.

9505120076 "NRC Withdraws Proposed Fine Against HLP Co."
* Office of Public Affairs (Post 911117). 95/05/08. 2pp. 83947:361-83947:362.

9505150084 Forwards insp repts 50-498/95-07 & 50-499/95-07 on 950410-21.No violations or deviations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/10. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 83899:152-83899:171.

--9505150090 Insp repts 50-498/95-07 & 50-499/95-07 on 950410-21.No violations or deviations noted.Major areas inspected: operating procedures.
PELLET,J.L. Region 4 (Post 820201). 95/05/09. 17pp. 83899:157-83899:171.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505230022 Forwards insp repts 50-498/95-08 & 50-499/95-08 on 950417-21 notice of violation.
BEACH,A.B. Region 4 (Post 820201). 95/05/15. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 84001:103-84001:117.

--9505230027 Notice of violation from insp on 950417-21.Violation noted: licensee failed to promptly identify that multiple deficiencies in standby diesel generator low lubricating oil pressure switches constituted condition adverse of quality.
* Region 4 (Post 820201). 95/05/15. 1p. 84001:108-84001:108.

--9505230032 Insp repts 50-498/95-08 & 50-499/95-08 on 950417-21. Violations noted.Major areas inspected:licensee corrective action program to determine circumstances leading to multiple safety-related pressure switches.
JOHNSON,W.D. Region 4 (Post 820201). 95/05/15. 9pp. 84001:109-84001:117.

9505230044 Ack receipt of 950501 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/95-202 & 50-499/95-202.
GWYNN,T.P. Region 4 (Post 820201). 95/05/16. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 84001:164-84001:175.

9505240040 Forwards insp repts 50-498/95-12 & 50-499/95-12 on 950320-24 & 0504.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/17. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 84020:290-84020:305.

--9505240041 Insp repts 50-498/95-12 & 50-499/95-12 on 950320-24 & 0504. No violations noted.Major areas inspected:design control measures to assure operability of containment sump valves susceptible to pressure locking conditions.
COLLINS,E.E. Region 4 (Post 820201). 95/05/17. 9pp. 84020:295-84020:305.

9505300062 Forwards insp repts 50-498/95-06 & 50-499/95-06 on 950312- 0422 & notice of violation.Violation of concern because failure to conduct safety-related activities per written instructions could lead to unsafe sys configuration.
BEACH,A.B. Region 4 (Post 820201). 95/05/22. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 84076:279-84076:319.

--9505300069 Notice of violation from insp on 950312-0422.Violation noted:performed activities that affected configuration of safety-related sys w/o written instructions & w/ o documenting activities.
* Region 4 (Post 820201). 95/05/22. 2pp. 84076:285-84076:286.

--9505300072 Insp repts 50-498/95-06 & 50-499/95-06 on 950312-0422. Violation noted.Major areas inspected:plant status,onsite followup of events,operational safety verification,maint & surveillance observations & plant support activities review.
JOHNSON,W.D. Region 4 (Post 820201). 95/05/18. 33pp. 84076:287-84076:319.

9505300096 Insp repts 50-498/95-14 & 50-499/95-14 cancelled.
COLLINS,S.J. Region 4 (Post 820201). 95/05/22. COTTLE,W.T. Houston Lighting & Power Co..3pp. 84077:014-84077:017.

R. Periodic operating reports & related correspondence

9505030011 "1994 Annual Environ & Annual Radiological Environ Operating Repts." W/950427 ltr.
GROTH,J.F. Houston Lighting & Power Co. 94/12/31. 100pp. 83799:151-83799:241.

9505220144 Monthly operating repts for Apr 1995 for South Texas Project Electric Generating Station.W/950515 ltr.
HILL,R.L., GROTH,J.F. Houston Lighting & Power Co. 95/04/30. 14pp. 84039:112-84039:125.

S. Reportable occurrences, LERs & related correspondence

9505020261 Forwards LER 95-003 re RT on over temp/delta temp due to failed fuse holder.
GROTH,J.F. Houston Lighting & Power Co. 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83757:125-83757:129.

--9505020267 LER 95-003-00:on 950328,RT on over temp/delta temp due to failed fuse holder.Replaced defective fuse & fuse holder.
PINZON,J. Houston Lighting & Power Co. 95/04/26. 3pp. 83757:127-83757:129.

9505110056 LER 95-004-00:on 950404,digital rod position indication panel experienced LOP during transfer of load to voltage regulated transformer.Caused by failure of automatic transfer switch.Switch manually transferred.W/950504 ltr.
PINZON,J., GROTH,J.F. Houston Lighting & Power Co. 95/05/04. 6pp. 83924:138-83924:143.

9505230051 Forwards LER 95-005.Event did not have adverse effect on health & safety of public,but clearly does not meet stds for expected performance.
GROTH,J.F. Houston Lighting & Power Co. 95/05/11. Document Control Branch (Document Control Desk). 2pp. 84078:044-84078:048.

--9505230071 LER 95-005-00:on 950412,experienced inadvertent ESF actuation of CCW pump due to essential cooling water sys pressure switch being isolated & depressurized.Verified position of essential CW isolation valves.
PINZON,J. Houston Lighting & Power Co. 95/05/11. 3pp. 84078:046-84078:048.

9505240327 Forwards review of accident sequence precursor analysis for LER 94-012 re operational event discovered at STP,Unit 1 on 940311,Unit 1 daily summary from 920910-940415,DG starts log & generic implications of event.
CLONINGER,T.H. Houston Lighting & Power Co. 95/05/16. Document Control Branch (Document Control Desk). 37pp. 84071:001-84071:166.

--9505240328 Rev 1 to Dept Procedure 0POP05-EO-EC00, "Loss of all AC Power."
* Houston Lighting & Power Co. 93/10/19. 52pp. 84071:038-84071:089.

--9505240329 Rev 2 to Dept Procedure 0POP04-AE-0001, "Loss of any 13.8 kV or 4.16 kV Bus."
* Houston Lighting & Power Co. 93/09/15. 80pp. 84071:090-84071:166.

U. Congressional/Executive Correspondence

9505090284 Discusses congressional staff members concerns that discriminatory practices may have occurred at facility, technical issues may not have been addressed by licensee & insp program may not have been implemented at plant.W/repts.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/03. SCHAEFER,D. House of Rep., Energy & Commerce. FAIRCLOTH,L. Senate, Environment & Public Works. 5pp. 83856:121-83856:125.

V. Operator Examinations

9505050039 Forwards results of Generic Fundamentals Exam Section of written operator licensing exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 83758:142-83758:145.

9505180315 Discusses 950503 telcon between M Murphy & Defrees re arrangements for administration of licensing exams on 950911 & operating test on 950912-15.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 83955:040-83955:045.

9505260019 Responds to 950412 ltr re concerns over complexity,length & time allotment of GFE adminstered to operator license candidates at plant on 950405.Performance indicators show plant scores to be normal compared to natl average.
RICHARDS,S.A. . 95/05/19. GROTH,J.F. Houston Lighting & Power Co. 4pp. 84083:127-84083:131.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

A. Application/construction stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505020017 Informs that rev 15 to emergency plan,acceptable & does not appear to degrade effectiveness of emergency planning at station.
COLLINS,S.J. Region 4 (Post 820201). 95/04/26. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83689:069-83689:072.

9505030104 Forwards insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Weaknesses identified re failure to make timely notification of general emergency & problems w/protective action recommendations.
COLLINS,S.J. Region 4 (Post 820201). 95/04/27. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83721:230-83721:248.

--9505030110 Insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Major areas inspected:licensee performance & capabilities during full play exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 95/04/26. 14pp. 83721:235-83721:248.

H. General correspondence

9505230125 Comment on proposed rev to 10CFR50,app J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors." Proposed rev will result in highly efficient regulation.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/05. Docketing & Services Branch. 2pp. 84002:001-84002:003.

I. Financial information

9505240366 Forwards cash flow statement for yr ending Dec 1994 & SCE Corp annual rept to Securities & Exchange Commission for yr ending Dec 1994.
MARSH,W.C. Southern California Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 44pp. 84068:272-84068:315.

M. Antitrust correspondence

9505040003 Order.* Grants motion for withdrawal w/prejudice of 940401, "Petition for Leave to Intervene,Request for Finding Significant Change for Antitrust Hearing..." W/ Certificate of Svc.Served on 950424.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16647. 95/04/21. Plains Electric Generation & Transmission Cooperative. 2pp. 83743:031-83743:032.

9505120066 Forwards Initial Decision by FERC ALJ presiding over hearings re proposed acquisition of El Paso Electric Co by Central & Southwest Svcs,Inc.
FLANAGAN,T.E. Affiliation Not Assigned. FLANAGAN,T.E. Jones, Day, Reavis & Pogue. 95/05/10. BORCHARDT,W. . 80pp. 83870:226-83870:304.

P. Operating license stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505110021 Requests notice of enforcement discretion for Unit 1 TS 3.9.6, "Refueling Machine."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/01. Document Control Branch (Document Control Desk). 8pp. 83929:338-83929:345.

9505100155 Requests review & approval of change to PVNGS large break LOCA dose consequences due to new assumption of release path through depressurized secondary sys.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. Document Control Branch (Document Control Desk). 28pp. 83919:329-83919:356.

9505100190 Forwards "COLR for PVNGS,Unit 1 Cycle 6," rev 0.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. Document Control Branch (Document Control Desk). 1p. 83889:138-83889:161.

--9505100191 "COLR for PVNGS,Unit 1 Cycle 6," rev 0.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. 23pp. 83889:139-83889:161.

9505110283 Application for amends to licenses NPF-41,NPF-51 & NPF-74, revising TS 3.1.2.6,Figure 3.1-1, "Min Borated Water Vols" by relocating plant elevations that correspond to min required water vols for spent fuel pool to site procedures.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. Document Control Branch (Document Control Desk). 8pp. 83930:299-83930:311.

--9505110286 Proposed TS 3.1.2.6,Figure 3.1-1, "Min Borated Water Vols," relocating elevations that correspond to min required water vols for spent fuel pool into site procedures.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. 5pp. 83930:307-83930:311.

9505090012 Grants licensee request that NRC exercise enforcement discretion not to enforce compliance w/TS 3.9.6 re refueling machine overload cut off limit of 1,600 lbs.
CALLAN,L.J. Region 4 (Post 820201). 95/05/03. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83816:048-83816:052.

9505180028 Discusses proposed changes to plant QA program description. Requested change would allow selected review of work authorizing documents by Nuclear Assurance Organization, to ensure that independent insp points properly identified.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83952:033-83952:036.

9505220293 Provides support to industry position w/respect to proposed rev 10CFR50 App J, "Containment Leakage Testing" as put forth by Nuclear Energy Inst.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/09. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84035:359-84035:360.

9505250001 Submits comments on 950425 public meeting w/util in Arlington,TX re status of site re-engineering,improvements in corrective actions program & status of maint program.List of attendees & presentation slides encl.
BEACH,A.B. Region 4 (Post 820201). 95/05/10. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 64pp. 84043:001-84043:064.

9505180460 Notification of 950523 meeting w/util in Phoenix,AZ to discuss graded quality assurance,including licensee experience w/risk-based process & graded procurement.
HOLIAN,B.E. . 95/05/15. BATEMAN,W.H. . 4pp. 83985:358-83985:361.

9505090312 *Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.*
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020012 Forwards insp repts 50-528/95-08,50-529/95-08 & 50-530/95-08 on 950306-10.Violations noted.Licensee failed to take adequate corrective actions in three separate occassions to identify that startup strainers had been installed in plant.
BEACH,A.B. Region 4 (Post 820201). 95/04/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83689:045-83689:068.

--9505020014 Notice of violation from insp on 950306-10.Violation noted:as of 950217,existence of startup strainers in suction piping of Unit 2 containment spray pumps,had not been properly identified & corrected.
* Region 4 (Post 820201). 95/04/25. 1p. 83689:050-83689:050.

--9505020015 Insp repts 50-528/95-08,50-529/95-08 & 50-530/95-08 on 950306-10.Violations noted.Major areas inspected: circumstances re identification of startup strainers in Unit 2 containment spray suction piping.
WONG,H. Region 4 (Post 820201). 95/04/25. 18pp. 83689:051-83689:068.

9505030051 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83720:235-83720:278.

9505020298 Forwards response to NRC 950410 ltr re violations noted in insp repts 50-528/95-07-01,50-529/95-07-01 & 50-530/95-07-01 on 950306-10.Corrective actions:surveyed area & posted as high contamination area.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/27. Document Control Branch (Document Control Desk). 10pp. 83764:013-83764:022.

9505030104 Forwards insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Weaknesses identified re failure to make timely notification of general emergency & problems w/protective action recommendations.
COLLINS,S.J. Region 4 (Post 820201). 95/04/27. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83721:230-83721:248.

--9505030110 Insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Major areas inspected:licensee performance & capabilities during full play exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 95/04/26. 14pp. 83721:235-83721:248.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050078 Forwards insp repts 50-528/95-09,50-529/95-09 & 50-530/95-09 on 950410-14.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/01. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83758:259-83758:272.

--9505050083 Insp repts 50-528/95-09,50-529/95-09 & 50-530/95-09 on 950410-14.No violations noted.Major areas inspected: inservice insp program & implementation of associated work activities.
POWERS,D.A. Region 4 (Post 820201). 95/04/28. 10pp. 83758:263-83758:272.

9505180011 Ack receipt of 950407 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/94-21, 50-529/94-21 & 50-530/94-21 on 941205 & 950302.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 83952:001-83952:012.

--9505180024 Responds to NRC 941205 & 950302 ltrs re violations noted in insp repts 50-528/94-21,50-529/94-21 & 50-530/94-21 on 941205.Corrective actions:dispatched area operator to locally open reactor trip switchgear breakers.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/07. GWYNN,T.P. Region 4 (Post 820201). 8pp. 83952:005-83952:012.

9505180028 Discusses proposed changes to plant QA program description. Requested change would allow selected review of work authorizing documents by Nuclear Assurance Organization, to ensure that independent insp points properly identified.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83952:033-83952:036.

9505180403 Ack receipt of 950427 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-07, 50-259/95-07 & 50-530/95-07.
COLLINS,S.J. Region 4 (Post 820201). 95/05/10. STEWART,N.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83955:086-83955:098.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505190095 Forwards insp repts 50-528/95-06,50-529/95-06 & 50-530/95-06 on 950226-0408 & notice of deviation.Deviation of concern because of poor procedural compliance & poor command & control associated w/operation of equipment.
BEACH,A.B. Region 4 (Post 820201). 95/05/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83974:031-83974:057.

--9505190106 Notice of deviation from insp on 950226-0408.Deviation noted:failure to follow procedures for testing of standby gas turbine generators as specified in QA plan described in Chapter 17 of UFSAR.
* Region 4 (Post 820201). 95/05/12. 1p. 83974:036-83974:036.

--9505190109 *Insp repts 50-528/95-06,50-529/95-06 & 50-530/95-06 on 950226-0408.*Deviation noted.Major areas inspected:onsite response to plant events,operational safety,maint & surveillance,onsite engineering,design changes & mods.
WONG,H. Region 4 (Post 820201). 95/05/10. 21pp. 83974:037-83974:057.

R. Periodic operating reports & related correspondence

9505090087 "Palo Verde Nuclear Generating Station Annual Radiological Environ Operating Rept 1994." W/950426 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 68pp. 83842:118-83842:185.

9505090222 "Annual Radioactive Effluent Release Rept for 1994." W/ 950426 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 182pp. 83865:051-83865:232.

9505020221 Forwards 10CFR50.59 annual rept for CY94.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/26. Document Control Branch (Document Control Desk). 100pp. 84005:125-84005:225.

9505090082 Forwards "Annual Environ Operating Rept for 1994."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/26. Document Control Branch (Document Control Desk). 1p. 83896:293-83896:298.

—9505090086 "AZPS PVNGS Annual Environ Operating Rept for 1994."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 5pp. 83896:294-83896:298.

9505180256 Monthly operating repts for Apr 1995 for PVNGS Units 1-3. W/950509 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/30. 17pp. 84013:217-84013:233.

S. Reportable occurrences, LERs & related correspondence

9505190265 LER 94-008-00:on 941126,controlled reactor shutdown commenced to isolate & repair leaking pressurizer vent valves,per TS limiting condition for operation 3.4.10,action (a).Valves reworked.W/941223 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/23. 9pp. 83974:146-83974:154.

9505020314 Forwards LER 95-004 re units being outside basis due to discovery of nonconservative assumptions used in two original containment electrical penetration protection calculations.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/27. Document Control Branch (Document Control Desk). 1p. 83757:139-83757:147.

—9505020316 LER 95-004-00:on 950329,containment electrical penetration overcurrent protective devices found outside design basis due to discovery of non-conservative assumptions.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/27. 8pp. 83757:140-83757:147.

9505120121 LER 95-005-00:on 950407,determined that tubesheet blockage found in EDG B jacket water cooler would have reduced min required heat rejection through cooler.Caused by failure of epoxy coating.Cleaning times reassessed.W/950502 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. 13pp. 83938:298-83938:310.

9505310225 LER 95-006-00:on 930418,identified that motor pinion key for containment spray header isolation valve occurred.Caused by improper key matl.All identified valves had motor pinion keys replaced.W/950525 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/25. 11pp. 84162:062-84162:072.

V. Operator Examinations

9505050094 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam,administered on 950405,for info.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 83758:309-83758:310.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505020017 Informs that rev 15 to emergency plan,acceptable & does not appear to degrade effectiveness of emergency planning at station.
COLLINS,S.J. Region 4 (Post 820201). 95/04/26. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83689:069-83689:072.

9505030104 Forwards insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Weaknesses identified re failure to make timely notification of general emergency & problems w/protective action recommendations.
COLLINS,S.J. Region 4 (Post 820201). 95/04/27. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83721:230-83721:248.

—9505030110 Insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Major areas inspected:licensee performance & capabilities during full play exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 95/04/26. 14pp. 83721:235-83721:248.

H. General correspondence

9505230125 Comment on proposed rev to 10CFR50,app J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors." Proposed rev will result in highly efficient regulation.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/05. Docketing & Services Branch. 2pp. 84002:001-84002:003.

I. Financial information

9505240366 Forwards cash flow statement for yr ending Dec 1994 & SCE Corp annual rept to Securities & Exchange Commission for yr ending Dec 1994.
MARSH,W.C. Southern California Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 44pp. 84068:272-84068:315.

M. Antitrust correspondence

9505040003 Order.* Grants motion for withdrawal w/prejudice of 940401, "Petition for Leave to Intervene,Request for Finding Significant Change for Antitrust Hearing..." W/ Certificate of Svc.Served on 950424.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16647. 95/04/21. Plains Electric Generation & Transmission Cooperative. 2pp. 83743:031-83743:032.

9505120066 Forwards Initial Decision by FERC ALJ presiding over hearings re proposed acquisition of El Paso Electric Co by Central & Southwest Svcs,Inc.
FLANAGAN,T.E. Affiliation Not Assigned. FLANAGAN,T.E. Jones, Day, Reavis & Pogue. 95/05/10. BORCHARDT,W. . 80pp. 83870:226-83870:304.

P. Operating license stage documents & correspondence

9505030154 Advises NRC that MOVs within scope of program of Unit 2 have been evaluated & tested & considered operable under all design basis conditions & normal events.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83791:348-83791:349.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505100155 Requests review & approval of change to PVNGS large break LOCA dose consequences due to new assumption of release path through depressurized secondary sys.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. Document Control Branch (Document Control Desk). 28pp. 83919:329-83919:356.

9505110283 Application for amends to licenses NPF-41,NPF-51 & NPF-74, revising TS 3.1.2.6,Figure 3.1-1, "Min Borated Water Vols" by relocating plant elevations that correspond to min required water vols for spent fuel pool to site procedures.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. Document Control Branch (Document Control Desk). 8pp. 83930:299-83930:311.

—9505110286 Proposed TS 3.1.2.6,Figure 3.1-1, "Min Borated Water Vols," relocating elevations that correspond to min required water vols for spent fuel pool into site procedures.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. 5pp. 83930:307-83930:311.

9505180028 Discusses proposed changes to plant QA program description. Requested change would allow selected review of work authorizing documents by Nuclear Assurance Organization, to ensure that independent insp points properly identified.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83952:033-83952:036.

9505220293 Provides support to industry position w/respect to proposed rev 10CFR50 App J, "Containment Leakage Testing" as put forth by Nuclear Energy Inst.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/09. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84035:359-84035:360.

9505250001 Submits comments on 950425 public meeting w/util in Arlington,TX re status of site re-engineering,improvements in corrective actions program & status of maint program.List of attendees & presentation slides encl.
BEACH,A.B. Region 4 (Post 820201). 95/05/10. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 64pp. 84043:001-84043:064.

9505180460 Notification of 950523 meeting w/util in Phoenix,AZ to discuss graded quality assurance,including licensee experience w/risk-based process & graded procurement.
HOLIAN,B.E. . 95/05/15. BATEMAN,W.H. . 4pp. 83985:358-83985:361.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020012 Forwards insp repts 50-528/95-08,50-529/95-08 & 50-530/95-08 on 950306-10.Violations noted.Licensee failed to take adequate corrective actions in three separate occassions to identify that startup strainers had been installed in plant.
BEACH,A.B. Region 4 (Post 820201). 95/04/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83689:045-83689:068.

—9505020014 Notice of violation from insp on 950306-10.Violation noted:as of 950217,existence of startup strainers in suction piping of Unit 2 containment spray pumps,had not been properly identified & corrected.
* Region 4 (Post 820201). 95/04/25. 1p. 83689:050-83689:050.

--**9505020015** Insp repts 50-528/95-08,50-529/95-08 & 50-530/95-08 on 950306-10.Violations noted.Major areas inspected: circumstances re identification of startup strainers in Unit 2 containment spray suction piping.
WONG,H. Region 4 (Post 820201). 95/04/25. 18pp. 83689:051-83689:068.

9505030051 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83720:235-83720:278.

9505020298 Forwards response to NRC 950410 ltr re violations noted in insp repts 50-528/95-07-01,50-529/95-07-01 & 50-530/95-07-01 on 950306-10.Corrective actions:surveyed area & posted as high contamination area.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/27. Document Control Branch (Document Control Desk). 10pp. 83764:013-83764:022.

9505030104 Forwards insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Weaknesses identified re failure to make timely notification of general emergency & problems w/protective action recommendations.
COLLINS,S.J. Region 4 (Post 820201). 95/04/27. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83721:230-83721:248.

--**9505030110** Insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Major areas inspected:licensee performance & capabilities during full play exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 95/04/26. 14pp. 83721:235-83721:248.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050078 Forwards insp repts 50-528/95-09,50-529/95-09 & 50-530/95-09 on 950410-14.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/01. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83758:259-83758:272.

9505180011 Ack receipt of 950407 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/94-21, 50-529/94-21 & 50-530/94-21 on 941205 & 950302.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 83952:001-83952:012.

--**9505180024** Responds to NRC 941205 & 950302 ltrs re violations noted in insp repts 50-528/94-21,50-529/94-21 & 50-530/94-21 on 941205.Corrective actions:dispatched area operator to locally open reactor trip switchgear breakers.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/07. GWYNN,T.P. Region 4 (Post 820201). 8pp. 83952:005-83952:012.

9505180028 Discusses proposed changes to plant QA program description. Requested change would allow selected review of work authorizing documents by Nuclear Assurance Organization, to ensure that independent insp points properly identified.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83952:033-83952:036.

9505180403 Ack receipt of 950427 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-07, 50-259/95-07 & 50-530/95-07.
COLLINS,S.J. Region 4 (Post 820201). 95/05/10. STEWART,N.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83955:086-83955:098.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505190095 Forwards insp repts 50-528/95-06,50-529/95-06 & 50-530/95-06 on 950226-0408 & notice of deviation.Deviation of concern because of poor procedural compliance & poor command & control associated w/operation of equipment.
BEACH,A.B. Region 4 (Post 820201). 95/05/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83974:031-83974:057.

--**9505190109** Insp repts 50-528/95-06,50-529/95-06 & 50-530/95-06 on 950226-0408.Deviation noted.Major areas inspected:onsite response to plant events,operational safety,maint & surveillance,onsite engineering,design changes & mods.
WONG,H. Region 4 (Post 820201). 95/05/10. 21pp. 83974:037-83974:057.

R. Periodic operating reports & related correspondence

9505090087 "Palo Verde Nuclear Generating Station Annual Radiological Environ Operating Rept 1994." W/950426 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 68pp. 83842:118-83842:185.

9505090222 "Annual Radioactive Effluent Release Rept for 1994." W/ 950426 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 182pp. 83865:051-83865:232.

9505020221 Forwards 10CFR50.59 annual rept for CY94.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/26. Document Control Branch (Document Control Desk). 100pp. 84005:125-84005:225.

9505090082 Forwards "Annual Environ Operating Rept for 1994."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/26. Document Control Branch (Document Control Desk). 1p. 83896:293-83896:298.

--**9505090086** "AZPS PVNGS Annual Environ Operating Rept for 1994."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 5pp. 83896:294-83896:298.

9505180256 Monthly operating repts for Apr 1995 for PVNGS Units 1-3. W/950509 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/30. 17pp. 84013:217-84013:233.

V. Operator Examinations

9505050094 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam,administered on 950405,for info.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 83758:309-83758:310.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505020017 Informs that rev 15 to emergency plan,acceptable & does not appear to degrade effectiveness of emergency planning at station.
COLLINS,S.J. Region 4 (Post 820201). 95/04/26. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83689:069-83689:072.

9505030104 Forwards insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Weaknesses identified re failure to make timely notification of general emergency & problems w/protective action recommendations.
COLLINS,S.J. Region 4 (Post 820201). 95/04/27. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83721:230-83721:248.

--**9505030110** Insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Major areas inspected:licensee performance & capabilities during full play exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 95/04/26. 14pp. 83721:235-83721:248.

H. General correspondence

9505230125 Comment on proposed rev to 10CFR50,app J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors." Proposed rev will result in highly efficient regulation.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/05. Docketing & Services Branch. 2pp. 84002:001-84002:003.

I. Financial information

9505240366 Forwards cash flow statement for yr ending Dec 1994 & SCE Corp annual rept to Securities & Exchange Commission for yr ending Dec 1994.
MARSH,W.C. Southern California Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 44pp. 84068:272-84068:315.

M. Antitrust correspondence

9505040003 Order.* Grants motion for withdrawal w/prejudice of 940401, "Petition for Leave to Intervene,Request for Finding Significant Change for Antitrust Hearing..." W/ Certificate of Svc.Served on 950424.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16647. 95/04/21. Plains Electric Generation & Transmission Cooperative. 2pp. 83743:031-83743:032.

9505120066 Forwards Initial Decision by FERC ALJ presiding over hearings re proposed acquisition of El Paso Electric Co by Central & Southwest Svcs,Inc.
FLANAGAN,T.E. Affiliation Not Assigned. FLANAGAN,T.E. Jones, Day, Reavis & Pogue. 95/05/10. BORCHARDT,W. . 80pp. 83870:226-83870:304.

P. Operating license stage documents & correspondence

9505040049 Forwards rept that discusses SG tube plugging that occurred in Unit 3 during midcycle outage.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/25. Document Control Branch (Document Control Desk). 2pp. 83803:349-83803:350.

9505090121 Forwards WCAP-14208, "Analysis of Capsule 4 from Palo Verde Unit 3 Reactor Vessel Radiation Surveillance Program."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83896:159-83896:286.

--**9505090126** "Analysis of Capsule 4 From Palo Verde Unit 3 RV Radiation Surveillance Program."
RISHEL,R.D. Westinghouse Electric Corp. WCAP-14208. 95/01/31. 130pp. 83896:161-83896:286.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505100155 Requests review & approval of change to PVNGS large break LOCA dose consequences due to new assumption of release path through depressurized secondary sys.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. Document Control Branch (Document Control Desk). 28pp. 83919:329-83919:356.

9505110283 Application for amends to licenses NPF-41,NPF-51 & NPF-74, revising TS 3.1.2.6,Figure 3.1-1, "Min Borated Water Vols" by relocating plant elevations that correspond to min required water vols for spent fuel pool to site procedures.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. Document Control Branch (Document Control Desk). 8pp. 83930:299-83930:311.

--**9505110286** Proposed TS 3.1.2.6,Figure 3.1-1, "Min Borated Water Vols," relocating elevations that correspond to min required water vols for spent fuel pool into site procedures.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/02. 5pp. 83930:307-83930:311.

9505180028 Discusses proposed changes to plant QA program description. Requested change would allow selected review of work authorizing documents by Nuclear Assurance Organization, to ensure that independent insp points properly identified.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83952:033-83952:036.

9505220293 Provides support to industry position w/respect to proposed rev 10CFR50 App J, "Containment Leakage Testing" as put forth by Nuclear Energy Inst.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/09. RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84035:359-84035:360.

9505250001 Submits comments on 950425 public meeting w/util in Arlington,TX re status of site re-engineering,improvements in corrective actions program & status of maint program.List of attendees & presentation slides encl.
BEACH,A.B. Region 4 (Post 820201). 95/05/10. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 64pp. 84043:001-84043:064.

9505180460 Notification of 950523 meeting w/util in Phoenix,AZ to discuss graded quality assurance,including licensee experience w/risk-based process & graded procurement.
HOLIAN,B.E. . 95/05/15. BATEMAN,W.H. . 4pp. 83985:358-83985:361.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505250063 Forwards "PVNGS Unit 3 SG Evaluation" to justify continued operation of Unit 3 until next refueling outage scheduled to begin 951014.Evaluation supports up to 11 months of operation following Midcycle Outage 5.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/19. Document Control Branch (Document Control Desk). 2pp. 84073:208-84073:355.

--9505250065 "PVNGS SG Evaluation."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/31. 146pp. 84073:210-84073:355.

Q. Inspection reports, IE Bulletins & correspondence

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020012 Forwards insp repts 50-528/95-08,50-529/95-08 & 50-530/95-08 on 950306-10.Violations noted.Licensee failed to take adequate corrective actions in three separate occassions to identify that startup strainers had been installed in plant.
BEACH,A.B. Region 4 (Post 820201). 95/04/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83689:045-83689:068.

--9505020015 Insp repts 50-528/95-08,50-529/95-08 & 50-530/95-08 on 950306-10.Violations noted.Major areas inspected: circumstances re identification of startup strainers in Unit 2 containment spray suction piping.
WONG,H. Region 4 (Post 820201). 95/04/25. 18pp. 83689:051-83689:068.

9505030051 Forwards insp repts 50-285/94-04 & 50-285/94-24 which document results of NRC review of self-assessment performed by util at station & insp procedure 40501,for info.
GWYNN,T.P. Region 4 (Post 820201). 95/04/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83720:235-83720:278.

9505020298 Forwards response to NRC 950410 ltr re violations noted in insp repts 50-528/95-07-01,50-529/95-07-01 & 50-530/95-07-01 on 950306-10.Corrective actions:surveyed area & posted as high contamination area.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/27. Document Control Branch (Document Control Desk). 10pp. 83764:013-83764:022.

9505030104 Forwards insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Weaknesses identified re failure to make timely notification of general emergency & problems w/protective action recommendations.
COLLINS,S.J. Region 4 (Post 820201). 95/04/27. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83721:230-83721:248.

--9505030110 Insp repts 50-528/95-04,50-529/95-04 & 50-530/95-04 on 950411-14.No violations noted.Major areas inspected:licensee performance & capabilities during full play exercise of emergency plan & implementing procedures.
MURRAY,B. Region 4 (Post 820201). 95/04/26. 14pp. 83721:235-83721:248.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9505050078 Forwards insp repts 50-528/95-09,50-529/95-09 & 50-530/95-09 on 950410-14.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/05/01. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83758:259-83758:272.

9505180011 Ack receipt of 950407 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/94-21, 50-529/94-21 & 50-530/94-21 on 941205 & 950302.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 83952:001-83952:012.

--9505180024 Responds to NRC 941205 & 950302 ltrs re violations noted in insp repts 50-528/94-21,50-529/94-21 & 50-530/94-21 on 941205.Corrective actions:dispatched area operator to locally open reactor trip switchgear breakers.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/07. GWYNN,T.P. Region 4 (Post 820201). 8pp. 83952:005-83952:012.

9505180028 Discusses proposed changes to plant QA program description. Requested change would allow selected review of work authorizing documents by Nuclear Assurance Organization, to ensure that independent insp points properly identified.
GWYNN,T.P. Region 4 (Post 820201). 95/05/08. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83952:033-83952:036.

9505180403 Ack receipt of 950427 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-07, 50-259/95-07 & 50-530/95-07.
COLLINS,S.J. Region 4 (Post 820201). 95/05/10. STEWART,N.C. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 83955:086-83955:098.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505190095 Forwards insp repts 50-528/95-06,50-529/95-06 & 50-530/95-06 on 950226-0408 & notice of deviation.Deviation of concern because of poor procedural compliance & poor command & control associated w/operation of equipment.
BEACH,A.B. Region 4 (Post 820201). 95/05/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 83974:031-83974:057.

--9505190109 Insp repts 50-528/95-06,50-529/95-06 & 50-530/95-06 on 950226-0408.Deviation noted.Major areas inspected:onsite response to plant events,operational safety,maint & surveillance,onsite engineering,design changes & mods.
WONG,H. Region 4 (Post 820201). 95/05/10. 21pp. 83974:037-83974:057.

R. Periodic operating reports & related correspondence

9505090087 "Palo Verde Nuclear Generating Station Annual Radiological Environ Operating Rept 1994." W/950426 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 68pp. 83842:118-83842:185.

9505090222 "Annual Radioactive Effluent Release Rept for 1994." W/ 950426 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 182pp. 83865:051-83865:232.

9505020221 Forwards 10CFR50.59 annual rept for CY94.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/26. Document Control Branch (Document Control Desk). 100pp. 84005:125-84005:225.

9505090082 Forwards "Annual Environ Operating Rept for 1994."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/26. Document Control Branch (Document Control Desk). 1p. 83896:293-83896:298.

--9505090086 "AZPS PVNGS Annual Environ Operating Rept for 1994."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 94/12/31. 5pp. 83896:294-83896:298.

9505180256 Monthly operating repts for Apr 1995 for PVNGS Units 1-3. W/950509 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/04/30. 17pp. 84013:217-84013:233.

S. Reportable occurrences, LERs & related correspondence

9505220007 LER 95-001-00:on 950412,leak identified through cracked weld in piping near charging pump suction drain valve.Caused by defective weld.Pump weld repaired & returned to svc.W/950505 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/05. 6pp. 84078:018-84078:023.

9505310238 Special rept:on 950416,loose-part detection sys channel 1 declared inoperable.Caused by malfunction of coaxial cable connector to transducer.Channel will be reworked & returned to svc during first available outage of sufficient duration.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/05/25. Document Control Branch (Document Control Desk). 3pp. 84143:358-84143:360.

V. Operator Examinations

9505050094 Forwards master copy & answer key to Generic Fundamentals Exam Section of written operator licensing exam,administered on 950405,for info.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/05/02. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 83758:309-83758:310.

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

A. Application/construction stage documents & correspondence

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

Q. Inspection reports, IE Bulletins & correspondence

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

DOCKET 50-602 UNIV. OF TEXAS RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9505050031 Forwards insp rept 50-602/95-01 on 950327-31 & notice of violation.Licensee should respond to violation & document specific actions taken & any addl actions planned to prevent recurrence.
COLLINS,S.J. Region 4 (Post 820201). 95/04/28. WEHRING,B.W. Texas, Univ. of, Austin, TX. 5pp. 83758:091-83758:123.

--9505050042 Notice of violation from insp on 950327-31.Violation noted: failure to perform annual audits of actions to correct reactor facility deficiencies & failure to perform biennial audits of retraining & requalification program for RO.
* Region 4 (Post 820201). 95/04/28. 2pp. 83758:096-83758:097.

--9505050056 Insp rept 50-602/95-01 on 950327-31.Violations noted.Major areas inspected:organizations & mgt controls,qualifications & training,physical security,radiation protection,emergency preparedness & radiological effluents & environ monitoring.
MURRAY,B. Region 4 (Post 820201). 95/04/27. 26pp. 83758:098-83758:123.

Q. Inspection reports, IE Bulletins & correspondence

9505050031 Forwards insp rept 50-602/95-01 on 950327-31 & notice of violation.Licensee should respond to violation & document specific actions taken & any addl actions planned to prevent recurrence.
COLLINS,S.J. Region 4 (Post 820201). 95/04/28. WEHRING,B.W. Texas, Univ. of, Austin, TX. 5pp. 83758:091-83758:123.

--9505050042 Notice of violation from insp on 950327-31.Violation noted: failure to perform annual audits of actions to correct reactor facility deficiencies & failure to perform biennial audits of retraining & requalification program for RO.
* Region 4 (Post 820201). 95/04/28. 2pp. 83758:096-83758:097.

--9505050056 Insp rept 50-602/95-01 on 950327-31.Violations noted.Major areas inspected:organizations & mgt controls,qualifications & training,physical security,radiation protection,emergency preparedness & radiological effluents & environ monitoring.
MURRAY,B. Region 4 (Post 820201). 95/04/27. 26pp. 83758:098-83758:123.

9505310065 Forwards response to NRC ltr re violations noted in insp rept 50-602/95-01.Corrective actions:review of reactor committee minutes was done by facility director for period 1/92 to 4/95.
WEHRING,B.W. Texas, Univ. of, Austin, TX. 95/05/24. Document Control Branch (Document Control Desk). 6pp. 84141:350-84141:355.

V. Operator Examinations

9505050031 Forwards insp rept 50-602/95-01 on 950327-31 & notice of violation.Licensee should respond to violation & document specific actions taken & any addl actions planned to prevent recurrence.
COLLINS,S.J. Region 4 (Post 820201). 95/04/28. WEHRING,B.W. Texas, Univ. of, Austin, TX. 5pp. 83758:091-83758:123.

--9505050042 Notice of violation from insp on 950327-31.Violation noted: failure to perform annual audits of actions to correct reactor facility deficiencies & failure to perform biennial audits of retraining & requalification program for RO.
* Region 4 (Post 820201). 95/04/28. 2pp. 83758:096-83758:097.

DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,

9505150124 Notification of 950525 meeting w/ABB/CE in Rockville,MD to discuss status of TRs review to support WNP-2 reload.
WU,S. . 95/05/09. JONES,R.C. . 2p. 83971:323-83971:323.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9503220425 Forwards nonproprietary & proprietary versions of advance copy of Rev 3 to "Simplified Passive ALWR Plant Program AP600 PRA."
LIPARULO,N.J. Westinghouse Electric Corp. 95/03/15. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 2pp. 84230:001-84236:268.

--9505310009 "AP600 PRA Fault Trees," Rev 1,Vols 1-3.
HAAG,C.L. Westinghouse Electric Corp. WCAP-13275 V1-3 R01. 95/03/14. 2,448pp. 84230:005-84236:268.

9505080098 *Revised notification of 950503,04 & 05 meetings w/ Westinghouse in* Rockville,MD to discuss TS pertaining to instrumentation & controls for AP600 design.Meeting location changed to Westinghouse in Rockville,MD.
SHEMBARGER,K.M. Standardization Project Directorate (PDST) (Post 941001). 95/04/03. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 4pp. 83827:356-83827:359.

9505100095 Forwards proprietary W topical rept WCAP-14324, "AP600 Design Certification,ADS Phase B1 Tests,Final Data Rept," RCS-T2R-100 & non-proprietary W topical rept WCAP-14325, "AP600 Design Certification,ADS Phase B1 Tests,Final...."
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/13. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 83906:120-83906:247.

--9505100099 Requests that W topical repts WCAP-14324 be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/13. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 83906:124-83906:130.

--9505100104 Non-proprietary W topical rept,WCAP-14325, "Final Data Rept for ADS Phase B1 Tests."
* Westinghouse Electric Corp. WCAP-14325. 95/04/30. 117pp. 83906:131-83906:247.

9505020374 Requests final proposal from DOE Idaho Natl Engineering Lab for performance of NRC project entitled, "Analysis of Data from Scaled AP600 Tests at Oregon State Univ."
HODGES,M.W. Office of Nuclear Regulatory Research (Post 941217). FIN L-2515-5. 95/04/18. WILCYNSKI,J.M. Energy, Dept. of. 2pp. 83717:286-83717:287.

9505020430 Forwards nonproprietary & proprietary versions of presentation matls from 950410 & 11 meetings on AP600 hydrogen topics & 950410 meeting on AP600 PCS test & analysis program.Proprietary presentation matls withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/18. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 83790:250-83791:006.

--9505020435 Requests that proprietary presentation matls from 950410 & 11 meetings on AP600 hydrogen topics & 950410 meeting on AP600 PCS test & analysis program be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/18. QUAY,T.R. Document Control Branch (Document Control Desk). 113pp. 83790:254-83791:006.

9505110235 Forwards preliminary draft Rev 3 of App 2B of AP600 SSAR, including parametric studies re design soil profiles.App documents matl presented in 940228-0302 meeting in San Francisco,CA.App will be included in future rev of SSAR.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/18. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 83933:001-83933:116.

--9505110240 Preliminary draft Rev 3 to App 2B, "Parametric Studies Related to AP600 Design Soil Profiles" of AP600 SSAR.
* Westinghouse Electric Corp. 95/05/31. 115pp. 83933:002-83933:116.

9505090048 Provides info in response to request that licensee decouple surge line & mainsteam line from RCL in piping analysis models & provide deadweight & seismic analyses for surge line.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/21. QUAY,T.R. Document Control Branch (Document Control Desk). 385pp. 83841:001-83842:021.

9505040055 Provides Westinghouse AP600 long term cooling test facility scaling rept.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/24. Document Control Branch (Document Control Desk). 5pp. 83803:344-83803:348.

9505080257 Summary of 950404 meeting w/Westinghouse & listed participants in Rockville,MD re status of staff review of AP600 application & several key issues to be resolved before final design.List of attendees & Westinghouse handouts encl.
KENYON,T.J. Standardization Project Directorate (PDST) (Post 941001). 95/04/28. NRC - No Detailed Affiliation Given. 100pp. 83827:225-83827:328.

9505110217 Provides response based on NRC 950321 ltr & RAIs on WCOBRA/ TRAC code & best-estimate LOCA analysis methodology & code applicability document for AP600.
LIPARULO,N.J. Westinghouse Electric Corp. 95/04/28. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 5pp. 83936:173-83936:180.

9505110257 Notification of 950612 & 13-16 meeting w/Westinghouse in San Francisco,CA to discuss seismic analysis & structural design of AP600 nuclear island structures.Meeting agenda encl.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/04/28. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 4pp. 83936:353-83936:356.

9505050303 *Forwards data tape containing test data submitted in W 950331 ltr* NTD-NRC-95-4423,that provides final SPES-2 test data.W/o encl.
KENYON,T.J. Standardization Project Directorate (PDST) (Post 941001). 95/05/01. BURTT,J. Idaho National Engineering Laboratory. 2pp. 83813:358-83813:359.

9505120260 Forwards advance copy of Rev 3 chapters for AP600 probabilistic risk assessment.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/01. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 83934:001-83935:291.

--9505120262 Rev 3 to "Simplified Passive Advanced Light Water Reactor Plant Program AP600 Probabilistic Risk Assessment."
* Westinghouse Electric Corp. 95/02/28. 653pp. 83934:003-83935:291.

9505150035 Requests that NRC meetings discuss advanced PWR fire protection & electrical design regulator issues.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/01. QUAY,T.R. Document Control Branch (Document Control Desk). 15pp. 83943:310-83943:324.

9505240225 Forwards nonproprietary & proprietary presentation matls used during 950427 meeting w/NRC in Rockville,MD re AP600 in-vessel retention severe accident topics.Proprietary presentation matls withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/01. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84083:258-84083:317.

--9505240232 Requests that proprietary presentation matls from 950427 meeting on AP600 in-vessel retention severe accident topics be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/01. QUAY,T.R. Document Control Branch (Document Control Desk). 56pp. 84083:262-84083:317.

9505090190 Forwards draft changes to Standard Safety Analysis Rept by D Lingren to facilitate discussion of open issues on AP600.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/05/03. Standardization Project Directorate (PDST) (Post 941001). 10pp. 83856:110-83856:119.

9505100078 Ack receipt of Nuclear Energy Inst 950411 ltr re revs to ASME Boiler & *Pressure Vessel Code,Section III rules & 1994 addenda for design of Class 1-3 piping* sys.Completion of research program & NRC position expected end of CY95.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/04. RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 83873:041-83873:042.

9505150011 Forwards for info,notes taken by W during 950505 NRC senior mgt meeting.
MCLNTYRE,B.A. Westinghouse Electric Corp. 95/05/05. Document Control Branch (Document Control Desk). 7pp. 83899:047-83899:053.

9505110275 Notification of 950510 meeting w/Westinghouse in Rockville,MD to discuss proposed recommendations licensee will be providing utils concerning remedial actions for Westinghouse Alloy 600 SG tube plugs.
* . 95/05/08. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 2pp. 83938:151-83938:152.

9505150126 Forwards "Effects of Internal Containment Stratification & Mixing on AP600 Passive Containment Cooling Sys Design Basis Analysis Evaluation Models."
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/08. Document Control Branch (Document Control Desk). 2pp. 83945:304-83945:337.

--9505150130 "Effects of Internal Containment Stratification & Mixing on AP600 Passive Containment Cooling Sys Design Basis Analysis Evaluation Models."
* Westinghouse Electric Corp. 95/05/08. 32pp. 83945:306-83945:337.

9505150263 Forwards proprietary & nonproprietary versions of rept, "AP600 FHFP Integral Sys Test Spec," reflecting revs to test matrix for AP600 testing at SPES-2 facility in Casaccia, Italy.Proprietary version of rept withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/08. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 83978:222-83978:309.

--9505150266 Requests that proprietary rept WCAP-14053,Rev 2, "AP600 FHFP Integral Sys Test Spec" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/08. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 83978:226-83978:232.

--9505150268 Nonproprietary version of Rev 2 to "AP600 FHFP Integral Sys Test Spec."
CONWAY,L.E. Westinghouse Electric Corp. WCAP-14056 R02. 95/04/30. 77pp. 83978:233-83978:309.

9505180538 Forwards nonproprietary & proprietary versions of revised mass & energy info for AP600 LST Test 220.1 performed at AP600 PCS large scale test facility.Proprietary version of revised mass & energy info withheld per 10CFR2.790.
LIPARULA,N.J. Westinghouse Electric Corp. 95/05/08. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84015:327-84015:341.

--9505180541 Requests that proprietary revised mass & energy tables for AP600 large scale containment test 220.1 be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/08. QUAY,T.R. Document Control Branch (Document Control Desk). 11pp. 84015:331-84015:341.

9505220087 Provides W updated description of milestones that represent resolution path for AP600 passive sys reliability.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/08. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84038:299-84038:305.

9505240294 Forwards nonproprietary & proprietary versions of info in support of NRC RAI 440.251 on AP600 design.Proprietary version of info withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/08. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84071:331-84071:346.

--9505240299 Requests that proprietary addl info in support of Westinghouse response to RAI 440.251 on AP600 design be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/08. QUAY,T.R. Document Control Branch (Document Control Desk). 12pp. 84071:335-84071:346.

9505150120 Summary of 950330 meeting w/Westinghouse in Rockville,MD re passive SR sys for AP600 design.List of attendees & handouts from Westinghouse & NRC encl.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/09. Standardization Project Directorate (PDST) (Post 941001). 58pp. 83948:213-83948:270.

9505150131 Notification of 950516 & 17 meetings w/Westinghouse in Monroeville,PA to discuss use & applicability of NOTRUMP & LOFTRAN for AP600 design & to discuss SG tube rupture calculations.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/05/09. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 4pp. 83948:271-83948:274.

9505190005 Summary of 950425-27 meeting w/listed attendees to discuss modular const for AP600 design.List of attendees,AP600 open item list,list status changes,meeting agenda,modular const info & info presented on containment air baffle encl.
COYNE,K. Standardization Project Directorate (PDST) (Post 941001). 95/05/10. Standardization Project Directorate (PDST) (Post 941001). 149pp. 83984:032-83984:180.

9505190130 Forwards status of NRC review of eight code cases plus two addl code cases included in Table 5.2-3 to SSAR,in response to 940629 ltr,requesting approval for use of ASME code cases on AP600 design.
SHEMBARGER,K.M. Standardization Project Directorate (PDST) (Post 941001). 95/05/10. LIPARULO,N.J. Westinghouse Electric Corp. 6pp. 83984:184-83984:189.

9505190160 Notification of 950515 & 16 meeting w/Westinghouse in Monroeville,PA to discuss instrumentation & control issues on AP600 design.
HUFFMAN,W.C. Standardization Project Directorate (PDST) (Post 941001). 95/05/12. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 3pp. 83988:277-83988:279.

9505190396 Responds to AP600 key licensing issue,item 39 re change in role of operator in passive plant design.Staff believes issue will be resolved through util commitments that include man-in-loop testing & use of full scope simulator.
KENYON,T.J. Standardization Project Directorate (PDST) (Post 941001). 95/05/12. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 83991:336-83991:338.

9505240237 Summary of 950515 meeting w/Westinghouse in Monroeville,PA re Adverse Sys Interactions for AP600 design.List of attendees & Westinghouse handout on Adverse Sys Interactions encl.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/15. Standardization Project Directorate (PDST) (Post 941001). 34pp. 84059:302-84059:335.

9505240426 Summary of 950503 meeting w/Westinghouse in Rockville,MD re status of NRC review of AP600 application & issues contained in draft Commission paper.Attendance list,meeting agenda, NRC presentation matl & Westinghouse presentation matl encl.
SHEMBARGER,K.M. Standardization Project Directorate (PDST) (Post 941001). 95/05/15. Standardization Project Directorate (PDST) (Post 941001). 67pp. 84050:280-84051:006.

9505250167 Forwards proprietary EPRI Rept RA-93-10, "GOTHIC Design Review,Final Rept."
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/15. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 84085:356-84085:361.

--9505250177 Requests that proprietary EPRI Rept RA-93-10, "GOTHIC Design Review,Final Rept," be withheld.
KENNY,A. Electric Power Research Institute. 95/05/12. RUSSELL,W. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 84085:358-84085:361.

9505260459 Forwards proprietary & nonproprietary versions of AP600 testing program rept PCS-T2R-050, "Large-Scale Test Data Evaluation." Proprietary version of rept withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/15. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 84133:285-84133:326.

--9505260462 Requests that proprietary AP600 testing program rept PCS-T2R-050, "Large-Scale Test Data Evaluation" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/15. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 84133:289-84133:295.

--9505260464 Nonproprietary "Large-Scale Test Data Evaluation."
OFSTUN,R.P., SPENCER,D. Westinghouse Electric Corp. PCS-T2R-050. 95/05/31. 31pp. 84133:296-84133:326.

9505240416 Summary of 950228-0302 meeting w/Westinghouse AP600 in San Francisco,CA to discuss SSI & seismic analyses for AP600. Detailed description of issues addressed & info presented during meeting encl.
ARCHITZEL,R.E. Standardization Project Directorate (PDST) (Post 941001). 95/05/17. Standardization Project Directorate (PDST) (Post 941001). 150pp. 84059:001-84059:190.

9505250216 Summary of 950420 meeting w/Westinghouse in Monroe,PA re passive sys reliability for AP600 design.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/17. Standardization Project Directorate (PDST) (Post 941001). 36pp. 84075:227-84075:262.

9505220082 Forwards draft Commission paper on NRC position on technical issues re Westinghouse AP600 standardized passive reactor design,for review & comment.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/18. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84033:290-84033:310.

--9505220088 Forwards advance info copy of forthcoming Commision paper on NRC positions on technical issues re Westinghouse AP600 standardized passive reactor design.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/15. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 18pp. 84033:293-84033:310.

9505240293 Forwards Westinghouse 950403 submittal, "Requested AP600 PRA Info on Description of DVI Line Break Cases," & Westinghouse 950426 presentation, "AP600 Changes." W/o encl.
MONNINGER,J.D. . FIN L-1632. 95/05/18. GRIFFITH,R. Sandia National Laboratories. 1p. 84039:320-84039:320.

9505240373 Transmits statement of work for Task Order 4-5, "Westinghouse AP600 External Reactor Vessel Cooling Assessment" & mod to Task Order 4-3, "Westinghouse AP600 MELCOR Analyses."
HOLAHAN,G.M. . FIN L-1632-5. 95/05/19. KELLY,J.E. Sandia National Laboratories. 10pp. 84049:330-84049:339.

9505260407 Forwards proprietary Rev 1 to "AP600 MELCOR Input Data Validation Notebook," which compares MELCOR input parameters to values used by Westinghouse in MAAP code & values within Westinghouse AP600 SSAR.Notebook withheld.
SHEMBARGER,K.M. Standardization Project Directorate (PDST) (Post 941001). 95/05/19. LIPARULO,N.J. Westinghouse Electric Corp. 2pp. 84106:337-84106:339.

9505240415 Notification of 950523 meeting w/Westinghouse to discuss methodology,assumptions & parameters of accident dose calculations by Westinghouse for AP600 design.
DONOHEW,J.N. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/22. QUAY,T.R. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 4pp. 84048:349-84048:352.

9505260072 Forwards Westinghouse submittals, "Rept on Stratification & Mixing Effects on AP600 Passive CCS DBA," dtd 950508 & WCAP-14326/7, "Experimental Basis for AP600 Containment Vessel Heat & Mass Transfer Correlations," dtd 950413.
MONNINGER,J.D. . FIN L-1632. 95/05/22. GRIFFITH,R. Sandia National Laboratories. 1p. 84082:359-84082:359.

9505150035 Requests that NRC meetings discuss advanced PWR fire protection & electrical design regulator issues.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/01. QUAY,T.R. Document Control Branch (Document Control Desk). 15pp. 83943:310-83943:324.

9505020173 Summary of 420th meeting of ACRS on 950406-07 re NRC test & analysis program in support of AP600 Advanced Light Water Passive Plant design review.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/04/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 83783:339-83783:341.

9505050213 Forwards draft Commission paper on policy & technical issues associated w/Regulatory Treatment of Non-Safety Sys in passive plant design.
CRUTCHFIELD,D.M Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/02. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 34pp. 83813:308-83813:341.

9505230108 Forwards copy of transcript from 950329-30,Advisory Committee on Reactor Safeguards Thermal Hydraulic Phenomena Subcommittee meeting addressing Westinghouse AP600 Primary CCS test & analysis program.W/o encl.
MONNINGER,J.D. . 95/05/15. GRIFFITH,R. Sandia National Laboratories. 1p. 84015:232-84015:232.

DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

9505020476 Forwards nonproprietary version of GE Audit Rept ARP 95-3, "QA Audit of SBWR PANTHERS Test Program by Svcs & Projects Quality 950206-08," as requested by NRC.
QUINN,J.E. General Electric Co. 95/04/21. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 4pp. 83760:011-83760:014.

9505040357 Forwards proprietary version of Audit Rept ARP 95-3, "QA Audit of SBWR PANTHERS Test Program by Svcs & Projects Quality 950206-08." Audit Rept ARP 95-3 withheld from public disclosure per 10CFR2.790.
QUINN,J.E. General Electric Co. 95/04/21. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 5pp. 83814:089-83814:093.

9505040371 Forwards proprietary rept, "PANTHERS-PCC Apparent Test Results." Rept withheld from public disclosure per 10CFR2.790.
QUINN,J.E. General Electric Co. 95/04/25. BORCHARDT,R.W. Standardization Project Directorate (PDST) (Post 941001). 5pp. 83806:345-83806:349.

9505040174 Forwards "GIRAFFE QA Plan (TOGE-110 Test Programs)." Encl describes TOSHIBA QA plans specified for passive containment cooling sys heat removal test program using Toshiba GIRAFFE facility.
QUINN,J.E. General Electric Co. 95/04/27. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 2pp. 83803:329-83803:340.

--9505040181 Rev 1 to "GIRAFFE QA Plan (TOGE-110 Test Programs)."
WATANABE,K., YOKOBORI,S. Toshiba Corp. 94/12/31. 10pp. 83803:331-83803:340.

9505100091 Transmits PANTHERS test spec 23A6999 rev 4.Specification was revised to conform w/changes to IC test matrix.
QUINN,J.E. General Electric Co. 95/04/28. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 56 pp. 83873:283-83873:338.

9505100230 Forwards SBWR minutes of telcon w/NRC on 950406.
QUINN,J.E. General Electric Co. 95/04/28. QUAY,T.E. Document Control Branch (Document Control Desk). 3pp. 83889:167-83889:169.

9505180462 Provides update to table of SBWR test documentation submittals & table A.2-2 of attachment to 950413 ltr.
QUINN,J.E. General Electric Co. 95/05/10. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 6pp. 84013:346-84013:351.

9505180446 Forwards table of contents to application of TRACG Model to SBWR licensing safety analysis.
QUINN,J.E. General Electric Co. 95/05/11. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 6pp. 84013:325-84013:330.

9505180467 Forwards revised schedule for review of SBWR technology program.
QUINN,J.E. General Electric Co. 95/05/11. CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 4pp. 83992:334-83992:337.

9505180551 Forwards Apps A-E to "Thermal Hydraulic Data Rept of PANTHERS-PCC Tests."
QUINN,J.E. General Electric Co. 95/05/11. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 2pp. 84013:061-84013:106.

--9505180553 Apps A-E to "Thermal Hydraulic Data Rept of PANTHERS-PCC Tests."
* General Electric Co. 95/05/11. 44pp. 84013:063-84013:106.

9505230101 Forwards document entitled "PANTHERS-IC Test Procedures," in response to RAI re SBWR PANTHERS test facility.
QUINN,J.E. General Electric Co. 95/05/15. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 4pp. 84046:250-84046:359.

--9505230110 Rev 0 to document 00395PP95, "PANTHERS-IC Test Procedures."
ACHILLI,A., CATTADORI,G. Italy, Govt. of. 95/05/12. 106pp. 84046:254-84046:359.

9505300008 Forwards markup pages of subsection A.3.1.7, GIRAFFE/SIT (Systems Interaction Test) & Tables A.3-21 & A.3-23 of SBWR Test & Analysis Program Description,NED-32391,Rev B.
QUINN,J.E. General Electric Co. 95/05/24. QUAY,T.E. Standardization Project Directorate (PDST) (Post 941001). 7pp. 84133:341-84133:347.

9505190368 Forwards documentation on RAI for GE Licensing topical repts listed re TRACG computer code review.
RAZZAQUE,M.M. . 95/05/09. WILSON,J. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 18pp. 83988:192-83988:209.

9505050213 Forwards draft Commission paper on policy & technical issues associated w/Regulatory Treatment of Non-Safety Sys in passive plant design.
CRUTCHFIELD,D.M Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/02. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 34pp. 83813:308-83813:341.

DOCKET 52-005 CANDU 3U AECL TECHNOLOGIES, INC.

9505020277 Requests that NRC retract statements in ref document that application for CANDU 3U had not been accepted & docketed.
CAMPBELL,P. AECL Technologies. 95/04/27. CRUTCHFIELD,D. NRC - No Detailed Affiliation Given. 3pp. 83757:339-83757:341.

9505180578 CANDU REACTORS, THEIR REGULATION IN CANADA, AND THE IDENTIFICATION OF RELEVANT NRC SAFETY ISSUES.
CHARAK,I., KIER,P.H. Argonne National Laboratory. FIN L-2046. NUREG/CR-6315. 95/04/30. Division of Systems Technology (Post 941217). 48pp. 83980:034-83980:081.

9505220033 Responds to 950427 ltr,expressing concerns re CANDU 3U application for design certification,acceptance as complete application,issuance of docket number & related licensing fee.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/12. CAMPBELL,P. AECL Technologies. 3pp. 84002:341-84002:343.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0008 BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),

9505100016 Refers to transfer of matl licensing & insp responsibilities for Battelle Memorial Institute.Decided that Battelle license should be transferred from NRC headquarters to Region III office on 950318.
MCCORMICK,J.W. Region 3 (Post 820201). 95/04/28. HOLT,B.J., MADERA,J.R. Region 3 (Post 820201). 1p. 83828:010-83828:010.

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9505040089 Forwards submission from B&W,consisting of background for B&W pending renewal application.
FLACK,E. Licensing Branch. 95/04/26. HOADLEY,D.A. Licensing Branch. 6pp. 83786:115-83786:274.

--9505040098 Forwards semiannual effluent monitoring rept for period of Jul-Dec 1989.
OLSEN,A.F. Babcock & Wilcox Co. 90/02/28. Region 2 (Post 820201). 2pp. 83786:121-83786:122.

--9505040106 Semiannual effluent monitoring rept for Jul-Dec 1989.
* Babcock & Wilcox Co. 89/12/31. 7pp. 83786:123-83786:129.

--9505040111 Forwards semiannual effluent monitoring rept for period of Jul-Dec 1990.
OLSEN,A.F. Babcock & Wilcox Co. 91/02/26. Region 2 (Post 820201). 1p. 83786:130-83786:130.

--9505040116 Semiannual effluent monitoring rept for Jul-Dec 1990.
* Babcock & Wilcox Co. 90/12/31. 9pp. 83786:131-83786:139.

--9505040120 Forwards semiannual effluent monitoring rept for period of Jan-June 1991.
CARSON,R.W. Babcock & Wilcox Co. 91/08/29. Region 2 (Post 820201). 1p. 83786:140-83786:140.

--9505040125 Semiannual effluent monitoring rept for Jan-June 1991.
* Babcock & Wilcox Co. 91/06/30. 8pp. 83786:141-83786:148.

--9505040127 Forwards semiannual effluent monitoring rept for period of Jan-June 1992.
OLSEN,A.F. Babcock & Wilcox Co. 92/08/31. Region 2 (Post 820201). 1p. 83786:149-83786:149.

--9505040130 Semiannual effluent monitoring rept for Jan-June 1992.
* Babcock & Wilcox Co. 92/06/30. 8pp. 83786:150-83786:166.

--9505040137 Forwards semiannual effluent monitoring rept for period of Jan-June 1993.
OLSEN,A.F. Babcock & Wilcox Co. 93/08/31. Region 2 (Post 820201). 1p. 83786:167-83786:167.

--9505040143 Semiannual effluent monitoring rept for Jan-June 1993.
* Babcock & Wilcox Co. 93/06/30. 108pp. 83786:168-83786:274.

9505040246 Forwards replacement page II-21 to 950320 license renewal request,providing ref to Section 5.2 of license to clarify that evaluators of changes described in Section 5.2.
OLSEN,A.F. Babcock & Wilcox Co. 95/04/25. PIERSON,R.C. Licensing Branch. 2pp. 83814:335-83814:336.

9505030457 Forwards response to NRC ltr re violations noted in insp rept 70-0027/95-05.Corrective actions:developed list of info contained in files per safe & effective decommissioning of facility prior to insp.
CONNER,J.A. Babcock & Wilcox Co. 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83832:293-83832:294.

9505050001 Forwards insp rept 70-0027/95-06 on 950303-31 & notice of violation.Violations of NRC concern because of failure to establish adequate nuclear criticality controls.
COLLINS,D.M. Region 2 (Post 820201). 95/04/28. CONNER,J.A. Babcock & Wilcox Co. 2pp. 83758:001-83758:016.

--9505050003 Notice of violation from insp on 950303-31.Violation noted:licensee failed to provide NCS established limits on nuclear criticality safety postings to operating areas & failed to establish adequate controls.
* Region 2 (Post 820201). 95/04/28. 2pp. 83758:003-83758:004.

--9505050004 Insp rept 70-0027/95-06 on 950303-31.Violations noted. Major areas inspected:selected records,interviews w/personnel,facility operations & maint,radiation protection,security & safeguards.
ELLIOTT,M.P., TROUP,G.P., MCALPINE,E.J. Region 2 (Post 820201). 95/04/28. 12pp. 83758:005-83758:016.

9505120133 Forwards amend to license SNM-42,authorizing administrative changes involving internal approval of changes.
PIERSON,R.C. Licensing Branch. 95/05/02. OLSEN,A.F. Babcock & Wilcox Co. 1p. 83945:338-83945:350.

--9505120137 Amend 66 to license SNM-42,authorizing administrative changes involving internal approval of changes.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/05/02. 11pp. 83945:339-83945:349.

–**9505120138** SER accepting proposed administrative changes involving internal approval of changes.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/02. 1p. 83945:350-83945:350.

9505120010 Confirms telcon between DC Ward & MP Elliott re 950515 meeting which was requested by NRC to discuss status of licensee safety programs & current operations.
MALLETT,B.S. Region 2 (Post 820201). 95/05/03. CONNER,J.A. Babcock & Wilcox Co. 3pp. 83884:288-83884:290.

9505120016 Forwards summary of meeting conducted on 950420 at facility re status of licensee corrective actions for past events which resulted in violations involving nuclear criticality safety & mgt control programs.List of attendees encl.
COLLINS,D.M. Region 2 (Post 820201). 95/05/03. CONNER,J.A. Babcock & Wilcox Co. 25pp. 83884:291-83884:315.

9505150308 Application for amend to License SNM-0042,in accordnace w/ encl changes to FNMCP & 10CFR70.34.Request for approval of FNMCP changes dtd 941028 withdrawn & addressed in subj rev. Encl FNMCP replacement pages withheld per 10CFR95.
SUWALA,M.C. Babcock & Wilcox Co. 95/05/05. PIERSON,R.C. Licensing Branch. 7pp. 83977:319-83977:323.

9505180094 Forwards licensee safeguards event log summary for 950101-0430.Encl withheld.
CLAYBROOK,L.C. Babcock & Wilcox Co. 95/05/05. Document Control Branch (Document Control Desk). 1p. 84015:342-84015:342.

9505220020 Ack receipt of 950426 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0027/95-05.
COLLINS,D.M. Region 2 (Post 820201). 95/05/10. CONNER,J.A. Babcock & Wilcox Co. 1p. 83985:075-83985:075.

9505180175 Forwards amend 67 to license SNM-42,revising safeguards condition SG-6.2 re guard training & qualification plan.
PIERSON,R.C. Licensing Branch. 95/05/12. OLSEN,A.F. Babcock & Wilcox Co. 2pp. 83988:346-83988:360.

–**9505180180** Amend 67 to SNM-42 for B&W Co,accepting proposed guard training & qualification plan changes.
PIERSON,R.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. 11pp. 83988:348-83988:358.

–**9505180186** Safeguards evaluation rept,recommending approval of amend 67 to license SNM-42.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. 2pp. 83988:359-83988:360.

9505250084 Forwards replacement for page 8A for amend to Rev 8 of licensee Security Training,Qualification & Equipment Plan, submitted to NRC on 950331.Encl withheld.
NOEL,J.L. Babcock & Wilcox Co. 95/05/16. PIERSON,R. Licensing Branch. 1p. 84059:355-84059:355.

9505260266 Requests NRC approval of proposed changes to Emergency Plan noted in encl replacement pages.
OLSEN,A.F. Babcock & Wilcox Co. 95/05/18. PIERSON,R.C. Licensing Branch. 2pp. 84104:091-84104:094.

–**9505260380** "App G Classification of Postulated Incidents," to emergency plan.
* Babcock & Wilcox Co. 95/05/18. 2pp. 84104:093-84104:094.

9505300018 Advises NRC that licensee planning to construct 580 square foot addition to Chop Shop (15A) as shown on encl drawing. Soil will be sampled prior to const.If contaminated soil discovered,survey results will be submitted to NRC.
OLSEN,A.F. Babcock & Wilcox Co. 95/05/18. PIERSON,R.C. Licensing Branch. 5pp. 84117:146-84117:151.

9505260350 Requests removal of license condition S-7.
OLSEN,A.F. Babcock & Wilcox Co. 95/05/19. PIERSON,R.C. Licensing Branch. 1p. 84106:332-84106:332.

9505310014 Forwards insp rept 70-0027/95-09 on 950501-05.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/23. CONNER,J.A. Babcock & Wilcox Co. 2pp. 84094:030-84094:039.

–**9505310018** Insp rept 70-0027/95-09 on 950501-05.No violations noted. Major areas inspected:organization & staffing,mgt controls, external exposure controls,internal exposure controls & operational & administrative controls.
PHARR,E.B., MCALPINE,E.J. Region 2 (Post 820201). 95/05/22. 8pp. 84094:032-84094:039.

9505310012 Summarizes 950515 mgt meeting w/B&W at licensee facility to discuss current operations & organization,nuclear criticality safety issues & corrective actions.List of attendees,meeting agenda & slides encl.
STOHR,J.P. Region 2 (Post 820201). 95/05/24. CONNER,J.A. Babcock & Wilcox Co. 19pp. 84094:011-84094:029.

9505300419 Responds to violations noted in insp rept 70-0027/95-06. Corrective actions:NCS posting placed on ductwork,license currently going through renewal process & weekly insps instituted for T-section & roof sections.
CONNER,J.A. Babcock & Wilcox Co. 95/05/26. Document Control Branch (Document Control Desk). 7pp. 84136:348-84136:354.

DOCKET 70-0033 TEXAS INSTRUMENTS, INC., ATTLEBORO, MA

9505030307 Requests that EPA identify & communicate to NRC unresolved concerns of EPA re radioactive contamination at Attleboro, MA site or termination of License SNM-23.Info encl serves to clarify NRC relation to sites.
KINNEMAN,J.D. Region 1 (Post 820201). 95/04/26. LEDERER,D. Environmental Protection Agency. 6pp. 83722:281-83722:318.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9505030222 Provides addl info re 950227 request for an increased possession limit for special nuclear matl.
MICHELSEN,M.A. ASEA Brown Boveri, Inc. MICHELSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/04/24. PIERSON,R.C. Licensing Branch. 2pp. 83832:274-83832:275.

9505110190 Forwards proprietary rev to "FNMCP." Revised plan submitted 941223 to meet commitment made in licensee MC&A Improvement Plan,submitted 941111 to revise FNMCP to reflect current MC&A organization & plant operations.Encl withheld.
ESKRIDGE,H.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). ESKRIDGE,H.E. ASEA Brown Boveri, Inc. 95/04/28. PIERSON,R. Licensing Branch. 1p. 83902:350-83902:350.

9505100205 Discusses info re 950127 ltr,which provided info re determination of source of contamination to Burial Site Well #4.
SOONG,S. Licensing Branch. 95/05/04. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 83889:162-83889:163.

9505110154 Forwards amend 4 to license SNM-0033.Amend revises safety condition S-1 to include dates of 941026 & 950310 & deletes safety condition S-3.
PIERSON,R.C. Licensing Branch. 95/05/04. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p.

–**9505110156** Amend 4 to license SNM-0033 for Combustion Engineering,Inc.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/05/04. 6pp.

9505220065 Requests delay in completion of 1995 biennial MC&A assessment from 950521 until 950721,for listed reasons.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 95/05/08. PIERSON,R. Licensing Branch. 1p. 84038:298-84038:298.

9505180254 Forwards amend 5 to license SNM-33,increasing possession limit for U enriched to maximum of 5.0 weight % in U-235 from 8,000 kgs to 12,000 kgs & SER.
PIERSON,R.C. Licensing Branch. 95/05/11. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 84013:210-84013:216.

–**9505180260** Amend 5 to license SNM-33 for C-E,Inc,increasing possession limit for U enriched to maximum of 5.0 weight % in U-235 from 8,000 kgs to 12,000 kgs.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/05/11. 4pp. 84013:211-84013:214.

–**9505180265** SER recommending that Amend 5 to License SNM-33 be approved.
* Office of Nuclear Material Safety & Safeguards. 95/05/11. 2pp. 84013:215-84013:216.

9505260351 Forwards Amend 6 to License SNM-33 & safeguards evaluation rept.Amend incorporates revised FNMCP.
PIERSON,R.C. Licensing Branch. 95/05/17. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 84099:316-84099:324.

–**9505260352** Amend 6 to License SNM-33 for C-E,incorporating revised FNMCP.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/05/17. 4pp. 84099:319-84099:322.

–**9505260355** Safeguards evaluation rept supporting amend 6 to license SNM-33.
* Office of Nuclear Material Safety & Safeguards. 95/05/17. 2pp. 84099:323-84099:324.

9505220193 Confirms receipt of second quarterly progress rept for facility comprehensive MC&A improvement program.
TING,P. Operations Branch. 95/05/18. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 84039:228-84039:228.

9505250347 Forwards amend 7 to license SNM-33 & safeguards evaluation rept.Amend grants exemption from requirements of 10CFR74.31(c)(8) re completion date of C-E next independent biennial assessment & review of C-E MC&A program.
TEN EYCK,E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/05/18. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 84099:165-84099:172.

–**9505250348** Amend 7 to license SNM-33 for C-E,granting exemption from requirements of 10CFR74.31(c)(8) re completion date for next independent biennial assessment & review of C-E MC&A program.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/05/18. 4pp. 84099:167-84099:170.

–**9505250349** Safeguards evaluation rept approving delay in completion of biennial MC&A assessment.
* Office of Nuclear Material Safety & Safeguards. 95/05/18. 2pp. 84099:171-84099:172.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9505110135 Advises that NRC insps of Envirocare facility identified no evidence that would suggest that mixed waste generated or disposed of by licensee.Therefore,NRC considers allegation closed.
HARDIN,K.J. Licensing Branch. 95/04/27. EWALD,P.M. Environmental Compliance Organization (ECO). 1p. 83936:181-83936:181.

9505260044 Forwards results of NRC TLD direct radiation monitoring for first quarter of 1995.
STRUCKMEYER,R. Region 1 (Post 820201). 95/05/16. CEPICKA,J.J. Babcock & Wilcox Co. 4pp. 84062:136-84062:139.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9505220179 Responds to violations noted in insp rept 70-0143/95-02. Corrective actions:urine sample collected from subject employee for month of Jan 1995.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/05/10. Document Control Branch (Document Control Desk). 6pp. 84039:205-84039:210.

9505230333 Provides NRC approval of remediation plan for Pond 4 area outside bldg 410.
PIERSON,R.C. Licensing Branch. 95/05/16. MAXIN,A.M. Nuclear Fuel Services, Inc. 1p. 84049:351-84049:351.

9505250280 Application for amend to license SNM-124,bringing radiation safety portions of license into conformance w/changes made to Title 10,Code of Federal regulations, part 20,which became effective 940101.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/05/18. PIERSON,R.C. Licensing Branch. 49pp. 84085:261-84085:310.

9505310033 Ack receipt 950510 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0143/95-02.
COLLINS,D.M. Region 2 (Post 820201). 95/05/24. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 84095:017-84095:018.

DOCKET 70-0267 NEW YORK, STATE UNIV. OF, BUFFALO, NY

9505100100 Safety insp on 950426 of license SNM-273.Insp findings: no violations noted.
DOLCE,K. Region 1 (Post 820201). * New York, State Univ. of, Buffalo, NY. 95/04/26. 1p. 83828:206-83828:206.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9505260292 Forwards "Parks Shallow Land Disposal Area Site Characterization Rept," rev 4.Rev incoporates changes to SCR resulting from NRC & PA comments.
ROSENTHAL,P.R. Babcock & Wilcox Co. 95/05/19. ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 84136:032-84136:252.

-9505260301 "Parks Shallow Land Disposal Area Site Characterization Rept," rev 4.
* Babcock & Wilcox Co. 95/05/19. 217pp. 84136:036-84136:252.

9505100125 Submits response re licensee shallow land disposal area in Parks Township in Armstrong County.
MATVIYA,J.J. Pennsylvania, Commonwealth of. 95/04/10. ROSENTHAL,P.R. Babcock & Wilcox Co. 7pp. 83875:092-83875:098.

9505090062 Forwards three copies of "Draft Description of Proposed Action & Alternatives for Decommissioning Parks Township Shallow Disposal Area."
ENSMINGER,J.T. Martin Marietta Energy Systems, Inc. 95/04/12. ASTWOOD,H. Office of Nuclear Material Safety & Safeguards. 1p. 83865:233-83865:271.

-9505090064 "Draft Description of Proposed Action & Alternatives Decommissioning of B&W Shallow Land Disposal Area in Parks Township,PA."
* Oak Ridge Associated Universities. 95/04/12. 37pp. 83865:235-83865:271.

9505050346 Requests listed addl info for Parks Township Shallow Land Disposal Area (SLDA),to support work on scoping summary & draft description of proposed action & alternatives for decommissioning Parks Township SLDA.
ENSMINGER,J.T. Oak Ridge National Laboratory. 95/04/13. ASTWOOD,H. Office of Nuclear Material Safety & Safeguards. 3pp. 83839:313-83839:315.

9505080043 Forwards "Parks Shallow Land Disposal Area Remediation Proposal."
VOGT,B.M. Oak Ridge Associated Universities. 95/04/24. STRATTAN,N. Pennsylvania, Commonwealth of. 14pp. 83864:337-83864:350.

9505020223 Forwards amend to license SNM-414 to specify cleanup limits for Pu-241 & incorporate organizational changes.
PIERSON,R.C. Licensing Branch. 95/04/26. SGARLATA,D.K. Babcock & Wilcox Co. 2pp. 83805:298-83805:313.

-9505020227 Matls licensing package for amend 11 to license SNM-0414 for B&W CO to specify cleanup limits for Pu-241 & incorporate organizational changes.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/04/26. 7pp. 83805:300-83805:310.

-9505020236 SER concluding that proposed license amend can be issued w/o undue risk to workers & public.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/26. 3pp. 83805:311-83805:313.

9505040052 Order CLI-95-04.* Commission denies intervenors petition for review.W/ Certificate of Svc.Served on 950426.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16653. 95/04/26. Office of the General Counsel (Post 860701). 10pp. 83743:331-83743:340.

9505110250 Discusses info re unit concentration calculations for Parks Township site.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/02. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 83942:180-83942:181.

9505260372 Forwards chronological summary of characterization events correlated by chapter & section to Characterization Plan submitted by licensee 950313 ltr,including dates by which licensee needs NRC comments in order to maintain schedule.
ROSENTHAL,P.R. Babcock & Wilcox Co. 95/05/04. ASTWOOD,H.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 84099:331-84099:332.

9505260382 Forwards summary document of Agency for Toxic Substances & Disease Registry (ATSDR) findings,per ATSDR petition evaluation of citizen concerns re B&W Parks Township facility.
CHARP,P.A. Health & Human Services, Dept. of, U.S. Public Health Service. 95/05/04. ASTWOOD,H. NRC - No Detailed Affiliation Given. 8pp. 84103:350-84103:357.

9505180382 Requests to dispose of soil pile F at CWM Chemical Svcs, commercial TSCA waste disposal facility in Model City,NY.
PIERSON,R.C. Licensing Branch. 95/05/08. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 83991:354-83991:354.

9505250295 Responds to 950313 inquiry re availability of DOE funds for independent review of decommissioning activities associated w/Parks Township Shallow Land Disposal Area.
BECK,D.M. Energy, Dept. of. 95/05/08. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 84106:329-84106:329.

9505260044 Forwards results of NRC TLD direct radiation monitoring for first quarter of 1995.
STRUCKMEYER,R. Region 1 (Post 820201). 95/05/16. CEPICKA,J.J. Babcock & Wilcox Co. 4pp. 84062:136-84062:139.

9505260155 Extends invitation to third series of meetings to share info re decommissioning of B&W Shallow Land Disposal Area.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/05/16. Affiliation Not Assigned. 4pp. 84099:285-84099:287.

9505250003 Summary of 950427 meeting w/B&W & Atlantic Richfield Co to discuss proposed characterization plan addressing chemical & radiological conditions at plant.Meeting agenda & list of attendees encl.
LAMASTRA,M.A. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/05/19. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 23pp. 84043:065-84043:087.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9505260198 Forwards amend to order on consent,as requested by 950418 ltr.
MERGES,P.J. New York, State of. 95/04/28. MCGOVERN,J.J. Cintichem, Inc. 3pp. 84104:060-84104:062.

9505300232 Forwards comments on NY State Dept of Environ Conservation 950515 ltr re Cintichem,Inc 950406 response to NRC 950308 ltr & PJ Merges 950202 ltr re bedrock decontamination criteria Cintichem,Inc proposed in 950106 ltr to NRC.
MERGES,P.J. New York, State of. 95/05/15. ORLANDO,D. NRC - No Detailed Affiliation Given. MCGOVERN,J.J. Cintichem, Inc. 3pp. 84133:355-84133:357.

9505260049 Forwards results of NRC TLD direct radiation monitoring around facility for first quarter 1995.
STRUCKMEYER,R. Region 1 (Post 820201). 95/05/17. MCGOVERN,J.J. Cintichem, Inc. 4pp. 84062:169-84062:172.

DOCKET 70-0712 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

9505190064 FOIA request for info re Kerr-McGee facilities in Cushing,OK w/license numbers SMB-664,SNM-695 & SNM-1999.
MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 94/10/26. Division of Freedom of Information & Publications Services (Post 940714). 1p. 83988:093-83988:093.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9505180139 Requests technical assistance in reviewing GA financial assurance for decommissioning & revised financial statements,financial test data & special auditor rept.
PIERSON,R.C. Licensing Branch. 95/05/11. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 83988:342-83988:342.

9505230305 Responds to 950331 ltr & informs that info concerning decommissioning cost estimates should be withheld from public disclosure per 10CFR2.790.
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/05/15. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 84049:354-84049:355.

9505300068 Forwards proprietary "Fixed Site & Transportation Plan For Protection Of Special Nuclear Material of Moderate & Low Strategic Significance."
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/05/22. Office of Nuclear Material Safety & Safeguards. 1p. 84133:358-84133:358.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9505190030 Submits listed info re delay in GE-2 shipment,per 950317 telcon notification.
OSHINOWO,F. Edlow International Co. 95/04/11. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 83973:041-83973:041.

9505230162 Forwards insp rept 70-0754/95-01 on 950417-21.No violations noted.
COLLINS,S.J. Region 4 (Post 820201). 95/05/09. STIMMELL,G.L. General Electric Co. 2pp. 84002:011-84002:020.

-9505230004 Insp rept 70-0754/95-01 on 950417-21.No violations noted. Major areas inspected:mgt & organization,criticality safety, operations review,operator training,maint & surveillance testing & followup on open items.
WENSLAWSKI,F.A. Walnut Creek Field Ofc, R4 (Post 940404). 95/05/05. 8pp. 84002:013-84002:020.

DOCKET 70-0832 MINNESOTA MINING & MANUFACTURING CO., ST. PAUL, MN

9505110123 Ack receipt of 950131 ltr,providing comments on draft document, "3M Kerrick,Minnesota,Site Dose Assessment," dtd Jul 1994,forwarded on 941014.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/04. WISSINK,R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 5pp. 83933:344-83933:348.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9505040358 Responds to NRC comments re licensee 941020 "Final Status Survey Plan for Unaffected areas,Cimarron Corp Facility, Crescent,OK."
LARSEN,J. Cimarron Corp. 95/03/24. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 4pp. 83814:327-83814:330.

9505120028 Responds to two NRC 950329 comments on "Rept on South U Yard Remediation." Areas of excavation along & under floors & foundations still considered to be unstable.
LARSEN,J. Cimarron Corp. 95/04/12. WEBER,F. Division of Waste Management (NMSS 940403). 3pp. 83869:359-83869:361.

9505120021 Forwards revised confirmatory survey plan for South Uranium Yard Remediation.Comments have been incorporated into plan.
ABELQUIST,E.W. Oak Ridge Associated Universities. 95/04/19. FAUVER,D. Division of Waste Management (NMSS 940403). 12pp. 83870:001-83870:012.

9505110246 Informs that responses to staff comments on "Final Status Survey Plan For Unaffected Areas,Cimarron Corp," are acceptable & survey plan was approved.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/05/01. LARSON,J. Kerr-McGee Corp. 3pp. 83945:298-83945:300.

DOCKET 70-1068 FLORIDA, UNIV. OF, GAINESVILLE, FL

9505250061 Responds to NRC 950228 RAI re license renewal request,dtd 940531.Rev to page 4-1 of 940531 request,justifying criticality safety for SPERT fuel storage array encl.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 95/05/12. KLASKY,M. Licensing Branch. 3pp. 84083:347-84083:349.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9505100059 Ack receipt of 950403 ltr responding to commitment made during 940927 enforcement conference.
HEHL,C.W. Region 1 (Post 820201). 95/04/21. CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 83828:087-83828:102.

--9505100063 Forwards licensee analysis of appropriate regulatory jurisdiction for SNM that exists on Windsor site from former AEC contracts.
CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/04/03. HEHL,C.W. Region 1 (Post 820201). 14pp. 83828:089-83828:102.

9505040073 Provides amend request for Decommissioning Plan of former Windsor Nuclear fuel Mfg bldg 17/21 Complex,updating that of refs (A) & (B).
MICHELSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). MICHELSEN,M.A. ASEA Brown Boveri, Inc. 95/04/24. PIERSON,R.C. Licensing Branch. 18pp. 83806:257-83806:274.

9505150188 Forwards addl info in response to NRC 950331 RAI re SNM-1067 license renewal application.
MICHELSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). MICHELSEN,M.A. ASEA Brown Boveri, Inc. 95/05/04. PIERSON,R.C. Licensing Branch. 47pp. 83977:082-83977:128.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9505020119 PNO-II-95-023:on 950421,licensee reported non-nuclear incident that created some smoke within fuel components operation.Caused because relief valve may have been lifted. New Hanover County & State of NC has been notified.
MCALPINE,E. Region 2 (Post 820201). 95/04/21. 1p. 83690:223-83690:223.

9505020212 Submits notification of 950503 meeting w/GE in Rockville,MD to discuss issues re matl control & accounting at licensee site.
* Licensing Branch. 95/04/26. Licensing Branch. 1p. 83803:357-83803:357.

9505090268 Responds to NRC 950407 ltr re violations noted in insp rept 70-1113/95-02 on 950306-08.Corrective actions:removed all trash bags holding equipment from process areas.
KLAPPROTH,J.F. General Electric Co. 95/05/02. Ofc of Enforcement (Post 870413). 3pp. 83896:319-83896:321.

9505150203 Forwards "Final Status Survey & Release Plan for Northwest CaF2 Storage Area at GE Nuclear Energy Production Facility Wilmington,NC," per NRC 950324 ltr.
KLAPPROTH,J.F. General Electric Co. 95/05/04. PIERSON,R.C. Licensing Branch. 1p. 83975:304-83975:346.

--9505150206 "Final Status Survey & Release Plan for Northwest CaF2 Storage Area at GE Nuclear Energy Production Facility Wilmington,NC."
* General Electric Co. 95/05/04. 42pp. 83975:305-83975:346.

9505120019 Forwards insp rept 70-1113/95-03 on 950407-08.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/05. KIPP,C.P. General Electric Co. 2pp. 83884:316-83884:328.

--9505120022 Insp rept 70-1113/95-03 on 950407-08.No violations noted. Major areas inspected:mgt control,nuclear criticality safety & facility operations.
BASSETT,C., MCALPINE,E.J. Region 2 (Post 820201). 95/05/05. 11pp. 83884:318-83884:328.

9505150107 Requests that Internal Nuclear Safety Quarterly Audit be rescheduled.
KLAPPROTH,J.F. General Electric Co. 95/05/05. PIERSON,R.C. Licensing Branch. 1p. 83955:360-83955:360.

9505240098 Ack receipt of 950502 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1113/95-02.
COLLLINS,D.M. Region 2 (Post 820201). 95/05/09. KIPP,C.P. General Electric Co. 2pp. 84021:111-84021:115.

9505250287 Summary of 950503 meeting w/GE re proposed revs to GE FNMCP.
JOY,D. Licensing Branch. 95/05/16. PIERSON,R.C. Licensing Branch. 4pp. 84099:241-84099:244.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9505050127 Forwards rev to application for renewal of license SNM-1107.
WILLIAMS,R.A. Westinghouse Electric Corp. 95/04/27. Office of Nuclear Material Safety & Safeguards. 1p. 83839:010-83839:144.

--9505050138 Rev 1.0 to application for renewal of license SNM-1107.
* Westinghouse Electric Corp. 95/04/30. 134pp. 83839:012-83839:144.

9505020025 Forwards insp rept 70-1151/95-03 on 950320-24.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/04/20. FICI,J.A. Westinghouse Electric Corp. 2pp. 83689:103-83689:111.

--9505020026 Insp rept 70-1151/95-03 on 950320-24.No violations noted. Major areas inspected:licensee radiation protection program, mgt controls,external exposure controls,internal exposure controls,radioactive matl control & ALARA program.
PHARR,E.B., MCALPINE,E.J. Region 2 (Post 820201). 95/04/20. 7pp. 83689:105-83689:111.

9505020241 Submits confirmation of 950508 meeting to discuss nuclear criticality safety review for renewal application.
HARDIN,K. Licensing Branch. 95/04/26. WILLIAMS,R.A. Westinghouse Electric Corp. 2pp. 83803:359-83803:360.

9505020209 Ack receipt of 950421 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1151/95-201.
TING,P. Operations Branch. 95/04/27. FICI,J.A. Westinghouse Electric Corp. 1p. 83803:358-83803:358.

9505080066 Requests license amend to authorize use of Ca fluoride as one of raw matls in mfg of bricks & use of bricks in residential or industrial applications.
WILLIAMS,R.A. Westinghouse Electric Corp. 95/04/28. KEEGAN,E. Licensing Branch. 12pp. 83865:017-83865:028.

9505120123 Submits notification of 950503 meeting in Columbia,SC to discuss criteria re reporting of events w/potential criticality safety implications.
* Licensing Branch. 95/05/01. Licensing Branch. 1p. 83942:352-83942:352.

9505150088 Forwards response to NRC 950308 ltr re violations noted in insp rept 70-1151/95-02 on 950206-10.Corrective actions: documented evaluations & voluntarily provided to NRC inspector immediately upon arrival for inspection.
FICI,J.A. Westinghouse Electric Corp. 95/05/05. Document Control Branch (Document Control Desk). 3pp. 83955:356-83955:358.

9505180018 Ack receipt of 950419 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1151/95-02.Grants extension to std 30-day response period,per request.
COLLINS,D.M. Region 2 (Post 820201). 95/05/08. FICI,J.A. Westinghouse Electric Corp. 2pp. 83970:319-83970:320.

9505180580 Forwards response to 950420 questions & comments from NRC review of draft license application & subsequent telcons.
WILLIAMS,R.A. Westinghouse Electric Corp. 95/05/11. KEEGAN,E. Licensing Branch. 60pp. 84013:001-84013:060.

9505230312 Summary of 950503 meeting w/Westinghouse Electric to discuss notification criteria specified in Suppl 1 to NRC Bulletin 91-001, "Reporting Loss of Criticality Safety Controls."
KEEGAN,E.M. Licensing Branch. 95/05/16. PIERSON,R.C. Licensing Branch. 3pp. 84049:348-84049:350.

9505240404 Forwards effluent & environ results for Nov & Dec 1994,per request.
FISCHER,R.E. Westinghouse Electric Corp. 95/05/17. KEEGAN,E. NRC - No Detailed Affiliation Given. 14pp. 84068:339-84068:352.

9505250283 Notification of 950523-24 meeting w/licensee in Columbia,SC to discuss license renewal issues.
* NRC - No Detailed Affiliation Given. 95/05/17. NRC - No Detailed Affiliation Given. 1p. 84099:247-84099:247.

9505300118 Forwards answers to questions & comments raised by NRC in 950421 ltr re draft license application & subsequent meeting discussions.
WILLIAMS,R.A. General Electric Co. 95/05/18. KEEGAN,E. Licensing Branch. 39pp. 84104:269-84104:307.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9505040339 Submits comments on wet-weather stream area documentation prepared by B&W Fuel Co.
VITKUS,T.J. Oak Ridge Associated Universities. 95/04/10. FAUVER,D. Document Control Branch (Document Control Desk). 4pp. 83814:321-83814:324.

9505190156 Forwards Rev 7 to FNMCP,incorporating changes to reflect organizational changes due to retirement of B Pugh.Revised FNMCP withheld from public disclosure per 10CFR2.790.
KNAPP,K.S. B&W Fuel Co. 95/05/01. SHERR,T.S. Office of Nuclear Material Safety & Safeguards. 1p. 84034:309-84034:309.

9505240074 Forwards insp rept 70-1201/95-01 on 950410-13.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/05/12. CARR,C.W. B&W Fuel Co. 2pp. 84021:072-84021:090.

--9505240085 Insp rept 70-1201/95-01 on 950410-13.Noncited violations identified.Major areas inspected:health physics activities, radwaste mgt,radioactive airborne effluents & monitoring equipment.
PHARR,E.B., GLOERSEN,W.B., MCALPINE,E.J. Region 2 (Post 820201). 95/05/12. 17pp. 84021:074-84021:090.

9505310492 Application for amend to license SNM-1168,reflecting proposed operational changes at commercial nuclear fuel plant.
KNAPP,K.S. B&W Fuel Co. 95/05/25. Licensing Branch. 6pp. 84145:146-84145:151.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9505190032 Provides notification of upcoming shipment,in accordance w/ convention on physical protection of nuclear matl & NRC final rule of 870326.
CODREY,D. Edlow International Co. 95/03/10. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 83973:064-83973:064.

9505190152 Informs of upcoming shipment of 192,240 lbs UF6 contained in six numbered cylinders from Lancashire,England.
* Edlow International Co. 95/03/24. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 83974:068-83974:068.

9505190015 Submits notification of upcoming shipment IAW Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
CANDREY,D. Edlow International Co. 95/04/06. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 83973:035-83973:035.

9505190026 Submits advance notification of import shipment of UF6 contained in six cylinders from Lancashire,England to Paducah,KY.
* Edlow International Co. 95/04/12. BENNINGTON,G NRC - No Detailed Affiliation Given. 1p. 83973:039-83973:039.

9505190008 Submits notification of upcoming shipment IAW Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
* Edlow International Co. 95/04/21. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 83973:005-83973:005.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9505230023 Informs that LLD values listed in 1994 Liquid Effluent Repts from licensee in 940830 & 950222 transmittal ltrs should be corrected to read 8.4 E-8 & 8.8 E-8 uCi/ml.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/04/12. CALLAN,L.J. Region 4 (Post 820201). 1p. 84001:118-84001:118.

9505030015 Notification of 950504 meeting w/Siemens in Rockville,MD for presentation of Atrium fuel mechanism design.
WU,S. . 95/04/27. JONES,R.C. . 1p. 83777:187-83777:187.

9505110238 Informs of withdrawal of request to delete license requirement for fog deluge sys upstream of final HEPA filters.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/04/28. PIERSON,R.C. Licensing Branch. 1p. 83945:297-83945:297.

9505180543 Forwards completed Form 327 reporting results of matl balance accounting & SEID calculations for 940608-950321. Encl withheld.
NOSS,D.L. Siemens Corp. 95/05/04. PIERSON,R. Licensing Branch. 1p. 84024:301-84024:301.

9505260361 Reiterates that termination of Seattle-First Natl Bank Trust Agreement will not be accepted by NRC until NRC determined that licensee alternative financial assurance instruments now under review acceptable.
PIERSON,R.C. Licensing Branch. 95/05/17. MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 84099:325-84099:326.

9505260365 Informs that until NRC receives notice that successor trustee appointed & accepted responsibilities as set forth in Siemens Power Corp Trust Account 2031690-0007668,NRC considers Seattle-First Natl Bank as trustee.
PIERSON,R.C. Licensing Branch. 95/05/17. WIGHT,D. Bank of America. 2pp. 84099:327-84099:328.

9505250284 Summary of 950504 meeting w/licensee in Rockville,MD re licensing issues related to nuclear criticality safety.
ADAMS,M., KLASKY,M. Licensing Branch. 95/05/19. PIERSON,R.C. Licensing Branch. 2pp. 84099:245-84099:246.

DOCKET 70-1489 GOODYEAR AEROSPACE CORP., AKRON, OH

9505150239 Final response to FOIA request for info.Forwards App C documents partially withheld (Ref FOIA Exemption 6).App D info listed being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/19. BELL,B. Goodyear Tire & Rubber Co. 5pp. 84026:001-84026:082.

--9505230172 Partially deleted ltr forwarding copy of Scoping Survey Plan for insp of Goodyear Aerospace Corp on 940425-29 per 940505 telcon request.
MCCANN,G.M. Region 3 (Post 820201). 94/05/05. Affiliation Not Assigned. 20pp. 84026:053-84026:072.

DOCKET 70-1703 EASTMAN KODAK CO., ROCHESTER, NY

9505250034 Informs that License SNM-1513 amended to incorporate "Licensee Physical Security Plan for Protection of SNM of Moderate Strategic Significance" dtd 950202.
PIERSON,R.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/18. GRECO,J.M. Eastman Kodak Co. 3pp. 84043:351-84043:357.

--9505250038 Amend 1 to License SNM-1513 for Eastman Kodak Co authorizing incorporation of physical security plan.
PIERSON,R.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/18. 2pp. 84043:354-84043:355.

--9505250042 Safeguards evaluation supporting Amend 1 to License SNM-1513.
* NRC - No Detailed Affiliation Given. 95/05/18. 2pp. 84043:356-84043:357.

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9505040039 Forwards amended Certificate of Svc re licensee response in opposition to Citizens Against Nuclear Trash petition.
DRAPER,R.L. Louisiana Energy Services. DRAPER,R.L. Winston & Strawn. #295 16639. 95/04/19. CATER,C.W. Office of the Secretary of the Commission. 3pp. 83743:255-83743:257.

9505040002 Memorandum concerning disposal of depleted UF6 waste generated at proposed facility.* W/Certificate of Svc.
SPELL,W.H. Louisiana, State of. #295 16648. 95/04/21. 2pp. 83743:025-83743:030.

9505040005 Memorandum of applicant Louisiana Energy Svcs in response to Board questions re disposal of depleted U.* W/Certificate of Svc.
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #295 16644. 95/04/21. 26pp. 83743:049-83743:128.

9505040026 Memorandum of applicant Louisiana Energy Svc in response to Board Order re std under AEA for assessing applicants financial qualifications.*
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #295 16643. 95/04/21. 20pp. 83743:145-83743:164.

9505040064 Citizens Against Nuclear Trash Memorandum re effects of LLW Policy Act on depleted Uranium tails disposal.* Intervenor Citizens Against Nuclear Trash responds to questions posed by Board re depleted Uranium tails.
CURRAN,D. Louisiana Energy Services. CURRAN,D. Citizens Against Nuclear Trash. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #295 16642. 95/04/21. 18pp. 83744:058-83744:149.

--9505040070 Affidavit of A Makhijani re Citizens Against Nuclear Trash memo re effects of LLW Policy Act on depleted U tails disposal.W/Certificate of Svc.
MAKHIJANI,A. Citizens Against Nuclear Trash. MAKHIJANI,A. Institute for Energy & Environmental Research, Heidelberg, Germany. 95/04/18. 41pp. 83744:076-83744:149.

9505040075 NRC Staff Memo in response to licensing Board Order dtd 950324 re legal status of depleted UF6 generated at Claiborne Enrichment Ctr & legal std for assessing financial qualification.* NRC staff submits response to issues listed.
HOLLER,E.J. Office of the General Counsel (Post 860701). #295 16641. 95/04/21. 22pp. 83744:151-83744:193.

--9505040093 Affidavit of YH Faraz & of JD Price re existence of geologic formations within central interstate LLW compact region compatible w/representative disposal sites analyzed in FES,NUREG-1484.W/Certificate of Svc.
FARAZ,Y.H., PRICE,J.D. Office of Nuclear Material Safety & Safeguards. FARAZ,Y.H. Science Applications International Corp. (formerly Science Applications, Inc.). 95/04/19. 21pp. 83744:173-83744:193.

9505040004 Memorandum of Citizens Against Nuclear Trash re legal std for assessing financial qualifications of applicant to construct & operate proposed Claiborne Enrichment Ctr.* W/Certificate of Svc.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #295 16645. 95/04/24. 16pp. 83743:033-83743:048.

9505040016 CANT motion for extension of time in which to file response memorandum.* Requests one-wk extension,or until 950508,for filing of parties response memoranda re waste disposal issue.W/Certificate of Svc.
CURRAN,D. Citizens Against Nuclear Trash. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #295 16667. 95/04/26. Atomic Safety & Licensing Board Panel. 4pp. 83743:129-83743:132.

9505040061 Order.* Grants CANT 950426 motion for extension of time until 950508 for parties to file responses to other party filing addressing Board question re legal status of depleted U tails disposal.W/Certificate of Svc.Served on 950427.
MOORE,T.S. Atomic Safety & Licensing Board Panel. #295 16655. 95/04/27. Office of the General Counsel (Post 860701). 3pp. 83743:354-83743:356.

9505040032 Notice of appointment of adjudicatory employee.* Notifies that R Nelson appointed as Commission adjudicatory employee & will provide advice to Commission on issues re application for const of CEC.W/Certificate of Svc.Served on 950428.
BATES,A.L. Office of the Secretary of the Commission. #295 16666. 95/04/28. 3pp. 83743:194-83743:196.

9505080056 Responds to J Sawyer concerns about potential health & environ impacts that may be associated w/facility.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/28. MCCRERY,J. House of Rep. 27pp. 83864:296-83864:321.

9505090133 Reply of NRC to memorandum of Citizens Against Nuclear Trash in response to Licensing Board re legal std for assessing financial qualification to construct & operate CEC.* W/Certificate of Svc.
BACHMANN,R.G. Office of the General Counsel (Post 860701). #295 16676. 95/05/01. Citizens Against Nuclear Trash. 5pp. 83817:278-83817:282.

9505090145 Reply of applicant LA Energy Svcs to memorandum by Citizens Against Nuclear Trash in response to Board order re std under Atomic Energy Act for assessing applicant financial qualifications.* W/Certificate of Svc.
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #295 16675. 95/05/01. Atomic Safety & Licensing Board Panel. 24pp. 83817:283-83817:306.

9505090189 Citizens Against Nuclear Trash response memorandum re legal std for assessing applicant financial qualifications to construct & operate proposed Claiborne Enrichment Ctr.* W/Certificate of Svc.
CURRAN,D. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #295 16683. 95/05/01. Atomic Safety & Licensing Board Panel. 15pp. 83817:314-83817:328.

9505090066 Order.* Informs that time within which Commission may act on petition for review of ASLB memorandum & order extended until 950605.W/Certificate of Svc.Served on 950502.
HOYLE,J.C. Office of the Secretary of the Commission. #295 16674. 95/05/02. Louisiana Energy Services. 3pp. 83817:249-83817:251.

9505180586 Motion for extension of time to file proposed findings of fact & conclusions of law.* Parties have agreed that no further extension of June 26 deadline will be sought & staff has no opposition to this motion.W/Certificate of Svc.
WALKER,N.M. Citizens Against Nuclear Trash. WALKER,N.M. Sierra Club Legal Defense Fund, Inc. #295 16697. 95/05/05. Atomic Safety & Licensing Board Panel. 2pp. 83970:288-83970:292.

9505180593 Motion for extension of time to file proposed findings of fact & conclusion of law.* Parties have agreed that no further extension of June 26 deadline will be sought.Granted for Board on 950508.Served on 950508.W/Certificate of Svc.
* Citizens Against Nuclear Trash. #295 16695. 95/05/05. Atomic Safety & Licensing Board Panel. 3pp. 83970:293-83970:295.

9505180379 Citizens Against Nuclear Trash response memorandum re effects of low level radioactive waste policy act on depleted U tails disposal.*
CURRAN,D. Citizens Against Nuclear Trash. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #295 16705. 95/05/08. 12pp. 83969:337-83969:357.

--**9505180393** Affidavit of A Makhijani in response to affidavit of YH Faraz & JD Price.* W/Certificate of Svc.
MAKHIJANI,A. Citizens Against Nuclear Trash. MAKHIJANI,A. Institute for Energy & Environmental Research, Heidelberg, Germany. 95/05/08. 9pp. 83969:349-83969:357.

9505180408 Reply of NRC Staff to memoranda in response to Board order re legal status of DUF6 generated at CEC.* Advises that CANT argument re Staff assessment of plausible disposal strategy w/o merit.W/Certificate of Svc.
HOLLER,E.J., BACHMANN,R.G. Office of the General Counsel (Post 860701). #295 16696. 95/05/08. Atomic Safety & Licensing Board Panel. 11pp. 83954:140-83954:150.

9505190397 Response Memorandum of applicant Louisiana Energy Svcs concerning disposal of depleted U tails produced by operation of Claiborne Enrichment Ctr.* Submits response memo addressing issues.W/Certificate of Svc.
MCGARRY,J.M. Louisiana Energy Services. MCGARRY,J.M. Winston & Strawn. #295 16698. 95/05/08. Atomic Safety & Licensing Board Panel. 18pp. 84001:001-84001:018.

9505310346 Responds to 950503 ltr re concerns of constituent J Sawyer about proposed const & operation of U enrichment plant in Claiborne Parish,LA.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/23. JOHNSTON,J.B. Senate. 27pp. 84162:258-84162:286.

--**9505310357** Requests consideration of encl ltr from constituent J Sawyer re proposed const & operation of U enrichment plant in Claiborne Parish,LA.
JOHNSTON,J.B. Senate. 95/05/03. RATHBUN,D.K. NRC - No Detailed Affiliation Given. 2pp. 84162:285-84162:286.

DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9505120001 Submits "Final Survey of Four Unaffected Areas of Cushing Refinery Site," rept which presents & evaluates data collected in performance of work described in plan submitted to NRC in Jun 1994.
LUX,J. Kerr-McGee Corp. 95/04/28. FAUVER,D. Office of Nuclear Material Safety & Safeguards. 6pp. 83869:001-83869:320.

--**9505120004** "Final Radiation Survey of Four Unaffected Areas of Cushing Refinery Site."
* Kerr-McGee Corp. 95/04/17. 314pp. 83869:007-83869:320.

9505190064 FOIA request for info re Kerr-McGee facilities in Cushing,OK w/license numbers SMB-664,SNM-695 & SNM-1999.
MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 94/10/26. Division of Freedom of Information & Publications Services (Post 940714). 1p. 83988:093-83988:093.

9505230232 First partial response to FOIA request for documents. Forwards app A documents.Documents available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/03. MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 2pp. 84042:185-84042:257.

--**9505230236** Package consisting of Kerr-McGee Corp 940307,0408,0506,0608, 0707 ltrs to State of OK,forwarding progress repts & related info.
* Kerr-McGee Corp. 95/01/03. 39pp. 84042:188-84042:257.

DOCKET 70-3082 ARMY, DEPT. OF, REDSTONE ARSENAL, AL

9505300092 Responds to NRC 950301 ltr re violations noted in insp rept of license SNM-1988.Corrective actions:radioactive matl movement form used by activity was modified to include mode of transportation.
DUBOIS,R.K. Agriculture, Dept. of. 95/03/15. Document Control Branch (Document Control Desk). 4pp. 84077:006-84077:009.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9505050252 Informs of cancellation of 950510 meeting w/USEC consultants.
SAWYER,C.B. Enrichment Branch. 95/05/03. HICKEY,J.W. Enrichment Branch. 1p. 83862:350-83862:350.

9505090246 Notice of cancellation of comment period & cancellation of public meetings due to inadequate application for certification.
HICKEY,J.W. Enrichment Branch. 95/05/04. 2pp. 83910:354-83910:355.

9505100130 Informs that NRC completed preliminary review of content of application to determine adequacy of submittals as basis for NRC to commence complete certification review.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/05. TIMBERS,W.H. United States Enrichment Corp. (USEC). 2pp. 83919:357-83919:358.

9505190383 Informs of NRC actions re certification of US Enrichment Corp gaseous diffusion plants in Paducah,KY & Piketon,HO. Preliminary reviews by NRC indicate that US Enrichment Corp application lacking info,therefore,application cancelled.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/05. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 83991:341-83991:348.

--**9505190387** Informs that US Enrichment Corp 950418 application for COCs for Portsmouth & Paducah gaseous diffusion plants fails to meet requirements of 10CFR76.31 & 10CFR76.35 for content of initial application,therefore,application will be rejected.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/05. TIMBERS,W.H. Affiliation Not Assigned. 4pp. 83991:343-83991:348.

9505220147 Informs of rejection of compliance certificate application of USEC gaseous diffusion plants due to lack of info necessary for review.
SCHAEFER,D. Ofc of the Executive Director for Operations. 95/05/05. TAYLOR,J.M. House of Rep., Energy & Commerce. 2pp. 84000:299-84000:306.

9505180278 Informs that licensee & NRC EDO will meet to discuss NRC expectations & licensee actions to prepare & resubmit acceptable application.
HICKEY,J.W. Enrichment Branch. 95/05/11. WOOLEY,R.L. United States Enrichment Corp. (USEC). 1p. 83991:355-83991:355.

9505220043 Advises that public comment period & public meetings ref in 950428 FRN have been cancelled.Rescheduling will occur when US Enrichment Corp submits new application for certification of gaseous diffusion plants.
HICKEY,J.W. Enrichment Branch. 95/05/11. GEORGE,R.M., JACKSON,D., BAZZELL,G. Energy, Dept. of. 5pp. 84035:348-84035:352.

9505190172 Responds to 950419 ltr re US Enrichment Corp (USEC) certification application.On 950505,NRC rejected USEC application.Radwaste mgt program from original application for Paducah facility encl.
HICKEY,J.W. Enrichment Branch. 95/05/12. BULLARD,C.W. Central Interstate Low-Level Radioactive Waste Compact Commission. 2pp. 84009:345-84009:359.

--**9505190185** Rev 0 to "Radwaste Mgt Program-PGDP."
* United States Enrichment Corp. (USEC). 95/04/24. 12pp. 84009:347-84009:358.

--**9505190191** Expresses appreciation for 950329 memo re upcoming public comment period on US Enrichment Corp (Paducah) certification application.
BULLARD,C.W. Central Interstate Low-Level Radioactive Waste Compact Commission. 95/04/19. HICKEY,J.W. Enrichment Branch. 1p. 84009:359-84009:359.

9505250261 Summary of 950517 meeting w/USEC re rejection of certification application submitted by USEC.
* Enrichment Branch. 95/05/22. Enrichment Branch. 29pp. 84099:198-84099:226.

9505300123 Notification of 950522,23,24,25,30,31 & 0601 meetings w/ licensee in Rockville,MD to discuss licensee resubmittal of application for certification of gaseous diffusion plants at Paducah,KY & Portsmouth,OH.
* NRC - No Detailed Affiliation Given. 95/05/23. NRC - No Detailed Affiliation Given. 2pp. 84120:350-84120:351.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9505100154 Forwards initial application for certificate of compliance for Portsmouth,OH gaseous diffusion plant.Encl withheld.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/04/18. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 83880:306-83880:306.

9505050252 Informs of cancellation of 950510 meeting w/USEC consultants.
SAWYER,C.B. Enrichment Branch. 95/05/03. HICKEY,J.W. Enrichment Branch. 1p. 83862:350-83862:350.

9505090246 Notice of cancellation of comment period & cancellation of public meetings due to inadequate application for certification.
HICKEY,J.W. Enrichment Branch. 95/05/04. 2pp. 83910:354-83910:355.

9505100130 Informs that NRC completed preliminary review of content of application to determine adequacy of submittals as basis for NRC to commence complete certification review.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/05. TIMBERS,W.H. United States Enrichment Corp. (USEC). 2pp. 83919:357-83919:358.

9505190383 Informs of NRC actions re certification of US Enrichment Corp gaseous diffusion plants in Paducah,KY & Piketon,HO. Preliminary reviews by NRC indicate that US Enrichment Corp application lacking info,therefore,application cancelled.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/05. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 83991:341-83991:348.

--**9505190387** Informs that US Enrichment Corp 950418 application for COCs for Portsmouth & Paducah gaseous diffusion plants fails to meet requirements of 10CFR76.31 & 10CFR76.35 for content of initial application,therefore,application will be rejected.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/05. TIMBERS,W.H. Affiliation Not Assigned. 4pp. 83991:343-83991:348.

9505220147 Informs of rejection of compliance certificate application of USEC gaseous diffusion plants due to lack of info necessary for review.
SCHAEFER,D. Ofc of the Executive Director for Operations. 95/05/05. TAYLOR,J.M. House of Rep., Energy & Commerce. 2pp. 84000:299-84000:306.

9505180278 Informs that licensee & NRC EDO will meet to discuss NRC expectations & licensee actions to prepare & resubmit acceptable application.
HICKEY,J.W. Enrichment Branch. 95/05/11. WOOLEY,R.L. United States Enrichment Corp. (USEC). 1p. 83991:355-83991:355.

9505220043 Advises that public comment period & public meetings ref in 950428 FRN have been cancelled.Rescheduling will occur when US Enrichment Corp submits new application for certification of gaseous diffusion plants.
HICKEY,J.W. Enrichment Branch. 95/05/11. GEORGE,R.M., JACKSON,D., BAZZELL,G. Energy, Dept. of. 5pp. 84035:348-84035:352.

9505250261 Summary of 950517 meeting w/USEC re rejection of certification application submitted by USEC.
* Enrichment Branch. 95/05/22. Enrichment Branch. 29pp. 84099:198-84099:226.

9505300123 Notification of 950522,23,24,25,30,31 & 0601 meetings w/ licensee in Rockville,MD to discuss licensee resubmittal of application for certification of gaseous diffusion plants at Paducah,KY & Portsmouth,OH.
* NRC - No Detailed Affiliation Given. 95/05/23. NRC - No Detailed Affiliation Given. 2pp. 84120:350-84120:351.

DOCKET DOCKET UNKNOWN

9505190211 Requests that NRC review encl German Certificate of Competent Authority D/4160/B(U)F-85,Rev 4 for TN 7-2 Transport Cask & make recommendation about DOT revalidation of certificate.SAR for packaging also encl.
BOYLE,R. Transportation, Dept. of. 95/05/04. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 84025:001-84025:287.

--**9505190218** Edition 0 of "SAR for Transport Cask TN 7-2 for Irradiated Fuel Assemblies."
BERGMANN,W., CHRIST,R. Edlow International Co. TN 8218. 82/05/31. 282pp. 84025:006-84025:287.

9505010166 Forwards QA program for shipment of 239 Pu-Be neutron sources.
RADEMACHER,B.J. St. Marys College, Winona, MN. 95/04/25. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 83725:333-83725:336.

--9505010169 "10CFR71 QA Program for Shipment of 239Pu-Be neutron Sources."
RADEMACHER,J.F. St. Marys College, Winona, MN. 95/04/25. 3pp. 83725:334-83725:336.

9505250068 Forwards QA program for shipment of PuBe (Pu-239) neutron sources.Program limited to shipment of one Pu-239/Be source model DoT 6M packaging from Armed Forces Radiobiology Research Inst to DOE,LANL,Los Alamos,NM.
O'BRIEN,T.J. Armed Forces Radiobiological Research Institute. 95/04/25. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84083:350-84083:353.

--9505250072 "10CFR71 QA Program for Shipment of 239 Pu-Be Neutron Sources."
O'BRIEN,T.J. Armed Forces Radiobiological Research Institute. 95/04/25. 3pp. 84083:351-84083:353.

9505050218 Forwards Rev 0 to QA9501,describing vendor QA program.Vendor intends to use QA program to control design,fabrication, operation & maint of radioactive matl transportation & storage packages.Fee paid.
SHINGLETON,R.L. Affiliation Not Assigned. 95/04/28. JANKOVICH,J. NRC - No Detailed Affiliation Given. 1p. 83864:017-83864:037.

--9505050221 QA program to control design,fabrication,operation & maint of radioactive matl transportation & storage packages.
* Affiliation Not Assigned. 95/04/28. 20pp. 83864:018-83864:037.

9505050224 Forwards Rev 1 to "10CFR71 QA Program for Shipment of Pu-239 Beryllium Neutron Sources," correcting mistake re meaning of element & isotope on bottom of first page,included in 950425 ltr.
RADEMACHER,J. St. Marys College, Winona, MN. 95/04/28. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 83884:349-83884:352.

--9505050225 Rev 1 to "10CFR71 QA Program for Shipment of Pu-239 Beryllium Neutron Sources."
RADEMACHER,J.F. St. Marys College, Winona, MN. 95/04/28. 3pp. 83884:350-83884:352.

9505190224 Forwards QA program for shipment of 239Pu-Beryllium (239Pu-Be) neutron sources.QA program limited to shipment of 239Pu-Be neutron sources in Model DOT 6M packaging from West Libert State College to DOE,LANL,Los Alamos,NM.
LEECH,H.W. West Liberty State College, West Liberty, WV. 95/05/02. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84010:356-84010:359.

--9505190241 "10CFR71 QA Program for Shipment of 239Pu-Beryllium Neutron Sources."
LEECH,H.W. West Liberty State College, West Liberty, WV. 95/05/03. 3pp. 84010:357-84010:359.

9505260257 Forwards three copies of licensee QA program for packaging & shipment of radioactive matl,provided for NRC approval per 10CFR71.101c.
ADAMS,J.T. Iowa State Univ., Ames, IA. 95/05/12. Office of Nuclear Material Safety & Safeguards. 14pp. 84104:031-84104:044.

--9505260261 "QA Program for Packaging & Shipment of Radioactive Matls from Iowa State Univ Nuclear Engineering Lab."
* Iowa State Univ., Ames, IA. 95/05/12. 13pp. 84104:032-84104:044.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0001 ANEFCO, INC.

9505090052 Forwards check 0453,dtd 941228,for listed amount re requested renewal of QA program 0001.Per NRC 941221 ltr,NRC has applied listed amount from check 0413 toward renewal fee & listed amount toward fee of amending COC 9071.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 95/04/27. MURPHY,J.D. Anefco, Inc. 1p. 83906:360-83906:360.

DOCKET 71-0015 CBI INDUSTRIES, INC.

9505180385 Forwards revised "Chicago Bridge & Iron Co QA Program for 10CFR71," changing name from CBI Industries to Chicago Bridge & Iron Co,revising organizational chart & correcting address as listed.Fee paid.
HOWERTON,H.K. CBI Services, Inc. (formerly Chicago Bridge & Iron Co.). 95/04/04. REID NRC - No Detailed Affiliation Given. 1p. 84026:347-84026:351.

--9505180389 Revised "Chicago Bridge & Iron Co QA Program for 10CFR71."
SIMS,J.E. CBI Services, Inc. (formerly Chicago Bridge & Iron Co.). 95/04/04. 4pp. 84026:348-84026:351.

9505180232 Forwards QA program approval for radioactive matl packages: 0015,Rev 6.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/11. HOWERTON,H.K. CBI Services, Inc. (formerly Chicago Bridge & Iron Co.). 1p. 83991:352-83991:353.

--9505180238 QA program approval for radioactive matl package:0015,Rev 6.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. 1p. 83991:353-83991:353.

DOCKET 71-0068 YANKEE ATOMIC ELECTRIC CO.

9505050041 Forwards QA Program Approval for Radioactive Matl Package 0068,Rev 6.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/02. KAY,J.A. Yankee Atomic Electric Co. 1p. 83864:214-83864:215.

--9505050045 QA Program Approval for Radioactive Matl Package:0068,Rev 6.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/02. 1p. 83864:215-83864:215.

DOCKET 71-0097 NONDESTRUCTIVE INSPECTION SERVICE

9505250192 Forwards "10CFR71 QA Program for Industrial Radiography Licensees."
HAULDREN,H.M. Nondestructive Inspection Service. 95/05/18. JANKOVICH,J.P. NRC - No Detailed Affiliation Given. 1p. 84099:231-84099:233.

--9505250243 "10CFR71 QA Assurance Program for Industrial Radiography Licensees."
* Nondestructive Inspection Service. 95/05/18. 2pp. 84099:232-84099:233.

9505300314 Forwards QA approval for radioactive material package 0097,rev 5.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/24. HAULDREN,H.M. Nondestructive Inspection Service. 1p. 84138:337-84138:338.

--9505300316 QA program approval for radioactive matl package:0097,Rev 5.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/24. 1p. 84138:338-84138:338.

DOCKET 71-0226 NEW YORK, STATE UNIV. OF

9505240254 Requests renewal of Buffalo Materials Research Ctr/St Univ Of NY at Buffalo,QA Program for radioactive materials package 0226.Current QA program expires 950630.
ADAMS,M.S. New York, State Univ. of, Buffalo, NY. 95/05/16. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84083:327-84083:327.

DOCKET 71-0301 CTL ENGINEERING, INC.

9505050033 Forwards QA Program Approval for Radioactive Matl Package 0301,Rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/02. CROWLEY,J.L. CTL Engineering, Inc. (formerly Columbus Testing Laboratory, Inc.). 1p. 83864:212-83864:213.

--9505050036 QA program approval for radioactive matl package:0301,Rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/02. 1p. 83864:213-83864:213.

DOCKET 71-0348 MICHIGAN, UNIV. OF

9505180160 Requests renewal of QA program 0348,rev 5.
FLEMING,R.F. Michigan, Univ. of, Medical School, Ann Arbor, MI. 95/05/01. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 83988:343-83988:343.

9505240192 Forwards QA program approval for radioactive material package 0348,rev 6.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/18. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 84083:256-84083:257.

--9505240197 QA program approval for radioactive matl package:0348,Rev 6.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/18. 1p. 84083:257-84083:257.

DOCKET 71-0368 BRANCH RADIOGRAPHIC LABORATORIES, INC.

9505260131 Requests renewal of QA program 0368.Fee paid.
BRANCH,P.J. Branch Radiographic Laboratories, Inc. 95/05/22. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 84099:260-84099:260.

DOCKET 71-0377 INDIANA MICHIGAN POWER CO.

9505190144 Application for renewal of QA program approval for radioactive matl package:0377.Fee paid.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/05/10. Document Control Branch (Document Control Desk). 2pp. 84010:280-84010:281.

DOCKET 71-0532 WESTERN X-RAY

9505050281 Application for renewal of QA program approval for radioactive matl package:0532.Revised QA program for radioactive matl packages encl.Fee paid.
PETERS,J. Western X-Ray, Inc. 95/05/01. Office of Nuclear Material Safety & Safeguards. 1p. 83839:192-83839:201.

--9505050283 Revised QA program for radioactive matl packages.
* Western X-Ray, Inc. 95/05/01. 9pp. 83839:193-83839:201.

9505090098 Forwards QA program approval for radioactive material package 0532,rev 2.
JANKOVICH,J.P. Document Control Branch (Document Control Desk). 95/05/04. PETERS,J. Western X-Ray, Inc. 1p. 83910:346-83910:347.

--9505090101 QA program approval for radioactive matl package:0532,Rev 2.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/04. 1p. 83910:347-83910:347.

DOCKET 71-0696 GEORGIA POWER CO.

9505050207 Application for renewal of QA program approval for radioactive matl package:0696.Rev 3 to Procedure GEN-0340, "Safe Work Procedures for Radioactive Matls Used in Industrial Radiography" encl.Fee paid.
NICHOLS,M.C. Georgia Power Co. 95/04/27. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 83864:038-83864:073.

--9505050209 Rev 3 to Procedure GEN-0340, "Safe Work Procedures for Radioactive Matls Used in Industrial Radiography."
HAUBEIN,R.H. Georgia Power Co. 95/04/21. 35pp. 83864:039-83864:073.

DOCKET 71-0697 NAVY, DEPT. OF

9505010223 Requests renewal of QA program approval:0697 to reflect Navy position as user of transportation packages.
MALINOSKI,J.W. Navy, Dept. of. 95/03/29. BAER,R.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83716:294-83716:310.

--9505010227 Rev 3 to "QA Program for Transportation Packages."
* Navy, Dept. of. 95/03/29. 10pp. 83716:296-83716:305.

--9505010232 Informs that Navy Radiation Safety committee authorized to receive,acquire,possess,deliver or transfer radioactive matl.
MALINOSKI,J.W. Navy, Dept. of. 94/10/17. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 83716:306-83716:310.

9505180318 Forwards QA program approval for radioactive matl package: 0697,Rev 3.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/12.
MALINOSKI,J.W. Navy, Dept. of. 1p. 84030:273-84030:274.

--9505180323 QA program approval for radioactive matl package:0697,Rev 3.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/12. 1p. 84030:274-84030:274.

DOCKET 71-0709 BASIN INDUSTRIAL X-RAY, INC.

9505050343 Requests registration of Industrial Nuclear Co Ir-100 exposure device.
SPENCER,R.W. Basin Industrial X-Ray, Inc. 95/04/25. Office of Nuclear Material Safety & Safeguards. 1p. 83839:305-83839:305.

DOCKET 71-0798 CASE WESTERN RESERVE UNIVERSITY

9505250154 Advises that licensee will not renew QA program approval for radioactive matl packages:0798 that expires on 950531.
MALCHMAN,W. Case Western Reserve Univ., Cleveland, OH. 95/05/03.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 84099:235-84099:238.

9505250290 Notification of termination of QA program approval 0798,in response to 950503 request.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/19.
MALCHMAN,W. Case Western Reserve Univ., Cleveland, OH. 1p. 84099:196-84099:196.

DOCKET 71-0810 ENVIRONMENTAL TECHNOLOGIES, INC.

9505190179 Forwards QA program approval for radioactive matl package: 0810,Rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/05/17.
SHINGLETON,R.L. . 1p. 84008:349-84008:350.

--9505190184 QA program approval for radioactive matl package:0810,Rev 0.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/17. 1p. 84008:350-84008:350.

DOCKET 71-3022 MODEL: TN 7401 /1/, TRANSPORTATION, DEPT. OF

9505240069 Requests that NRC review encl German certificate of competent authority G/4053/B(U)F-85,Rev 8,for Goslar package & make recommendation re revalidation for import shipments.
BOYLE,R.W. Transportation, Dept. of. 94/01/19. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 8pp. 84073:137-84073:144.

9505180166 Withdraws request for recommendation re endorsement of spent fuel packaging.
BOYLE,R.W. Transportation, Dept. of. 95/05/04. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 83988:344-83988:344.

9505240188 Informs of termination of Model Goslar package (German Certificate Of Competent Authority D/4035/B(U)-85),as requested by 950504 ltr.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/17.
BOYLE,R.W. Transportation, Dept. of. 1p. 84083:325-84083:325.

DOCKET 71-3024 MODEL: 2842A, TRANSPORTATION, DEPT OF

9505260438 Requests NRC review & recommendation for revalidation of encl UK Certificate of Competent Authority GB/2842A/B(U)-85, Issue 1 for Model 2842A to allow import/export shipments. Design safety rept also encl.W/three oversize drawings.
CARRIKER,A.W. Transportation, Dept. of. 95/01/26. HAUGHNEY,C.J. Transportation Branch (Post 930207). 13pp. 84192:184-84192:264.

--9505260439 Issue D of "Design Safety Rept for Package Design 2842A."
LAM,M. Croft Associates (United Kingdom). DSR 2842A. 95/05/18. 45pp. 84192:196-84192:242.

--9505260440 Issue E of CPI 025, "Packing & Handling Instructions for Package Design 2842A."
* Croft Associates (United Kingdom). 93/08/24. 9pp. 84192:243-84192:251.

--9505260441 Issue D of CSP 016, "Serviceability Checks for Package Design 2842A."
* Croft Associates (United Kingdom). 93/03/03. 13pp. 84192:252-84192:264.

9505260402 Informs that NRC needs info identified in encl,in order to complete review of DOT 950126 request for assistance in evaluating 2842A package (Great Britain Certificate of Competent Authority GB/2842A/B(U)-85,Issue 1).
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/18.
CARRIKER,A.W. Transportation, Dept. of. 2pp. 84099:336-84099:337.

DOCKET 71-5149 MODEL: 814A, BABCOCK & WILCOX CO.

9505180174 Requests renewal of Certificate of Compliance for model 814A.
FOSTER,P.L. Babcock & Wilcox Co. 95/04/27. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 83988:345-83988:345.

DOCKET 71-5805 MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.

9505050298 Requests registration as user of model USA/5805/B.
ACHARYA,S. Energy, Dept. of. 95/04/19. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 83862:349-83862:349.

9505150103 Notification of registration as user of certificate of compliance 5805,in response to 950419 request.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/08. ACHARYA,S. Energy, Dept. of. 1p. 83955:359-83955:359.

DOCKET 71-5830 MODEL: SNAP 21, NAVY, DEPT. OF

9505010223 Requests renewal of QA program approval:0697 to reflect Navy position as user of transportation packages.
MALINOSKI,J.W. Navy, Dept. of. 95/03/29. BAER,R.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83716:294-83716:310.

DOCKET 71-5926 MODEL: GE-100, GENERAL ELECTRIC CO.

9505250271 Notification of registration as user of certificate of compliance 5926,in response to 950510 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/22.
SHIRLEY,D.A. Pennsylvania State Univ., University Park, PA. 1p. 84099:248-84099:248.

DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9505010108 Requests renewal of COC 5957 for BMI-1 cask.
ARCHARYA,S. Energy, Dept. of. 95/04/18. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83792:001-83793:123.

--9505010127 Rev 1 to "SAR for Model BMI-1 Shipping Cask."
* Energy, Dept. of. 95/02/28. 280pp. 83792:003-83793:123.

DOCKET 71-5984 MODEL: 5984, J.L. SHEPHERD & ASSOCIATES

9505240203 Notification of registration as user of certificate of compliances 5984 & 9148,in response to 950529 ltr.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/19.
MALINOSKI,J.W. Navy, Dept. of. 1p. 84083:324-84083:324.

DOCKET 71-6294 MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.

9505050286 Application for rev to certificate of compliance 6294 for model UNC-2901 fuel pellet/powder shipping container. Changes result from occasional need to ship fuel pellets in corrugated trays vs in covered pans.
MICHELSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). MICHELSEN,M.A. ASEA Brown Boveri, Inc. 95/04/26.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 49pp. 83868:290-83868:342.

DOCKET 71-6786 MODEL: URIPS-8A & URIPS-8B, NAVY, DEPT. OF

9505010223 Requests renewal of QA program approval:0697 to reflect Navy position as user of transportation packages.
MALINOSKI,J.W. Navy, Dept. of. 95/03/29. BAER,R.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83716:294-83716:310.

DOCKET 71-9001 MODEL: IF-300, NUCLEAR PACKAGING, INC.

9505020403 Application for renewal of COC 9001 for VECTRA IF-300 shipping cask.Revised pages to Vol 1 of consolidated SAR encl.Vol 3 to consolidated SAR, "IF-300 Shipping Cask" also encl.
TEMUS,C.J. Vectra Technologies, Inc. 95/03/30. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 10pp. 83830:001-83832:199.

--9505020436 Vol 3 to SAR, "IF-300 Shipping Cask."
* Vectra Technologies, Inc. NEDO-10084-4 V03. 95/03/31. 833pp. 83830:095-83832:199.

9505040202 Forwards consolidated vols 1 & 2 for "IF-300 Shipping Cask Consolidated SAR," NEDO-10084-4.
TEMUS,C.J. Vectra Technologies, Inc. 95/04/27. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 83809:001-83811:212.

--9505080266 Vols 1 & 2 to SAR "IF-300 Shipping Cask."
* Vectra Technologies, Inc. NEDO-100884-4. 95/03/31. 875pp. 83809:006-83811:212.

DOCKET 71-9030 MODEL: SENTINEL-8, -3 & MW-3000, TELEDYNE ENERGY

9505010223 Requests renewal of QA program approval:0697 to reflect Navy position as user of transportation packages.
MALINOSKI,J.W. Navy, Dept. of. 95/03/29. BAER,R.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83716:294-83716:310.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9505220107 Requests registration as user of model 650.
DUNN,C. . 95/05/10. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84038:354-84038:354.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9505300124 Requests registration as user of COC USA/9033/B(U) for Amersham 660,660E,660A,660AE,660B or 660BE.
KELLY,J.F. Affiliation Not Assigned. 95/05/18. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 2pp. 84138:359-84138:360.

9505260363 Requests registration as user of COC USA/9263/B(U) for SPEC-150 gamma radiography exposure device & COC USA/9033/B(U) for Amersham Corp model 660B gamma radiography exposure device.
CARR,W.B. Testmaster Inspection Co. 95/05/19. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 2pp. 84106:330-84106:331.

DOCKET 71-9035 MODEL: 680 & 680E, AMERSHAM CORP.

9505050291 Forwards drawings R68090,Rev B,R85790,Rev A,85791,Rev A, 67692,Rev A & 67691,Rev A,based on NRC telcon request.
ROUGHAN,C. Amersham Corp. 95/04/24. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). WITHEE NRC - No Detailed Affiliation Given. 13pp. 83839:202-83839:214.

9505120111 Forwards COC:9035,Rev 11 for Models 680,680E,680AE & 680BE shipping packages.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/04/28. ROUGHAN,C. Amersham Corp. 1p. 83942:356-83942:359.

--9505120115 Certificate of compliance 9035,rev 11,for models 680,680E, 680a,680AE,680B & 680BE.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/04/28. 3pp. 83942:357-83942:359.

DOCKET 71-9039 MODEL: 715, AMERSHAM CORP.

9505240322 Application for renewal of certificate of compliance 9039 for model 715 Type B(U) package.Revised "SAR Amersham Corp Model 715 Type B(U) Package USA/9039/B(U)" encl.
ROUGHAN,C. Amersham Corp. 95/05/11. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 84071:265-84071:330.

--9505240325 Rev 0 to "SAR Amersham Corp Model 715 Type B(U) Package USA/9039/B(U)."
* Amersham Corp. 95/05/31. 64pp. 84071:266-84071:330.

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,.

9505030331 Responds to NRC demand for info dtd 950324.Informs that it is not warranted to recall packagings fabricated between 880608 & 890831 & distributed to NRC Agreement State licensees for listed reasons.
DICHARRY,R.D. Source Production & Equipment Co., Inc. 95/04/23. LIEBERMAN,J.D. Ofc of Enforcement (Post 870413). 4pp. 83787:351-83787:354.

DOCKET 71-9071 MODEL: AP-101, ANEFCO, INC.

9505090052 Forwards check 0453,dtd 941228,for listed amount re requested renewal of QA program 0001.Per NRC 941221 ltr,NRC has applied listed amount from check 0413 toward renewal fee & listed amount toward fee of amending COC 9071.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 95/04/27. MURPHY,J.D. Anefco, Inc. 1p. 83906:360-83906:360.

DOCKET 71-9096 MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.

9505250174 Requests registration as user of model CNSI 21-300 radioactive shipping cask.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/05/16. CHAPPELL,C.R. Transportation Branch (Post 930207). 1p. 84106:328-84106:328.

9505250268 Notification of registration as user of certificate of compliance 9096,in response to 950516 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/22. DROKE,R. Nuclear Fuel Services, Inc. 1p. 84099:254-84099:254.

DOCKET 71-9148 MODEL: 770, AMERSHAM CORP.

9505240203 Notification of registration as user of certificate of compliances 5984 & 9148,in response to 950529 ltr.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/19. MALINOSKI,J.W. Navy, Dept. of. 1p. 84083:324-84083:324.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9505190230 Informs of correction re request to update QA program dated 950308.Listed shipping container reflects corrected request.COC encl.
HAGER,R.C. Midland Inspection & Engineering, Inc. 95/05/05. Office of Nuclear Material Safety & Safeguards. 1p. 84009:327-84009:332.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9505230351 Informs that Basin Industrial X-ray has been registered as user of COC 9157,per 950425,as requested by 950425 ltr.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/19. SPENCER,R.W. Basin Industrial X-Ray, Inc. 1p. 84058:355-84058:355.

DOCKET 71-9182 MODEL: HUSMAN IRRADIATOR, AGRICULTURE, DEPT. OF

9505180392 Responds to 950403 ltr re transport of Husman irradiator owned by USDA.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. FOWLER,J.L. Agriculture, Dept. of. 2pp. 84030:275-84030:276.

DOCKET 71-9196 MODEL: UX-30, NUCLEAR PACKAGING, INC.

9505150093 Requests notification within 30 days from date of ltr when info will be provided re amend to Certificate of compliance 9196.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/08. TEMUS,C.J. Vectra Technologies, Inc. 2pp. 83943:283-83943:284.

DOCKET 71-9225 MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.

9505180471 Forwards Rev 14 to T-88004, "SAR for NAC Legal Weight Truck (LWT) Cask," including Drawing 515-40-12,Rev 3,correcting deficiency noted as result of NRC review of consolidated Rev 13 of NACT-LWT SAR submitted by 950324 ltr.
TJERSLAND,G.T. Nuclear Assurance Corp. 95/05/12. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83984:252-83984:283.

--9505180477 Rev 14 to "SAR for NAC Legal Weight Truck Cask."
* Nuclear Assurance Corp. T-88004 R14. 95/05/31. 29pp. 83984:254-83984:283.

DOCKET 71-9226 MODEL: GA-4, GENERAL ATOMICS

9505260280 Informs of addl info needed to complete review of request for COC for Model GA-4 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/22. GRENIER,R.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 20pp. 84102:334-84102:353.

DOCKET 71-9227 MODEL: GA-9, GENERAL ATOMICS

9505250265 Informs of info needed to complete review of 940720 application,requesting COC for Model GA-9 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/22. GRENIER,R.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 21pp. 84099:175-84099:195.

DOCKET 71-9228 MODEL: 2000, GENERAL ELECTRIC CO.

9505090148 Forwards Tower Shielding Reactor (TSR) fuel drawings & ORNL rept describing TSR fuel.W/12 oversize encl.
CUNNINGHAM,G.E. General Electric Co. 95/05/01. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 83992:193-83992:210.

--9505090154 "Tower Shielding Reactor II Design & Operation Rept:Vol 1 Description." HOLLAND,L.B. Oak Ridge National Laboratory. ORNL-TM-2893. 71/02/25. 13pp. 83992:197-83992:210.

9505300163 Provides listing of changes that GE wishes to make re safety analysis of basket & liner,NEDO-32229,dtd Jul 1993,designed to ship HFIR fuel assembly in Model 2000 shipping container.
CUNNINGHAM,G.E. General Electric Co. 95/05/19. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 16pp. 84117:063-84117:139.

--9505300167 Errata & addenda sheet to GE rept NEDO-32229, "Model 2000 Radioactive Matl Transportation Package-HFIR Fuel Basket & Liner SAR," dtd May 1995.
* General Electric Co. NEDO-32229 ERR. 95/05/31. 57pp. 84117:083-84117:139.

DOCKET 71-9245 MODEL: RTS-420, RTS TECHNOLOGY, INC.

9505250101 Requests registration as user of model 424 for COC USA/9245/B/(U).
MCCARTHY,K.F. Public Service Co. of Colorado. 95/05/12. MCDONALD,C.E. Transportation Branch (Post 930207). 1p. 84083:358-84083:358.

DOCKET 71-9248 MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.

9505050052 Forwards Certificate of Compliance 9248,Rev 5 for Model SP-1 & SP-2 packages.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/04/28. EDGAR,J.B. Siemens Corp. 1p. 83864:115-83864:121.

--9505050055 Certificate of Compliance 9248,Rev 5,for Model SP-1 & SP-2 packages.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/04/28. 6pp. 83864:116-83864:121.

9505050296 Requests that COC 9248 be revised to reflect rev to drawing EMF-610,510,per 950428 telcon w/NRC.Vendor prefers to delete ref to drawing EMF-610,510,as discussed on 950428.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/04/28. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 8pp. 83884:341-83884:348.

9505050048 Forwards Certificate of Compliance 9248,Rev 6 for Models SP-1 & SP-2 packages.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/02. EDGAR,J.B. Siemens Corp. 1p. 83864:122-83864:127.

--9505050049 Certificate of Compliance 9248,Rev 6,for Models SP-1 & SP-2.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/02. 5pp. 83864:123-83864:127.

DOCKET 71-9251 MODEL: BW-2901, B&W FUEL CO.

9505300299 Forwards certificate of compliance 9251,rev 3 for model BW-2901 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/25. KNAPP,K.S. Babcock & Wilcox Co. 1p. 84141:316-84141:320.

--**9505300302** Certificate of compliance 9251,rev 3,for model BW-2901.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/05/25. 4pp. 84141:317-84141:320.

DOCKET 71-9259 MODEL: TROJAN STEAM GENERATOR, PORTLAND GENERAL

9505250086 Provides schedule for plant response to NRC 950322 RAI re util application for approval of Trojan SG packages.Info requested will be submitted to NRC on 950501.
QUENNOZ,S.M. Pacific Gas & Electric Co. 95/04/19. Office of Nuclear Material Safety & Safeguards. 1p. 84083:356-84083:356.

9505080076 Provides response to 950322 request for addl info re application for approval of Trojan Steam Generator Packages. Also,identifies changes to SAR for SG submitted on 950123 in support of application.
QUENNOZ,S.M. Portland General Electric Co. 95/05/02. Document Control Branch (Document Control Desk). 142pp. 83840:001-83840:143.

9505100149 Transmits copies of revised figures for Trojan Nuclear Plant Safety Analysis Rept for SG packages.
QUENNOZ,S.M. Portland General Electric Co. 95/05/03. Division of Waste Management (NMSS 940403). 20pp. 83875:063-83875:082.

DOCKET 71-9260 MODEL: TROJAN PRESSURIZER, PORTLAND GENERAL ELECTRIC

9505050234 Forwards response to NRC 950322 RAI re POGE application for approval of Trojan pressurizer package & identifies changes to SAR for pressurizer package submitted on 950123 in support of application.Revised SAR pages also encl.
QUENNOZ,S.M. Portland General Electric Co. 95/05/02. Office of Nuclear Material Safety & Safeguards. 6pp. 83808:184-83808:289.

--**9505050236** Rev 1 to "Trojan Pressurizer Package - SAR."
* Portland General Electric Co. 95/05/02. 100pp. 83808:190-83808:289.

9505250090 Provides schedule for util response to NRC 950322 RAI re util application for approval of Trojan Pressurizer package. Info requested will be submitted to NRC on 950501.
QUENNOZ,S.M. Pacific Gas & Electric Co. 95/04/19. Office of Nuclear Material Safety & Safeguards. 1p. 84083:357-84083:357.

DOCKET 71-9263 MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.

9505050022 Forwards Certificate of Compliance 9263,Rev 0 for Model SPEC-150 package.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/04/28. DICHARRY,R.D. Source Production & Equipment Co., Inc. 1p. 83864:201-83864:211.

--**9505050025** Certificate of Compliance 9263,Rev 0,for Model SEPC-150.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/04/28. 10pp. 83864:202-83864:211.

9505230252 Requests registration as user of model SPEC-150.
NEWLAND,J.A. Jan X-Ray Services, Inc. 95/05/12. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 84058:335-84058:335.

9505250120 Requests registration as user of model SPEC-150 for COC USA/9263/B(U).
STRINGHAM,S.D. Montana X-Ray, Inc. 95/05/15. MCDONALD,C.E. Transportation Branch (Post 930207). 1p. 84083:360-84083:360.

9505250105 Requests registration as user of model SPEC-150 for COC USA/9263/B(U).
CAGLE,M.S. Affiliation Not Assigned. 95/05/16. MCDONALD,C.E. Transportation Branch (Post 930207). 1p. 84083:359-84083:359.

9505260156 Requests registration as user of COC USA/9263/B(U) for SPEC-150 gamma radiography exposure device.
DUCOTE,D. Industrial Radiography Maintenance & Supply Co. 95/05/16. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84106:341-84106:341.

9505260230 Requests registration as user of COC USA/9263/B(U) for SPEC-150 gamma radiography exposure device.
PRATT,F. Affiliation Not Assigned. 95/05/17. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84106:336-84106:336.

9505260363 Requests registration as user of COC USA/9263/B(U) for SPEC-150 gamma radiography exposure device & COC USA/9033/B(U) for Amersham Corp model 660B gamma radiography exposure device.
CARR,W.B. Testmaster Inspection Co. 95/05/19. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 2pp. 84106:330-84106:331.

9505260487 Requests registration as user of model SPEC-150.
WATSON,S.N. Affiliation Not Assigned. 95/05/22. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 84099:354-84099:354.

DOCKET 71-9793 MODEL: M-140, ENERGY, DEPT. OF

9505300026 Discusses info re review of structural evaluation for shipping D2W RIF in M-140 container.
LEE,H.W. Office of Nuclear Material Safety & Safeguards. 95/05/19. OSGOOD,N.L. Office of Nuclear Material Safety & Safeguards. 1p. 84133:359-84133:359.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0002 VIRGINIA ELECTRIC & POWER CO. 50-280 & 50-281

9505020168 Forwards insp rept 72-0002/95-01 on 950329-30.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/24. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 83691:020-83691:029.

--**9505020170** Insp rept 72-0002/95-01 on 950329-30.No violations noted. Major areas inspected:licensee radiological protection program including audits,changes to program,external exposure controls & surveys.
LOO,W.T., RANKIN,W.H. Region 2 (Post 820201). 95/04/20. 7pp. 83691:023-83691:029.

DOCKET 72-0003 H.B. ROBINSON ISFSI, 50-261

9505020129 Forwards insp rept 72-0003/95-01 on 950403-04.No violations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/21. HINNANT,C.S. Carolina Power & Light Co. 3pp. 83690:238-83690:248.

--**9505020134** Insp rept 72-0003/95-01 on 950403-04.No violations noted. Major areas inspected:licensee radiological protection program including audits,changes to program,external exposure controls & surveys.
LOO,W.T., RANKIN,W.H. Region 2 (Post 820201). 95/04/21. 8pp. 83690:241-83690:248.

DOCKET 72-0004 OCONEE ISFSI, 50-269, 50-270 & 50-287

9505020052 Forwards insp rept 72-0004/95-01 on 950327-28.No violations or deviations noted.
CLINE,W.E. Region 2 (Post 820201). 95/04/20. HAMPTON,J.W. Duke Power Co. 3pp. 83689:250-83689:260.

--**9505020061** Insp rept 72-0004/95-01 on 950327-28.No violations noted. Major areas inspected:occupational exposure controls associated w/ISFSI,audits,changes to program,external exposure controls & control of radioactive matls.
LOO,W.T. Region 2 (Post 820201). 95/04/19. 8pp. 83689:253-83689:260.

DOCKET 72-0005 ISFSI POINT BEACH GEN LIC/VSC-24, 50-266 & 50-301

9505220231 Responds to 950227 ltr to President Clinton expressing concerns re dry cask storage of radioactive spent fuel at plant.
ADENSAM,E.G. . 95/05/15. KOPECKY,M.L. Affiliation Not Assigned. 24pp. 84029:289-84029:317.

--**9505220236** Forwards ltr from L Kopecky.NRC has responded to concerns presented in ltr to President Clinton.Ltr suggests utilizing super-collider facility for storage of spent nuclear fuel.
ADENSAM,E.G. . 95/05/15. DREYFUS,D.A. Energy, Dept. of. 1p. 84029:312-84029:312.

--**9505220242** Forwards ltr from ML Kopecky re storage of spent nuclear fuel by Lake Michigan.
SPRINGER,R. Environmental Protection Agency. 95/04/07. CHILK,S.J. Office of the Secretary of the Commission. 6pp. 84029:313-84029:317.

DOCKET 72-0007 ISFSI PALISADES GEN LIC/VSC-24, 50-255

9505250100 Seventh final response to FOIA request for documents.Apps J & K documents encl & also placed in PDR.App K documents partially withheld (ref FOIA Exemption 6).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/19. GLITZENSTEIN,E. Affiliation Not Assigned. GLITZENSTEIN,E. Don't Waste Michigan. 4pp. 84067:204-84067:238.

--**9505250103** Summarizes 940314 meeting w/NMSS & OGC on plant ISFSI pad seismic issue.Info within memo partially deleted.
HSIA,A.H. Project Directorate III-1. 94/03/14. MARSH,L.B. Project Directorate III-1. ZWOLINSKI,J.A. Assistant Director for Region III Reactors (Post 901216). 2pp. 84067:210-84067:211.

--**9505250110** Partially deleted memo providing draft independent NRC evaluation of dry spent fuel cask storage facility at plant.
BAGCHI,G. Civil Engineering & Geosciences Branch. 94/05/13. MARSH,L.B. Project Directorate III-1. 13pp. 84067:212-84067:224.

--**9505250113** Partially withheld "Deterministic Evaluation of Liquefaction Potential of Foundation Soils & Effects at ISFSI Pad at Palisades Nuclear Power Plant."
COSTANTINO,C.J., SIMOS,N. Brookhaven National Laboratory. FIN J-2042. 94/05/31. Civil Engineering & Geosciences Branch. 7pp. 84067:225-84067:231.

9505190317 Registers initial use on 950428 of Pacific Sierra Nuclear ventilated storage cask model VSC-24.
HAAS,K.M. Consumers Power Co. 95/05/10. Document Control Branch (Document Control Desk). 1p. 84008:356-84008:356.

DOCKET 72-0009 FORT ST. VRAIN ISFSI, 50-267

9505310639 Issue 6 to emergency response procedure (ERP) DPP 5.2.3, "ERP - Control Room." W/950523 ltr.
BORST,F.J. Public Service Co. of Colorado. 95/05/23. 25pp. 84162:296-84162:320.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9505030409 Forwards rept of preoperational test acceptance criteria & test results for Prairie Island ISFSI.W/Work Orders 9500766, 9500910,9501131,9501488,9501361 & Rev 0 to Maint Procedure D95.1 & Draft Rev 0 to Maint Procedure D95.2.
ANDERSON,R.O. Northern States Power Co. 95/04/20. Document Control Branch (Document Control Desk). 486pp. 83796:001-83797:281.

--**9505030411** Rev 0 to Maint Procedure D95.1, "TN-40 Cask Loading Procedure."
* Northern States Power Co. 94/12/22. 159pp. 83797:123-83797:281.

9505020118 Responds to 950310 ltr which requested comments on draft MOU among Bureau of Indian Affairs,several other Federal agencies & Prairie Island Dakota Indian Community.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/12. MOFFETT,E. Interior, Dept. of, Bureau of Indian Affairs. 2pp. 83690:198-83690:222.

–9505020120 Requests comments on encl draft MOU by 950414 & help in drafting action plan.Action plan will describe specific actions that each agency has in areas of mutual interest.
MOFFETT,E. Interior, Dept. of, Bureau of Indian Affairs. 95/03/10. TAYLOR,J. Ofc of the Executive Director for Operations. 13pp. 83690:210-83690:222.

9505020397 Submits info re hydrostatic test of TN-40 cask.
ANDERSON,R.O. Northern States Power Co. 95/04/26. Document Control Branch (Document Control Desk). 24pp. 83791:323-83791:346.

9505040269 Forwards "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1994."
ANDERSON,R.O. Northern States Power Co. 95/04/26. Document Control Branch (Document Control Desk). 1p. 83807:191-83807:271.

–9505040268 "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1994."
HUEBNER,L.G. Teledyne Isotopes. 94/12/31. 83pp. 83807:192-83807:271.

9505100025 Provides info in response to questions raised during 950428 public meeting on plant ISFSI.
ANDERSON,R.O. Northern States Power Co. 95/05/03. Document Control Branch (Document Control Desk). 3pp. 83873:194-83873:196.

9505150114 Provides info re unloading of TN-40 cask.
STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/05. ANDERSON,R.O. Northern States Power Co. 2pp. 83942:360-83942:361.

9505180442 Forwards exemption from requirements of 10CFR72 for submittal of rept of preoperational test acceptance criteria & test results at least 30 days prior to receipt of SF or high-level radwaste.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. ANDERSON,R.O. Northern States Power Co. 4pp. 84013:275-84013:284.

–9505180450 Exemption from requirements of 10CFR72 for submittal of rept of preoperational test acceptance criteria & test results at least 30 days prior to receipt of SF or high-level radwaste.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. 6pp. 84013:279-84013:284.

9505220051 Forwards safety evaluation concluding that composite storage cask at plant acceptable w/o any addl hydrostatic testing & other casks under Part 72 license need to be tested w/ 25 psig hydrostatic pressure on inner containment vessel.
ADENSAM,E.G. . 95/05/11. GREENMAN,E.G. Region 3 (Post 820201). 1p. 84010:215-84010:221.

–9505220056 Safety evaluation concluding that composite storage cask at plant acceptable w/o any addl hydrostatic testing & other casks under Part 72 license need to be tested w/25 psig hydrostatic pressure on inner containment vessel only.
* Office of Nuclear Reactor Regulation (Post 941001). 95/05/11. 6pp. 84010:216-84010:221.

9505180225 "NRC Staff Authorizes Loading of Dry Cask Spent Fuel Storage Sys at Prairie Island Nuclear Power Station in MN."
* Office of Public Affairs (Post 911117). 95/05/12. 2pp. 84030:346-84030:347.

DOCKET 72-0011 RANCHO SECO ISFSI, 50-312

9505260132 Forwards response to NRC request for addl info re ISFSI SAR. Encl withheld.
REDEKER,S. Sacramento Municipal Utility District. 95/05/09. Office of Nuclear Material Safety & Safeguards. 24pp. 84160:149-84160:178.

9505300137 Corrected memo re RSNGS ISFSI insp on 950412 & 13,Trojan Nuclear Power Station site familiarization tour on 950414 & 950515 public info meeting re decommissioning of Trojan plant site.
RADDATZ,M.G. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84120:352-84120:354.

9505260055 Forwards insp rept 72-0011/95-01 on 950417-21.No violations noted.Weakness noted in quality assurance activities.
GWYNN,T.P. Region 4 (Post 820201). 95/05/19. SHETLER,J.R. Sacramento Municipal Utility District. 5pp. 84062:175-84062:192.

–9505260058 Insp rept 72-0011/95-01 on 950417-21.No violations noted. Major areas inspected:horizontal dry spent fuel storage module pad for ISFSI.
POWERS,D.A. Region 4 (Post 820201). 95/05/18. 12pp. 84062:181-84062:192.

9505260284 Requests technical assistance of C Gaskin in reviewing Rancho Seco ISFSI Physical Protection Plan & Training & Qualification Plan submitted 950508.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/19. PIERSON,R. Licensing Branch. 1p. 84106:334-84106:334.

DOCKET 72-0016 VEPCO - NORTH ANNA ISFSI - 50-338 & 50-339

9505250191 Application for license to construct & operate ISFSI at North Anna Power Station.Environ rept,tech specs & SAR encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/09. 153pp. 84115:001-84116:340.

–9505250194 "Environ Rept North Anna Power Station ISFSI."
* Virginia Power (Virginia Electric & Power Co.). 95/05/09. 108pp. 84115:158-84115:265.

–9505250199 Proposed tech specs for ISFSI.
* Virginia Power (Virginia Electric & Power Co.). 95/05/09. 439pp. 84115:266-84116:340.

9505310127 Forwards revised physical security plan,safeguards contingency plan & nuclear security personnel training & qualification plan.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/05/25. Document Control Branch (Document Control Desk). 5pp. 84162:251-84162:255.

DOCKET 72-0017 TROJAN ISFSI, 50-344

9505300137 Corrected memo re RSNGS ISFSI insp on 950412 & 13,Trojan Nuclear Power Station site familiarization tour on 950414 & 950515 public info meeting re decommissioning of Trojan plant site.
RADDATZ,M.G. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/10. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 84120:352-84120:354.

DOCKET 72-0018 PRAIRIE ISLAND OFFSITE ISFSI - 50-282 & 50-306

9505250080 Forwards certified resolution adopted by City Council of Lake City,dtd 950509 re storage of high-level nuclear waste as proposed by NSP.
BREMER,W. Affiliation Not Assigned. 95/05/10. Region 3 (Post 820201). 4pp. 84063:305-84063:308.

9505260165 Notifies of 950605 meeting w/NSP in Rockville,MD re new independent spent fuel storage installation NSP plans to build near Prairie Island.
SCHNEIDER,J.F. Office of Nuclear Material Safety & Safeguards. 95/05/18. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 84099:289-84099:290.

DOCKET 72-1007 MODEL: VSC-24, PACIFIC SIERRA NUCLEAR ASSOCIATES

9505120272 Provides addl info re request to amend VSC-24 cask COC.
THOMPSON,T.C. Sierra Nuclear, Inc. 95/04/28. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 83936:001-83936:162.

–9505120274 Rev 1 to design calculation, "Required B Concentrations for Various Assembly Types & Fuel Enrichments in VSC-24 MSB."
* Sierra Nuclear, Inc. ANO-109.001.006 R01. 95/04/28. 74pp. 83936:008-83936:081.

–9505120276 "Bechmark Calculations & Validation of Keno-Va PC Computer Code."
* Sierra Nuclear, Inc. CCV.1.1.3. 95/04/28. 37pp. 83936:082-83936:122.

–9505120278 "Qualification Load Test Rept for ANO Hoist Ring & Structural Lid,Safety Classification Important to Safety."
HIGNITE,D.A., THOMPSON,T.C., ROLLO,J.E. Sierra Nuclear, Inc. ANO-108.009. 95/04/28. 41pp. 83936:123-83936:162.

9505110331 Registers initial use,on 950414,of Pacific Sierra Nuclear Ventilated Storage Cask Model VSC-24,Number CVCC-24-12.
HAAS,K.M. Consumers Power Co. 95/05/02. Document Control Branch (Document Control Desk). 1p. 83945:303-83945:303.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

8804060058 Advises of Commission approval of staff recommendation for TVA lessons learned disposition subj to listed conditions.
CHILK,S.J. Office of the Secretary of the Commission. 88/03/02. STELLO,V. Ofc of the Executive Director for Operations. KERR,W. ACRS - Advisory Committee on Reactor Safeguards. CONNELLY,S.R. Office of Inspector & Auditor (Pre 890417). 16pp. 83808:290-83808:305.

9505010094 Transcript of 950421 public meeting in Rockville,MD re briefing on Commission decision tracking sys.Pp 1-53. Supporting documentation incl.
* Commissioners (Post 750119). 95/04/21. 80pp. 83687:165-83687:248.

9505020431 Staff requirements memo re briefing on IPE program & SARP.
HOYLE,J.C. Office of the Secretary of the Commission. M950419A. 95/04/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83723:009-83723:009.

9505020443 Staff requirements memo re briefing on NRC status of high- level waste mgt program on 950425.
HOYLE,J.C. Office of the Secretary of the Commission. M950425. 95/04/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83717:306-83717:306.

9505030113 Transcript of 950406 meeting in Rockville,MD re affirmation/discussion & vote.Pp 1-4.Supporting documentation encl.
* Commissioners (Post 750119). 95/04/06. 8pp. 83740:292-83740:299.

9505030224 Transcript of 950425 briefing re status of high level waste mgt program in Rockville,MD.Pp 1-55.Related documentation encl.
* Commissioners (Post 750119). 95/04/25. 86pp. 83723:246-83723:329.

9505040301 Staff requirements memo re SECY-95-053.Advises that Commission has approved staff recommendations & has approved FRN denying AMC petitions for rulemaking.
HOYLE,J.C. Office of the Secretary of the Commission. 95/04/06. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83748:330-83748:330.

9505050115 Transcript of 950426 public meeting on proposed rule on safety equipment reliability data in Rockville,MD. Pp 1-42.Supporting documentation encl.
* Commissioners (Post 750119). 95/04/26. 63pp. 83813:220-83813:282.

9505050131 Transcript of 950426 meeting in Rockville,MD re affirmation/ discussion & vote.Pp 1-3.
* Commissioners (Post 750119). 95/04/26. 7pp. 83813:283-83813:289.

9505080203 Transcript of 950427 meeting in Rockville,MD re briefing by IG & staff concerning audit of HLW LSS.Pp 1-63.Supporting documentation encl.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/01. 84pp. 83834:160-83834:243.

9505090202 Staff requirements memo re briefing on PR on safety equipment reliability data in Rockville,MD on 950426.
HOYLE,J.C. Office of the Secretary of the Commission. M9504026A. 95/05/04. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83856:120-83856:120.

9505100282 Staff requirements memo re briefing on Commission decision tracking sys.
HOYLE,J.C. Office of the Secretary of the Commission. M950421. 95/05/05. CHILK,S.J. Office of the Secretary of the Commission. 2pp. 83890:046-83890:047.

9505110188 Staff requirements memo re SECY-95-091, "DOE Proposed Subsequent Arrangement for Retransfer of Spent Fuel Assemblies From Switzerland to United Kingdom for Reprocessing & Storage."
HOYLE,J.C. Office of the Secretary of the Commission. 95/04/27. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 83936:323-83936:323.

9505110192 Staff requirements memo re SECY-95-097, "Search for Three New Members of Nuclear Safety Research Review Committee."
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83936:324-83936:324.

9505110197 Staff requirements memo re SECY-95-005, "Results of NRC Staff Review of Nuclear Energy Institute Thermo-Lag 330-1 Combustibility Evaluation Methodology."
HOYLE,J.C. Office of the Secretary of the Commission. 95/03/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83936:329-83936:329.

9505110315 Staff requirements memo re SECY-95-096, "Implementation of RI Program for NMSS Programs." Commission offers no objection to implementation of NMSS RI Program described in subj paper.
HOYLE,J.C. Office of the Secretary of the Commission. 95/05/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83938:214-83938:214.

9505110327 Staff requirements memo re briefing by IG & staff concerning audit of HLW LSS.
HOYLE,J.C. Office of the Secretary of the Commission. M950427. 95/05/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83938:221-83938:221.

9505120027 Staff requirements memo re SECY-95-056, "Deferral of Regulatory Oversight to US EPA for Two w/Radioactive Contamination & Landfill Disposal of Licensed Material from Remediation of a Third Site (10CFR20.2002)."
HOYLE,J.C. Office of the Secretary of the Commission. 95/04/28. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83923:357-83923:357.

9505180132 Transcript of 950503 public meeting in Rockville,MD re NRR licensing actions program.Pp 1-73.Viewgraphs & supporting documentation encl.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/03. 109pp. 83979:185-83979:293.

9505180266 Staff requirements memo re briefing on NRR licensing actions program.
HOYLE,J.C. Office of the Secretary of the Commission. M950503. 95/05/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83971:359-83971:359.

9505190236 First partial response to FOIA request for records.App A records available in PDR & App B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/29. ANAGNOS,D. Affiliation Not Assigned. 3pp. 84026:091-84026:147.

9505190281 Staff requirements memo re SECY-92-320,advising that Commission has not objected to issuance of proposed NOV & proposed imposition of civil penalty to MQS Insp,Inc, Elk Grove Village,IL.
CHILK,S.J. Office of the Secretary of the Commission. EA-92-133. 92/10/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84026:147-84026:147.

9505240357 Staff requirements memo re 950512 briefing by DOE on high level waste LSS.
HOYLE,J.C. Office of the Secretary of the Commission. M950512. 95/05/19. Office of the Secretary of the Commission. 1p. 84051:102-84051:102.

9505240367 Staff requirements memo re 950511 briefing in Rockville,MD re business process reengineering for matls licensing area.
HOYLE,J.C. Office of the Secretary of the Commission. M950511. 95/05/19. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84051:103-84051:103.

9505240375 Transcript of 950511 meeting in Rockville,MD re briefing on business process reengineering for materials licensing area.Supporting documentation encl.
* Commissioners (Post 750119). 95/05/11. 101pp. 84051:007-84051:101.

9505260179 Transcript of 950512 public meeting in Rockville,MD re briefing by DOE on HLW licensing support sys.Pp 1-51. Supporting documentation encl.
* Commissioners (Post 750119). 95/05/12. 98pp. 84090:045-84090:143.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

9505090194 "ACNW to Meet 950510-11."
* Office of Public Affairs (Post 911117). 95/05/02. 2pp. 83924:041-83924:041.

9505150068 Summary of 72nd meeting of ACNW on 950315-16 w/DOE re aspects of program approach related to waste contamination & isolation at Yucca Mountain & activities related to preparation of license application.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. FACA. 95/04/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 83948:001-83948:003.

9505150073 Summary of 70th meeting of ACNW w/NRC & CNWRA on 950118-19 re work related to engineered barrier sys,including waste package.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. FACA. 95/04/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 83948:004-83948:007.

9505150085 Summary of 71st meeting of ACNW on 950221-22 w/EPA,NRC & Nuclear Engergy Inst re EPA prepoposal draft of 40CFR193, "...Stds for Mgt,Storage & Disposal of LLW" & NRC proposed radiological criteria for decommissioning.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. FACA. 95/04/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 83948:008-83948:012.

9505150091 Summary of 72nd meeting of ACNW on 950315-16 w/Steel Mfgs Assoc,Florida Steel Corp & NRC re regulations pertaining to contaminated steel smelting facilities & disposal of contaminated baghouse dust.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. FACA. 95/04/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 83985:286-83985:288.

9505150097 Forwards four listed repts from ACNW.
* Office of Public Affairs (Post 911117). 95/05/02. 1p. 83948:013-83948:028.

9505180249 Transcript of 950511 74th meeting of ACNW in Rockville,MD.Pp 101-172.
* Advisory Committee on Nuclear Waste. 95/05/11. 75pp. 84032:170-84032:267.

9505180257 Transcript of 950510 74th meeting of ACNW in Rockville,MD.Pp 1-100.
* Advisory Committee on Nuclear Waste. 95/05/10. 110pp. 84033:001-84033:121.

9505300093 Informs that on 950621,NRC will brief Commission on development of guidance on use & elicitation of expert judgement & that on 950622,NRC w/assistance of CNWRA will brief ACNW on same topic.
MCCARTIN,T. Division of Waste Management (Pre 870413). HLWR. 95/05/19. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 1p. 84132:091-84132:091.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

8804060058 Advises of Commission approval of staff recommendation for TVA lessons learned disposition subj to listed conditions.
CHILK,S.J. Office of the Secretary of the Commission. 88/03/02. STELLO,V. Ofc of the Executive Director for Operations. KERR,W. ACRS - Advisory Committee on Reactor Safeguards. CONNELLY,S.R. Office of Inspector & Auditor (Pre 890417). 16pp. 83808:290-83808:305.

9505020173 Summary of 420th meeting of ACRS on 950406-07 re NRC test & analysis program in support of AP600 Advanced Light Water Passive Plant design review.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. FACA. 95/04/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 83783:339-83783:341.

9505020179 Summary of 419th & 420th meetings on 950309-10 & 0406-07 re proposed rulemaking on reporting reliability & availability info for risk-significant sys & equipment.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. FACA. 95/04/12. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 83783:342-83783:343.

9505020185 Summary of 420th meeting of ACRS on 950406-07 re proposed final rule change to 10CFR50.36,tech specs.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. FACA. 95/04/13. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 83783:344-83783:345.

9505020189 Summary of 420th meeting of ACRS on 950406-07 re proposed Rev 1 to Reg Guide 1.152, "Criteria for Digital Computers in Safety Sys in Nuclear Power Plants."
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. FACA. 95/04/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83783:346-83783:346.

9505020199 Summary of 420th meeting of ACRS on 950406-07 re proposed amends to 10CFR73 concerning security requirements associated w/containment access control.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. FACA. 95/04/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83783:347-83783:347.

9505030101 Forwards repts from ACRS commenting on proposed rulemaking on reporting reliability & availability info for risk- significant sys & equipment & proposed final rule change to TSs for licensed nuclear power plants.
* Office of Public Affairs (Post 911117). 95/04/18. 1p. 83845:001-83845:006.

9505100156 Transcript of 950502 meeting of ACRS Thermal Hydraulic Phenomena Subcommittee in Rockville,MD.Pp 1-264.Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/05/02. 304pp. 83949:001-83949:315.

9505100159 Transcript of 950503 meeting of ACRS Reactor Fuels Subcommittee in Rockville,MD.Pp 1-186.Related documentation encl.
POWERS,D.A., CATTON,I., CARROLL,J.C. ACRS - Advisory Committee on Reactor Safeguards. 95/05/03. 320pp. 83963:001-83963:320.

9505100161 Transcript of 950504 421st ACRS meeting in Rockville,MD.Pp 1-261.Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/05/04. 340pp. 83964:001-83964:340.

9505100162 Transcript of 950505 421st ACRS meeting in Rockville,MD.Pp 262-389.Related documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/05/05. 169pp. 83955:146-83955:314.

9505260184 Summary of 421st meeting of ACRS on 950504-06 concerning proposed GL re inadequate testing of safety-related logic circuits.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. FACA. 95/05/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84132:064-84132:064.

9505260189 Summary of 421st meeting of ACRS on 950504-06 re proposed rule changes to 10CFR50.55a, "Codes & Stds."
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. FACA. 95/05/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84132:065-84132:065.

9505260195 Summary of 421st meeting of ACRS on 950504-06 re proposed Suppl 2 to NUREG-0654 concerning criteria for emergency planning in early site permit application.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. FACA. 95/05/11. TAYLOR,J.M Ofc of the Executive Director for Operations. 1p. 84132:066-84132:066.

9505260199 Summary of 421st meeting of ACRS on 950504-06 re regulatory reform initiatives & natl performance review Phase II.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/05/10. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 84100:005-84100:007.

9505260201 Summary of 421st meeting of ACRS on 950504-06 re proposed final GL, "Voltage-Based Repair Criteria for Westinghouse SG Tubes."
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/05/15. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84100:008-84100:009.

9505260204 Summary of 421st meeting of ACRS on 950504-06 re review of best-estimate models for evaluation of ECCS performance.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/05/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 84100:010-84100:012.

9505260237 "NRC ACRS to Meet in Rockville,MD 90608-10."
* Office of Public Affairs (Post 911117). 95/05/22. 3pp. 84100:019-84100:021.

9505260254 Forwards ACRS repts re regulatory reform initiatives & natl performance review phase II.
* Office of Public Affairs (Post 911117). 95/05/18. 1p. 84100:024-84100:032.

ADVCM NRC ADVISORY COMMITTEE

9505010067 Forwards "Advisory Committee on Medical Uses of Isotopes Briefing Book," for 950511-12 meeting.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 95/04/27. Document Control Branch (Document Control Desk). 527pp. 83686:001-83687:164.

-9501270246 Forwards draft RG 10.8,rev 3, "Guidance for Preparation of Applications for Medical Use Programs," including licensing modules for manual brachytherapy & teletherapy,for comment.
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/19. HEHL,C.W. Region 1 (Post 820201). STOHR,J.P. Region 2 (Post 820201). AXELSON,W.E. Region 3 (Post 820201). 132pp. 83686:301-83687:065.

-9505010087 "NRC NMSS Matls Licensing Business Process Redesign Project Executive Summary."
* Materials Licensing Branch. 95/04/07. 90pp. 83687:066-83687:153.

-9505010093 Clarifies questions re payment for prof svcs rendered. Forwards current version of prof svcs voucher,for future use.
CARRIER,K.B. Program Management, Policy Development & Analysis Staff (Post 870413). 95/04/05. Advisory Committee on Medical Uses of Isotopes. 11pp. 83687:154-83687:164.

9505090194 "ACNW to Meet 950510-11."
* Office of Public Affairs (Post 911117). 95/05/02. 2pp. 83924:041-83924:041.

9505090197 "NRC Seeks Nominations for Membership on Nuclear Safety Research Review Committee."
* Office of Public Affairs (Post 911117). 95/05/05. 2pp. 83924:044-83924:045.

9505150068 Summary of 72nd meeting of ACNW on 950315-16 w/DOE re aspects of program approach related to waste contamination & isolation at Yucca Mountain & activities related to preparation of license application.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. FACA. 95/04/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 83948:001-83948:003.

9505150073 Summary of 70th meeting of ACNW w/NRC & CNWRA on 950118-19 re work related to engineered barrier sys,including waste package.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. FACA. 95/04/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 83948:004-83948:007.

9505150085 Summary of 71st meeting of ACNW on 950221-22 w/EPA,NRC & Nuclear Engergy Inst re EPA prepoposal draft of 40CFR193, "...Stds for Mgt,Storage & Disposal of LLW" & NRC proposed radiological criteria for decommissioning.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. FACA. 95/04/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 83948:008-83948:012.

9505150091 Summary of 72nd meeting of ACNW on 950315-16 w/Steel Mfgs Assoc,Florida Steel Corp & NRC re regulations pertaining to contaminated steel smelting facilities & disposal of contaminated baghouse dust.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. FACA. 95/04/28. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 83985:286-83985:288.

9505150097 Forwards four listed repts from ACNW.
* Office of Public Affairs (Post 911117). 95/05/02. 1p. 83948:013-83948:028.

9505180249 Transcript of 950511 74th meeting of ACNW in Rockville,MD.Pp 101-172.
* Advisory Committee on Nuclear Waste. 95/05/11. 75pp. 84032:170-84032:267.

9505180257 Transcript of 950510 74th meeting of ACNW in Rockville,MD.Pp 1-100.
* Advisory Committee on Nuclear Waste. 95/05/10. 110pp. 84033:001-84033:121.

9505220201 Discusses 950206-07 meeting in which NSRRC deliberated on repts of Accident Analysis Subcommittee,Matls & Engineering Subcommittee,Instrumentation & Control & Human Factors Subcommittee & Subcommittee on Research...."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/01. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 2pp. 84002:185-84002:245.

-9505220206 Discusses 950206-07 NSRRC meeting re rept of Matls & Engineering Subcommittee,which had met on 950124.Committee approved rept w/some mods.
KINTNER,E. Nuclear Safety Research Review Committee. 95/03/01. BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 941217). 1p. 84002:200-84002:200.

-9505220208 Forwards final rept of NSRRC Subcommittee on Matls & Engineering covering meeting of 950124.Rept incorporates comments from full NSRRC review & has been endorsed by NSRRC at 950207 meeting.
BURSTEIN,S. Affiliation Not Assigned. 95/02/11. KINTNER,E. Nuclear Safety Research Review Committee. 1p. 84002:201-84002:201.

-9505220212 Discusses 950124 NSRRC meeting held to review five important issues of current concern to Division of Engineering Technology of Nuclear Regulatory Research office,per 941220 FRN.
BURSTEIN,S. Affiliation Not Assigned. 95/02/11. KINTNER,E. Nuclear Safety Research Review Committee. 9pp. 84002:202-84002:214.

-9505220218 Discusses 950207 NSRRC meeting re rept of Research Supporting Risk-Based Regulation Subcommittee on Subcommitee meeting of 950113.Committee approved rept w/some mods.
KINTNER,E. Nuclear Safety Research Review Committee. 95/03/14. BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 941217). 1p. 84002:215-84002:215.

-9505220222 Summary of 950113 meeting w/NSRRC re program of NRC Research Division in area of Probabilistic Risk Assessment as applied to Risk-Based Regulation.
GOLAY,M.W. Nuclear Safety Research Review Committee. 95/01/13. KINTNER,E. Nuclear Safety Research Review Committee. 4pp. 84002:216-84002:219.

-9505220229 Responds to 950214 ltr & Rept of Accident Analysis Subcommittee in commentary on two paragraphs under heading "Administrative Burdens for Project Managers."
BECKJORD,E.S. Office of Nuclear Regulatory Research (Post 941217). 95/04/03. KINTNER,E.E. Nuclear Safety Research Review Committee. 2pp. 84002:220-84002:245.

9505260399 Forwards copy of transcript of ACMUI 950511-12 meeting for placement in NUDOCS.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 95/05/24. Document Control Branch (Document Control Desk). 1p. 84097:001-84099:081.

-9505260405 Transcript of ACMUI meeting on 950511 in Rockville,MD. Pp 1-372.
* Advisory Committee on Medical Uses of Isotopes. NRC-214. 95/05/11. 378pp. 84097:002-84098:015.

-9505260406 Transcript of ACMUI meeting on 950512 in Rockville,MD. Pp 373-568.
* Advisory Committee on Medical Uses of Isotopes. NRC-214. 95/05/12. 430pp. 84098:016-84099:081.

9505300093 Informs that on 950621,NRC will brief Commission on development of guidance on use & elicitation of expert judgement & that on 950622,NRC w/assistance of CNWRA will brief ACNW on same topic.
MCCARTIN,T. Division of Waste Management (Pre 870413). HLWR. 95/05/19. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 1p. 84132:091-84132:091.

COMMISSION NRC COMMISSIONERS

9504190111 Requests info on listed issues before voting on draft ltr to M Nichols.
DE PLANQUE,E.G. Commissioners (Post 750119). 95/03/07. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 83693:260-83693:261.

9505010099 SECY-95-101 Weekly info rept for wk ending 950414.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/04/20. 22pp. 83687:281-83687:302.

9505020410 Forwards several questions that Commission would like DA Dreyfus to address in briefing during 950512 meeting to discuss status of high-level waste licensing support sys.
ROGERS,K.C. Commissioners (Post 750119). 95/04/18. DREYFUS,D.A. Energy, Dept. of. 4pp. 83706:298-83706:301.

9505030109 S-95-04 "Principles for Nuclear Safety Culture in Todays Global Nuclear Community," remarks by I Selin at Japan Atomic Industrial Forum Tokyo,Japan 950410.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/04/10. 13pp. 83845:007-83845:019.

9505030276 Informs that Commission (w/Chairman & Commissioner Rogers agreeing) has agreed to send attached ltr to Administrator Browner re COMIS-94-014 - Subpart I.Commissioner de Planque disagreed w/ltr.
HOYLE,J.C. Office of the Secretary of the Commission. 94/12/20. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83890:001-83890:019.

--9505030281 Informs that for reasons expressed in encl comments, EG de Planque disapprove Chairman proposal to send ltr to Administrator Browner informing Browner that Commission agrees to promulgate Oct 1993 constraint rule.
DE PLANQUE,E.G. Commissioners (Post 750119). 94/12/16. HOYLE,J.C. Office of the Secretary of the Commission. 10pp. 83890:010-83890:019.

9505040161 Requests comment/concurrence & response re ltr to M Nichols, EPA,providing description of how NRC will handle Agreement State compatibility issue (concerning recission of 40CFR61, Subpart I).
HOYLE,J.C. Office of the Secretary of the Commission. 95/03/14. DE PLANQUE,E.G. Commissioners (Post 750119). 1p. 83962:356-83962:357.

--9504190119 Describes how only outstanding issue obstructing EPA rescission of subpart I,Agreement State compatibility,will be addressed.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 95/03/14. NICHOLS,M. Environmental Protection Agency. 1p. 83962:357-83962:357.

9505050239 Notation vote response sheet approving SECY-95-053, "Response to American Mining Congress Petition For Rulemaking To Amend 10CFR170 & 171 In Order To Minimize Impacts Of NRC Fees On AMC Members."
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/03/31. HOYLE,J. Office of the Secretary of the Commission. 1p. 83813:349-83813:349.

9505050240 Notation vote response sheet approving w/comments, SECY-95-053, "Response To American Mining Congress Petition For Rulemaking To Amend 10 CFR Parts 170 & 171 In Order To Minimize Impacts Of NRC Fees On AMC Members."
ROGERS,K.C. Commissioners (Post 750119). 95/04/03. HOYLE,J. Office of the Secretary of the Commission. 1p. 83813:350-83813:350.

9505050241 Notation vote response sheet approving SECY-95-053, "Response To American Mining Congress Petition For Rulemaking To Amend 10CFR170 & 171 In Order To Minimize Impacts Of NRC Fees On AMC Members."
DE PLANQUE,E.G. Commissioners (Post 750119). 95/03/15. HOYLE,J. Office of the Secretary of the Commission. 1p. 83813:351-83813:351.

9505090025 Informs that Commission (w/all Commissioners agreeing) has approved issuance of proposed ltr to NEI w/revs indicated in attachment.Commission has also approved plan to contact applicable licensees directly & inform of results of review.
HOYLE,J.C. Office of the Secretary of the Commission. 95/03/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83906:359-83906:359.

9505100215 Expresses appreciation for timely ltr of 950331 re EPA agreement to mutually acceptable approach for rescission of Subpart I to 40CFR61.NRC working w/EPA to develop timetable for development of necessary rulemakings.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/04/26. BROWNER,C.M. Environmental Protection Agency. 1p. 83873:046-83873:049.

9505100231 Expresses concern of NRC re potential application to agency of S 605,Omnibus Property Rights Act of 1995.
ROGERS,K.C. Commissioners (Post 750119). 95/04/28. HATCH,O.G. Senate, Judiciary. 9pp. 83873:011-83873:019.

9505100236 SECY-95-107 Weekly info rept for wk ending 950421.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/04/28. 24pp. 83890:072-83890:096.

9505120005 Notation vote response sheet approving & disapproving in part w/ comments,SECY-95-056, "Deferral of Regulatory Oversight to US EPA for Two Sites w/Radioactive Containment & Landfill Disposal of Licensed Matl...."
DE PLANQUE,E.G. Commissioners (Post 750119). 95/04/07. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 83923:353-83923:354.

9505120018 Notation vote response sheet approving w/o comment, SECY-95-056, "Deferral of Regulatory Oversight to US EPA for Two Sites w/Radioactive Contamination & Landfill Disposal of Licensed Matl from Remediation of Third Site."
ROGERS,K.C. Commissioners (Post 750119). 95/03/29. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 83923:356-83923:356.

9505120023 Notation vote response sheet approving w/o comment, SECY-95-056, "Deferral of Regulatory Oversight to US EPA for Two Sites w/Radioactive Contamination & Landfill Disposal of Licensed Matl from Remediation of Third Site."
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/04/04. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 83923:355-83923:355.

9505120061 S-95-07 Remarks by I Selin,Chairman NRC before NEI Annual Nuclear Energy Assembly at Mayflower Hotel,Washington,DC on 950508.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/08. 6pp. 83947:333-83947:338.

9505120064 S-95-05 Remarks by I Selin,Chairman NRC before Regulatory Info Conference Holiday Inn Crowne Plaza Hotel Rockville,MD on 950509.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/09. 9pp. 83947:339-83947:347.

9505120071 S-95-06 Remarks by SA Jackson,Commissioner NRC before NEI Annual Nuclear Energy Assembly Mayflower Hotel Washington,DC on 950508.
JACKSON,S.A. Commissioners (Post 750119). 95/05/08. 4pp. 83947:355-83947:358.

9505150078 SECY-95-113 Weekly info rept for wk ending 950428.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/05/03. 18pp. 83948:186-83948:203.

9505180493 "Getting Out in Front," conference paper presented at NRC Regulatory Info Conference in Rockville,MD on 950509.
ROGERS,K.C. Commissioners (Post 750119). 95/05/09. 8pp. 84007:291-84007:298.

9505180497 "Risk Analysis & Return to Common Sense," conference paper for presentation at NRC Regulatory Info Conference in Rockville,MD on 950509.
DE PLANQUE,E.G. Commissioners (Post 750119). 95/05/09. 10pp. 84030:336-84030:345.

9505180518 Expresses appreciation re agreement to speak at 1995 Asian Pacific American Heritage Month Program,which will be held in Rockville,MD on 950518.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/08. GONG,G. Maryland, State of. 1p. 83979:066-83979:067.

9505180528 Expresses appreciation re agreement to speak at NRC 1995 Asian Pacific American Heritage Month Program,which will be held at Rockville,MD on 950518.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/05. HINGORI,N.G. Affiliation Not Assigned. 1p. 83979:067-83979:067.

9505180540 Forwards NRC annual status report on licensing schedules for pending reactor operating license applications.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/08. MYERS,J.T. House of Rep. 4pp. 83979:062-83979:065.

9505180559 Expresses appreciation for assistance in addressing concern about NAS study on review & application of Medical Use Program of NRC.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/05. ALBERTS,B. National Academy of Sciences. 1p. 83979:048-83979:048.

9505220283 Expresses appreciation for 950409 ltr re public availability of NRC matl in electronic form.Forwards discussion which provides addl info on NRC plans for broadening public access to electronic documents.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/11. HIATT,S.L. Ohio Citizens for Responsible Energy. 3pp. 84029:318-84029:332.

--9505220289 Discusses public availability of NRC matl in electronic form & advises that PDR documents should be placed in electronic form as well as on paper.
HIATT,S.L. Ohio Citizens for Responsible Energy. 95/04/09. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 84029:321-84029:322.

--9505220297 Informs of NRC documents available in electronic form other than those placed on Fedworld & Tech Spec & BBSs,distributed through standing order on diskette program.
HIATT,S.L. Ohio Citizens for Responsible Energy. 95/04/05. Public Document Branch. 1p. 84029:323-84029:323.

--9505220302 Responds to 950405 question re NRC documents in electronic form available in PDR.Informs that NRC will be adding selected full text documents to BRS database in near future.
KILGORE,L. Public Document Branch. 95/04/07. HIATT,S. Ohio Citizens for Responsible Energy. 9pp. 84029:324-84029:332.

9505230031 Summarizes 950510 meeting between Chairman & Consumers Power Corp re reactor pressure vessel embrittlement problems at plant & planned annealing.
MCWHORTER,R. Commissioners (Post 750119). 95/05/15. Commissioners (Post 750119). 1p. 84015:231-84015:231.

9505250159 SECY-95-121 Weekly info rept for wk ending 950505.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/05/11. 21pp. 84067:327-84067:347.

9505310001 "Risk Based Regulation & Need for Reliability Data Collection," presented by KC Rogers at Intl Workshop on Reliability Data Collection Toronto,Canada 950516.
ROGERS,K.C. Commissioners (Post 750119). 95/05/16. 8pp. 84162:001-84162:008.

9505310002 Remarks by I Selin,Chairman of NRC before Advisory Committee on External Regulation of DOE Nuclear Safety Hanford,WA on 950515.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/15. 7pp. 84162:009-84162:015.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9505040123 Mod 20,extending period of performance,to "Cooperative Agreement for Radiation Monitoring Program Requirements."
DAVISON,L.A. North Carolina, State of. MACE,M. Division of Contracts (Post 940714). FIN J-2207-5. 95/03/06. 3pp. 83759:247-83759:250.

9505040141 Mod 21,extending period of performance & adding rate of payment for CY95,to "Cooperative Agreement for Radiation Monitoring Program Requirements."
* Ohio, State of. MACE,M. Division of Contracts (Post 940714). FIN J-2212-5. 95/02/24. 3pp. 83753:346-83753:348.

9505040147 Ltr contract NRC-04-93-058,definitizing task order 11, "QA for Forecast Code."
MACE,M.H. Division of Contracts (Post 940714). FIN L-1946. NRC-04-93-058. 95/04/07. COHEN,S. S. Cohen & Associates, Inc. 4pp. 83801:332-83801:335.

9505040164 Forwards mod 2 to Grant NRC-G-04-92-01.
MACE,M. Division of Contracts (Post 940714). NRCG-04-92-01. 95/04/13. HASBROOK,R. Iowa State Univ., Ames, IA. 3pp. 83801:354-83801:355.

--9505040172 Mod 2,changing project officer,to "Development of Magnescope as Instrument for Insitu Evaluation of Steel Component of Nuclear Sys."
* Iowa State Univ., Ames, IA. MACE,M. Division of Contracts (Post 940714). 95/04/13. 1p. 83801:355-83801:355.

9505040184 Ltr contract NRC-02-95-002,definitizing task order 1, "Support for Study of Non-Profit Financial Assurance Self- Guarantee."
MACE,M. Division of Contracts (Post 940714). FIN W-6458. NRC-02-95-002. 95/04/03. HALL,A. ICF, Inc. 3pp. 83801:336-83801:338.

9505040188 Mod 17,extending period of performance & adding rate of payment for CY95 & providing incremental funding,to "Cooperative Agreement for Radiation Monitoring Program Requirements."
* Pennsylvania, Commonwealth of. MACE,M. Division of Contracts (Post 940714). FIN J-2196-5. 95/03/28. 2pp. 83751:354-83751:355.

9505040199 Ltr contract NRC-02-95-003,definitizing task order 1, "Technical Assistance in Review of Cask Unloading Procedures for Palisades Plant."
MACE,M. Division of Contracts (Post 940714). FIN J-5073. NRC-02-95-003. 95/04/04.
GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 83801:339-83801:340.

9505040200 Mod 13,providing engineering change,to "Replace Electronic Infrastructure Software,Hardware & Personal Computer Support (Refresh PCS)."
* Small Business Administration. * Trico Industries, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/03/31. 8pp. 83748:337-83748:345.

--9505040321 Forwards mod 13 of Contract NRC-33-94-185.
MATTIA,M.J. Division of Contracts (Post 940714). 95/03/31. CLARY,J.R. Trico Industries, Inc. 1p. 83748:345-83748:345.

9505040203 Mod 16,extending period of performance,adding rate of payment for CY92,providing incremental funding,to "Cooperative Agreement for Radiation Monitoring Program Requirements."
* New Jersey, State of. MACE,M. Division of Contracts (Post 940714). FIN J-2198-5. 95/03/20. 2pp. 83751:356-83751:357.

9505040209 Ltr contract NRC-02-95-003,definitizing task order 2, "Technical Assistance in Providing Responses to Public Comments & Questions re SF Dry Storage."
MACE,M. Division of Contracts (Post 940714). FIN J-5073. NRC-02-95-003. 95/04/04.
GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 83801:341-83801:342.

9505040210 Forwards mod 4 of Contract NRC-33-94-187.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-94-187. 95/03/31.
CASSON,D. Global Management Systems, Inc. 1p. 83748:334-83748:336.

--9505040328 Mod 4,correcting period of performance under section B, paragraph B.8,to "Cable Plant Mgt Sys/Computer Aided Design Hardware/Software & Optional Tasks."
* Small Business Administration. * Global Management Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/03/31. 2pp. 83748:335-83748:336.

9505040216 Mod 3,confirming verbal authorization provided on 950124 & changing contractor address & telephone number,to "Cable Plant Mgt Sys/Computer Aided Design Hardware/Software & Optional Tasks."
* Small Business Administration. CASSON,D. Global Management Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1015. 95/03/23. 3pp. 83753:349-83753:351.

9505040221 Mod 5,exersicing optional task 3A for Isicad Annual Maint Pricing & optional task 3D for Oracle Annual Basic Support Pricing,to "Cable Plant Mgt Sys/Computer Aided Design Hardware/Software & Optional Tasks."
* Small Business Administration. AUGUSTINE,H.H. Global Management Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1015. 95/04/14. 2pp. 83751:360-83751:361.

9505040225 Mod 10,extending period of performance by one addl yr & providing incremental funding in listed amount,to "Cooperative Agreement - Maint & Operation of LPDRs."
MIRANDA,S. White Plains, NY. MACE,M. Division of Contracts (Post 940714). FIN D-2416-5. 95/03/24. 3pp. 83822:139-83822:141.

9505040227 Mod 9,exercising option year IAW section I.4, "Option to Extend Term of Contract" & increasing contract ceiling,to "Data Entry Support Svcs for Region I."
* Small Business Administration. * Wilson, Hewitt & Associates, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN F-9105. 95/04/13. 2pp. 83751:358-83751:359.

9505040230 Mod 2,exercising Option Yr Two per Section I.3 of "Option to Extend Term of Contract," to "NRC Rules & Regulations."
HAWLEY,M. Jack Faucett Associates, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2418-5. 95/04/17. 4pp. 83817:342-83817:345.

9505040233 Mod 5,providing incremental funding,to "Washington Interagency Telecommunications Svc Local Exchange Carrier Svc."
* Bell Atlantic Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1049. 95/04/07. 2pp. 83753:352-83753:353.

9505040234 Ltr contract NRC-02-95-003,definitizing task order 3, "Nuclear Criticality Safety Program Review for License Renewal at Babcock & Wilcox Facility in Lynchburg."
MACE,M. Division of Contracts (Post 940714). FIN J-5073. NRC-02-95-003. 95/03/29.
GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 6pp. 83801:343-83801:348.

9505040237 Mod 6,providing overtime provisions & separating costs of warehouse support overtime,to "Moving & Warehouse Support Svcs."
LEON,D. Facilities Management Co., Inc., Lanham, MD. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2354. 95/04/11. 4pp. 83817:346-83817:349.

9505040239 Mod 2,changing expiration date from 950531 to 0831,to "Interactive Electronic Conferencing Sys for Consensus Decisionmaking."
* Small Business Administration. * Computer Technology Services, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/04/12. 2pp. 83753:354-83753:355.

9505040242 Mod 2,adding incremental funding in listed amount,to "Field Measurements of Contemporary Crustal Motions in Death Valley Region Using GPS Interferometry."
* California Institute of Technology, Pasadena, CA. MEEHAN,B. Division of Contracts (Post 940714). FIN L-2054. 95/04/13. 2pp. 83801:349-83801:350.

9505040243 Mod 8,revising contract expiration date to 950404,to "Purchase & Installation of Audiovisual Equipment in TWFN Main Auditorium & ACRS Hearing Room."
MOORE,W. Affiliation Not Assigned. FIELDS,J.A. Division of Contracts (Post 940714). 95/03/23. 2pp. 83822:131-83822:132.

9505040245 Mod 6,exercising option yr in contract which provides for maint for basic sys & increasing obligated amount,to "Telephone Switching Sys - Region I,King of Prussia,PA."
COLLINS,E.J. GTE Telecommunications, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 95/04/06. 3pp. 83759:184-83759:186.

9505040247 Mod 5,increasing listed obligated amount,to "Integration of Research to Develop Technical Basis For Software Regulatory Positions."
BEVARD,M. MITRE Corp. MACE,M. Division of Contracts (Post 940714). FIN L-2610. 95/04/14. 3pp. 83801:351-83801:353.

9505040249 Mod 5,decreasing contract ceiling,to "Regulatory Process."
EMERY,F.J. Regulatory Group, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN T-8471. 95/02/02. 2pp. 83753:358-83753:359.

9505040251 Mod 9,revising clause B.3 "Consideration & Obligation - Firm Fixed Price," to "Purchase & Installation of Audiovisual Equipment in TWFN Main Auditorium & ACRS Hearing Room."
MOORE,W. Affiliation Not Assigned. WIGGINS,E. Division of Contracts (Post 940714). FIN D-2465. 95/04/06. 4pp. 83822:133-83822:136.

9505040252 Mod 2,exercising option year 1,modifying statement of work to clarify *number of hours to be worked by each programmer aide & providing incremental* funding,to "Data Entry Svcs for Region III."
* Small Business Administration. * . Division of Contracts (Post 940714). 95/04/13. 7pp. 83756:348-83756:354.

9505040255 Mod 3,exercising govt option of extending contract term,to "Electrostatic Copying Svc - PDR."
COONS,P. Peter M. Coons, Inc. WIGGINS,E. Division of Contracts (Post 940714). 95/04/13. 2pp. 83817:356-83817:357.

9505040256 Contract: "Unsaturated Zone Monitoring & Field Studies," awarded to Univ of Arizona.
WHEELER,J.T. Arizona, Univ. of, Tucson, AZ. MACE,M.H. Division of Contracts (Post 940714). 95/04/19. 119pp. 83759:065-83759:183.

9505040262 Mod 15,obligating stated incremental funds,to "Financial Svcs."
* Small Business Administration. * Affiliation Not Assigned. WIGGINS,E. Division of Contracts (Post 940714). 95/04/13. 2pp. 83753:356-83753:357.

9505040270 Mod 2,correcting mistake after award,to "Verbatim Reporting Svcs for ASLBP."
GROSS,N.R. Neal R. Gross & Co., Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 95/04/06. 5pp. 83814:356-83814:360.

9505040272 Mod 27,providing incremental funding in amount listed,to "ERDS Implementation."
SWEITZER,C. Halliburton NUS Environmental Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN B-8763. 95/04/13. 2pp. 83817:358-83817:359.

9505040273 Mod 1,revising Subsection F.4 to incorporate updated financial status rept requirements,to "Diagnostic Evaluation & Organizational Effectiveness."
VOGEL,A. Sonalysts, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/04/13. 3pp. ...obsolete code... 83817:350-83817:352.

9505040280 Mod 11,extending period of performance by one year,to "Cooperative Agreement - Maintenance & Operation of LPDRs."
BROWN,E.G. North Carolina, Univ. of, Wilmington, NC. MACE,M. Division of Contracts (Post 940714). FIN D-2416-5. 95/04/06. 2pp. 83748:346-83748:348.

9505040295 Mod 11,extending period of performance by one addl year,to "Cooperative Agreement - Maintenance & Operation of LPDRs."
FORD,B.T. Salem, NJ. MACE,M. Division of Contracts (Post 940714). FIN D-2416-5. 95/04/04. 3pp. 83748:331-83748:333.

9505040299 Mod 13,extending period of performance at no addl cost to govt,to "Human Factors Evaluation of Teletherapy."
TAYLOR,H. CAE-Link Corp. MACE,M.H. Division of Contracts (Post 940714). 95/03/31. 2pp. 83747:352-83747:353.

9505040310 Mod 10,incorporating provisional indirect cost rates for contractor FY93,94 & 95 in accordance w/encl DCAA 930219, 1004 & 0927 ltrs,to "Rulemaking & Regulatory Analysis Support for Requirements Primarily Involving...."
* S. Cohen & Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). 95/04/10. 5pp. 83748:325-83748:329.

9505040324 Ltr contract,mod 1 to task order 47,extending periods of performance of encl listed task orders at no addl cost or obligation to govt,to "IPE Reviews,Internal Events - Front- End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-066. 95/04/05.
COLINA,I.R. Science & Engineering Associates, Inc. 3pp. 83759:310-83759:312.

9505040332 Mod 5,revising section F to incorporate updated finacial status rept requirements,revising section H to incorporate subsection H.6 & revising billing instructions,to "Hualien SSI Experiment."
FACCIOLO,T. City College of New York, New York, NY. MACE,M.H. Division of Contracts (Post 940714). NRC-04-92-049. 95/03/26. 4pp. 83748:321-83748:324.

9505040335 Ltr contract,mod 1 to task order 33,extending period of performance of subject task order from 950524 through 951231 at no addl cost or obligation to Govt,to "IPE Reviews, Internal Events - Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S.
SCIENTECH, Inc. 2pp. 83759:283-83759:284.

9505040343 Mod 7,incorporating provisional indirect cost rates for contractor FY95,to "Technical Assistance for Resolving Generic Safety Issues (Engineering & Scientific Issues).
* S. Cohen & Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). NRC-04-92-057. 95/04/10. 3pp. 83748:318-83748:320.

9505040348 Mod 1,revising Subsection F.4 to incorporate updated financial status rept requirements & revising Subsection J.1 to incorporate updated billing instructions,to "Assistance in Support of Diagnostic Evaluation of Nuclear Facility..."
COLINA,I. Science & Engineering Associates, Inc. MATTIA,M.J. Division of Contracts (Post 940714). NRC-26-93-290. 95/03/24. 3pp. 83817:353-83817:355.

9505040349 Ltr contract,Mod 1,extending period of performance to task order 35, "IPE Reviews,Internal Events - Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83748:316-83748:317.

9505040354 Ltr contract NRC-04-91-068,mod 2,task order 40,extending period of performance at no addl cost or obligation to government,to "IPE Reviews,Internal Events - Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83747:359-83747:360.

9505040367 Mod 2,exercising first option yr of contract & provide addl funding,to "Simulator Software Maint Support."
* Small Business Administration. CHEN,J. Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8229. 95/03/20. 2pp. 83822:137-83822:138.

9505040373 Mod 10,increasing contract ceiling,extending period of performance & amending listed sections,to "Improved Irradiation Embrittlement Correlations."
EASON,E.D. Modeling & Computer Services. MACE,M.H. Division of Contracts (Post 940714). FIN L-1107. NRC-04-92-048. 95/04/14. 4pp. 83748:312-83748:315.

9505040378 Ltr contract NRC-04-91-068,mod 2,task 34,extending period of performance,to "IPE Reviews,Internal Events - Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83747:357-83747:358.

9505040382 Mod 3,incorporating provisional indirect cost rates for contractor FY95,to "Rulemaking & Regulatory Analysis Support for Requirements Involving Physical Mods to Administrative & Procedural to NRC Licensed Facilities & Activities."
COHEN,S. S. Cohen & Associates, Inc. MACE,M. Division of Contracts (Post 940714). 95/04/10. 4pp. 83801:356-83801:358.

9505040385 Ltr contract,Mod 1 to task order 9,increasing funding to allow for an increase in level of effort required to include preparation of RO & SRO written exam,to "Refresher Training, Browns Ferry."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-5. NRC-03-94-035. 95/04/03. VOGEL,A.M. Sonalysts, Inc. 4pp. 83759:306-83759:309.

9505040387 Ltr contract,mod 2 to task order 38 extending period of performance of listed task order from 950918 through 951231, to "IPE Review,Internal Events-Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83828:252-83828:253.

9505040390 Ltr contract,mod 1 to task order 36,extending period of performance of listed task order from 950918 through 951231, to "IPE Reviews,Internal Events-Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83801:359-83801:360.

9505040391 Mod 4,changing project officer,to "Grant Program - Development of Method for Nondestructive Evaluation of Embrittlement in Nuclear Pressure Vessel Steels by Means of Magnetic Properties Monitoring."
* Illinois, Univ. of, Urbana, IL. MACE,M. Division of Contracts (Post 940714). FIN G-2518. NRC-G-04-92-086. 95/04/13. 1p. 83747:356-83747:356.

9505040394 Forwards mod 3 to Grant NRC-G-04-92-082.
MACE,M. Division of Contracts (Post 940714). NRC-G-04-92-082. 95/03/31. DRAPER,G. Florida International Univ., Miami, FL. 1p. 83747:354-83747:355.

--9505040400 Mod 3,extending period of performance at no addl cost or obligation to government,to "Grant Program - Dynamics of Volcanic Vent Alignment Evolution:San Francisco Volcanic Field,Arizona."
* Florida International Univ., Miami, FL. MACE,M. Division of Contracts (Post 940714). NRCG-04-92-082. 95/03/31. 1p. 83747:355-83747:355.

9505040395 Ltr contract,mod 1 to task order 39,extending period of performance of listed task order from 950918 through 951231, to "IPE Reviews,Internal Events-Back-End Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/04/05. AFABLE,S. SCIENTECH, Inc. 2pp. 83786:353-83786:354.

9505050106 Mod 23,extending period of performance at no addl cost to NRC,to "Validation Studies for Assessing Unsaturated Flow & Transport Through Fractured Rock."
WHEELER,J.T. Arizona, Univ. of, Tucson, AZ. MACE,M. Division of Contracts (Post 940714). 95/03/24. 2pp. 83813:215-83813:216.

9505050141 Mod 20,extending period of performance at no addl cost to NRC,to "Scale Effects & Uncertainties in Characterizing Fluid Flow & Contaminant Transport Around High-Level Radioactive Waste Repositories in Fractured Rocks."
WHEELER,J.T. Arizona, Univ. of, Tucson, AZ. MACE,M. Division of Contracts (Post 940714). 95/03/24. 2pp. 83813:290-83813:291.

9505050183 Mod 2,increasing funding to correct guaranteed min amount,to "Aquisition of Technical Assistance to Support Regional OL Activities."
VOGEL,A. Sonalysts, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 95/04/19. 13pp. 83813:292-83813:304.

9505050200 Forwards signed copy of mod 2 to basic contract NRC-03-95-035.Mod will provide incremental funding to continue performance of task under contract.
HOPKINS,S. Division of Contracts (Post 940714). NRC-03-95-035. 95/04/04. VOGEL,A.M. Sonalysts, Inc. 1p. 83813:305-83813:307.

--9505050206 Mod 2,providing incremental funding to continue performance of task under contract,to "Generic Fundamentals Exam."
* Sonalysts, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-035. 95/04/03. 2pp. 83813:306-83813:307.

9505050222 Ltr contract,Mod 17 to task order 10,extending period of performance through 950630 at no addl cost or obligation to Govt,to "Rulemaking Support For Parts 51 & 54 License Renewal."
MACE,M.H. Division of Contracts (Post 940714). NRC-04-89-051. 95/04/12. COLINA,I. Science & Engineering Associates, Inc. 1p. 83813:342-83813:342.

9505050342 Mod 3,providing addl funding in listed amount,to "Acquisition of Trojan Simulator."
BLACKBURN,J. Portland General Electric Co. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8245. 95/03/31. 2pp. 83813:360-83813:361.

9505050344 Mod 3,to "Age Dating of Geologic Matls - State Of Art Methodologies Applicable to Licensing of NPPs."
LETTIS,W. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). 95/03/21. 2pp. 83815:359-83815:360.

9505080042 Mod 13,providing within scope change,increasing contract ceiling & extending period of performance,to "Methodologies for Design of Soil Covers at Waste Disposal Sites."
BROWN,J.F. Colorado State Univ., Fort Collins, CO. MACE,M.H. Division of Contracts (Post 940714). FIN L-1410. NRC-02-91-007. 95/03/29. 6pp. 83827:341-83827:346.

9505080046 Ltr contract:task order 67,definitizing subj task order,to "Engineering & Technical Support Insp - River Bend."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2062-5. NRC-03-93-026. 95/03/20. LOFY,R.A. PARAMETER, Inc. 2pp. 83827:360-83827:361.

9505300395 Mod 1,adding new requirements for NRC License Fee & Debt Collection Branch,to "Operational Support for Ofc of Controller."
* Small Business Administration. * . WEBBER,R. Division of Contracts (Post 940714). FIN L-2603. 95/03/24. 5pp. 84100:033-84100:037.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9505010051 FOIA request for records associated w/listed byproduct matl licenses issued to investigators at Peter Bent Brigham Hosp, including 20-00551-13,20-00551-23 & 20-03717-10.
CASTRONOVO,F.P. Brigham & Women's Hosp., Boston, MA. 94/02/17. Public Document Branch. 1p. 83876:001-83876:001.

9505010058 Final response to FOIA request.Forwards App A & B records which will be available in PDR.App B records partially withheld.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/11/29. CASTRONOVO,F.P. Brigham & Women's Hosp., Boston, MA. 24pp. 83876:002-83880:184.

--9505010070 Forwards application for byproduct matl license.
BOTSFORD,T.W. Affiliation Not Assigned. 59/02/17. Atomic Energy Commission (Pre 750119). 1p. 83876:026-83876:026.

--9505010076 Application for license,authorizing listed individual to use stated matl for treatment of intracavitory collections of fluids due to carcinoma/malignant disease.
BOTSFORD,T.W. Peter Bent Brigham Hosp., Boston, MA. 16518. 59/02/05. 11pp. 83876:027-83876:037.

--9505010080 License 20-00551-13 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/03/04. 1p. 83876:038-83876:038.

--9505010081 Amend 1 to license 20-00551-13 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 61/02/07. 1p. 83876:039-83876:039.

--9505010086 Amend 2 to license 20-00551-13 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/03/05. 1p. 83876:040-83876:040.

--9505010091 Application for renewal to license 20-00551-13.
BOTSFORD,T.W. Peter Bent Brigham Hosp., Boston, MA. 61/01/27. 6pp. 83876:041-83876:048.

--9505010106 Application for renewal of license 20-00551-13.
BOTSFORD,T.W. Peter Bent Brigham Hosp., Boston, MA. 63/02/06. 5pp. 83876:049-83876:053.

--9505010112 Certificate of disposition of matls:no byproduct matls procured/possessed by licensee.
BOTSFORD,T.W. Peter Bent Brigham Hosp., Boston, MA. 60/02/16. 1p. 83876:054-83876:054.

--9505010113 Certificate of disposition of matls:no byproduct matls procured/possessed by licensee.
DEXTER,L. Peter Bent Brigham Hosp., Boston, MA. 66/04/11. 2pp. 83876:055-83876:056.

--9505010119 Application for license,authorizing listed matls for uses described in section 7.
GIBSON,J.G. Peter Bent Brigham Hosp., Boston, MA. 16508. 58/12/22. 5pp. 83876:057-83876:061.

--9505010121 License for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/03/04. 2pp. 83876:062-83876:063.

--9505010123 Amend 1 to license 20-00551-14 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/03/15. 1p. 83876:064-83876:064.

--9505010129 Amend 2 to license 20-00551-14 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/03/26. 2pp. 83876:065-83876:066.

--9505010131 Amend 3 to license 20-00551-14 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/05/01. 1p. 83876:067-83876:067.

--9505010132 Amend 4 to license 20-00551-14 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/03/21. 1p. 83876:069-83876:069.

--9505010138 Application for amend to license 20-00551-14,authorizing listed matl for uses stated in section 7.
GIBSON,J.G. Peter Bent Brigham Hosp., Boston, MA. 32954. 61/03/01. 3pp. 83876:070-83876:077.

--**9505010143** Application for amend to license 20-00551-14,authorizing listed matl for uses stated in section 7.
GIBSON,J.G. Peter Bent Brigham Hosp., Boston, MA. 50391. 63/03/12. 3pp. 83876:078-83876:080.

--**9505010144** Application for amend to license 20-00551-14,authorizing listed matl for uses stated in section 7.
GIBSON,J.G. Peter Bent Brigham Hosp., Boston, MA. 64/04/13. 4pp. 83876:081-83876:084.

--**9505010145** Certificate of disposition of matls:matl disposed of by decay per 10CFR20.
GIBSON,J.G. Peter Bent Brigham Hosp., Boston, MA. 66/03/08. 1p. 83876:085-83876:085.

--**9505010149** Application for amend to license 20-00551-14,authorizing listed matl for uses in section 7.
* Peter Bent Brigham Hosp., Boston, MA. 66/03/10. 13pp. 83876:086-83876:098.

--**9505010151** Certificate of disposition of matls:matls transferred to license 20-00551-18 or disposed of by decay.
* Peter Bent Brigham Hosp., Boston, MA. 68/03/29. 2pp. 83876:099-83876:100.

--**9505010152** Application for license,authorizing matls listed in section 6 for human & animal tracer dose research.
NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 59/05/29. 13pp. 83876:101-83876:113.

--**9505010154** Requests listed addl info prior to completing review of application for license dtd 590329,including possession limit for H-3.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 59/06/10. NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 1p. 83876:114-83876:114.

--**9505010182** Ack 590616 conversation & submits answers to 590611 request for info re license 20-00551-18.
NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 59/06/16. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 8pp. 83876:115-83876:122.

--**9505010183** License 20-00551-18 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/07/01. 2pp. 83876:123-83876:124.

--**9505010184** Amend 1 to license 20-00551-18 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/09/13. 1p. 83876:125-83876:125.

--**9505010185** Amend 2 to license 20-00551-18 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/07/24. 1p. 83876:126-83876:126.

--**9505010186** Amend 3 to license 20-00551-18 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/08/29. 2pp. 83876:127-83876:128.

--**9505010187** Amend 4 to license 20-00551-18 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/07/30. 1p. 83876:129-83876:129.

--**9505010188** Amend 5 to license 20-00551-18 for Peter Bent Brigham Hosp. License date illegible (yr 1963).
* Atomic Energy Commission (Pre 750119). 94/11/29. 1p. 83876:130-83876:130.

--**9505010189** Amend 6 to license 20-00551-18 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/10/21. 1p. 83876:131-83876:131.

--**9505010190** Amend 7 to license 20-00551-18 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/09/29. 3pp. 83876:132-83876:134.

--**9505010191** Amend 8 to license 20-00551-18 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/01/12. 1p. 83876:135-83876:135.

--**9505010192** Amend 9 to license 20-00551-18 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/05/07. 1p. 83876:136-83876:136.

--**9505010193** Amend 10 to license 20-00551-18 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/08/04. 1p. 83876:137-83876:137.

--**9505010194** Amend 11 to license 20-00551-18 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/09/06. 1p. 83876:138-83876:138.

--**9505010195** Amend 12 to license 20-00551-18 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/10/21. 1p. 83876:139-83876:139.

--**9505010196** Amend 13 to license 20-00551-18 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 67/08/11. 1p. 83876:140-83876:140.

--**9505010197** Amend 14 to license 20-00551-18 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/09/18. 1p. 83876:141-83876:141.

--**9505010198** Application for amend to license 20-00551-18,authorizing K-42,Br-82 & C-14 for stated measurements.
NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 29051. 60/08/19. 19pp. 83876:142-83876:177.

--**9505010199** Forwards revised license application for 20-00551-18,to use DFP-32 & DFP H-3.
NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 61/06/06. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 83876:178-83876:178.

--**9505010200** Application for amend to license 20-00551-18,authorizing matl listed in section 6 for human & animal sodium phosphate therapy research.
NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 35120. 61/06/06. 7pp. 83876:179-83876:185.

--**9505010201** Ack receipt of 610606 application for license.Addl info requested,including definitive use of phosphorus-32.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 61/06/27. NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 1p. 83876:186-83876:186.

--**9505010202** Ack receipt of 610627 request for addl info re license 20-00551-18.Info listed.
NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 61/07/13. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83876:187-83876:187.

--**9505010215** Requests ack of application for license to use DFP-32 & DH-3.
NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 61/07/26. MASON,J.R. Atomic Energy Commission (Pre 750119). 8pp. 83876:188-83876:195.

--**9505010216** Responds to 610726 ltr re use of stated byproduct matl. Request being reviewed w/assistance of NRC ACMUI.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 61/08/04. NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 1p. 83876:196-83876:196.

--**9505010218** Forwards application for amend to license 20-00551-18,which was erroneously unsubmitted.
COX,C.T. Peter Bent Brigham Hosp., Boston, MA. 63/07/18. Atomic Energy Commission (Pre 750119). 1p. 83876:197-83876:197.

--**9505010220** Application for amend to license 20-00551-18,authorizing use of matl in section 6 for uses described in section 7.
NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 63/06/11. 5pp. 83876:198-83876:202.

--**9505010222** Forwards Amend 6 to license 20-00551-18.Addl info needed by NRC ACMUI before Gold-198 can be authorized for use.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/07/30. NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 1p. 83876:203-83876:203.

--**9505010225** Ack receipt of ltr re license application.Info submitted.
NATHAN,D.G. Peter Bent Brigham Hosp., Boston, MA. 53728. 63/08/07. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83876:204-83876:204.

--**9505010226** Application for amend to license 20-00551-18,authorizing use of listed matl for uses stated in section 7.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 53605. 63/08/21. 5pp. 83876:205-83876:209.

--**9505010228** Responds to application for license & requests listed addl info before request can be reviewed w/assistance from NRC ACMUI.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/09/12. GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 8pp. 83876:210-83876:217.

--**9505010231** Refers to application for renewal of license 20-00551-04 & informs license expired.Recipient added as user on encl amend 5 to license 20-00551-18.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 63/10/01. GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 1p. 83876:218-83876:218.

--**9505010234** Certificate of disposition of matls:matl disposed of per 10CFR20.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 63/10/03. 1p. 83876:219-83876:219.

--**9505010235** Ack receipt of 631001 ltr advising that application to be used as amend to DG Nathan license 20-00551-18.Sheet indicating issuance of license not received.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 63/10/05. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 1p. 83876:220-83876:220.

--**9505010238** Application for amend to license 20-00551-18,authorizing use of listed matl for stated uses,including human use.
* Peter Bent Brigham Hosp., Boston, MA. 61635. 64/07/31. 5pp. 83876:221-83876:225.

--**9505010241** Forwards amend 7 to license 20-00551-18.Prior to authorizing use of Co-60,stated info necessary for NRC ACMUI review.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/09/29. GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 1p. 83876:226-83876:226.

--**9505010249** Application for amend to license 20-00551-18,authorizing use of 30 mCi P-32 for human use.
* Peter Bent Brigham Hosp., Boston, MA. 64/12/15. 13pp. 83876:227-83876:239.

--**9505010253** Application for amend to license 20-00551-18,authorizing use of I-125 for human blood volume study.Addl info re application to amend 20-00551-24 also submitted.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 64/12/22. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 14pp. 83876:240-83876:253.

--**9505010258** Forwards addl info re amend to license 20-00551-18. Application reviewed by Isotope Committee & accepted.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/04/14. DUBE Atomic Energy Commission (Pre 750119). 4pp. 83876:254-83876:257.

--**9505010259** Forwards amend 10 to license 20-00551-18.Addl info needed before authorizing use of Co-60 & Selenium-75.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/08/04. LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 3pp. 83876:258-83876:260.

--**9505010263** Application for amend to license 20-00551-18,authorizing use of copper-64 for human blood cell studies.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 66/07/29. DUBE,R. Atomic Energy Commission (Pre 750119). 1p. 83876:261-83876:261.

--**9505010265** Application for amend to license 20-00551-18,deleting FH Gardner & P Cohen.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 66/10/11. DUBE,R. Atomic Energy Commission (Pre 750119). 1p. 83876:262-83876:262.

–9505010267 Forwards application for amend to license 20-00551-18, adding DG Nathan & WC Moloney as users.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 95158. 67/06/16. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83876:263-83876:263.

–9505010268 Application for renewal of license 20-00551-18,authorizing users in section 4.
NATHAN,D., MALONEY,W. Peter Bent Brigham Hosp., Boston, MA. 95158. 67/06/16. 4pp. 83876:264-83876:267.

–9505010272 Responds to 670825 request for 10CFR20 stds for radiation protection. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/12/05. BASBANES,G.J. Affiliation Not Assigned. 1p. 83876:268-83876:268.

–9505010274 Ack receipt of 670825 ltr & forwards 10CFR20,30 & 35 re radiation protection stds.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/09/28. BASBANES,G.J. Affiliation Not Assigned. 11pp. 83876:269-83876:279.

–9505010276 Application for license 20-03717-32.
DEXTER,L. Harvard Medical School, Boston, MA. 56/06/04. 5pp. 83876:280-83876:284.

–9505010277 Forwards application for renewal of license 20-03717-10.
CARLO,M.L. Harvard Medical School, Boston, MA. 58/05/09. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 83876:285-83876:285.

–9505010279 Application for renewal of license 20-03717-32.
DEXTER,L. Harvard Medical School, Boston, MA. DEXTER,L. Peter Bent Brigham Hosp., Boston, MA. 58/05/02. 6pp. 83876:286-83876:291.

–9505010281 License 20-03717-32 for Harvard Medical School.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/06/27. 1p. 83876:292-83876:292.

–9505010282 Advises of issuance of renewal of license 20-03717-10,per 580502 application.Addl info necessary for condition 11.
MILLER,W.O. Atomic Energy Commission (Pre 750119). 58/06/30. MULLEN,R.S. Harvard Medical School, Boston, MA. 1p. 83876:293-83876:293.

–9505020037 Advises that Harvard Medical School license 20-03717-32 expired on 600630.License covered by Peter Bent Brigham Hosp license 20-00551-16.
* Atomic Energy Commission (Pre 750119). 60/10/03. Atomic Energy Commission (Pre 750119). 2pp. 83876:294-83876:295.

–9505020042 Application for renewal of license 20-03717-13,authorizing use of Chromium-51 & Co-58 for animal studies.
GARDNER,F.H. Harvard Medical School, Boston, MA. 58/07/11. 7pp. 83876:296-83876:302.

–9505020057 Forwards application for renewal of license 20-03717-13, covering Cr-51 & Co-58.Expedited approval requested.
CARLO,M.L. Harvard Univ., Cambridge, MA. 58/09/11. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 83876:303-83876:303.

–9505020062 Requests urgent approval of 580911 application for renewal of license 20-03717-13.
CARLO,M. Harvard Univ., Cambridge, MA. 58/09/15. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 83876:304-83876:304.

–9505020068 License 20-03717-33 for President & Fellows of Harvard College.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/09/19. 1p. 83876:305-83876:305.

–9505020069 Amend 1 to license 20-03717-33 for President & Fellows of Harvard College.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/10/23. 1p. 83876:306-83876:306.

–9505020074 Application for renewal of license 20-03717-33,authorizing use of Cr-51.
GARDNER,F.H. Harvard Medical School, Boston, MA. 13760. 58/10/16. 9pp. 83876:307-83876:315.

–9505020077 Forwards application for amend to license 20-03717-33 to include human us of Cr-51.
CARLO,M.L. Harvard Univ., Cambridge, MA. 58/10/21. MASON,J.R. Atomic Energy Commission (Pre 750119). 4pp. 83876:316-83876:319.

–9505020080 Advises of issuance of amend 1 to license 20-03717-33 to provide human use of Cr-51.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 58/10/23. GARDNER,F.H. Harvard Medical School, Boston, MA. 1p. 83876:320-83876:320.

–9505020088 Application for amend to license 20-03717-33,authorizing use of Cr-51 human use.
CARLO,M.L. Harvard Univ., Cambridge, MA. 13760. 58/10/22. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 83876:321-83876:321.

–9505020093 Application for amend to license 20-03717-33,to include Cr-51 human use.
CARLO,M.L. Harvard Univ., Cambridge, MA. 58/10/28. MASON,J.R. Atomic Energy Commission (Pre 750119). 2pp. 83876:322-83876:323.

–9505020094 Advises that Harvard Medical School license 20-03717-33 expired on 631031.Expired license covered by license 20-00551-18.
* Atomic Energy Commission (Pre 750119). 64/02/28. Atomic Energy Commission (Pre 750119). 2pp. 83876:324-83876:325.

–9505020099 License 20-05407-02 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/07/27. 1p. 83876:326-83876:326.

–9505020101 Amend 1 to license 20-05407-02 for Peter Bent Brigham Hosp.
MASON,J. Atomic Energy Commission (Pre 750119). 61/12/07. 1p. 83876:327-83876:327.

–9505020102 Amend 2 to license 20-05407-02 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/07/30. 1p. 83876:328-83876:328.

–9505020103 Amend 3 to license 20-05407-02 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/09/29. 4pp. 83876:329-83876:332.

–9505020108 Application for renewal of license 20-05407-01,authorizing use of listed matl for uses stated in section 7.
COHEN,P. Peter Bent Brigham Hosp., Boston, MA. 63/06/17. 6pp. 83876:337-83876:342.

–9505020109 Certificate of disposition of matls:matls disposed of per 10CFR20.
BRADY Peter Bent Brigham Hosp., Boston, MA. 63/06/24. 1p. 83876:343-83876:343.

–9505020115 Forwards license 20-05407-02.Addl info necessary for uses of P-32 & diisoproyylfinerephosphate for platelet studies.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/07/30. COHEN,P. Peter Bent Brigham Hosp., Boston, MA. 1p. 83876:344-83876:353.

–9505020130 License 20-00551-04 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 56/09/07. 1p. 83876:354-83876:354.

–9505020132 Amend 1 to license 20-00551-04 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 56/11/28. 1p. 83876:355-83876:355.

–9505020133 Amend 2 to license 20-00551-04 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 57/01/07. 1p. 83876:356-83876:356.

–9505020136 Amend 3 to license 20-00551-04 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 57/09/20. 1p. 83876:357-83876:357.

–9505020139 Amend 4 to license 20-00551-04 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 57/12/16. 1p. 83876:358-83876:358.

–9505020142 Amend 5 to license 20-00551-04 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/08/21. 2pp. 83876:359-83876:360.

–9505020144 Amend 6 to license 20-00551-04 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/07/02. 1p. 83877:001-83877:001.

–9505020148 Amend 7 to license 20-00551-04 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/08/10. 1p. 83877:002-83877:002.

–9505020152 Amend 8 to license 20-00551-04 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 60/06/20. 1p. 83877:003-83877:003.

–9505020154 Amend 9 to license 20-00551-04 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/03/08. 1p. 83877:004-83877:004.

–9505020157 Amend 10 to license 20-00551-04 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 62/04/30. 2pp. 83877:005-83877:006.

–9505020163 Application for license,authorizing use of Co-60 for uses stated in suppl A.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 56/11/19. 14pp. 83877:007-83877:020.

–9505020164 Application for license,authorizing use of I-131 for uses in suppl A.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 56/12/21. 5pp. 83877:021-83877:025.

–9505020180 Application for license,authorizing use of P-32 for uses in suppl A.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 56/08/29. 7pp. 83877:026-83877:032.

–9505020186 Application for license,authorizing use of Fe-59 for uses in suppl A.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 57/11/15. 6pp. 83877:033-83877:038.

–9505020188 Summarizes telcon w/C Palmiter re W Kriegsman insp of Peter Bent Brigham Hosp license 20-00551-04.Stated doctors found to be treating breast cancer w/P-32,in violation of license.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 58/05/22. Atomic Energy Commission (Pre 750119). 1p. 83877:039-83877:039.

–9505020191 Application for renewal of license 20-00551-04,authorizing use of listed matls for human use.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 12098. 58/07/11. 10pp. 83877:040-83877:049.

–9505020219 Forwards Amend 5 to license 20-00551-04.P-32 use omitted from license due to experimental considerations.Addl info necessary.
MILLER,W.O. Atomic Energy Commission (Pre 750119). 58/08/29. GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 1p. 83877:050-83877:050.

–9505020224 Application for license,authorizing use of C-14 for human & animal tracer dose research.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 19531. 59/06/04. 4pp. 83877:051-83877:054.

–9505020225 Application for license,authorizing use of Au-198 for human use.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 19932. 59/06/29. 11pp. 83877:055-83877:065.

–9505020229 Forwards application for amend to license 20-00551-04,for use of P-32.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 60/05/02. MILLER,W.O. Atomic Energy Commission (Pre 750119). 1p. 83877:066-83877:066.

–9505020234 Application for amend to license 20-00551-04,authorizing use of P-32 for human use.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 60/05/02. 12pp. 83877:067-83877:078.

–9505020237 Application for license,authorizing use of C-14 serotonin for human use.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 62/02/06. 4pp. 83877:079-83877:083.

--**9505020243** Forwards amend 9 to license 20-00551-04.C-14 approved for animal use.Addl info needed for human use approval & to add P Cohen as user.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/03/09. GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 1p. 83877:084-83877:084.

--**9505020247** Application for license,authorizing use of C-14 for human use.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 62/03/15. 3pp. 83877:085-83877:087.

--**9505020251** Responds to 620309 request for info re license 20-00551-04. Statement of purpose,amount of studies & dosage range explained.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 62/03/15. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 7pp. 83877:088-83877:094.

--**9505020254** Requests response to 620315 answer to query re 620206 application for license to use C-14 serotonin in humans.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 62/09/13. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83877:095-83877:095.

--**9505020260** Ack receipt of stated Sept 1968 ltr.Amend 10 to license 20-00551-04 encl.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/09/19. GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 1p. 83877:096-83877:096.

--**9505020262** Application for amend to license 20-00551-04,for use of Fe-59 bound to low molecular weight dextran.
GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 62/10/09. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83877:097-83877:097.

--**9505020271** Ack receipt of 621009 ltr re amend to license 20-00551-04 for use of Fe-59 labeled dextran.Detailed protocol including listed info needed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/11/08. GARDNER,F.H. Peter Bent Brigham Hosp., Boston, MA. 1p. 83877:098-83877:098.

--**9505020276** Responds to 630911 results of 630606 insp of licenses 20-00551-04,20-00551-08 & 20-00551-18.Corrective actions noted.
HASSAN,W.E. Peter Bent Brigham Hosp., Boston, MA. 63/10/01. PRICE,E.R. Atomic Energy Commission (Pre 750119). 15pp. 83877:099-83877:113.

--**9505020279** Application for license,authorizing use of I-131 for blood flow measurement in humans.
EDWARDS,E.A. Peter Bent Brigham Hosp., Boston, MA. 31729. 61/01/09. 8pp. 83877:114-83877:121.

--**9505020282** License 20-00551-23 for Peter Bent Brigham Hosp.
MASON,J. Atomic Energy Commission (Pre 750119). 61/01/16. 1p. 83877:122-83877:122.

--**9505020283** Amend 2 to license 20-00551-23 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/02/13. 1p. 83877:123-83877:123.

--**9505020289** Amend 3 to license 20-00551-23 for Peter Bent Brigham Hosp. Amend date illegible.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 94/11/29. 1p. 83877:124-83877:124.

--**9505020297** Requests info as to preceptorship necessity to authorize use of Kr-85 for human use.
EDWARDS,E.A. Affiliation Not Assigned. 61/06/02. Atomic Energy Commission (Pre 750119). 1p. 83877:125-83877:125.

--**9505020301** Responds to 610602 ltr re use of Kr-85 in humans.Request to use matl should be submitted as complete research protocol.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 61/06/27. EDWARDS,E.A. Affiliation Not Assigned. 1p. 83877:126-83877:126.

--**9505020303** Application for license,authorizing use of I-131 & I-125 for blood flow measurements in humans.
EDWARDS,E.A. Affiliation Not Assigned. 11874. 62/03/15. 2pp. 83877:127-83877:128.

--**9505020306** Application for license,authorizing use of I-131 & I-125 for blood flow measurements in humans.
HOBBS,J.T. Affiliation Not Assigned. 62/03/16. 6pp. 83877:129-83877:134.

--**9505020315** Forwards amend 1 to license 20-00551-23.Peter Bent Brigham Hosp should be considered applicant,therefore,existing license amended to add JT Hobbs & include requested isotopes.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/05/02. EDWARDS,E.A., HOBBS,J.T. Peter Bent Brigham Hosp., Boston, MA. 1p. 83877:135-83877:135.

--**9505020318** Amend 1 to license 20-00551-23 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/05/02. 1p. 83877:136-83877:138.

--**9505020320** Requests response to 620315 application to modify license 20-00551-23 for human use of I-131 & I-125.
EDWARDS,E.A. Harvard Medical School, Boston, MA. 62/05/23. Atomic Energy Commission (Pre 750119). 1p. 83877:139-83877:139.

--**9505020321** Responds to 620523 inquiry re amend 1 to license 20-00551-23.Amend mailed to hosp on 620502.Forwards copy.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/06/07. EDWARDS,E.A. Peter Bent Brigham Hosp., Boston, MA. 1p. 83877:140-83877:140.

--**9505020325** Advises that encl amend 1 to license 20-00551-23 erroneously mailed to wrong address.Hosp considered applicant,therefore stated changes to license made.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/06/27. EDWARDS,E.A., HOBBS,J.T. Peter Bent Brigham Hosp., Boston, MA. 2pp. 83877:141-83877:142.

--**9505020327** Application for amend to license 20-00551-23,authorizing use of I-131 & I-125 for blood flow measurement in humans.
EDWARDS,E.A. Peter Bent Brigham Hosp., Boston, MA. 62/12/13. 10pp. 83877:143-83877:152.

--**9505020329** Requests complete research protocol re use of I-125 & I-131. NRC ACMUI will assist w/review of info.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/02/13. EDWARDS,E.A. Peter Bent Brigham Hosp., Boston, MA. 1p. 83877:153-83877:153.

--**9505020330** Ack receipt of 630213 renewal of license 20-00551-23.Use of tagged hippuran should be disregarded.
EDWARDS,E.A. Harvard Medical School, Boston, MA. 63/02/19. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83877:154-83877:154.

--**9505020333** Advises that 640609 insp rept should be reviewed prior to renewing license 20-00551-23 due to unauthorized animal studies by licensee.
KERR,G.W. Atomic Energy Commission (Pre 750119). 64/07/08. Atomic Energy Commission (Pre 750119). 1p. 83877:155-83877:155.

--**9505020335** Application for termination of licenses 20-00551-23 & 20-00551-28.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 64/12/08. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 83877:156-83877:156.

--**9505020337** Certificate of disposition of matls:matls authorized by license 20-00551-23 disposed of by decay & per 10CFR20 provisions.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 64/12/15. 6pp. 83877:157-83877:162.

--**9505020343** Application for amend to license 20-00551-09,authorizing use of listed matls for human use.
* Peter Bent Brigham Hosp., Boston, MA. 21282. 59/09/12. 8pp. 83877:163-83877:170.

--**9505020373** Ack receipt of notice that license 20-00551-02 expires on 580531.Expiration date does not appear on license.Forwards application to renew license.
MOORE,F.D. Peter Bent Brigham Hosp., Boston, MA. 11738. 58/07/05. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 83877:171-83877:171.

--**9505020375** Application for renewal of license 20-00551-02,authorizing use of listed matl.
MOORE,F.D. Peter Bent Brigham Hosp., Boston, MA. 11788. 58/07/05. 15pp. 83877:172-83877:186.

--**9505020376** License 20-00551-09 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/07/16. 2pp. 83877:187-83877:188.

--**9505020378** Amend 3 to license 20-00551-09 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 60/12/05. 1p. 83877:189-83877:189.

--**9505020380** Amend 4 to license 20-00551-09 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/10/03. 1p. 83877:190-83877:190.

--**9505020381** Amend 6 to license 20-00551-09 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/11/01. 1p. 83877:191-83877:191.

--**9505020384** Amend 7 to license 20-00551-09 for Peter Bent Brigham Hosp. Amend date illegible.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 94/11/29. 1p. 83877:192-83877:192.

--**9505020386** Amend 8 to license 20-00551-09 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/06/18. 1p. 83877:193-83877:193.

--**9505020389** Amend 9 to license 20-00551-09 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/01/06. 3pp. 83877:194-83877:196.

--**9505020390** Amend 10 to license 20-00551-09 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/06/04. 1p. 83877:197-83877:197.

--**9505020393** Amend 11 to license 20-00551-09 for Peter Bent Brigham Hosp.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 65/08/18. 1p. 83877:198-83877:198.

--**9505020396** Amend 12 to license 20-00551-09 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/05/03. 1p. 83877:199-83877:199.

--**9505020399** Amend 13 to license 20-00551-09 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/12/02. 1p. 83877:200-83877:200.

--**9505020402** Amend 14 to license 20-00551-09 for Peter Bent Brigham Hosp.
BOWYER,J. Atomic Energy Commission (Pre 750119). 67/07/24. 2pp. 83877:201-83877:202.

--**9505020405** Amend 15 to license 20-00551-09 for Peter Bent Brigham Hosp.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 67/08/18. 2pp. 83877:203-83877:204.

--**9505020408** Amend 16 to license 20-00551-09 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 67/10/13. 2pp. 83877:205-83877:206.

--**9505020412** Amend 17 to license 20-00551-09 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/08/09. 2pp. 83877:207-83877:208.

--**9505020417** Amend 18 to license 20-00551-09 for Peter Bent Brigham Hosp.
BOWYER,J. Atomic Energy Commission (Pre 750119). 68/09/18. 3pp. 83877:209-83877:235.

--**9505020426** Amend 1 to license 20-00551-09 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/09/23. 1p. 83877:236-83877:236.

--**9505020428** Amend 2 to license 20-00551-09 for Peter Bent Brigham Hosp.
MASON,J. Atomic Energy Commission (Pre 750119). 60/07/29. 2pp. 83877:237-83877:238.

--**9505020429** Amend 5 to license 20-00551-09 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 62/02/28. 1p. 83877:239-83877:239.

--**9505030052** Forwards license 20-00551-09,per 580705 application. Questions possible omission of C-14 & forwards application for possible amend to license.
MILLER,W.O. Atomic Energy Commission (Pre 750119). 58/07/21. MOORE,F.D. Peter Bent Brigham Hosp., Boston, MA. 1p. 83877:240-83877:248.

--**9505030059** Application for amend to license 20-00551-09,authorizing listed matl for human use.
MOORE,F. Peter Bent Brigham Hosp., Boston, MA. 27588. 60/06/07. 8pp. 83877:249-83877:256.

--**9505030062** Application for amend to license 20-00551-09,modifying license in entirety.
* Peter Bent Brigham Hosp., Boston, MA. 64/10/30. 23pp. 83877:257-83877:279.

--**9505030070** Application for amend to license 20-00551-09,authorizing listed matl for human use.
MOORE,F.D. Peter Bent Brigham Hosp., Boston, MA. 30681. 60/11/04. 4pp. 83877:280-83877:283.

--**9505030074** Application for amend to license 20-00551-09,authorizing use of Sr-85 & Ca-47 for human use.
MOORE,F.D. Peter Bent Brigham Hosp., Boston, MA. 35210. 61/06/06. 13pp. 83877:284-83877:296.

--**9505030078** Application for amend to license 20-00551-09,authorizing use of C-14 for human study.
KINNEY,J.M. Peter Bent Brigham Hosp., Boston, MA. 62/01/05. 12pp. 83877:297-83877:308.

--**9505030081** Application for license,authorizing use of Ca-47 for human use.
BANKS,H.H. Peter Bent Brigham Hosp., Boston, MA. 44623. 62/06/06. 8pp. 83877:309-83877:316.

--**9505030086** Application for license 20-00551-09,authorizing use of Ca-47 & I-131 for human use.
WILSON,R.E. Peter Bent Brigham Hosp., Boston, MA. 62/06/08. 15pp. 83877:317-83877:331.

--**9505030093** Requests addl stated info to complete review,w/assistance fron NRC ACMUI,of 620608 application for license.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/07/31. WILSON,R.E. Peter Bent Brigham Hosp., Boston, MA. 8pp. 83877:332-83877:339.

--**9505030103** Requests stated addl info prior to completing review of 620706 application.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/09/04. BANKS,H.H. Peter Bent Brigham Hosp., Boston, MA. 1p. 83877:340-83877:340.

--**9505030116** Responds to 620731 ltr re application for medical use of radioisotopes.Detailed info on experience w/Ca-47 & radioiodinated hippuran submitted.
WILSON,R.E. Peter Bent Brigham Hosp., Boston, MA. 62/09/06. Atomic Energy Commission (Pre 750119). 2pp. 83877:341-83877:342.

--**9505030118** Offers back up to Wilson ltr responding to NRC 620731 ltr. Wilson experience w/Ca-47 fracture healing detailed.
MOORE,F.D. Harvard Medical School, Boston, MA. 62/09/10. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 12pp. 83877:343-83877:354.

--**9505030120** Application for amend to license 20-00551-09,authorizing use of Ca-47 for tracer in osteogenic sarcoma.
COLLINS,J.J. Peter Bent Brigham Hosp., Boston, MA. 63/04/03. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83877:355-83877:355.

--**9505030128** Informs of issuance of amend 7 to license 20-00551-09 for Ca-47 study.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/04/03. COLLINS,J.J. Peter Bent Brigham Hosp., Boston, MA. 1p. 83877:356-83877:356.

--**9505030130** Forwards application for amend to license requesting human use of Ca-47.
WILSON,R.E. Peter Bent Brigham Hosp., Boston, MA. 63/04/10. BOWYER,J. Atomic Energy Commission (Pre 750119). 1p. 83877:357-83877:357.

--**9505030132** Application for amend to license 20-00551-09,authorizing use of matl for human use.
MOORE,F. Peter Bent Brigham Hosp., Boston, MA. 63/04/10. 12pp. 83877:358-83878:009.

--**9505030144** Forwards application for license re use of tritium thymidine for fractured hip injuries.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/04/10. DUBE Atomic Energy Commission (Pre 750119). 1p. 83878:010-83878:010.

--**9505030147** Application for amend to license 20-00551-09,authorizing use of tritiated thymidine for study protocol.
POTCHEN,J. Peter Bent Brigham Hosp., Boston, MA. 65/04/12. 29pp. 83878:011-83878:039.

--**9505030194** Application for amend to license 20-00551-09,for use of tritiated thymadine.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 70086. 65/07/29. DUBE,R. Atomic Energy Commission (Pre 750119). 2pp. 83878:040-83878:042.

--**9505030199** Certificate of disposition of matls:license 20-03717-60 matl transferred to license 20-00551-09.
JOHNSON,R.U. Peter Bent Brigham Hosp., Boston, MA. 66/01/18. 1p. 83878:043-83878:043.

--**9505030204** Responds to notification of expiration of license 20-00551-13.License will not be renewed & Botsford to be user on amend to license 20-00551-09.License 20-00551-29 amended & incorporated into license 20-00551-27.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 66/03/17. DUBE Atomic Energy Commission (Pre 750119). 13pp. 83878:044-83878:056.

--**9505030207** Forwards application to amend license 20-00551-09.
JAGGER,P.I. Peter Bent Brigham Hosp., Boston, MA. 66/10/03. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83878:057-83878:057.

--**9505030209** Application for amend to license 20-00551-09,authorizing use of I-131 & I-125 for human use.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 80484. 66/10/05. 11pp. 83878:058-83878:068.

--**9505030215** Application for license 20-00551-09,authorizing use of Sr-90 for human use.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 93778. 67/04/03. 8pp. 83878:069-83878:076.

--**9505030218** Application for amend to license 20-00551-09,authorizing use of S-35 for human use.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 93779. 67/04/26. 8pp. 83878:077-83878:084.

--**9505030223** Requests addl info to support application for amend to license 20-00551-09 to include S-35 studies,including info on human subj.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/06/05. ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 9pp. 83878:085-83878:093.

--**9505030230** Application for amend to license 20-00551-09,authorizing use of C-14 for human use.Amend date illegible.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 95160. 94/11/29. 6pp. 83878:094-83878:099.

--**9505030234** Application for amend to license 20-00551-09,renewing license.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 95438. 67/07/03. 5pp. 83878:100-83878:104.

--**9505030246** Notifies that unless 670606 request for addl info re 670420 application for license responded to in 30 days,application to be considered abandoned.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 67/07/13. ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 1p. 83878:105-83878:105.

--**9505030254** Responds to 670707 request for addl info re 670420 application to amend license 20-00551-09 to use S-35. Investigation guideline rept encl.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 67/07/21. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83878:106-83878:106.

--**9505030258** "Guidelines for Investigations Involving Human Subj."
* Peter Bent Brigham Hosp., Boston, MA. 67/07/31. 21pp. 83878:107-83878:127.

--**9505030268** Forwards amend 14 to license 20-00551-09 extending expiration date to 720731.Addl info re use of Sr-90 sealed sources requested by NRC ACMUI.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/07/24. JAGGER,P.I. Peter Bent Brigham Hosp., Boston, MA. 15pp. 83878:128-83878:142.

--**9505030270** Forwards application for addendum to license 20-00551-09, allowing K-43 for kinetics study in humans.
JAGGER,P.I. Peter Bent Brigham Hosp., Boston, MA. 68/05/09. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83878:143-83878:143.

--**9505030272** Application for amend to license 20-00551-09,authorizing use of K-43 & K-19 for kinetics study in humans.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 68/05/13. 7pp. 83878:144-83878:150.

--**9505030338** Forwards application for amend to license 20-00551-09, allowing study w/ P-32 uptake in animals.
JAGGER,P.I. Peter Bent Brigham Hosp., Boston, MA. 68/05/14. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83878:151-83878:151.

--**9505030341** Application for amend to license 20-00551-09,authorizing use of P-32 for animal studies.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 02540. 68/05/14. 4pp. 83878:152-83878:155.

--**9505030344** Responds to 680522 request for addl info re license amend application for K-43.
JOHNSON,J.E. Peter Bent Brigham Hosp., Boston, MA. 1459. 68/05/28. VERLING,P. Atomic Energy Commission (Pre 750119). 65pp. 83878:156-83878:220.

--**9505030347** License 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/07/18. 2pp. 83878:221-83878:222.

--**9505030349** Amend 1 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/05/01. 1p. 83878:223-83878:223.

--**9505030353** Amend 1 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/09/25. 1p. 83878:224-83878:224.

--**9505030355** Amend 2 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/07/20. 1p. 83878:225-83878:225.

--**9505030357** Amend 3 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/10/08. 1p. 83878:226-83878:226.

--**9505030359** Amend 4 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/11/09. 1p. 83878:227-83878:227.

--**9505030364** Amend 5 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/12/02. 1p. 83878:228-83878:228.

--**9505030365** Amend 6 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/01/12. 1p. 83878:229-83878:229.

--**9505030366** Amend 7 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/01/21. 1p. 83878:230-83878:230.

--9505030369 Amend 8 to license 20-00551-27 for Peter Bent Brigham Hosp.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 65/02/05. 1p. 83878:231-83878:231.

--9505030374 Amend 9 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/03/08. 1p. 83878:232-83878:232.

--9505030377 Amend 10 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/07/06. 1p. 83878:233-83878:233.

--9505030378 Amend 11 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/09/30. 1p. 83878:234-83878:234.

--9505030380 Amend 12 to license 20-00551-27 for Peter Bent Brigham Hosp.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 65/12/02. 3pp. 83878:235-83878:237.

--9505030381 Amend 13 to license 20-00551-27 for Peter Bent Brigham Hosp.
CUNNINGHAM Atomic Energy Commission (Pre 750119). 65/12/03. 1p. 83878:238-83878:238.

--9505030383 Amend 14 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER Atomic Energy Commission (Pre 750119). 66/02/04. 1p. 83878:239-83878:239.

--9505030385 Amend 15 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/03/24. 1p. 83878:240-83878:240.

--9505030387 Amend 16 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J. Atomic Energy Commission (Pre 750119). 66/08/15. 1p. 83878:241-83878:241.

--9505030389 Amend 17 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/10/28. 2pp. 83878:242-83878:243.

--9505030390 Amend 18 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/02/01. 1p. 83878:244-83878:244.

--9505030393 Amend 19 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/04/03. 1p. 83878:245-83878:245.

--9505030400 Amend 20 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J. Atomic Energy Commission (Pre 750119). 67/07/20. 1p. 83878:246-83878:246.

--9505030403 Amend 21 to license 20-00551-27 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 67/11/28. 1p. 83878:247-83878:247.

--9505030405 Amend 22 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/02/06. 1p. 83878:248-83878:248.

--9505030407 Amend 23 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/03/01. 1p. 83878:249-83878:249.

--9505030408 Amend 24 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/03/29. 4pp. 83878:250-83878:253.

--9505030410 Amend 25 to license 20-00551-27 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/07/05. 1p. 83878:254-83878:254.

--9505030414 Amend 26 to license 20-00551-27 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 68/09/18. 7pp. 83878:255-83878:261.

--9505030417 Application for amend to license 20-00551-27 to include use of Tc-99m for thyroid scanning.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 88031. 67/12/06. Atomic Energy Commission (Pre 750119). 4pp. 83878:262-83878:265.

--9505030419 Forwards amend 21 to license 20-00551-27,extending expiration date to 721130.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/11/28. ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 1p. 83878:266-83878:266.

--9505030420 Forwards renewal of license 20-00551-27,consolidating amends to original license.Haran should be removed as user.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 97317. 67/09/28. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83878:267-83878:267.

--9505030422 Application for renewal of license 20-00551-27.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 97317. 67/09/26. 5pp. 83878:268-83878:272.

--9505030423 Application for amend to license 20-00551-27 to read as stated.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 97316. 67/09/28. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83878:273-83878:273.

--9505030458 Forwards amend 19 to license 20-00551-27,authorizing use of I-131 for cardiac scans.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/04/03. MEIER,D.A., HAWES,L.K. Peter Bent Brigham Hosp., Boston, MA. 1p. 83878:274-83878:274.

--9505030460 Forwards application to amend license 20-00551-27 to include aggregated radioiodinated albumin for liver scanning.
JAGGER,P.I. Peter Bent Brigham Hosp., Boston, MA. 68/02/19. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83878:275-83878:275.

--9505030462 Application for amend to license 20-00551-27,authorizing use of I-131 for human use.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 68/02/18. 1p. 83878:276-83878:279.

--9505040017 Application for amend to license 20-00551-27,authorizing use of I-131 for human use.
HAWES,L.E., MEIER,D. Peter Bent Brigham Hosp., Boston, MA. 67/02/16. 4pp. 83878:280-83878:283.

--9505040019 Application for license,authorizing use of I-131 for listed items.
DEXTER,L., HAWES,L.E. Peter Bent Brigham Hosp., Boston, MA. 91494. 67/01/06. 4pp. 83878:284-83878:287.

--9505040021 Confirms 661019 telcon re amend 17 to license 20-00551-27.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/10/28. ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 2pp. 83878:288-83878:289.

--9505040023 Submits addl info to 661003 application for amend to license 20-00551-27 re Hawes isotope experience under Faulkner Hosp license 20-07347-01.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 66/10/13. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83878:290-83878:290.

--9505040025 Application for amend to license 20-00551-27,to include Tc-99m generator model 602-001,002,003,004,005,mfg by NEN-Picker.
MEIER,D.A. Peter Bent Brigham Hosp., Boston, MA. 67/01/16. DUBE,R. Atomic Energy Commission (Pre 750119). 1p. 83878:291-83878:291.

--9505040037 Application for amend to license 20-00551-27,to include Nuclear Consultants Tc-99m generator w/max possession limit of 300 mc.
MEIER,D.A. Peter Bent Brigham Hosp., Boston, MA. 66/12/14. Atomic Energy Commission (Pre 750119). 1p. 83878:292-83878:292.

--9505040041 Forwards application for amend to license 20-00551-27,to include Mo-99/Tc-99m generators.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 80483. 66/09/30. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83878:293-83878:293.

--9505040043 Application for amend to license 20-00551-27,to include Mo-99/Tc-99m generator.
* Peter Bent Brigham Hosp., Boston, MA. 80483. 66/09/30. 6p. 83878:294-83878:299.

--9505040044 Forwards amend 16 to license 20-00551-27,adding DA Meier as individual user w/stated exception.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/08/15. LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 1p. 83878:300-83878:300.

--9505040045 Application for amend to license 20-00551-27,to include DA Meier & remove J Potchen & J Dealy as users.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 66/07/22. DUBE,R. Atomic Energy Commission (Pre 750119). 1p. 83878:301-83878:301.

--9505040046 Forwards amend 15 to license 20-00551-27,authorizing use of Tc-99m for brain scans.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/03/24. LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 1p. 83878:302-83878:302.

--9505040048 Application for amend to license 20-00551-27,to include LE Hawes as user.Preceptor statement encl.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 66/10/03. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 2pp. 83878:303-83878:304.

--9505040050 Application for amend to license 20-00551-27,replacing stated users w/ NK Hollenberg & DA Meier for use of Xe-133.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 80187. 66/09/13. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 3pp. 83878:305-83878:307.

--9505040054 Ack receipt of amend 16 to license 20-00551-27 & forwards Meier precept statement.Requested addl info re users submitted.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 66/08/26. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 2pp. 83878:308-83878:310.

--9505040058 Application for amend to license 20-00551-27,authorizing use of Tc-99m for human use.
* Peter Bent Brigham Hosp., Boston, MA. 66/01/14. 21pp. 83878:311-83878:331.

--9505040062 Confirms 660204 telcon re amend 14 to license 20-00551-27. Suggests submittal of rationale for using higher dosage of I-131.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/02/04. LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 1p. 83878:332-83878:332.

--9505040074 Responds to 651202 application to amend listed licenses to authorize disposal of radwastes through Harvard Univ facilities.Univ authorized for disposal,therefore,amend unnecessary.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/02/15. POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 2pp. 83878:333-83878:334.

--9505040078 Forwards application for amend to listed licenses re waste disposal through Harvard Environ Health Svcs.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/11/29. DUBE Atomic Energy Commission (Pre 750119). 1p. 83878:335-83878:335.

--9505040084 Application for amend to licenses,authorizing transfer of radwaste to Harvard Univ.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/11/29. Atomic Energy Commission (Pre 750119). 1p. 83878:336-83878:336.

--9505040087 Application for amend to license 20-00551-27,to include hippuran I-125,diatrozoate I-125 & albumin I-125 for human use.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/12/30. DUBE Atomic Energy Commission (Pre 750119). 1p. 83878:337-83878:337.

--9505040090 Application for amend to license 20-00551-27,to include I-125 labeled protein for circulation studies.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 66/01/20. DUBE Atomic Energy Commission (Pre 750119). 1p. 83878:338-83878:338.

--**9505040095** Application for amend to license 20-00551-27,to use 100 mCi I-125 for human use.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/12/03. DUBE Atomic Energy Commission (Pre 750119). 2pp. 83878:339-83878:340.

--**9505040104** Amend 1 to license 20-00551-29 for Peter Bent Brigham Hosp.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 94/11/29. 1p. 83878:341-83878:341.

--**9505040109** Amend 2 to license 20-00551-29 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 64/12/22. 1p. 83878:342-83878:342.

--**9505040112** Amend 3 to license 20-00551-29 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 94/11/29. 1p. 83878:343-83878:343.

--**9505040117** License 20-00551-29 for Peter Bent Brigham Hosp.License date illegible.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 94/11/29. 2pp. 83878:344-83878:345.

--**9505040124** Application for amend to licenses 20-00551-27 & 20-00551-29, to include stated individuals as users.Preceptor statement encl.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 64/12/14. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 3pp. 83878:346-83878:348.

--**9505040133** Questions absence of authorization for use of P-32 to treat metastatic tumor nodules on license 20-00551-29,per application.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 64/08/24. Atomic Energy Commission (Pre 750119). 2pp. 83878:349-83878:350.

--**9505040156** Application for license,authorizing use of listed matls for human use.
* Peter Bent Brigham Hosp., Boston, MA. 64/04/14. 4pp. 83878:351-83878:354.

--**9505040162** Clarifies renewal application for license,per 650930 ltr.Use of iodinated human serum albumin discussed & preceptor statement encl.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/10/22. DUBE Atomic Energy Commission (Pre 750119). 6pp. 83878:355-83878:360.

--**9505040166** Forwards amend 11 to license 20-00551-27,authorizing use of Se-75 & adding MD Blaufox as user.Expiration date not extended & addl dosage info requested.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/09/29. LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 2pp. 83879:001-83879:002.

--**9505040168** Advises of dosage schedule error in renewal application re P-32 & I-131.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/08/23. DUBE,R.J. Atomic Energy Commission (Pre 750119). 1p. 83879:003-83879:003.

--**9505040170** Forwards renewal application for license 20-00551-27, changing possession limits of certain isotopes & requesting combination of licenses 20-00551-29 & 20-00551-27.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/06/15. DUBE,R.J. Atomic Energy Commission (Pre 750119). 1p. 83879:004-83879:004.

--**9505040173** Application for renewal of licenses 20-00551-27 & 20-00551-29.
* Peter Bent Brigham Hosp., Boston, MA. 65/06/15. 6pp. 83879:005-83879:010.

--**9505040180** Requests correction of amend to license re omission of Blaufox name as user of S-25.
POTCHEN,J. Peter Bent Brigham Hosp., Boston, MA. 65/08/16. DUBE,R. Atomic Energy Commission (Pre 750119). 29pp. 83879:011-83879:039.

--**9505040183** Application for amend to license 20-00551-27,to use Se-75 for humam use.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/02/03. DUBE Atomic Energy Commission (Pre 750119). 1p. 83879:040-83879:040.

--**9505040279** Ack receipt of clarification re requested info on 20-00551-27.Info listed,including disposal procedures for Xe-133.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/01/15. DUBE Atomic Energy Commission (Pre 750119). 1p. 83879:041-83879:041.

--**9505040282** Application for amend to license 20-00551-27,for use of tritiated O,P DDD for animal studies.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 64/12/29. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83879:042-83879:058.

--**9505040289** Application for amend to license 20-00551-27,to add MB Levene as user.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 64/12/01. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83879:059-83879:059.

--**9505040291** Application for amend to license 20-00551-27,authorizing use of listed matls for blood flow & metabolic studies in animals.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 64/09/29. 4pp. 83879:060-83879:063.

--**9505040293** Forwards amend 4 to license 20-00551-27,covering Kr-85 & Hf-181 for animal studies.Protocol for stated matls requested.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 64/11/09. LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 9pp. 83879:064-83879:072.

--**9505040302** Application for amend to license 20-00551-27,for use of Se-75 for animal studies.Response to 640720 ltr re matl encl.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 64/07/30. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 2pp. 83879:073-83879:074.

--**9505040303** Forwards amend 1 to license 20-00551-27 & informs of planned review of Se-75 study by NRC ACMUI.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/10/08. LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 8pp. 83879:075-83879:082.

--**9505040306** Forwards amend 2 to license 20-00551-27 covering Au-198 & I-131.Results of investigation on stated study requested by NRC ACMUI.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/07/20. LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 6pp. 83879:083-83879:088.

--**9505040307** Application for license,authorizing use of listed matls for animal anabolism studies.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 64/04/13. 4pp. 83879:089-83879:092.

--**9505040309** Application for license,authorizing use of listed matls for human use.
BRADY Peter Bent Brigham Hosp., Boston, MA. 51786. 63/05/09. 32pp. 83879:093-83879:124.

--**9505040314** Application for amend to license 20-00551-27,adding SJ Adelstein name for diagnostic procedures.Info deleted.
JAGGER,P.I. Peter Bent Brigham Hosp., Boston, MA. 68/06/07. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 4pp. 83879:125-83879:128.

--**9505040317** Forwards application to amend license 20-00551-27,adding M Epstein & D Meier as users.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 99333. 67/12/04. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83879:129-83879:129.

--**9505040319** Application for amend to license 20-00551-27,authorizing use of I-125 for kidney function studies.Info deleted.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 99333. 67/12/11. 4pp. 83879:130-83879:133.

--**9505040322** Application for license,authorizing use of Xe-133.Info deleted.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 95517. 67/06/01. 9pp. 83879:134-83879:142.

--**9505040330** Application for amend to license 20-00551-27,adding PJ Haran as user.Preceptor statement encl.Info deleted.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 67/02/27. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 4pp. 83879:143-83879:146.

--**9505040334** Forwards application for license to use heparin S-35.Info deleted.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/04/29. DUBE,R. Atomic Energy Commission (Pre 750119). 1p. 83879:147-83879:147.

--**9505040336** Application for amend to license 20-00551-27,authorizing use of S-35 for human use.Info deleted.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/05/05. 47pp. 83879:148-83879:194.

--**9505040342** Responds to request for info,including info re blood sampling & waste disposal.Info deleted.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. GORLIN,R. Harvard Medical School, Boston, MA. 66/06/13. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 21pp. 83879:195-83879:215.

--**9505040346** Ack receipt of 620904 ltr re application for medical use of radioisotopes.Calculation & tracer dose info submitted.Info withheld.
BANKS,H.H. Peter Bent Brigham Hosp., Boston, MA. 4219. 62/09/17. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 5pp. 83879:216-83879:220.

--**9505040350** Application for license,authorizing use of listed matl for stated investigation & monitoring work.
* Peter Bent Brigham Hosp., Boston, MA. 57/07/01. 3pp. 83879:221-83879:223.

--**9505040355** Forwards license 20-00551-06.Stated matl omitted from license due to matl not licensed by AEC.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 57/07/16. VALLEE,B.L. Peter Bent Brigham Hosp., Boston, MA. 1p. 83879:224-83879:224.

--**9505040359** License 20-00551-06 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 57/07/16. 1p. 83879:225-83879:225.

--**9505040362** Amend 1 to license 20-00551-06 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 58/11/13. 1p. 83879:226-83879:226.

--**9505040366** Amend 2 to license 20-00551-06 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 59/02/09. 1p. 83879:227-83879:227.

--**9505040369** Amend 3 to license 20-00551-06 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/04/06. 2pp. 83879:228-83879:229.

--**9505040370** Amend 4 to license 20-00551-06 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 59/04/16. 1p. 83879:230-83879:230.

--**9505040372** Amend 5 to license 20-00551-06 for Peter Bent Brigham Hosp. Amend date illegible.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 94/11/29. 1p. 83879:231-83879:231.

--**9505040374** Amend 6 to license 20-00551-06 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/02/11. 1p. 83879:232-83879:232.

--**9505040376** Amend 7 to license 20-00551-06 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/06/30. 1p. 83879:233-83879:233.

--**9505040401** Amend 8 to license 20-00551-06 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/07/30. 1p. 83879:234-83879:234.

--**9505040403** Amend 9 to license 20-00551-06 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/03/01. 2pp. 83879:235-83879:236.

--**9505040404** Amend 10 to license 20-00551-06 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 67/07/18. 1p. 83879:237-83879:237.

--**9505040405** Amend 11 to license 20-00551-06 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/03/26. 1p. 83879:238-83879:238.

--**9505040407** Amend 12 to license 20-00551-06 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 68/09/18. 3pp. 83879:239-83879:241.

--**9505040408** Application for license,authorizing Zn-65 for chemistry studies.
VALLEE,B.L. Peter Bent Brigham Hosp., Boston, MA. 58/07/14. 1p. 83879:242-83879:242.

--**9505040409** Application for license,authorizing use of listed matl for chemistry studies.
VALLEE,B.L. Peter Bent Brigham Hosp., Boston, MA. 13861. 58/10/21. 2pp. 83879:243-83879:244.

--**9505040410** Application for amend to license 20-00551-06,authorizing use of Co-60-P & Md-52-54 for chemistry studies.
VALLEE,B.L. Peter Bent Brigham Hosp., Boston, MA. 15858. 59/01/21. 2pp. 83879:245-83879:246.

--**9505040411** Summarizes telcon w/RE Theirs re license 20-00551-06.License amend w/o written application,for use of stated isotope, approved.
SIMS,R.W. Atomic Energy Commission (Pre 750119). 59/03/26. Atomic Energy Commission (Pre 750119). 1p. 83879:247-83879:247.

--**9505040415** Application for amend to license 20-00551-06,authorizing use of listed matl for chemistry studies.
VALLEE,B.L. Peter Bent Brigham Hosp., Boston, MA. 17979. 59/04/07. 2pp. 83879:248-83879:249.

--**9505040419** Forwards amend 4 to license 20-00551-06 w/omission of Na-22 since matl not under NRC jurisdiction.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 59/04/17. VALLEE,B.L. Peter Bent Brigham Hosp., Boston, MA. 1p. 83879:250-83879:250.

--**9505050023** Application for amend to license 20-00551-06,authorizing use of K-42 & Na-22 for chemistry studies.
VALLEE,B.L. Peter Bent Brigham Hosp., Boston, MA. 17978. 59/04/07. 2pp. 83879:251-83879:252.

--**9505050030** Application for renewal of license 20-00551-10,authorizing use of Zn-65.
VALLEE,B.L. Peter Bent Brigham Hosp., Boston, MA. 60/06/28. 4pp. 83879:253-83879:256.

--**9505050034** Application for amend to license 20-00551-06,authorizing use of I-125 for chemistry studies.
* Peter Bent Brigham Hosp., Boston, MA. 63/12/06. 2pp. 83879:257-83879:258.

--**9505050037** Certificate of disposition of matls:license 20-00551-06 matls disposed of per 10CFR20.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 57120. 64/01/23. 1p. 83879:259-83879:259.

--**9505050040** Application for renewal of license 20-00551-06,authorizing listed matls for non-human chemistry & biochemistry investigations.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 57120. 64/01/31. 3pp. 83879:260-83879:262.

--**9505050047** Application for license,authorizing use of Cu-64 for non- human chemistry & biochemistry investigations.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 59466. 64/04/27. 3pp. 83879:263-83879:265.

--**9505050125** Recommends license be renewed,per review of encl correspondence by radioisotope licensing committee.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/06/25. DUBE,R. Atomic Energy Commission (Pre 750119). 1p. 83879:266-83879:266.

--**9505050128** Application for renewal of license 20-00551-06,authorizing use of Ca-14 & Zn-65 for non-human chemistry/biochemistry investigations.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 69261. 65/06/25. 2pp. 83879:267-83879:270.

--**9505050135** Application for renewal of license 20-00551-06,authorizing use of listed matl for chemistry/biochemistry investigation in non-humans.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 66/01/20. 4pp. 83879:271-83879:275.

--**9505050140** Application for amend to license 20-00551-06,authorizing use of H-3 tritium for non-human protein biochemistry investigations.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 94902. 67/06/01. 9pp. 83879:277-83879:287.

--**9505050146** Application for renewal of license 20-00551-06,authorizing use of listed matls for non-human chemistry/biochemistry investigations.Renewal date illegible.
JAGGER,P. Peter Bent Brigham Hosp., Boston, MA. 94/11/29. 3pp. 83879:288-83879:290.

--**9505050149** Forwards application for new license,authorizing JF Dingman as user.
JAGGER,P.I. Peter Bent Brigham Hosp., Boston, MA. 68/05/14. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83879:291-83879:291.

--**9505050154** Application for license,authorizing JF Dingman to use listed matl for animal in vitro studies.
DINGMAN,J.F. Peter Bent Brigham Hosp., Boston, MA. 68/05/14. 18pp. 83879:292-83879:309.

--**9505050156** Application for license,authorizing use of I-131 for listed uses,including tracer tests on humans.
* Peter Bent Brigham Hosp., Boston, MA. 56/07/06. 6pp. 83879:310-83879:315.

--**9505050158** Application for renewal of license 20-00551-03,authorizing use of I-131 for listed uses,including human tracer studies.
* Peter Bent Brigham Hosp., Boston, MA. 58/05/12. 12pp. 83879:316-83879:327.

--**9505050163** License 20-00551-08 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/06/26. 1p. 83879:328-83879:328.

--**9505050164** Amend 1 to license 20-00551-08 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/12/11. 1p. 83879:329-83879:329.

--**9505050165** Amend 2 to license 20-00551-08 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 60/06/01. 1p. 83879:330-83879:330.

--**9505050167** Amend 3 to license 20-00551-08 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/10/13. 1p. 83879:331-83879:331.

--**9505050170** Amend 4 to license 20-00551-08 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/04/04. 1p. 83879:332-83879:332.

--**9505050173** Amend 5 to license 20-00551-08 for Peter Bent Brigham Hosp. Amend date illegible.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 94/11/29. 1p. 83879:333-83879:333.

--**9505050176** Amend 6 to license 20-00551-08 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/08/01. 2pp. 83879:334-83879:335.

--**9505050179** Amend 7 to license 20-00551-08 for Peter Bent Brigham Hosp. Amend date illegible.
* Atomic Energy Commission (Pre 750119). 94/11/29. 1p. 83879:336-83879:336.

--**9505050180** Amend 8 to license 20-00551-08 for Peter Bent Brigham Hosp.
* Atomic Energy Commission (Pre 750119). 68/09/18. 1p. 83879:337-83879:346.

--**9505050195** Requests clarification of item 14 in license 20-00551-08 for radioactive iodine.Stated ruling appears different than previous license.
SELENKOW,H.A. Peter Bent Brigham Hosp., Boston, MA. 2352. 58/07/09. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 83879:347-83879:347.

--**9505050199** Responds to 580709 request for clarification of item 14 of license 20-00551-08.Acquisition of matl from suppliers explained.
MILLER,W.O. Atomic Energy Commission (Pre 750119). 58/08/18. SELENKOW,H.A. Peter Bent Brigham Hosp., Boston, MA. 1p. 83879:348-83879:348.

--**9505050216** Application for amend to license 20-00551-08,extending scope of current license for use of radioactive iodine to include animal studies.
SELENKOW,H.A. Peter Bent Brigham Hosp., Boston, MA. 5883. 58/12/05. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 83879:349-83879:349.

--**9505050229** Application for amend to license 20-00551-08,authorizing use of I-131.
MOFFAT,R. Peter Bent Brigham Hosp., Boston, MA. 60/05/04. 4pp. 83879:350-83879:353.

--**9505050230** Application for amend to license 20-00551-08,for use of I-131 in any chemical form.
SELENKOW,H.A. Peter Bent Brigham Hosp., Boston, MA. 60/09/29. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 83879:354-83879:354.

--**9505050232** Forwards application for amend to license 20-00551-08,for use of less than 50 mCi I-125 in animal & biochemical studies.
SELENKOW,H.A. Peter Bent Brigham Hosp., Boston, MA. 62/03/23. Atomic Energy Commission (Pre 750119). 1p. 83879:355-83879:355.

--**9505050233** Forwards application for amend to license 20-00551-08 for use of I-129 & I-130 in non-human lab & biochemical studies.
SELENKOW,H.A. Peter Bent Brigham Hosp., Boston, MA. 52340. 63/06/25. Atomic Energy Commission (Pre 750119). 1p. 83879:358-83879:358.

--**9505050235** Application for amend to license 20-00551-08,authorizing use of I-129 & I-130 in animal & biochemical studies.
BRADY,L. Peter Bent Brigham Hosp., Boston, MA. 63/06/25. 3pp. 83879:359-83880:001.

--**9505050237** Forwards renewal application for license 20-00551-08,addl info re license 20-00551-24 & research protocol for license 20-00551-18.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/06/02. DUBE,R.J. Atomic Energy Commission (Pre 750119). 1p. 83880:002-83880:002.

--**9505050238** Application for renewal of license 20-00551-08,authorizing use of I-129,I-130,I-131 & I-125 for listed purposes, including animal tracer tests.
POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 65/06/02. 6pp. 83880:003-83880:008.

--**9505050251** Ack receipt of renewal application for license 20-00551-08.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 68669. 65/06/30. POTCHEN,E.J. Peter Bent Brigham Hosp., Boston, MA. 1p. 83880:009-83880:014.

--**9505050255** Application for renewal of license 20-00551-08,authorizing use of I-125,I-129,I-130 & I-131 for animal lab studies.
SELENKOW,H., JAGGER,P.I. Peter Bent Brigham Hosp., Boston, MA. 67/06/30. 9pp. 83880:015-83880:023.

--**9505050258** Application for license,authorizing use of I-131 for diagnostic medical procedures.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 10245. 58/04/11. 20pp. 83880:024-83880:043.

--**9505050259** License 20-00551-07 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/05/19. 1p. 83880:044-83880:044.

--**9505050261** Amend 1 to license 20-00551-07 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/06/29. 1p. 83880:045-83880:045.

--**9505050263** Amend 2 to license 20-00551-07 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/04/30. 1p. 83880:046-83880:046.

--**9505050264** Amend 3 to license 20-00551-07 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/10/20. 1p. 83880:047-83880:047.

--**9505050265** Amend 4 to license 20-00551-07 for Peter Bent Brigham Hosp.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/01/11. 1p. 83880:048-83880:048.

--**9505050266** Amend 5 to license 20-00551-07 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/05/01. 1p. 83880:049-83880:049.

-9505050267 Amend 6 to license 20-00551-07 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/06/05. 1p. 83880:050-83880:050.

-9505050269 Amend 7 to license 20-00551-07 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/08/02. 1p. 83880:051-83880:051.

-9505050272 Amend 8 to license 20-00551-07 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/05/01. 1p. 83880:052-83880:052.

-9505050275 Amend 9 to license 20-00551-07 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/06/12. 2pp. 83880:053-83880:054.

-9505050276 Amend 10 to license 20-00551-07 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/09/02. 1p. 83880:055-83880:055.

-9505050277 Amend 11 to license 20-00551-07 for Peter Bent Brigham Hosp.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/09/18. 1p. 83880:056-83880:066.

-9505050287 Forwards license 20-00551-07,per 580411 application.Explains I-131 limit.
MILLER,W.O. Atomic Energy Commission (Pre 750119). 58/05/21. GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 1p. 83880:067-83880:067.

-9505050289 Application for license to authorize use of I-131 for diagnostic medical procedures.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 18220. 59/04/16. 5pp. 83880:068-83880:072.

-9505080048 Forwards application for amend to license 20-00551-07, permitting use of I-131.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 59/04/17. Atomic Energy Commission (Pre 750119). 1p. 83880:073-83880:073.

-9505080049 Requests listed addl info re 590416 application for amend to license 20-00551-07.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 59/04/27. GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 1p. 83880:074-83880:074.

-9505080050 Ack receipt of 590427 ltr & requests rev of possession limit to 8 mCi per wk.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 4059. 59/05/01. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 5pp. 83880:075-83880:079.

-9505080052 Requests clarification re use of I-131 renografin for cardiac output measurement.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 5852. 59/06/26. Atomic Energy Commission (Pre 750119). 1p. 83880:080-83880:080.

-9505080054 Application for renewal of license 20-00551-07,authorizing use of I-131.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 25507. 60/04/01. 5pp. 83880:081-83880:085.

-9505080057 Application for license,authorizing use of I-131 for human use.
LEVINE,H.J. Peter Bent Brigham Hosp., Boston, MA. 31411. 60/06/30. 5pp. 83880:086-83880:090.

-9505080061 Application for license,authorizing use of I-131 for human use.
NEILL,W.A. Peter Bent Brigham Hosp., Boston, MA. 31409. 60/06/30. 5pp. 83880:091-83880:095.

-9505080063 Application for license,authorizing use of I-131 for human use.
WAGMAN,R.J. Peter Bent Brigham Hosp., Boston, MA. 31410. 60/06/30. 5pp. 83880:096-83880:100.

-9505080068 Forwards application for amend to license 20-00551-07, permitting use of I-131.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 28878. 60/10/14. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83880:101-83880:101.

-9505080069 Application for amend to license 20-00551-07,authorizing use of I-131 for diagnostic medical procedures.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 29878. 60/10/31. 3pp. 83880:102-83880:104.

-9505080071 Application for license,authorizing use of I-131 for human use.
KRASNOW,N. Peter Bent Brigham Hosp., Boston, MA. 31408. 60/12/14. 5pp. 83880:105-83880:109.

-9505080075 Responds to 611003 ltr re use of H-3 for coronary blood volume studies.Listed addl info requested.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 61/10/31. KRASNOW,N. Peter Bent Brigham Hosp., Boston, MA. 1p. 83880:110-83880:110.

-9505080079 Requests response to 610810 ltr.
KRASNOW,J.R. Peter Bent Brigham Hosp., Boston, MA. 37711. 61/10/03. MASON,J.R. Atomic Energy Commission (Pre 750119). 4pp. 83880:111-83880:114.

-9505080081 Application for amend to license 20-00551-07,authorizing use of tritium for coronary blood flow studies.
KRASNOW,N. Affiliation Not Assigned. 37711. 61/08/10. Atomic Energy Commission (Pre 750119). 2pp. 83880:115-83880:116.

-9505080108 Application for renewal of license 20-00551-07,authorizing use of Kr-85 for human use.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 61/03/23. 4pp. 83880:117-83880:120.

-9505080111 Forwards amend 5 to license 20-00551-07 which extends expiration date to 640531.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/05/01. GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 6pp. 83880:121-83880:126.

-9505080113 Application for amend to license 20-00551-07,authorizing use of Xe-133 for human use.
GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 63/05/29. 12pp. 83880:127-83880:138.

-9505080124 Application for renewal of license 20-00551-07,authorizing use of Xe-133,Kr-85 & I-131 for human use.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 64/04/13. 3pp. 83880:139-83880:141.

-9505080127 Requests stated corrections to renewal application for license 20-00551-07,including rev of possession limits for xenon & krypton to 2 Ci.
GORLIN,J.E. Peter Bent Brigham Hosp., Boston, MA. 64/05/07. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83880:142-83880:142.

-9505080139 Forwards Amend 9 to license 20-00551-07,adding WC Elliott & requests user training & experience.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/06/12. GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 2pp. 83880:143-83880:144.

-9505080142 Application for renewal of license 20-00551-07,authorizing use of Xe-133,Kr-85 & I-131.
LEVENE,M.B. Peter Bent Brigham Hosp., Boston, MA. 76599. 66/04/14. 3pp. 83880:145-83880:147.

-9505080143 Requests repts on non-routine uses &/or research projects of all medical uses authorized by license 20-00551-07,except I-131.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/06/06. GORLIN,R. Peter Bent Brigham Hosp., Boston, MA. 12pp. 83880:148-83880:159.

-9505080145 Requests up-to-date info re Gorlin work w/Xe-133 & Kr-85 per license 20-00551-07.
ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 66/10/25. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 83880:160-83880:160.

-9505080146 Responds to 661025 ltr re amend 10 to license 20-00551-07, extending expiration date to 680930.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/11/07. ADELSTEIN,S.J. Peter Bent Brigham Hosp., Boston, MA. 4pp. 83880:161-83880:164.

-9505080147 Confirms that div will not correspond w/licensee re release of 2 Ci Kr-85 gas under license 20-00551-07,due to listed reasons,including submittal of timely rept.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). 66/01/25. Atomic Energy Commission (Pre 750119). 1p. 83880:165-83880:165.

-9505080148 Forwards compliance investigation rept for license 20-00551-07 re release of 2 Ci Kr-85 due to theft of mercury used as seal to retain Kr-85 in reservoir.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 66/01/18. PAGE,R.G. Atomic Energy Commission (Pre 750119). 2pp. 83880:166-83880:167.

-9505080151 Compliance investigation rept for Peter Bent Brigham Hosp, license 20-00551-07 on 651203.Area investigated:release of 2 Ci Kr-85 gas due to theft of mercury.
RYAN,A.F., KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 66/01/18. 17pp. 83880:168-83880:184.

-9505100266 Application for renewal of license 20-05407-02.
COHEN,P. Peter Bent Brigham Hosp., Boston, MA. 61/11/27. 4pp. 83876:333-83876:336.

-9505120014 Application for amend to license 20-00551-08,authorizing use of I-125 for animal studies.
SELENKOW,H.A. Peter Bent Brigham Hosp., Boston, MA. 62/03/23. 2pp. 83879:356-83879:357.

9505010157 Partial sixth response to FOIA request for documents. Forwards App L info being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. SAPORITO,T.J. Saporito, T.J. 2pp. 83834:005-83834:135.

-8904190092 Forwards most recent status repts of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 2.206. 89/04/04. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 4pp. 83834:017-83834:020.

-8904190115 Forwards most recent status rept of petitions submitted per 10CFR2.206.
CHANDLER,L.J. Assistant General Counsel for Enforcement. 2.206. 89/02/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). THOMPSON,H.L. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J.L. Ofc of Enforcement (Post 870413). 6pp. 83834:011-83834:016.

-8907190246 Forwards TJ Saporito 890620 10CFR2.206 petition requesting for immediate actions to be taken re facility,including cold shutdown of units,suspension of licenses & investigation of drug usage,for review.W/o stated draft ltrs.
GOLDBERG,J.R. Assistant General Counsel for Enforcement. 2.206. 89/07/14. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 83834:021-83834:023.

-8908280168 Forwards status rept on petitions under 10CFR2.206.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 2.206. 89/08/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 83834:024-83834:028.

-8912040009 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2.206. 89/10/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 83834:035-83834:039.

--8912040010 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 2.206. 89/11/02. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 5pp. 83834:040-83834:044.

--8912040012 Forwards status rept on petitions under 10CFR2.206.Rept lists petitions pending before NMSS,NRR & final decisions by directors pending before Commission & courts.
GOLDBERG,J.R. Office of the General Counsel (Post 860701). 2.206. 89/09/07. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp. 83834:029-83834:034.

--9108080040 Forwards 910627 memo re issuance of ALAB-950 on pressure/ temp limits proceeding & TS replacement proceeding.ASLAB upheld ASLBP decision to deny TJ Saporito late petition to intervene in proceeding.
AULUCK,R. Project Directorate II-2. TAC 72744. 91/07/31. Project Directorate II-2. 1p. 83834:064-83834:064.

--9108080045 Informs that on 910624 ASLAB issued ALAB-950 in which decision affirmed two ASLBP decisions re pressure/temp limits proceedings at plant.ASLAB upheld ASLBP decision to deny TJ Saporito late petition to intervene in proceeding.
CHANDLER,L.J. Assistant General Counsel for Hearings & Enforcement. ALAB-950. 91/06/27. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 83834:046-83834:046.

--9211240291 Forwards 921023 petition submitted by JP Riccio on behalf of Public Citizen,Greenpeace,NIRS & SECC alleging numerous deficiencies re emergency planning at plant as result of effects of hurricane Andrew.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2.206. 92/10/30. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 83834:065-83834:119.

--9211240294 Forwards 2.206 petition submitted by Public Citizen, Greenpeace,NIRS & SECC re plant deficiencies following hurricane Andrew.
RICCIO,J.P. Public Citizen's Critical Mass Energy Project. 2.206. 92/10/23. TAYLOR,J. Ofc of the Executive Director for Operations. 52pp. 83834:068-83834:119.

--9211240302 Forwards 2.206 petition filed by RR Diaz-Robainas re plant operation.Petition alleged deficiencies,including concerns re adequacy of fire protection sys & features & of emergency diesel generators.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2.206. 92/10/21. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 4pp. 83834:060-83834:063.

--9412140223 Forwards 2.206 petition filed w/EDO 940307 by TJ Saporito requesting that NRC take action re util.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2.206. 94/03/23. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 8pp. 83834:120-83834:127.

--9412210064 Discusses petition under 2.206 filed by TJ Saporito which requests that NRC take action against util as operator of Turkey Point & St Lucie nuclear power stations.Petition, draft ltr of acknowledgement & draft FRN,encl.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2.206. 94/06/16. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 3pp. 83834:128-83834:135.

--9505010176 Forwards copy of Memorandum & Order issued on 900116 by Board re ruling on Motion for summary disposition & dismissal of proceeding in plant P/T limits proceeding.W/o encl.
CHANDLER,L.J. Assistant General Counsel for Hearings & Enforcement. 90/01/22. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 83834:045-83834:045.

--9505010211 Informs that no further staff action necessary since appeal Board decision favorable re affirmation of Board ruling dismissing Nuclear Energy Accountability Project from plant TS replacement proceeding.
CHANDLER,L.J. Assistant General Counsel for Hearings & Enforcement. ALAB-952. 91/07/03. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 3pp. 83834:047-83834:059.

9505010168 FOIA request for documents re bidders list,name of incumbent contractor,abstract of bids of current contract & schedule "B" pricing of current contract.
HOROWITZ,L. Affiliation Not Assigned. 94/10/25. MATTIA,M.J. NRC - No Detailed Affiliation Given. 1p. 83693:299-83693:299.

9505010170 Final response to FOIA request for documents.Encl App A records being withheld in part (ref FOIA Exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/22. HOROWITZ,L. Affiliation Not Assigned. 4pp. 83693:300-83693:312.

--9505010175 Package consisting of schedule of prices re Pacific Bell current tariff rates.
* Division of Freedom of Information & Publications Services (Post 940714). 94/12/22. 10pp. 83693:304-83693:312.

9505010173 Seventh partial response to FOIA request for documents. Records in App M encl & are being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/07. SAPORITO,T.J. Saporito, T.J. 6pp. 84109:001-84112:023.

--9505010180 Forwards info for replacement of attachment five,concern 12, as identified in 881208 memo re listing of "Statement of Concerns," & proposed action offices.
DEMIRANDA,O. Region 2 (Post 820201). RII-88-A-0066. 88/12/13. REYES,L., GIBSON,A., COLLINS,D. Division of Radiation Safety & Safeguards (Post 921004). 2pp. 84109:008-84109:008.

--9505010219 Ack receipt of 890621 ltr,expressing concerns w/regard to drug issues at plant.
EBNETER,S.D. Region 2 (Post 820201). 89/10/10. LORION,J. Lorion, J. 400pp. 84109:009-84110:105.

--9505010224 Confirms telcon re securing AEC approval to cast Mg-Th alloys in sand & permanent mold.
WELLMAN,D.T. Affiliation Not Assigned. 57/10/08. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:106-84110:106.

--9505010237 Discusses review of repts re application for Th-Mg alloy license.
WELLMAN,D.T. Affiliation Not Assigned. 57/12/04. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 2pp. 84110:107-84110:108.

--9505010243 Informs that Wellman Bronze is licensed to receive possession of & title to Th through importation from Canada for use in casting Mg-Th alloys,per Atomic Energy Act of 1954 & 10CFR40.21.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). C-3935. 57/12/11. WELLMAN,D.T. Affiliation Not Assigned. 1p. 84110:109-84110:110.

--9505010251 Ack receipt of license C-3935,issued on 571211.
WELLMAN,D.T. Affiliation Not Assigned. 57/12/16. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:111-84110:111.

--9505010257 Requests renewal copy of license C-3935,which expired on 581201.
WEIMER,B.E. Affiliation Not Assigned. 59/01/22. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:112-84110:112.

--9505010280 Informs that Wellman Bronze licensed to receive possession of & title to Th,per Atomic Energy Act of 1954 & 10CFR40.21.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). C-3935. 59/01/28. Affiliation Not Assigned. 1p. 84110:113-84110:113.

--9505010283 Forwards insp rept for Wellman Bronze & Aluminum Co.No items of noncompliance were observed.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 59/05/05. PRICE,H.L. Atomic Energy Commission (Pre 750119). 1p. 84110:114-84110:114.

--9505220086 Safety insp on 590122 of license C-4539.Insp findings:no items of noncompliance observed.
KLAR,L.W., HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 59/04/16. 3pp. 84110:115-84110:117.

--9505220149 Application for renewal of license C-4539,which expired 600131.
WEIMER,B.E. Affiliation Not Assigned. 59/12/03. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:118-84110:118.

--9505220155 Informs that per AEA of 1954 & 10CFR40.21,Wellman Bronze & Aluminum licensed to receive possession of Th through importation from Canada.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/01/01. WEIMER Affiliation Not Assigned. 1p. 84110:119-84110:119.

--9505220157 Requests renewal copy of license C-3935,which expires 610228.
WEIMER,B.E. Affiliation Not Assigned. 61/01/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:120-84110:120.

--9505220171 Requests listed info,in order to consider 610110 request for renewal of license C-3935.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/01/23. WEIMER,B.H. Affiliation Not Assigned. 1p. 84110:121-84110:121.

--9505220197 Advises that license no longer needed for Cleveland plant.
WEIMER,B.E. Affiliation Not Assigned. 61/03/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:122-84110:122.

--9505220198 Requests that DOW Chemical Co license C-2782,which expires 611201,be transferred to name of Wellman Bronze & Aluminum Co.
WEIMER,B.E. Affiliation Not Assigned. 61/03/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:123-84110:123.

--9505220204 Informs that Wellman Bronze & Aluminum Co licensed to receive,possess & use source matl at Bay City,MI plant,in accordance w/procedures of 610310 application.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/21. WEIMER,B.E. Affiliation Not Assigned. 1p. 84110:124-84110:124.

--9505220216 Discusses 610310 application for license,which was issued effective 610321,to receive,possess & use source matl at plant.Informs that license C-4539 cancelled,per 610310 application request.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/21. WEIMER,B.E. Affiliation Not Assigned. 1p. 84110:125-84110:125.

--9505220240 Requests that license STB-136 be forwarded effective 610321.
WEIMER,B.E. Affiliation Not Assigned. 61/04/14. DELANEY,J.C., OULOS Atomic Energy Commission (Pre 750119). 1p. 84110:126-84110:126.

--9505220245 Safety insp on 610913 of license STB-163.Insp findings: surveys of airborne concentrations were inadequate.
OPARKA,E.J. Atomic Energy Commission (Pre 750119). 61/09/13. 6pp. 84110:127-84110:132.

--9505220256 Forwards insp rept for Wellman Bronze & Aluminum Co,license STB-136.
HAGEMAN,R.C. Atomic Energy Commission (Pre 750119). 61/10/05. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 2pp. 84110:133-84110:134.

--9505230205 Informs that licensee not cited for violating sections 20.202 (a)(1) & 20.401,for listed reasons.
CUNNINGHAM,B.E. Atomic Energy Commission (Pre 750119). 61/12/11. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 84110:135-84110:135.

--9505230208 Discusses 611211 memo re compliance insp rept on 610913.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 61/12/28. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 84110:136-84110:136.

--9505230222 Discusses results of 610913 insp in which activities were not conducted in full compliance w/requirments of AEC "Standards for Protection Against Radiation."
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/01/05. WEIMER,W.E. Affiliation Not Assigned. 2pp. 84110:137-84110:138.

--**9505230260** Ack receipt of 620105 ltr re survey for airborne radioactive Th.Informs of steps taken to correct points two & three noted in ltr.
FRUEHAUF,V. Affiliation Not Assigned. 62/01/09. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 84110:139-84110:139.

--**9505230265** Ack receipt of 620109 ltr,informing that all items have been or will be corrected in AEC licensed program,per 620105 ltr.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/01/26. FRUEHAUF,V. Affiliation Not Assigned. 1p. 84110:140-84110:140.

--**9505230272** Requests that copy of license STB-136,which expires 640430, be sent to writer.
WEIMER,B.E. Affiliation Not Assigned. 63/01/24. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 1p. 84110:141-84110:141.

--**9505230280** Requests renewal source matl license number to receive, possess & use source matl at plant located in Bay City,MI,in accordance w/procedures described in 610310 application.
WEIMER,B.E. Affiliation Not Assigned. 64/03/02. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 84110:142-84110:142.

--**9505230313** Discusses 640302 ltr,which requests renewal of license STB-136.Informs that application for renewal should be submitted using form AEC-2.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/03/12. WEIMER,B.E. Affiliation Not Assigned. 1p. 84110:143-84110:143.

--**9505230317** Forwards form AEC-2,application for renewal of license STB-136.
BURLING,J.H. Affiliation Not Assigned. 64/03/18. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 84110:144-84110:144.

--**9505230334** Application for renewal of license STB-136,authorizing manufacture of magnesium base Th alloys suitable for hi- temp applications as covered by military spec.
BURLING,J.H. Affiliation Not Assigned. 64/03/17. 3pp. 84110:145-84110:147.

--**9505230360** Discusses 640317 application for renewal of license STB-136. Informs that application does not contain detailed provision for conducting surveys to determine compliance w/10CFR20 for use of source matl.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/04/08. BURLING,J.H. Affiliation Not Assigned. 1p. 84110:148-84110:148.

--**9505230365** Discusses 640408 ltr requesting addl info for renewal of license STB-136.
SIMMONS,S.J. Affiliation Not Assigned. 64/04/24. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 84110:149-84110:150.

--**9505230369** Ack receipt of 640424 & 0501 ltrs,which provided addl info as requested for renewal of license STB-136.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/05/13. SIMMONS,S.J. Affiliation Not Assigned. 25pp. 84110:151-84110:176.

--**9505230372** Discusses 640513 ltr requesting radiological survey.
SIMMONS,S.J. Affiliation Not Assigned. 64/06/25. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 84110:177-84110:178.

--**9505240355** Discusses 640317 application & 640424 & 0625 ltrs which provided addl info requested for renewal of license STB-136.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/07/17. SIMMONS,S.J. Affiliation Not Assigned. 1p. 84110:179-84110:179.

--**9505240365** Informs that surveys will be conducted every 5 yrs,per 640717 ltr.
SIMMONS,S.J. Affiliation Not Assigned. 64/07/20. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 1p. 84110:180-84110:180.

--**9505240369** Forwards renewed license STB-136.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/08/14. SIMMONS,S.J. Affiliation Not Assigned. 25pp. 84110:181-84110:181.

--**9505240374** Matls license STB-136,authorizing use of manufacture of Th magnesium alloy containing less than four percent Th in accordance w/procedures described in 640317 application.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 64/08/14. 1p. 84110:182-84110:182.

--**9505240390** Forwards application & supporting data for amend to license STB-433.
HUMMEL,E.C. Affiliation Not Assigned. 64/12/18. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 2pp. 84110:183-84110:184.

--**9505240419** Forwards two addl copies of three drawings & aerial photographs submitted w/original application by Hills- McCannna Co.
KONNEKER,W.R. Affiliation Not Assigned. 65/02/09. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 2pp. 84110:185-84110:186.

--**9505250217** Safety insp on 650524 of license STB-0136.Insp findings: no items of noncompliance found.
MAPP,E.J. Atomic Energy Commission (Pre 750119). 65/05/24. 3pp. 84110:187-84110:189.

--**9505250245** Forwards insp rept for Hills-McCanna Co,license STB-0433. Insp revealed that licensee has failed to maintain records of results of airborne radioactivity surveys as required by part 20.
MORETTI,E.J. Atomic Energy Commission (Pre 750119). 66/07/08. PAGE,R.G. Atomic Energy Commission (Pre 750119). 2pp. 84110:190-84110:191.

--**9505250264** Informs of desire to renew license STB-0136 & forwards completed form AEC-2.
SIMMONS,S.J. Wellman Dynamics Corp. 67/07/12. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 84110:192-84110:192.

--**9505250279** Application for amend to license STB-0136,authorizing manufacture of magnesium Th alloys suitable for hi-temp.
SIMMONS,S.J. Wellman Dynamics Corp. 67/07/12. 3pp. 84110:193-84110:198.

--**9505250282** Forwards renewed license STB-0136.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 67/07/31. SIMMONS,S.J. Wellman Dynamics Corp. 1p. 84110:199-84110:199.

--**9505250302** Matls licensing package for license STB-0136 for Wellman Dynamics Corp.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 67/07/31. 1p. 84110:200-84110:204.

--**9505250311** Safety insp on 681009 of license STB-0136.Insp findings: source matl inventory included 5,168 pounds of Th at end of CY67.License condition seven limits max amount of matl which may be possessed at one time to 4,000 pounds.
HUETER,L.J. Atomic Energy Commission (Pre 750119). * Wellman Dynamics Corp. 68/10/09. 5pp. 84110:205-84110:209.

--**9505250318** Insp of license STB-0136 on 681009.Violations noted.Major areas inspected:participants,scope of license program, organization,administrative control & use of matl.
HUETER,L.J., ALLEN,J.M. Atomic Energy Commission (Pre 750119). 68/10/21. 6pp. 84110:210-84110:215.

--**9505260076** Informs that purchasing dept has been directed to purchase source matl within limits of 4,000 pounds.
SIMMONS,S.J. Wellman Dynamics Corp. 68/11/07. GRIER,B.H. Atomic Energy Commission (Pre 750119). 15pp. 84110:216-84110:240.

--**9505260115** Discusses 710504 telcon w/SJ Simmons re disposal of Th waste by transferring waste to Hartley & Hartley,Inc for land burial.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 71/05/10. Atomic Energy Commission (Pre 750119). 8pp. 84110:241-84110:249.

--**9505260169** "Hydrogeologic Investigation & Closure Certification."
* Wehran Engineering Corp. 02337170. 79/09/19. 175pp. 84110:250-84111:097.

--**9505260174** Requests that license STB-0433 be transferred to Wellman Dynamics Corp.
SIMMONS,D.J. Wellman Dynamics Corp. 71/12/14. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 43pp. 84111:098-84111:191.

--**9505260194** "Const Specs Slurry Wall,Cap & Monitoring Sys Hartley & Hartley Landfill."
DUNCAN,J.L. Ground/Water Technology, Inc. 84/03/30. 200pp. 84111:192-84111:361.

--**9505260234** Informs that S Lewis requested that encl documents be forwarded.
ROBERTS,J. Region 3 (Post 820201). 84/05/08. PAPERIELLO,C., SCHUMACHER,M., ROZAK,S. Region 3 (Post 820201). 1p. 84112:001-84112:005.

--**9505260242** Application for renewal of license STB-0136,authorizing manufacture of magnesium base-Th alloys suitable for hi-temp.
SIMMONS,S.J. Atomic Energy Commission (Pre 750119). 67/07/12. 2pp. 84112:006-84112:023.

9505010204 FOIA request for documents re list of each individual who has been issued credit card for use in procurements for their agency.
BEE,C. Affiliation Not Assigned. 94/12/05. NRC - No Detailed Affiliation Given. 1p. 83834:144-83834:144.

9505010206 Final response to FOIA request for documents.Records in App A encl & being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/29. BEE,C. Affiliation Not Assigned. 2pp. 83834:145-83834:148.

--**9505010207** Listing of cardholders who has been issued credit card for use in procurements for their agency.
* NRC - No Detailed Affiliation Given. 94/12/29. 2pp. 83834:147-83834:148.

9505010213 Final response to FOIA request for documents.App B documents encl & being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/29. ARNOLD,M.A. Integrated Environmental Services. 2pp. 83834:136-83834:143.

9505010229 FOIA request for records of any & all violations for listed institutions cited by NRC from 890101 to present.
MARCUS,J. Associated Press. 94/09/08. ABRAHAM,K. NRC - No Detailed Affiliation Given. 2pp. 83741:001-83741:002.

9505010239 Appeals denial of FOIA request for 821014 memo from WJ Olmstead to RM Bernero re amends to 10CFR21.
FIDELL,E.R. Affiliation Not Assigned. 94/11/15. Office of the Secretary of the Commission. 2pp. 83707:355-83707:358.

9505010244 Final response to FOIA request for documents.Forwards App A records available in PDR & App B records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/05. MARCUS,J. Associated Press. 8pp. 83741:003-83742:031.

--**9107120177** Notice of violation from insp on 910507-08.Violation noted: written records of formal training & radiation health & safeguards committee authorization not available to verify compliance w/item sixteen of application.
* Region 1 (Post 820201). 91/06/21. 2pp. 83742:017-83742:018.

--**9110080339** Responds to NRC ltr re violations noted in Insp Rept 30-00775/91-01 on 910507-08.Corrective actions:training will be held approx wk of 910909.List of attendees will be presented at next RHSC meeting.
KRAMER,J.W. Worcester Polytechnic Institute, Worcester, MA. 91/07/25. OBERG,C.T. Region 1 (Post 820201). 14pp. 83742:019-83742:031.

--**9201300031** Discusses Safety Insps 30-00753/91-01,30-10180/91-01, 30-15244/91-01 & 70-0083/91-01 on 911209-13 & forwards notice of violation.
COSTELLO,F.M. Region 1 (Post 820201). 92/01/14. STEWART,J.H. Harvard Univ., Cambridge, MA. 3pp. 83741:172-83741:174.

--**9201300041** Notice of violation from insp on 911209-13.Violation noted: licensed matl stored in unrestricted area not secured & ground floor window open in lab containing licensed matls & no one working in area.
* Region 1 (Post 820201). 92/01/14. 56pp. 83741:175-83741:230.

--**9505010256** Forwards rept of loss of electron capture unit which contained 15 mCi of Ni-63 encased in sealed source on 871223.
EGDAHL,R.H. Boston Univ. Medical Center, Boston, MA. MLER-R1-88-047. 88/02/26. Region 1 (Post 820201). 46pp. 83741:011-83741:056.

-9505010261 Forwards proposed enforcement action for violations identified during NRC insp conducted at Boston Univ Medical Ctr,Boston,MA.
RUSSELL,W.T. Region 1 (Post 820201). EA-89-081. 89/04/17. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 103pp. 83741:057-83741:171.

-9505030162 Informs that ltr in response to 910814 notice of violation will be late due to extended illness of RSO,J Bakanauskas.
CASE,M.I. Univ. of Massachusetts Medical Center, Worcester, MA. 91/10/15. COURTEMANCHE Region 1 (Post 820201). 44pp. 83741:231-83741:277.

-9505030172 "Wellesley College Lab Safety."
* Wellesley College, Wellesley, MA. 93/09/30. 59pp. 83741:278-83741:334.

-9505030178 Submits listed info in response to comments made during exit interview after NRC insp of Woods Hole Oceangraphic Inst Radioactive Matls License records & facilities.
KARCHNER,L.E. Woods Hole Oceanographic Institution. 93/06/18. ARREDONDO,S.A. Region 1 (Post 820201). 13pp. 83741:335-83741:347.

-9505030187 Ack receipt of 930630 ltr & notice of violation.Informs that licensee in process of preparing response & statement of corrective actions to be taken to rectify problems noted during June 1993 insp.
KARCHNER,L.E. Woods Hole Oceanographic Institution. 93/07/07. KINNEMAN,J.D. Region 1 (Post 820201). 30pp. 83741:348-83742:016.

9505010246 FOIA request for all NRC responses to FOIA request 93-44, including all records,documents,appendices,ltrs &/or any other matls released by NRC in response to FOIA request 93-44.
MANNE,K.C. Newman & Holtzinger. 93/09/21. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 83925:001-83925:006.

9505010248 Responds to 941115 appeal of decision to withhold,in entirety,document identified on App O of agency 941109 seventh partial response to FOIA request 94-219.Appeal denied.
HOYLE,J.C. Office of the Secretary of the Commission. 94/12/29. FIDELL,E.R. Affiliation Not Assigned. 2pp. 83707:348-83707:354.

9505030431 Final response to FOIA request for documents.Records in App A will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/20. LARI,R. Affiliation Not Assigned. 5pp. 83925:007-83925:175.

-9505100169 Responds to 930415 appeal of FOIA request for records.Appeal partially denied & partially granted.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 93/06/24. COLAPINTO,D.K. National Whistleblower Center. 3pp. 83925:168-83925:170.

-9505100123 Appeals denial of FOIA request for ltr from DP Hall to NRC.
COLAPINTO,D.K. National Whistleblower Center. 2.206. 93/04/15. Ofc of the Executive Director for Operations. 2pp. 83925:166-83925:167.

-9505100164 Responds to 930514 appeal of FOIA request for records identified on encl appendix.Appeal denied.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 93/06/24. COLAPINTO,D.K. National Whistleblower Center. 3pp. 83925:171-83925:173.

-9505100170 Appeals 930511 denial of info in response to FOIA request.
COLAPINTO,D.K. National Whistleblower Center. 93/05/14. Ofc of the Executive Director for Operations. 2pp. 83925:174-83925:175.

-9505040340 Partial response to FOIA documents.Records in App B, available in PDR.App D records being withheld in entirety or part (ref Exemptions 4 & 5).
HARRIS,C.A. Division of Freedom of Information & Publications Services (890206-940714). 93/04/12. COLAPINTO,D.K. Affiliation Not Assigned. 5pp. 83925:143-83925:147.

-9505040347 Partial response to FOIA request for documents.Records in App E made available in PDR.App F & G records withheld in entirety or in part (ref Exemptions 5 & 7).
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/04/14. COLAPINTO,D.K. Affiliation Not Assigned. 5pp. 83925:148-83925:152.

-9505040364 Partial response to FOIA request for documents.Records in App H made available in PDR.App I & J withheld in part or entirety (ref Exemption 5).
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/04/20. COLAPINTO,D.K. Affiliation Not Assigned. 5pp. 83925:153-83925:157.

-9505040383 Partial response to FOIA request for documents.Records in App K made available in PDR.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/04/27. COLAPINTO,D.K. Affiliation Not Assigned. 3pp. 83925:158-83925:160.

-9505040386 Final response to FOIA request for documents.Records in App L available in PDR.App M & N records withheld in part or entirety (ref Exemption 7).
HARRIS,C.A. Division of Freedom of Information & Publications Services (890206-940714). 93/05/11. COLAPINTO,D.K. Affiliation Not Assigned. 5pp. 83925:161-83925:165.

-9505100123 Appeals denial of FOIA request for ltr from DP Hall to NRC.
COLAPINTO,D.K. National Whistleblower Center. 2.206. 93/04/15. Ofc of the Executive Director for Operations. 2pp. 83925:166-83925:167.

-9505100164 Responds to 930514 appeal of FOIA request for records identified on encl appendix.Appeal denied.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 93/06/24. COLAPINTO,D.K. National Whistleblower Center. 3pp. 83925:171-83925:173.

-9505100169 Responds to 930415 appeal of FOIA request for records.Appeal partially denied & partially granted.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 93/06/24. COLAPINTO,D.K. National Whistleblower Center. 3pp. 83925:168-83925:170.

-9505100170 Appeals 930511 denial of info in response to FOIA request.
COLAPINTO,D.K. National Whistleblower Center. 93/05/14. Ofc of the Executive Director for Operations. 2pp. 83925:174-83925:175.

-9505040238 Partial response for FOIA documents.Records in App A,encl.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/03/31. COLAPINTO,D.K. Affiliation Not Assigned. 4pp. 83925:139-83925:142.

-9505040177 Provides preliminary info re allegations being made by contract Instrument & Control employee at STP re security procedures.
SANBORN,G. NRC - No Detailed Affiliation Given. 92/02/13. WILLIAMSON,L. Ofc of Investigations (Post 880201). 90pp. 83925:012-83925:101.

-9505040182 Discusses telcon w/TJ Saporito re STP concerns.
WISE,R. NRC - No Detailed Affiliation Given. 95/02/20. NRC - No Detailed Affiliation Given. 1p. 83925:102-83925:102.

-9505040186 Discusses telcon w/TJ Saporito re TS violations.
WISE,R. NRC - No Detailed Affiliation Given. 95/02/21. NRC - No Detailed Affiliation Given. 9pp. 83925:103-83925:111.

-9505040191 Forwards request from TJ Saporito dtd 920219 for OIG investigation.
MARTIN,R.D. Region 4 (Post 820201). 2.206. 92/02/25. WILLIAMS,D.C. Office of the Inspector General (Post 890417). 1p. 83925:112-83925:112.

-9505040194 Discusses 920218 meeting in Region IV office w/members of Region IV staff re allegation RIV-92-A-0015.Transcript from meeting,encl.
WISE,R. NRC - No Detailed Affiliation Given. 2.206. 92/02/25. SAPORITO,T.J. Saporito, T.J. 4pp. 83925:113-83925:116.

-9505040196 Discusses 920227 telcon w/J Blaha re concern that Region IV had declined to have meeting on 920228.
WISE,R. NRC - No Detailed Affiliation Given. 92/02/27. NRC - No Detailed Affiliation Given. 2pp. 83925:117-83925:118.

-9505040205 Informs that statements made by TJ Saporito in complaint filed on 920224,have been found to be inaccurate or subj to misinterpretation.
SANBORN,G.F. Region 4 (Post 820201). 92/02/29. Labor, Dept. of. 1p. 83925:119-83925:119.

-9505040208 Advises NRC that on 920227,TJ Saporito requested whole-body count from util.Request had been granted.Results,discussed.
SAPORITO,T.J. Saporito, T.J. 92/03/01. WISE,R. Region 4 (Post 820201). 2pp. 83925:120-83925:121.

-9505040213 Requests that Office of Investigations conduct investigation to determine facts surrounding denial of access of TJ Saporito to STP.
MARTIN,R.D. Region 4 (Post 820201). 92/03/03. WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 1p. 83925:122-83925:122.

-9505040223 Requests extension of due date of 920305 for green ticket EDO 7469 involving physical security & maint activities.
BOGER,B.A. Division of Reactor Projects - III,IV,V (Post 901216). 92/03/04. PARTLOW,J.G. Associate Director for Projects (Post 870411). 3pp. 83925:123-83925:125.

-9505040229 Ack receipt of NRC 920311 ltr from GR Jenkins re actions to review facts & circumstances of concern re alleged blacklisting practices by utils.
SAPORITO,T.J. Saporito, T.J. 92/03/14. DEMIRANDA,O. Region 2 (Post 820201). 3pp. 83925:126-83925:128.

-9505040231 Discusses 920319 telcon from T Saporito in response to 920311 ltr re STP allegations.
SANBORN,G. NRC - No Detailed Affiliation Given. 92/03/19. WISE,R. NRC - No Detailed Affiliation Given. 5pp. 83925:129-83925:133.

-9505040235 Requests extension of EDO due date of 920824 for green ticket EDO-7469 involving physical security.
BOGER,B.A. Division of Reactor Projects - III,IV,V (Post 901216). 2.206. 92/08/18. PARTLOW,J.G. Associate Director for Projects (Post 870411). 2pp. 83925:134-83925:138.

-9505040238 Partial response for FOIA documents.Records in App A,encl.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/03/31. COLAPINTO,D.K. Affiliation Not Assigned. 4pp. 83925:139-83925:142.

-9505040340 Partial response to FOIA documents.Records in App B, available in PDR.App D records being withheld in entirety or part (ref Exemptions 4 & 5).
HARRIS,C.A. Division of Freedom of Information & Publications Services (890206-940714). 93/04/12. COLAPINTO,D.K. Affiliation Not Assigned. 5pp. 83925:143-83925:147.

-9505040347 Partial response to FOIA request for documents.Records in App E made available in PDR.App F & G records withheld in entirety or in part (ref Exemptions 5 & 7).
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/04/14. COLAPINTO,D.K. Affiliation Not Assigned. 5pp. 83925:148-83925:152.

-9505040364 Partial response to FOIA request for documents.Records in App H made available in PDR.App I & J withheld in part or entirety (ref Exemption 5).
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/04/20. COLAPINTO,D.K. Affiliation Not Assigned. 5pp. 83925:153-83925:157.

-9505040383 Partial response to FOIA request for documents.Records in App K made available in PDR.
GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 93/04/27. COLAPINTO,D.K. Affiliation Not Assigned. 3pp. 83925:158-83925:160.

--**9505040386** Final response to FOIA request for documents.Records in App L available in PDR.App M & N records withheld in part or entirety (ref Exemption 7).
HARRIS,C.A. Division of Freedom of Information & Publications Services (890206-940714). 93/05/11. COLAPINTO,D.K. Affiliation Not Assigned. 5pp. 83925:161-83925:165.

--**9505100123** Appeals denial of FOIA request for ltr from DP Hall to NRC.
COLAPINTO,D.K. National Whistleblower Center. 2.206. 93/04/15. Ofc of the Executive Director for Operations. 2pp. 83925:166-83925:167.

--**9505100164** Responds to 930514 appeal of FOIA request for records identified on encl appendix.Appeal denied.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 93/06/24. COLAPINTO,D.K. National Whistleblower Center. 3pp. 83925:171-83925:173.

--**9505100169** Responds to 930415 appeal of FOIA request for records.Appeal partially denied & partially granted.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 93/06/24. COLAPINTO,D.K. National Whistleblower Center. 3pp. 83925:168-83925:170.

--**9505100170** Appeals 930511 denial of info in response to FOIA request.
COLAPINTO,D.K. National Whistleblower Center. 93/05/14. Ofc of the Executive Director for Operations. 2pp. 83925:174-83925:175.

9505030467 FOIA request for documents re sources of Cobalt-60 contamination at Southerly Wastewater Treatment Facility.
LENHART,T.E. Northeast Ohio Regional Sewer District. 94/11/09. Division of Freedom of Information & Publications Services (890206-940714). 1p. 83852:034-83852:034.

9505030471 Final response to FOIA request for documents.Forwards documents listed in App A.Documents will be available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 94/12/20. LENHART,T.E. Northeast Ohio Regional Sewer District. 2pp. 83852:035-83852:100.

--**9505030475** Discusses estimate of total Cobalt-60 activity at Northeast Ohio Regioanal Sewer District Southerly Wastewater Treatment Plant.
SRENIAWSKI,D.J. Region 3 (Post 820201). 94/10/24. MCCANN,G.M. Region 3 (Post 820201). 21pp. 83852:077-83852:100.

9505080157 Ninth partial response to FOIA request for documents. Forwards app T documents.Documents also available in PDR.App U documents partially withheld (ref FOIA exemption 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 83986:001-83986:134.

--**9505080161** Rept of interview w/J Barlow on 870819 re responsibilities at plant.
GRIFFIN,H.B. Ofc of Investigations (Post 880201). 87/08/19. 36pp. 83986:009-83986:051.

--**9505080175** Rev 0 to "Std Deficiency Rept."
* Houston Lighting & Power Co. 86/05/09. 6pp. 83986:052-83986:057.

--**9505080185** Partially withheld transcript of 930429 invetsigative interview w/R Kirspel in Bay City,TX.Pp 1-62.
* NRC - No Detailed Affiliation Given. 93/04/29. 62pp. 83986:058-83986:120.

--**9505080192** Partially withheld memo discussing alleged harassment & intimidation of security guards by licensee & contract mgt.
WILLIAMSON,E.L. Ofc of Investigations (Post 880201). 93/05/05. WISE,R. Region 4 (Post 820201). 3pp. 83986:121-83986:123.

--**9505080210** Partially withheld memo discussing 930902 telcon re allegation of possible harassment & intimidation by plant mgt.
KIRSPEL,R. Ofc of Investigations (Post 880201). 93/09/02. Ofc of Investigations (Post 880201). 5pp. 83986:124-83986:128.

--**9505080214** Partially withheld ltr re problems w/security mgt.
* Affiliation Not Assigned. 93/04/26. NRC - No Detailed Affiliation Given. 6pp. 83986:129-83986:134.

9505080246 Second partial response to FOIA request for documents.Encl documents listed in App F partially released (ref FOIA exemption 7 & 7C).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/19. CROSS,C. Affiliation Not Assigned. 4pp. 83992:001-83992:161.

--**9408030306** Submits follow-up to 930528 telcon & 930526 conversation w/ Bhalla re 930311 misadministration of I-131.Technologist involved in incident replaced & procedure for administration of I-131 also changed.
MCCANDLESS,M.S. Chestnut Hill Hosp. Philadelphia,PA. MLER-R1-93-022. 93/05/28. BELLAMY,R.R. Region 1 (Post 820201). 9pp. 83992:154-83992:161.

--**9505080273** Partially withheld investigation rept 1-93-010R re potential falsification of records & false statements to insp personnel.
MATAKAS,R.A., LETTS,B.R. Ofc of Investigations (Post 880201). 94/06/13. 31pp. 83992:007-83992:037.

--**9505080282** Partially withheld rept of interview w/N Bhalla to discuss insp conducted at Chestnut Hill Hosp in Mar & Apr 1993.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 93/05/25. 5pp. 83992:038-83992:042.

--**9505080297** Provides requested info re incident in Chestnut Hosp on 870326.
WALLEN,J.P. Affiliation Not Assigned. 94/12/19. OBERG,T. Region 1 (Post 820201). 16pp. 83992:043-83992:058.

--**9505080300** Requests listed addl info in order to complete evaluation of program.
BELLAMY,R.R. Region 1 (Post 820201). 93/03/23. MCCANDLESS,M. Chestnut Hill Hosp. Philadelphia,PA. 2pp. 83992:059-83992:062.

--**9505080303** Partially withheld rept of interview w/TK Thompson to discuss insp conducted at Chestnut Hill Hosp in Mar & Apr 1993.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 93/06/10. 12pp. 83992:063-83992:074.

--**9505080305** Partially withheld rept of 930813 interview w/SG Mullen re issues raised concerning Chestnut Hill Hospital.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 93/08/31. 1p. 83992:075-83992:075.

--**9505080309** Partially withheld rept of 930723 interview reporting to JA Teator re Chestnut Hill.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 93/07/22. 22pp. 83992:076-83992:097.

--**9505080311** Partially withheld interview on 930902 reporting to RA Matakas & KL Monroe re Chestnut Hill Hospital.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 93/09/10. 12pp. 83992:098-83992:108.

--**9505090311** Partially withheld rept of 930715 interview re Chestnut Hill Hosp.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 93/07/15. 3pp. 83992:109-83992:120.

--**9505090314** Partially withheld rept of 940318 interview w/SG Mullen re dose calibrator linearity tests conducted or survey meter daily operational tests.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 94/03/18. 5pp. 83992:121-83992:125.

--**9505090315** Partially withheld rept of 940318 interview w/CL Woodruff re dose calibrator linearity test.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 94/03/18. 7pp. 83992:126-83992:132.

--**9505090317** Partially withheld sworn statement by BM Galkin re duties at Chestnut Hill Hospital.
* Ofc of Investigations (Post 880201). 94/04/05. 18pp. 83992:133-83992:150.

--**9505150236** Partially withheld rept of 930813 interview w/MS McCANDLESS re Chestnut Hill Hosp.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 93/08/31. 1p. 83992:151-83992:151.

--**9505150240** Partially withheld rept of 940318 interview w/MS McCANDLES re Chestnut Hill Hosp.
MATAKAS,R.A. Ofc of Investigations (Post 880201). 94/03/18. 2pp. 83992:152-83992:153.

9505090290 FOIA request for documents re insp results of nuclear medicine & teletherapy depts for insps conducted in 1991 & 1993.
KNECHT,B.L. Affiliation Not Assigned. 94/10/05. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 83971:153-83971:153.

9505090292 Final response to FOIA request for info.Forward App A documents being made available in PDR.App B info already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/19. KNECHT,B.L. Affiliation Not Assigned. 3pp. 83971:154-83971:297.

--**9505090294** Insp rept 30-02646/91-01 on 910916.Violation noted.Major areas inspected:licensee organizational structure,insp history & scope of program.
CAMERON,J.L., SCHULTZ,W.H. Region 3 (Post 820201). 91/10/16. 20pp. 83971:157-83971:175.

--**9505090296** Insp rept 30-17512/91-01 on 910916.Violation noted.Major areas inspected:organizational structure,insp history & scope of program.
CAMERON,J.L., SCHULTZ,W.H. Region 3 (Post 820201). 91/10/16. 17pp. 83971:176-83971:192.

--**9505090300** Insp rept 30-10975/92-01 on 920417.Violations noted.Major areas inspected:organizational structure,insp history & scope of program.
*, SCHULTZ,W.H. Region 3 (Post 820201). 92/04/17. 20pp. 83971:193-83971:211.

--**9505090306** Insp rept 30-17512/92-01 on 920402-0825.No violations noted. Major areas inspected:organizational structure,insp history & scope of program.
CAMERON,J.L., HOLT,B.J. Region 3 (Post 820201). 92/09/23. 17pp. 83971:212-83971:228.

--**9505090307** Insp rept 30-18530/93-01 on 930826.Violations noted.Major areas inspected:organizational structure,insp history & scope of program.
*, HOLT,B.J. Region 3 (Post 820201). 93/09/09. 22pp. 83971:229-83971:250.

--**9505090313** Insp rept 30-10975/93-01 on 930609.No violations noted.Major areas inspected:organizational structure,insp history & scope of program.
MULLAUER,J., HOLT,B.J. Region 3 (Post 820201). 93/07/06. 30pp. 83971:251-83971:280.

--**9505090316** Insp rept 30-17512/93-01 on 930826.No violations noted. Major areas inspected:organizational structure,insp history & scope of program.
NULL,K.G., HOLT,B.J. Region 3 (Post 820201). 93/11/15. 17pp. 83971:281-83971:297.

9505090304 FOIA request for documents re 1992 amend to 42 USC,section 5851,section 2501(a) of H.R 776 as reported by House Committee on Interior & Insular Affairs on 920505,section 3004(a) of H.R 776 as originally passed by House.
FIDELL,E.R. Affiliation Not Assigned. 94/10/31. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 83929:092-83929:093.

9505110175 FOIA request for documents re technical sections of winning proposal for contract NRC-04-94-060,entitled "Incorporating Organizational Performance into Probabilistic Risk Assessment."
KELLY,R.T. . 94/10/17. LEWIS,V. Division of Contracts (Post 940714). 1p. 83929:156-83929:156.

9505110180 Final response to FOIA request for documents.Records in App A available in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. KELLY,R.T. . 2pp. 83929:157-83929:251.

--**9505110229** PROP-261-94 V01 Volume 1 of technical & mgt proposal, "Proposal to Provide Technical Svcs for NRC for Incorporating Organizational Performance Into Probabilistic Risk Assessment."
* JBF Associates, Inc. 94/06/16. 72pp. 83929:159-83929:231.

--**9505110301** Forwards original & copies of answers to NRC questions re proposal for RFP RS-RES-94-060.Technical proposal or cost proposal need not be modified.
MONTAGUE,D.F. JBF Associates, Inc. 94/08/19. MACE,M.H. Division of Contracts (Post 940714). 20pp. 83929:232-83929:251.

9505120245 First partial response to FOIA request for records.App A info encl & in PDR.App B records partially withheld (ref FOIA exemption 5) & App C records withheld (ref FOIA exemption 5).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 7pp. 83929:094-83929:155.

--**9505120253** Forwards comment on Energy Policy Act of 1992 & summary & analysis of provisions of HR 776.Discusses recent whistleblower protection bills.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 92/04/15. ROTHCHILD,T. Office of the General Counsel (Post 860701). 38pp. 83929:101-83929:139.

--**9505120259** Forwards summary of sections of Natl Energy Security Act which pertain to NMSS program.Informs that Bernero scheduled to meet w/EDO on Tuesday to discuss Act impacts on NMSS programs.
LOOSLEY,D.J. NRC - No Detailed Affiliation Given. 92/10/15. CUNNINGHAM,R.E. Office of Nuclear Material Safety & Safeguards. 11pp. 83929:140-83929:150.

--**9505120263** Partially withheld ltr re NRC views on S 2166 & HR 776 that would establish natl energy strategy.
PARLER,W.C. Office of the General Counsel (Post 860701). 92/06/23. Affiliation Not Assigned. 4pp. 83929:151-83929:155.

9505150122 Sixth partial response to FOIA request for documents.App H record already available in PDR.Forwards App I records & being available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/23. FIDELL,E.R. Affiliation Not Assigned. 9pp. 84038:033-84038:159.

--**8907240362** Forwards guidance for NRR project managers to identify actions that will be taken when util identifies existence of restrictive language in settlement agreements.Comments requested by 890623.
CRUTCHFIELD,D. Associate Director for Special Projects (890101-900602). 89/06/09. PARLER,W.C. Office of the General Counsel (Post 860701). 15pp. 84038:044-84038:077.

--**9001100013** Comments on final rule to prohibit agreements restricting free flow of info to Commission.Dept of Labor should review all Section 210 settlement agreements that result after individual files formal complaint w/Labor.
GILLESPIE,F.P. Program Management, Policy Development & Analysis Staff (Post 870411). 89/12/05. KENNEDY,B. Ofc of the Executive Director for Operations. 1p. 84038:138-84038:138.

--**9505150140** Forwards licensee response to NRC 890427 ltr which requested conformation of not entering into any restrictive settlement agreement w/employees or other individuals that precluded licensee informing NRC of safety concerns.
O'CONNOR,P. NRC - No Detailed Affiliation Given. 89/07/20. QUAY,T. NRC - No Detailed Affiliation Given. 3pp. 84038:078-84038:080.

--**9505150152** Forwards 890427 ltr re Settlement Agreements.W/o encl.
CRUTCHFIELD,D. Associate Director for Projects (Post 870411). 89/07/28. FRANKLIN,H.A. Southern Company Services, Inc. 1p. 84038:081-84038:081.

--**9505150164** Discusses 890427 response re settlement agreements.Advises that no further work needed for this util.
QUAY,T. NRC - No Detailed Affiliation Given. 89/07/28. PICKETT,D. NRC - No Detailed Affiliation Given. 1p. 84038:082-84038:082.

--**9505150165** Concludes that further followup on NYPA review not needed re all agreements.
QUAY,T. NRC - No Detailed Affiliation Given. 89/07/28. CAPRA,B. NRC - No Detailed Affiliation Given. 1p. 84038:083-84038:083.

--**9505150202** Informs that B Montgomery returned call & provided info re settlement agreements.
QIAY,T. NRC - No Detailed Affiliation Given. 89/07/28. CAPRA,B. NRC - No Detailed Affiliation Given. 1p. 84038:084-84038:084.

--**9505150207** Documents telcon between T Quay & M Fletcher re 890714 response on settlement agreements.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/02. NRC - No Detailed Affiliation Given. 1p. 84038:085-84038:085.

--**9505150214** Discusses response to 890427 settlement agreement ltr.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/02. NRC - No Detailed Affiliation Given. 2pp. 84038:086-84038:087.

--**9505150215** Discusses telcon re GE 890727 response on settlement agreements.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/07. NRC - No Detailed Affiliation Given. 1p. 84038:088-84038:088.

--**9505150220** Discusses 890731 ltr which indicated that licensee identified two settlement agreements that can be construed to contain restrictive language.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/07. HEBDON,F. NRC - No Detailed Affiliation Given. 1p. 84038:089-84038:089.

--**9505150223** Discusses 890721 GPU response to NRC 890427 ltr re settlement agreements.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/07. STOLZ,J. NRC - No Detailed Affiliation Given. 1p. 84038:090-84038:090.

--**9505150226** Discusses 890728 PG&E response to 890427 NRC ltr re settlement agreements.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/07. KNIGHTON,G. NRC - No Detailed Affiliation Given. 1p. 84038:091-84038:091.

--**9505150231** Discusses 890724 Niagara Mohawk Power Co response to NRC 890427 ltr re settlement agreements.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/08. SLOSSON,M. NRC - No Detailed Affiliation Given. 1p. 84038:092-84038:092.

--**9505150248** Discusses PECO 890728 response to NRC 890427 ltr re settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/08. MARTIN,B., CLARK,D. NRC - No Detailed Affiliation Given. 1p. 84038:093-84038:093.

--**9505150251** Discusses PSE&G 890728 response to NRC 890427 ltr re settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/08. STONE,J. NRC - No Detailed Affiliation Given. 2pp. 84038:094-84038:095.

--**9505150254** Discusses PG&E 890728 response to NRC 890427 ltr re settlement agreements.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/09. ROOD,H. NRC - No Detailed Affiliation Given. 1p. 84038:096-84038:096.

--**9505150257** Discusses PP&L 890627 response to NRC 890427 ltr re settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/09. THADANI,M. NRC - No Detailed Affiliation Given. 6pp. 84038:097-84038:102.

--**9505150262** Discusses SCEG scope of review for 890427 ltr re settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/14. NRC - No Detailed Affiliation Given. 1p. 84038:103-84038:103.

--**9505150264** Discusses LP&L 890814 review scope re settlement agreements.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/14. WIGGINTON,D., PAULSON,W. NRC - No Detailed Affiliation Given. 1p. 84038:104-84038:104.

--**9505150292** Discusses review scope for Indian Point,Unit 2 re 890427 NRC ltr on settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/14. BRINKMAN,D. NRC - No Detailed Affiliation Given. 1p. 84038:105-84038:105.

--**9505150298** Discusses review scope re NRC 890427 on settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/14. GITTER,J. NRC - No Detailed Affiliation Given. 1p. 84038:106-84038:106.

--**9505150303** Discusses review scope re NRC 890427 ltr on settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/15. ALEXION,T. NRC - No Detailed Affiliation Given. 1p. 84038:107-84038:107.

--**9505190215** Discusses review scope re NRC 890427 ltr on settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/15. ADENSAM,E. NRC - No Detailed Affiliation Given. 3pp. 84038:108-84038:110.

--**9505190217** Discusses review scope re NRC 890427 ltr on settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/16. NRC - No Detailed Affiliation Given. 1p. 84038:111-84038:111.

--**9505190223** Discusses review scope re settlement agreement as per 890814 telcon between H Wescott & Sargent & Lundy Engineers.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/16. NRC - No Detailed Affiliation Given. 1p. 84038:112-84038:112.

--**9505190231** Discusses review scope re 890427 ltr on settlement agreement as per 890815 telcon between H Wescott & GE.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/16. NRC - No Detailed Affiliation Given. 2pp. 84038:113-84038:114.

--**9505190239** Discusses agreement review scope as per 890816 telcon between J Weaver & T Quay.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/16. HICKMAN,J. NRC - No Detailed Affiliation Given. 1p. 84038:115-84038:115.

--**9505190249** Forwards response re Southern Co Svc,Inc settlement agreement.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/17. RATHJE,J., NEWLIN,B., CHANDLER,L. NRC - No Detailed Affiliation Given. 1p. 84038:116-84038:116.

--**9505190256** Discusses settlement agreement response for Philadelphia Electric Co.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/17. MARTIN,B., CLARK,D. NRC - No Detailed Affiliation Given. 1pp. 84038:117-84038:117.

--**9505190275** Discusses Niagara Mohawk Power Corp settlement agreement re review scope,per Stello ltr dtd 890427.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/18. SLOSSON,M. NRC - No Detailed Affiliation Given. 1p. 84038:118-84038:118.

--**9505190284** Responds to T Quay 890811 note re TU Electirc clarification of scope of licensee search for agreements that contain restrictive clauses.
GRIMES,C. NRC - No Detailed Affiliation Given. 89/08/18. QUAY,T. NRC - No Detailed Affiliation Given. 2pp. 84038:119-84038:120.

--**9505190289** Advises that J Hannon contacted listed plants who did not provide responses to Stello ltr of 870427 on restrictive language in agreement.
HANNON,J.N. NRC - No Detailed Affiliation Given. 89/08/21. QUAY,T. NRC - No Detailed Affiliation Given. 1p. 84038:121-84038:121.

--**9505190290** Discusses settlement agreement response of CF Braun & Co.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/21. NRC - No Detailed Affiliation Given. 1p. 84038:122-84038:122.

--**9505190291** Discusses Raytheon settlement agreement response to 890427 ltr.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/21. NRC - No Detailed Affiliation Given. 1p. 84038:123-84038:123.

--**9505190295** Discusses SRM dtd 890629 re settlement agreements submitted in response to 890427 ltr on restrictive language in agreements.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 89/08/22. PARLER,W.C. Office of the General Counsel (Post 860701). 1p. 84038:124-84038:124.

--**9505190300** Discusses TVA settlement agreement review scope in response to 890427 ltr.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/22. NRC - No Detailed Affiliation Given. 1p. 84038:125-84038:125.

--**9505190306** Discusses PSE&G Co settlement agreement in response to 890427 ltr.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/22. NRC - No Detailed Affiliation Given. 2pp. 84038:126-84038:127.

--**9505190310** Discusses Southern California Edison Co settlement agreement in response to 890427 ltr.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/29. TRAMMELL,C. NRC - No Detailed Affiliation Given. 1p. 84038:128-84038:128.

--**9505190330** Discusses Ebasco Constructors,Inc ltr re settlement agreements in response to 890427 ltr.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/31. NRC - No Detailed Affiliation Given. 1p. 84038:129-84038:129.

--**9505190332** Discusses agreements review scope for Wisconsin Electric Power Co.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/31. HANNON,J. NRC - No Detailed Affiliation Given. 3pp. 84038:130-84038:132.

--**9505190334** Discussing Wisconsin Electric Power scope of review for restrictive language in settlement agreements.
QUAY,T. NRC - No Detailed Affiliation Given. 89/09/13. SWENSON,W., HANNON,J. NRC - No Detailed Affiliation Given. 1p. 84038:133-84038:133.

--**9505190336** Forwards addl info re Wisconsin Electric Power Co re scope of review for settlement agreements.No agreements identified w/restrictive language.
QUAY,T. NRC - No Detailed Affiliation Given. 89/09/14. HANNON,J., SWENSON,W. NRC - No Detailed Affiliation Given. 1p. 84038:134-84038:134.

--**9505190341** Notifies that should individual claim he or she has new potential safety issues,T Quay will contact regional allegations coordinator for any allegations of potential safety issues for any plant in region.
CRUTCHFIELD,D. Associate Director for Projects (Post 870411). 89/09/19. RUSSELL,W.T. Region 1 (Post 820201). EBNETER,S. Region 2 (Post 820201). DAVIS,A.B. Region 3 (Post 820201). 3pp. 84038:135-84038:137.

--**9505190343** Advises that J Goldberg forgot to add note re restrictive provisions paper.Paper should have included same caution as previous papers re nondisclosure for privacy concerns.
GRIMES,C. NRC - No Detailed Affiliation Given. 89/12/29. QUAY,T. NRC - No Detailed Affiliation Given. 1p. 84038:139-84038:139.

--**9505190349** Discusses responses to Stello 890427 ltr on restrictive language in agreements.Concludes that number of written responses indicated narrow scope of review.
QUAY,T. NRC - No Detailed Affiliation Given. 89/08/11. Project Directorate I-1. 4pp. 84038:140-84038:143.

--**9505190366** Discusses 900130 response to CFUR & apparent inconsistency in ltr w/ statement made by B Garde at 891019 Commission briefing.Concludes that agreements not restrictive.
LYONS,J.E. NRC - No Detailed Affiliation Given. 90/02/16. NRC - No Detailed Affiliation Given. 22pp. 84038:144-84038:159.

9505150239 Final response to FOIA request for info.Forwards App C documents partially withheld (Ref FOIA Exemption 6).App D info listed being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/19. BELL,B. Goodyear Tire & Rubber Co. 5pp. 84026:001-84026:082.

--**9505150245** Informs that NMSS insps & discussions w/local residents quite extensive re EDO ltr from Goodyear to Senators Metzenbaum & Glenn.
COMBS,F.C. Office of Nuclear Material Safety & Safeguards. 94/07/06. GOLDBERG,P.F. Office of Nuclear Material Safety & Safeguards. 19pp. 84026:008-84026:026.

--**9505150256** Partially deleted memo re Goodyear employee requesting info on meeting in Columbus,OH re Union Town industrial landfill near employee residence.Uranium & other radioactive matls allegedly found at landfill.
MCCANN,G.M. Region 3 (Post 820201). 94/02/22. SHEAR,G. Region 3 (Post 820201). 1p. 84026:027-84026:027.

--**9505150261** Informs that memo from S McBride to J Kockran exists dtd Jan 1992 re EPA discontinuing use of lab at State of OH health dept.
PIERLUISSI,D.J. Region 3 (Post 820201). 94/02/23. MCCANN,G.M. Region 3 (Post 820201). 2pp. 84026:028-84026:029.

--**9505150272** Record of telcon w/GM McCann on 940214 re location of various mfg plants surrounding residence of M Grimmett.
MCCANN,G.M. Region 3 (Post 820201). 94/02/14. 1p. 84026:030-84026:030.

--**9505150278** Discusses telcon w/M Grimmett re Redding Proong mountains, names & associated maps & fly ash dumping.
MCCANN,G.M. Region 3 (Post 820201). 94/03/10. WIEDEMAN,D.G. Region 3 (Post 820201). 1p. 84026:031-84026:031.

--**9505150279** Discusses telephone message from M Grimmett re Military Salvage Co storing items from second world war including Desert Storm.Requests jurisdictional info.
DOMBROSKI,S.A. Region 3 (Post 820201). 94/03/16. MCCANN,G.M. Region 3 (Post 820201). 1p. 84026:032-84026:032.

--**9505150284** Discusses telcon from M Grimmett re Union Town landfill dump & ltr received from DOE indicating that site not former naval base.M Grimmett believes health problems due to chemical substances.
MCCANN,G.M. Region 3 (Post 820201). 94/03/14. WIEDEMAN,D.G. Region 3 (Post 820201). 1p. 84026:033-84026:033.

--**9505150288** Partially deleted memo requesting info on possibility of performing surveys of property & water & of collecting fish & water samples of Wing Foot Lake.
MCCANN,G.M. Region 3 (Post 820201). 94/03/14. WIEDEMAN,D.G. Region 3 (Post 820201). 1p. 84026:034-84026:034.

--**9505150304** Discusses telcon re allegation of distrust in water sampling by State of OH.
MCCANN,G.M. Region 3 (Post 820201). 94/04/01. WIEDEMAN,D.G. Region 3 (Post 820201). 1p. 84026:035-84026:035.

--**9505150307** Partially deleted memo re 940303 telcon to resident of Suffield,OH near Goodyear facility concerning allegations of drinking water contamination.
WIEDEMAN,D.G. NRC - No Detailed Affiliation Given. 94/03/07. NRC - No Detailed Affiliation Given. 1p. 84026:036-84026:037.

--**9505150310** Partially deleted memo re 940322 telcon of concern expressed over possible release of name for providing info related to presence of underground storage tank at Goodyear facility. No new info to change course of action noted.
SHEAR,G.L. NRC - No Detailed Affiliation Given. 94/03/23. FUNK,D.E. NRC - No Detailed Affiliation Given. 11pp. 84026:038-84026:049.

--**9505230165** Partially deleted ltr re allegations from citizens from Summit County,OH & meeting conducted on 940429 investigating possible presence of toxic chemicals found in local water wells near Goodyear Aerospace Wingfoot research facility.
WIEDEMAN,D. Affiliation Not Assigned. 94/05/03. AXELSON,W.L. NRC - No Detailed Affiliation Given. 4pp. 84026:050-84026:052.

--**9505230172** Partially deleted ltr forwarding copy of Scoping Survey Plan for insp of Goodyear Aerospace Corp on 940425-29 per 940505 telcon request.
MCCANN,G.M. Region 3 (Post 820201). 94/05/05. Affiliation Not Assigned. 20pp. 84026:053-84026:072.

--**9505230185** Partially deleted memo re responses to questions from citizens living near Wingfoot Lake Advanced Technology Ctr in Portage county,OH re alleged radwaste contamination at water wells near facility.
WIEDEMAN,D.G. NRC - No Detailed Affiliation Given. 94/05/09. NRC - No Detailed Affiliation Given. 4pp. 84026:073-84026:080.

--**9505230193** "Gross Alpha-Beta Activities in Water Vicinity Properties Goodyear Aerospace,Akron,OH."
* Oak Ridge Associated Universities. RFTA 94-018. 94/07/14. SNELL,B. Region 3 (Post 820201). 3pp. 84026:081-84026:082.

9505150246 FOIA request for documents re TES rept 94V70-13, "Metallurgical Analysis of Fermi 2 LP 3 Eight Stage Turbine Blading," 940721 memo to LC Fron from JE Schaefer,940722 memo to LC Fron from JD Black & 940730 memo from PK Hudson.
KEEGAN,M.J. Affiliation Not Assigned. 94/11/18. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 83983:134-83983:137.

9505150253 Final response to FOIA request for documents.Records in App A will be available in PDR.App B records being withheld in entirety (ref FOIA exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/29. KEEGAN,M.J. Affiliation Not Assigned. 5pp. 83983:138-83983:174.

--**9505150255** Package consisting of affidavits of R McKeon.
MCKEON,R. Detroit Edison Co. 94/08/04. 27pp. 83983:143-83983:174.

9505150289 Forwards for review,source documentation from FR re incident involving radiation device that occurred in State of IL on 920706,per telcon.
ANAGNOS,D.P. Affiliation Not Assigned. 94/11/02. RAMMLING,G. Division of Freedom of Information & Publications Services (Post 940714). 6pp. 84026:083-84026:088.

9505150295 FOIA request for records re any & all consent decrees involving Century Projector,Gamma Industries or subsequent owner of Amersham Corp,copy of TS for Century Projector & documents reflecting administrative proceedings before NRC.
ANAGNOS,D.P. Affiliation Not Assigned. 94/08/10. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84026:089-84026:090.

9505190064 FOIA request for info re Kerr-McGee facilities in Cushing,OK w/license numbers SMB-664,SNM-695 & SNM-1999.
MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 94/10/26. Division of Freedom of Information & Publications Services (Post 940714). 1p. 83988:093-83988:093.

9505190072 Final response to FOIA request for info.App B records available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/27. MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 2pp. 83988:094-83988:095.

9505190099 Fourteenth partial response to FOIA request for info.App GG records encl & will be in PDR.App HH records withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/27. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 83983:206-83983:246.

--**9305240207** Informs that util has completed investigation of SPEAKOUT Concern 12431,NRC Allegation RIV-93-A-0027.No safety issues noted & results available for NRC review.
DENVER,D.J. Houston Lighting & Power Co. ST-HL-AE-004422. 93/05/12. Region 4 (Post 820201). 2pp. 83983:229-83983:230.

--**9305270043** Responds to NRC concerns re alleged discrimination against individual for engaging in protected activity & forwards info providing basis for action against individual in rebuttal of allegations.
COTTLE,W.T. Houston Lighting & Power Co. ST-HL-AE-4466. 93/05/21. MILHOAN,J.L. Region 4 (Post 820201). 16pp. 83983:231-83983:246.

--**9308240140** Forwards 930505 petition filed by TJ Saporito requesting that NRC institute proceeding,per 10CFR2.202,w/regard to plant.Drafts ltr of ack to petitioner also encl.Petition should be coordinated closely w/Ofc of Enforcement.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 2.206. 93/05/20. MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 16pp. 83983:213-83983:228.

9505190128 Second final response to FOIA request for info.Forwards App C info which will be in PDR.App C info partially withheld (ref FOIA exemptions 5 & 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/24. ANAGNOS,D. Affiliation Not Assigned. 3pp. 83988:096-83988:160.

--**9505190164** Forwards 10CFR20.403 rept for license 12-00062-07 re 920706 incident.
BANFIELD,E.L. MQS Inspection, Inc. (formerly Magnaflux Corp.). 92/07/14. Document Control Branch (Document Control Desk). 1p. 83988:107-83988:107.

--**9505190171** Informs of 920706 event re radiographer overexposure during Ir-192 s/n JC-025 isotope operations.
BANFIELD,E.L. MQS Inspection, Inc. (formerly Magnaflux Corp.). 92/07/14. SHEAR,G. Region 3 (Post 820201). 5pp. 83988:108-83988:112.

--**9505190183** Informs of review of encl draft proposed NOV & imposition of civil penalty package re MQS Insp,Inc.Info marked up & partially deleted.
LONGO,J. Office of the General Counsel (Post 860701). EA-92-133. 92/08/20. DELMEDICO,J. Ofc of Enforcement (Post 870413). 18pp. 83988:113-83988:130.

--**9505190189** Forwards enforcement package which proposes severity level I problem & civil penalty for overexposure at MQS Insp,Inc. Info withheld.
DAVIS,A.B. Region 3 (Post 820201). EA-92-133. 92/08/12. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 7pp. 83988:131-83988:137.

--**9505190195** Summary of 920720 meeting w/enforcement board re MQS Insp, Inc extremity overexposure.Info withheld.
DEFAYETTE,R.W., NORELIUS,C.E. Region 3 (Post 820201). EA-92-133. 92/07/22. Region 3 (Post 820201). 5pp. 83988:138-83988:142.

--**9505190205** Enforcement conference rept of license 12-00622-07 on 920708-10.Areas discussed:overexposure to radiographer. Info deleted.
* Region 3 (Post 820201). EA-92-133. 92/08/22. 18pp. 83988:143-83988:160.

9505190222 Partial response 20 to FOIA request for info.Forwards App SS & TT records which are partially withheld (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/26. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 83983:175-83983:205.

--**9505190237** *Forwards 920610 memo re negotiations concerning investigation of* wrongdoing at plant.Info partially withheld.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 92/06/18. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 1p. 83983:182-83983:182.

--**9505190247** Confirms results of 920610 meeting re OI/OIG cooperation in investigation at plant.
WILLIAMS,D.C. Office of the Inspector General (Post 890417). 92/06/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 83983:183-83983:184.

--**9505190255** Requests listed documents to assist w/investigation into allegations of *falsifying info during IR 91-21 & activities of security dept.Info partially withheld.*
NORTON,L.J. Office of the Inspector General (Post 890417). 92/06/01. HALL,D.P. Houston Lighting & Power Co. 2pp. 83983:185-83983:186.

--**9505190271** Confirms investigation of employment circumstances at plant by author ofc.Requests recipient cease investigation.Info partially deleted.
WILLIAMS,D.C. Office of the Inspector General (Post 890417). 92/06/11. HAYES,B.B. Office of Investigations (Pre 880201). 19pp. 83983:187-83983:205.

9505190236 First partial response to FOIA request for records.App A records available in PDR & App B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/29. ANAGNOS,D. Affiliation Not Assigned. 3pp. 84026:091-84026:147.

--**9208100044** Forwards insp rept 30-04041/92-01 on 920708-10.Three apparent violations identified,two of which are being considered for escalated enforcement action per 10CFR2,App C.Informs that enforcement conference scheduled for 920803.
NORELIUS,C.E. Region 3 (Post 820201). EA-92-133. 92/07/30. DORAN,H. MQS Inspection, Inc. (formerly Magnaflux Corp.). 2pp. 84026:094-84026:122.

--**9208100050** Insp rept 30-04041/92-01 on 920708-10.Violations noted.Major areas inspected:circumstances surrounding apparent overexposure of radiographer at temporary jobsite.
MULAY,S.J., KURTH,M.F., SHEAR,G.L. Region 3 (Post 820201). EA-92-133. 92/07/29. 27pp. 84026:096-84026:122.

--**9209240485** SECY-92-320 Informs Commission of staff intent to issue encl NOV & proposed imposition of civil penalty in amount of $5,000 to MQS Insp,Inc,radiography licensee based in Elk Grove Village,IL.
TAYLOR,J.M. Ofc of the Executive Director for Operations. EA-92-133. 92/09/18. 13pp. 84026:134-84026:146.

--**9505190262** Informs that NMSS concurs on encl draft proposed imposition of civil penalty,notice of violation & Commission Paper.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. EA-92-133. 92/08/27. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 11pp. 84026:123-84026:133.

--**9505190281** Staff requirements memo re SECY-92-320,advising that Commission has *not objected to issuance of proposed NOV & proposed imposition of civil penalty to* MQS Insp,Inc, Elk Grove Village,IL.
CHILK,S.J. Office of the Secretary of the Commission. EA-92-133. 92/10/08. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84026:147-84026:147.

9505230213 Partial sixteenth response to FOIA request for info.Forwards App LL documents being made available to PDR.App MM info being withheld in entirety (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/29. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 4pp. 84026:148-84026:199.

--**9505230220** Forwards Subpoena Duces Tecum requiring production of *documents,records or files maintained by NRC.*
SAPORITO,T.J. Saporito, T.J. 92/08/14. EBNETER,S. Region 2 (Post 820201). 3pp. 84026:155-84026:178.

--**9505230225** Ack receipt of 920814 & Subpoena Duces Tecum for proceeding involving Saporito & HL&P.OGC will review & process subpoena request.
EBNETER,S.D. Region 2 (Post 820201). 92/08/21. SAPORITO,T.J. Affiliation Not Assigned. 5pp. 84026:179-84026:189.

--**9505230230** Requests copy of all documents produced to TJ Saporito in response to encl Subpoena Duces Tecum re cases as listed.
SHUDRA,K. Baker & Botts. 92/08/27. EBNETER,S. Region 2 (Post 820201). 1p. 84026:190-84026:194.

--**9505230235** Requests copy of all documents produced to TJ Saporito in response to encl Subpoena Duces Tecum.
SHUDRA,K. Baker & Botts. 92/08/27. Region 4 (Post 820201). 3pp. 84026:195-84026:199.

9505230232 First partial response to FOIA request for documents. Forwards app A documents.Documents available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/03. MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 2pp. 84042:185-84042:257.

--**9505230236** Package consisting of Kerr-McGee Corp 940307,0408,0506,0608, 0707 ltrs to State of OK,forwarding progress repts & related info.
* Kerr-McGee Corp. 95/01/03. 39pp. 84042:188-84042:257.

9505230278 FOIA request for info re JM Taylor "Thermo-Lag Action Plan, Fifth Quarterly Update" dtd 940204.
GUNTER,P. Nuclear Information & Resource Service. 94/05/11. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (890206-940714). 2pp. 84026:200-84026:201.

9505230282 Partial first response to FOIA request for info.Forwards App A documents being made available to PDR.
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. GUNTER,P. Nuclear Information & Resource Service. 2pp. 84026:202-84026:244.

--**9404190136** Trip repts of 931206-09 & 931213 visits to Cologne,Germany & Paris,France re fires & fire protection sys in nuclear power plants & *fire barrier application used to separate redundant safe shutdown trains contained within same* compartment.
MADDEN,P.M. Plant Systems Branch. 94/01/13. MCCRACKEN,C.E. Plant Systems Branch. 5pp. 84026:240-84026:244.

--**9505230291** Discusses NRC fire protection regulation for commercial NP reactors & requirement that one train of sys necessary to achieve hot shutdown be free from fire damage after any postulated fire.Requests description of France regulations.
CONGDON,M.B. Assistant Director for Cooperative Exchange Programs. 93/11/18. HULST,J. France. 2pp. 84026:204-84026:205.

--**9505230303** Ack receipt of 931118 ltr re problems experienced w/Thermo-Lag Fire Barriers.Responsibility for plant operator to ensure that sufficient safety equipment remains operable when faced w/fire challenge.
HADDEN,R.J. United Kingdom. 93/12/16. THADANI,A. Division of Systems Safety & Analysis (Post 921004). 2pp. 84026:206-84026:207.

--**9505230306** Responds to NRC 931118 ltr re fire protection regulation of US & forwards copy of Japan Nuclear Safety Commission "Guide for Fire Protection in LWR Facilities" describing regulations.
NONAKA,N. Japan. NSD-C-33/93. 93/12/16. THADANI,A. . 1p. 84026:208-84026:208.

--**9505230310** "Guide for Fire Protection in Light Water NP Reactor Facilities."
* Japan. 91/02/07. 9pp. 84026:209-84026:218.

--**9505230316** Submits response to questions posed re fire protection regulations for NPPs in Switzerland in response to 931118 ltr.
PFISTER,D. Switzerland. 93/12/16. THADANI,A. Division of Freedom of Information & Publications Services (890206-940714). 13pp. 84026:219-84026:230.

--**9505230327** Discusses fire protection issues & risk of severe accidents at NPPs & submits responses to questions posed on subj fire protection in Finland.
LAAKSONEN,J. Finland, Govt. of. 93/12/31. THADANI,A. Division of Freedom of Information & Publications Services (890206-940714). 4pp. 84026:231-84026:234.

--**9505230336** Responds to 931118 ltr re use of Thermo-Lag & other fire barrier sys for protection of safe shutdown sys in Spain & submits response to questions posed.
REIG,J. Spain, Govt. of. 94/01/13. THADANI,A. Division of Freedom of Information & Publications Services (890206-940714). 5pp. 84026:235-84026:239.

9505230294 FOIA request for documents re renewal of NRC License 34-19089-01.
LENHART,T.E. Northeast Ohio Regional Sewer District. 94/12/19. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84042:258-84042:258.

9505230320 Final response to FOIA request for documents.Forwards documents listed in App A.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/10. LENHART,T.E. Northeast Ohio Regional Sewer District. 2pp. 84042:259-84042:289.

--**9505230323** Application for amend,renewing license 34-19089-01.
CESAR,D. Advanced Medical Systems, Inc. 94/11/29. 21pp. 84042:261-84042:281.

--**9505230325** Ack receipt of application for renewal of material license 34-19089-01.
MEENAN,M. Region 3 (Post 820201). 397891. 94/12/08. MESCHTER,R. Advanced Medical Systems, Inc. 2pp. 84042:282-84042:283.

--**9505230330** Requests addl info re renewal of license 34-19089-01,per 941129 request.Listed info should be provided within 30 days.NRC will continue review of application upon receipt of info.
GROBE,J.A. Region 3 (Post 820201). 94/12/22. CESAR,D. Advanced Medical Systems, Inc. 6pp. 84042:284-84042:289.

9505230356 Eighteenth partial response to FOIA request for documents. Records in App OO,PP & QQ being withheld in part (ref FOIA exemptions 6 & 7).
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 84112:024-84112:049.

--**9505230358** Partially withheld ltr re restrictive language in agreement. Almost all of organizations responded,indicated believe that they had no agreements containing potentially restrictive language.
CRUTCHFIELD,D. Associate Director for Projects (Post 870411). 89/09/05. RICE,R.T. Affiliation Not Assigned. 3pp. 84112:032-84112:034.

--**9505230363** Partialy withheld ltr advising of receipt of Settlement Agreement re nuclear quality.
CRUTCHFIELD,D. Associate Director for Projects (Post 870411). 90/02/13. RICE,R.T. Affiliation Not Assigned. 1p. 84112:035-84112:035.

--**9505230368** Partially withheld memo forwarding allegation rept RI-91-A-0053,received on 910307.
WHITE,J.R. Region 1 (Post 820201). 91/03/25. LEE,J., BRADY,R. Policy Development & Technical Support Branch (870411-920711). 4pp. 84112:036-84112:039.

--**9505260185** Partially withheld ltr ack receipt of ltr requesting that NRC review info previously provided re possible safety violations at plant.
ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). 93/07/27. Affiliation Not Assigned. 3pp. 84112:040-84112:042.

--**9505260311** Partially withheld ltr re discriminatory conduct in violation of NRC requirements implemented in 10CFR50.7.
* Affiliation Not Assigned. 92/03/04. Region 2 (Post 820201). 3pp. 84112:043-84112:045.

--**9505260367** Partially withheld ltr discussing 920304 ltr expressing concern re alleged blacklisting practices by util & STP & Nuclear Support Svcs,Inc,contractor at Vogtle Electric Generating Plant.
LERKINS,G.R. Region 2 (Post 820201). 92/03/11. Affiliation Not Assigned. 1p. 84112:046-84112:046.

--**9505260370** Partially withheld ltr ack receipt of NRC 920311 ltr re NRC actions to review facts & circumstances of concern re alleged blacklisting practices by util.
* Affiliation Not Assigned. 92/03/14. DEMIRANDA,O. Region 2 (Post 820201). 3pp. 84112:047-84112:049.

9505240278 Nineteenth partial response to FOIA request for documents. Forwards App RR documents & also being made available in PDR.NRC continuing review of records subj to request.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 2pp. 84024:001-84024:180.

--**9505240289** "Staffing Analysis Rept for South Texas Project," Vol 1. Related supporting matl,including evaluation & decision process for organizational placement/separation,job description,STEP program & questions & answers encl.
* Affiliation Not Assigned. 91/02/19. 150pp. 84024:006-84024:180.

9505240320 FOIA request for documents re baffle removal & cutting of internals reactors at listed plants.
KATZ,D. Citizens Awareness Network. 94/10/17. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84024:181-84024:183.

9505240323 First partial response to FOIA request for documents.App A documents already available in PDR.App B documents encl & placed in PDR.
BROWN,N. Division of Freedom of Information & Publications Services (Post 940714). 95/01/06. KATZ,D. Citizens Awareness Network. 3pp. 84024:184-84024:300.

--**9409070271** Discusses core shroud repair at Brunswick plants & same repair to be undertaken at Hatch Plants.Details discussed include dose info,repair methods,time to complete repairs, cost & insp.W/encl.
CALVO,J.A. Division of Radiation Safety & Safeguards (Post 921004). GL-94-03. 94/08/23. VARGA,S.A. Division of Reactor Projects - I/II (Post 870411). ROE,J.W. Division of Reactor Projects - III,IV,V (Post 901216). GRIMES,B.K. Division of Operating Reactor Support (Post 921004). 113pp. 84024:187-84024:300.

9505240378 FOIA request for documents re Operational Safety Team Insp conducted at South Texas Nuclear Project in fall of 1992.
O'MEALIA,M. Affiliation Not Assigned. 94/11/07. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84049:225-84049:225.

9505240381 Final response to FOIA request for documents.App A documents already available in PDR.App B documents encl & also placed in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/01/12. O'MEALIA,M. Affiliation Not Assigned. 5pp. 84049:226-84049:324.

--**9505240386** Submits summary of outstanding issues at plant in areas of operations,maint & surveillance activities,corrective actions & self-assessment identified through insp.Recommends that Oversight Panel be established to track disposition.
BEACH,A.B. Region 4 (Post 820201). 93/02/22. MILHOAN,J.L. Region 4 (Post 820201). 7pp. 84049:231-84049:237.

--**9505240389** Approves 930222 request to form South Texas Project Oversight Panel.Charter for panel should be submitted.
MILHOAN,J.L. Region 4 (Post 820201). 93/02/24. BEACH,A.B. Region 4 (Post 820201). 1p. 84049:238-84049:283.

--**9505240391** Forwards draft South Texas Project Review Panel Charter for approval,in response to 930224 memo.
BEACH,A.B. Region 4 (Post 820201). 93/03/10. MILHOAN,J.L. Region 4 (Post 820201). 16pp. 84049:284-84049:324.

9505240401 FOIA request for documents re NRC investigations of allegations raised by listed individual (name deleted).
GARDE,B.P. Affiliation Not Assigned. 94/12/20. REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84042:290-84042:291.

9505240403 Final response to FOIA request for documents.App A documents encl & placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. GARDE,B. Affiliation Not Assigned. 2pp. 84042:292-84042:295.

--**9505240405** Confirms 940816 telcon re establishment of independent regulatory review of issues raised in Ofc of Investigaions investigation rept 93-53H concerning alleged improper handling of reported uncontrolled welding activities.
RUSSELL,W.T. Office of Nuclear Reactor Regulation, Director (Post 870411). 94/08/18. SPESSARD,R.L. Division of Reactor Inspection & Licensee Performance (Post 921004). 2pp. 84042:294-84042:295.

9505240409 FOIA request for info re NMSS response dtd 940929 including telephone logs & meeting summaries concerning backfilling of mines in State of NM w/U mill tailings.
DARKE,J.F. Affiliation Not Assigned. 94/10/18. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84067:037-84067:038.

--**9410110021** Informs that NRC reviewed addl matls provided by J Darke in 940810 ltr & has found no info to change conclusions in NRC 940803 ltr.Determined that backfilling of mines in Ambrosia Lake area of NM occurred w/knowledge & approval of NM.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94/09/29. DARKE,J. Affiliation Not Assigned. 1p. 84067:038-84067:038.

9505240417 FOIA request for documents re NRC investigation of Houston & Lighting & Power Co or Nuclear Support Svcs,Inc re revocation of TJ Saporito unescorted access to plants in Feb 1992 & subsequent allegations by Saporito.
SAPORITO,T.J. Saporito, T.J. 94/08/23. Ofc of the Executive Director for Operations. 5pp. 84042:296-84042:300.

9505240418 Final response to FOIA request for info.Forwards App A documents being made available to PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. DARKE,J. Affiliation Not Assigned. 99pp. 84067:039-84067:203.

--**9505240427** LA-8861-UMT "Biogeochemistry of U Mill Wastes."
DREESEN,D.R. Los Alamos National Laboratory. 81/05/31. 24pp. 84067:150-84067:177.

--**9505240433** Amend 3 to License SUA-1482 for Hecla Mining Co.
HALL,R.E. NRC - No Detailed Affiliation Given. 90/10/10. 2pp. 84067:178-84067:186.

--**9505240446** Responds to Region IV ltr re sale of land owned by JM Mine where Hecla Mining Co situated & informs that,as managing general partner,IM Lee wishes land to be sold & kept environ safe.
LEE,I.M. Fernandez Co., Ltd. 91/03/18. HALL,R.E. Region 4 (Post 820201). 1p. 84067:187-84067:197.

--**9505240450** Requests Region IV review of surface cleanup activities of & possibility of subsequent termination of License SUA-1482 issued to Hecla Mining Co for JM Mine in San Mateo,NM.
HALL,R.E. Uranium Recovery Field Ofc, R4. 90/12/21. BROWN,W. Region 4 (Post 820201). 2pp. 84067:198-84067:203.

9505240421 First partial response to FOIA request for documents.App A documents already available in PDR.App B documents encl & placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/17. SAPORITO,T.J. Saporito, T.J. 14pp. 84042:301-84042:324.

--**9505240423** Requests that OGC analyze Ofc of Investigations Rept 4-92-003 re alleged harassment & intimidation of contract I&C technician.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-056. 93/03/16. MILHOAN,J.L. Region 4 (Post 820201). MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). GOLDBERG,J.R. Office of the General Counsel (Post 860701). 7pp. 84042:315-84042:321.

--**9505240428** Requests to be inform of when NRC investigative repts & findings re TJ Saporito allegation against util will become available for review.
COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). COLAPINTO,D.K. Saporito, T.J. 93/05/14. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84042:322-84042:322.

--**9505240429** Informs of meeting w/NRR,Region & Ofc of Enforcement re course of action for Saporito case on 940707.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 94/06/28. LEWIS,S., MCGURREN,H. Office of the General Counsel (Post 860701). 1p. 84042:323-84042:323.

--**9505240431** Informs that author contacted NRR project director to request that Zimmerman be included in meeting scheduled for 940707 re NRR position on proposed action w/South Texas Project against Saporito.
SATORIUS,M.A. Ofc of Enforcement (Post 870413). 94/07/05. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 84042:324-84042:324.

9505250100 Seventh final response to FOIA request for documents.Apps J & K documents encl & also placed in PDR.App K documents partially withheld (ref FOIA Exemption 6).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/19. GLITZENSTEIN,E. Affiliation Not Assigned. GLITZENSTEIN,E. Don't Waste Michigan. 4pp. 84067:204-84067:238.

--**9505250103** Summarizes 940314 meeting w/NMSS & OGC on plant ISFSI pad seismic issue.Info within memo partially deleted.
HSIA,A.H. Project Directorate III-1. 94/03/14. MARSH,L.B. Project Directorate III-1. ZWOLINSKI,J.A. Assistant Director for Region III Reactors (Post 901216). 2pp. 84067:210-84067:211.

--**9505250110** Partially deleted memo providing draft independent NRC evaluation of dry spent fuel cask storage facility at plant.
BAGCHI,G. Civil Engineering & Geosciences Branch. TAC M88875. 94/05/13. MARSH,L.B. Project Directorate III-1. 13pp. 84067:212-84067:224.

--**9505250113** Partially withheld "Deterministic Evaluation of Liquefaction Potential of Foundation Soils & Effects at ISFSI Pad at Palisades Nuclear Power Plant."
COSTANTINO,C.J., SIMOS,N. Brookhaven National Laboratory. FIN J-2042. 94/05/31. Civil Engineering & Geosciences Branch. 7pp. 84067:225-84067:231.

--**9505250116** Forwards photos of impact of one heavy storm on Lake Michigan which took out whole dune.Portion of ltr deleted. NRC draft ltr to M Sinclair encl.
SINCLAIR,M.P. Affiliation Not Assigned. 94/05/26. ZWOLINSKI NRC - No Detailed Affiliation Given. 6pp. 84067:232-84067:238.

9505250149 FOIA request for documents re License SUA-1315 issued to Wyoming Minerals Co.
BARRETT,K.R. Affiliation Not Assigned. 94/12/13. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84082:318-84082:318.

9505250152 Final response to FOIA request for documents.App A documents already available in PDR.App B documents encl & also placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/18. BARRETT,K.R. Affiliation Not Assigned. 13pp. 84082:319-84082:347.

--**7904090058** Forwards comments by NRC & consultant re manuscript of "Epidemiological Evaluation of Cancer Incidence Rates for Period 1969-71." Manuscript also sent to NIH,whose comments will be forwarded when received.NRC comments encl.
MINOGUE,R.B. Office of Standards Development, Director. 79/03/20. JOHNSON,C.J. Affiliation Not Assigned. 7pp. 84082:341-84082:347.

--**7904090060** Review of CJ Johnson 790227 rept re cancer incidence rates in Rocky Flats area.Approves of basic research design,but notes many errors in specifics & applicability.
CUNNINGHAM,M. Radiological Health Standards Branch. 79/03/12. PARSONT,M. Radiological Health Standards Branch. 2pp. 84082:334-84082:340.

--**7904090065** Documents 790301 clarification of analytical techniques & tabular entries in rept re cancer incidence rates.Requests confirmation of certain figures.
GOLDSMITH,R. Radiological Health Standards Branch. 79/03/02. JOHNSON,C.J. Affiliation Not Assigned. 2pp. 84082:332-84082:333.

9505250285 FOIA request for documents of insp & nonconformance issued to SteriGenics Intl,formerly Radiation Sterilizers,during 1984-1987.
FOSTER,L. Affiliation Not Assigned. 94/10/20. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84067:239-84067:239.

9505250289 Final response to FOIA request for documents.App A documents available in PDR.App B documents encl & also placed in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/01/12. FOSTER,L. Affiliation Not Assigned. 3pp. 84067:240-84067:321.

--**9505250297** Summarizes 870217 enforcement conference held to discuss findings of insp conducted on 870114 & proposed civil penalty for license 04-19644-01.
SCHULTZ,W.H. Region 3 (Post 820201). 87/02/23. Region 3 (Post 820201). 10pp. 84067:267-84067:321.

GEN TEC IS GENERIC TECHNICAL ISSUES

9505050302 Notifies NRC of intention to revise schedule for submittal of seismic evaluation rept based on revised schedules for refueling outages,in ref to util 920922 response to Suppl 1 to GL 87-02 on SQUG resolution of USI A-46.
THOMAS,G.S. Duquesne Light Co. TAC M69428. 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83839:229-83839:230.

9505190357 Forwards amends 187 & 69 to licenses DPR-66 & NPF-73, respectively & SE.Amends revise TSs 3.4.9.3 & 3.4.11 to incorporate changes to power operated relief valve TS in accordance w/guidance in GL 90-06 re GIs 70 & 94.
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). TAC M77328. 95/05/15. CROSS,J.E. Duquesne Light Co. 3pp. 84002:038-84002:103.

--**9505190370** Amends 187 & 69 to licenses DPR-66 & NPF-73,respectively, revising TSs 3.4.9.3 & 3.4.11 to incorporate changes to PORV TS IAW guidance of GL 90-06, "Resolution of GI 70, 'PORV & Block...' & GI 94, 'Addl LTOP for LWRs.'"
STOLZ,J.F. Project Directorate I-2 (PD1-2) Post 941001). NPF-73 A 069. 95/05/15. 60pp. 84002:041-84002:100.

--**9505190375** Safety evaluation supporting amends 187 & 69 to licenses DPR-66 & NPF-73,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). GL-90-06. 95/05/15. 3pp. 84002:101-84002:103.

9505220221 Forwards second quarter FY95 update of GI Mgt Control Sys. Two new issues identified & total number of four issues remains to be prioritized.Fourteen GSIs remain to be resolved.
MORRISON,D.L. Nuclear Safety Research Review Committee. 95/05/04. TAYLOR,J.M. Ofc of the Executive Director for Operations. 96pp. 84023:153-84023:248.

9505310006 Forwards "Rept of SQUG Assessment at Palisades Nuclear Plant for Resolution of USI A-46," in response to GL 87-02.
HAAS,K.M. Consumers Power Co. GL-87-02. 95/05/23. Document Control Branch (Document Control Desk). 3pp. 84168:001-84169:096.

--**9505310007** "Rept of SQUG Assessment at Palisades Nuclear Plant for Resolution of USI A-46."
* Consumers Power Co. GL-87-02. 95/05/19. 457pp. 84168:004-84169:096.

9505310223 Provides NRC w/info re decay heat removal capability of plant during or following seismic event.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Utilities Service Co. B15237. 95/05/23. Document Control Branch (Document Control Desk). 3pp. 84163:283-84163:285.

9505310252 Forwards updated table re status of USI A-46 outlier resolution at Haddam Neck plant.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Utilities Service Co. B15227. 95/05/25. Document Control Branch (Document Control Desk). 8pp. 84163:349-84163:356.

I&E INSPECTION AND ENFORCEMENT

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505020119 PNO-II-95-023:on 950421,licensee reported non-nuclear incident that created some smoke within fuel components operation.Caused because relief valve may have been lifted. New Hanover County & State of NC has been notified.
MCALPINE,E. Region 2 (Post 820201). 95/04/21. 1p. 83690:223-83690:223.

9505020145 PNO-II-95-017:on 950321,canister w/foreign markings had set off scrapyard radiation monitor & several people went to hosp.Consulting was contacted to assist in packaging & disposal of source.
COLLINS,D. Region 2 (Post 820201). 95/03/22. 1p. 83690:275-83690:275.

9505020183 PNO-II-95-013:on 950313,Steel of West Virginia,Inc received shipment of scrap metal from Urps Iron & Metal Co that caused sounding of radiation monitors due to presence of gauge containing 500 mCi Ce-137.State of WV notified.
HOSEY,C. Region 2 (Post 820201). 95/03/13. 1p. 83691:082-83691:082.

9505030188 Comment on proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." Proposed GL encourages valve mods,such as drilling holes in pressure boundary components.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR15799 00003. 95/04/27. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 83722:106-83722:108.

9505030191 PNO-III-95-015:on 950420,approx 70 uCi of P-32 spilled onto lab floor.All contamination spots & items decontaminated or will be held for approx 140 days to allow for natural radioactive decay of P-32.Licensee has suspended use of lab.
LYNCH,J.L., PEDERSON,C.D. Region 3 (Post 820201). 95/04/24. 2pp. 83722:109-83722:110.

9505030205 PNO-III-94-081D:on 950418,M Zuverink sentenced by US District Court for Western Michigan,to one yr in jail w/fine & restitution to company for theft of govt property.State of MI & NMSS has been informed.
PEDERSON,C.D. Region 3 (Post 820201). 95/04/19. 1p. 83722:121-83722:121.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505090092 PNO-I-95-012:on 950428,small quantity of P-32 had been lost. Caused by distration of graduate student.Commonwealth of Massachusetts has been notified.
DARDEN,T.H. Region 1 (Post 820201). 95/05/01. 2pp. 83817:055-83817:056.

9505100069 PNO-III-95-016:on 950423,consultant informed NRC of contamination at scrapyard in Detroit,MI.Source of radiation was contaminated soil that was on surfaces of scrap metal in load.Area inspected by two inspectors.
LYNCH,J., PEDERSON,C.D. Region 3 (Post 820201). 95/04/27. 1p. 83828:164-83828:164.

9505100137 Discusses mod to encl IP 81700, "Physical Security Program for Power Reactors."
CREED,J.R. Region 3 (Post 820201). 95/05/01. CUNNINGHAM,L.J. Region 3 (Post 820201). 9pp. 83828:236-83828:244.

9505110040 PNO-II-95-028:private citizen purchased contaminated radium source at yard sale which was determined to be leaking.DOE recovering contaminated source.
WOODRUFF,R. Region 2 (Post 820201). 95/05/04. 1p. 83850:358-83850:358.

9505110042 PNO-II-95-027:on 950504,plant shutdown in order to replace ruptured steam extraction line expansion joints inside main condenser.
CARROLL,R. Region 2 (Post 820201). 95/05/04. 1p. 83850:359-83850:359.

9505110095 PNO-II-95-025:on 950428,Mo-99 used generator shipped from Miami,FL to Amersham Metaphysics in Oak Park,IL found to be contaminated w/Tc-99m.Submits followup & informs that no contamination found in FL ofc but present in Memphis,TN.
WOODRUFF,R.L. Region 2 (Post 820201). 95/05/01. 2pp. 83851:214-83851:215.

9505110158 PNO-II-95-026:on 950430,portable Troxler moisture density gauge model 3430 stolen from vehicle of employee of Drain Field Svcs,Inc.State of FL & local authorities notified.
WOODRUFF,R.L. Region 2 (Post 820201). 95/05/01. 1p. 83851:220-83851:220.

9505120104 EN-95-028:on 950509,notice of violation will be issued to licensee.Action based on investigation by Ofc of Investigations & enforcement conference conducted between staff & former SSS.
ROSANO,R., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-011. 95/05/04. 1p. 83871:200-83871:200.

9505120153 EN-92-087:on 930426,order had been issued to reduce amount of $7,500 civil penalty originally imposed by order on 930203,based on failure to adequately perform radiation survey.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-92-203. 95/05/04. 1p. 83871:206-83871:206.

9505120159 EN-95-018:on 950324,notice of violation & proposed imposition of civil penalty in amount of $25,000 will be issued to licensee.Action based on TS requirements violation re failure to ensure that trip setpoints were set.
BEALL,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-016. 95/03/21. 1p. 83871:207-83871:207.

9505120160 EN-95-027:on 950502,notice of proposed imposition of civil penalty in amount of $100,000 will be issued to util.Action based on failure to comply w/action statement of TS.
BEALL,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-041. 95/04/27. 1p. 83871:208-83871:208.

9505120162 EN-95-014A:on 950217,notice of proposed imposition of civil penalty in amount of $500 issued to licensee.Action based on use of moisture density gauges at State of TX military installations.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-007. 95/05/04. 1p. 83871:216-83871:216.

9505120167 EN-95-022:on 950411 notice of violation & proposed civil penalty in amount of $80,000 will be issued to util,based on investigation conducted by Office of Investigations & enforcement conference conducted between staff & GM-SO.
SATORIUS,M., LEIBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-009. 95/04/06. 1p. 83871:209-83871:209.

9505120168 EN-94-112A:on 941026,withdrew notice of violation & proposed imposition of civil penalty in amount of $100,000. Action based on violation for discrimination by two util managers who revoked contractor access authorization.
GRAY,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-056. 95/05/05. 1p. 83871:217-83871:217.

9505120169 EN-95-019:on 910426,State of ID issued license to High-Way Engineering & Survey Co which expired on 910630.Action based on possession & use of byproduct matl in moisture density gauge w/o NRC license.
MAMISH,N., SANTIAGO,P. Ofc of Enforcement (Post 870413). EA-95-024. 95/03/24. 1p. 83871:218-83871:218.

9505120170 EN-95-029:on 950505,notice of proposed imposition of civil penalty in amount of $15,500 issued to licensee.Action based on deliberate violations for failure to ensure training of assistant radiographer.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-035. 95/05/05. 2pp. 83871:225-83871:226.

9505120173 EN-95-024:on 950420,notice of proposed imposition of civil penalty in amount of $20,000 will be issued to licensee, based on violations involving transfer of NRC licenses & licenses matl to Alliant Techsystems.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-92-112. 95/04/14. 1p. 83871:210-83871:210.

9505120174 EN-95-003C:on 950109,notice of violation & proposed imposition of civil penalty in amount of $3,000 issued. Action based on licensee continued possession of licensed matl even though license revoked in order dtd 920811.
DELMEDICO,J., SANTIAGO,P. Ofc of Enforcement (Post 870413). EA-94-257. 95/03/31. 1p. 83871:219-83871:219.

9505120175 EN-94-064A:on 940527,notice of proposed imposition of civil penalty in amount of $80,000 will be issued to licensee. Action based on failure of RSO to assure that safety activities performed in accordance w/procedures.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-93-072. 95/04/24. 1p. 83871:211-83871:211.

9505120176 EN-95-030:on 950505,NOV to be issued to employee of Mattingly Testing Svc,Inc based on results of insp & investigation conducted by Region IV re licensee storage & use of licensed matl not authorized by license.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-012. 95/05/05. 1p. 83871:220-83871:220.

9505120179 EN-94-063A:on 940527,notice of proposed imposition of civil penalty in amount of $280,000 to be issued to licensee. Action based on number of violations re Nov 1992 event in which 4.2 co Ir-192 source left inside patient.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-94-006. 95/04/24. 1p. 83871:212-83871:212.

9505120180 EN-95-021:on 950411,notice of violation & proposed imposition of civil penalty in the amount of $80,000 issued to licensee.Action based on investigation by OIG & consists of Severity Level 2 violation for harassment & intimidation.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-94-239. 95/04/06. 1p. 83871:221-83871:221.

9505120183 EN-95-008A:on 950208,notice of proposed imposition of civil penalty in amount of $2,000 will be issued to licensee, based on licensee failure to maintain proper security of moisture density gauge,resulting in gauge being lost.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-94-253. 95/04/26. 1p. 83871:213-83871:213.

9505120184 EN-94-116B:on 902036,notice of proposed imposition of civil penalty in amount of $3,000 will be issued by licensee,based on Severity Level III violation involving possession of licensed matl w/expired NRC license.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-94-179. 95/04/14. 1p. 83871:214-83871:214.

9505120185 EN-95-020:on 950405,notice of violation & proposed imposition of civil penalty in amount of $100,000 issued to licensee.Action based on insp at plant involving several violations associated w/violations of TS.
SATORIUS,M., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-030. 95/03/31. 1p. 83871:222-83871:222.

9505120187 EN-94-122A:on 941114,withdrawal of proposed civil penalty in amount of $2,500 issued to licensee.Action based on severity level 3 violation involving licensee failure to ensure that final plans were in accordance w/directive.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-94-217. 95/04/03. 1p. 83871:224-83871:224.

9505120189 EN-95-031:on 950505,notice of violation will be issued to unlicensed individual,vice president & assistant RSO of Mattingly Testing Svcs,Inc.Action based on results of insp & investigation conducted by region IV & violations noted.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-013. 95/05/05. 1p. 83884:329-83884:329.

9505120191 EN-95-025:on 950420,notice of proposed imposition of civil penalty in amount of $750 issued to licensee.Action based on severity level III violation involving security of licensed radioactive matl.
HOLODY,D., MARTIN,T. Ofc of Enforcement (Post 870413). 95/04/17. 1p. 83871:223-83871:223.

9505120193 EN-95-023:on 950411,order suspending authority under general license will issued to O Jones,doing business as Jones Insp Svcs.Action based on OI investigations findings & licensee statement during 950131 enforcement conference.
SANTIAGO,P., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-94-241. 95/04/11. 1p. 83871:215-83871:215.

9505120196 EN-95-032:on 950505,notice of violation will be issued to unlicensed radiographer employed by Mattingly Testing Svcs, Inc.Action based on results of insp & investigation conducted by Region IV & violations noted.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-014. 95/05/05. 1p. 83884:332-83884:332.

9505120199 EN-94-129A:on 941209,Commission notified of intent to issue notice of violation & proposed imposition of civil penalty in amount of $3,000 to licensee.Action based on violation re continued possession of matl.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-090. 95/05/09. 1p. 83884:333-83884:333.

9505180003 PNO-IV-95-001:on 950131,plant identified that util had been evaluating potential vulnerability to SSPS power supplies to NRC resident inspectors.Caused by analysis of potential steam line break pipe whip.Region IV has been notified.
KIRSCH,D., MILLER,M., TSCHILTZ,M. Region 4 (Post 820201). 95/02/02. 2pp. 83951:246-83951:247.

9505180006 PNO-IV-94-065A:update re transportation package which had been received on 941221 at Omnitron Intl,Inc.Package had narrow beam of radiation at top surface of package of approx 18 rem per h.NMSS & SP have been notified.
DODA,R.J. Region 4 (Post 820201). 95/01/24. 2pp. 83951:250-83951:251.

9505180100 PNO-IV-94-066:on 941226,util reported minor damage to gas & electrical lines causing loss of SF pool water & steam leak due to earthquake.Region IV notified & continue monitoring situation.State of CA to be notified.
VASQUEZ,M., CARSON,L. Region 4 (Post 820201). 94/12/28. 1p. 83952:137-83952:137.

9505180110 PNO-IV-95-006:on 950220,plant prematurely entered 1995 refueling outage scheduled for 950211 & began shutdown due to leakage from control element assembly 35.State of NE notified & press release issued.
JOHNSON,W.D., AZUA,R.V. Region 4 (Post 820201). 95/02/21. 1p. 83952:162-83952:162.

9505180117 PNO-IV-94-063:earthquake occurred approx 50 miles from plant site.Actuated site Terratech seismic monitor.No damage or injuries reported off site.Licensee implemented program for earthquake response.State of CA informed.
KIRSCH,D., CORPORANDY,D. Region 4 (Post 820201). 94/12/20. 1p. 83952:198-83952:198.

9505180122 PNO-IV-94-062A:on 941214,reactor tripped at plant due to RCP bus undervoltage on 12 kV buses of 500 kV distribution sys.Util to initiate & complete cleaning & insp process on 941220.State of CA notified.
KIRSCH,D., CORPORANDY,D. Region 4 (Post 820201). 94/12/19. 2pp. 83952:205-83952:206.

9505180128 PNO-I-95-013:on 950509,plant received bomb threat by telephone from unknown caller.Operations terminated,reactor shut down & bldg evacuated.Campus police,Cambridge police, fire & bomb disposal personnel notifed.
HOLMES,S. Region 1 (Post 820201). 95/05/10. 2pp. 83952:229-83952:230.

9505180134 PNO-IV-95-011:on 950307,Westinghouse contract employee suffered heart attack & collapsed dead at plant.No contamination involved.State of TX to be notified.
KIRSCH,D., GODY,T. Region 4 (Post 820201). 95/03/08. 1p. 83952:235-83952:235.

9505180142 PNO-IV-94-062:on 941214,disturbance on 500 KV distribution sys resulted in reactor trips at plant.Caused by RCP bus undervoltage on 12 KV busses.DG 1-3 declared inoperable pending further investigation.
KIRSCH,D., CORPORANDY,D. Region 4 (Post 820201). 94/12/14. 3pp. 83952:292-83952:294.

9505180149 PNO-IV-95-002:on 950206,regional administrator to allow plant restart on 950208 by issuing ltr to util,lifting CALs. State of NE informed & NRC to issue press release.
HARRELL,P.H., KOPRIVA,R.A. Region 4 (Post 820201). CAL. 95/02/07. 1p. 83952:297-83952:297.

9505180251 PNO-IV-95-003:on 950208,radiography camera containing 33 Ci Ir-192 source reported lost by driver in transit to job site.State of TX notified.Inspector to be investigating incident & licensee to question local residents.
HACKNEY,C. Region 4 (Post 820201). 95/02/09. 1p. 83970:358-83970:358.

9505180261 PNO-I-95-014:on 950509,patient administered dose of 29.9 mCi of I-131 instead of 8 mCi of I-131.Caused by failure of technologist to check lid labels against vial labels.NRC medical consultant will be contacted on 950511.
MCKINLEY,R., JOHANSEN,J.M. Region 1 (Post 820201). 95/05/11. 2pp. 83953:095-83953:096.

9505180437 PNO-IV-95-020:on 950510,error re administration of several fractional doses for gynecological brachytherapy treatment administered using high dose rate remote afterloading.Event has been reported to NRC.
HOWELL,L.L., MCLEAN,M. Region 4 (Post 820201). 95/05/12. 2pp. 83955:099-83955:100.

9505190024 Forwards matl which represents info to be placed on Cooper docket,PDR & LPDR re significant programmatic & operational problems identified at plant.
HALL,J.R. . 95/05/12. MCKNIGHT,J.C. Document Control Branch (Document Control Desk). 1p. 83989:001-83991:265.

-9505190212 PNO-IV-94-029:on 940525,both EDG had been declared inoperable.Cause due to test had not properly verified load shedding of all loads on criticality 480 volt busses. State of NE & Region IV have been notified.
HARRELL,P. Region 4 (Post 820201). 94/05/26. 108pp. 83990:257-83991:265.

9505190121 PNO-IV-95-019:on 950510,three yr old nursing child found to have 200 nanocurie thyroid burden as result of I-131 administration to mother on 950501.State of WA continuing to gather info relevant to event.
PRANGE,B.A. Region 4 (Post 820201). 95/05/12. 1p. 83974:062-83974:062.

9505190371 Forwards list of generic communications under development by NRC staff.
CHAFFEE,A.E. . 95/05/08. LARHETTE,R.P. Institute of Nuclear Power Operations. 11pp. 83986:326-83986:336.

9505220017 Informs that NRC issued rev to existing insp procedure on monitoring effectiveness of training & qualification of NPP personnel & forwards copy of Insp Procedure 41500, "Training
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 95/05/16. KINDLEY,W. Institute of Nuclear Power Operations. 10pp. 84033:311-84033:320.

9505220128 Forwards documents associated w/proposed GL re relocation of pressure temp limit curves & LTOP sys limits.
GRIMES,C.I. . 95/05/19. Document Control Branch (Document Control Desk). 34pp. 84039:001-84039:034.

9505220261 Forwards background matl re Suppl 1 to Rev 1 to GL 92-01, "Reactor Vessel Structural Integrity."
KUGLER,A.J. . GL-92-01. 95/05/19. Document Control Branch (Document Control Desk). 5pp. 84042:339-84042:343.

9505230013 PNO-IV-94-061:on 941206,util announced agreement on new plan to reduce price of power produced by plant.Licensee continuing to evaluate possible organizational changes to enhance efficiency & effectiveness.
* Region 4 (Post 820201). 94/12/07. 1p. 84001:076-84001:076.

9505250256 Informs that NRR preparing to publish FRN to inform public that GL 92-01 "RV Structural Integrity," Suppl 1 to Rev 1 has been issued.Requests that NUDOCS accession number be provided.
KUGLER,A.J. . GL-92-01. 95/05/18. Document Control Branch (Document Control Desk). 5pp. 84082:103-84082:107.

9505300039 PNO-II-95-029:on 950518,inspector notified by licensee of incident involving employee at plant threatening to commit suicide at home.Employee taken to hosp & licensee revoked employee plant access.
LANDIS,K. Region 2 (Post 820201). 95/05/18. 1p. 84076:115-84076:115.

9505300041 PNO-III-95-19:on 950510,licensee reported theft of Troxler moisture/density gauge.Caused by licensee returning from job site left gauge unattended & unsecured in bed of company pickup truck in company lot for 15 minutes.
SRENIAWSKI,D., LYNCH,J. Region 3 (Post 820201). 95/05/10. 1p. 84076:116-84076:116.

9505300076 PNO-II-95-030:on 950521,operators at plant initiated manual reactor trip from 100% power in response to four group 2 control bank A control rods dropping into core.Caused by faulty stationary coil voltage regulating circuit board.
* Region 2 (Post 820201). 95/05/23. 1p. 84076:332-84076:332.

9505310042 PNO-I-95-015:on 950410,Perkin Elmer GC containing electron capture detector was thrown into waste container used for bldg debris.GC discarded into 30 cubic yard roll-off waste container.
WHITE,D. Region 1 (Post 820201). 95/05/24. 2pp. 84095:074-84095:075.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9505090095 Memorandum & Order (Directive to show cause why proceeding should not be dismissed).* Orders DJ McCool to file pleading as described on or before 950605.W/Certificate of Svc.Served on 950504.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #295 16678. EA. 95/05/04. MCCOOL,D.J. Affiliation Not Assigned. 5pp. 83817:271-83817:275.

9505260070 Confirms change in address for nuclear energy practice group.
GALLEN,K.P. Morgan, Lewis & Bockius. 95/05/22. PULSIFER,R.M. NRC - No Detailed Affiliation Given. 1p. 84099:259-84099:259.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9504210127 Generic Ltr 95-03 to all holders of OLs or CPs for PWRs re circumferential cracking of SG tubes.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). IEIN-92-080. 95/04/28. Consolidated Edison Co. of New York, Inc. 11pp. 83757:013-83757:023.

9504210293 Generic Ltr 95-04 to all holders of OLs or CPs for nuclear power reactors re final disposition of SEP lessons-learned issues.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 95/04/28. Consolidated Edison Co. of New York, Inc. 14pp. 83757:024-83757:037.

9505010005 Forwards two copies of rept re final environ statement, Suppl 1 for plant,units 1 & 2.W/o encl.
FLANDERS,S.C. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). TAC 88691. 95/04/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 83693:359-83693:361.

9505010007 SECY-95-100 Informs Commission of staff intent to issue GL, "Circumferential Cracking of SG Tubes," IAW guidance in 911220 memo from SJ Chilk to JM Taylor re SECY-91-172, "Regulatory Impact Survey Rept-Final."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/20. 10pp. 83823:089-83823:096.

9505010033 Forwards NUREG-1517, "Rept of South Texas Project Allegations Review Team." Rept documents results of special team review of concerns at plant as result of congressional interest.
ALEXION,T.W. . 95/04/21. COTTLE,W.T. Houston Lighting & Power Co. 119pp. 83717:028-83717:246.

9505010073 Forwards listed documents for "official filing" w/EPA re suppl to plant FES.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/04/26. YOUNG,P. Environmental Protection Agency. 2pp. 83687:279-83687:280.

9505020202 Submits response to RAI on license amend request 94-05 re relocation of selected 3/4.7 TS per NRC final policy statement & NUREG-1431.
WOMACK,L.F. Pacific Gas & Electric Co. DCL-95-090. 95/04/25. Document Control Branch (Document Control Desk). 14pp. 83763:288-83763:303.

9505030447 NUREG/CR-4918 V08 CONTROL OF WATER INFILTRATION INTO NEAR SURFACE LLW DISPOSAL UNITS.Progress Report Of Field Experiments At A Humid Region Site,Beltsville,Maryland.
SCHULZ,R.K. California, Univ. of, Los Angeles, CA. RIDKY,R.W. Maryland, Univ. of, College Park, MD. O'DONNELL,E. Waste Management Branch (Post 941217). FIN L-2491. 95/04/30. Division of Regulatory Applications (Post 941217). 33pp. 83725:281-83725:313.

9505030455 NUREG/CR-6297 FRACTURE EVALUATIONS OF FUSION LINE CRACKS IN NUCLEAR PIPE BIMETALLIC WELDS.
SCOTT,P., FRANCINI,R., RAHMAN,S. Battelle Memorial Institute, Columbus Laboratories. FIN B-5702. BMI-2182. 95/04/30. Division of Engineering Technology (Post 941217). 111pp. 83744:194-83744:304.

9505030464 NUREG/CR-6300 REFINEMENT AND EVALUATION OF CRACK-OPENING-AREA ANALYSES FOR CIRCUMFERENTIAL THROUGH-WALL CRACKS IN PIPES.
RAHMAN,S., BRUST,F., GHADIALI,N. Battelle Memorial Institute, Columbus Laboratories. FIN B-5702. BMI-2184. 95/04/30. Division of Engineering Technology (Post 941217). 227pp. 83745:001-83745:227.

9505030466 NUREG/CR-6046 ALERTNESS, PERFORMANCE, AND OFF-DUTY SLEEP ON 8-HOUR AND 12-HOUR NIGHT SHIFTS IN A SIMULATED CONTINUOUS OPERATIONS CONTROL ROOM SETTING.
BAKER,T.L. Institute for Circadium Physiology. FIN L-2630. 95/04/30. Division of Systems Technology (Post 941217). 157pp. 83745:228-83746:021.

9505030476 NUREG-1482 GUIDELINES FOR INSERVICE TESTING AT NUCLEAR POWER PLANTS.
CAMPBELL,P.L. Office of Nuclear Reactor Regulation, Director (Post 870411). GL-89-04. 95/04/30. 328pp. 83746:022-83746:349.

9505040006 Comment opposing draft rept on responsiveness to public.
ZANZALARI,G.P. Foster Wheeler Energy Corp. 60FR16685 00007. 95/04/25. Docketing & Services Branch. 2pp. 83743:001-83743:002.

9505040010 Comment opposing draft NUREG/BR-0199.
VARRICCHIO,L. Affiliation Not Assigned. 60FR16685 00009. 95/05/01. Office of the Secretary of the Commission. 1p. 83743:003-83743:003.

9505040011 Comment supporting draft rept on responsiveness to public.
QUILLIN,R.M. Colorado, State of. 60FR16685 00008. 95/04/25. Docketing & Services Branch. 2pp. 83743:004-83743:005.

9505040042 Notice (site visit).* Notifies that Board will visit plant on 950502,for purpose of observing conditions that may be relevant to proceeding described in App J of NUREG-1410. W/Certificate of Svc.Served on 950427.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #295 16656. OLA-3. 95/04/27. 3pp. 83743:258-83743:260.

9505040075 NRC Staff Memo in response to licensing Board Order dtd 950324 re legal status of depleted UF6 generated at Claiborne Enrichment Ctr & legal std for assessing financial qualification.* NRC staff submits response to issues listed.
HOLLER,E.J. Office of the General Counsel (Post 860701). #295 16641. ML. 95/04/21. 22pp. 83744:151-83744:193.

–9505040093 Affidavit of YH Faraz & of JD Price re existence of geologic formations within central interstate LLW compact region compatible w/representative disposal sites analyzed in FES,NUREG-1484.W/Certificate of Svc.
FARAZ,Y.H., PRICE,J.D. Office of Nuclear Material Safety & Safeguards. FARAZ,Y.H. Science Applications International Corp. (formerly Science Applications, Inc.). ML. 95/04/19. 21pp. 83744:173-83744:193.

9505040080 Application for amends to licenses NPF-68 & NPF-81, converting TSs to improved TSs for Westinghouse plants as represented in NUREG-1431.
MCCOY,C.K. Georgia Power Co. LCV-0603. 95/05/01. Document Control Branch (Document Control Desk). 11pp. 83911:001-83919:116.

–9505040081 Proposed tech specs,re conversion to improved TSs based on NUREG-1431.
* Georgia Power Co. 95/05/31. 3,000pp. 83911:012-83919:116.

9505040107 Comment opposing draft rept on responsiveness to public.
LEWIS,M. Lewis, M. 60FR16685 00010. 95/04/26. NRC - No Detailed Affiliation Given. 1p. 83743:022-83743:022.

9505040365 NUREG/CR-6235 ASSESSMENT OF SHORT THROUGH-WALL CIRCUMFERENTIAL CRACKS IN PIPES.Experiments And Analysis,March 1990 - December 1994.
BRUST,F.W., SCOTT,P., RAHMAN,S. Battelle Memorial Institute, Columbus Laboratories. FIN B-5702. BMI-2179. 95/04/30. Division of Engineering Technology (Post 941217). 249pp. 83784:199-83785:083.

9505040377 NUREG/CR-6283 FIELD SITE INVESTIGATION: EFFECT OF MINE SEISMICITY ON GROUNDWATER HYDROLOGY.
OFOEGBU,G.I., HSIUNG,S-M., CHOWDHURY,A.H. Center for Nuclear Waste Regulatory Analyses. FIN B-6643. CNWRA 94-017. 95/04/30. Division of Regulatory Applications (Post 941217). 103pp. 83783:158-83783:260.

9505040381 NUREG-1525 ASSESSMENT OF THE NRC ENFORCEMENT PROGRAM.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). COBLENTZ,L. Walnut Creek Field Ofc, R4 (Post 940404). 95/04/30. 200pp. 83784:001-83784:198.

9505050202 Forwards summary of final release survey data for Bldg 10G & equipment located at McGean Rohco,Inc site.Final surveys performed in accordance w/methodology in draft NUREG/CR-5849 for release of bldg areas for unrestricted use.
ADAMS,T.G. B. Koh & Associates, Inc. 95/04/28. JOHNSON,T.C. Office of Nuclear Material Safety & Safeguards. 60pp. 83863:265-83863:324.

9505080291 Forwards NUREG-1517 "Rept of STP Allegations Review Team," & "Effectiveness of Implementation of NRC Insp Program & Adequacy of Licensee Employee Concerns Program at STP." W/o encl.
BECKNER,W.D. . 95/04/26. WERT,J. . 1p. 83834:159-83834:159.

9505090011 Comment on draft NUREG/BR-0199.Recommends that type of review & self-exam be done annually.
RUTHERFORD,R.K. Affiliation Not Assigned. 60FR16685 00011. 95/05/01. Docketing & Services Branch. 2pp. 83816:046-83816:047.

9505090020 Informs of arrangements made for administration of written & operating licensing exams at plant scheduled for wk of 950828.NRC will prepare & administer exams in accordance w/ES-401 & ES-402 of NUREG-1021.
RING,M.A. Region 3 (Post 820201). 95/05/05. SHELTON,D.C. Centerior Service Co. 3pp. 83816:093-83816:095.

9505090023 Informs of arrangements made for administration of written & operating licensing exams at plant scheduled for wk of 951002.NRC will prepare & administer exams in accordance w/ES-401 & ES-402 of NUREG-1021.
RING,M.A. Region 3 (Post 820201). 95/05/05. LINK,R. Wisconsin Electric Power Co. 3pp. 83816:100-83816:102.

9505090257 NUREG/BR-0192 PUBLIC USE OF THE NRC TWO WHITE FLINT AUDITORIUM.
* Office of Administration, Director (Post 940714). 95/03/31. 4pp. 83848:354-83848:357.

9505090264 NUREG/CR-6102 ERR Errata,correcting rept title,to "Validation of SCALE Broad Structure 44-Group ENDF/B-V Cross-Section Library for Use in Criticality Safety Analyses."
DEHART,M.D., BOWMAN,S.M. Oak Ridge National Laboratory. FIN L-2026. ORNL/TM-12460. 95/03/31. Division of Regulatory Applications (870413-941217). 2pp. 83848:352-83848:353.

9505090273 NUREG/BR-0191 V02 N2 INSIDE INFORMATION.Volume 2,Number 2.
* Office of Information Resources Management (Post 890205). 95/04/30. 15pp. 83848:337-83848:351.

9505090276 NUREG/CR-6004 PROBABILISTIC PIPE FRACTURE EVALUATIONS FOR LEAK-RATE- DETECTION APPLICATIONS.
RAHMAN,S., GHADIALI,N., PAUL,D. Battelle Memorial Institute, Columbus Laboratories. FIN B-5702. BMI-2174. 95/04/30. Division of Engineering Technology (Post 941217). 336pp. 83848:001-83848:336.

9505090280 NUREG/CR-2850 V13 DOSE COMMITMENTS DUE TO RADIOACTIVE RELEASES FROM NUCLEAR POWER PLANT SITES IN 1991.
BAKER,D.A. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN J-2138. PNL-4221. 95/04/30. Office of Nuclear Reactor Regulation (Post 941001). 192pp. 83849:001-83849:190.

9505090284 Discusses congressional staff members concerns that discriminatory practices may have occurred at facility, technical issues may not have been addressed by licensee & insp program may not have been implemented at plant.W/repts.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/03. SCHAEFER,D. House of Rep., Energy & Commerce. FAIRCLOTH,L. Senate, Environment & Public Works. 5pp. 83856:121-83856:125.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). GL-88-11. 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505100187 Discusses NUREG-1511, "RV Status Rept," re NRC comprehensive assessment of all PWR RPVs in US plants.Rept identified Beaver Valley 1 & Palisades as only plants projected to potentially exceed PTS screening criteria before end.
STROSNIDER,J.R. . 95/05/05. THADANI,A.C. . 8pp. 83906:342-83906:349.

9505100290 NUREG-0430 V14 LICENSED FUEL FACILITY STATUS REPORT.Inventory Difference Data.July 1, 1993 - June 30, 1994.
JOY,D.R. Office of Nuclear Material Safety & Safeguards. 95/03/31. 18pp. 83902:267-83902:284.

9505110132 Forwards ERDS data point library (DPL) change,in accordance w/NUREG-1394,Rev 1,Section 3.6.DPL undergone change in hi alarm setpoint.
THOMAS,G.S. Duquesne Light Co. 95/04/28. Document Control Branch (Document Control Desk). 2pp. 83933:342-83933:343.

9505110236 Comment on draft rept, "Responsiveness to Public." Documents already released to PDR through FOIA requests should be accessioned on & available through NUDOCS & PDR bibliographic retrieval svc in timely fashion.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 60FR16685 00012. 95/05/09. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 83862:029-83862:030.

9505110267 Summary of 950412 meeting w/GPC in Rockville,MD re plans for converting Vogtle to improved std TSs.List of attendees encl.
WHEELER,L.L. . 95/05/02. NRC - No Detailed Affiliation Given. 5pp. 83938:090-83938:094.

9505110306 Comment supporting proposed rule 10CFR60,App J & NUREG-1493 re leak rate testing of containment sys of NPPs.Believes that present version obsolete & Type A testing should be stopped altogether until methodology improved.
REYTBLATT,Z. Affiliation Not Assigned. 60FR9634 00009. 95/05/04. CHILK,S.J. Office of the Secretary of the Commission. 16pp. 83862:246-83862:261.

9505110335 Notifies NRC that plant critical functions monitoring sys computer installed to meet NUREG-0737,Item I.D.2 requirements will be replaced during wk beginning 950508.
HAAS,K.M. Consumers Power Co. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83932:103-83932:104.

9505120241 Comment supporting proposed rules 10CFR50,52 & 100 re reactor site criteria,including seismic & earthquake engineering criteria.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). LD-95-021. 95/05/08. Docketing & Services Branch. 3pp. 83884:336-83884:338.

9505150014 Forwards listed doucments for NRC review & approval prior to submittal of improved TS consistent w/NUREG-1431.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/05/05. JOHNSON,A.R. Document Control Branch (Document Control Desk). JOHNSON,A.R. Project Directorate I-1 (PD1-1) (Post 941001). 5pp. 83898:005-83898:147.

9505150036 Forwards util response to NRC questions on Sections 3.6 & 3.7 re request to change TS to improved TS as contained in NUREG-1433 "STS,General Electric Plants,BWR/4."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 23pp. 83898:183-83898:201.

9505150049 Forwards util response to addl questions on Sections 2.0, 3.1,3.4 & 3.5 re request to change TS to improved TS as contained in NUREG-1433 "STS,GE Plants,BWR/4."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 16pp. 83898:228-83898:243.

9505180083 Forwards exam rept 50-002/OL-95-02 on 950501.Exam rept,exam & answer key not encl.
RICHARDS,S.A. . 95/05/11. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 83979:312-83979:312.

9505180102 Advises that rev 37 to emergency plan consistent w/planning stds of 10CFR50.47(b) & requirements of 10CFR50,App E.Rev 37 inconsistent w/guidance of NUREG-0654.
BARR,K.P. Region 2 (Post 820201). 95/05/03. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 83952:138-83952:141.

9505180258 NUREG/BR-0104 R04 NRC EMPLOYEES ARE INVOLVED.
* Office of Public Affairs (Post 911117). 95/05/18. 2pp. 83966:281-83966:282.

9505180267 Suppl to TS Change Request NPF-38-145 to license NPF-38, modifying SRs of TS 3.6.1.2 for containment leakage by removing specified schedular criteria for Type A testing,per requirements of C-E improved STS (NUREG-1432).
BARKHURST,R.P. Entergy Operations, Inc. W3F1-95-0066. 95/05/12. Document Control Branch (Document Control Desk). 7pp. 84005:303-84005:318.

9505180268 NUREG/BR-0017 R10 THE NRC GUIDE TO TRAINING OPPORTUNITIES,1995-1996.
* Ofc of Personnel (Post 870413). 95/05/18. 62pp. 83966:283-83966:343.

9505180319 NUREG-1275 V11 OPERATING EXPERIENCE FEEDBACK REPORT - TURBINE-GENERATOR OVERSPEED PROTECTION SYSTEM.Commercial Power Reactors.
ORNSTEIIN,H.L. Division of Safety Programs (Post 870413). 95/04/30. 117pp. 83965:001-83965:117.

9505180344 NUREG-0498 S01 FINAL ENVIRONMENTAL STATEMENT RELATED TO THE OPERATION OF WATTS BAR NUCLEAR PLANT, UNITS 1 AND 2.Docket Nos. 50-390 And 50-391.(Tennessee Valley Authority)
* Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/04/30. 366pp. 83965:118-83966:119.

9505180347 NUREG/CR-6116 V10 SYSTEMS ANALYSIS PROGRAMS FOR HANDS-ON INTEGRATED RELIABILITY EVALUATIONS (SAPHIRE) VERSION 5.0.Data Loading Manual.
VANHORN,R.L., WOLFRAM,L.M., FOWLER,R.D. Idaho National Engineering Laboratory. FIN W-6241. INEL-94/0039. 95/04/30. Division of Systems Technology (Post 941217). 161pp. 83966:120-83966:280.

9505180354 NUREG/CR-5975 R01 INCENTIVE REGULATION OF INVESTOR-OWNED NUCLEAR POWER PLANTS BY PUBLIC UTILITY REGULATORS.
MCKINNEY,M.D., SEELY,H.E., MERRITT,C.R. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN L-1236. PNL-8466. 95/04/30. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 70pp. 83967:001-83967:073.

9505180397 NUREG/CR-5657 AUTOCASK (AUTOMATIC GENERATION OF 3-D CASK MODELS).A Microcomputer Based System For Shipping Cask Design Review Analysis.
GERHARD,M.A., SOMMER,S.C. Lawrence Livermore National Laboratory. FIN A-0291. UCRL-ID-118766. 95/04/30. Division of Industrial & Medical Nuclear Safety (Post 870729). 130pp. 83967:231-83967:360.

9505180445 NUREG/CR-4599 V04 N1 SHORT CRACKS IN PIPING AND PIPING WELDS.Seventh Program Report March 1993 - December 1994.
WILKOWSKI,G., GHADIALI,N., RUDLAND,D. Battelle Memorial Institute, Columbus Laboratories. FIN B-5702. BMI-2173. 95/04/30. Division of Engineering Technology (Post 941217). 74pp. 83967:074-83967:147.

9505180530 NUREG-1280 R01 STANDARD FORMAT AND CONTENT ACCEPTANCE CRITERIA FOR THE MATERIAL CONTROL AND ACCOUNTING (MC&A) REFORM AMENDMENT.
* Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/04/30. 119pp. 83968:001-83968:121.

9505180571 NUREG-0725 R10 PUBLIC INFORMATION CIRCULAR FOR SHIPMENTS OF IRRADIATED REACTOR FUEL.
* Division of Industrial & Medical Nuclear Safety (Post 870729). 95/04/30. 30pp. 83980:001-83980:033.

9505180578 NUREG/CR-6315 CANDU REACTORS, THEIR REGULATION IN CANADA, AND THE IDENTIFICATION OF RELEVANT NRC SAFETY ISSUES.
CHARAK,I., KIER,P.H. Argonne National Laboratory. FIN L-2046. ANL-95/5. 95/04/30. Division of Systems Technology (Post 941217). 48pp. 83980:034-83980:081.

9505180588 Requests copy of NUREG/CR-6232,assessing environ availability of U in soils & sediments,including Change 1 to NUREG/BR-0195 or NUREG/BR-0195.
* Kentucky, Commonwealth of. 95/04/27. KERR,K. Office of State Programs (Post 911117). 2pp. 83971:038-83971:042.

9505190009 NUREG-1125 V16 A COMPILATION OF REPORTS OF THE ADVISORY COMMITTEE ON REACTOR SAFEGUARDS.1994 Annual.
* ACRS - Advisory Committee on Reactor Safeguards. 95/04/30. 115pp. 83980:082-83980:196.

9505190010 NUREG-0933 S18 A PRIORITIZATION OF GENERIC SAFETY ISSUES.
EMRIT,R. Division of Engineering Technology (Post 941217). 95/04/30. 266pp. 83981:001-83981:266.

9505190018 NUREG/CR-6327 MODELS FOR EMBRITTLEMENT RECOVERY DUE TO ANNEALING OF REACTOR PRESSURE VESSEL STEELS.
EASON,E.D., WRIGHT,J.E., NELSON,E.E. Modeling & Computer Services. FIN L-1107. MCS 950302. 95/05/31. Division of Engineering Technology (Post 941217). 76pp. 83982:001-83982:076.

9505190023 NUREG/CR-6251 STAINLESS STEEL SUBMERGED ARC WELD FUSION LINE TOUGHNESS.
ROSENFIELD,A.R., HELD,P.R., WILKOWSKI,G.M. Battelle Memorial Institute, Columbus Laboratories. FIN B-5702. BMI-2180. 95/04/30. Division of Engineering Technology (Post 941217). 88pp. 83980:197-83980:284.

9505190052 NUREG/CR-5591 V05 N1 HEAVY-SECTION STEEL IRRADIATION PROGRAM.Semiannual Progress Report For September 1993 Through March 1994.
CORWIN,W.R. Oak Ridge National Laboratory. FIN L-1098. ORNL/TM-11568. 95/04/30. Division of Engineering Technology (Post 941217). 71pp. 83981:267-83981:337.

9505190086 Requests approval for presentation of paper at ASME PV & Piping Div annual meeting to be held 950723-27.Forwards NUREG/CR-5403 rept.
OSGOOD,N.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 83984:181-83984:183.

9505190161 Provides clarification to paragraph 3.2.1.1 of NRC 950410 ltr re insp rept 50-397/95-05.
PARRISH,J.V. Washington Public Power Supply System. GO2-95-090. 95/05/05. Document Control Branch (Document Control Desk). 3pp. 84008:351-84008:353.

9505190166 Forwards RAI re carbon dioxide automatic FSS,in order to determine adequacy of sys to perform automatic fire control & extinguishing function for associated fire hazards in DG rooms,auxiliary instrument rooms & DG board rooms.
TAM,P.S. . TAC M63648. 95/05/10. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 83984:190-83984:194.

9505190333 Forwards amends 85 & 63 to licenses NPF-68 & NPF-81 & SE. Amends revise TSs 3/4.3.3.6,3/4.6.4.1 & associated Bases to incorporate technical substance of Spec 3.3.3 from NUREG-1431,rev 0.
WHEELER,L.L. . TAC M89184. 95/05/15. MCCOY,C.K. Georgia Power Co. 3pp. 83988:161-83988:182.

--9505190337 Amends 85 & 63 to licenses NPF-68 & NPF-81,respectively, revising TSs 3/4.3.3.6,3/4.6.4.1 and associated Bases to incorporate technical substance of Spec 3.3.3 from NUREG-1431,rev 0.
BERKOW,H.N. . NPF-81 A 063. 95/05/15. 14pp. 83988:164-83988:177.

9505190367 Notification of 950601 meeting w/Nuclear Energy Inst in Rockville,MD to discuss proposed approach for demonstrating technical feasibility of using NUREG-1465 severe accident source term at operating reactors.
WILSON,J.H. Standardization Project Directorate (PDST) (Post 941001). 95/05/15.
QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 3pp. 83991:349-83991:351.

9505220111 Submits comments on draft rept "Responsiveness to Public." Offers listed recommendation.
MILLER,V.L. Ofc of Small & Disadvantaged Business Utilization & Civil Rights. 60FR16685. 95/05/17. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 83985:155-83985:155.

9505220290 Discusses recent telcons w/P Blanch re various topics as listed including NUREG-0933,whistleblowers,10CFR100 & status of NRR response to ltrs.
ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 95/05/16. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 2pp. 84029:352-84029:353.

9505230018 Comment supporting proposed guidelines re draft rev 1 to NUREG-0700, "Human Sys Interface Design Review Guideline."
FORNICOLA,J.C. General Public Utilities Corp. - GPU Service Corp. 60FR15312 00003. 95/05/15. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 84001:089-84001:092.

9505230020 Comment opposing draft rev 1 of NUREG-0700.
FULD,R.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 60FR15312 00002. 95/05/10. Division of Freedom of Information & Publications Services (Post 940714). 8pp. 84001:093-84001:100.

9505230068 Forwards initial exam rept 50-002/OL-95-02 for wk of 950501. Exam conducted in accordance w/NUREG-1478.W/o encl.
RICHARDS,S.A. Office of Nuclear Reactor Regulation (Post 941001). 95/05/11.
FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 84033:229-84033:229.

9505230087 NUREG/BR-0204 INSTRUCTIONS FOR COMPLETING NRC'S UNIFORM LOW-LEVEL RADIOACTIVE WASTE MANIFEST.
* NRC - No Detailed Affiliation Given. 95/04/30. 18pp. 84017:222-84017:239.

9505230093 NUREG/CR-6112 IMPACT OF REDUCED DOSE LIMITS ON NRC LICENSED ACTIVITIES. Major Issues In The Implementation Of ICRP/NCRP Dose Limit Recommendations.Final Report.
MEINHOLD,C.B. Brookhaven National Laboratory. FIN L-1285. BNL/NUREG-52394. 95/05/31. Division of Regulatory Applications (Post 941217). 79pp. 84017:240-84017:318.

9505230100 NUREG-0750 V41 N02 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR FEBRUARY 1995. Pages 71-178.
* Division of Freedom of Information & Publications Services (Post 940714). 95/05/31. 115pp. 84017:107-84017:221.

9505230106 NUREG/CP-0142 V01 PROCEEDINGS OF THE TWENTY-SECOND WATER REACTOR SAFETY INFORMATION MEETING.Plenary Session, Advanced Instrumentation & Control Hardware & Software, Human Factors Research, IPE & PRA.
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 95/04/30. Office of Nuclear Regulatory Research (Post 941217). 403pp. 84016:001-84017:039.

9505230109 NUREG/CP-0140 V02 PROCEEDINGS OF THE TWENTY-SECOND WATER REACTOR SAFETY INFORMATION MEETING.Severe Accident Research, Thermal Hydraulic Research For Advanced Passive LWRs, High-Burnup Fuel Behavior.
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 95/04/30. Office of Nuclear Regulatory Research (Post 941217). 430pp. 84018:001-84019:066.

9505230115 NUREG/CP-0140 V03 PROCEEDINGS OF THE TWENTY-SECOND WATER REACTOR SAFETY INFORMATION MEETING.Primary Systems Integrity, Structural And Seismic Engineering, Aging Research, Products And Applications.
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 95/04/30. Office of Nuclear Regulatory Research (Post 941217). 265pp. 84019:068-84019:332.

9505230164 Comment on draft rev 1 to NUREG-0700.Recommends that only key updates & additions from such quality sources be incorporated in existing NUREG-0700,to produce evolutionary rev of established document.
AMICO,P.J. American Nuclear Society. 59FR15312 00001. 95/05/10. NRC - No Detailed Affiliation Given. 12pp. 84002:021-84002:032.

9505230342 NUREG/CR-6322 BUCKLING ANALYSIS OF SPENT FUEL BASKET.
LEE,A.S., BUMPAS,S.E. Lawrence Livermore National Laboratory. FIN A-0291. UCRL-ID-119697. 95/05/31. Division of Industrial & Medical Nuclear Safety (Post 870729). 60pp. 84026:245-84026:306.

9505240222 Informs that during wk of 950501,NRC administered initial exam to employees of facility who applied for license to operate Reed College Reactor.Exam conducted in accordance w/NUREG-1478,Rev 0.
RICHARDS,S.A. . 95/05/18. KOBLIK,S.S. Reed College, Portland, OR. 1p. 84039:319-84039:319.

9505240448 Requests approval of changes to min emergency staffing levels for DPC nuclear site emergency plans under Cost Beneficial Licensing Actions (CBLA) process.Supporting justification of proposed changes & info re CBLA encl.
TUCKMAN,M.S. Duke Power Co. 95/05/08. Document Control Branch (Document Control Desk). 16pp. 84073:054-84073:069.

9505250155 Forwards supplemental info re previous applications for amend to license NPF-58 for conversion of current TS to TS based on NUREG-1434, "Improved BWR6 TS," per discussions w/ NRC re acceptability of proposed changes to LCO 3.0.4.
SHELTON,D.C. Centerior Energy. PY-CEI/NRR-1951. 95/05/18. Document Control Branch (Document Control Desk). 4pp. 84086:293-84086:327.

--9505250171 Proposed tech specs for conversion to TS based on NUREG-1434, "Improved BWR6 TS."
* Centerior Energy. 95/05/18. 31pp. 84086:297-84086:327.

9505250208 Informs of issuance of rev 1 of improved STSs & availability of rev 1 through electronic files.Changes reflected in rev 1 resulting from experience gained from license amend applications to convert to improved STS.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/16.
PILMER,D.F. Southern California Edison Co. NEWTON,R.A. Wisconsin Electric Power Co. TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 5pp. 84068:025-84068:029.

9505260007 Comment on draft rev 1 of NUREG-0700, "Human Sys Interface Design Review Guideline." Incorporation of addl info enhances document & will be beneficial to user.
VONK,M.J. Commonwealth Edison Co. 60FR15312 00004. 95/05/16. Division of Freedom of Information & Publications Services (Post 940714). 9pp. 84062:016-84062:024.

9505260052 Requests free copy of suppl NUREG-0498,Suppl 1.
FRIESEMA,H.P. Northwestern Univ., Evanston, IL. 95/05/02. FLANDUS,S.C. Office of Nuclear Reactor Regulation (Post 941001). 1p. 84082:352-84082:353.

9505260139 Forwards notice of consideration of issuance of amends to licenses DPR-44 & DPR-56 & proposed NSHC determination & opportunity for hearing.Amends represent full conversion from current TS to set of TS based on NUREG-1433.
SHEA,J.W. Project Directorate I-2 (PD1-2) Post 941001). TAC M90746. 95/05/12.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 84090:271-84090:283.

--9505260146 Notice of consideration of issuance of amends to licenses DPR-44 & DPR-56 & proposed NSHC determination & opportunity for hearing.Amends represent full conversion from current TS to set of TS based on NUREG-1433.
MORAN,D.H. Project Directorate I-2 (PD1-2) Post 941001). 95/05/12. 11pp. 84090:274-84090:283.

9505260190 Rev A to TSCR 93-16 re conversion to improved TSs as contained in NUREG-1433.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/16. Document Control Branch (Document Control Desk). 25pp. 84134:001-84136:031.

--9505260196 Proposed tech specs re conversion of improved TSs as contained in NUREG-1433.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/16. 732pp. 84134:028-84136:031.

9505260195 Summary of 421st meeting of ACRS on 950504-06 re proposed Suppl 2 to NUREG-0654 concerning criteria for emergency planning in early site permit application.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. FACA. 95/05/11.
TAYLOR,J.M Ofc of the Executive Director for Operations. 1p. 84132:066-84132:066.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9312280007 Forwards revised draft MOU w/EPA incorporating NRC comments.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 93/12/01. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 7pp. 83900:228-83900:234.

9503240176 Forwards Environ Justice Strategy to be submitted to Environ Justice Interagency Working Group on 950324 & draft ltr to be used to transmit Strategy.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/03/17. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 21pp. 83706:310-83706:335.

9504140194 Responds to 950213 request re info on approval process used for apparent exemptions from federal regulatory standards.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/04. STATORUM,R. Senate. 1p. 84190:291-84190:306.

--9505300347 Expresses concern about apparent exemptions in federal regulatory stds made for Peach Bottom 2 & 3 & TMI nuclear facilities.
SANTORUM,R. Senate. 95/02/13. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 1p. 84190:306-84190:306.

9504190049 NRC Info Notice 95-024, "Summary of Licensed Operator Requalification Insp Program Findings."
GRIMES,B.K. . 95/04/25. Consolidated Edison Co. of New York, Inc. 12pp. 83757:001-83757:012.

9505010040 Advises that Branch held public meeting on 950411 to discuss status of new integrated performance assessment process (IPAP) program.
JOHNSON,M. . 95/05/01. RATHJE,M.J. Freedom of Information & Local Public Document Room Branch. 1p. 83984:012-83984:012.

9505010060 Request for OMB review & supporting statement re 10CFR4, "Nondiscrimination in Federally Assisted Commission Programs." Estimated respondent burden is 21 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0053. 95/04/25. 9pp. 83687:270-83687:278.

9505010088 Transcript of 950413 public workshop in Rockville,MD re cost beneficial licensing actions & TS improvement program. Pp 1-180.Supporting documentation encl.
* Office of Nuclear Reactor Regulation (Post 941001). 95/04/13. 400pp. 83688:001-83688:308.

9505010110 Ltr rept submitting test procedures & results of testing 1 hour subliming fire-barrier panel matl by ASTM E 84, "Std Test Method for Surface Characteristics of Bldg Matls."
GANN,R.G. Commerce, Dept. of. 95/02/03. MADDEN,P.M. Office of Nuclear Reactor Regulation (Post 941001). 30pp. 83687:303-83687:332.

9505010153 Requests photo identification badge w/24 h access to bldg & Operations Ctr,for T Kardaras.
BROCKMAN,K. Division of Operational Assessment (Post 870413). 95/04/21. DITTMEIER,D. Division of Security (Post 940714). 1p. 83687:351-83687:351.

9505020155 Forwards FEMA ltr to State of FL dtd 950412 re deficiency involving public alert & notification sys activation progress in Dade County.
CLINE,W.E. Region 2 (Post 820201). 95/04/19. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 83690:350-83690:355.

9505020171 Forwards final rept dtd 950309 from FEMA re findings of joint exercise of offsite radiological ER plan for plant on 940301.Although no deficiencies identified,eight areas requiring C/A found.W/o encl.
CLINE,W.E. Region 2 (Post 820201). 95/04/21. REHN,D.L. Duke Power Co. 4pp. 83691:030-83691:033.

9505020273 Forwards std order for DOE work 70-95-020,providing NRC funding to support ORNL project JCN E7044, "Agreement States Program Assessment Assistance."
HULTGREN,R.O. Energy, Dept. of. FIN E-7044. 95/04/10. TRIVELPIECE,A. Martin Marietta Energy Systems, Inc. 2pp. 83691:157-83691:160.

9505030117 Forwards addl copy of registration form & agenda of forthcoming Specialist meeting on Transient Behavior of High Burnup Fuel.
MEYER,R.O. Reactor & Plant Systems Branch (Post 941217). 95/04/20. KASSNER,T. Argonne National Laboratory. 12pp. 83740:300-83740:311.

9505030139 Forwards addl copy of registration form & agenda of forthcoming Specialist meeting on Transient Behavior of High Burnup Fuel.
ELTAWILA,F. Office of Nuclear Regulatory Research (Post 941217). 95/04/19. THADANI,A. . 12pp. 83740:280-83740:291.

9505030286 Forwards monthly rept,reflecting status of 10CFR2.206 petitions as of end of Mar 1995.Attachment 3 lists other sensitive matters re specific petitions.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 2.206. 95/04/21. TAYLOR,J.M. Ofc of the Executive Director for Operations. 24pp. 83723:330-83723:353.

9505040311 ORISE 95/D-81 "Survey Procedural Manual for Energy/Environment Sys Div Environmental Survey & Site Assessment Program."
* Oak Ridge Associated Universities. 95/04/30. 244pp. 83752:001-83752:224.

9505050171 NRC Info Notice 95-025, "Valve Failure During Patient Treatment w/ Gamma Stereotactic Radiosurgery Unit."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/11. Consolidated Edison Co. of New York, Inc. 9pp. 84007:182-84007:190.

9505080037 OIG/95A-07 "Review of NRC Grant Program."
* Office of the Inspector General (Post 890417). 95/04/18. 5pp. 84011:353-84011:357.

9505080212 Discusses major initiative to answer questions re environmental qualification of electric equipment in NPP. Recommends that NRC staff should review all previous work in area to make research program cost effective.
AGGARWAL,S.K. . 95/04/14. HENRY,G. Institute of Electrical & Electronics Engineers, Inc. 25pp. 83822:333-83822:357.

9505100073 Responds to 950330 ltr which requested review of concern NRC GDC for nuclear power plants & comments on general safety record of nuclear power industry.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/25. PASTOR,E. House of Rep. 2pp. 83873:025-83873:040.

9505100138 Requests support of TRTR for nonpower reactor training course during wk of 950619.
WEISS,S.H. . 95/05/03. MOORE,M. Armed Forces Radiobiological Research Institute. 2pp. 83873:050-83873:051.

9505110185 Forwards revised training matrix minimum level of acceptable training required for NRC incident response program both in Regions & Headquarters.
CONGEL,F. Incident Response Branch. 95/05/05. COOPER,R.W. Region 1 (Post 820201). MERSCHOFF,E.W. Region 2 (Post 820201). GREENMAN,E.G. Region 3 (Post 820201). 13pp. 83889:328-83889:340.

9505110194 Forwards ballot for ANS-15.21, "Format & Content for Safety Analysis Rept for Research Reactors."
WEISS,S.H. . 95/05/03. RABY,T.M. National Institute of Standards & Technology (formerly National Bureau of Standa. 4pp. 83936:325-83936:328.

9505110252 Notification of 950525 meeting w/code representatives from ASME in Rockville,MD to discuss concerns w/recent changes to ASME code piping criteria.
WESSMAN,R.H. . 95/05/02. SHERON,B.W. . 3pp. 83889:355-83889:357.

9505110340 Request for OMB review & supporting statement re NRC Form 277, "Visits,Classified Info Access." Estimated respondent burden is 5 h.
CRANFORD,G. Office of Information Resources Management (Post 890205). OMB 3150-0051. 95/04/21. 12pp. 83938:225-83938:236.

9505110343 Request for OMB review & supporting statement re NRC Form 237, "Request for Access Auuthorization." Estimated respondent burden is 20 h.
CRANFORD,G. Office of Information Resources Management (Post 890205). OMB 3150-0050. 95/04/21. 11pp. 83938:237-83938:247.

9505110344 Request for OMB review & supporting statement re NRC Form 136, "Security Classified Records,Access Authorization Termination." Esimated respondent burden is 40 h.
CRANFORD,G. Office of Information Resources Management (Post 890205). OMB 3150-0049. 95/04/21. 11pp. 83938:249-83938:259.

9505110345 Request for OMB review & supporting statement re classification record.Estimated respondent burden is 15 h.
CRANFORD,G. Office of Information Resources Management (Post 890205). OMB 3150-0052. 95/04/21. 10pp. 83938:260-83938:269.

9505110348 Forwards markups of preliminary draft rept of MJ Sale & submits issues to pursue in developing list of conceptual models & computer codes.W/o encl.
BYRNE,M.R. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/02. SALE,M.J. Oak Ridge National Laboratory. 2pp. 83902:240-83902:241.

9505150001 Forwards documents associated w/proposed generic ltr re testing of safety-related logic circuits.
KUGLER,A.J. . 95/05/11. Document Control Branch (Document Control Desk). 14pp. 83949:316-83949:329.

9505150234 Ack receipt of Blanch 950430 comments to SECY on draft policy statement, "Freedom of Employees in Nuclear Industry to Raise Safety Concerns W/o Fear of Retaliation."
ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). 95/05/08. RUSSELL,W., MIRAGLIA,F., THADANI,A. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83948:277-83948:287.

--9505150238 Submits comments on NRC draft policy statement, "Freedom of Employees in Nuclear Industry to Raise Safety Concerns W/o Fear of Retaliation."
BLANCH,P.M. Affiliation Not Assigned. 95/04/30. HOYLE,J. Office of the Secretary of the Commission. 9pp. 83948:278-83948:286.

--9505150249 Ack receipt of comments on NRC policy.
BLANCH,P.M. Affiliation Not Assigned. 95/05/02. ZWOLINSKI,J.A. Office of Nuclear Reactor Regulation (Post 941001). 1p. 83948:287-83948:287.

9505180137 Trip rept of 950330-31 visit to Las Vegas,NV re DOE Workshop on Probabilistic Volcanic Hazard Analysis Project & associated field trip.Official summary of workshop encl.
TRAPP,J.S., KOTRA,J.P. . 95/05/08. BELL,M.J., AUSTIN,J.H. . 8pp. 83979:176-83979:184.

9505180146 Advises that 950203 rev to decommissioning plan & suppl info provided in 950412 ltr re decontamination of four underground tanks at former US EPA site in Vienna,VA approved,per 10CFR30.36(c)(2).
COLLINS,D.M. Region 2 (Post 820201). 95/05/01. O'NEIL,J.J. Environmental Protection Agency. 1p. 83952:295-83952:295.

9505180155 Forwards 950406 ltr from P McIntire to JA Momm re actions taken by State of NJ Ofc of Emergency Mgt to remediate deficiency identified by FEMA at 940524 exercise at Artificial Island.
JOYNER,J.H. Region 1 (Post 820201). 95/05/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 83952:306-83952:310.

9505180269 Informs that on 950503,Operating Reactor Events Briefing 95-09 conducted to inform senior managers from listed ofcs of selected events that occurred since last briefing on 950322.
CHAFFEE,A.E. . OREM-95-009. 95/05/08. GRIMES,B.K. . 21pp. 83972:338-83972:358.

9505190159 General distribution "Review" ,Vol 4,Number 2,Mar-Apr 1995.
* Institute of Nuclear Power Operations. 95/04/30. 16pp. 83979:027-83979:044.

9505190227 Expresses appreciation for concerns expressed re NRC intent to revise licensing process for NPP operators.NRC intends to retain participatory role for NRC examiners.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/09. WELLS,B.L. Affiliation Not Assigned. 4pp. 83984:242-83984:245.

9505190232 Forwards draft FRN notifying public of elimination of low level radwaste Topical Rept Review Program.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/05/10. BEESON,J.F. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 83984:246-83984:250.

9505190248 Responds to ltr to Chairman Selin re AVLIS & requesting info on scheduling of licensing hearing of US Enrichment Corp. Subj project still in preliminary stages & application for project has not been submitted.
HICKEY,J.W. Enrichment Branch. 95/05/05. SALISBURY,D. Affiliation Not Assigned. 1p. 83984:251-83984:251.

9505190355 Forwards Commission biweekly notice of applications & amends re Public Law 97-415 enacted on 830104.W/o encl.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/08. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 84002:104-84002:105.

9505190390 Forwards CDS & CDM for Review Plan 4.3 "Assessment of Compliance w/ Design Criteria for Shafts & Ramps." Requests that comments be provided by 950523.
BELL,M.J. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/09. HOLONICH,J.J. Uranium Recovery Licensing Branch. AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 84002:106-84002:184.

--9505190391 Submits Administrative Item for NRC Mgt & OGC reviews. Compliance Determination Method developed per guidance provided by NRC during 940928 meeting w/CNWRA.
CHOWDHURY,A.H. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. 95/05/08. JAGANNATH,B.N. Division of Waste Management (Pre 870413). 77pp. 84002:107-84002:184.

9505190393 Discusses compliance criteria submitted to & reviewed by EPA on 940222.NRC staff generally supports EPA approach to implementing waste disposal stds at waste isolation pilot plant.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/05/01. TROVATO,R. Environmental Protection Agency. 2pp. 83991:339-83991:340.

9505220017 Informs that NRC issued rev to existing insp procedure on monitoring effectiveness of training & qualification of NPP personnel & forwards copy of Insp Procedure 41500, "Training
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 95/05/16. KINDLEY,W. Institute of Nuclear Power Operations. 10pp. 84033:311-84033:320.

9505220046 Expresses appreciation for use of Madison Junior High School Cafetorium for holding NRC public meeting on 950426.Check in stated amount paid to "Madison Consolidated Schools" encl.
EID,B. Low-Level Waste & Uranium Recovery Projects Branch. 95/05/05. SHAFER,M. Affiliation Not Assigned. 1p. 84010:254-84010:254.

9505220055 Submits listed recommendations in response to request that NRR review proposed enforcement policy on access authorization violations.
THADANI,A.C. . 95/05/12. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp. 84023:249-84023:254.

9505220219 Forwards FR notice & informs that amended Section 189 of AEA authorized NRC to issue & make immediately effective any amend to operating license upon determination by Commission that amend involves NSHC,per Public Law 97-415.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/04/20. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 84029:354-84029:355.

9505220226 Forwards responses to issues raised re memo of J Darby of Sciences Engineering Assocs concerning current NRC IPE review process.Objective of GL 88-20 for licensees to perform systematic exam to identify vulnerabilities.
DROUIN,M., RODRICK,E., FLACK,J. Probabilistic Risk Analysis Branch (Post 941217). GL-88-20. 95/05/12. CUNNINGHAM,M. Probabilistic Risk Analysis Branch (Post 941217). 24pp. 84033:230-84033:275.

--9505220238 Informs that time has come to focus on & finalize NRC IPE review plan in light of receipt of various plant IPE submittals.Forwards two step process for detailed review plan.
MINNERS,W. Division of Safety Issue Resolution (880717-941217). CONGEL,F. Division of Radiation Protection & Emergency Preparedness (870411-921003). 90/02/28. BECKJORD,E. Office of Nuclear Regulatory Research (860720-941217). MURLEY,T. Office of Nuclear Reactor Regulation, Director (Post 870411). 12pp. 84033:257-84033:269.

--9505220241 Requests that SNL prepare copies of NRC Form 189 consistent w/encl program assumption including info on expected accomplishments,schedule & requested funding.Subj form needed in 30 days.
MINNERS,W. Division of Safety Issue Resolution (880717-941217). FIN W-6188-4. 94/01/06. LOWREY,R.Y. Energy, Dept. of. 3pp. 84033:270-84033:272.

--9505220244 Requests that BNL prepare copies of NRC Form 189 consistent w/encl program assumption including info on expected accomplishments,schedule & requested funding.Subj form needed in 30 days.
MINNERS,W. Division of Safety Issue Resolution (880717-941217). 93/12/08. NEALY,C.L. Energy, Dept. of. 3pp. 84033:273-84033:275.

9505220239 Responds to P Marsilli 950223 ltr to F Solberg & J Cortez re permission to use RELAP5 dose for safety analysis of Russian-built reactors in East European Countries.Permission granted.
HODGES,M.W. Office of Nuclear Regulatory Research (Post 941217). 95/05/11. MARSILLI,P. Italy, Govt. of. 1p. 84038:032-84038:032.

9505230173 Forwards final version of ltr rept, "Preliminary Review of Data Re Chemical Composition & Thermal Embrittlement of Reactor Vessel Steels."
CORWIN,W.R. Oak Ridge National Laboratory. 95/01/23. TABOADA,A. Office of Nuclear Regulatory Research (Post 941217). 2pp. 84040:234-84040:341.

--9505230186 ORNL/NRC/LTR-95/1 "Preliminary Review of Data Re Chemical Composition & Thermal Embrittlement of Reactor Vessel Steels."
NONSTAD,R.K., ALEXANDER,D.J., CORWIN,W.R. Oak Ridge National Laboratory. FIN L-1098. 95/01/31. NRC - No Detailed Affiliation Given. 107pp. 84040:236-84040:341.

9505230382 Responds to 950515 inquiry re NRC review process of IPEs submitted by licensees in response to GL 88-20 & informs that RES forwarding results of review of DPV consisting of senior mgt having no direct involvement in review program.
ZWOLINSKI,J.A. Division of Reactor Projects I/II (DRPE) Post 941001). GL-88-20. 95/05/17. BLANCH,P.M. Affiliation Not Assigned. 1p. 84039:302-84039:302.

9505240283 Responds to 950121 ltr expressing concerns re article appearing in Nucleus publication that many licensed NPPs do not meet minimum requirements of GDC of 10CFR10.Explains that GDC requirements issued for clarification purposes.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. PERREAULT,L. Affiliation Not Assigned. 3pp. 84059:220-84059:222.

9505250012 Forwards results of FEMA evaluation rept of 940913-14. Requests that licensee follows up w/offsite officials on Areas Requiring Corrective Actions & Plan Inadequacies.
COLLINS,S.J. Region 4 (Post 820201). 95/05/18. PARRISH,J.V. Washington Public Power Supply System. 3pp. 84043:128-84043:314.

--9505040190 Forwards 950323 ltr from M Hepler,which transmitted FEMA final exercise rept for 940913-14 exercise of offsite radiological emergency response plans site specific to plant.
ESSIG,T.H. . 95/05/01. MURRAY,B. Region 4 (Post 820201). 1p. 84043:132-84043:314.

--9505040207 Forwards final exercise rept for 940913-14,full- participation plume exposure & ingestion pathway joint exercise of offsite radiological emergency response plans site-specific for plant.
HEPLER,O.M. Federal Emergency Management Agency. 95/03/23. SPESSARD,R.L. . 1p. 84043:133-84043:133.

--9505040388 "Date of Full Scale Ingestion Pathway Exercise:940913-14."
* Federal Emergency Management Agency. 95/03/31. 181pp. 84043:134-84043:314.

9505250139 Responds to ltr dtd 950426,forwarding ltrs from WL Vinson & R Adams discussing regulatory challenges facing development of nuclear-powered engines & discusses NRC interaction w/ R Adams.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/18. MACK,C. Senate, Agriculture, Nutrition & Forestry. 2pp. 84068:004-84068:005.

9505250190 Requests meeting to discuss technical matters to be considered in responding to inquiries re classification of low enriched U as commercial grade U & to develop unified position on classification.
O'STEEN,J.K. Transportation, Dept. of. 95/03/31. HAUGHNEY,C.J. Transportation Branch (Post 930207). 3pp. 84068:001-84068:003.

9505260027 Ack receipt of 950506 ltr which provided notice to NRC per Section IV.B.2 of order that NRC issued on 940523.Assures that NRC will continue to abide by settlement agreement re order,said agreement having become effective by Board order.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-94-012. 95/05/24. HINDS,K.J. Affiliation Not Assigned. 1p. 84062:084-84062:084.

9505260109 Forwards repts of unsatisfactory testing results involving HHS-certified testing labs,for action per 10CFR26, section 2.8(e) of App A.W/o encl.
BUSH,L.L. . 95/05/22. BUSH,D. Health & Human Services, Dept. of, U.S. Public Health Service. 2pp. 84090:269-84090:270.

9505260223 Recommends conducting TRTR peer reviews as a means of recording observations & recommendations about programs & implementing preventive measures before problems develop.
RICHARDS,W.J. Air Force, Dept. of. 95/04/24. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 84082:350-84082:351.

9505260349 Informs of intent to publish rev to current safeguards event reporting guidance that will clarify reporting requirements associated w/AA program failure.
CUNNINGHAM,L.J. . GL-91-03. 95/05/19. JOYNER,J.C. Region 1 (Post 820201). COLLINS,D.M. Region 2 (Post 820201). CREED,J.R. Region 3 (Post 820201). 4pp. 84090:301-84090:304.

9505260435 Forwards rept on BNES Conference on Fuel Mgt & Handling in Edinburgh,UK.Primary technical topics of conference included,fuel mgt,advanced gas-cooled reactor safety & fuel cycle optimization & fuel storage & disposal.
PHILLIPS,L.E. . 95/05/18. JONES,R.C. . 10pp. 84090:227-84090:236.

9505300172 Forwards monthly rept reflecting status of 10CFR2.206 petitions as of end of Apr 1995.Attachments 2 & 3 withheld.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). 2.206. 95/05/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 25pp. 84088:328-84088:352.

9505300324 Informs that NRC has sent proposed amends of Commission regulations for commercial NPPs to Ofc FR for publications.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/04/04. SCHAEFER,D. House of Rep. FAIRCLOTH,L. Senate, Environment & Public Works. 3pp. 84138:335-84138:336.

9505310270 Forwards internet e-mails in response to 940909 allegations.
ZWOLINSKI,J.A. . 95/04/03. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 1p. 84162:243-84162:250.

--9505310289 Ack receipt of 950309 ltr.Ltr totally unresponsive to concerns identified in author 940909 ltr re allegation of violation by licensees who failed to perform operability determination of level instruments.
BLANCH,P.M. Affiliation Not Assigned. 95/03/29. ZWOLINSKI,J.A. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 84162:244-84162:249.

--9506020153 Discusses christian science monitor article.
BLANCH,P.M. Affiliation Not Assigned. 95/03/29. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 84162:250-84162:250.

PR PROPOSED RULE

9505030077 Forwards index and documents for regulatory history AF23-1 re Proposed Rule 10CFR2.802,entitled "Petition for Rulemaking."
CHANG,T.Y. Generic Safety Issues Branch (Post 941217). AF23-1 001. 95/04/27. LANHAM,D.H. Document Control Branch (Document Control Desk). 6pp. 83776:001-83777:136.

9505030174 Comment on draft policy statement re freedom of employees in nuclear industry to raise safety concerns w/o fear of retaliation.
WOLLESEN,E.S. Affiliation Not Assigned. 60FR7592 00004. 95/04/04. Docketing & Services Branch. ROBINSON,C. NRC - No Detailed Affiliation Given. 10pp. 83722:081-83722:090.

9505030180 Comment on NRC announcement of intent to reduce scope of work to states under contract to NRC to perform environmental monitoring in evirons of selected licenses facilities.
HAUSLER,W.J. Iowa, Univ. of, Iowa City, IA. 60FR18428 00001. 95/04/19. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 83722:102-83722:103.

9505040013 Comment supporting proposed rule 10CFR50 re "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors."
DENTON,R.E. Baltimore Gas & Electric Co. 60FR9634 00002. 95/04/28. Docketing & Services Branch. 2pp. 83743:006-83743:007.

9505040030 Comment on proposed rules 10CFR30,40,70 & 72 re SECY-95-043, "Clarification of Decommissioning Funding Assurance Requirements." Agreement States comment should be respected by NRC & rule should be assigned level 4 compatibility.
ALDRICH,R. New York, State of. 59FR32138 00009. 95/04/19. Docketing & Services Branch. 2pp. 83743:008-83743:011.

9505040079 Comments on draft policy statement, "Freedom of Employees in Nuclear Industry to Raise Safety Concerns W/o Fear of Retaliation."
BLANCH,P.M. Affiliation Not Assigned. 60FR7592 00027. 95/04/30. HOYLE,J. Office of the Secretary of the Commission. 10pp. 83743:012-83743:021.

9505050191 Summary of 950407 meeting re proposed rule, "Shutdown & Low-Power Operations for Nuclear Power Reactors." Attendance list & viewgraphs encl.
LYON,W.C. . 95/04/18. JONES,R.C. . 55pp. 83822:152-83822:206.

9505090016 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing For Water-Cooled Power Reactors." Endorses NEI comments.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 60FR9634 00005. 95/05/01. Docketing & Services Branch. 2pp. 83816:065-83816:066.

9505090019 Comment supporting proposed rule 10CFR170 & 171 re rev of fee schedules;100% fee recovery,FY95.Licensee of belief that Commission must continue to seek legislative relief from 100% fee recovery as mandated by Congress since FY91.
LIPARULO,N.J. Westinghouse Electric Corp. 60FR14670 00022. 95/04/25. HOYLE,J. Office of the Secretary of the Commission. 3pp. 83816:090-83816:092.

9505090026 Comment supporting draft policy statement re freedom of employees in nuclear industry to raise safety concerns w/o fear of retaliation.
LIPARULO,N.J. Westinghouse Electric Corp. 60FR7592 00028. 95/04/24. HOYLE,J. Office of the Secretary of the Commission. 4pp. 83816:105-83816:108.

9505090030 Comment supporting proposed rule 10CFR50 re "Primary Reactor Containment Leakage Testing For Water-Cooled Power Reactor.
GRANT,J.M. Yankee Atomic Electric Co. 60FR9634 00006. 95/05/04. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83816:145-83816:147.

9505090057 Comment on proposed rule 10CFR50 re fracture toughness requirements for LWR pressure vessels & draft reg guide DG-1027.Advises that info made available through annealing demonstration into reg guide should prove beneficial.
TOMES,C.A., NEWTON,R.A. Westinghouse Operating Plants Owners Group. 59FR50513 00010. 95/04/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 83816:222-83816:223.

9505090060 Final rules 10CFR2 & 72, "Interim Storage of Spent Fuel in ISFSI at Reactor Site," amending procedures to permit NMSS to issue site specific license to qualified applicant.
HOYLE,J.C. Office of the Secretary of the Commission. 58FR31478. 95/04/24. 35pp. 83816:226-83816:260.

9505090075 Comment on proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.Advises that change would prevent use of high range pocket dosimeters.
TURBERVILLE,D. Alabama, State of. 59FR9429 00063. 95/02/15. GLENN,J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83817:029-83817:030.

9505090090 Comment on proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.Urges NRC to delete alarming ratemeter rules.
DORAN,H. Affiliation Not Assigned. 59FR9429 00064. 95/04/17. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 83816:354-83816:355.

9505090097 Comment on proposed rules 10CFR34 & 150 re requirements for industrial radiographer certification.Urges NRC to include two-man crew & radiographer certification requirements in final version of 10CFR34.
RATLIFF,R.A. Texas, State of. 59FR9429 00065. 95/04/21. TAYLOR,J. Ofc of the Executive Director for Operations. 5pp. 83817:057-83817:061.

9505090104 Comment on proposed rules 10CFR30,40,70 & 72, "Clarification of Decommissioning Funding Assurance Requirements." Objects to designation of decommissioning funding plan rule as div 2 due to being not direct radiation health & safety issue.
FRAZEE,T.C. Washington, State of. 59FR32138 00010. 95/05/03. Docketing & Services Branch. 3pp. 83817:155-83817:157.

9505090114 Comment on proposed rule 10CFR50 re option B to App J concerning containment leakage rate tests.Recommends that use of PRA should be enhanced in regulatory framework.
ROBLEDO,F. Consejo de Seguridad Nuclear (Spain). 60FR9634 00003. 95/04/21. Docketing & Services Branch. 3pp. 83817:182-83817:184.

9505090123 Comment on proposed rule 10CFR50 re primary reactor containment leakage testing for water-cooled power reactors. Urges NRC to support rev to NEI 94-01 which will allow use of two reduced pressure Type A tests as prerequisites.
WADLEY,M.D. Northern States Power Co. 60FR9634 00004. 95/04/28. Docketing & Services Branch. 4pp. 83817:185-83817:188.

9505110231 Comment supporting proposed rule 10CFR50 re "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.
* Entergy Operations, Inc. 60FR9634 00010. 95/05/05. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 83862:025-83862:028.

9505110237 Comment on proposed rule 10CFR50, "Primary Containment Leakage Testing for Water-Cooled Power Reactors." Believes that NRC does not have sufficient objective data,nor perspective,to justify raising of containment leakage rates.
ARNDT,E.G. Affiliation Not Assigned. 60FR9634 00007. 95/05/04. Docketing & Services Branch. 2pp. 83862:031-83862:032.

9505110243 Forwards comments on proposed performance-based rule 10CFR50,App J on containment leak rate testing.
BARKLEY,R. Region 1 (Post 820201). 60FR9634 00011. 95/04/19. DEY,M. Office of Nuclear Regulatory Research (Post 941217). 6pp. 83862:033-83862:038.

9505110249 Final rules 10CFR2,51 & 54, "NPP License Renewal,Revs" amending regulations to revise requirements that applicant must meet for obtaining renewal of NPP OL.
HOYLE,J.C. Office of the Secretary of the Commission. 59FR46574. 95/05/01. 149pp. 83862:039-83862:187.

9505110264 Comment on proposed rule 10CFR50, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR9634 00012. 95/05/08. HOYLE,J.C. Office of the Secretary of the Commission. 58pp. 83862:188-83862:243.

9505110272 Comment on proposed rule 10CFR50,app J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors." Endorses NEI comments re proposed rule w/stated exception.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 60FR9634 00013. 95/05/08. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 83862:244-83862:244.

9505110298 Comment supporting proposed rule 10CFR50,App J re primary reactor containment leakage testing for water cooled power reactors.GPU Nuclear Corp reviewed & endorses industry comments.
FORNICOLA,J.C. General Public Utilities Corp. - GPU Service Corp. 60FR9634 00008. 95/05/04. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 83862:245-83862:245.

9505110306 Comment supporting proposed rule 10CFR60,App J & NUREG-1493 re leak rate testing of containment sys of NPPs.Believes that present version obsolete & Type A testing should be stopped altogether until methodology improved.
REYTBLATT,Z. Affiliation Not Assigned. 60FR9634 00009. 95/05/04. CHILK,S.J. Office of the Secretary of the Commission. 16pp. 83862:246-83862:261.

9505120237 Comment on proposed rule 10CFR50,app J, "Primary Containment Leakage Testing." Believes contradictory to allow licenses option of reducing reliability of key component.
TOSCH,K.W. New Jersey, State of. 60FR9634 00015. 95/05/08. Docketing & Services Branch. 2pp. 83884:334-83884:335.

9505120241 Comment supporting proposed rules 10CFR50,52 & 100 re reactor site criteria,including seismic & earthquake engineering criteria.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 59FR52255 00009. 95/05/08. Docketing & Services Branch. 3pp. 83884:336-83884:338.

9505120244 Comment supporting proposed rule 10CFR50 re providing performance-based option for leakage rate testing of containments of light-water-cooled nuclear power plants.
KRIESER,G.M. Wisconsin Electric Power Co. 60FR9634 00014. 95/05/04. CHILK,S.J. Docketing & Services Branch. 2pp. 83884:339-83884:340.

9505220091 Comment on proposed rules 10CFR50 & 70 re physical security plan format changes.Elimination of unnecessary requirements appropriate.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR19170 00001. 95/05/17. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 83985:140-83985:141.

9505220096 Comments on proposed rules 10CFR34 & 150 re two person radiographic crew requirement.
REINHOLDT,R. MQS Inspection, Inc. (formerly Magnaflux Corp.). 59FR9429 00071. 95/04/07. CAMPER,L. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83985:142-83985:143.

9505220101 Comment on proposed rule 10CFR50 re "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactor."
JAIN,S.C. Toledo Edison Co. 60FR9634 00021. 95/05/10. Docketing & Services Branch. 2pp. 83985:144-83985:145.

9505220102 Comments on proposed rules 10CFR30,40,70 & 72 re clarification of decommissioning funding assurance requirements.
FLETCHER,R.G. Maryland, State of. 59FR32138 00011. 95/05/02. BANGART,R.L. Office of State Programs (Post 911117). 1p. 83985:146-83985:146.

9505220105 Comment opposing proposed revision to 10CFR50,App J, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.
SCACE,S.E. Northeast Utilities. 60FR9634 00018. 95/05/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 83985:147-83985:149.

9505220108 Comment supporting proposed rules 10CFR34 & 150 re two person radiographic crew.
NAUS,J.E. MQS Inspection, Inc. (formerly Magnaflux Corp.). 59FR9429 00072. 95/04/17. CAMPER,L. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83985:150-83985:151.

9505220109 Comment supporting proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing For Water Cooled Power Reactors."
ROGAN,R.E. Carolina Power & Light Co. 60FR9634 00020. 95/05/08. Docketing & Services Branch. 1p. 83985:152-83985:152.

9505220110 Comment on proposed rules 10CFR34 & 150 re radiation safety monitors.
WINYON,J.J. Affiliation Not Assigned. WINYON,J.J. MQS Inspection, Inc. (formerly Magnaflux Corp.). 59FR9429 00074. 95/04/18. CAMPER,L. Medical, Academic & Commercial Use Safety Branch. 2pp. 83985:153-83985:154.

9505220114 Comment supporting proposed rules 10CFR34 & 150 re industrial radiography.
DORAN,H. Non Destructive Testing Corp. 59FR9429 00073. 95/04/17. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 83985:156-83985:157.

9505220115 Comment supporting proposed rule 10CFR50 re App J, "Primary Reactor Containment Leakage Testing for Water- Cooled Power Reactors."
KELLER,L.C. Florida Power & Light Co. 60FR9634 00016. 95/05/02. HOYLE,J.C. Docketing & Services Branch. 1p. 83985:158-83985:158.

9505220116 Comment on proposed rules 10CFR34 & 150 re elimination of requirements for industrial radiographer certification & two man crew included in rev.
RATLIFF,R.A. Texas, State of. 59FR9429 00075. 95/04/21. TAYLOR,J. Ofc of the Executive Director for Operations. 5pp. 83985:159-83985:163.

9505220117 Comment opposing proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors."
HIATT,S.L. Ohio Citizens for Responsible Energy. 60FR9634 00022. 95/05/10. Docketing & Services Branch. 4pp. 83985:164-83985:167.

9505220118 Comment re proposed rule 10CFR50 re leakage rate testing of primary containment.NRC should give due consideration to NUMARC recommendation concerning licensee commitments to Option B as stated.
YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 60FR9634 00019. 95/05/05. HOYLE,J.C. Office of the Secretary of the Commission. HOYLE,J.C. Docketing & Services Branch. 2pp. 83985:168-83985:169.

9505220119 Comment supporting proposed rules 10CFR34 & 150 re use of two person radiography crews.
BANDIELD,E.L. MQS Inspection, Inc. (formerly Magnaflux Corp.). 59FR9429 00070. 95/04/06. CAMPER,L. Medical, Academic & Commercial Use Safety Branch. 2pp. 83985:170-83985:171.

9505220120 Comment on proposed revs to proposed rules 10CFR50,52 & 100 re "Reactor Site Criteria Including Seismic & Earthquake Engineering Criteria for NPP & Proposed Denial of Petition from Free Environ,Inc,et al."
MACHIELS,A. . 59FR52255 00010. 95/05/12. Docketing & Services Branch. 14pp. 83985:172-83985:185.

9505220121 Comment supporting proposed rule 10CFR50 re primary reactor containment leakage testing.
GOODMAN,L.S. Detroit Edison Co. 60FR9634 00017. 95/05/08. Docketing & Services Branch. 1p. 83985:186-83985:186.

9505220123 Comment on NRC proposed revs to 10CFR50,52 & 100 re reactor site criteria.Recommends replacing various refs to part 100, app A w/part 100.23.
MILNER,R.A. Energy, Dept. of. 59FR52255 00011. 95/05/11. Docketing & Services Branch. 13pp. 83985:187-83985:199.

9505220125 Comment opposing proposed rule 10CFR50 re reduction of emergency plan exercise requirements from annual to biennial exercises.Requests withdrawal of proposed rule.
RUPERT,C. Affiliation Not Assigned. 60FR19002 00001. 95/05/09. Docketing & Services Branch. 1p. 83985:200-83985:200.

9505220126 Comment re proposed rules 10CFR34 & 150 re industrial radiographer certification.Believes that participatory RM by Agreement States important in two-man crew & that NRC should not have reversed position w/o prior consultation.
MOUNT,D.K. North Carolina, State of. 59FR9429 00077. 95/05/01. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 83985:201-83985:203.

9505220127 Comment opposing proposed rules 10CFR50,52 & 100 re "Reactor Site Criteria for NPP."
MUNTZING,L.M. Morgan, Lewis & Bockius. 59FR52255 00013. 95/05/12. Office of the Secretary of the Commission. 5pp. 83985:204-83985:208.

9505220131 Comment supporting proposed rule 10CFR34 & 150 re national certification program to improve safety for industrial radiographers.ASNT supports inclusion of "two person" rule as essential safety practice.
PANHUISE,V.E. American Society for Nondestructive Testing. 59FR9429 00068. 95/03/31. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 2pp. 83985:209-83985:210.

9505220132 Comment supporting proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
DOGGART,R.R. Affiliation Not Assigned. DOGGART,R.R. American Society for Nondestructive Testing. 59FR9429 00066. 95/03/29. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 4pp. 83985:211-83985:214.

9505220133 Comment re proposed rules 10CFR34 & 150 re industrial radiography & two person requirement for small businesses. Current two man crew requirement discourages nurturing stable & reliable work force.
NEWLAND,J.A. Jan X-Ray Services, Inc. 59FR9429 00078. 95/05/08. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 3pp. 83985:215-83985:217.

9505220137 Comment re proposed rules 10CFR50,52 & 100 concerning reactor site criteria,including seismic & earthquake engineering criteria.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR52255 00012. 95/05/12. HOYLE,J.C. Office of the Secretary of the Commission. HOYLE,J.C. Docketing & Services Branch. 29pp. 83985:218-83985:252.

9505220138 Comment on proposed rules 10CFR34 & 150 re impact on radiographic operations.
MCMULLIN,D.J. Affiliation Not Assigned. MCMULLIN,D.J. MQS Inspection, Inc. (formerly Magnaflux Corp.). 59FR9429 00076. 95/04/24. CAMPER,L. Medical, Academic & Commercial Use Safety Branch. 2pp. 83985:253-83985:254.

9505220141 Comment supporting proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.
DORAN,H.V. Affiliation Not Assigned. DORAN,H.V. MQS Inspection, Inc. (formerly Magnaflux Corp.). 59FR9429 00067. 95/03/30. CAMPER,L. Medical, Academic & Commercial Use Safety Branch. 2pp. 83985:255-83985:256.

9505220142 Comment supporting proposed rules 10CFR34 & 150 re elimination of requirements re radiographer certification.
FLATER,D.A. Iowa, State of. 59FR9429 00069. 95/04/03. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 83985:257-83985:260.

9505230002 Comments on NRC 950410 ltr announcing NRC intention to reduce scope of work under NRC Cooperative Agreement Program.
CROSSLIN,R. Tennessee, State of. 60FR18428 00005. 95/05/11. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84001:022-84001:022.

9505230010 Comment on FRN dtd 950405 re NRC Cooperative Agreement Program.Environmental monitoring component of Cooperative Agreement should be retained & funding continued to participating state programs.
DUSENBURY,B.D. North Carolina, State of. 60FR18428 00004. 95/05/10. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84001:068-84001:069.

9505230015 Comment supporting continuation of US NRC/State Cooperative Agreement to perform environmental radiation monitoring in environs of selected NRC licensed facilities.
TEFFT,D.E. Massachusetts, Commonwealth of. 60FR18428 00006. 95/05/16. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84001:079-84001:080.

9505230111 Comment supporting proposed rule 10CFR50,App J concerning primary reactor containment leakage testing.Believes that PR should permit Type C test intervals up to 10 yrs.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 60FR9634 00026. 95/05/15. Docketing & Services Branch. 2pp. 84001:353-84001:354.

9505230121 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power." Util in total agreement w/NEI comments.
MOREY,D. Southern Nuclear Operating Co. 60FR9634 00023. 95/05/04. Document Control Branch (Document Control Desk). 2pp. 84001:359-84001:360.

9505230125 Comment on proposed rev to 10CFR50,app J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors." Proposed rev will result in highly efficient regulation.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 60FR9634 00025. 95/05/05. Docketing & Services Branch. 2pp. 84002:001-84002:003.

9505230142 Comment on reduction in scope of Cooperative Agreement Program.
BELL,R.L. Michigan, State of. 60FR18428 00002. 95/05/08. NRC - No Detailed Affiliation Given. 2pp. 84002:006-84002:007.

9505230154 Comment on 10CFR35 & modifications of NRC medical therapy regulations.
KELSEY,C.A. Affiliation Not Assigned. KELSEY,C.A. New Mexico, Univ. of, Albuquerque, NM. 59FR55068 00033. 95/02/20. NRC - No Detailed Affiliation Given. 3pp. 84002:008-84002:010.

9505230180 Comment opposing NRC proposal to reduce scope of work to states under Cooperative Agreement Program.
CRAFT,A.A., AUTRY,V.R. South Carolina, State of. 60FR18428 00003. 95/05/15. NRC - No Detailed Affiliation Given. 3pp. 84002:033-84002:035.

9505230184 Comment on proposed rule 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power." Requests that NRC to expedite promulgation of option B rule.
MCCOY,C.K. Georgia Power Co. 60FR9634 00024. 95/05/05. Document Control Branch (Document Control Desk). 2pp. 84002:036-84002:037.

9505250097 Forwards 950510 resolution on 10CFR34 rulemaking,adopted by CRCPD during annual meeting.Notifies that CRCPD urging NRC to include two qualified person crew & industrial radiographer certification requirements in final 10CFR34.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/05/18. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). MORRIS,B.M. Division of Regulatory Applications (Post 941217). 2pp. 84045:197-84045:202.

9505260032 Comment on NRC announcement of intent to reduce scope of work to states under contract to NRC to perform environmental monitoring in environs of selected licensed facilities.
BORCHERT,H.R. Nebraska, State of. 60FR18428 00007. 95/05/19. NRC - No Detailed Affiliation Given. 2pp. 84062:101-84062:102.

9505300053 Comments on proposed rules 10CFR50,52 & 100 re reactor site criteria,including seismic & earthquake engineering criteria.
SCHULTZ,S.P. Yankee Atomic Electric Co. 59FR52255 00014. 95/05/19. HOYLE,J.C. Office of the Secretary of the Commission. 100pp. 84076:164-84076:261.

9505300057 Proposed rule 10CFR73, "Changes to NPP Security Requirements Associated w/Containment Access Control." Rule would relieve NPP licensees of requirement to separately control access to reactor containments during periods of high traffic.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 60FR24803. 95/05/02. 10pp. 84076:269-84076:278.

9505300064 Comment on proposed rules 10CFR50,52 & 100, "Reactor Site Criteria Including Seismic & Earthquake Engineering Criteria for NPPs." Provides suppl comment to 950512 ltr.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR52255. 95/05/19. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 84076:320-84076:324.

9505300067 Comment on proposed rules 10CFR30,40,70 & 72 re clarification of decommissioning funding assurance requirements.
MOBLEY,M.H. Tennessee, State of. 59FR32138 00012. 95/05/15. Docketing & Services Branch. 5pp. 84076:327-84076:331.

9505300108 Proposed rules 10CFR50 & 70, "Physical Security Plan Format Changes." Rules would amend regulations to eliminate requirement for applicants for power reactor & Category I fuel cycle licenses to submit physical plans in two parts.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 60FR19170. 95/04/05. 8pp. 84077:055-84077:062.

9505300135 Correction to Proposed Rules 10CFR20 & 61, "Low-Level Waste Shipment Manifest Info & Reporting." Action corrects text of paragraph 10CFR20,App G,paragraph III E,inadvertently omitted from codified text of final rule.
HOYLE,J.C. Office of the Secretary of the Commission. 57FR14500. 95/05/10. 3pp. 84077:310-84077:312.

9505300148 Final rules 10CFR2,19,20,30,32,40,50,51,60,61,70,71,72,73, 74,76 & 150, "Changes to NRC Addresses & Telephone Numbers," amending regulations to indicate current addresses,telephone numbers & organizational titles within NRC.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 60FR24549. 95/04/28. 20pp. 84077:317-84077:336.

9505300151 Final rule 10CFR11 & 25, "NRC Licensee Renewal/ Reinvestigation Program," amending regulations to eliminate five-yr expiration date for licensee "U" & "R" special nuclear matl & "Q" & "L" access authorizations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 59FR66812. 95/05/08. 9pp. 84077:337-84077:345.

9505300203 Comment suporting proposed rule 10CFR50 re containment leakage testing.Supports NEI comments.
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 60FR9634 00027. 95/05/19. Docketing & Services Branch. 1p. 84077:359-84077:359.

9505310078 Comment on draft reg guide DG-1035,restart of nuclear power plant shutdown by seismic event.Suggests to clarify in reg guide exclusion of analysis requirement for non-nuclear safety related sys & components.
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 60FR10880 00004. 95/05/11. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 84095:339-84095:341.

PRESS PRESS RELEASES

9505030101 Forwards repts from ACRS commenting on proposed rulemaking on reporting reliability & availability info for risk- significant sys & equipment & proposed final rule change to TSs for licensed nuclear power plants.
* Office of Public Affairs (Post 911117). 95/04/18. 1p. 83845:001-83845:006.

9505040115 "Assessment of NRC Enforcement Program Completed."
* Office of Public Affairs (Post 911117). 95/05/01. 2pp. 83795:359-83795:360.

9505050011 "NRC Staff Asks PWR Operators to Provide SG Tube Data."
* Office of Public Affairs (Post 911117). 95/05/01. 2pp. 83890:022-83890:023.

9505050014 "Dr SA Jackson Sworn in as Member of NRC."
* Office of Public Affairs (Post 911117). 95/05/02. 1p. 83856:030-83856:030.

9505090194 "ACNW to Meet 950510-11."
* Office of Public Affairs (Post 911117). 95/05/02. 2pp. 83924:041-83924:041.

9505090195 "NRC Rejects Application for U Enrichment Plants,Postpones Public Meeting."
* Office of Public Affairs (Post 911117). 95/05/05. 2pp. 83924:042-83924:043.

9505090197 "NRC Seeks Nominations for Membership on Nuclear Safety Research Review Committee."
* Office of Public Affairs (Post 911117). 95/05/05. 2pp. 83924:044-83924:045.

9505120075 "NRC Amends Regulations Governing Renewal of Nuclear Power Plant Licenses.
* Office of Public Affairs (Post 911117). 95/05/08. 2pp. 83947:359-83947:360.

9505120076 "NRC Withdraws Proposed Fine Against HLP Co."
* Office of Public Affairs (Post 911117). 95/05/08. 2pp. 83947:361-83947:362.

9505150097 Forwards four listed repts from ACNW.
* Office of Public Affairs (Post 911117). 95/05/02. 1p. 83948:013-83948:028.

9505180225 "NRC Staff Authorizes Loading of Dry Cask Spent Fuel Storage Sys at Prairie Island Nuclear Power Station in MN."
* Office of Public Affairs (Post 911117). 95/05/12. 2pp. 84030:346-84030:347.

9505180241 "NRC Proposes $100,000 Fine Against Commonwealth Edison for Violation at Braidwood Nuclear Plant."
* Office of Public Affairs (Post 911117). 95/05/12. 2pp. 84030:302-84030:303.

9505180473 "NRC to Meet W/USEC on Application for Certification of U Enrichment Plants."
* Office of Public Affairs (Post 911117). 95/05/15. 1p. 84025:319-84025:319.

9505260219 "Vice President Gore to Swear in Dr S Jackson as Member of NRC."
* Office of Public Affairs (Post 911117). 95/05/22. 1p. 84100:013-84100:013.

9505260226 "NRC Requests Addl Info on Reactor Vessel Integrity."
* Office of Public Affairs (Post 911117). 95/05/22. 2pp. 84100:015-84100:016.

9505260231 "NRC Staff Proposes $50,000 Fine Against WPPSS for Apparent Violations at Nuclear Power Plant Near Hanford."
* Office of Public Affairs (Post 911117). 95/05/19. 2pp. 84100:014-84100:014.

9505260237 "NRC ACRS to Meet in Rockville,MD 90608-10."
* Office of Public Affairs (Post 911117). 95/05/22. 3pp. 84100:019-84100:021.

9505260243 "NRC Receives Application from USEC for Certification of U Enrichment Plant."
* Office of Public Affairs (Post 911117). 95/04/28. 2pp. 84100:017-84100:018.

9505260247 "NRC to Amend Regulation Governing Licensing of ISFSI."
* Office of Public Affairs (Post 911117). 95/04/28. 2pp. 84100:022-84100:023.

9505260254 Forwards ACRS repts re regulatory reform initiatives & natl performance review phase II.
* Office of Public Affairs (Post 911117). 95/05/18. 1p. 84100:024-84100:032.

9505310003 "NRC Staff Proposes to Fine Northeast Nuclear Energy Co $50,000 for Alleged Violations of NRC Requirements."
* Office of Public Affairs (Post 911117). 95/05/25. 2pp. 84162:016-84162:017.

9505310255 "NRC Staff Proposes $50,000 Fine Against CPC for Violations of Safety Requirements at Big Rock Point Nuclear Plant."
* Office of Public Affairs (Post 911117). 95/05/26. 1p. 84162:032-84162:032.

PRM PETITION FOR RULEMAKING

9505090051 Denial of petition for rulemaking 10CFR170 & 171.
HOYLE,J.C. Office of the Secretary of the Commission. 58FR21116. 95/04/24. 22pp. 83816:189-83816:210.

9505090099 Forwards comment on proposed rules 10CFR170 & 171 re licensing,insp & annual fees.Requests that NRC amend regulations to alleviate impact of fees on American Mining Congress Members.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 58FR21116. 95/04/21. GILCHRIST,J.E. American Mining Congress. 24pp. 83817:062-83817:085.

9505180401 Notification of 950601 meeting w/DOE in Rockville,MD to discuss DOE petition for rulemaking (PRM-71-11) to exempt vitrified HLW canisters from double containment requirements of 10CFR71.63(b).
EASTON,E.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/15. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84026:352-84026:353.

PROJ PROJECTS - PREDOCKET LICENSING

9505040110 Ack receipt of 950224 response to EPA request for interagency support at RAMP Industries site.NRC support will be needed during final decommissioning/clean-up of site.
GIEDT,J.R. Environmental Protection Agency. 8HWM-ER. 95/03/29. KNAPP,M.R. Division of Waste Management (NMSS 940403). 9pp. 83753:336-83753:345.

9505110248 Notification of 950615 meeting w/WOG to discuss life cycle Mgt/License Renewal Program.
NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/05/02. HOFFMAN,S.T. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 3pp. 83936:350-83936:352.

9505110331 Registers initial use,on 950414,of Pacific Sierra Nuclear Ventilated Storage Cask Model VSC-24,Number CVCC-24-12.
HAAS,K.M. Consumers Power Co. 95/05/02. Document Control Branch (Document Control Desk). 1p. 83945:303-83945:303.

9505120090 Forwards "Draft SER on Vitrification Process & HLW Interim Storage Review of WVNS-SAR-003,Rev 2,Draft D."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/04/14. MEEHAN,B.D. Division of Contracts (Post 940714). 2pp. 83942:182-83942:294.

--9505120093 "Draft SER on Vitrification Process & HLW Interin Storage Review of WVNS-SAR-003,Rev 3,Draft D."
TSCHOEPE,E., POMERENING,D.J., NAIR,P.K. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/04/30. Division of Fuel Cycle Safety & Safeguards (Post 930207). 111pp. 83942:186-83942:294.

9505120248 Forwards "SER on West Valley Demonstration Project Vitrification Process & HLW Interim Storage," dtd May 1995.
COMFORT,G.C. Licensing Branch. 95/05/05. ROWLAND,T.J. Energy, Dept. of. 1p. 83946:257-83946:352.

--9505120252 "SER on West Valley Demonstration Project Vitrification Process & HLW Interim Storage."
* NRC - No Detailed Affiliation Given. 95/05/01. 97pp. 83946:258-83946:352.

9505120272 Provides addl info re request to amend VSC-24 cask COC.
THOMPSON,T.C. Sierra Nuclear, Inc. ATL-TCT-95-021. 95/04/28. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 83936:001-83936:162.

--9505120274 ANO-109.001.006 R01 Rev 1 to design calculation, "Required B Concentrations for Various Assembly Types & Fuel Enrichments in VSC-24 MSB."
* Sierra Nuclear, Inc. 95/04/28. 74pp. 83936:008-83936:081.

--9505120276 CCV.1.1.3 "Bechmark Calculations & Validation of Keno-Va PC Computer Code."
* Sierra Nuclear, Inc. 95/04/28. 37pp. 83936:082-83936:122.

--9505120278 ANO-108.009 "Qualification Load Test Rept for ANO Hoist Ring & Structural Lid,Safety Classification Important to Safety."
HIGNITE,D.A., THOMPSON,T.C., ROLLO,J.E. Sierra Nuclear, Inc. 95/04/28. 41pp. 83936:123-83936:162.

9505150117 Informs of considerations that new analysis for TSAR should incorporate.
STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/08. TJERSLAND,G.T. Nuclear Assurance Corp. 2pp. 83975:359-83975:360.

9505180357 Forwards comments on assessment of MHTGR cavity overpressure accidents that may impair functionality of reactor cavity cooling sys & comments on estimate of air shock pressure induced in MHTGR reactor cavity by range of vessel failures.
FRANKS,S. Energy, Dept. of. 95/05/10. Document Control Branch (Document Control Desk). 9pp. 83992:322-83992:330.

9505180364 Forwards "NAC-STC Confirmatory Heat Transfer Analysis, 950512," summarizing changes to thermal model & results of revised analysis,including revised radial & axial temp profiles as requested.
TJERSLAND,G.T. Nuclear Assurance Corp. GTT/95/109/EDS. 95/05/12. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83992:293-83992:321.

--9505180369 "NAC-STC Confirmatory Heat Transfer Analysis,950512."
* Nuclear Assurance Corp. 95/05/12. 27pp. 83992:295-83992:321.

9505180401 Notification of 950601 meeting w/DOE in Rockville,MD to discuss DOE petition for rulemaking (PRM-71-11) to exempt vitrified HLW canisters from double containment requirements of 10CFR71.63(b).
EASTON,E.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/15. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84026:352-84026:353.

9505180575 Notification of 950518 meeting w/Nuclear Energy Inst in Rockville,MD to discuss concepts related to development of performance based quality assurance criteria.
BLACK,S.C. . 95/05/10. SPESSARD,R.L. . 1p. 83984:013-83984:014.

9505190114 Notification of licensee meeting w/B&W in Rockville,MD on 950524 to discuss B&WOG responses to NRC staff request for addl info re B&WOG generic license renewal program TR, "Demonstration of Mgt of Aging Effects of RCS Piping."
HILTZ,T.G. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/05/09. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 3pp. 83988:302-83988:304.

9505190176 Forwards responses to questions & Rev 2 replacement pages re TN-32 topical SAR.
MASON,M. Transnuclear, Inc. E-13932. 95/05/12. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 19pp. 84012:272-84012:323.

--9505190187 "Rev 2 replacement pages re TN-32 Topical Safety Analysis Rept."
* Transnuclear, Inc. 95/05/12. 33pp. 84012:291-84012:323.

9505190360 Notification of 950518 meeting w/Nuclear Energy Inst in Rockville,MD to discuss accident mgt.
PALLA,R.L. . 95/05/16. BARRETT,R.J. . 2pp. 84030:352-84030:353.

9505190367 Notification of 950601 meeting w/Nuclear Energy Inst in Rockville,MD to discuss proposed approach for demonstrating technical feasibility of using NUREG-1465 severe accident source term at operating reactors.
WILSON,J.H. Standardization Project Directorate (PDST) (Post 941001). 95/05/15. QUAY,T.R. Standardization Project Directorate (PDST) (Post 941001). 3pp. 83991:349-83991:351.

9505220023 Responds to 950424 ltr re NRC regulations for licensing monitored retrievable storage facility.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/10. MANTLE,T. Affiliation Not Assigned. 2pp. 84035:355-84035:358.

--9505220032 Requests info re instructions & procedures for obtaining license for MRS facility.
MANTLE,T. Affiliation Not Assigned. 95/04/24. HAUGHNEY,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84035:357-84035:358.

9505220076 Summary of 950329 meeting w/NEI in Rockville,MD re const insp program for future reactors.NRC emphasized importance of close coordination w/applicant during licensing review to develop site-specific insp plan & integrated schedule.
MAGRUDER,S.L. Standardization Project Directorate (PDST) (Post 941001). 95/04/27. Standardization Project Directorate (PDST) (Post 941001). 17pp. 84002:314-84002:330.

9505230378 Informs of 950613 meeting w/NUMARC in Rockville,MD to discuss revs to maint rule implementation guidance document NUMARC 93-01.
BLACK,S.C. . 95/05/16. SPESSARD,R.L. . 1p. 84039:299-84039:300.

9505240097 Forwards implementation plan developed for EIS for completion of West Valley Demonstration Project by DOE/West Valley.
ROWLAND,T.J. Energy, Dept. of. 95/05/09. COMFORT,G. NRC - No Detailed Affiliation Given. BORGSTROM,C. Energy, Dept. of. BUBBS,S.R. New York, State of. 4pp. 84072:001-84072:113.

--9505240107 Rev 7 of "Implementation Plan for EIS for Completion of West Valley Demonstration Project By DOE & Closure of Western NY Nuclear Svc Ctr By NY State Energy Research & Development Authority," dtd Mar 1995.
* Energy, Dept. of. 95/03/31. 110pp. 84072:005-84072:113.

9505250021 Expresses appreciation for opportunity to review interagency draft environ impact statement for completion of West Valley demonstration project & closure or long-term mgt of Western New York Nuclear Svc Ctr.
COMFORT,G.C. Licensing Branch. 95/05/17. ROWLAND,T.J. Energy, Dept. of. 2pp. 84043:331-84043:332.

9505260397 Summary of 950316 meeting w/NEI re draft NEI rept, "Perception & Reality of 'Gap' in Nuclear Power Plant." List of attendees & rept encl.
GAMBERONI,D.L. Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84090:144-84090:205.

--9505260409 Draft "Perception & Reality of 'Gap' in Nuclear Power Plant Performance."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/03/31. 60pp. 84090:146-84090:205.

9505260486 Forwards responses to NRC/LLNL comments/open items dtd 950517 re Topical SAR,Rev 3 for NAC storable transport cask for use at ISFSI.
TJERSLAND,G.T. Nuclear Assurance Corp. GTT/95/120/EDS. 95/05/23. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 9pp. 84104:020-84104:030.

9505300061 Advises that DOE planning on scheduling third roundtable meeting in month of Jul or Aug 1995.
ROWLAND,T.J. Energy, Dept. of. 95/05/18. COMFORT,G.C. NRC - No Detailed Affiliation Given. 2pp. 84104:360-84104:362.

9505310094 Adds listed info to list of action items,as result of review of 950515 FAX re meeting at LLNL on 950517.
STURZ,F.C. . 95/05/22. TJERSLAND,G. Nuclear Assurance Corp. 1p. 84145:167-84145:167.

9505310271 Forwards key points resulting from 950517 meeting between NAC/LLNL/NRC re NAC-STC storage licensing.
TJERSLAND,G.T. Nuclear Assurance Corp. 95/05/17. CARLSON,R. Lawrence Livermore National Laboratory. 3pp. 84145:241-84145:243.

9505310647 Forwards responses to NRC/LLNL comments/open items dtd 950517 & 22 re heat transfer analysis presented in topical SAR,Rev 3 for NAC storable transport cask for use at ISFSI.
TJERSLAND,G.T. Nuclear Assurance Corp. GTT/95/123/EDS. 95/05/25. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 73pp. 84163:029-84163:101.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9505010161 Part 21 rept re notifying Commission of potential design defect of KSV EDG sys.
MOWERY,J.D. Cooper Energy Services. 95/04/21. Document Control Branch (Document Control Desk). 3pp. 83783:336-83783:338.

9505030198 Part 21 rept re hinge arms associated w/sixteen swing check valves mfg by Anchor-Darling Valve Co.
LABRUNA,S. Public Service Electric & Gas Co. of New Jersey. LR-N95059. 95/04/26. Document Control Branch (Document Control Desk). 13pp. 83790:025-83790:037.

9505050145 Part 21 rept re error notices received from former software suppliers.Former customers notified via error notices.Listed former customers not notified due to unknown addresses.
ORR,R.S. Boeing Co. G-1151-RSO-95-1. 95/04/25. Document Control Branch (Document Control Desk). 16pp. 83856:014-83856:029.

9505090013 Part 21 rept re mismarked AMP 12-10 insulated lugs at San Onofre Plant.Lugs oversize but have not failed & of no immediate reliability concern.Caused by mfg error in marking equipment.Lugs in inventory inspected & none mismarked.
STONE,D. ASEA Brown Boveri, Inc. 95/05/03. NRC - No Detailed Affiliation Given. 4pp. 83924:032-83924:035.

9505090038 Part 21 rept re mechanical defect in shaft length of some HEA63 lockout relays mfg between 1990-94.Defect identified could possibly result in binding of front shaft.Suspect relays checked for date codes & replacements ordered.
NUDING,M. MKW Power Systems, Inc. 95/04/28. MURLEY,T. Office of Nuclear Reactor Regulation (Post 941001). 5pp. 83924:036-83924:040.

9505100118 Part 21 rept re failed weld on source cup/rod of Troxler Model 3430 portable moisture/density gauge containing 8 mCi Cs-137.Weld joints on all inspected gauges found sound under visual insp.
THORNTON,J.T. Professional Service Industries, Inc. (formerly PTL-Inspectorate, Inc. & Pittsbu. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83924:101-83924:103.

9505110227 Forwards error notices received from former software suppliers.
ORR,R.S. Boeing Computer Services Co. (div. of Boeing Co.). G-1151-RSO-95-1. 95/05/01. Document Control Branch (Document Control Desk). 4pp. 83940:301-83940:304.

9505150306 Interim Part 21 rept re failures of Gould-Shawmit A25X 10-15 ampere fuses due to cracking of fuse element.Util not yet verified that mfg process described cause of failures & performing own metallurgical analysis on fuses.
SLY,C. Baltimore Gas & Electric Co. 95/05/05. NRC - No Detailed Affiliation Given. 2pp. 83977:324-83977:325.

9505180099 Part 21 rept re Model 200,227A,288A & 289A differential pressure instruments mfg w/B-fill fluid possibly not functioning if subj to radiation field greater than million rads.Long-term evaluation in progress.
ANDERSON,J. ITT Barton. 95/03/14. LAWTON,R. Power Authority of the State o New York (New York Power Authority). 5pp. 83974:163-83974:167.

9505190154 Part 21 rept,consisting of error notices received from former software suppliers.Listed former customers not notified due to unknown current addresses.
ORR,R.S. Boeing Computer Services Co. (div. of Boeing Co.). 95/05/05. Documen Control Branch (Document Control Desk). 31pp. 84068:030-84068:060.

9505240268 Part 21 rept re mismarked AMP 12-10 insulated lugs at SONGS. All AMP lugs currently in inventory at ABB Distribution Sys Div inspected for discrepancy or 950503.No mismarked lugs found.Training also held w/QA personnel on finding.
JACKSON,A. ASEA Brown Boveri, Inc. 95/04/13. NRC - No Detailed Affiliation Given 6pp. 84078:091-84078:096.

9505250206 Part 21 rept re ANSYS,Inc Class3 error repts 95-21 through 95-29.Former customers not notified because of unknown current addresses listed.Other former customers notified.
ORR,R.S. Boeing Computer Services Co. (div. of Boeing Co.). 95/05/16. Documen Control Branch (Document Control Desk). 12pp. 84078:348-84078:359.

9505300147 Part 21 rept re error in high air velocity calibr on both new instruments & recalibr air velocity test instruments.Air velocity recalibrs will be provided to customers at no charge.
WEYANDT,J. TSI, Inc. 95/04/24. NRC - No Detailed Affiliation Given. 4pp. 84090:013-84090:016.

9505300156 Interim Part 21 rept re contact failure of square D type KPD relay used in diesel generator control panel.Relays replaced at plant.Review of matter expected to be completed on 950508.
NUDING,M. MKW Power Systems, Inc. 10CFR21-0071. 95/04/24. MURLEY,T. Office of Nuclear Reactor Regulation (Post 941001). 12pp. 84090:001-84090:012.

9505300195 Final Part 21 rept re KEPCO,Inc model RMX24-D-20804 power supplies in which transistors Q15 &/or Q16 failed to open & R1 was open.Replacement of transmitters w/XSIS-095 along w/ replacement of electrolytic capacitors provides solution.
* Affiliation Not Assigned. CEI-9502-01. 95/04/26. NRC - No Detailed Affiliation Given. 18pp. 84090:017-84090:034.

9505310088 Part 21 rept re failure of Elgar Inverter PWM Drive logic card on 950324.Cause of failure unknown.Subsequent replacement logic card identified as deficient.Both logic cards returned to mfg for analysis.
COOK,J.G. Illinois Power Co. L16-95(05-22)LP. 95/05/22. Document Control Branch (Document Control Desk). 3pp. 84173:015-84173:017.

QA999 QUALITY ASSURANCE INSPECTIONS

9505010035 Confirms upcoming NRC insp of Energy & Process Corp on 950508-11.Informs that insp will review selected portions of licensee 10CFR50 App B quality assurance program.
GALLO,R.M. . 95/04/25. THORNTON,C.E. Affiliation Not Assigned. 1p. 83693:355-83693:355.

9505010096 Responds to NRC notice of nonconformance re insp rept 99901179/95-01 on 950215-17.Corrective actions:licensee "Dedication of Commercial Grade Matl," re revised sampling plans encl.
SHARP,T.R. Affiliation Not Assigned. 95/04/25. Document Control Branch (Document Control Desk). 15pp. 83722:332-83722:346.

9505050308 Ack receipt of 950323 ltr in response to NRC 950301 ltr. Reply has been found to be responsive to concerns raised in notice of nonconformance.
GALLO,R.M. . 95/04/27. GIRARD,D. . 1p. 83788:001-83788:001.

9505100175 Responds to 950329 ltrs re thread gaging issues.Forwards list of previous correspondence from licensee.
SHERON,B. . 95/04/24. JOHNSON,S.P. Affiliation Not Assigned. 6pp. 83873:052-83873:057.

9505120031 Forwards insp rept 99901164/95-01 on 950403-06 & notice of nonconformance.
GALLO,R. . 95/05/05. DEISENROTH,C.W. Affiliation Not Assigned. 2pp. 83872:234-83872:244.

--9505120037 Notice of nonconformance from insp on 950403-06. Nonconformance noted:documented licensee quality assurance surveys of Liquid Carbonic Cylinder Gas Products were inadequate to dedicate for nuclear-safety related use.
* . 95/05/05. 1p. 83872:237-83872:237.

--9505120054 Insp rept 99901164/95-01 on 950403-06.Noncompliance noted. Major areas inspected:licensee did not assure that QA survey of supplier of hydrogen gas calibration standards adequate to dedicate standards for nuclear safety-related use.
WILSON,R., CWALINA,G.C., GALLO,R.M. . 95/05/02. 7pp. 83872:238-83872:244.

9505120153 EN-92-087:on 930426,order had been issued to reduce amount of $7,500 civil penalty originally imposed by order on 930203,based on failure to adequately perform radiation survey.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-92-203. 95/05/04. 1p. 83871:206-83871:206.

9505190084 Forwards insp rept 99900369/95-01 on 950313-14 & notice of nonconformance.
GALLO,R.M. . 95/05/15. SMITH,R.P. Automatic Switch Co. 2pp. 83974:018-83974:030.

--9505190092 Notice of nonconformance from insp on 950313-14. Nonconformance/deviation noted:Automatic Switch Co failed to ensure that 890929 engineering dept decision to cease using silicone based fluids translated into instruction.
* . 95/05/15. 1p. 83974:020-83974:020.

--**9505190101** Insp rept 99900369/95-01 on 950313-14.No violations or deviations/noncompliance noted.Major areas inspected: quality programs & implementation for fabrication of SOVs.
PETROSINO,J.J., CWALINA,G.C., GALLO,R.M. . 95/05/15. 10pp. 83974:021-83974:030.

9505220013 Forwards insp rept 99900054/95-01 on 950313-16.No violations noted.
GALLO,R.M. . 95/05/16. COOPER,J.M. Dresser Industries, Inc. 1p. 83985:054-83985:061.

--**9505220019** Insp rept 99900054/95-01 on 950313-16.No violations or nonconformances noted.Major areas inspected:evaluation of implementation of Dresser Industries,Inc industrial valve operation,QA program & safety-related valves.
PETTIS,R.L., CWALINA,G.C., GALLO,R.M. . 95/05/16. 6pp. 83985:055-83985:061.

9505250206 Part 21 rept re ANSYS,Inc Class3 error repts 95-21 through 95-29.Former customers not notified because of unknown current addresses listed.Other former customers notified.
ORR,R.S. Boeing Computer Services Co. (div. of Boeing Co.). 95/05/16. Document Control Branch (Document Control Desk). 12pp. 84078:348-84078:359.

9505260432 Forwards insp repts 50-361/94-22 & 50-362/94-22 re fasteners to be used at plants,for info.
STROSNIDER,J.R. . 95/05/22. JOHNSON,S.P. Affiliation Not Assigned. 3pp. 84090:206-84090:226.

9505260474 Forwards 950310 ltr notifying that Namco Controls Corp intends to move operations into new bldg at stated address.
ADAMS,J.J. Namco Controls. 95/04/13. NRC - No Detailed Affiliation Given. 5pp. 84104:001-84104:005.

REGGD REGULATORY GUIDES

9505010067 Forwards "Advisory Committee on Medical Uses of Isotopes Briefing Book," for 950511-12 meeting.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 95/04/27. Document Control Branch (Document Control Desk). 527pp. 83686:001-83687:164.

--**9501270246** Forwards draft RG 10.8,rev 3, "Guidance for Preparation of Applications for Medical Use Programs," including licensing modules for manual brachytherapy & teletherapy,for comment.
PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/01/19. HEHL,C.W. Region 1 (Post 820201). STOHR,J.P. Region 2 (Post 820201). AXELSON,W.E. Region 3 (Post 820201). 132pp. 83686:301-83687:065.

9505020189 Summary of 420th meeting of ACRS on 950406-07 re proposed Rev 1 to Reg Guide 1.152, "Criteria for Digital Computers in Safety Sys in Nuclear Power Plants."
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. FACA. 95/04/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83783:346-83783:346.

9505030214 Rev 3 to reg guide 1.118, "Periodic Testing of Electric Power & Protection Sys."
* Office of Nuclear Regulatory Research (860720-941217). 95/04/30. 4pp. 83723:354-83723:357.

9505040384 Forwards combined 1994 annual radioactive effluent releases rept,including summary of quantities of radioactive liquid & gaseous effluents & solid waste released from site as outlined in Reg Guide 1.21,Rev 1.
BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. C311-95-2204. 95/04/27. Document Control Branch (Document Control Desk). 2pp. 83808:130-83808:183.

9505090312 Generic Ltr 92-02,Rev 1,Suppl 1 to all holders of OLs (except those licenses amended to possesion-only status) or CPs for nuclear power reactors re reactor vessel structural integrity.
ZIMMERMAN,R.P. Associate Director for Projects (ADPR) (Post 941001). GL-88-11. 95/05/19. Consolidated Edison Co. of New York, Inc. 10pp. 84084:352-84084:361.

9505240352 Provides suppl response to NRC request for info in support of INEL work under NRC contract to update RG 1.154, "Format & Content of Plant Specific Pressurized Thermal Shock SAR for Pressurized Water Reactors."
KRICH,R.M. Carolina Power & Light Co. RNP-RA/95-0095. 95/05/17. Document Control Branch (Document Control Desk). 4pp. 84068:353-84068:357.

9505300157 Comment supporting draft RG DG-1033 re nuclear power plant instrumentation for earthquakes.
HERZOG,D.S. . 60FR10880 00003. 95/05/11. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 84077:346-84077:350.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

9505020392 Extends invitation to attend 950511 meeting in Rockville,MD to discuss broad conclusions contained in 941027 rept entitled, "Towers Perrin Nuclear Regulatory Review Study" & NRC plans to respond to concerns.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 95/04/27. RASIN,W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 83706:283-83706:283.

9505030188 Comment on proposed GL, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." Proposed GL encourages valve mods,such as drilling holes in pressure boundary components.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR15799 00003. 95/04/27. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 83722:106-83722:108.

9505030317 Informs that no mutual understanding exists re NRC staff oversight of licensee severe accident mgt efforts per NRC 950109 ltr & recent statements made by NRR staff providing feedback on industry position.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/04/12. THADANI,A. . 4pp. 83759:061-83759:064.

9505100078 Ack receipt of Nuclear Energy Inst 950411 ltr re revs to ASME Boiler & Pressure Vessel Code,Section III rules & 1994 addenda for design of Class 1-3 piping sys.Completion of research program & NRC position expected end of CY95.
CRUTCHFIELD,D. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 95/05/04. RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 83873:041-83873:042.

9505100214 Ack receipt of 950418 proposed agenda for NRC 950502,public meeting.Provides documents in response to request for info that provides more insight on basis for rulemaking effort.
BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/04/25. KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 5pp. 83873:020-83873:024.

9505110264 Comment on proposed rule 10CFR50, "Containment Leakage Testing," to adopt performance-oriented & risk-based approaches.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR9634 00012. 95/05/08. HOYLE,J.C. Office of the Secretary of the Commission. 58pp. 83862:188-83862:243.

9505120238 Discusses 941109 NUMARC submittal re proprietary EPRI topical rept TR-103237 "EPRI MOV Performance Prediction Program Topical Rept." MOV Program intended to develop methodology to predict valve requirements.
WESSMAN,R.H. . 95/05/08. CALLAWAY,R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 5pp. 83930:001-83930:005.

9505150051 Forwards Rev a to "Upgraded EALs," based on methodology outlined in NUMARC/NESP-007.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/04. Document Control Branch (Document Control Desk). 3pp. 84137:001-84137:324.

9505180214 Notification of 950511 meeting w/NEI in Rockville,MD to discuss broad conclusions of Towers Perrin Nuclear Regulatory Review Study & NRR actions to respond to concerns.
MCCREE,V.M. Office of Nuclear Reactor Regulation (Post 941001). 95/05/08. MILHOAN,J.L. NRC - No Detailed Affiliation Given. 1p. 83992:164-83992:164.

9505180375 Notification of 950516 CRGR meeting 273 in Rockville,MD to review generic requirements.
JORDAN,E.L. Committee to Review Generic Requirements. GL-95-03. 95/05/08. KNAPP,M.R. Office of Nuclear Material Safety & Safeguards. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation (Post 941001). MERSCHOFF,E.W. Region 2 (Post 820201). 2pp. 83992:162-83992:163.

9505190177 Highlights several topics of discussion Nuclear Energy Inst believe important,per 950323 meeting on rulemaking for SGs. Presentation matls used during meeting encl.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/05/05. STROSNIDER,J.R. . 11pp. 84017:319-84017:329.

9505190296 Summary of CRGR meeting 271 on 950411 re SG tube cracking problems at Maine Yankee & possible issuance of GL to address experience,proposed final amend to 10CFR50.36, status of FC facilities & proposed rev of 10CFR70.
JORDAN,E.L. Committee to Review Generic Requirements. 95/04/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 50pp. 83988:227-83988:276.

9505220076 Summary of 950329 meeting w/NEI in Rockville,MD re const insp program for future reactors.NRC emphasized importance of close coordination w/applicant during licensing review to develop site-specific insp plan & integrated schedule.
MAGRUDER,S.L. Standardization Project Directorate (PDST) (Post 941001). 95/04/27. Standardization Project Directorate (PDST) (Post 941001). 17pp. 84002:314-84002:330.

9505220091 Comment on proposed rules 10CFR50 & 70 re physical security plan format changes.Elimination of unnecessary requirements appropriate.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR19170 00001. 95/05/17. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 83985:140-83985:141.

9505220137 Comment re proposed rules 10CFR50,52 & 100 concerning reactor site criteria,including seismic & earthquake engineering criteria.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR52255 00012. 95/05/12. HOYLE,J.C. Office of the Secretary of the Commission. 29pp. 83985:218-83985:252.

9505230378 Informs of 950613 meeting w/NUMARC in Rockville,MD to discuss revs to maint rule implementation guidance document NUMARC 93-01.
BLACK,S.C. . 95/05/16. SPESSARD,R.L. . 1p. 84039:299-84039:300.

9505250270 Provides summary of action items & documents actions on Nuclear Energy Institute items re discussion of industry's safety assessment of reactivity insertion accidents involving high burnup fuel during 950406 meeting.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/05/01. JONES,R.C. NRC - No Detailed Affiliation Given. 5pp. 84099:249-84099:253.

9505250278 Summary of 950511 meeting w/NUMARC re NRC actions in response to Towers Perrin nuclear regulatory review study.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/19. Ofc of the Executive Director for Operations. 3pp. 84082:315-84082:317.

9505260164 Summarizes 950421 meeting w/NEI to discuss radiation survey criteria for volumetric matl.
KLEMENTOWICZ,S. . 95/05/23. MILLER,C.L. . 3pp. 84090:287-84090:289.

9505260397 Summary of 950316 meeting w/NEI re draft NEI rept, "Perception & Reality of 'Gap' in Nuclear Power Plant." List of attendees & rept encl.
GAMBERONI,D.L. Office of Nuclear Reactor Regulation (Post 941001). 95/05/19. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 84090:144-84090:205.

--**9505260409** Draft "Perception & Reality of 'Gap' in Nuclear Power Plant Performance."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/03/31. 60pp. 84090:146-84090:205.

9505300064 Comment on proposed rules 10CFR50,52 & 100, "Reactor Site Criteria Including Seismic & Earthquake Engineering Criteria for NPPs." Provides suppl comment to 950512 ltr.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR52255. 95/05/19. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 84076:320-84076:324.

SECY POSITION PAPERS BEFORE THE COMMISSION

8709090597 SECY-87-211 Informs Commission of comments & recommendations re TVA preliminary lessons learned rept & recommends approval of staff disposition of recommendations.
STELLO,V. Ofc of the Executive Director for Operations. 87/08/20. 75pp. 83822:050-83822:123.

9503170230 SECY-95-053 Requests Commission decision on FR notice denying American Mining Congress petition for rulemaking & resolving associated policy issues to assessment of annual fees.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/03/08. 44pp. 83790:047-83790:090.

9503270277 SECY-95-056 Requests Commission approval for NRC to defer to EPA for oversight of remediation activities involving radioactive contamination at two sites & for intent to allow disposal of licensed radioactive matl in hazardous waste landfill.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/03/09. 25pp. 83900:200-83900:223.

9503270281 SECY-95-062 Requests that Commission appoint member of screening panel for review of nominations for new member of NSRRC.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/03/14. 2pp. 83693:258-83693:259.

9504210333 SECY-95-096 Informs Commission of JM Taylor intent to implement certain policies & practices of Reactor Resident Inspector Program for NMSS inspectors.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/14. 4pp. 83900:224-83900:227.

9505010007 SECY-95-100 Informs Commission of staff intent to issue GL, "Circumferential Cracking of SG Tubes," IAW guidance in 911220 memo from SJ Chilk to JM Taylor re SECY-91-172, "Regulatory Impact Survey Rept-Final."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/20. 10pp. 83823:089-83823:096.

9505010090 SECY-95-099 Requests Commission approval for FR publication of proposed RM for reporting equipment reliability data.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/18. 78pp. 83823:010-83823:088.

9505010099 SECY-95-101 Weekly info rept for wk ending 950414.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/04/20. 22pp. 83687:281-83687:302.

9505010109 SECY-95-097 Provides Commission w/draft FR notice & proposed press release inviting nominations for consideration for appointment to Nuclear Safety Research Review Committee.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/17. 7pp. 83900:193-83900:199.

9505100236 SECY-95-107 Weekly info rept for wk ending 950421.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/04/28. 24pp. 83890:072-83890:096.

9505100275 SECY-95-106 Provides Commission w/info re improvements in correlation between licensee performance & level of NRC insp effort.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/28. 43pp. 83963:321-83963:362.

9505100280 SECY-95-102 Litigation rept - 1995 - 4.
CORDES,J.F. Solicitor (Post 860701). 95/04/25. 54pp. 83962:297-83962:350.

9505120002 SECY-95-091 Informs Commission of staff intention to send ltr to DOE indicating no objection to proposed retransfer of SFA from Switzerland to UK for reprocessing & storage.
STOIBER,C.R. Office of International Programs (Post 911117). 95/04/12. 24pp. 83924:001-83924:024.

9505150002 SECY-95-111 Informs Commission of staff intent to reject US Enrichment Corp application for certification of gaseous diffusion plants under 10CFR76 & to require submittal of new application.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/02. 5pp. 83962:351-83962:355.

9505150063 SECY-95-115 Requests Commission approval of final, "Statement of Principles & Policy for Agreement State Program" & "Procedures for Suspension & Termination of Agreement State Program."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/05. 85pp. 84086:163-84086:241.

9505150069 SECY-95-112 Requests Commission approval of final Policy Statement on Adequacy & Compatibility of Agreement State Programs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/03. 76pp. 84086:088-84086:162.

9505150078 SECY-95-113 Weekly info rept for wk ending 950428.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/05/03. 18pp. 83948:186-83948:203.

9505180070 SECY-95-119 Informs Commission of status of plants re 10CFR50.61 & new info re RPV integrity & staff plans for resolution of RPV issues.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/08. 44pp. 84086:253-84086:292.

9505180078 SECY-95-118 Informs Commission of intent to issue suppl to GL 92-01, rev 1, "Reactor Vessel Structural Integrity."
TAYLOR,J.M. Ofc of the Executive Director for Operations. GL-92-01. 95/05/08. 14pp. 84086:242-84086:252.

9505190236 First partial response to FOIA request for records.App A records available in PDR & App B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 94/12/29. ANAGNOS,D. Affiliation Not Assigned. 3pp. 84026:091-84026:147.

-9209240485 SECY-92-320 Informs Commission of staff intent to issue encl NOV & proposed imposition of civil penalty in amount of $5,000 to MQS Insp,Inc,radiography licensee based in Elk Grove Village,IL.
TAYLOR,J.M. Ofc of the Executive Director for Operations. EA-92-133. 92/09/18. 13pp. 84026:134-84026:146.

9505250159 SECY-95-121 Weekly info rept for wk ending 950505.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/05/11. 21pp. 84067:327-84067:347.

SPEECHES SPEECHES

9505030109 S-95-04 "Principles for Nuclear Safety Culture in Todays Global Nuclear Community," remarks by I Selin at Japan Atomic Industrial Forum Tokyo,Japan 950410.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/04/10. 13pp. 83845:007-83845:019.

9505050015 Remarks by I Selin,Chairman,NRC before Intl High Level Waste Mgt Conference,Las Vegas,NV on 950501.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/01. 7pp. 83856:031-83856:037.

9505120061 S-95-07 Remarks by I Selin,Chairman NRC before NEI Annual Nuclear Energy Assembly at Mayflower Hotel,Washington,DC on 950508.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/08. 6pp. 83947:333-83947:338.

9505120064 S-95-05 Remarks by I Selin,Chairman NRC before Regulatory Info Conference Holiday Inn Crowne Plaza Hotel Rockville,MD on 950509.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/09. 9pp. 83947:339-83947:347.

9505120068 S-95-08 Remarks by JM Taylor,Executive Director for Operations NRC before Regulatory Info Conference Holiday Inn Crowne Plaza Hotel Rockville,MD on 950510.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/10. 7pp. 83947:348-83947:354.

9505120071 S-95-06 Remarks by SA Jackson,Commissioner NRC before NEI Annual Nuclear Energy Assembly Mayflower Hotel Washington,DC on 950508.
JACKSON,S.A. Commissioners (Post 750119). 95/05/08. 4pp. 83947:355-83947:358.

9505180493 "Getting Out in Front," conference paper presented at NRC Regulatory Info Conference in Rockville,MD on 950509.
ROGERS,K.C. Commissioners (Post 750119). 95/05/09. 8pp. 84007:291-84007:298.

9505180497 "Risk Analysis & Return to Common Sense," conference paper for presentation at NRC Regulatory Info Conference in Rockville,MD on 950509.
DE PLANQUE,E.G. Commissioners (Post 750119). 95/05/09. 10pp. 84030:336-84030:345.

9505310001 "Risk Based Regulation & Need for Reliability Data Collection," presented by KC Rogers at Intl Workshop on Reliability Data Collection Toronto,Canada 950516.
ROGERS,K.C. Commissioners (Post 750119). 95/05/16. 8pp. 84162:001-84162:008.

9505310002 Remarks by I Selin,Chairman of NRC before Advisory Committee on External Regulation of DOE Nuclear Safety Hanford,WA on 950515.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/15. 7pp. 84162:009-84162:015.

STATE PROG STATE PROGRAMS

9505010061 Forwards revs to health & safety plan,driller work statement & analyses re bioaccessibility & specification for Cambridge site.
SHIELDS,W.J. PTI Services, Inc. 95/04/19. BLAIR,B.J. Ohio, State of. 2pp. 83716:087-83716:195.

9505010163 Expresses appreciation for time spent last Friday to help WH Spell better understand process by which Type B package being evaluated & approved.
SPELL,W.H. Louisiana, State of. 95/04/12. WITHEE,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 83687:339-83687:339.

9505020023 Forwards State Agreements Program info including incident & event info,program mgt info,training course info,technical info & other info.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-068. 95/04/20. General. 16pp. 83689:082-83689:097.

9505020033 Forwards State Agreements Program info including incident & event info,program mgt info & training course info.
LOHAUS,P. Office of State Programs (Post 911117). 95/04/20. General. 22pp. 83689:186-83689:207.

9505020056 Forwards SECY-95-043,final rule on "Clarification of Decommissioning Funding Assurance Requirements."
BANGART,R.L. Office of State Programs (Post 911117). SP-95-063. 95/04/14. General. 43pp. 83689:284-83689:327.

9505020084 Forwards EPA/NRC correspondence re proposed rescission of 40CFR61,subpart I for NRC licensees other that nuclear power reactors.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-062. 95/04/14. General. 12pp. 83690:056-83690:067.

9505020096 Ack receipt of 950221,responding to NRC review of New Hampshire radiation control program.Forwards NRC evaluation of radiation control program responses re items identified in 950110 ltr.
BANGART,R.L. Office of State Programs (Post 911117). 95/04/24. DANIELSON,C.E. New Hampshire, State of. 17pp. 83690:096-83690:124.

9505020112 Forwards seven motions passed by Organization of Agreement States at 950405-06 managers workshop,including Agreement States position on integrated matls performance evaluation program & NRC policy decision on funding future training.
RATLIFF,R.A. Organization of Agreement States. 95/04/13. BANGART,R. Office of State Programs (Post 911117). 21pp. 83690:148-83690:168.

9505020123 Ack receipt of 941121 ltr to AV Godwin of Arizona Radiation Regulatory Agency re licensing of depth moisture density probes.Informs of several areas of concerns w/gauge that require addl review.
HADEN,J.R. North Carolina, State of. 95/01/26. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. 83690:227-83690:227.

9505020147 Submits Agreement States Program info re retention of terminated license files.NRC 950303 ltr concerning decommissioning records plan & internal records mgt guidelines encl.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-055. 95/03/27. General. 3pp. 83690:282-83690:313.

9505020167 Submits state comments on EPA preproposal environ std for mgt,storage & disposal of LLRW,to be considered in preparation of final draft regulations.
SINCLAIR,W.J. Utah, State of. 95/02/28. WEINSTOCK,L. Environmental Protection Agency. 11pp. 83691:009-83691:019.

9505020175 Extends invitation to participate in workshop entitled, "Members Forum - Tell Board Your Vision of CRCPD Future," scheduled for 950507.
HARDIN,C.M. Conference of Radiation Control Program Directors, Inc. 95/04/21. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. 83691:052-83691:052.

9505020181 Forwards sealed source & device registry certificates for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-067. 95/04/19. General. 26pp. 83691:056-83691:081.

9505020195 Responds to 1994 questionnaire re Federal archeological activities.Informs that NRC does not have Federal land mgt responsibilities.NRC does not incur direct costs associated w/protection or enhancement of archeological resources.
LOPEZ-OTIN,M. Office of State Programs (Post 911117). 95/04/19. HAAS,D. Interior, Dept. of, National Park Service. 7pp. 83691:095-83691:119.

--9502100305 Requests participation in reporting to Congress on Federal archeological activities that agency conducted by completing & submitting encl questionnaire.
MCMANAMON,F.P. Interior, Dept. of. 94/12/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 19pp. 83691:102-83691:119.

9505020208 Forwards for info & use,electronic transcript for 950405-06 Organization of Agreement State Managers meeting.Expresses appreciation for participation & contributions during meeting.W/o encl.
BANGART,R.L. Office of State Programs (Post 911117). 95/04/20. HILL,T.E. Georgia, State of. 3pp. 83691:126-83691:128.

9505020235 Expresses appreciation for SP Baig appointment as State Liaison Officer to NRC from State of IA.Informs of placement on special mailing list to receive copies of appropriate NRC documents & repts on regular basis.
BANGART,R.L. Office of State Programs (Post 911117). 95/04/25. BAIG,S.P. Iowa, State of. 4pp. 83691:132-83691:136.

--9505020245 Informs that SP Baig has been designated to replace SN Brown as Iowa State Liaison Officer to NRC.
BRANSTAD,T.E. Iowa, State of. 95/04/14. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 1p. 83691:136-83691:136.

9505020252 "Operational Ecological Monitoring Program for Nuclear Plant 2." W/ 950428 ltr.
PARRISH,J.V. Washington Public Power Supply System. GO2-95-084. 94/12/31. ZELLER,J.J. Washington, State of. 100pp. 83763:129-83763:202.

9505020269 Discusses alternatives for terminating NRC Low-Level Waste Disposal Program.Recommendations & implementation sections require changing.
BANGART,R.L. Office of State Programs (Post 911117). 95/04/11. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 14pp. 83691:143-83691:156.

9505020294 Ack receipt of 950203 ltr re reappointment of WC Toppan as Maine Liaison Officer to NRC.
KING,A.S. Maine, State of. 95/04/18. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 83691:165-83691:166.

9505020311 Advises that 10CFR73 shipment ID R95-030995A successfully transported from point of origin to destination on schedule.
JOHNSON,D.G. Rhode Island, State of. 95/04/05. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 83691:167-83691:167.

9505020312 Advises that shipment ID R95-030995B made successful transit from point of origin to destination on schedule.
JOHNSON,D.G. Rhode Island, State of. 95/04/18. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 83691:168-83691:168.

9505030050 Certifies that agency in compliance w/10CFR4.22 in accordance w/950303 ltr re President Executive Order implementing Environ Justice,Title VI.
SHAW,R.L. South Carolina, State of. 95/04/18. BANGART,R.L. Office of State Programs (Post 911117). 1p. 83720:234-83720:234.

9505030092 Informs that regulations 902 KAR 100:040,100 & 140 became effective on 950419.Regulations include notification requirements required for compatibility.
VOLPE,J.A. Kentucky, Commonwealth of. 95/04/26. BANGART,R.L. Office of State Programs (Post 911117). 1p. 83721:139-83721:139.

9505030114 Informs that IL Dept of Nuclear Safety in compliance w/10CFR4.22.
ORTCIGER,T.W. Illinois, State of. SP-95-030. 95/04/26. BANGART,R. Office of State Programs (Post 911117). 1p. 83721:306-83721:306.

9505030119 Notifies of 950519 SALP meeting to discuss plant performance over past 18 months.
EBNETER,S.D. Region 2 (Post 820201). 95/04/27. HILL,T. Georgia, State of. 3pp. 83721:311-83721:313.

9505030135 Informs that Nebraska Dept of Health recently adopted plan for reorganization of dept.Notifies that implementation phase expected to occur during months of May & June,w/full implementation by 950701.
CASARI,B.E. Nebraska, State of. 95/04/24. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 83721:346-83721:348.

9505030170 Expresses appreciation re Maryland continued participation in NRC State Liaison Officer program.
GLENDENING,P.N. Maryland, State of. 95/04/19. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 83721:359-83721:360.

9505030244 Discusses 950414 meeting at Region I ofc in King of Prussia, PA re activities of MPCN Health Care Fund I,LP conducted under State of FL license in Clark & Cape May,NJ & in Towanda,PA as stated.Licensing issues still under review.
HEHL,C.W. Region 1 (Post 820201). 95/04/19. KOVACH,R.J. Affiliation Not Assigned. 2pp. 83722:178-83722:179.

9505040002 Memorandum concerning disposal of depleted UF6 waste generated at proposed facility.* W/Certificate of Svc.
SPELL,W.H. Louisiana, State of. #295 16648. ML. 95/04/21. 2pp. 83743:025-83743:030.

9505040011 Comment supporting draft rept on responsiveness to public.
QUILLIN,R.M. Colorado, State of. 60FR16685 00008. 95/04/25. Docketing & Services Branch. 2pp. 83743:004-83743:005.

9505040030 Comment on proposed rules 10CFR30,40,70 & 72 re SECY-95-043, "Clarification of Decommissioning Funding Assurance Requirements." Agreement States comment should be respected by NRC & rule should be assigned level 4 compatibility.
ALDRICH,R. New York, State of. SP-95-063. 95/04/19. Docketing & Services Branch. 2pp. 83743:008-83743:011.

9505040123 Mod 20,extending period of performance,to "Cooperative Agreement for Radiation Monitoring Program Requirements."
DAVISON,L.A. North Carolina, State of. MACE,M. Division of Contracts (Post 940714). FIN J-2207-5. 95/03/06. 3pp. 83759:247-83759:250.

9505040141 Mod 21,extending period of performance & adding rate of payment for CY95,to "Cooperative Agreement for Radiation Monitoring Program Requirements."
* Ohio, State of. MACE,M. Division of Contracts (Post 940714). FIN J-2212-5. 95/02/24. 3pp. 83753:346-83753:348.

9505040176 "New Jersey Pollutant Discharge Elimination Sys Discchargе Monitoring Repts." W/950421 ltr.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. NJ0005622. 95/03/31. CAPORALE,G. New Jersey, State of. 19pp. 83845:045-83845:051.

9505040188 Mod 17,extending period of performance & adding rate of payment for CY95 & providing incremental funding,to "Cooperative Agreement for Radiation Monitoring Program Requirements."
* Pennsylvania, Commonwealth of. MACE,M. Division of Contracts (Post 940714). FIN J-2196-5. 95/03/28. 2pp. 83751:354-83751:355.

9505040203 Mod 16,extending period of performance,adding rate of payment for CY92,providing incremental funding,to "Cooperative Agreement for Radiation Monitoring Program Requirements."
* New Jersey, State of. MACE,M. Division of Contracts (Post 940714). FIN J-2198-5. 95/03/20. 2pp. 83751:356-83751:357.

9505040263 "Marine Ecology Studies Re Operation of Pilgrim Station Semiannual Rept 45 Jan-Dec 1994." W/950424 ltr.
ROTHERT,W.C. Boston Edison Co. BECO 95-027. 94/12/31. 100pp. 83853:001-83853:277.

9505050054 Forwards ltr from State of ND to DOE re ND reasons for pursuing removal of sites from UMTRCA Title I designation & termination of cooperative agreement.
LIGHTNER,R.G. Energy, Dept. of. 95/05/01. NRC - No Detailed Affiliation Given. 3pp. 83890:024-83890:026.

9505080003 Transmits State Agreement Program info SP-95-071 re notification for 1-wk training course scheduled for 950605-09 in Oak Ridge,TN.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-071. 95/05/02. General. 16pp. 83788:002-83788:016.

9505080006 Informs that NRC has appointed W Lahs to succeed J Kane as NRC representative for Conference of Radiation Control Program Director E-5 Radwaste Mgt Committee,effective 950331.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/05/01. HARDIN,C.M. Kentucky, Commonwealth of. 3pp. 83788:017-83788:020.

9505080007 Forwards Rept to Congress on US NRC Licensee Fee Policy Review Required by Energy Policy Act of 1992.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-065. 95/04/26. New Mexico, State of. 59pp. 83788:021-83788:079.

9505080009 Forwards final rept of aerial radiation survey around Neutron Products,Inc,Dickerson,MD.Survey conducted by EG&G Energy Measurements in Nov 1993.
BANGART,R.L. Office of State Programs (Post 911117). 95/04/26. DACEK,N. Maryland, State of. 4pp. 83788:229-83788:263.

--9505080013 Forwards final rept of aerial radiation survey around Neutron Products,Inc,Dickerson,MD.Survey conducted by EG&G Energy Measurements in Nov 1993.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/19. MORELLA,C.A. House of Rep. SARBANES,P.S. Senate. 8pp. 83788:233-83788:240.

--9505080016 EGG 11265-1081 "Aerial Radiological Survey of Neutron Products Co & Surrounding Area," conducted Nov 1993 in Dickerson,MD.
CLARK,H.W., MITCHELL,C.K. EG&G Energy Measurements. UC-702. 94/12/31. NRC - No Detailed Affiliation Given. 23pp. 83788:241-83788:263.

9505080010 Forwards final rept of Nov 1993, "Aerial Radiological Survey of Neutron Products Company," in Dickerson,MD & surrounding area.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/04/26. FLETCHER,R.G. Maryland, State of. 3pp. 83788:080-83788:107.

9505080017 Forwards proposed rev to Texas Regulations for Control of Radiation Part 44, "Licensing of Radwaste Processing & Storage Facilities." Advises that Ofc of State Programs has no comments on proposed rev.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/04/28. CARDWELL,C.C. Texas, State of. 55pp. 83788:110-83788:164.

9505080019 Forwards draft revisions to chapters 38-42 & 45 of Iowa Administrative Code.Ofc of State Programs has no comments on proposed rules.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/04/28. FLATER,D.A. Iowa, State of. 3pp. 83788:165-83788:211.

--9505080027 Informs that Iowa program in process of revising chapters 38-42 & 45.Changes will be presented to Board of Health as "Notice of Intended Action," on 950308.Public hearing will be held at end of comment period on 950418.
FLATER,D.A. Iowa, State of. 95/03/06. LYNCH,J.L. Region 3 (Post 820201). 44pp. 83788:168-83788:211.

9505080024 Discusses NRC ACNW briefing on 940322 re capabilities of State of TX to perform LLW performance assessments.Limited resources exist to conduct assessments of Hudspeth county site.
BANGART,R.L. Office of State Programs (Post 911117). 95/04/28. ROGERS,A.H. Texas, State of. 1p. 83788:223-83788:223.

9505080030 Informs of discussions w/M Samuels of US Health Care Financing Admin re survey of St Elizabeth Medical Ctr. Addl info requested to obtain official NRC interpretation of "direct supervision."
ALLEN,K. Illinois, State of. 95/04/25. GARRIGUS,G. St. Elizabeth Hosp. & Medical Center, Granite City, IL. 2PP. 83788:224-83788:225.

9505080034 Informs of Region IV review of State of AR Radiation Control Program scheduled for wk of 950522 per discussion w/G Dicus.
CALLAN,L.J. Region 4 (Post 820201). 95/05/02. NICHOLS,S.B. Arkansas, State of. 2pp. 83788:226-83788:227.

9505080043 Forwards "Parks Shallow Land Disposal Area Remediation Proposal."
VOGT,B.M. Oak Ridge Associated Universities. 95/04/24. STRATTAN,N. Pennsylvania, Commonwealth of. 14pp. 83864:337-83864:350.

9505080044 Forwards rept to Congress on NRC licensee fee policy review required by Energy Policy Act.W/o encl.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-065. 95/04/26. General. 1p. 83788:228-83788:228.

9505080110 Forwards vicinity property completion rept for Central Valley water reclamation facility in Salt Lake City,UT.
HAMP,S.C. Energy, Dept. of. 95/04/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 83883:156-83883:195.

--9505080118 "Vicinity Property Completion Rept."
* Utah, State of. * Jacobs Engineering Group, Inc. 95/04/20. 39pp. 83883:157-83883:195.

9505090061 Requests that six Texas State facilities be visited & scoping survey be performed to ensure that facility free of radioactive contamination.
COLLINS,S.J. Region 4 (Post 820201). 95/05/02. RATLIFF,R.A. Texas, State of. 21pp. 83816:261-83816:281.

9505090075 Comment on proposed rules 10CFR34 & 150 re licenses for radiography & radiation safety requirements for radiographic operations.Advises that change would prevent use of high range pocket dosimeters.
TURBERVILLE,D. Alabama, State of. 59FR9429 00063. 95/02/15. GLENN,J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 83817:029-83817:030.

9505090097 Comment on proposed rules 10CFR34 & 150 re requirements for industrial radiographer certification.Urges NRC to include two-man crew & radiographer certification requirements in final version of 10CFR34.
RATLIFF,R.A. Texas, State of. 59FR9429 00065. 95/04/21. TAYLOR,J. Ofc of the Executive Director for Operations. 5pp. 83817:057-83817:061.

9505090104 Comment on proposed rules 10CFR30,40,70 & 72, "Clarification of Decommissioning Funding Assurance Requirements." Objects to designation of decommissioning funding plan rule as div 2 due to being not direct radiation health & safety issue.
FRAZEE,T.C. Washington, State of. 59FR32138 00010. 95/05/03. Docketing & Services Branch. 3pp. 83817:155-83817:157.

9505100069 PNO-III-95-016:on 950423,consultant informed NRC of contamination at scrapyard in Detroit,MI.Source of radiation was contaminated soil that was on surfaces of scrap metal in load.Area inspected by two inspectors.
LYNCH,J., PEDERSON,C.D. Region 3 (Post 820201). 95/04/27. 1p. 83828:164-83828:164.

9505100075 Requests 90 day extension re 950308 ltr to B Brouillet requesting decommissioning funding plan.Extension will allow sufficient time to re-evaluate purpose of license & radiation safety plan.
FINKBEINER,G.L. Michigan, State of. 95/04/12. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 83889:192-83889:193.

9505100105 Forwards "Compilation of Existing Data for Shieldalloy Metallurgical Corp Site in Cambridge,OH."
SHIELDS,W.J. PTI Services, Inc. 95/05/02. BLAIR,B.J. Ohio, State of. 1p. 83904:106-83905:040.

9505100125 Submits response re licensee shallow land disposal area in Parks Township in Armstrong County.
MATVIYA,J.J. Pennsylvania, Commonwealth of. 95/04/10. ROSENTHAL,P.R. Babcock & Wilcox Co. 7pp. 83875:092-83875:098.

9505100135 Responds to Region I 950327 memo re concerns expressed about radioactive matl packaging requirements & NRC LFA responsibilities for emergencies.Suggests that packaging designs should be altered to accomodate conveyors.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/05/03. HEHL,C.W. Region 1 (Post 820201). 3pp. 83873:043-83873:045.

9505110040 PNO-II-95-028:private citizen purchased contaminated radium source at yard sale which was determined to be leaking.DOE recovering contaminated source.
WOODRUFF,R. Region 2 (Post 820201). 95/05/04. 1p. 83850:358-83850:358.

9505110138 Informs that util enlisted Betz Industrial to perform chemical cleaning of main condenser in circulation water sys.Info required in accordance w/OH EPA procedures encl.
SHELTON,D.C. Centerior Energy. 95/05/05. JONES,K.L. Ohio, State of. 22pp. 83936:182-83936:203.

9505110146 Forwards comments on "Remedial Investigaton/Feasibility Study Health & Safety Plan,Shieldalloy Metallurgical Corp (SMC) Cambridge,OH," submitted by PTI Environ Svcs,Inc on behalf of SMC.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/27. BLAIR,B. Ohio, State of. 6pp.

9505110158 PNO-II-95-026:on 950430,portable Troxler moisture density gauge model 3430 stolen from vehicle of employee of Drain Field Svcs,Inc.State of FL & local authorities notified.
WOODRUFF,R.L. Region 2 (Post 820201). 95/05/01. 1p. 83851:220-83851:220.

9505110167 Forwards Rev 2 to Plant Administrative Procedure PAP-0806, "Oil/Chemical Release Contingency Plan."
KLOOSTERMAN,J. Cleveland Electric Illuminating Co. 95/05/01. Ohio, State of. SORRELL,R.W. Lake Hosp. Systems-East, Painesville, OH. 5pp. 83902:285-83902:338.

9505120025 Ack receipt of 950407 ltr commenting on forthcoming changes in NRC policy on funding of Agreement State training,travel & technical assistance.NRC will work w/Agreement States to explore measures to reduce training costs.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/03. KELLEY,E. New Mexico, State of. 6pp. 83869:351-83869:358.

9505120026 Ack receipt of 950317 ltr,responding to NRC review of Utah radiation control program.Forwards NRC evaluation of Utah responses to 1994 program review.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/05. SINCLAIR,W.J. Utah, State of. 14pp. 83884:185-83884:217.

9505120062 Advises that NRC amending procedures to permit Director of NMSS to issue site-specific license to qualified applicant for interim storage of SF in ISFSI at reactor site following completion of NRC safety & environ reviews.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-073. 95/05/03. General. 11pp. 83870:215-83870:225.

9505120077 Forwards 931021 ltr,notifying NRC that Illinois Dept of Nuclear Safety has prepared list of corrections that should be made to NRC sealed source & device registry.
KLINGER,J.G. Illinois, State of. 95/04/19. BOLLING,L. Assistant Director for State, Local & Indian Relations. 2pp. 83870:334-83870:337.

--9505120087 Forwards list of corrections that should be made to NRC sealed source & device registry.Requests that registries IL-136-S-289-S through IL-136-S-328-S inclusive,& supporting file info be immediately forwarded for review.
KLINGER,J.G. Illinois, State of. 93/10/21. BOLLING,L. Assistant Director for State, Local & Indian Relations. 2pp. 83870:336-83870:337.

9505120117 Forwards responses to Ohio Environ Protection Agency comments on Chemetron closure plan & groundwater monitoring plan for Bert Avenue site.
KOH,B. Chemetron Corp. 95/04/28. PARKER,J. Ohio, State of. 36pp. 83871:150-83871:185.

9505120118 Forwards table summarizing adequacy & compatibility of 29 Agreement States,per 950201 SRM.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/02. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 4pp. 83871:201-83871:205.

--9505120149 Staff requirements memo re approval of sending ltrs to Secretary of Maryland Dept of Environment & to Governor.Ltrs should stress need for State to provide necessary resources to maintain overall program.
HOYLE,J.C. Office of the Secretary of the Commission. COMSECY-94-054. 95/02/01. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 83871:205-83871:205.

9505120126 Transmits State Agreements Program Info SP-95-076,forwarding listed sealed source & device registry certificates for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-076. 95/05/03. General. 4pp. 83886:001-83886:118.

--9505120135 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAP 1 & RAP 2. Certificate:IL-136-S-290-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-290-S. 95/04/19. 5pp. 83886:005-83886:009.

--9505120139 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CTC.VI. Certificate:IL-136-S-292-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-292-S. 95/04/19. 5pp. 83886:010-83886:014.

--9505120147 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTD.D1 & CTD.D2.Certificate:IL-136-S-293-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-293-S. 95/04/19. 5pp. 83886:015-83886:019.

--9505120151 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAR.1184 & RAR.11845.Certificate:IL-136-S-318-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-318-S. 95/04/19. 5pp. 83886:020-83886:024.

--9505120154 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CUCP.1. Certificate:IL-136-S-321-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-321-S. 95/04/19. 4pp. 83886:025-83886:028.

--9505120157 Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAM-1001 & RAM-1001H.Certificate:IL-136-S-325-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-325-S. 95/04/19. 4pp. 83886:029-83886:032.

--**9505120164** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAN.C1 & RAN.C2.Certificate:IL-136-S-327-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-327-S. 95/04/19. 4pp. 83886:033-83886:036.

--**9505120166** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model RAN.C3. Certificate:IL-136-S-328-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-328-S. 95/04/19. 3pp. 83886:037-83886:039.

--**9505120171** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTR.R1,SKR.R1 & YER.R1.Certificate:IL-136-S-294-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-294-E. 95/04/19. 4pp. 83886:040-83886:043.

--**9505120177** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTR.R2 & SKR.R2.Certificate:IL-136-S-296-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-296-E. 95/04/19. 4pp. 83886:044-83886:047.

--**9505120178** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTR.151 & SKR.151.Certificate:IL-136-S-298-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-298-E. 95/04/19. 5pp. 83886:048-83886:052.

--**9505120181** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 188041. Certificate:IL-136-S-302-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-302-E. 95/04/19. 4pp. 83886:053-83886:056.

--**9505120182** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CTR.P1. Certificate:IL-136-S-304-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-304-E. 95/04/19. 4pp. 83886:057-83886:060.

--**9505120186** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CTR.P2. Certificate:IL-136-S-305-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-305-E. 95/04/19. 4pp. 83886:061-83886:064.

--**9505120188** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CTR.P3. Certificate:IL-136-S-306-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-306-E. 95/04/19. 4pp. 83886:065-83886:068.

--**9505120190** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model QCD.1. Certificate:IL-136-S-307-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-307-E. 95/04/19. 5pp. 83886:069-83886:073.

--**9505120192** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model QCR.M1. Certificate:IL-136-S-308-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-308-E. 95/04/19. 4pp. 83886:074-83886:077.

--**9505120194** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAN.11,RAN.12 & RAN.14.Certificate:IL-136-S-838-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-838-S. 95/04/19. 2pp. 83886:078-83886:079.

--**9505120195** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CTR.151. Certificate:IL-136-S-839-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-839-E. 95/04/19. 2pp. 83886:080-83886:081.

--**9505120197** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTR 100 (CTR.3100) & CTR.200 (CTR.3200).Certificate:IL-136-S-840-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-840-E. 95/04/19. 2pp. 83886:082-83886:083.

--**9505120198** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTD.501, CTD.521 & CTD.511.Certificate:IL-136-S-841-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-841-S. 95/04/19. 2pp. 83886:084-83886:085.

--**9505120200** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RBR.1 (RBR.51) & RBR.2 (RBR.52).Certificate:IL-136-S-842-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-842-E. 95/04/19. 2pp. 83886:086-83886:087.

--**9505120201** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models SKD.2311, SKD.2312 & SKD.2313.Certificate:IL-136-S-843-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-843-S. 95/04/19. 2pp. 83886:088-83886:089.

--**9505120217** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTC.10122 & CTC.10123.Certificate:IL-136-S-844-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-844-S. 95/04/19. 5pp. 83886:090-83886:094.

--**9505120219** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTC.8512, CTC.8513 & CTC.8514.Certificate:IL-136-S-845-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-845-S. 95/04/19. 5pp. 83886:095-83886:099.

--**9505120223** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTC.8502, CTC.8503,CTC.8504,CTC.2,CTC.3 & CTC.4. Certificate:IL-136-S-846-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-846-S. 95/04/19. 3pp. 83886:100-83886:102.

--**9505120225** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTC.2,CTC.3 & CTC.4.Certificate:IL-136-S-847-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-847-S. 95/04/19. 5pp. 83886:103-83886:107.

--**9505120227** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 184622. Certificate:IL-136-S-848-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-848-S. 95/04/19. 2pp. 83886:108-83886:109.

--**9505120230** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAR.1,RAR.2, RAR.4,RAR.H,RAR.A & RAR.60.Certificate:IL-136-S-849-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-849-S. 95/04/19. 2pp. 83886:110-83886:111.

--**9505120231** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model RAM-Type foil. Certificate:IL-136-S-850-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-850-S. 95/04/19. 3pp. 83886:112-83886:114.

--**9505120234** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for various models. Certificate:IL-136-S-315-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-315-E. 95/04/19. 4pp. 83886:115-83886:118.

--**9505120135** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAP 1 & RAP 2. Certificate:IL-136-S-290-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-290-S. 95/04/19. 5pp. 83886:005-83886:009.

--**9505120139** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CTC.VI. Certificate:IL-136-S-292-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-292-S. 95/04/19. 5pp. 83886:010-83886:014.

--**9505120147** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTD.D1 & CTD.D2.Certificate:IL-136-S-293-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-293-S. 95/04/19. 5pp. 83886:015-83886:019.

--**9505120151** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAR.1184 & RAR.11845.Certificate:IL-136-S-318-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-318-S. 95/04/19. 5pp. 83886:020-83886:024.

--**9505120154** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CUCP.1. Certificate:IL-136-S-321-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-321-S. 95/04/19. 4pp. 83886:025-83886:028.

--**9505120157** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAM-1001 & RAM-1001H.Certificate:IL-136-S-325-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-325-S. 95/04/19. 4pp. 83886:029-83886:032.

--**9505120164** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAN.C1 & RAN.C2.Certificate:IL-136-S-327-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-327-S. 95/04/19. 4pp. 83886:033-83886:036.

--**9505120166** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model RAN.C3. Certificate:IL-136-S-328-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-328-S. 95/04/19. 3pp. 83886:037-83886:039.

--**9505120171** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTR.R1,SKR.R1 & YER.R1.Certificate:IL-136-S-294-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-294-E. 95/04/19. 4pp. 83886:040-83886:043.

--**9505120177** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTR.R2 & SKR.R2.Certificate:IL-136-S-296-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-296-E. 95/04/19. 4pp. 83886:044-83886:047.

--**9505120178** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTR.151 & SKR.151.Certificate:IL-136-S-298-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-298-E. 95/04/19. 5pp. 83886:048-83886:052.

--**9505120181** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 188041. Certificate:IL-136-S-302-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-302-E. 95/04/19. 4pp. 83886:053-83886:056.

--**9505120182** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CTR.P1. Certificate:IL-136-S-304-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-304-E. 95/04/19. 4pp. 83886:057-83886:060.

--**9505120186** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CTR.P2. Certificate:IL-136-S-305-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-305-E. 95/04/19. 4pp. 83886:061-83886:064.

--**9505120188** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CTR.P3. Certificate:IL-136-S-306-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-306-E. 95/04/19. 4pp. 83886:065-83886:068.

--**9505120190** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model QCD.1. Certificate:IL-136-S-307-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-307-E. 95/04/19. 5pp. 83886:069-83886:073.

--**9505120192** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model QCR.M1. Certificate:IL-136-S-308-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-308-E. 95/04/19. 4pp. 83886:074-83886:077.

--**9505120194** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAN.11,RAN.12 & RAN.14.Certificate:IL-136-S-838-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-838-S. 95/04/19. 2pp. 83886:078-83886:079.

--**9505120195** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model CTR.151. Certificate:IL-136-S-839-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-839-E. 95/04/19. 2pp. 83886:080-83886:081.

--**9505120197** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTR 100 (CTR.3100) & CTR.200 (CTR.3200).Certificate:IL-136-S-840-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-840-E. 95/04/19. 2pp. 83886:082-83886:083.

--**9505120198** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTD.501, CTD.521 & CTD.511.Certificate:IL-136-S-841-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-841-S. 95/04/19. 2pp. 83886:084-83886:085.

--**9505120200** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RBR.1 (RBR.51) & RBR.2 (RBR.52).Certificate:IL-136-S-842-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-842-E. 95/04/19. 2pp. 83886:086-83886:087.

--**9505120201** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models SKD.2311, SKD.2312 & SKD.2313.Certificate:IL-136-S-843-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-843-S. 95/04/19. 2pp. 83886:088-83886:089.

--**9505120217** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTC.10122 & CTC.10123.Certificate:IL-136-S-844-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-844-S. 95/04/19. 5pp. 83886:090-83886:094.

--**9505120219** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTC.8512, CTC.8513 & CTC.8514.Certificate:IL-136-S-845-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-845-S. 95/04/19. 5pp. 83886:095-83886:099.

--**9505120223** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTC.8502, CTC.8503,CTC.8504,CTC.2,CTC.3 & CTC.4. Certificate:IL-136-S-846-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-846-S. 95/04/19. 3pp. 83886:100-83886:102.

--**9505120225** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models CTC.2,CTC.3 & CTC.4.Certificate:IL-136-S-847-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-847-S. 95/04/19. 5pp. 83886:103-83886:107.

--**9505120227** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model 184622. Certificate:IL-136-S-848-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-848-S. 95/04/19. 2pp. 83886:108-83886:109.

--**9505120230** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for models RAR.1,RAR.2, RAR.4,RAR.H,RAR.A & RAR.60.Certificate:IL-136-S-849-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-849-S. 95/04/19. 2pp. 83886:110-83886:111.

--**9505120231** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for model RAM-Type foil. Certificate:IL-136-S-850-S.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-850-S. 95/04/19. 3pp. 83886:112-83886:114.

--**9505120234** Corrected Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of Sealed Source for various models. Certificate:IL-136-S-315-E.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-136-S-315-E. 95/04/19. 4pp. 83886:115-83886:118.

9505120141 Submits requested info re plant NPDES Permit PA0051926.
MATTY,R.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/05/01. GARG,S. Pennsylvania, Commonwealth of. 3pp. 83949:359-83949:361.

9505120162 EN-95-014A:on 950217,notice of proposed imposition of civil penalty in amount of $500 issued to licensee.Action based on use of moisture density gauges at State of TX military installations.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-007. 95/05/04. 1p. 83871:216-83871:216.

9505120176 EN-95-030:on 950505,NOV to be issued to employee of Mattingly Testing Svc,Inc based on results of insp & investigation conducted by Region IV re licensee storage & use of licensed matl not authorized by license.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-012. 95/05/05. 1p. 83871:220-83871:220.

9505120193 EN-95-023:on 950411,order suspending authority under general license will issued to O Jones,doing business as Jones Insp Svcs.Action based on OI investigations findings & licensee statement during 950131 enforcement conference.
SANTIAGO,P., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-94-241. 95/04/11. 1p. 83871:215-83871:215.

9505120237 Comment on proposed rule 10CFR50,app J, "Primary Containment Leakage Testing." Believes contradictory to allow licenses option of reducing reliability of key component.
TOSCH,K.W. New Jersey, State of. 60FR9634 00015. 95/05/08. Docketing & Services Branch. 2pp. 83884:334-83884:335.

9505120250 Responds to 950203 ltr re issue of reconcentration of radionuclides in sanitary sewer sys.Forwards list of NRC licensees in NJ w/potential to discharge radioactive matl.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/05. LIPOTI,J., HART,D. New Jersey, State of. 4pp. 83885:294-83885:360.

--**9505120258** Responds to 941011 ltr re possible reconcentration of radionuclides in sanitary sewer sys.Requests list of licensees in New Jersey w/potential to discharge radioactive matl to sewers.
LIPOTI,J. New Jersey, State of. 95/02/03. BANGART,R.L. Office of State Programs (Post 911117). COOK,M.B. Environmental Protection Agency. 48pp. 83885:299-83885:360.

9505150009 Advises that NRC approved 950412 request to extend response date on licensee decommissioning funding plan addl 90 days to 950905.
WEBER,M.F. Division of Waste Management (NMSS 940403). 95/05/09. FINKBEINER,G.L. Michigan, State of. 2pp. 83899:036-83899:037.

9505150135 Forwards application for reissuance of VPDES permit for North Anna Power Station w/addl data requested by 950418 ltr.
MARSHALL,B.M. Virginia Power (Virginia Electric & Power Co.). 95/05/04. PANDEY,J.R. Virginia, Commonwealth of. 241pp. 83975:022-83975:262.

9505150289 Forwards for review,source documentation from FR re incident involving radiation device that occurred in State of IL on 920706,per telcon.
ANAGNOS,D.P. Affiliation Not Assigned. 94/11/02. RAMMLING,G. Division of Freedom of Information & Publications Services (Post 940714). 6pp. 84026:083-84026:088.

9505180006 PNO-IV-94-065A:update re transportation package which had been received on 941221 at Omnitron Intl,Inc.Package had narrow beam of radiation at top surface of package of approx 18 rem per h.NMSS & SP have been notified.
DODA,R.J. Region 4 (Post 820201). 95/01/24. 2pp. 83951:250-83951:251.

9505180098 Forwards memo dtd 950307 from B Spell to R Ratcliff re comments on NRC IMPEP document for info.
SPELL,B. Louisiana, State of. 95/03/07. LOHAUS,P. Office of State Programs (Post 911117). 3pp. 83952:134-83952:136.

9505180194 Forwards incident & event info,program mgt info,training course & technical info for attention.List of students from States selected to attend Jun Safety Aspects of Industrial Radiography course,encl.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-075. 95/05/05. General. 4pp. 83953:012-83953:025.

--**9505180203** Informs that participant has been accepted for attendance at NRC training course entitled, "Safety Aspects of Industrial Radiography," to be held during week of 950605-09.
MYERS,J. Office of State Programs (Post 911117). 95/05/05. . 9pp. 83953:016-83953:025.

9505180259 Discusses request from UCLA re injecton of tritiated water into adult desert tortoises at various sites located in State of CA on land administered by Dept of Interior,Bureau of Land Mgt.
COOL,D.A. Radiation Protection & Health Effects Branch (Post 941217). 95/03/05. HASTEY,E. Interior, Dept. of, Bureau of Land Management. 2pp. 83953:093-83953:094.

9505180359 Forwards State Agreements Program info including policy statements slides for Organization of Agreement States managers meeting on 950405-06.
BANGART,R.L. Office of State Programs (Post 911117). 95/03/31. General. 19pp. 83953:317-83953:335.

9505180407 Forwards proposed State of TX Regulations for Control of Radiation,Part 37, "Certification of Mammography Sys," & other related documentation re mammography certification.
CALDWELL,C.C. Texas, State of. 95/03/28. Affiliation Not Assigned. 38pp. 83954:004-83954:041.

9505180415 Informs of 950224 radiation protection meeting in Raleigh,NC re NRC consideration for adoption of permanent rules required for compatibility w/NRC rules.
WELBY,C. North Carolina, State of. 95/02/03. North Carolina, State of. 1p. 83953:352-83953:352.

9505180492 Updates & revises request for assistance in water quality sampling & analysis of Colorado River re Atlas Minerals U Tailings Facility near Moab,UT.
SINCLAIR,B. Utah, State of. 95/05/03. OSTLER,D. Utah, State of. 3pp. 83992:331-83992:333.

9505180511 Forwards annual emergency planning brochure & updated state & local emergency plans.
BURSKI,R.F. Entergy Operations, Inc. W3F1-95-0078. 95/05/12. Incident Response Branch. 13pp. 84041:001-84041:266.

--**9505180514** Updated Rev 7 to "LA Peacetime Radiological Response Plan."
* Louisiana, State of. 94/12/31. 253pp. 84041:014-84041:266.

9505180518 Expresses appreciation re agreement to speak at 1995 Asian Pacific American Heritage Month Program,which will be held in Rockville,MD on 950518.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 95/05/08. GONG,G. Maryland, State of. 1p. 83979:066-83979:067.

9505180556 Responds to 950213 ltr,which raised question re licensing of facility for non-human use under existing human use license. Advises that amend should specify exact activities authorized & location of use.
DODA,R.J. Region 4 (Post 820201). 95/03/09. QUILLIN,R.M. Colorado, State of. 2pp. 83971:001-83971:007.

-9505180566 Requests comment re licensing of facility for non-human use under human use license.Requests review of encl ltrs & provide info re whether NRC would require separate license for proposed facility.
QUILLIN,R.M. Colorado, State of. 95/02/13. DODA,R.J. Region 4 (Post 820201). 5pp. 83971:003-83971:007.

9505180588 Requests copy of NUREG/CR-6232,assessing environ availability of U in soils & sediments,including Change 1 to NUREG/BR-0195 or NUREG/BR-0195.
* Kentucky, Commonwealth of. 95/04/27. KERR,K. Office of State Programs (Post 911117). 2pp. 83971:038-83971:042.

-9505180591 Forwards NRC Calendar,Vol XIII,Number 47 for wk ending 941125.
* Kentucky, Commonwealth of. 95/05/08. DROGGITIS,S. Office of State Programs (Post 911117). 3pp. 83971:040-83971:042.

9505190088 Responds to telcons w/EH Greene of VA Power's Air Quality e Dept re use of methylene chloride in paint shop of Surry Power Station.Requests confirmation that painting operation exempt from toxics regulations.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 95/05/11. ZOELLER,J. Virginia, Commonwealth of. 11pp. 84010:282-84010:292.

9505190147 Requests that 950315 approval ltr from SC Dept of Health & Environ Control,approving use of listed treatment chemicals, be modified & reissued for listed reasons.
CARTER,J.S. Duke Power Co. 95/05/10. ELEAZER,T.M. South Carolina, State of. 6pp. 84010:274-84010:279.

9505190216 Responds to 950216 ltr re dam insp of NRC regulated dams in State of NC.Dam safety program plan encl.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/05/05. LEUMAS,J.K. North Carolina, State of. 21pp. 83984:221-83984:241.

9505190288 Forwards second rev to ECCS for facility.Rev incorporates comments from design review conducted by ANL.
TEHAN,T. Rhode Island, State of. 95/05/12. MENDONCA,M. . 12pp. 84017:330-84017:341.

9505220016 Forwards "Colorado Agreement State Program Statistical Update Rept for CY 1994."
QUILLIN,R.M. Colorado, State of. 95/05/12. BANGART,R.L. Office of State Programs (Post 911117). 6pp. 83985:066-83985:071.

9505220018 Reiterates progress on Nebraska Dept of Health reorganization.Advises that M Horton,has designated C Rogers,Program Manager for low-level radwaste,to be responsible for radiological emergency response activities.
CASARI,B.E. Nebraska, State of. 95/05/15. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 83985:072-83985:074.

9505220049 Responds to 950308 ltr from State of VA health dept re plans of NRC to discontinue environ monitoring portion of State Cooperative Agreement Program.Comments will be considered w/other comments received before making final decision.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/04/26. FOLDESI,L.P. Virginia, Commonwealth of. 2pp. 84000:267-84000:275.

-9504110143 Notice of opportunity for public comment.Informs that NRC intends to reduce scope of work to states under contract to NRC to perform environ monitoring in environs of selected NRC licensed facilities.
MILLER,C.L. . 95/04/05. 4pp. 84000:269-84000:273.

-9505220182 Submits comments on Environ Monitoring Program & involvement of states in certain NRC licensed facilities & requests that NRC continue funding State of VA program for duration of facility license.
FOLDESI,L.P. Virginia, Commonwealth of. 95/03/08. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84000:274-84000:275.

9505220102 Comments on proposed rules 10CFR30,40,70 & 72 re clarification of decommissioning funding assurance requirements.
FLETCHER,R.G. Maryland, State of. SP-95-063. 95/05/02. BANGART,R.L. Office of State Programs (Post 911117). 1p. 83985:146-83985:146.

9505220116 Comment on proposed rules 10CFR34 & 150 re elimination of requirements for industrial radiographer certification & two man crew included in rev.
RATLIFF,R.A. Texas, State of. 59FR9429 00075. 95/04/21. TAYLOR,J. Ofc of the Executive Director for Operations. 5pp. 83985:159-83985:163.

9505220126 Comment re proposed rules 10CFR34 & 150 re industrial radiographer certification.Believes that participatory RM by Agreement States important in two-man crew & that NRC should not have reversed position w/o prior consultation.
MOUNT,D.K. North Carolina, State of. 59FR9429 00077. 95/05/01. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 83985:201-83985:203.

9505220142 Comment supporting proposed rules 10CFR34 & 150 re elimination of requirements re radiographer certification.
FLATER,D.A. Iowa, State of. 59FR9429 00069. 95/04/03. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 83985:257-83985:260.

9505220199 Responds to 950413 ltr to NRC Chairman Selin re regulatory oversight responsibility of nuclear facilities for protection of public health & safety.
RUSSELL,W. Office of Nuclear Reactor Regulation (Post 941001). 95/05/15. GRUSKIN,D. New York, State of. 6pp. 84002:246-84002:251.

9505230002 Comments on NRC 950410 ltr announcing NRC intention to reduce scope of work under NRC Cooperative Agreement Program.
CROSSLIN,R. Tennessee, State of. 60FR18428 00005. 95/05/11. Division of Freedom of Information & Publications Services (Post 940714). 1p. 84001:022-84001:022.

9505230007 Informs that draft Insp Manual,Chapter 2800,encl w/941004 memo,has been circulated & reviewed by State of CA insp staff.Submits other comments re new procedure for conducting insps.
BAILEY,E.D. California, State of. 95/05/04. LOHAUS,P.H. Office of State Programs (Post 911117). 3pp. 84001:063-84001:065.

9505230010 Comment on FRN dtd 950405 re NRC Cooperative Agreement Program.Environmental monitoring component of Cooperative Agreement should be retained & funding continued to participating state programs.
DUSENBURY,B.D. North Carolina, State of. 60FR18428 00004. 95/05/10. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84001:068-84001:069.

9505230015 Comment supporting continuation of US NRC/State Cooperative Agreement to perform environmental radiation monitoring in environs of selected NRC licensed facilities.
TEFFT,D.E. Massachusetts, Commonwealth of. 60FR18428 00006. 95/05/16. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 84001:079-84001:080.

9505230016 Advises that author has completed review of ltrs from petition to shut down Georgia Tech reactor.Review indicates that petition suggestions specious.No data indicates that reactor not safe or poses environ threat.
MCLEMORE,W.H. Georgia, State of. 95/05/11. MENDOCA,M. NRC - No Detailed Affiliation Given. 2pp. 84058:353-84058:354.

9505230021 Safety insp on 950414 & 26 of license 4432-60.Insp findings: Inspector verified steps taken to correct violations identified during last insp.Licensee did not prepare or maintain records of reviews of radiation protection program.
* Region 4 (Post 820201). * . 95/04/26. 2pp. 84001:101-84001:102.

9505230025 Forwards proposed rev of Texas Regulations for Control of Radiation Part 11, "General Provisions." Public hearing to accept comments will be held on 950517 in Austin,Texas. Requests written comments by 950518.
CARDWELL,C.C. Texas, State of. 95/04/18. NRC - No Detailed Affiliation Given. 4pp. 84001:122-84001:125.

9505230112 Requests that CA Public Util Commission (CPUC) relieve CA Energy Co (Cal Energy) & Luz Intl of any cost responsibility for expenditures incurred in const of transmission line.
* Southern California Edison Co. 95/05/16. California, State of. 3pp. 84051:322-84051:324.

9505230131 Expresses concerns re NRC staff decision to eliminate industrial radiographer certification requirements & two man crew rule proposed as revs to 10CFR34 because requirements not "germane to safety."
ORTCIGER,T.W. Illinois, State of. 95/05/17. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84002:004-84002:005.

9505230142 Comment on reduction in scope of Cooperative Agreement Program.
BELL,R.L. Michigan, State of. 60FR18428 00002. 95/05/08. NRC - No Detailed Affiliation Given. 2pp. 84002:006-84002:007.

9505230156 Imforms that since mid-March,continuous flow observed coming from Stormwater Outfall 17/18.Util concluded that source of effluent at Stormwater Outfall 17/18,leakage from conventional waste treatment basins.
COOK,T.E. Duke Power Co. 95/05/17. ROBINSON,L. South Carolina, State of. 2pp. 84083:242-84083:243.

9505230180 Comment opposing NRC proposal to reduce scope of work to states under Cooperative Agreement Program.
CRAFT,A.A., AUTRY,V.R. South Carolina, State of. 60FR18428 00003. 95/05/15. NRC - No Detailed Affiliation Given. 3pp. 84002:033-84002:035.

9505230232 First partial response to FOIA request for documents. Forwards app A documents.Documents available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/03. MARBLE,J.D. Huckaby, Fleming, Frailey, Chaffin & Darrah. 2pp. 84042:185-84042:257.

9505240014 Discusses 950313 correspondence re state official designations.Informs that MC King will be designee to receive advance notification of transportation of certain shipments of nuclear waste & SF through State of WA.
KING,M.C. Washington, State of. 95/05/02. BANGART,R.L. NRC - No Detailed Affiliation Given. 1p. 84020:025-84020:025.

9505240101 Confirms recent discussion re review of licensee radiation control program scheduled for 950620-21 & 26-30.Forwards questions entitled, "App A,Evaluation of Agreement State Radiation Control Program,State Questionnaire Update."
WOODRUFF,R.L. Region 2 (Post 820201). 95/05/15. WHATLEY,K.E. Alabama, State of. 39pp. 84021:122-84021:160.

9505240131 Forwards insp package containing insp rept 40-2975/94-01 & two NRC memos re issue of Ceramic Color & Chemical Mfg Co possession of source matl received that exceeds by 40%,value listed on Matl Safety Data Sheet provided by distributor.
WOODRUFF,R.L. Region 2 (Post 820201). 95/05/04. HILL,T.E. Georgia, State of. 1p. 84021:257-84021:260.

9505240245 Forwards corrected discharge monitoring rept for Feb 1995 for Salem Generating Station,correcting effluent net values for temp for both discharges.
SUMMERS,J.C. Public Service Electric & Gas Co. of New Jersey. 95/05/09. CAPORALE,G. New Jersey, State of. 3pp. 84072:351-84072:357.

9505250007 Responds to 950328 ltr from J Volpe requesting technical assistance on review of Ronan application.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/05/19. JEFFS,V.D. Kentucky, Commonwealth of. 2pp. 84043:088-84043:090.

-9505250013 Responds to 950411 memo which forwarded four technical assistance request from Agreement States.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/04/27. BANGART,R.L. Office of State Programs (Post 911117). 1p. 84043:090-84043:090.

9505250010 Forwards for review & comment draft licensing modules, "Radioactive Drug Therapy" & "Mobile Nuclear Medicine Svcs."
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-080. 95/05/17. General. 36pp. 84043:092-84043:127.

9505250015 Discusses proposed changes in NRC fee policy re Agreement State training,travel & technical support.Informs that NRC needs states & states need NRC to provide consistent,high- quality training to assure significant safety program.
KUCHARSKI,W.A. Louisiana, State of. 95/05/16. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 84043:315-84043:317.

9505250018 Ack receipt of 950128 & 950313 ltrs responding to comments & recommendations resulting from 1994 review of Kentucky agreement matls program.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/11. CHILDERS,M. Kentucky, Commonwealth of. 6pp. 84044:001-84044:051.

9505250019 Expresses appreciation for 950417 ltr volunteering for Integrated Matl Performance Program review for State of WA in Jun 1995,before decision on Program has been reached by Commission.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/16. STRONG,T.R. Washington, State of. 6pp. 84043:322-84043:329.

9505250020 Discusses recent All Agreement States mid yr manager meeting where presentation entitled "Proposed Rulemaking" re safe concentration for possession of special nuclear matl in contaminated soil.
NIELSON,D.R. Utah, State of. 95/04/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 84043:330-84043:330.

9505250023 Forwards document SP-94-105, "NRC Predecisional Strategies & Options for Encouraging States & Compacts to Develop New LLRW Disposal Facilites" per request dtd 950421.
KERR,K. Office of State Programs (Post 911117). SP-94-105. 95/05/10. PAYNE,J.O. Ohio, State of. 2pp. 84043:333-84043:336.

-9505250028 Requests that document SP-94-105, "NRC Predecisional Strategies & Options for Encouraging States & Compacts to Develop New LLRW Disposal Facilities," & any related FR or announcement be forwarded.
PAYNE,J.O. Ohio, State of. SP-94-105. 95/04/21. NRC - No Detailed Affiliation Given. 1p. 84043:335-84043:336.

9505250025 Informs that dept recommends that two man crew & certification requirement be included in final version of 10CFR34 & hopes that NRC can take steps to restore Agreement States confidence in participatory rule making process.
MOUNT,D.K. North Dakota, State of. 95/05/01. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 84058:327-84058:328.

9505250026 Advises that NRC has amended regulations to revise requirements that applicant must meet for obtaining renewal of nuclear power plant operating license.Forwards final rule which becomes effective on 950607.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-078. 95/05/09. General. 39pp. 84044:074-84044:110.

9505250031 Advises that NRC proposing to revise emergency planning & preparedness requirements.Rule would amend current regulations governing domestic licensing of production & utilization facilities.Forwards PR,for consideration.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-066. 95/04/17. General. 8pp. 84043:341-84043:348.

9505250032 Expresses concerns for announcement of policy to charge fees for Agreement States training,travel & technical support.
MIYAHARA,B.A. Washington, State of. 95/04/24. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 84043:349-84043:350.

9505250037 Transmits State Agreements Program Info SP-95-057 re elimination of LLW TRR program.Forwards draft ltr suggesting that vendors contact individual operators or regulatory agency for guidance on review & acceptance of waste form.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-057. 95/05/10. General. 3pp. 84044:052-84044:062.

9505250039 Forwards device sheet TX634D131B for TN Technologies,Inc models 5034,5034A,5036 & 5038 belt weigh scale guages.
DUNN,W.M. Texas, State of. TX-634-D-131-B. 95/05/12. BANGART,R.L. Office of State Programs (Post 911117). 1p. 84044:063-84044:073.

9505250044 Responds to NRC 950314 ltr re changes in NRC policy re Agreement State funding assistance for training,travel & technical support.NRC ltr fails to mention benefits NRC & licensees derive from subj Agreement State Programs.
SMITH,D.R. Texas, State of. 95/05/01. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 84043:358-84043:359.

9505250047 Ack receipt of 950501 ltr to Chairman Selin re State of HI concerns w/sea shipment of high level nuclear waste,spent nuclear fuel & plutonium near State of HI.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/10. PAI,G.G. Hawaii, State of. 2pp. 84044:111-84044:114.

-9505250051 Submits follow-up to B Cayetano ltr to President Clinton re concerns on sea shipments of high level nuclear waste,spent nuclear fuel & plutonium near Hawaii.
PAI,G.G. Hawaii, State of. 95/05/01. THE CHAIRMAN, SELIN Commissioners (Post 750119). 2pp. 84044:113-84044:114.

9505250050 Submits comments on proposed draft rule,limiting annual committed effective dose to members of public from mgt, storage & disposal of LLRW to 15 mrem/yr & would also prescribe limits on level of radiological contamination.
ORTCIGER,T.W. Illinois, State of. 95/04/12. Environmental Protection Agency. 5pp. 84044:115-84044:119.

9505250052 Informs that draft revs to State of TX "Regulations for Control of Radiation," Part 21 dtd 941223,would be compatible w/equivalent NRC regulations per 10CFR10 w/changes suggested.
LOHAUS,P. Office of State Programs (Post 911117). 95/05/11. CARDWELL,C.C. Texas, State of. 56pp. 84044:120-84044:229.

9505250055 Transmits results of NRC follow-up review & evaluation of Louisiana radiation control program concluded on 950224.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/09. KUCHARSKI,W.A. Louisiana, State of. 36pp. 84044:231-84044:267.

9505250057 Transmits State Agreements Program info SP-95-074 consisting of sealed source & device registry certificates for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/05/03. General. 2pp. 84044:268-84044:288.

-9505250062 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of spot marker Model SM-057.Certificate: CA-406-S-169-S.
WESLEY,D., KAPEL,B.R. California, State of. CA-406-S-169-S. 95/04/12. 6pp. 84044:270-84044:275.

-9505250067 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of flexible marker for model FM-057.Certificate: CA-406-S-172-S.
WESLEY,D., KAPEL,B.R. California, State of. CA-406-S-172-S. 95/04/12. 6pp. 84044:276-84044:282.

-9505250070 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of hypodermic line source for models MED-3621-MED3630.Certificate:CA-510-S-122-S.
*, * California, State of. CA-510-S-122-S. 95/04/05. 6pp. 84044:283-84044:288.

9505250058 Forwards incident & event info,program mgt info,technical info & other info for attention.Technical Evaluation Rept encl for info.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-070. 95/05/04. General. 3pp. 84044:289-84045:030.

-9505250078 Forwards three replacement pages for TER sent to WB House by 950329 ltr.Corrections reflect one dimension of largest multi-use container of three addressed by topical rept.
BELL,M.J. Division of Waste Management (NMSS 940403). 95/04/24. HOUSE,W.B. Chem-Nuclear Systems, Inc. 1p. 84044:292-84044:292.

-9505250082 Forwards final TER for topical rept of Chem-Nuclear Sys,Inc, "Multi-Use Container High Integrity Container," dtd 920723. Requests that Chem-Nuclear publish accepted versions of TR, incorporating addl info that had been submitted.
BELL,W.M. Division of Waste Management (NMSS 940403). 95/03/29. HOUSE,W.B. Chem-Nuclear Systems, Inc. 2pp. 84044:293-84044:294.

-9505250096 Rev 1 to staff technical evaluation of topical rept, "Multi -Use Container High Integrity Container (MUC-HIC)," addressing high integrity disposal container of metallic fiber reinforced concrete w/polythylene inner shell.
SHEWMAKER,R.E. Division of Waste Management (NMSS 940403). 95/03/31. 41pp. 84044:295-84045:030.

9505250059 Forwards groundwater monitoring data for CNS conventional wastewater treatment ponds.Samples collected on 950313,in accordance w/protocol outlined in sampling analysis plan.
CARTER,J. Duke Power Co. 95/05/16. APONTE,H. South Carolina, State of. 6pp. 84063:309-84063:314.

9505250060 Responds to 950303 ltr which requested that each state program confirm compliance w/NRC non-discrimination requirement.
BOGERS,A.H. Texas, State of. 95/05/03. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 84045:031-84045:032.

9505250069 Ack receipt of 950407 ltr to D Summer,inquiring about possible risks sustained after exposure to box containing unknown radionuclides at Southeastern Louisiana Univ.Informs that copy of memo & 950407 ltr will be sent to State of LA.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/04/27. OKAZAKI,R.K. Affiliation Not Assigned. 3pp. 84045:033-84045:041.

-9505250075 Forwards 950407 ltr from R Okazaki to D Summer,for processing.
INGRAM,F. Office of Public Affairs (Post 911117). 95/04/17. BANGART,R. Office of State Programs (Post 911117). 2pp. 84045:036-84045:036.

-9505250081 Inquires about possible risks sustained after exposure to wooden box containing unknown radionuclides at Southeastern Louisiana Univ.Forwards rept of radiation survey of radioactive matl,for info.
OKAZAKI,R. Affiliation Not Assigned. 95/04/07. SUMMER,D. NRC - No Detailed Affiliation Given. 4pp. 84045:037-84045:041.

9505250071 Corrected ltr,providing supplementary info re acceptance to licensing course scheduled for 950605-09.Earlier ltr erroneously listed date of course as 950612-16.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-077. 95/05/11. General. 8pp. 84045:042-84045:049.

9505250091 Responds to 950511 telcon re guidelines for NRC review of Agreement State Radiation Control program.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/12. RODRIGUEZ,R.J. California, State of. 4pp. 84045:050-84045:157.

-9505250104 Expresses appreciation for 930622 ltr in response to NRC comments following Jan 1993 review of licensee Radiation Control Program for agreement matls.NRC needs addl time in responding to specifics of licensee ltr.
BANGART,R.L. Office of State Programs (Post 911117). 93/09/21. COLLINS,H.F. California, State of. 1p. 84045:097-84045:097.

-9505250111 Submits follow-up on NRC 930921 ltr re licensee response to Jan 1993 review of licensee radiation control program for agreement matl.Follow-up review scheduled for 940117-24.
BANGART,R.L. Office of State Programs (Post 911117). 93/10/25. COLLINS,H.F. California, State of. 2pp. 84045:098-84045:098.

-9411220037 Forwards proposed review ltr for California program reviews & change in OSP practice of withholding both adequacy & compatibility if finding of adequacy to protect public health & safety withheld.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/10/28. THE CHAIRMAN Commissioners (Post 750119). 58pp. 84045:099-84045:157.

9505250092 Extends invitation to attend "Seventh Annual NRC Regulatory Info Conference" in Rockville,MD on 950509-10.Encl "Announcement & Invitation" provides conference details.
LOPEZ-OTIN,M. Office of State Programs (Post 911117). 95/04/10. FULTON,S.C., GAYLORD,C., TOTTEN,A. Environmental Protection Agency. 28pp. 84045:158-84045:196.

9505250097 Forwards 950510 resolution on 10CFR34 rulemaking,adopted by CRCPD during annual meeting.Notifies that CRCPD urging NRC to include two qualified person crew & industrial radiographer certification requirements in final 10CFR34.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/05/18. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). MORRIS,B.M. Division of Regulatory Applications (Post 941217). 2pp. 84045:197-84045:202.

--**9505250121** Forwards 950510 resolution on 10CFR34 rulemaking,adopted by CRCPD,urging NRC to include two qualified person crew & industrial radiographer certification requirements in final version of 10CFR34.
HARDIN,C.M. Conference of Radiation Control Program Directors, Inc. 95/05/18. LOHAUS,P. NRC - No Detailed Affiliation Given. 4pp. 84045:199-84045:202.

9505250099 Transmits State Agreements Program info SP-95-081 including sealed source & device registry certificates for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-A-4. 95/05/15. General. 3pp. 84045:203-84045:284.

--**9505250107** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of thickness gauge for models 101-104,108, 200,210 & 220.Certificate:CA-471-D-102-B.
WESLEY,D., KAPEL,B.R. California, State of. CA-471-D-102-B. 87/03/30. 16pp. 84045:207-84045:222.

--**9505250129** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of portable mass gauge for models 104P & 104D. Certificate:CA-471-D-103-B.
WESLEY,D., KAPEL,B.R. California, State of. CA-471-D-103-B. 93/10/27. 15pp. 84045:223-84045:237.

--**9505250136** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of thickness gauge for model 301. Certificate:CA-471-D-104-B.
WESLEY,D., KAPEL,B.R. California, State of. CA-471-D-104-B. 94/05/15. 11pp. 84045:238-84045:248.

--**9505250140** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of thickness gauge for model 302.Certificate: CA-471-D-105-B.
WESLEY,D., KAPEL,B.R. California, State of. CA-471-D-105-B. 94/05/15. 11pp. 84045:249-84045:259.

--**9505250143** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of thickness gauge for model 303. Certificate:CA-471-D-106-B.
WESLEY,D., KAPEL,B.R. California, State of. CA-471-D-106-B. 94/05/15. 11pp. 84045:260-84045:271.

--**9505250163** Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Varisource high dose rate remote afterloader. Certificate:CA-661-D-103-S.
*, * California, State of. CA-661-D-103-S. 95/04/28. 13pp. 84045:272-84045:284.

9505250118 Forwards results of NRC review & evaluation of FL Radiation Control Program.Informs that program adequate to protect public health & safety & compatible w/regulatory programs of NRC.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/18. HUNTER,R.G. Florida, State of. 33pp. 84045:306-84045:338.

9505250130 Expresses appreciation for 950405 ltr responding to comments & recommendations from 1994 review of New Mexico Radiation Control Program.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/17. WEILDLER,M.E. New Mexico, State of. 5pp. 84046:001-84046:095.

--**9505250133** Ack receipt of 950207 ltr addressing staff review of NM Radiation Control Program.Comments problem areas cited by NRC.
WEIDLER,M. New Mexico, State of. 95/04/05. BANGART,R.L. Office of State Programs (Post 911117). 90pp. 84046:007-84046:095.

9505250132 Ack receipt of 950314 ltr which indicated change in NRC Fee Policy re Agreement State Training,Travel & Technical Support.Recommendations to "rescue" training/travel program, submitted.
NIELSON,D.R. Utah, State of. 95/05/01. BANGART,R.L. Office of State Programs (Post 911117). 4pp. 84045:339-84045:342.

9505250134 Discusses R Paris agreement for next routing review of Oregon Radiation Control Program for agreement materials on 950717-28.
CALLAN,L.J. Region 4 (Post 820201). 95/05/19. HALL,E. Oregon, State of. 1p. 84045:343-84045:343.

9505250141 Responds to 950414 ltr from RL Bangart,requesting,on behalf of Commission,Agreement State comments on "Clarification of Decommissioning Funding Assurance Requirements" because of Div 2 compatibility designation.
FRAZEE,T.C. Washington, State of. 95/05/03. Docketing & Services Branch. 3pp. 84045:344-84045:345.

9505250169 Informs that E Hall named as new administrator for State of OR health div & forwards organizational chart showing change.
PARIS,R.D. Oregon, State of. 95/05/18. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 84045:348-84045:349.

9505250334 Forwards rept, "Onsite Slag Characterization & Distribution at Shieldalloy Metallurgical Corp Site in Cambridge,OH." Rept rev of "Preliminary Summary-Onsite Slag Characterization & Distribution" rept submitted on 950407.
SHIELDS,W.J. Affiliation Not Assigned. 95/05/08. BLAIR,B.J. Ohio, State of. 1p. 84093:001-84093:174.

9505260020 Notification of licensee meeting 95-049 on 950519 in King of Prussia,PA to discuss apparent violations including CAL 1-95-003.
LADUN,R.H., PASCIAK,W.J. Region 1 (Post 820201). EA-95-046. 95/05/10. Region 1 (Post 820201). 3pp. 84062:072-84062:074.

9505260032 Comment on NRC announcement of intent to reduce scope of work to states under contract to NRC to perform environmental monitoring in environs of selected licensed facilities.
BORCHERT,H.R. Nebraska, State of. 60FR18428 00007. 95/05/19. NRC - No Detailed Affiliation Given. 2pp. 84062:101-84062:102.

9505260041 Ack receipt of 950412 ltr requesting NRC assistance in determining origin of tritium source found by scrap metal dealer.NRC unable to determine origin of device w/info provided.
CHAWAGA,D. Region 1 (Post 820201). 95/05/16. YUSKO,J.G. Pennsylvania, Commonwealth of. 2pp. 84062:131-84062:132.

9505260051 Responds to 950501 ltr requesting NRC to address issue of SG tube cracking at plant during meeting of Joint Standing Committee on Utils & Energy on 950519.
CHAWAGA,D.J. Region 1 (Post 820201). 95/05/12. CLARK,J. Maine, State of. 2pp. 84062:173-84062:174.

9505260064 Responds to 950427 correspondence requesting briefing from NRC,State of NJ police & util on security measures at plant. Meeting scheduled for 950523 at plant technical support ctr.
MARTIN,T.T. Region 1 (Post 820201). 95/05/17. MORAN,J.W. New Jersey, State of. 6pp. 84062:247-84062:255.

--**9505260067** Requests briefing on security measures in place to protect plant from potential threat of terrorist attack & urges that every safety measure be taken in light of bombing in Oklahoma City,OK.
CONNORS,L.T., MORAN,J.W., CONNORS,C.J. New Jersey, State of. 95/04/27. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). WILLIAMS,C.A. New Jersey, State of. 5pp. 84062:253-84062:255.

9505260198 Forwards amend to order on consent,as requested by 950418 ltr.
MERGES,P.J. New York, State of. 95/04/28. MCGOVERN,J.J. Cintichem, Inc. 3pp. 84104:060-84104:062.

9505260369 Responds to NRC 950314 ltr to M Nichols,describing how NRC will address remaining issue of Agreement State compatibility in rescission of 40CFR61,Subpart I.
TROVATO,E.R. Environmental Protection Agency. 95/04/11. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 84106:335-84106:335.

9505300067 Comment on proposed rules 10CFR30,40,70 & 72 re clarification of decommissioning funding assurance requirements.
MOBLEY,M.H. Tennessee, State of. 59FR32138 00012. 95/05/15. Docketing & Services Branch. 5pp. 84076:327-84076:331.

9505300083 Confirms recent conversation between Whatley & R Woodruff of NRC re NRC review of AL Radiation Control Program for Agreement Matls scheduled for 950619-23.
EBNETER,S.D. Region 2 (Post 820201). 95/05/23. WILLIAMSON,D.E. Alabama, State of. 1p. 84077:001-84077:001.

9505300114 Forwards comments from US Fish & Wildlife Service on Section 5 of Shieldalloy workplan,relating to ecological risk assessment procedures.
BLAIR,B. Ohio, State of. 95/05/15. EVES,C.S. Shieldalloy Metallurgical Corp. LEE,P. Foote Mineral Co. 3pp. 84106:358-84106:360.

9505300215 Confirms meeting to be held on 950615 in Rockville,MD to discuss siting & licensing of LLW disposal facility in NJ. Meeting announcement encl.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/05/15. WEINGART,J.R. New Jersey, State of. 3pp. 84133:348-84133:350.

9505300232 Forwards comments on NY State Dept of Environ Conservation 950515 ltr re Cintichem,Inc 950406 response to NRC 950308 ltr & PJ Merges 950202 ltr re bedrock decontamination criteria Cintichem,Inc proposed in 950106 ltr to NRC.
MERGES,P.J. New York, State of. 95/05/15. ORLANDO,D. NRC - No Detailed Affiliation Given. MCGOVERN,J.J. Cintichem, Inc. 3pp. 84133:355-84133:357.

9505300253 Shares concerns re MYAPS in Wiscasset,ME.Encourages E Trottier to give support & that State of ME file legal petition w/NRC in calling for independent investigation of age related & generic problems at plant.
PAPINEAU,S.M. Affiliation Not Assigned. 95/05/18. KING,A., TROTTIER,E. Maine, State of. 3pp. 84138:356-84138:358.

9505300364 Forwards request for exemption from NRC CFR35.80(a) which does not allow transporting of Mo-99/Tc-99m generator.W/o encl.
JOHNSON,L. Affiliation Not Assigned. 95/05/19. HOWELL NRC - No Detailed Affiliation Given. 2pp. 84136:359-84136:360.

9505300380 Forwards OH EPA approval for use of cooling water additives for condenser cleaning at facility.
SHELTON,D.C. Centerior Energy. PY-CEI/NRR-1952. 95/05/22. Document Control Branch (Document Control Desk). 4pp. 84136:355-84136:358.

9505300423 Requests that NRC perform listed review & safety assessment re MYAPC proposed change 190,permitting alternative sleeving repair process employing Westinghouse laser welding technique,prior to plant starting up.
DOSTIE,P.J. Maine, State of. 95/05/22. Document Control Branch (Document Control Desk). 2pp. 84138:351-84138:352.

9505310011 Ack receipt of 950415 ltr informing NRC of steps taken to correct violations noted in insp rept 15000019/95-01.
PASCIAK,W.J. Region 1 (Post 820201). 95/05/22. DEAN,M. . 1p. 84094:002-84094:010.

--**9505310024** Responds to NRC 950317 ltr re violations noted in insp rept 15000019/95-01 on 950223-24.Corrective actions:primary dosimeter recharger was repaired as secondary backup recharger so this condition will not occur again.
DEAN,M.R. . 95/04/15. Document Control Branch (Document Control Desk). 2pp. 84094:003-84094:010.

9505310031 Forwards sealed source & device registry certificates for addition to catalogues.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-069. 95/04/19. General. 203pp. 84094:177-84095:016.

9505310036 Expresses appreciation for hosting 950502-03 Agreement State Wrongdoing Awareness Workshop conducted by Ofc of State Program & presented by OI.
BANGART,R.L. Office of State Programs (Post 911117). 95/05/23. BAILEY,E.D. California, State of. 2pp. 84095:021-84095:022.

9505310040 Responds to request to review & concurs on staff response to COMGD-94-003, "Improving NRC Control Over & Licensee Accountability for Generally Licensed Devices & Specifically Licensed Gauges."
BANGART,R.L. Office of State Programs (Post 911117). 95/05/12. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 84095:033-84095:069.

--**9505310045** Forwards proposed response to COMGD-94-003.Requests comments & concurrence be provided by 950512.
LUBINSKI,J.W. Source Containment & Devices Branch (Post 911213). 95/05/04. BANGART,R.L. Office of State Programs (Post 911117). TREBY,S.A., CAMERON,F.X. Office of the General Counsel (Post 860701). 10pp. 84095:060-84095:069.

9505310041 Forwards list of usefull items considered for inclusion on INTERNET.
FRAZEE,T.C. Washington, State of. 95/04/20. KNUZIC,P.G. Office of Information Resources Management (Post 890205). 3pp. 84095:070-84095:073.

9505310046 Transmits State Agreements Program Info SP-95-083 re list of students from States selected to attend Transportation of Radioactive Matls Course on 950619-23.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-083. 95/05/19. General. 15pp. 84095:104-84095:118.

9505310066 Responds to request for peer review of licensing action approving Dawn Mining Co closure plan.Advises that ofc does not perform independent peer reviews which address entirety of specific completed Agreement State licensing action.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/05/22. ROBERTSON,G. Washington, State of. 4pp. 84095:315-84095:319.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9503220425 Forwards nonproprietary & proprietary versions of advance copy of Rev 3 to "Simplified Passive ALWR Plant Program AP600 PRA."
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4418. 95/03/15. BORCHARDT,R.W. Document Control Branch (Document Control Desk). 2pp. 84230:001-84236:268.

--9505310009 WCAP-13275 V1-3 R01 "AP600 PRA Fault Trees," Rev 1,Vols 1-3.
HAAG,C.L. Westinghouse Electric Corp. 95/03/14. 2,448pp. 84230:005-84236:268.

9505010025 Forwards comments & request for addl info on BWR Owners Group Topical Rept NEDC-32264, "Application of Probabilistic Safety Assessment to GL-89-10 Implementation," Rev 1.
THADANI,A.C. . GL-89-10. 95/01/13. PINELLI,R.A. BWR Owners Group. PINELLI,R.A. *General Public Utilities Corp. - GPU Service Corp. 16pp. 83688:316-83688:331.*

9505010052 Provides revised info re plant identification that has been added to ref document.
ENGLAND,L.A. BWR Owners Group. BWROG 95039-030. 95/04/14. BOGER,B.A. . 10pp. 83714:294-83714:303.

9505010092 Notification of 950509 meeting w/BWR Vessel & Internals Project in Rockville,MD to discuss research into reactor vessel & internals cracking.
CARPENTER,C.E. Project Directorate I-1 (PD1-1) (Post 941001). 95/04/25. MARSH,L.B. Project Directorate I-1 (PD1-1) (Post 941001). 3pp. 83717:247-83717:249.

9505010120 Forwards rev 0 to GENE-523-A018-0295, "Duane Arnold & Vermont Yankee Shroud Safety Assessment" & Draft Calculation VYC-1364, "Vermont Yankee Core Shroud Flaw Evaluation."
DORMAN,D.H. Project Directorate I-3 (PD1-3) (Post 941001). 95/04/25. Project Directorate I-3 (PD1-3) (Post 941001). 1p. 83753:028-83753:249.

--9505010125 GENE-523-A018-0295 "Duane Arnold & Vermont Yankee Ahroud Safety Assessment."
ELECTONA,E.O., CASILLAS,J.L., RANGANATH,S. General Electric Co. 95/04/18. 36pp. 83753:029-83753:063.

9505010136 Forwards GE proprietary rept, "Primary Structure Seismic Analysis for Core Shroud Evaluation," dtd Dec 1994.Encl withheld.
TREMBLAY,L.A. Vermont Yankee Nuclear Power Corp. BVY95-45. 95/04/21. Document Control Branch (Document Control Desk). 6pp. 83722:347-83722:352.

9505010209 Summary of 950413 meeting w/EPRI & listed participants in Rockville,MD re overview of EPRI guidance document TR-103586.List of attendees & EPRI handouts encl.
SPESSARD,R.L. . 95/04/20. BLACK,S.C. . 13pp. 83688:332-83688:344.

9505020228 Forwards nonproprietary version of Suppl 1 to GE-NE-B13-01739-04, "Suppl 1 to Nine Mile Unit 1 Shroud," in response to GL 94-03, "IGSCC of Core Shrouds in BWRs."
TERRY,C.D. Niagara Mohawk Power Corp. NMP1L 0941. 95/04/21. Document Control Branch (Document Control Desk). 4pp. 83764:049-83764:070.

9505020349 Forwards nonproprietary WCAP-14330 & proprietary WCAP-13032, Rev 1, "Handbook on Flaw Evaluation Prairie Island Units 1 & 2 SGs Upper Shell to Dome Weld Region." Propriretary rept withheld per 10CFR2.790.
ANDERSON,R.O. Northern States Power Co. 95/04/24. Document Control Branch (Document Control Desk). 4pp. 83814:001-83814:085.

--9505020351 Requests that proprietary WCAP-13032,Rev 1, "Handbook on Flaw Evaluation Prairie Island Units 1 & 2 SGs Upper Shell to Dome Weld Region" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-95-804. 95/04/05. RUSSELL,W.T. Document Control Branch (Document Control Desk). 6pp. 83814:005-83814:012.

--9505020354 WCAP-14330 Nonproprietary "Handbook on Flaw Evaluation Prairie Island Units 1 & 2 SGs Upper Shell to Dome Weld Region."
TANDON,S., PRAGER,D.E., SCHMERTZ,J.C. Westinghouse Electric Corp. 95/03/31. 74pp. 83814:013-83814:085.

9505020403 Application for renewal of COC 9001 for VECTRA IF-300 shipping cask.Revised pages to Vol 1 of consolidated SAR encl.Vol 3 to consolidated SAR, "IF-300 Shipping Cask" also encl.
TEMUS,C.J. Vectra Technologies, Inc. CJT-95-011. 95/03/30. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 10pp. 83830:001-83832:199.

--9505020436 NEDO-10084-4 V03 Vol 3 to SAR, "IF-300 Shipping Cask."
* Vectra Technologies, Inc. 95/03/31. 833pp. 83830:095-83832:199.

9505020477 Responds to 940503 ltr requesting confirmation of NRC position on issues re BWROG accident mgt activities & informs that summary of agreements provided accurately reflects NRC views & expectations.
THADANI,A.C. Associate Director for Inspection & Technical Assessment (Post 870411). 94/05/27. LABRUNA,S. BWR Owners Group. 3pp. 83717:283-83717:285.

9505020478 Forwards proprietary rept WCAP-14359, "Structural Integrity Evaluation for Feedwater Nozzle Safe-end-Region of Kewaunee Nuclear Plant," per 10CFR50.55a(g)(4) & subarticle IWB-3600 of Section XI of ASME BP&PV Code.Proprietary rept withheld.
MARCHI,M.L. Wisconsin Public Service Corp. NRC-95-52. 95/04/27. Document Control Branch (Document Control Desk). 3pp. 83814:086-83814:088.

9505040012 Informs that repts entitled, "XM-19 Matls Qualification Rept," NEDE-21653-P, "GENE/ComEd Responses to NRC Request for Addl Info re Quad Cities Units 1 & 2 Shroud Cities 1 & 2," will be withheld from public disclosure,per request.
PULSIFER,R.M. . 95/04/28. FARRAR,D.L. Commonwealth Edison Co. 4pp. 83751:337-83751:340.

9505040060 Application for amend to license DPR-43.Amend would revise current heatup & cooldown limit curves for plant.
STEINHARDT,C.R. Wisconsin Public Service Corp. NRC-95-54. 95/04/28. Document Control Branch (Document Control Desk). 3pp. 83886:119-83887:007.

--9505040068 WCAP-14279 "Analysis of Capsule S from Wisconsin Public Svc Corp Kewaunee Nuclear Plant Reactor Vessel Radiation Surveillance Program."
RISHEL,R.D., TEREK,E., WRIGHTS,G.N. Westinghouse Electric Corp. 95/03/31. 162pp. 83886:122-83886:283.

--9505040077 WCAP-14280 "Evaluation of Pressurized Thermal Shock for Kewaunee RV."
RISHEL,R.D., TEREK,E. Westinghouse Electric Corp. 95/03/31. 29pp. 83886:284-83886:311.

--9505040082 WCAP-14278 "Kewaunee RV Heatup & Cooldown Limit Curves for Normal Operation."
RISHEL,R.D., PETER,P.A. Westinghouse Electric Corp. 95/04/30. 39pp. 83886:312-83886:349.

9505040202 Forwards consolidated vols 1 & 2 for "IF-300 Shipping Cask Consolidated SAR," NEDO-10084-4.
TEMUS,C.J. Vectra Technologies, Inc. CJT-95-013. 95/04/27. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 83809:001-83811:212.

--9505080266 NEDO-100884-4 Vols 1 & 2 to SAR "IF-300 Shipping Cask."
* Vectra Technologies, Inc. 95/03/31. 875pp. 83809:006-83811:212.

9505050253 Summary of 950405 meeting w/BWROG representatives in Rockville,MD re BWROG evaluation of license renewal ref plant containment rept & BWROG schedule for further license renewal activites.W/attendance list.W/o BWROG handout.
ANAND,R.K. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/04/26. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 3pp. 83813:352-83813:354.

9505050268 Responds to request for withholding info from public disclosure re BAW-2209, "Crystal River Unit 3,Spent Fuel Storage Pool B Criticality Analysis," dtd Oct 1993. BAW-2209 will be withheld from public disclosure.
RAGHAVAN,L. Project Directorate II-1 (PD2-1) (Post 941001). TAC M91536. 95/05/01. TAYLOR,J.H. Babcock & Wilcox Co. 3pp. 83813:355-83813:357.

9505090019 Comment supporting proposed rule 10CFR170 & 171 re rev of fee schedules;100% fee recovery,FY95.Licensee of belief that Commission must continue to seek legislative relief from 100% fee recovery as mandated by Congress since FY91.
LIPARULO,N.J. Westinghouse Electric Corp. 60FR14670 00022. 95/04/25. HOYLE,J. Office of the Secretary of the Commission. 3pp. 83816:090-83816:092.

9505090057 Comment on proposed rule 10CFR50 re fracture toughness requirements for LWR pressure vessels & draft reg guide DG-1027.Advises that info made available through annealing demonstration into reg guide should prove beneficial.
TOMES,C.A., . NEWTON,R.A. Westinghouse Operating Plants Owners Group. 59FR50513 00010. 95/04/27. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 83816:222-83816:223.

9505090121 Forwards WCAP-14208, "Analysis of Capsule 4 from Palo Verde Unit 3 Reactor Vessel Radiation Surveillance Program."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 102-03340-WLS/S. 95/04/26. Document Control Branch (Document Control Desk). 2pp. 83896:159-83896:286.

--9505090126 WCAP-14208 "Analysis of Capsule 4 From Palo Verde Unit 3 RV Radiation Surveillance Program."
RISHEL,R.D. Westinghouse Electric Corp. 95/01/31. 130pp. 83896:161-83896:286.

9505090132 Forwards NEDO-32424, "Licensing Topical Rept Generic Guidelines for GE BWR Extended Power Uprate."
BERRY,K.K. General Electric Co. MFN-067-95. 95/04/30. WETZEL,B.A. NRC - No Detailed Affiliation Given. 1p. 83904:023-83904:105.

--9505090137 NEDO-32424 "Licensing Topical Rept Generic Guidelines for GE BWR Extended Power Uprate."
MARQUINO,W., ECKERT,E.C. General Electric Co. 95/04/30. 89pp. 83904:025-83904:105.

9505090141 Informs that Westinghouse 940729 submittal of proprietary rept WCAP-14122, "Beaver Valley Unit 1 SG Tube Plugging Criteria for Indications at Tube Support Plates - Jul 1994," to be withheld from public disclosure,per 10CFR2.790(b)(5).
BRINKMAN,D.S. Project Directorate I-2 (PD1-2) Post 941001). TAC M89991. 95/05/02. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 83856:106-83856:109.

9505090148 Forwards Tower Shielding Reactor (TSR) fuel drawings & ORNL rept describing TSR fuel.W/12 oversize encl.
CUNNINGHAM,G.E. General Electric Co. 95/05/01. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 83992:193-83992:210.

9505090226 Forwards RAI re topical rept DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Response should be submitted within 30 days of ltr date.
MARTIN,R.E. . TAC M90647. 95/05/03. TUCKMAN,M.S. Duke Power Co. 7pp. 83853:338-83853:344.

9505100058 Forwards W topical rept WCAP-11992, "Joint WOG/W Program: ATWS Rule Administration Process."
NEWTON,R.A. Westinghouse Operating Plants Owners Group. OG-95-41. 95/05/02. Document Control Branch (Document Control Desk). 2pp. 83919:117-83919:234.

9505100095 Forwards proprietary W topical rept WCAP-14324, "AP600 Design Certification,ADS Phase B1 Tests,Final Data Rept," RCS-T2R-100 & non-proprietary W topical rept WCAP-14325, "AP600 Design Certification,ADS Phase B1 Tests,Final...."
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4424. 95/04/13. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 83906:120-83906:247.

--9505100099 Requests that W topical repts WCAP-14324 be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-95-795. 95/04/13. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 83906:124-83906:130.

--9505100104 WCAP-14325 Non-proprietary W topical rept,WCAP-14325, "Final Data Rept for ADS Phase B1 Tests."
* Westinghouse Electric Corp. 95/04/30. 117pp. 83906:131-83906:247.

9505110196 Provides proprietary preliminary responses to requests for addl info re WCAP-12945-P, "Westinghouse Code Qualification Document For Best Estimate Loss Of Coolant Accident Analysis."
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4442. 95/04/24. Document Control Branch (Document Control Desk). 2pp. 83902:339-83902:349.

--9505110201 Requests that preliminary responses to requests for addl info re WCAP-12945-P,be withheld,per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-95-815. 95/04/24. Document Control Branch (Document Control Desk). 9pp. 83902:341-83902:349.

9505110244 Notification of 950511 meeting w/BWROG to discuss current BWROG topics & status of open items.
PERCH,R.L. . 95/05/04. RUSSELL,W., MIRAGLIA,F., ZIMMERMAN,R. NRC - No Detailed Affiliation Given. 3pp. 83936:347-83936:349.

9505110342 Extends authorization contained in stated reference ltrs received by NRC from 950601 through 960601 for info bearing Westinghouse copyright notices.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4451. 95/05/02. Document Control Branch (Document Control Desk). 1p. 83938:248-83938:248.

9505120083 Forwards series of preliminary responses to request for addl info re WCAP-12945-P, "Westinghouse Code Qualification Document for Best Estimate LOCA." Proprietary attachments FF through GG encl but withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/08. Document Control Branch (Document Control Desk). 2pp. 83870:354-83870:355.

9505120238 Discusses 941109 NUMARC submittal re proprietary EPRI topical rept TR-103237 "EPRI MOV Performance Prediction Program Topical Rept." MOV Program intended to develop methodology to predict valve requirements.
WESSMAN,R.H. . 95/05/08. CALLAWAY,R.C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 5pp. 83930:001-83930:005.

9505120273 Advises that final rept CEN-615-P, "Evaluation of Low Charpy Upper Shelf Energy for Big Point Reactor Pressure Vessel Beltline Weld" will be withheld from public disclosure (ref 10CFR2.790),per 940811 request. .
TRAN,L.N. . 95/05/05. DONNELLY,P. Consumers Power Co. 3pp. 83902:249-83902:251.

9505150016 Forwards "Reactor Stability Long-Term Solution:Enhanced Option I-A Solution Design," hardware licensing topical rept.BWROG requests meeting in Jun 1995 to discuss contents of rept & that rept be withheld from public disclosure.
PINELLI,R.A. BWR Owners Group. BWROG-95045. 95/05/05. WERMIEL,J.S. Office of Nuclear Reactor Regulation (Post 941001). 6pp. 83900:048-83900:053.

9505150023 Forwards listing & projected schedule for completion & submittal of new topical repts requiring NRC approval.
TUCKMAN,M.S. Duke Power Co. 95/05/04. Document Control Branch (Document Control Desk). 3pp. 83899:044-83899:046.

9505150076 Forwards WCAP-14342-A & proprietary WCAP-12610-P-A, "VANTAGE+ Fuel Assembly Ref Core Rept." WCAP-12610-P-A withheld per 10CFR9.5(4).
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4416. 95/04/10. JONES,R.C. . 2pp. 83937:001-83938:049.

--9505150079 Requests that WCAP-12610-P-A, "VANTAGE+ Fuel Assembly Ref Core Rept" be withheld from public disclosure per 10CFR2.790(b)(1).
LIPARULO,N.J. Westinghouse Electric Corp. AW-95-787. 95/04/10. JONES,R.C. . 8pp. 83937:003-83937:010.

--9505150082 WCAP-14342-A "VANTAGE+ Fuel Assembly Ref Core Rept."
DAVIDSON,S.L., RYAN,T.L. Westinghouse Electric Corp. 95/04/30. 403pp. 83937:011-83938:049.

9505150120 Summary of 950330 meeting w/Westinghouse in Rockville,MD re passive SR sys for AP600 design.List of attendees & handouts from Westinghouse & NRC encl.
DONOHEW,J.N. Standardization Project Directorate (PDST) (Post 941001). 95/05/09. Standardization Project Directorate (PDST) (Post 941001). 58pp. 83948:213-83948:270.

9505150124 Notification of 950525 meeting w/ABB/CE in Rockville,MD to discuss status of TRs review to support WNP-2 reload.
WU,S. . 95/05/09. JONES,R.C. . 2p. 83971:323-83971:323.

9505150263 Forwards proprietary & nonproprietary versions of rept, "AP600 FHFP Integral Sys Test Spec," reflecting revs to test matrix for AP600 testing at SPES-2 facility in Casaccia, Italy.Proprietary version of rept withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4458. 95/05/08. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 83978:222-83978:309.

--9505150266 Requests that proprietary rept WCAP-14053,Rev 2, "AP600 FHFP Integral Sys Test Spec" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-95-821. 95/05/08. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 83978:226-83978:232.

--9505150268 WCAP-14056 R02 Nonproprietary version of Rev 2 to "AP600 FHFP Integral Sys Test Spec."
CONWAY,L.E. Westinghouse Electric Corp. PXS-TIP-002. 95/04/30. 77pp. 83978:233-83978:309.

9505180127 Notification of 950601 meeting w/B&WOG Vessel Working Group in North Bethesda,MD to discuss fracture toughness & irradiation effects on PVs.Meeting agenda encl.
MCDONALD,D.G. Project Directorate I-1 (PD1-1) (Post 941001). 95/05/05. STROSNIDER,J.R. . 5pp. 83979:294-83979:298.

9505180447 Discusses consideration for testing of ECCS alternative strainer designs.Five questions about NRC guidelines listed.
HART,G.H. Performance Contracting, Inc. 95/05/01. ELLIOTT,R. . 3pp. 83964:354-83964:356.

9505180485 Forwards draft of proposed Rev 10 to Topical Rept SL-TR-1A, "Sargent & Lundy QA Program," reflecting general reorganization of Sargent & Lundy mgt to combine QA & QC functions under QA manager.
KURTZ,R.L. Sargent & Lundy, Inc. 95/05/09. BLACK,S. Document Control Branch (Document Control Desk). 5pp. 84013:109-84013:185.

--9505180487 Draft Rev 10 to "Sargent & Lundy QA Program."
KURTZ,R.L. Sargent & Lundy, Inc. 95/05/08. 72pp. 84013:114-84013:185.

9505180489 Provides NRC w/Westinghouse point of contact & alternate for review of draft documents re NSSS or related components.
LIPARULO,N.J. Westinghouse Electric Corp. 95/05/05. CHAFFEE,A.E. . 1p. 83991:356-83991:356.

9505190114 Notification of licensee meeting w/B&W in Rockville,MD on 950524 to discuss B&WOG responses to NRC staff request for addl info re B&WOG generic license renewal program TR, "Demonstration of Mgt of Aging Effects of RCS Piping."
HILTZ,T.G. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/05/09. NEWBERRY,S.F. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 3pp. 83988:302-83988:304.

9505190352 Notification of 950525 & 26 meetings w/Westinghouse in Monroeville,PA to discuss best estimate LOCA evaluation model.
ORR,F.R. . 95/05/15. JONES,R.C. . 2pp. 84030:354-84030:355.

9505190368 Forwards documentation on RAI for GE Licensing topical repts listed re TRACG computer code review.
RAZZAQUE,M.M. . 95/05/09. WILSON,J. Associate Director for Advanced Reactors & License Renewal (ADAR) (Post 941001). 18pp. 83988:192-83988:209.

9505230090 Forwards text of info ltr sent to W customers w/SG tube mechanical plugs mfg from Alloy 600TT matl remaining in svc. Ltr recommends adjustment to current action plan to address SG tube mechanical plug corrosion.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4461. 95/05/17. Document Control Branch (Document Control Desk). 5pp. 84051:338-84051:342.

9505230375 Informs of 950620 meeting w/BWROG in Rockville,MD re potential topical rept submittal concerning reclassification of containment hydrogen & oxygen analyzers.
BARRETT,R.J. . TAC M40058. 95/05/18. HOLAHAN,G.M. . 2pp. 84059:336-84059:337.

9505240293 Forwards Westinghouse 950403 submittal, "Requested AP600 PRA Info on Description of DVI Line Break Cases," & Westinghouse 950426 presentation, "AP600 Changes." W/o encl.
MONNINGER,J.D. . FIN L-1632. 95/05/18. GRIFFITH,R. Sandia National Laboratories. 1p. 84039:320-84039:320.

9505240422 Advises that WCAP-14346,Rev 1, "Specific Application of Laser Welded Sleeves for Maine Yankee Nuclear Power Plant Steam Generators" will be withheld from public disclosure (ref 10CFR2.790),per 950412 request.
MCKEE,P. Project Directorate I-3 (PD1-3) (Post 941001). TAC M902032. 95/05/22. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84048:353-84048:355.

9505240430 Advises that Rev 2 to WCAP-1398, "Laser Welded Sleeves for 3/4-inch Diameter Tube Feedring-Type & W Preheater SGs" will be withheld from public disclosure (ref 10CFR2.790),per 950331 & 0406 requests.
MCKEE,P.F. Project Directorate I-3 (PD1-3) (Post 941001). TAC 92032. 95/05/22. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 84048:356-84048:358.

9505250058 Forwards incident & event info,program mgt info,technical info & other info for attention.Technical Evaluation Rept encl for info.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-070. 95/05/04. General. 3pp. 84044:289-84045:030.

--9505250078 Forwards three replacement pages for TER sent to WB House by 950329 ltr.Corrections reflect one dimension of largest multi-use container of three addressed by topical rept.
BELL,M.J. Division of Waste Management (NMSS 940403). 95/04/24. HOUSE,W.B. Chem-Nuclear Systems, Inc. 1p. 84044:292-84044:292.

--9505250082 Forwards final TER for topical rept of Chem-Nuclear Sys,Inc, "Multi-Use Container High Integrity Container," dtd 920723. Requests that Chem-Nuclear publish accepted versions of TR, incorporating addl info that had been submitted.
BELL,W.M. Division of Waste Management (NMSS 940403). 95/03/29. HOUSE,W.B. Chem-Nuclear Systems, Inc. 2pp. 84044:293-84044:294.

--9505250096 Rev 1 to staff technical evaluation of topical rept, "Multi -Use Container High Integrity Container (MUC-HIC)," addressing high integrity disposal container of metallic fiber reinforced concrete w/polythylene inner shell.
SHEWMAKER,R.E. Division of Waste Management (NMSS 940403). 95/03/31. 41pp. 84044:295-84045:030.

9505250207 Forwards proprietary rept CENPD-400-P,Rev 1 entitled, "Generic Topical Rept for ABB Option III Oscillation Power Range Monitor (OPRM)." Rept withheld from public disclosure per 10CFR2.790.
PINELLI,R.A. BWR Owners Group. BWROG-95047. 95/05/19. BOGER,B.A. . 7pp. 84085:348-84085:354.

9505250208 Informs of issuance of rev 1 of improved STSs & availability of rev 1 through electronic files.Changes reflected in rev 1 resulting from experience gained from license amend applications to convert to improved STS.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 95/05/16. PILMER,D.F. Southern California Edison Co. 5pp. 84068:025-84068:029.

9505250211 Forwards nonproprietary & proprietary versions of licensing topical rept, "BISON - One Dimensional Dynamic Analysis Code for BWRs:Response to RAI on Suppl 1 to Code Description & Qualification." Proprietary version of rept withheld.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-062. 95/05/17. . 5pp. 84087:115-84087:156.

--9505250215 CENPD-292-NP-RAI Nonproprietary Licensing TR, "BISON - One Dimensional Dynamic Analysis Code for BWRs:Response to RAI on Suppl 1 to Code Description & Qualification."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. TAC M90165. 95/05/31. 36pp. 84087:121-84087:156.

9505260054 Forwards EPRI Rept RA-93-10, "GOTHIC Design Review Final Rept," per 950501 request re Task 4-2 of job code L-1632. W/o encl.
MANNINGER,J.D. . FIN L-1632. 95/05/18. GRIFFITH,R. Sandia National Laboratories. 1p. 84099:104-84099:104.

9505260149 Discusses BWR core shroud repair evaluations.Advises that NRC has completed review of several licensees proposed repairs & has approved repair methodologies.NRC may inspect or audit each licensees 10CFR50.59 safety evaluations.
THADANI,A.C. . 95/05/18. PINELLI,R.A. BWR Owners Group. PINELLI,R.A. General Public Utilities Corp. - GPU Service Corp. 3pp. 84090:284-84090:286.

9505260241 TS Change request to amend license NPF-6 re allowable outage time extension for safety injection tanks.
YELVERTON,J.W. Entergy Operations, Inc. 2CAN059503. 95/05/19. Document Control Branch (Document Control Desk). 9pp. 84096:173-84096:229.

--9505260250 CE-NPSD-994 "Joint Applications Rept for Safety Injection Tank AOT/STI Extension."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 95/05/30. 36pp. 84096:188-84096:229.

9505260256 TS change request for amend to license NPF-6,re AOT extension for low pressure safety injection train.
YELVERTON,J.W. Entergy Operations, Inc. 2CAN059502. 95/05/19. Document Control Branch (Document Control Desk). 8pp. 84096:114-84096:172.

--9505260267 CE NPSD-995 "Joint Applications Rept For Low Pressure Safety Injection Sys AOT Extension."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 95/05/30. 50pp. 84096:125-84096:172.

9505260270 TS change request for amend to license NPF-6 re emergency diesel generator AOT extension.
YELVERTON,J.W. Entergy Operations, Inc. 2CAN059501. 95/05/19. Document Control Branch (Document Control Desk). 9pp. 84093:259-84093:327.

--9505260276 CE-NPSD-996 "Joint Applications Rept For Emergency Diesel Generators AOT Extension."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 95/05/30. 60pp. 84093:273-84093:327.

9505300163 Provides listing of changes that GE wishes to make re safety analysis of basket & liner,NEDO-32229,dtd Jul 1993,designed to ship HFIR fuel assembly in Model 2000 shipping container.
CUNNINGHAM,G.E. General Electric Co. 95/05/19. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 16pp. 84117:063-84117:139.

--9505300167 NEDO-32229 ERR Errata & addenda sheet to GE rept NEDO-32229, "Model 2000 Radioactive Matl Transportation Package-HFIR Fuel Basket & Liner SAR," dtd May 1995.
* General Electric Co. 95/05/31. 57pp. 84117:083-84117:139.

9505300278 Forwards response to NRC 950328 & 0420 RAIs re B&WOG generic license renewal program,demonstration of aging effects mgt for RCS piping topical rept BAW-2243.Responses to 950510 RAI being prepared.
CRONEBERGER,D. Babcock & Wilcox Operating Plants Owners Group. OG-1512. 95/05/16. Office of Nuclear Reactor Regulation (Post 941001). 24pp. 84136:320-84136:343.

9505300384 Forwards proprietary & nonproprietary versions of responses to NRC questions re Topical Rept DPC-NE-3004-P, "Mass & Energy Release & Containment Response Methodology." Proprietary responses withheld per 10CFR2.790.
TUCKMAN,M.S. Duke Power Co. 95/05/12. Document Control Branch (Document Control Desk). 19pp. 84162:223-84162:241.

9505300398 Application for amends to licenses NPF-37,NPF-66,NPF-72 & NPF-77,revising TS Section 3/4.4.5,allowing SG tubes to be repaired using tungsten inert gas welded sleeve process described in encl ABB C-E rept CEN-621-P.Rept withheld.
PONTIOUS,H.D. Commonwealth Edison Co. 95/05/17. Document Control Branch (Document Control Desk). 14pp. 84162:165-84162:222.

--9505300401 Proposed tech specs Section 3/4.4.5,allowing SG tubes to be repaired using tungsten inert gas welded sleeve process described in ABB C-E Licensing Rept CEN-621-P,Rev 0, "Comm Ed...SG Tube Repair Using Leak Tight Sleeves."
* Commonwealth Edison Co. 95/05/17. 43pp. 84162:179-84162:222.

9505310010 Forwards proprietary & nonproprietary Topical Repts, "Multi-Use Container High Integrity Container Licensing Topical Rept." Proprietary rept withheld.
HOUSE,W.B. Chem-Nuclear Systems, Inc. RA-0254-95. 95/05/19. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 3pp. 84192:001-84192:183.

--9505310013 Identifies corrections to response documents to CNSI Multi Use Container High Integrity Container Topical Rept.
HOUSE,W.B. Chem-Nuclear Systems, Inc. 95/05/19. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 5pp. 84192:004-84192:008.

--9505310015 CNSI-WM-107-NP(A) "Multi-Use Container High Integrity Container Licensing Topical Rept."
* Chem-Nuclear Systems, Inc. 95/03/31. 175pp. 84192:009-84192:183.

9505310652 Requests that Rev 0 to CEN-460-P as shown as docketed w/CPC 931007 ltr re pressurizer safe end crack,be withheld from public disclosure per 10CFR2.790.Affidavit delineating reasons for classification of rept encl.
HAAS,K.M. Consumers Power Co. 95/05/24. Document Control Branch (Document Control Desk). 9pp. 84162:287-84162:295.

WASTE MGT NUCLEAR WASTE MANAGEMENT

9209250347 Forwards "Quality of Experts Probabilities Obtained Through Formal Elicitation Techniques."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. 92/09/18. NEEL,R. NRC - No Detailed Affiliation Given. 1p. 84049:169-84049:224.

--9209250348 "Quality of Experts Probabilities Obtained Through Formal Elicitation Techniques."
WINKLER,R.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-88-005. 92/09/30. NRC - No Detailed Affiliation Given. 55pp. 84049:170-84049:224.

9505010150 Forwards major milestone 20-5704-124-020, "Three Nonhomogeneous Poission Models for Probability of Basaltic Volcanism:Application to Yucca Mountain Region,NV,USA."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/04/07. MEEHAN,B.D. Division of Contracts (Post 940714). 77pp. 83757:038-83757:114.

9505020242 Forwards preliminary TER generated by review of topical rept, "3R-STAT:Tc-99 & I-129 Release Analysis Computer Code."
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/20. VANCE,J.N. Vance & Associates. 36pp. 83763:304-83763:339.

9505020255 Requests access to series of data,procedures & samples primarily re geochemical & petrographic aspects.Request for background data on in-field verification of DOE volcanism investigations encl.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/04/21. BROCOUM,S.J. Energy, Dept. of. 6pp. 83783:348-83783:353.

9505020341 Forwards CAR YM-95-014,rev 1,resulting from Yucca Mountain QA Div Audit YM-ARP-95-03.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/04/26. BRADY,M.C. Sandia National Laboratories. 13pp. 83757:154-83757:166.

9505020355 Informs that staff has verified corrective action to CAR YM-94-062 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/04/27. FOUST,L.D. TRW Environmental Safety Systems, Inc. 19pp. 83757:167-83757:185.

9505020383 Forwards "CNWRA Prgram Manager's Periodic Rept (PMPR) on Activities of CNWRA for Fiscal Reporting Period 950318- 0414," PMPR 95-07.
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/04/28. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 83757:186-83757:241.

--9505020388 PMPR 95-07 "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 950318-0414."
* Center for Nuclear Waste Regulatory Analyses. HLWR. 95/04/28. NRC - No Detailed Affiliation Given. 55pp. 83757:187-83757:241.

9505020407 Requests that DOE provide info re entity responsible for assuring worker health & safety during exploratory studies facility const.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/04/26. MILNER,R.A. Energy, Dept. of. 2pp. 83783:354-83783:355.

9505020419 Forwards "NRC Observation Audit Rept 95-04 of OCRWM Ofc of QA Audit HQ-ARC-95-04 of OCRWM Mgt & Operating Contractor (M&O).Audit HQ-ARC-95-04 conducted on 950207-10 at M&O ofcs in Vienna,VA & on 950221-24 at M&O ofcs in Las Vegas,NV.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/04/27. MILNER,R.A. Energy, Dept. of. 3pp. 83757:242-83757:253.

--9505020423 95-04 "NRC Observation Audit Rept 95-04 of OCRWM Ofc of QA Audit HQ-ARC-95-04 of OCRWM Mgt & Operating Contractor."
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). MABRITO,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/04/26. 9pp. 83757:245-83757:253.

9505030151 Informs that purpose of surveillance was to verify implementation of corrective actions & status of YMQAD corrective action requests.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/04/21. COSTIN,L.S. Sandia National Laboratories. 6pp. 83808:323-83808:328.

9505030190 Requests that encl OCRWM QA program info associated w/implementation of QARD DOE/RW-0333P,Rev 2 be transmitted to NRC.W/o encl.
HORTON,D.G. Energy, Dept. of. HLWR. 95/04/25. MILNER,R.A. Energy, Dept. of. 2pp. 83825:178-83825:179.

9505030265 Informs that staff has verified corrective action to CAR YM-94-043 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/04/25. HAYES,L.R. Interior, Dept. of, Geological Survey. 17pp. 83811:287-83811:303.

9505040094 Informs that staff has verified corrective action to CAR YM-95-022 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/04/25. HAYES,L.R. Interior, Dept. of, Geological Survey. 6pp. 83845:037-83845:044.

9505040271 Forwards Swedish Nuclear Fuel & Waste Mgt Co Hard Rock Lab Intl Cooperation repts 93-01,93-02,93-04,94-01,94-02,94-03 & 94-04.
LEVICH,R.A. Energy, Dept. of. HLWR. 95/04/24. NRC - No Detailed Affiliation Given. 4pp. 83901:001-83902:122.

--9505040275 93-01 "Flowmeter Measurement in Borehole KAS 16."
ROUHIAINEN,P. Sweden, Govt. of. HLWR. 93/06/30. 70pp. 83901:005-83901:072.

--**9505040278** 93-02 "Development of ROCK-CAD Model for Aspo Hard Rock Lab Site."
SAKSA,P., LINDH,J., HEIKKINEN,E. Sweden, Govt. of. HLWR. 93/12/31. 73pp. 83901:073-83901:145.

--**9505040283** 93-03 "Scoping Calculations for Matrix Diffusion Experiment."
BIRGERSSON,L., WIDEN,H., AGREN,T. Sweden, Govt. of. HLWR. 93/11/30. 39pp. 83901:146-83901:184.

--**9505040286** 93-04 "Scoping Calculations for Multiple Well Tracer Experiment - Efficient Design for Identifying Transport Processes."
NORDQVIST,R., GUSTAFSSON,E., ANDERSSON,P. Sweden, Govt. of. 93/12/31. 126pp. 83901:185-83901:310.

--**9505040294** 94-01 "Scoping Calculations for Multiple Well Tracer Experiment Using Variable Aperture Model."
MORENO,L., NERETNIEKS,I. Sweden, Govt. of. HLWR. 94/01/31. 39pp. 83901:311-83901:349.

--**9505040338** Release 1.0 of "Aspo Hard Rock Lab Test Plan for ZEDEX - Zone of Excavation Disturbance Experiment."
* Sweden, Govt. of. HLWR. 94/02/28. 39pp. 83901:350-83902:029.

--**9505040341** 94-03 "Multiple Well Tracer Experiment - Scoping Calculations."
* Sweden, Govt. of. HLWR. 94/03/31. 45pp. 83902:030-83902:074.

--**9505040345** 94-04 "Design Contraints & Process Discrimination for Detailed Scale Tracer Experiments at Aspo - Multiple Well Tracer Experiment & Matrix Diffusion."
SELROOS,J., WINBERG,A., CVETKOVIC,V. Sweden, Govt. of. HLWRT. 94/04/30. 48pp. 83902:075-83902:122.

9505050054 Forwards ltr from State of ND to DOE re ND reasons for pursuing removal of sites from UMTRCA Title I designation & termination of cooperative agreement.
LIGHTNER,R.G. Energy, Dept. of. 95/05/01. NRC - No Detailed Affiliation Given. 3pp. 83890:024-83890:026.

9505050315 Forwards partial list of refs needed by NRC for NRC to carry out review of waste package portions of SCP Progress Rept 11.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/04/28. BROCOUM,S.J. Energy, Dept. of. 2pp. 83845:020-83845:021.

9505080025 Forwards record of surveillance YMP-SR-95-028 conducted on 950303-30.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/04/28. BARNES,W.E. Energy, Dept. of. 7pp. 83856:038-83856:044.

9505080055 Forwards 950331 edition of Yucca Mountain Project technical data catalog & Genises Geographic Info Sys data catalog.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/05/02. MILNER,R.A., BROWNSTEIN,A.B., EINBERG,C.E. Energy, Dept. of. 5pp. 83874:001-83875:010.

--**9505080058** "Yucca Mountain Site Characterization Project Technical Data Catalog (Quarterly Suppl)."
* Energy, Dept. of. 95/03/31. 182pp. 83874:006-83874:187.

--**9505080064** "Yucca Mountain Site Characterization Project Genises Geographic Info Sys (GIS) Data Catalog."
* Energy, Dept. of. 95/03/31. 187pp. 83874:188-83875:010.

9505080110 Forwards vicinity property completion rept for Central Valley water reclamation facility in Salt Lake City,UT.
HAMP,S.C. Energy, Dept. of. 95/04/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 83883:156-83883:195.

--**9505080118** "Vicinity Property Completion Rept."
* Utah, State of. * Jacobs Engineering Group, Inc. 95/04/20. 39pp. 83883:157-83883:195.

9505080275 Forwards copy of "Completion Rept for UMTRA Project Vitro Processing Site,Salt Lake City,UT," dtd Mar 1995.
ARP,S.J. Energy, Dept. of. 95/04/13. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 83882:001-83883:155.

--**9505080286** DOE/AL/62350-130 "Comment & Response Document for UMTRA Project Vitro Processing Site Completion Rept in Salt Lake City,UT."
* Energy, Dept. of. 95/03/31. 30pp. 83882:002-83882:031.

--**9505080289** DOE/AL/62350-129 Rev 1 to "Completion Rept for UMTRA Project Vitro Processing Site in Salt Lake City,UT."
* Energy, Dept. of. 95/03/31. 289pp. 83882:032-83883:155.

9505090265 Informs that staff has evaluated responses to CAR YM-95-015- YM-95-017 & has determined action unsatisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/05/01. BRADY,M.C. Sandia National Laboratories. 16pp. 83856:045-83856:060.

9505100068 Forwards FY95 OCRWM QA audit schedule,rev 3 for both internal & external audits planned.
HORTON,D.G. Energy, Dept. of. HLWR. 95/05/04. DREYFUS,D.A., BARRETT,L.H., CLARK,R.W. Energy, Dept. of. 9pp. 83924:053-83924:061.

9505100088 "Integrated Logistic Support Plan for Mined Geologic Disposal Sys," YMP/93-19,Rev 0.
BARNES,W.E., BROCOUM,S.J., CRAUN,R.L. Energy, Dept. of. HLWR. 95/03/31. 32pp. 83924:062-83924:093.

9505100274 Expresses appreciation for support S McGuire provided to NRC/American Mining Congress 10CFR20 Workshop for U recovery licensees in Denver,CO on 950316.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/04/21. GLENN,J.E. Radiation Protection & Health Effects Branch (Post 941217). 2pp. 83889:170-83889:171.

9505110108 Forwards project interface document 14-S-03 for Maybell,CO, uranium mill tailings site.Document revises subcontract drawings to include all temporary fence within temporary withdrawal area boundary.
WOODWORTH,L.A. Energy, Dept. of. 95/04/28. CARLSON,R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 83932:350-83932:355.

9505110219 Notifies NRC that on 950512,DOE planning to lift hold on tunnel boring machine operations beyond upper paintbrush tuff nonwelded contact in Yucca Mountain,NV.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/05/01. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 13pp. 83940:277-83940:289.

9505110280 Responds to 950405 ltr,requesting staff review of proposed cobbles-to-fines procedure for use at Gunnnison,CO disposal cell.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/05. HAMP,S. Energy, Dept. of. 2pp. 83942:169-83942:170.

9505110322 Forwards answer to inquiry noted during Audit YMP-94-10 at LLNL re electronic record keeping carried as open item in Commission Observation Audit Rept 94-12.
MILNER,R.A. Energy, Dept. of. HLWR. 95/05/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 83940:290-83940:300.

--**9505110326** Change Notice TIP-YM-12-0-1 to Rev 3 of Technical Implementation Plan TIP-YM-12, "Electronic Record Keeping."
CLARKE,W.L., MONKS,R.E. Lawrence Livermore National Laboratory. HLWR. 95/03/06. 7pp. 83940:294-83940:300.

9505120059 Discusses task order to initiate work on reviews of ref repts re geologic repositories.
INTERRANTE,C.G. Division of Waste Management (NMSS 940403). HLWR. 95/05/05. SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. 2pp. 83945:356-83945:357.

9505120063 Forwards comments in response to 950428 request re NRC assistance to DOE on regulatory plans for plutonium disposition options.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 95/05/04. BURNETT,R.F. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 83929:329-83929:330.

9505120070 Forwards NRC comments from review of IAEA draft safety standard, "Geological Disposal of Radwaste."
EISENBERG,N.A. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 95/04/26. REGNIER,E.P. Energy, Dept. of. 2pp. 83938:335-83938:336.

9505120084 Responds to 950310 ltr which had several LANL documents re potential for criticality from deep geologic disposal of fissile matl encl.NRC will review LANL documents & will forward review comments,questions & issues to DOE.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. HLWR. 95/05/01. BARRETT,L. Energy, Dept. of. 3pp. 83940:340-83940:344.

9505120113 Forwards project interface document (PID) for Naturita,CO U mill tailing site.
WOODWORTH,L.A. Energy, Dept. of. 95/04/28. ABRAMS,C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 83942:353-83942:355.

9505120156 Discusses DOE proposed Cobbles-to-Fines procedure for Gunnison disposal Cell Radon Model.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/04/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 83942:350-83942:351.

9505120158 Forwards evaluation of response to cover design & cleanup issues on Maybell Final Remedial Action Plan.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/05/01. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 83942:345-83942:349.

9505120163 Submits response to performance assessment advisor group questionnaire on working group on integrated assessments.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 95/05/02. PESCATORE,C. France. 1p. 84048:359-84048:359.

9505120165 Trip rept of 950301 visit to Falls City to review & discuss Extreme Erosion CDM.
HARRIS,T.E., JOHNSON,T.L. Engineering & Geosciences Branch (NMSS 940403). 95/05/01. NATARAJA,M. Engineering & Geosciences Branch (NMSS 940403). 1p. 83942:344-83942:344.

9505120210 Informs of proposed inspector qualification program for Division of Waste Mgt.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/04/28. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 6pp. 83980:338-83980:343.

9505120214 Informs of approval of SOW for continuation of integrated waste package research at CNWRA.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/05/03. BAHADUR,S. Waste Management Branch (Post 941217). 1p. 83945:352-83945:352.

9505120215 Discusses review of iterative performance assessment status rept.
MCCARTIN,T. Division of Waste Management (NMSS 940403). HLWR. 95/05/04. BACA,R.G. Southwest Research Institute. 1p. 83946:359-83946:359.

9505120267 Transmits DOE "Technical Basis Rept for Surface Characteristics,Preclosure Hydrology & Erosion."
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/05/03. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 37pp. 83940:305-83940:339.

9505150095 Forwards NRC proposed final staff technical position on alternate concentration limits for Title II U Mills.W/o encl.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 95/05/02. RICHARDSON,C.B. Environmental Protection Agency. 2pp. 83943:281-83943:282.

9505150106 Forwards minutes of 950208 bi-monthly mgt meeting between NRC & DOE held by videoconference in Washington,DC & Las Vegas,NV re DOE plans for preparation of repository EIS & ltr NRC preparing re harassment & intimidation.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/05/08. MILNER,R.A. Energy, Dept. of. 3pp. 83948:029-83948:079.

–**9505150110** Summary of 950208 bi-monthly meeting between NRC & DOE via video-conference in Las Vegas,NV & Washington,DC re DOE plans for preparing repository EIS & ltr NRC preparing re harassment & intimidation.
BROOKS,P.P. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). BUNTON,P.C. Energy, Dept. of. HLWR. 95/05/03. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 48pp. 83948:032-83948:079.

9505150173 Requests that DOE provide NRC w/written details re Civilian Radwaste Mgt Sys Mgt & Operating Contractor QA reorganization.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/04/24. MILNER,R.A. Energy, Dept. of. 2pp. 83985:289-83985:290.

9505150174 Discusses implementation of CNWRA Technical Operating Procedure (TOP)-018 for software developed in HLW program. Requests that list of members to be trained on TOP-018 be provided to J Buckley by COB 950512.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/05/03. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 83985:291-83985:291.

9505150176 Trip rept of 950222-23 visit to Phoenix,AZ re first workshop of DOEs probabilistic volcanic hazard analysis project.
TRAPP,J.S. Engineering & Geosciences Branch (NMSS 940403). KOTRA,J.P. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 95/04/26. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 16pp. 83985:292-83985:307.

9505150194 Forwards draft technical position on disposition of Cs-137 contaminated baghouse dust & other incident-related matls at electric ARC furnaces & foundries.
LAHS,W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/04/21. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 22pp. 83977:060-83977:081.

9505150197 Forwards Rev 0 to Study Plan 8.3.1.17.3.6, "Probabilistic Analyses of Vibratory Ground Motion & Fault Displacement at Yucca Mountain."
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84007:227-84007:262.

–**9505150200** Rev 0 to Study Plan 8.3.1.17.3.6, "Probabilistic Analyses of Vibratory Ground Motion & Fault Displacement at Yucca Mountain."
* Interior, Dept. of, Geological Survey. HLWR. 95/04/10. 33pp. 84007:231-84007:262.

9505150275 Forwards Rev 2,Change 7 to "CNWRA QA Manual." Change satisfies Intermediate Milestone 20-5702-154-501 identified in CNWRA Operations Element Subtask 5.4.
GARCIA,H.F. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/03/30. FORTUNA,S.L. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 83975:001-83975:021.

–**9505150277** Rev 2,Change 7 to "CNWRA QA Manual."
MABRITO,B. Center for Nuclear Waste Regulatory Analyses. 95/03/24. 20pp. 83975:002-83975:021.

9505150312 Forwards refs supporting DOE response to NRC comments on TR, YMP/92-41-TPR, "Evaluation of Potentially Adverse Condition 'Evidence of Extreme Erosion During Quaternary Period' at Yucca Mountain,NV."
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/04/24. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 6pp. 84008:051-84008:318.

–**9505150313** MOL.19950307.0140 "Volumetric Analysis & Hydrologic Characterization of Modern Debris Flow Near Yucca Mountain,NV," administrative rept. W/1 oversize encl.
COE,J.A. Interior, Dept. of, Geological Survey. HLWR. 95/12/31. 70pp. 84008:057-84008:126.

–**9505150314** 94-451 "Summary of Lithologic Logging of New & Existing Boreholes at Yucca Mountain,NV,Mar-June 1994," open-file rept.
GESLIN,J.K., MOYER,T.C. Interior, Dept. of, Geological Survey. HLWR. 95/12/31. 100pp. 84008:127-84008:242.

–**9505150315** 203 Geological Society of America Special Paper 203, "Calcic Soils of Southwestern US."
MACHETTE,M.N. Interior, Dept. of, Geological Survey. HLWR. 85/12/31. 21pp. 84008:243-84008:263.

–**9505150316** USGS-OFR-85-540 Preliminary "U-Trend Dating of Quaternary Deposits in NV Test Site Area,NV & CA," open-file rept.W/one oversize drawing.
ROSHOLT,J.N., BUSH,C.A., CARR,W.J. Interior, Dept. of, Geological Survey. HLWR. 85/12/31. 55pp. 84008:264-84008:318.

9505180063 Advises that 950419 paper entitled, "Effects of Faults on Vapor Transport in Convection Surrounding,Heated Repository in Unsaturated Formation" meets requirements of Intermediate Milestone 5702-723-550 & acceptable.
MCCARTIN,T. Division of Waste Management (NMSS 940403). 95/05/08. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 2pp. 83979:318-83979:319.

9505180217 Provides record of surveillance YMP-SR-95-026 that was conducted by YMQAD at CRWMS M&O facilities in Las Vegas Local Records Ctr on 950321-0412.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/05/08. FOUST,L.D. TRW Environmental Safety Systems, Inc. 9pp. 84007:269-84007:277.

9505180334 Advises that auditors from Yucca Mountain QA Div will conduct QA audit of Reynolds Electrical & Engineering Co,Inc QA program in Las Vegas,NV on 950605-09,in accordance w/encl audit plan.
HORTON,D.G. Energy, Dept. of. HLWR. 95/05/09. KOSS,D.L. Reynolds Electrical & Engineering Co., Inc. 2pp. 84007:263-84007:268.

–**9505180339** "OCRWN QA Audit Plan for Audit YMP-ARP-95-10 of Reynolds Electrical & Engineering Co,Inc Las Vegas,NV 950605-09."
HIMPHRIES,C.A., HORTON,D.G. Energy, Dept. of. HLWR. 95/05/08. 4pp. 84007:265-84007:268.

9505180424 Offers no objection relative to characterization of pneumatic pathways & Exploratory Study Facility const & advises that DOE must determine when to release hold on tunnel boring machine operation.
GREEVES,J.T. Division of Waste Management (NMSS 940403). HLWR. 95/05/12. MILNER,R.A. Energy, Dept. of. 13pp. 84007:278-84007:290.

9505180486 Forwards specification & drawing changes resulting from Project Interface 16-S-34 for Ambrosia Lake.
ABRAMS,M.F. Energy, Dept. of. 95/05/09. HOOKS,K. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 36pp. 84032:323-84032:358.

9505180539 Submits on-site licensing representatives repts on Yucca Mountain Project for Feb & Mar 1995.
BELKE,W., GLENN,C. NRC - No Detailed Affiliation Given. HLWR. 95/03/31. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 45pp. 84049:124-84049:168.

9505180587 Forwards rept CNWRA 95-007, "Iterative Performance Assessment Phase 3:Status of Activities."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/04/14. MCCARTIN,T.G. Performance Assessment & Hydrology Branch (NMSS 940403). 2pp. 84049:037-84049:123.

–**9505180589** CNWRA 95-007 "Iterative Performance Assessment Phase 3:Status of Activities."
AHOLA,M.P., BACA,R.G., BAGTZOGLOU,A. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/04/30. Division of Waste Management (NMSS 940403). 86pp. 84049:039-84049:123.

9505180605 Forwards rept CNWRA 95-008, "Finite Element Modeling of Listric Normal Faulting."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/04/21. MEEHAN,B.D. Division of Contracts (Post 940714). 1p. 84040:001-84040:233.

–**9505180606** CNWRA 95-008 "Finite Element Modeling of Listric Normal Faulting."
OFOEGBU,G.I., FERRILL,D.A. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/04/30. Division of Waste Management (NMSS 940403). 232pp. 84040:002-84040:233.

9505190058 Advises that DOE has reviewed NRC comments,dtd 950120,re proposed use of suppl standards at old Clifton Landfill Vicinity Property.DOE has agreed to prepare database to track all deposits left behind.
VIRGONA,J.E. Energy, Dept. of. 95/05/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84034:292-84034:293.

9505190074 Forwards OCRWM rept HQ-SRP-95-01 of M&O QA program effectiveness w/regard to process for development & rev of multi-purpose canister procurement documents.
CLARK,R.W. Energy, Dept. of. HLWR. 95/05/09. ROBERTSON,R.L. TRW Environmental Safety Systems, Inc. 9pp. 84025:288-84025:296.

9505190151 Forwards surveillance record YMP-SR-95-023.Informs that surveillance considered completed & closed as of date of ltr.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/05/08. HAYES,L.R. Interior, Dept. of, Geological Survey. 5pp.

9505190169 Forwards surveillance record YMP-SR-95-023,resulting from Yucca Mountain QA Div surveillance of USGS facilities in Denver,CO,950413-14.Surveillance considered completed & closed as of date of ltr.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/05/08. HAYES,L.R. Interior, Dept. of, Geological Survey. 5pp. 84025:299-84025:303.

9505190251 Forwards specification change resulting from Project Inter- face Document 16-S-35 for Ambrosia Lake,NM U mill tailings remedial action site.
ABRAMS,M.F. Energy, Dept. of. 95/05/10. HOOKS,K. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 84009:227-84009:235.

–**9505190258** Rev 3 to Section 02935, "Seeding" of spec, "UMTRA Project Ambrosia Lake,NM Main Const Subcontract Subcontract Documents AMB-4."
* Energy, Dept. of. 95/05/10. 8pp. 84009:228-84009:235.

9505190264 Forwards corrective action status rept for month of Apr 1995 for review.
HORTON,D.G. Energy, Dept. of. HLWR. 95/05/11. SPRAUL,J.G. Office of Nuclear Material Safety & Safeguards. 10pp. 84025:304-84025:313.

9505190270 Advises that team of auditors from Yucca Mountain QA Div will conduct QA audit of Yucca Mountain Site Characterization Ofc QA program in Las Vegas,NV on 950619- 23,in accordance w/encl audit plan.
HORTON,D.G. Energy, Dept. of. HLWR. 95/05/11. BARNES,W.E. Energy, Dept. of. 2pp. 84025:314-84025:318.

–**9505190277** "OCRWM QA Audit Plan Audit YM-ARP-95-13 of Yucca Mountain Site Characterization Ofc in Las Vegas,NV 950619-23."
KRATZINGER,F.J., HORTON,D.G. Energy, Dept. of. HLWR. 95/05/10. 3pp. 84025:316-84025:318.

9505190273 Forwards Rev 1 to Std Practice Procedure (SPP) SPP 1.02, "High-Level Waste Vitrification Program & Spent Nuclear Fuel Program Organization" & requirements traceability network matrix repts 007 & 040.
MILNER,R.A. Energy, Dept. of. HLWR. 95/05/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84035:001-84035:147.

–**9505190279** Rev 1 to Std Practice Procedure (SPP) SPP 1.02, "High-Level Waste Vitrification Program & Spent Nuclear Fuel Program Organization."
* Energy, Dept. of. HLWR. 95/04/13. 144pp. 84035:004-84035:147.

9505220288 Forwards 910729 Commission paper on second update of regulatory strategy & schedules for high-level waste repository program.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/05/10. MILNER,R.A. Energy, Dept. of. 4pp. 84049:005-84049:036.

9505230119 Forwards "Lessons Learned/Program Clarifications" index & Lessons Learned/Program Clarifications 92-001,93-001,93-002, 94-002 & 95-001 to OCRWM QA requirements & description.
HORTON,D.G. Energy, Dept. of. HLWR. 95/05/02. NRC - No Detailed Affiliation Given. 16pp. 84078:024-84078:038.

9505240057 Requests that NRC review design review of ESF Title II Package 1E.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/05/17. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84084:345-84084:347.

9505240080 Forwards seven of eight refs re waste package portion of Progress Rept 11,per MS Delligatti request.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/05/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84084:348-84084:351.

--9505240084 Advises that refs forwarded from DOE,for NRC review of site characterization of Progress Rept 11,being retained by staff & will be provided later.
DELLIGATTI,M. Division of Waste Management (NMSS 940403). 95/05/17. FRIDLEY,S. NRC - No Detailed Affiliation Given. 1p. 84084:351-84084:351.

9505250014 Advises that Div of Waste Mgt currently not accepting new LLW topical repts for review.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/05/10. CHANDO,J.J. TFC Nuclear Associates, Inc. 2pp. 84083:341-84083:342.

9505250030 Provides technical direction for Subtask 2.1 re LARP development for performance assessment.
MCCARTIN,T. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 95/05/10. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 2pp. 84085:001-84085:002.

9505250058 Forwards incident & event info,program mgt info,technical info & other info for attention.Technical Evaluation Rept encl for info.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-070. 95/05/04. General. 3pp. 84044:289-84045:030.

--9505250078 Forwards three replacement pages for TER sent to WB House by 950329 ltr.Corrections reflect one dimension of largest multi-use container of three addressed by topical rept.
BELL,M.J. Division of Waste Management (NMSS 940403). 95/04/24. HOUSE,W.B. Chem-Nuclear Systems, Inc. 1p. 84044:292-84044:292.

--9505250082 Forwards final TER for topical rept of Chem-Nuclear Sys,Inc, "Multi-Use Container High Integrity Container," dtd 920723. Requests that Chem-Nuclear publish accepted versions of TR, incorporating addl info that had been submitted.
BELL,W.M. Division of Waste Management (NMSS 940403). 95/03/29. HOUSE,W.B. Chem-Nuclear Systems, Inc. 2pp. 84044:293-84044:294.

--9505250096 Rev 1 to staff technical evaluation of topical rept, "Multi -Use Container High Integrity Container (MUC-HIC)," addressing high integrity disposal container of metallic fiber reinforced concrete w/polythylene inner shell.
SHEWMAKER,R.E. Division of Waste Management (NMSS 940403). 95/03/31. 41pp. 84044:295-84045:030.

9505250158 Requests that corrective actions to be taken & implemented to correct cited deficiencies from Audit YM-ARP-95-09.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/05/18. HAYES,L.R. Interior, Dept. of, Geological Survey. 5pp. 84085:005-84085:009.

9505250161 Informs that staff has verified corrective action to CAR YM-95-021 & determined results to be unsatisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/05/18. HAYES,L.R. Interior, Dept. of, Geological Survey. 8pp. 84085:010-84085:017.

9505250281 Forwards Surveillance Record resulting from Yucca Mountain QA Div surveillance of SNL at NV Test Site Area 25 on 950306.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/05/12. COSTIN,L.S. Sandia National Laboratories. 5pp. 84085:018-84085:022.

9505250346 Forwards 950428 SRM re 950425 briefing on NRC status of HLW mgt program,markup of transcript of 950425 briefing showing where Commission questions for DOE located & list of questions based on NRC interpretation of transcript.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). HLWR. 95/05/12. MILNER,R.A. Energy, Dept. of. 4pp. 84082:037-84082:096.

9505260005 Notification of 950523 meeting w/Nye County,NV in Rockville, MD to discuss items of mutual interest re questions associated w/pneumatic pathway concerns at Yucca Mountain.
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/05/17. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84100:001-84100:002.

9505260008 Notification of 950602 video conference w/DOE in Washington, DC & Las Vegas,NV to discuss items of mutual interest.
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/05/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 84100:003-84100:004.

9505260175 Provides further clarification of technical direction for Subtask 2.1 (LARP Development for Performance Assessment) given in 950510 ltr.
MCCARTIN,T. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 95/05/18. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 1p. 84106:340-84106:340.

9505260233 Forwards Addendum 1 to "Supplemental Stds Application for DOE GJ-15609-CS Cameo Power Plant Palisade,CO." Addendum revises previously submitted application to include five addl deposits,Areas F,J,K,BS & BU for supplemental stds.
VIRGONA,J.E. Energy, Dept. of. 95/05/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 84117:012-84117:062.

--9505260253 Addendum 1 to "Supplemental Stds for DOE GJ-15609-CS Cameo Power Plant Palisade,CO."
PTAK,M.J., BAUR,G. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/04/30. 46pp. 84117:015-84117:062.

9505260354 Advises that team of auditors from Yucca Mountain QA Division will conduct QA audit of USGS QA program in Denver, CO on 950608-16.
HORTON,D.G. Energy, Dept. of. HLWR. 95/05/19. HAYES,L.R. Interior, Dept. of, Geological Survey. 2pp. 84106:323-84106:327.

--9505260357 "OCRWM QA Audit Plan for Audit YM-AR-95-12 of USGS in Denver,CO on 950608-16."
GILKERSON,K.O., HORTON,D.G. Energy, Dept. of. 95/05/18. 3pp. 84106:325-84106:327.

9505260369 Responds to NRC 950314 ltr to M Nichols,describing how NRC will address remaining issue of Agreement State compatibility in rescission of 40CFR61,Subpart I.
TROVATO,E.R. Environmental Protection Agency. 95/04/11. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 84106:335-84106:335.

9505300050 Advises that major milestone 20-5702-425-503, "Finite Element Modeling of Listric Normal Faulting," dtd Apr 1995, has been reviewed & found to be programmatically/technically acceptable.
JUSTUS,P. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/05/12. MEEHAN,B.D. Office of Administration, Director (Post 940714). 3pp. 84106:350-84106:352.

9505300079 Forwards paper prepared by UMTRA Project to provide info to public re Belfield & Bowman sites.DOE hopes that paper sufficient for NRC counsel purpose re health & safety impacts.
MATHES,D.E. Energy, Dept. of. 95/05/22. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 9pp. 84133:332-84133:340.

9505300082 Forwards description of projects & technical leads for vertical slice implementation plans.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/05/24. GREEVES,J.T. Division of Waste Management (NMSS 940403). 2pp. 84132:089-84132:090.

9505300093 Informs that on 950621,NRC will brief Commission on development of guidance on use & elicitation of expert judgement & that on 950622,NRC w/assistance of CNWRA will brief ACNW on same topic.
MCCARTIN,T. Division of Waste Management (Pre 870413). HLWR. 95/05/19. BACA,R.G. Center for Nuclear Waste Regulatory Analyses. 1p. 84132:091-84132:091.

9505300138 Informs of change in policy for transmittal & review of Project Interface Documents.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/11. CORMIER,C.A. Energy, Dept. of. 2pp. 84120:355-84120:356.

9505300193 Provides three replacement pages for TER for TR of licensee multi-use container high integrity container.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 95/04/24. HOUSE,W.B. Chem-Nuclear Systems, Inc. 1p. 84136:344-84136:347.

--9505300296 "Staff TER re TR Addressing High Integrity Disposal Container of Metallic Fiber Reinforced Concrete w/Polyethylene Inner Shell 'Multi-Use Container High Integrity Container.'"
SHEWMAKER,R.E. Engineering & Geosciences Branch (NMSS 940403). 95/04/30. 3pp. 84136:345-84136:347.

9505300215 Confirms meeting to be held on 950615 in Rockville,MD to discuss siting & licensing of LLW disposal facility in NJ. Meeting announcement encl.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/05/15. WEINGART,J.R. New Jersey, State of. 3pp. 84133:348-84133:350.

9505300220 Addresses items requested in DOE 950117 ltr re DOE Post- UMTRA plan & longstanding requests for generic supplemental stds for underground utility lines.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/05/15. CORMIER,C. Energy, Dept. of. 4pp. 84133:351-84133:354.

9505310010 Forwards proprietary & nonproprietary Topical Repts, "Multi-Use Container High Integrity Container Licensing Topical Rept." Proprietary rept withheld.
HOUSE,W.B. Chem-Nuclear Systems, Inc. RA-0254-95. 95/05/19. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 3pp. 84192:001-84192:183.

--9505310013 Identifies corrections to response documents to CNSI Multi Use Container High Integrity Container Topical Rept.
HOUSE,W.B. Chem-Nuclear Systems, Inc. 95/05/19. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 5pp. 84192:004-84192:008.

--9505310015 CNSI-WM-107-NP(A) "Multi-Use Container High Integrity Container Licensing Topical Rept."
* Chem-Nuclear Systems, Inc. 95/03/31. 175pp. 84192:009-84192:183.

9505310111 Forwards minutes of 950412 QA meeting between NRC & DOE. Meeting held by videoconference between DOE ofcs in Las Vegas,NV & DOE contractor ofcs in Washington,DC.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/05/25. MILNER,R.A. Energy, Dept. of. 47pp. 84173:028-84173:074.

9505310116 Trip rept of 950404-06 visits to Paiute Ridge area in northeast section of Nevada Test Site & Yucca Mountain.
MCDUFFIE,S. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/05/26. NATARAJA,M. Engineering & Geosciences Branch (NMSS 940403). 4pp. 84162:018-84162:021.

9505310128 Forwards open item std rept re electronic scientific notebooks,showing that item no longer considered open,per review of DOE 950502 ltr & encl on subj.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/05/24. MILNER,R.A. Energy, Dept. of. 5pp. 84162:022-84162:026.

9505310143 Trip rept of 950424-26 field trip for DOE Volcanic Hazards Expert Panel to Lathrop Wells & Sleeping Butte volcanoes to better familiarize experts w/relationships of youngest & most controversial volcanoes in Yucca Mountain area.
MCDUFFIE,S. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/05/26. NATARAJA,M. Engineering & Geosciences Branch (NMSS 940403). 5pp. 84162:027-84162:031.

9505310275 Forwards Swedish Nuclear Fuel & Waste Mgt Co ASPO Hard Rock Lab Intl Cooperation Repts 94-05,94-06,94-07,94-08,94-09, 94-10,94-11,94-12,94-13 & 94-14.
LEVICH,R.A. Energy, Dept. of. 95/04/24. NRC - No Detailed Affiliation Given. 5pp. 84155:001-84157:240.

--9505310279 94-05 "Analysis of LPT2 Using Channel Network Model."
GYLLING,B., MORENO,L., NERETNIEKS,I. Sweden, Govt. of. 94/04/30. 71pp. 84155:006-84155:076.

--**9505310285** 94-06 "SKB/DOE Hard Rock Lab Studies Task 3, 'Geotechnical Investigations Using Stable & Radiogenic Isotopic Methods.'"
WALLIN,B., PETERMAN,Z. Sweden, Govt. of. 94/01/31. 33pp. 84155:077-84155:113.

--**9505310292** 94-07 "Analyses of LPT2 in Aspo HRL W/Continuous Anisotropic Heterogeneous Model."
KOBAYASHI,A., YAMASHITA,R., MASAKAZU Sweden, Govt. of. 94/09/30. 46pp. 84155:114-84155:162.

--**9505310298** 94-08 "Application of Three-Dimensional Smeared Fracture Model to Groundwater Flow & Solute Migration of LPT-2 Experiment."
IGARASHI,T., TANAKA,Y., KAWANISHI,M. Sweden, Govt. of. 94/10/31. 47pp. 84155:163-84155:211.

--**9505310302** 94-09 "Discrete-Fracture Modelling of Aspo LPT-2,Large-Scale Pumping & Tracer Test."
UCHIDA,M., DOE,T., DERSHOWITZ,W. Sweden, Govt. of. 94/03/31. 97pp. 84155:212-84155:308.

--**9505310308** 94-10 "Aspo Hard Rock Lab Intl Workshop on Use of Tunnel Boring Machines for Deep Repositories."
BACKBLOM,G. Sweden, Govt. of. 94/10/31. 60pp. 84155:309-84156:065.

--**9505310311** 94-11 "Data Analysis & Modelling of LPT2 Pumping & Tracer Transport Test at Aspo."
HAUTOJARVI,A. Sweden, Govt. of. 94/11/30. 33pp. 84156:066-84156:097.

--**9505310312** 94-12 "Modelling LPT2 Pumping & Tracer Test at Aspo."
TAIVASSALO,V., KOSKINEN,L., LAITINEN,M. Sweden, Govt. of. 94/11/30. 185pp. 84156:098-84156:282.

--**9505310314** 94-13 "Proceedings of Aspo Intl Geochemistry Workshop 940602-03 Aspo Hard Rock Lab."
BANWART,S. Sweden, Govt. of. 94/12/31. 263pp. 84156:283-84157:181.

--**9505310318** 94-14 "Hydrodynamic Modelling of Aspo HRL Discrete Fracture Model."
BILLAUX,D. Sweden, Govt. of. 94/11/30. 50pp. 84157:182-84157:240.

9505310473 Forwards Rev 1 to B00000000-01717-4600-00023, "Nevada Potential Repository Preliminary Transportation Strategy Study 1."
GEHNER,P., MEMORY,R.D. TRW Environmental Safety Systems, Inc. HLWR. 95/05/10. Document Control Branch (Document Control Desk). 4pp. 84160:179-84160:353.

--**9505310479** B00000000-01717-4600 Rev 1 to B00000000-01717-4600-00023, "Nevada Potential Repository Preliminary Transportation Strategy Study 1."
GEHNER,P.D., MEMORY,R.D., GEER,T.C. TRW Environmental Safety Systems, Inc. HLWR. 95/04/30. 171pp. 84160:183-84160:353.

XPORTLIC EXPORT AND IMPORT LICENSES

9505010116 Forwards request for minor amend to license XSNM-2524 amend 2,for shipments to Taiwan Power Co.Change would extend expiration date from 950630 to 960630.W/o encl.
NOSS,D.L. Siemens Corp. 95/04/17. HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 1p. 83688:357-83688:357.

9505010128 Forwards repts which list all NRC export cases which had been completed,received or pending during month of Mar 1995.
HAUBER,R.D. Office of International Programs (Post 911117). 95/04/26. DELABARRE,R. Senate. 7pp. 83687:263-83687:269.

9505020248 Submits advance notification of listed import shipment,per requirements for implementation of convention of physical protection of nuclear matl.
HEHR,W. Braunkohle Transport USA, Inc. 95/03/27. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 83691:137-83691:138.

9505020286 Submits update to notification of listed import shipment IAW requirements for implementation of convention of physical protection of nuclear matl.Entry into US will occur at Port of Elizabeth,NJ on or about 950418.
HEHR,W. Braunkohle Transport USA, Inc. 0195-586. 95/01/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 83691:161-83691:162.

9505020317 Submits advance notification of import shipment,per requirements for implementation of convention of physical protection of nuclear matl.Entry into US will occur at Port of Elizabeth,NJ on or about 950328.
HEHR,W. Braunkohle Transport USA, Inc. 0195-586. 95/01/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 83691:169-83691:170.

9505090200 License for General Atomics to export 496.08g U-235 contained in 2,506.47 g U,enriched to 19.9 w/o max,U-Zr hydride in five triga fuel elements,to Indonesia.
HAUBER,R.D. Office of International Programs (Post 911117). IEL-2375. 95/05/04. 2pp. 83854:036-83854:037.

9505090206 Confirms that transfer of matl as identified on licensee application concerning supply of Triga fuel for Bandung Triga Reactor Research will be subj to terms & conditions of Agreement for Cooperation.
BUSTAMI,A. Indonesia, Govt. of. 95/04/18. SURYAWINATA,B. Indonesia, Govt. of. 2pp. 83853:332-83853:333.

9505110199 Responds to 950406 ltr re status of request to amend export license XCOM-1027 to increase quantity of Zircaloy tubes authorized for export to Argentina via Germany.
HAUBER,R.D. Office of International Programs (Post 911117). 95/05/08. HOCKMAN,R.W. Carpenter Technology Corp. 1p. 83936:336-83936:336.

9505110241 Ack receipt of 950418 ltr requesting rept on status of Executive Branch review & recipient government assurances for described application.
DELABARRE,R. State, Dept. of. 95/04/28. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 83936:346-83936:346.

9505110318 License for US DOE to export 1.443 g of U-235,contained in 1.55 g U,enriched to 93.122 w/o max,as solid metal & 0.005 g of U-233,spike nitrate,to Korea.
HAUBER,R.D. . 95/05/08. 1p. 83938:215-83938:216.

9505110320 Application for license to export 12,060 Kgs of enriched UF6,to Japan.
MAEDA,Y. Mitsubishi International Corp. HSH-5495-08. 95/04/27. 3pp. 83938:217-83938:219.

9505110321 Requests that 910802 application for license to export nuclear production units to south Korea be approved.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/05/04. HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 2pp. 83923:341-83923:342.

9505110323 Application for license to export 377,140 Kgs of depleted U in form of powdered ammoxidation catalyst containing 8-10 wt% depleted U,as oxides,remainder made of metal oxides & SI dioxide,to various countries.
BRYANT,F.J. Monsanto Co. 95/04/28. 1p. 83938:220-83938:220.

9505110325 Application for license to export 3,273 Kgs of UF6,to Japan.
MAEDA,Y. Mitsubishi International Corp. HSH-5495-07. 95/04/26. 3pp. 83936:358-83936:360.

9505150092 Forwards amended application for export license XSNM-2852.
MCLAUGHLIN,J. Transnuclear, Inc. 95/05/09. WRIGHT,B. Office of International Programs (Post 911117). 1p. 83948:204-83948:205.

--**9505150094** Amended application for license to export 13,065 kg U in form of UF6,enriched to max 3.75% U-235,to France for two separate reactors.
* Transnuclear, Inc. 95/04/19. 2pp. 83948:205-83948:205.

9505150156 Forwards applications received by NRC for export of UF6 to Japan for use as NP reactor fuel & requests DOS assistance in securing assurances from govt of Japan.W/o encls.
HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 95/05/10. DELABARRE,R. State, Dept. of. 1p. 83930:026-83930:026.

9505150161 Forwards copy of message from Mitsui & Co informing of change of DOE contract number for export of U-235 to Japan for use as reload fuel.
HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 95/05/10. DELABARRE,R. State, Dept. of. 2pp. 83930:024-83930:025.

9505180086 Application for license to export 19,791 kgs of natural & enriched UF6 to Japan.
COLFORD,C. Mitsui & Co. (USA), Inc. MBK-01-R11. 95/05/10. 2pp. 83979:304-83979:305.

9505180089 Forwards amended application for license to export 3,038 kgs of UF6 to Japan.
MANN,M. Edlow International Co. 95/05/09. WRIGHT,B. Office of International Programs (Post 911117). 1p. 83979:302-83979:303.

--**9505180096** Amended application for license to export 3,038 kgs of UF6 to Japan.
FISK,R.H. Edlow International Co. KLK-97. 95/03/24. 1p. 83979:303-83979:303.

9505180101 Forwards amended application for license to export 10,000 kgs of natural U in form of UF6 & 150,000 kgs of natural U in form of U3O8 to England.
MANN,M. Edlow International Co. 95/05/10. WRIGHT,B. Office of International Programs (Post 911117). 1p. 83979:299-83979:301.

--**9505180107** Amended application for license to export 10,000 kgs of natural U in form of UF6 & 150,000 kgs of natural U in form of U3O8 to England.
RAVENSCROFT,N. Edlow International Co. BNFL-1-95. 95/05/10. 2pp. 83979:300-83979:301.

9505180555 Requests Executive Branch views on amend to export license application XR-0162.
HAUBER,R.D. Office of International Programs (Post 911117). 95/05/15. DELABARRE,R. State, Dept. of. 1p. 83979:049-83979:049.

9505180564 Forwards application for export license XSOU-8739,for natural U as U3O8 & UF6,to United Kingdom.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/05/15. DEDIK,T. Energy, Dept. of. 1p. 83979:047-83979:047.

9505180572 Forwards application for export license XSNM-2876,for natural & low-enriched U for use as reload fuel for Onagawa,Unit 1,in Japan & applicant ltr re export license application XSNM-2868.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/05/15. DELABARRE,R. State, Dept. of. 1p. 83979:046-83979:046.

9505190004 Submits notification of upcoming shipment IAW Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
CANDREY,D. Edlow International Co. 95/03/03. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 83973:001-83973:001.

9505190006 Submits notification of upcoming shipment IAW Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
AUMULLER,J.N. Edlow International Co. KLK-95. 95/03/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 83973:002-83973:002.

9505190007 Provides advance notice of export shipment of SNM of low strategic significance as required by 10CFR73.73.
HOLDEN,D.W. General Electric Co. 95/04/11. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 83973:003-83973:004.

9505190011 Submits info IAW requirements for implementation of Convention of Physical Protection of Nuclear Matl.
HEHR,W. . 95/04/10. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 83973:006-83973:007.

9505190017 Submits advanced notification of listed export shipment,per requirements from implementation of convention of physical protection of nuclear matl.
HEHR,W. Braunkohle Transport USA, Inc. 95/03/28. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 83973:036-83973:037.

9505190036 Submits advanced notification of export shipment of special nuclear matl of low strategic significance.
SHIROTA,Y. Mitsui & Co. (USA), Inc. 95/03/24. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. 83973:092-83973:094.

9505190040 Confirms that UO2 for K7-0 second shipment arrived on 950425 in good condition.
SVEJKOVSKY,J. Mitsui & Co. (USA), Inc. 95/04/26. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 83973:095-83973:095.

9505190141 Informs of upcoming shipment of 114,700 lbs UF6 contained in cylinders secured inside protective packaging to Korea.
CANDREY,D. Edlow International Co. SAMDO-E-19. 95/03/10. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 83974:001-83974:001.

9505190146 Informs of upcoming shipment of 114,700 lbs UF6 contained in cylinders secured inside protective packaging to Daejon, Korea.
CANDREY,D. Edlow International Co. SAMDO-E-19. 95/03/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 83974:067-83974:067.

9505190388 Forwards application for export license re depleted U to various countries.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/05/11. DELABARRE,R. State, Dept. of. 1p. 83991:271-83991:271.

9505220028 Informs that effective 950417,organization will be operating under name of RSB Logistic Inc.
GOERTZEN,D. Braunkohle Transport USA, Inc. 95/05/22. NRC - No Detailed Affiliation Given. 1p. 83985:135-83985:135.

9505220215 Discusses license application XSNM02852 requesting approval for export of 500,000 kg U as UF6,for fuel fabrication purposes & use in undesignated LWRs in EURATOM countries & US & also requesting 5-yr validity period.
HAUBER,R.D. Office of International Programs (Post 911117). 95/05/17. DELABARRE,R. State, Dept. of. DEDIK,T. Energy, Dept. of. 2pp. 84029:356-84029:357.

9505220287 Responds to 950222 request for views as to whether amend of export license IAW application to add more authorized destinations.Recommends that license be amended as requested.
STRATFORD,R.J. State, Dept. of. 95/05/10. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 84033:358-84033:358.

9505260385 Forwards repts listing all NRC export cases completed, received,or pending during Apr 1995.Most of pending cases awaiting receipt by Executive Branch of foreign govt assurances.
HAUBER,R.D. Assistant Director for Exports, Security & Safety Cooperation. 95/05/22. DELABARRE,R. State, Dept. of. 5pp. 84117:001-84117:011.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT,R.B.	9505020210	50-220 R
ABBOTT,R.B.	9505220167	50-220 R
ABBOTT,R.B.	9505260304	50-220 S
ABELQUIST,E.W.	9505120021	70-925
ABRAMS,M.F.	9505180486	WASTE MGT
ABRAMS,M.F.	9505190251	WASTE MGT
ACHARYA,S.	9505050298	71-5805
ACHILLI,A.	9505230110*	52-4
ADAMS,A.	9505110254	50-62 P
ADAMS,A.	9505220169	50-356 P
ADAMS,A.	9505240388	50-20 Q
ADAMS,J.J.	9505260474	QA999
ADAMS,J.T.	9505260257	71-*****
ADAMS,M.	9505250284	70-1257
ADAMS,M.S.	9505240254	71-226
ADAMS,T.G.	9505050202	40-8724
ADAMS,W.C.	9505150125	50-160 P
ADELSTEIN,S.J.	9505010265*	FOIA
ADELSTEIN,S.J.	9505010267*	FOIA
ADELSTEIN,S.J.	9505030254*	FOIA
ADELSTEIN,S.J.	9505030417*	FOIA
ADELSTEIN,S.J.	9505030420*	FOIA
ADELSTEIN,S.J.	9505030423*	FOIA
ADELSTEIN,S.J.	9505040023*	FOIA
ADELSTEIN,S.J.	9505040041*	FOIA
ADELSTEIN,S.J.	9505040048*	FOIA
ADELSTEIN,S.J.	9505040050*	FOIA
ADELSTEIN,S.J.	9505040054*	FOIA
ADELSTEIN,S.J.	9505040317*	FOIA
ADELSTEIN,S.J.	9505040330*	FOIA
ADELSTEIN,S.J.	9505080145*	FOIA
ADENSAM,E.G.	9505050309*	50-416 P
ADENSAM,E.G.	9505110088	50-266 Y
ADENSAM,E.G.	9505110200	50-275 P
ADENSAM,E.G.	9505220051	50-282 Y
ADENSAM,E.G.	9505220104*	50-445 F
ADENSAM,E.G.	9505220161	50-313 P
ADENSAM,E.G.	9505220231	50-266 H
ADENSAM,E.G.	9505220236*	50-266 H
ADNEY,R.J.	9505100065	50-327 S
ADNEY,R.J.	9505240011	50-327 K
ADNEY,R.J.	9505310140	50-327 Q
AGGARWAL,S.K.	9505080212	ORG
AGREN,T.	9505040283*	WASTE MGT
AHOLA,M.P.	9505180589*	WASTE MGT
AITKEN,P.C.	9505050092	50-254 R
AITKEN,P.C.	9505180335	50-254 R
ALBERT,R.J.	9505100052*	50-245 Q
ALBERT,R.J.	9505100074*	50-247 Q
ALBERT,R.J.	9505240216*	50-443 Q
ALDRICH,R.	9505040030	PR
ALEXANDER,D.J.	9505230186*	ORG
ALEXION,T.W.	9505010033	50-498 P
ALEXION,T.W.	9505090203	50-498 P
ALEXION,T.W.	9505090205*	50-498 P
ALEXION,T.W.	9505090240	50-498 P
ALEXION,T.W.	9505090287	50-498 P
ALEXION,T.W.	9505250109	50-498 P
ALEXION,T.W.	9505250112*	50-498 P
ALLEN,J.M.	9505250318*	40-1790
ALLEN,K.	9505080030	STATE PRO G
ALLEN,R.M.	9505240251*	50-272 R
ALLISON,S.M.	9505180201	50-348 R
AMICO,P.J.	9505230164	NUREG
ANAGNOS,D.P.	9505150289	FOIA
ANAGNOS,D.P.	9505150295	FOIA
ANAND,R.K.	9505050253	TOPREP
ANDERSEN,H.D.	9505310491*	50-263 S
ANDERSEN,J.W.	9505110259	50-245 P
ANDERSEN,J.W.	9505190188	50-245 G
ANDERSON,C.J.	9505260024	50-352 Q
ANDERSON,J.	9505180099	50-333 S
ANDERSON,M.	9505190294	50-263 F
ANDERSON,M.L.	9505180208	50-305 R
ANDERSON,P.L.	9505180479*	50-309 S
ANDERSON,R.A.	9505300428	50-324 Q
ANDERSON,R.O.	9505020143	50-282 I
ANDERSON,R.O.	9505020280	50-282 S
ANDERSON,R.O.	9505020349	50-282 P
ANDERSON,R.O.	9505020397	50-282 Y
ANDERSON,R.O.	9505030409	50-282 Y
ANDERSON,R.O.	9505040269	50-282 R
ANDERSON,R.O.	9505040274	50-263 R
ANDERSON,R.O.	9505100007	50-282 S
ANDERSON,R.O.	9505100012	50-282 R
ANDERSON,R.O.	9505100025	50-282 Y
ANDERSON,R.O.	9505110215	50-282 P
ANDERSON,R.O.	9505110319	50-263 P
ANDERSON,R.O.	9505190096	50-306 P
ANDERSON,R.O.	9505190287	50-263 R
ANDERSON,R.O.	9505310248	50-282 P
ANDERSON,S.	9505230287*	50-413 P
ANDERSSON,P.	9505040286*	WASTE MGT
ANG,W.P.	9505050064*	50-275 Q
ANG,W.P.	9505260088*	50-482 Q
ARCHARYA,S.	9505010108	71-5957
ARCHITZEL,R.E.	9505240416	52-3
ARNDT,E.G.	9505110237	PR
ARNESON,K.	9505030332*	50-266 S
ARP,S.J.	9505080275	WASTE MGT
ASHAR,H.	9109060070	50-344 P
ASHAR,H.	9202130126	50-250 P
ASMUSSEN,K.E.	9505300068	70-734
AUGUSTINE,H.H.	9505040221	CONTRACT
AULUCK,R.	9108080040*	50-250 G
AUMULLER,J.N.	9505190006	XPORTLIC
AUSTIN,J.H.	9505110250	70-364
AUSTIN,J.H.	9505120103	40-8902
AUSTIN,J.H.	9505120163	WASTE MGT
AUSTIN,J.H.	9505150095	WASTE MGT
AUSTIN,J.H.	9505180192	40-8681
AUSTIN,J.H.	9505260200	40-6622
AUSTIN,S.W.	9505120129*	50-260 S
AUTRY,V.R.	9505230180	PR
AXELRAD,M.	9505260268	40-8027
AXELRAD,M.	9505260286	40-8027
AXELRAD,M.	9505260286	40-8027
AXELSON,W.L.	9505190012	50-295 Q
AXELSON,W.L.	9505190127	50-461 Q
AXELSON,W.L.	9505240009	50-155 Q
AXELSON,W.L.	9505240180	50-341 Q
AXELSON,W.L.	9505240214	50-263 Q
AXT,D.A.	9505110253	50-282 F
AZUA,R.V.	9505180110	50-285 S
BACA,R.G.	9209250347	WASTE MGT
BACA,R.G.	9505180587	WASTE MGT
BACA,R.G.	9505180589*	WASTE MGT
BACHMANN,R.G.	9505090133	70-3070
BACHMANN,R.G.	9505180408	70-3070
BACKBLOM,G.	9505310308*	WASTE MGT
BAER,J.W.	9505150148*	50-443 F
BAER,J.W.	9505150150*	50-443 F
BAER,J.W.	9505180599	50-443 F
BAGCHI,G.	9211100359	50-298 P
BAGCHI,G.	9505250110*	50-255 Y
BAGTZOGLOU,A.	9505180589*	WASTE MGT
BAILEY,E.D.	9505230007	STATE PRO G
BAILEY,M.	9505240036*	50-456 V
BAILEY,S.J.	9505150019	50-309 R
BAKER,D.A.	9505090280	NUREG
BAKER,D.C.	9505180354	NUREG
BAKER,T.L.	9505030466	NUREG
BALCOM,R.L.	9505110230*	50-498 Q
BALL,R.S.	9505230151	50-387 R
BANDIELD,E.L.	9505220119	PR
BANFIELD,E.L.	9505190164*	FOIA
BANFIELD,E.L.	9505190171*	FOIA
BANGART,R.L.	9505020056	STATE PRO G
BANGART,R.L.	9505020084	STATE PRO G
BANGART,R.L.	9505020096	STATE PRO G
BANGART,R.L.	9505020208	STATE PRO G
BANGART,R.L.	9505020235	STATE PRO G
BANGART,R.L.	9505020269	STATE PRO G
BANGART,R.L.	9505080007	STATE PRO G
BANGART,R.L.	9505080009	STATE PRO G
BANGART,R.L.	9505080024	STATE PRO G
BANGART,R.L.	9505080044	STATE PRO G
BANGART,R.L.	9505120025	STATE PRO G
BANGART,R.L.	9505120026	STATE PRO G
BANGART,R.L.	9505120062	STATE PRO G
BANGART,R.L.	9505120250	STATE PRO G
BANGART,R.L.	9505180359	STATE PRO G
BANGART,R.L.	9505250018	STATE PRO G
BANGART,R.L.	9505250019	STATE PRO G
BANGART,R.L.	9505250026	STATE PRO G
BANGART,R.L.	9505250031	STATE PRO G
BANGART,R.L.	9505250037	STATE PRO G
BANGART,R.L.	9505250047	STATE PRO G
BANGART,R.L.	9505250055	STATE PRO G
BANGART,R.L.	9505250091	STATE PRO G
BANGART,R.L.	9505250104*	STATE PRO G
BANGART,R.L.	9505250111*	STATE PRO G
BANGART,R.L.	9505250118	STATE PRO G
BANGART,R.L.	9505250130	STATE PRO G
BANGART,R.L.	9505310036	STATE PRO G
BANGART,R.L.	9505310040	STATE PRO G
BANKS,H.H.	9505030081*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BANKS,H.H.	9505040346*	FOIA
BANWART,S.	9505310314*	WASTE MGT
BARBIERI,F.P.	9505310648*	50-289 P
BARKHURST,R.P.	9505050293	50-382 P
BARKHURST,R.P.	9505180267	50-382 P
BARKHURST,R.P.	9505240382	50-382 P
BARKLEY,R.	9505110243	PR
BARNES,W.E.	9505100088	WASTE MGT
BARON,R.R.	9505080001	50-390 Q
BARON,R.R.	9505100085	50-390 A
BARON,R.R.	9505100097	50-390 F
BARON,R.R.	9505110214	50-391 Q
BARON,R.R.	9505110263	50-390 S
BARON,R.R.	9505120094	50-390 R
BARON,R.R.	9505180181	50-390 A
BARON,R.R.	9505180188	50-390 A
BARON,R.R.	9505180193	50-390 Q
BARON,R.R.	9505230011	50-390 A
BARON,R.R.	9505230219	50-390 A
BARON,R.R.	9505240068	50-390 A
BARON,R.R.	9505310004	50-390 K
BARON,R.R.	9505310202	50-390 A
BARR,K.P.	9505310028*	50-400 Q
BARR,K.	9505110032*	50-369 Q
BARR,K.	9505110075*	50-250 Q
BARR,K.P.	9505020158*	50-395 Q
BARR,K.P.	9505020169*	50-395 Q
BARR,K.P.	9505050089	50-250 Q
BARR,K.P.	9505110025	50-335 Q
BARR,K.P.	9505110029	50-369 Q
BARR,K.P.	9505110061	50-261 Q
BARR,K.P.	9505110063*	50-261 Q
BARR,K.P.	9505110070	50-250 Q
BARR,K.P.	9505180102	50-280 F
BARR,K.P.	9505180109	50-400 F
BARR,K.P.	9505180111	50-338 F
BARR,K.P.	9505180115	50-369 F
BARR,K.P.	9505180169	50-259 F
BARR,K.P.	9505180185	50-302 F
BARR,K.P.	9505180207	50-338 Q
BARR,K.P.	9505180387	50-416 F
BARR,K.P.	9505240006	50-348 F
BARR,K.P.	9505240010	50-395 Q
BARR,K.P.	9505240016*	50-395 Q
BARR,K.P.	9505240112	50-348 F
BARR,K.P.	9505240160	50-348 Q
BARR,K.P.	9505240173	50-400 Q
BARR,K.P.	9505240190	50-395 F
BARR,K.P.	9505240235	50-250 F
BARR,K.P.	9505240279	50-327 F
BARR,K.P.	9505240290	50-413 Q
BARR,K.P.	9505240300	50-327 Q
BARR,K.P.	9505300022	50-261 F
BARR,K.P.	9505300037	50-400 F
BARR,K.P.	9505300046	50-324 Q
BARR,K.P.	9505300047	50-400 F
BARR,K.P.	9505300119	50-321 Q
BARR,K.P.	9505300129*	50-321 Q
BARR,K.P.	9505300175	50-261 F
BARR,K.P.	9505300186	50-416 Q
BARR,K.P.	9505310025	50-400 Q
BARRETT,K.R.	9505250149	40-8585
BARRETT,R.J.	9505230375	TOPREP
BARSS,D.M.	9505190162*	50-298 P
BARTH,C.A.	9505040020	50-424 G
BARTH,C.A.	9505260228	50-424 G
BARTOLINI,P.A.	9505080140*	50-220 P
BARTON,J.J.	9505020051	50-219 R
BARTON,J.J.	9505050038	50-219 F
BARTON,J.J.	9505190259	50-219 R
BARTON,J.J.	9505230339	50-219 F
BASSETT,C.	9505120022*	70-1113
BASSETT,E.J.	9505020113*	50-297 Q
BATEMAN,W.H.	9505040215*	50-397 P
BATEMAN,W.H.	9505180211	50-397 P
BATES,A.L.	9505040032	70-3070
BAUR,G.	9505260253*	WASTE MGT
BEACH,A.B.	9505020012	50-528 Q
BEACH,A.B.	9505020021	50-298 P
BEACH,A.B.	9505030049	50-275 Q
BEACH,A.B.	9505050010	50-313 Q
BEACH,A.B.	9505050063	50-298 Q
BEACH,A.B.	9505050074	50-458 Q
BEACH,A.B.	9505090005	50-458 Q
BEACH,A.B.	9505090028	50-361 Q
BEACH,A.B.	9505120003	50-313 Q
BEACH,A.B.	9505120057	50-397 Q
BEACH,A.B.	9505120069	50-397 P
BEACH,A.B.	9505180045	50-298 Q
BEACH,A.B.	9505190051*	50-298 P
BEACH,A.B.	9505190067	50-298 P
BEACH,A.B.	9505190068*	50-298 P
BEACH,A.B.	9505190081	50-397 Q
BEACH,A.B.	9505190095	50-528 Q
BEACH,A.B.	9505230003	50-298 Q
BEACH,A.B.	9505230022	50-498 Q
BEACH,A.B.	9505230054	50-285 Q
BEACH,A.B.	9505240116	50-298 Q
BEACH,A.B.	9505240128	50-298 Q
BEACH,A.B.	9505240386*	50-498 Q
BEACH,A.B.	9505240391*	50-498 P
BEACH,A.B.	9505250001	50-528 P
BEACH,A.B.	9505260031	50-313 Q
BEACH,A.B.	9505260045	50-397 Q
BEACH,A.B.	9505260060	50-313 Q
BEACH,A.B.	9505300062	50-498 Q
BEACH,A.B.	9505300080	50-482 Q
BEACH,A.B.	9505310026	50-458 Q
BEALL,J.	9505120159	50-302 Q
BEALL,J.	9505120160	50-457 Q
BEARD,P.M.	9505030480	50-302 Q
BEARD,P.M.	9505050151	50-302 Q
BEARD,P.M.	9505100129	50-302 P
BEARD,P.M.	9505180484	50-302 Q
BEARD,P.M.	9505300084	50-302 P
BEARD,R.M.	9505110258	50-321 R
BEARDEN,W.C.	9505020006*	50-438 Q
BEARDSLEE,C.D.	9505240049*	50-309 Q
BEARDSLEE,C.D.	9505240204*	50-271 Q
BEASLEY,J.B.	9505180306	50-424 F
BEATTIE,J.	9505020322*	50-272 S
BEATTIE,J.	9505020324*	50-272 S
BEAVER,J.	9505190242	50-289 F
BECHHOEFER,C.	9505040038	50-160 G
BECHHOEFER,C.	9505180501	50-160 G
BECHHOEFER,C.	9505180570	50-160 G
BECK,D.M.	9505250295	70-364
BECK,S.T.	9505180347	NUREG
BECKHAM,J.T.	9505080021	50-366 P
BECKHAM,J.T.	9505090105	50-321 F
BECKHAM,J.T.	9505090186	50-366 S
BECKHAM,J.T.	9505090221	50-321 P
BECKHAM,J.T.	9505110258	50-321 R
BECKHAM,J.T.	9505120152	50-366 S
BECKHAM,J.T.	9505240166	50-321 P
BECKHAM,J.T.	9505250193	50-321 P
BECKJORD,E.S.	9505220229*	ADVCM
BECKNER,W.D.	9505020369	50-298 P
BECKNER,W.D.	9505080291	50-498 H
BEE,C.	9505010204	FOIA
BEHNKE,D.H.	9505250033	50-275 S
BEHNKE,D.H.	9505250035	50-323 S
BEHRINGER,T.J.	9505150247*	50-254 P
BEJLOVEC,W.	9505230091	50-374 S
BELISLE,G.A.	9505240191*	50-338 Q
BELISLE,G.A.	9505310022*	50-339 Q
BELKE,W.	9505180539	WASTE MGT
BELL,M.J.	9505020255	WASTE MGT
BELL,M.J.	9505110140	40-8903
BELL,M.J.	9505120086	40-8724
BELL,M.J.	9505120089	40-1162
BELL,M.J.	9505120156	WASTE MGT
BELL,M.J.	9505120158	WASTE MGT
BELL,M.J.	9505120214	WASTE MGT
BELL,M.J.	9505150074	40-8902
BELL,M.J.	9505190232	ORG
BELL,M.J.	9505190390	ORG
BELL,M.J.	9505250014	WASTE MGT
BELL,M.J.	9505250078*	STATE PRO G
BELL,M.J.	9505300193	WASTE MGT
BELL,R.L.	9505230142	PR
BELL,W.M.	9505250082*	STATE PRO G
BELLAMY,R.R.	9505080300*	FOIA
BELLES,T.D.	9505050188	50-387 R
BENES,G.G.	9505040413	50-374 P
BENES,G.G.	9505040418*	50-374 P
BENES,G.G.	9505050155	50-10 W
BENES,G.G.	9505110270	50-374 P
BENES,G.G.	9505240298	50-373 P
BENES,G.G.	9505300227	50-373 Q
BENES,G.G.	9505310457	50-373 P
BERG,W.L.	9505080020	50-409 S
BERGMANN,W.	9505190218*	71-*****
BERKOW,H.	9505250214	50-269 Q
BERKOW,H.N.	9502240272	50-424 G
BERKOW,H.N.	9505020232	50-269 Q
BERKOW,H.N.	9505020357	50-425 P
BERKOW,H.N.	9505030040*	50-424 P
BERKOW,H.N.	9505100196*	50-269 P
BERKOW,H.N.	9505180338	50-269 P
BERKOW,H.N.	9505180391	50-269 P
BERKOW,H.N.	9505190337*	50-424 P
BERLES,B.W.	9505110262	50-255 R
BERNERO,R.M.	9504190119*	COMMISSIO N
BERNERO,R.M.	9505190262*	FOIA
BERRY,K.K.	9505090132	TOPREP
BETTENHAUSEN,L.	9505030099*	50-223 Q
BEVARD,M.	9505040247	CONTRACT
BHATIA,R.	9505310020*	50-247 Q
BILLAUX,D.	9505310318*	WASTE MGT
BIRGERSSON,L.	9505040283*	WASTE MGT
BISSETT,P.H.	9505030133*	50-213 Q
BLACK,S.C.	9505180575	PROJ
BLACK,S.C.	9505230378	PROJ
BLACKBURN,J.	9505050342	CONTRACT
BLAHA,J.L.	9505010099	COMMISSIO N
BLAHA,J.L.	9505100236	COMMISSIO N
BLAHA,J.L.	9505150078	COMMISSIO N
BLAHA,J.L.	9505250159	COMMISSIO N
BLAIR,B.	9505300114	40-8948
BLAKE,E.L.	9505260316	50-424 G
BLAKE,E.L.	9505260316	50-424 G
BLAKE,J.	9505020076*	50-369 Q
BLAKE,J.	9505050174*	50-395 Q
BLAKE,J.J.	9505020073*	50-348 Q
BLAKE,J.J.	9505110087*	50-259 Q
BLAKE,J.J.	9505110170*	50-269 Q
BLAKE,J.J.	9505310095*	50-416 Q
BLANCH,P.M.	9504110236*	50-336 S
BLANCH,P.M.	9505040079	PR
BLANCH,P.M.	9505150225*	50-293 P
BLANCH,P.M.	9505150238*	ORG
BLANCH,P.M.	9505150249*	ORG
BLANCH,P.M.	9505250230*	50-245 P
BLANCH,P.M.	9505250239*	50-245 P
BLANCH,P.M.	9505310289*	ORG
BLANCH,P.M.	9506020153*	ORG
BLIND,A.A.	9505150012	50-316 R
BLIND,A.A.	9505150127	50-315 R
BLIND,A.A.	9505150175	50-316 S
BLOCH,P.B.	9505040031	50-424 G
BLOCH,P.B.	9505040042	50-424 G
BLOCH,P.B.	9505040072	50-424 G
BLOCH,P.B.	9505040083	50-424 G
BLOCH,P.B.	9505090158	50-424 G
BLOCH,P.B.	9505180205	50-424 G
BLOCH,P.B.	9505180349	50-424 G
BLOCKEY-O'BRIEN	9505020340	50-160 G
BLOM,M.A.	9505300154*	50-325 P
BLOOM,S.D.	9505090213	50-285 Q
BLOSSER,J.D.	9505180230	50-483 R
BLOSSER,J.D.	9505190314	50-483 Q
BLUBAUGH,R.E.	9505120085	40-3453
BLUBAUGH,R.E.	9505300122	40-3453
BOCKHOLD,G.	9505180491*	50-424 T
BOCKHOLD,G.	9505180502*	50-424 G
BOGER,B.A.	9505040223*	50-498 F
BOGER,B.A.	9505040235*	50-498 F
BOGER,B.A.	9505190293	50-134 V
BOGERS,A.H.	9505250060	STATE PRO G
BOLAND,R.F.	9505110137	40-6563
BOLDT,G.L.	9505050080	50-302 R
BOLDT,G.L.	9505180248	50-302 R
BOLDT,G.L.	9505220069	50-302 R
BOLDT,G.L.	9505230292	50-302 S
BOLDT,G.L.	9505240353	50-302 P
BOLDT,G.L.	9505250040	50-302 P
BOLDT,G.L.	9505250053	50-302 I
BOLDT,G.L.	9505310632	50-302 P
BOLKE,T.J.	9505220146	50-458 R
BOLLWERK,G.P.	9505090095	MISC
BOLON,A.E.	9505020205	50-160 R
BONSER,B.R.	9505110066*	50-424 Q
BORCHERT,H.R.	9505260032	PR
BORCHERT,R.	9505240345	50-245 R
BORES,R.	9505020182*	50-309 Q
BORES,R.	9505180053*	50-244 Q
BORES,R.	9505240021*	50-271 Q
BORES,R.	9505240159*	50-220 Q
BORES,R.	9505310032*	50-309 Q
BORES,R.J.	9505240129*	50-387 Q
BORST,F.J.	9505310639	50-267 F
BOSTICK,K.A.	9505020368	40-8907
BOSTICK,K.A.	9505150159	40-8907

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BOTSFORD,T.W.	9505010070*	FOIA
BOTSFORD,T.W.	9505010076*	FOIA
BOTSFORD,T.W.	9505010091*	FOIA
BOTSFORD,T.W.	9505010106*	FOIA
BOTSFORD,T.W.	9505010112*	FOIA
BOUFFORD,J.	9505300075	50-286 S
BOULETTE,E.T.	9505010269	50-293 S
BOULETTE,E.T.	9505020150	50-293 S
BOULETTE,E.T.	9505040165	50-293 R
BOULETTE,E.T.	9505050336	50-293 P
BOULETTE,E.T.	9505110077	50-293 P
BOULETTE,E.T.	9505180372	50-293 Q
BOWLING,M.L.	9505020231	50-280 R
BOWLING,M.L.	9505020379	50-338 P
BOWLING,M.L.	9505040261	50-280 R
BOWLING,M.L.	9505050314	50-338 R
BOWLING,M.L.	9505090018	50-280 P
BOWLING,M.L.	9505180290	50-338 R
BOWLING,M.L.	9505230111	PR
BOWLING,M.L.	9505230190	50-281 P
BOWLING,M.L.	9505230201	50-281 P
BOWMAN,S.M.	9505090264	NUREG
BOWYER	9505030383*	FOIA
BOWYER,J.	9505020402*	FOIA
BOWYER,J.	9505020417*	FOIA
BOWYER,J.	9505030387*	FOIA
BOWYER,J.	9505030400*	FOIA
BOWYER,J.E.	9505010086*	FOIA
BOWYER,J.E.	9505010129*	FOIA
BOWYER,J.E.	9505010131*	FOIA
BOWYER,J.E.	9505010132*	FOIA
BOWYER,J.E.	9505010154*	FOIA
BOWYER,J.E.	9505010187*	FOIA
BOWYER,J.E.	9505010189*	FOIA
BOWYER,J.E.	9505010190*	FOIA
BOWYER,J.E.	9505010191*	FOIA
BOWYER,J.E.	9505010192*	FOIA
BOWYER,J.E.	9505010193*	FOIA
BOWYER,J.E.	9505010194*	FOIA
BOWYER,J.E.	9505010195*	FOIA
BOWYER,J.E.	9505010197*	FOIA
BOWYER,J.E.	9505010201*	FOIA
BOWYER,J.E.	9505010216*	FOIA
BOWYER,J.E.	9505010222*	FOIA
BOWYER,J.E.	9505010228*	FOIA
BOWYER,J.E.	9505010241*	FOIA
BOWYER,J.E.	9505010259*	FOIA
BOWYER,J.E.	9505010272*	FOIA
BOWYER,J.E.	9505010274*	FOIA
BOWYER,J.E.	9505020080*	FOIA
BOWYER,J.E.	9505020102*	FOIA
BOWYER,J.E.	9505020103*	FOIA
BOWYER,J.E.	9505020115*	FOIA
BOWYER,J.E.	9505020154*	FOIA
BOWYER,J.E.	9505020243*	FOIA
BOWYER,J.E.	9505020260*	FOIA
BOWYER,J.E.	9505020271*	FOIA
BOWYER,J.E.	9505020283*	FOIA
BOWYER,J.E.	9505020289*	FOIA
BOWYER,J.E.	9505020301*	FOIA
BOWYER,J.E.	9505020315*	FOIA
BOWYER,J.E.	9505020318*	FOIA
BOWYER,J.E.	9505020321*	FOIA
BOWYER,J.E.	9505020325*	FOIA
BOWYER,J.E.	9505020329*	FOIA
BOWYER,J.E.	9505020381*	FOIA
BOWYER,J.E.	9505020384*	FOIA
BOWYER,J.E.	9505020386*	FOIA
BOWYER,J.E.	9505020389*	FOIA
BOWYER,J.E.	9505020390*	FOIA
BOWYER,J.E.	9505020396*	FOIA
BOWYER,J.E.	9505020399*	FOIA
BOWYER,J.E.	9505020412*	FOIA
BOWYER,J.E.	9505030093*	FOIA
BOWYER,J.E.	9505030103*	FOIA
BOWYER,J.E.	9505030128*	FOIA
BOWYER,J.E.	9505030223*	FOIA
BOWYER,J.E.	9505030268*	FOIA
BOWYER,J.E.	9505030347*	FOIA
BOWYER,J.E.	9505030349*	FOIA
BOWYER,J.E.	9505030353*	FOIA
BOWYER,J.E.	9505030355*	FOIA
BOWYER,J.E.	9505030357*	FOIA
BOWYER,J.E.	9505030359*	FOIA
BOWYER,J.E.	9505030364*	FOIA
BOWYER,J.E.	9505030365*	FOIA
BOWYER,J.E.	9505030366*	FOIA
BOWYER,J.E.	9505030374*	FOIA
BOWYER,J.E.	9505030377*	FOIA
BOWYER,J.E.	9505030378*	FOIA
BOWYER,J.E.	9505030385*	FOIA
BOWYER,J.E.	9505030389*	FOIA
BOWYER,J.E.	9505030390*	FOIA
BOWYER,J.E.	9505030393*	FOIA
BOWYER,J.E.	9505030405*	FOIA
BOWYER,J.E.	9505030407*	FOIA
BOWYER,J.E.	9505030408*	FOIA
BOWYER,J.E.	9505030410*	FOIA
BOWYER,J.E.	9505030419*	FOIA
BOWYER,J.E.	9505030458*	FOIA
BOWYER,J.E.	9505040021*	FOIA
BOWYER,J.E.	9505040044*	FOIA
BOWYER,J.E.	9505040046*	FOIA
BOWYER,J.E.	9505040062*	FOIA
BOWYER,J.E.	9505040074*	FOIA
BOWYER,J.E.	9505040112*	FOIA
BOWYER,J.E.	9505040166*	FOIA
BOWYER,J.E.	9505040303*	FOIA
BOWYER,J.E.	9505040306*	FOIA
BOWYER,J.E.	9505040372*	FOIA
BOWYER,J.E.	9505040374*	FOIA
BOWYER,J.E.	9505040376*	FOIA
BOWYER,J.E.	9505040401*	FOIA
BOWYER,J.E.	9505040403*	FOIA
BOWYER,J.E.	9505040405*	FOIA
BOWYER,J.E.	9505040419*	FOIA
BOWYER,J.E.	9505050170*	FOIA
BOWYER,J.E.	9505050173*	FOIA
BOWYER,J.E.	9505050176*	FOIA
BOWYER,J.E.	9505050266*	FOIA
BOWYER,J.E.	9505050267*	FOIA
BOWYER,J.E.	9505050269*	FOIA
BOWYER,J.E.	9505050272*	FOIA
BOWYER,J.E.	9505050275*	FOIA
BOWYER,J.E.	9505050276*	FOIA
BOWYER,J.E.	9505050277*	FOIA
BOWYER,J.E.	9505080049*	FOIA
BOWYER,J.E.	9505080075*	FOIA
BOWYER,J.E.	9505080111*	FOIA
BOWYER,J.E.	9505080139*	FOIA
BOWYER,J.E.	9505080143*	FOIA
BOWYER,J.E.	9505080146*	FOIA
BOYLE,R.	9505190211	71-*****
BOYLE,R.W.	9505180166	71-3022
BOYLE,R.W.	9505240069	71-3022
BRADY	9505020109*	FOIA
BRADY	9505040309*	FOIA
BRADY,J.B.	9505110058*	50-390 Q
BRADY,L.	9505050235*	FOIA
BRANCH,P.J.	9505260131	71-368
BRANDOLINO,B.A.	9505300131*	50-295 S
BRANSTAD,T.E.	9505020245*	STATE PRO G
BREMER,W.	9505250080	50-282 Y
BREWER,S.	9505190190*	50-454 P
BRICKSTAD,B.	9505030464	NUREG
BRINKMAN,C.B.	9505110236	NUREG
BRINKMAN,C.B.	9505110321	XPORTLIC
BRINKMAN,C.B.	9505120241	PR
BRINKMAN,D.S.	9505010013	50-334 P
BRINKMAN,D.S.	9505090141	50-334 P
BRINKMAN,D.S.	9505090176	50-412 P
BRINKMAN,D.S.	9505190357	50-334 P
BRINKMAN,D.S.	9505240435	50-334 P
BROCKMAN,K.	9505010153	ORG
BROCOUM,S.J.	9505080055	WASTE MGT
BROCOUM,S.J.	9505100088	WASTE MGT
BROCOUM,S.J.	9505110219	WASTE MGT
BROCOUM,S.J.	9505120267	WASTE MGT
BROCOUM,S.J.	9505150197	WASTE MGT
BROCOUM,S.J.	9505150312	WASTE MGT
BROCOUM,S.J.	9505240057	WASTE MGT
BROCOUM,S.J.	9505240080	WASTE MGT
BRONS,J.C.	9505230176	50-10 W
BROOKMIRE,T.A.	9505230204*	50-281 P
BROOKS,P.P.	9505150110*	WASTE MGT
BROTT,N.K.	9505020040	50-255 F
BROTT,N.K.	9505020054	50-255 F
BROTT,N.K.	9505020060	50-255 F
BROTT,N.K.	9505100265	50-255 F
BROTT,N.K.	9505260287	50-255 F
BROTT,N.K.	9505260358	50-255 F
BROTT,N.K.	9505260360	50-255 F
BROUGHTON,T.G.	9505010095	50-289 P
BROUGHTON,T.G.	9505020470	50-219 I
BROUGHTON,T.G.	9505040384	50-289 R
BROUGHTON,T.G.	9505040423	50-289 F
BROUGHTON,T.G.	9505150132	50-289 R
BROUGHTON,T.G.	9505230299	50-289 P
BROUGHTON,T.G.	9505230301*	50-289 P
BROUGHTON,T.G.	9505310201	50-289 P
BROUGHTON,T.G.	9505310644	50-289 P
BROWN,B.W.	9505090253*	50-389 Q
BROWN,B.W.	9505090253*	50-389 Q
BROWN,E.G.	9505040280	CONTRACT
BROWN,J.F.	9505080042	CONTRACT
BROWN,N.	9505230282	FOIA
BROWN,N.	9505230356	50-424 H
BROWN,N.	9505240323	50-321 P
BRUST,F.	9505030464	NUREG
BRUST,F.W.	9505040365	NUREG
BRYANT,F.J.	9505110323	XPORTLIC
BUCHANAN,C.R.	9505010231*	FOIA
BUCHANAN,C.R.	9505020188*	FOIA
BUCHANAN,C.R.	9505020393*	FOIA
BUCHANAN,C.R.	9505020405*	FOIA
BUCHANAN,C.R.	9505030369*	FOIA
BUCHANAN,C.R.	9505030380*	FOIA
BUCHANAN,C.R.	9505040104*	FOIA
BUCHANAN,C.R.	9505040117*	FOIA
BUCHANAN,C.R.	9505040293*	FOIA
BUCHANAN,C.R.	9505040355*	FOIA
BUCHANAN,C.R.	9505260115*	40-1790
BUCKLEY,B.C.	9505020364	50-280 P
BUCKLEY,B.C.	9505090155	50-280 P
BULLARD,C.W.	9505190191*	70-7001
BUMPAS,S.E.	9505230342	NUREG
BUNTON,P.C.	9505150110*	WASTE MGT
BURDICK,T.	9505240036*	50-456 V
BURDICK,T.	9505310035*	50-305 Q
BURGESS,S.D.	9505180312*	50-263 Q
BURLING,J.H.	9505230317*	40-1790
BURLING,J.H.	9505230334*	40-1790
BURNETT,R.F.	9505100214	REVIEW GR P
BURNETT,R.F.	9505230305	70-734
BURSKI,R.F.	9505010111	50-382 F
BURSKI,R.F.	9505030193	50-382 F
BURSKI,R.F.	9505030200	50-382 P
BURSKI,R.F.	9505050297	50-382 P
BURSKI,R.F.	9505150222	50-382 Q
BURSKI,R.F.	9505180242	50-382 R
BURSKI,R.F.	9505180294	50-382 P
BURSKI,R.F.	9505180511	50-382 F
BURSKI,R.F.	9505240138	50-382 F
BURSKI,R.F.	9505240368	50-382 I
BURSKI,R.F.	9505250048	50-382 Q
BURSTEIN,S.	9505220208*	ADVCM
BURSTEIN,S.	9505220212*	ADVCM
BUSCH,R.D.	9505110129	50-252 F
BUSH,C.A.	9505150316*	WASTE MGT
BUSH,L.L.	9505260109	ORG
BUSTAMI,A.	9505090206	XPORTLIC
BUTCHER,R.	9505050053*	50-302 Q
BYOUN,T.Y.	9505010097*	50-289 P
BYRAM,R.G.	9505030239	50-387 R
BYRAM,R.G.	9505050333	50-387 P
BYRAM,R.G.	9505110035	50-387 P
BYRAM,R.G.	9505110143	50-387 Q
BYRAM,R.G.	9505120042	50-388 P
BYRAM,R.G.	9505120043*	50-388 P
BYRAM,R.G.	9505150118	50-387 Q
BYRAM,R.G.	9505230113	50-387 P
BYRAM,R.G.	9505230151	50-387 R
BYRAM,R.G.	9505260098	50-387 F
BYRAM,R.G.	9505300226	50-338 P
BYRAM,R.G.	9505310130	50-387 P
BYRAM,R.G.	9505310189	50-387 Q
BYRNE,M.R.	9505110348	ORG
BYRON,P.	9505180374*	50-400 Q
BYRON,P.M.	9505050150*	50-324 Q
CAGLE,M.S.	9505250105	71-9263
CAHILL,W.J.	9505020213	50-286 F
CAHILL,W.J.	9505040008	50-286 I
CAHILL,W.J.	9505040135	50-333 P
CAHILL,W.J.	9505120161	50-333 F
CAHILL,W.J.	9505220073*	50-333 P
CAHILL,W.J.	9505230183	50-333 P
CAIN,C.L.	9505180118*	40-8903
CAIN,C.L.	9505180311*	40-8857
CAIN,C.L.	9505180472*	40-8905
CAIN,C.L.	9505180481*	40-8964
CAIN,C.L.	9505260030*	40-8943
CALDWELL,C.C.	9505180407	STATE PRO G
CALLAN,L.J.	9505080034	STATE PRO G
CALLAN,L.J.	9505090012	50-526 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CALLAN,L.J.	9505180231	50-275 Q
CALLAN,L.J.	9505240196	50-397 Q
CALLAN,L.J.	9505240255	50-267 Q
CALLAN,L.J.	9505240265	50-267 Q
CALLAN,L.J.	9505250134	STATE PRO G
CALVO,J.A.	9409070271*	50-321 P
CAMERON,J.L.	9505090294*	30-2646
CAMERON,J.L.	9505090296*	30-17512
CAMERON,J.L.	9505090306*	30-17512
CAMPBELL,C.A.	9505030328*	50-255 P
CAMPBELL,P.	9505020277	52-5
CAMPBELL,P.L.	9505030476	NUREG
CAMPITELLI,A.T.	9505240135	40-6940
CANADY,K.S.	9505300028	50-287 P
CANDIS,K.D.	*9505180380*	*50-302* Q
CANDREY,D.	9505190004	XPORTLIC
CANDREY,D.	9505190015	70-1252
CANDREY,D.	9505190141	XPORTLIC
CANDREY,D.	9505190146	XPORTLIC
CANIANO,R.J.	9505110076	50-295 P
CANT,G.	9505120162	I&E
CANT,G.	9505120183	I&E
CANT,G.	9505120199	I&E
CAPRA,R.A.	9505010002	50-295 P
CAPRA,R.A.	9505110288*	50-295 P
CAPRA,R.A.	9505240377	50-295 P
CARDWELL,C.C.	9505230025	STATE PRO G
CAREY,D.	9505100089	40-8948
CARIER,P.P.	9505120095	50-390 F
CARIER,P.P.	9505230057	50-259 P
CARLO,M.	9505020062*	FOIA
CARLO,M.L.	9505010277*	FOIA
CARLO,M.L.	9505020057*	FOIA
CARLO,M.L.	9505020077*	FOIA
CARLO,M.L.	9505020088*	FOIA
CARLO,M.L.	9505020093*	FOIA
CARNS,N.S.	9505020233	50-482 P
CARNS,N.S.	9505020238	50-482 P
CARNS,N.S.	9505020307	50-482 P
CARNS,N.S.	9505240338	50-482 P
CAROCCIO,C.J.	9505220166	50-410 R
CARPENTER,C.A.	9505010020	50-255 P
CARPENTER,C.A.	9505090229	50-255 Q
CARPENTER,C.A.	9505110198	50-255 P
CARPENTER,C.E.	9505010092	TOPREP
CARPENTER,C.E.	9505090212	50-333 P
CARR,W.B.	9505260363	71-9033
CARR,W.J.	9505150316*	WASTE MGT
CARRASCO,J.E.	9505240167*	50-309 Q
CARRIER,K.B.	9505010093*	ADVCM
CARRIKER,A.W.	9505260438	71-3024
CARRION,R.P.	9505050095*	50-250 Q
CARRION,R.P.	9505110027*	50-335 Q
CARRION,R.P.	9505300051*	50-324 Q
CARROLL,J.C.	9505100159	ACRS
CARROLL,R.	9505110042	50-270 S
CARSON,L.	9505180100	50-133 S
CARSON,R.W.	9505040120*	70-27
CARSTENS,D.	9505260221	50-263 P
CARTER,J.	9505250059	50-413 P
CARTER,J.S.	9505190147	50-413 P
CASARI,B.E.	9505030135	STATE PRO G
CASARI,B.E.	9505220018	STATE PRO G
CASE,M.I.	9505030162*	FOIA
CASHWELL,C.	9505260033	50-324 F
CASHWELL,C.	9505260039	50-324 F
CASHWELL,C.K.	9505260046	50-324 F
CASILLAS,J.L.	9505010125*	50-271 P
CASSON,D.	9505040216	CONTRACT
CASTO,C.	9505110172*	50-321 Q
CASTO,C.A.	9505020029	50-424 Q
CASTO,C.A.	9505020063	50-369 Q
CASTO,C.A.	9505020065	50-348 Q
CASTO,C.A.	9505020110	50-413 Q
CASTO,C.A.	9505050168	50-395 Q
CASTO,C.A.	9505050181	50-259 Q
CASTO,C.A.	9505110019	50-259 Q
CASTO,C.A.	9505110084	50-259 Q
CASTO,C.A.	9505110166	50-269 Q
CASTO,C.A.	9505110168	50-321 Q
CASTO,C.A.	9505240030	50-259 Q
CASTO,C.A.	9505240056	50-327 Q
CASTO,C.A.	9505240096*	50-327 Q
CASTO,C.A.	9505240124	50-369 Q
CASTO,C.A.	9505240256	50-348 Q
CASTO,C.A.	9505300001	50-261 Q
CASTO,C.A.	9505300044	50-321 Q
CASTO,C.A.	9505310085	50-261 Q
CASTO,C.A.	9505310089	50-416 Q
CASTO,C.A.	9505310107	50-338 Q
CASTRONOVO,F.P.	9505010051	FOIA
CATTADORI,G.	9505230110*	52-4
CATTON,I.	9505100159	ACRS
CESAR,D.	9505230323*	FOIA
CHAFFEE,A.E.	9505180269	50-397 S
CHAFFEE,A.E.	9505190371	I&E
CHAMBERLAIN,D.	9505030066*	50-275 Q
CHAMBERLAIN,D.	9505190085*	50-397 Q
CHAMBERLAIN,D.	9505260050*	50-397 Q
CHANDLER,L.J.	8904190092*	50-250 G
CHANDLER,L.J.	8904190115*	50-250 G
CHANDLER,L.J.	9108080045*	50-250 G
CHANDLER,L.J.	*9505010176**	*50-250* G
CHANDLER,L.J.	9505010211*	50-250 G
CHANG,T.Y.	9505030077	PR
CHAPMAN,L.H.	9505020064*	40-2384
CHAPMAN,L.H.	9505020072*	40-2384
CHAPPELL,C.R.	9505050022	71-9263
CHAPPELL,C.R.	9505050025*	71-9263
CHAPPELL,C.R.	9505050048	71-9248
CHAPPELL,C.R.	9505050049*	71-9248
CHAPPELL,C.R.	9505050052	71-9248
CHAPPELL,C.R.	9505050055*	71-9248
CHAPPELL,C.R.	9505120111	71-9035
CHAPPELL,C.R.	9505120115*	71-9035
CHAPPELL,C.R.	9505150093	71-9196
CHAPPELL,C.R.	9505150103	71-5805
CHAPPELL,C.R.	9505180392	71-9182
CHAPPELL,C.R.	9505230351	71-9157
CHAPPELL,C.R.	9505240188	71-3022
CHAPPELL,C.R.	9505240203	71-5984
CHAPPELL,C.R.	9505250265	71-9227
CHAPPELL,C.R.	9505250268	71-9096
CHAPPELL,C.R.	9505250271	71-5926
CHAPPELL,C.R.	9505260280	71-9226
CHAPPELL,C.R.	9505260402	71-3024
CHAPPELL,C.R.	9505300299	71-9251
CHAPPELL,C.R.	9505300302*	71-9251
CHARAK,I.	9505180578	52-5
CHARP,P.A.	9505260382	70-364
CHASE,G.	9505180305	40-8452
CHAUDHARY,S.	9505310052*	50-286 Q
CHAUDHARY,S.K.	9505090070*	50-286 Q
CHAWAGA,D.	9505260041	STATE PRO G
CHAWAGA,D.J.	9505260051	STATE PRO G
CHEN,J.	9505040367	CONTRACT
CHEUNG,L.	9505310072*	50-410 Q
CHILDS,V.	9505180148	50-333 S
CHILK,S.J.	8804060058	10CFR
CHILK,S.J.	9505190281*	FOIA
CHOI,Y.H.	9505030464	NUREG
CHOU,R.	9505050174*	50-395 Q
CHOU,R.C.	9505110087*	50-259 Q
CHOWDHURY,A.H.	9505040377	NUREG
CHOWDHURY,A.H.	9505190391*	ORG
CHRISSOTIMOS,N.	9505100141*	50-254 S
CHRIST,R.	9505190218*	71-*****
CHRISTENSEN,H.	9505020010	50-416 Q
CHRISTENSEN,H.	9505020022*	50-416 Q
CHRISTENSEN,H.	9505020140	50-348 Q
CHRISTENSEN,H.	9505110044	50-348 Q
CHRISTENSEN,H.	9505110052*	50-348 Q
CHRISTENSEN,H.	9505240008	50-348 Q
CHRISTENSEN,H.	9505240141	50-395 Q
CHRISTENSEN,H.	9505240307	50-348 Q
CHRISTENSEN,H.	9505300003	50-395 Q
CHRISTENSEN,H.	9505300007*	50-395 Q
CHRISTENSEN,H.	9505300032	50-348 Q
CHRISTIAN,D.A.	9505190131	50-280 S
CHRISTNOT,E.F.	9505240187*	50-321 Q
CHUBARD,M.A.	9505300035	50-286 F
CIALKOWSKI,M.J.	9505180279	50-373 R
CLARK,H.W.	9505080016*	STATE PRO G
CLARK,P.R.	9505010078	50-289 Q
CLARK,R.W.	9505190074	WASTE MGT
CLARKE,W.L.	9505110326*	WASTE MGT
CLAYBROOK,L.C.	9505180094	70-27
CLAYTON,B.	9505090063	50-461 Q
CLAYTON,B.	9505090069*	50-461 Q
CLEMENS,C.D.	9505230209*	50-281 P
CLIFFORD,J.W.	9505010053	50-397 Q
CLIFFORD,J.W.	9505010066	50-397 P
CLIFFORD,J.W.	9505010071*	50-397 P
CLIFFORD,J.W.	9505040211	50-397 P
CLIFFORD,J.W.	9505100203	50-397 P
CLIFFORD,J.W.	9505180047	50-397 P
CLIFFORD,J.W.	9505260124	50-397 P
CLIFFORD,J.W.	9505260134*	50-397 P
CLINE,W.E.	9505020052	50-269 Q
CLINE,W.E.	9505020079	50-269 F
CLINE,W.E.	9505020129	50-261 Y
CLINE,W.E.	9505020149	50-395 Q
CLINE,W.E.	9505020151	50-327 Q
CLINE,W.E.	9505020155	50-250 F
CLINE,W.E.	9505020162*	50-395 Q
CLINE,W.E.	9505020165	50-416 F
CLINE,W.E.	9505020168	50-280 Y
CLINE,W.E.	9505020171	50-413 F
CLINE,W.E.	9505020264	50-335 F
CLONINGER,T.H.	9505030284	50-498 S
CLONINGER,T.H.	*9505030293*	*50-498* P
CLONINGER,T.H.	9505050071	50-498 P
CLONINGER,T.H.	9505090238	50-498 P
CLONINGER,T.H.	9505110124	50-498 Q
CLONINGER,T.H.	9505240327	50-498 S
COBB,J.S.	9505180550*	50-395 R
COBLENTZ,L.	9505040381	NUREG
CODREY,D.	9505190032	70-1252
COE,J.A.	9505150313*	WASTE MGT
COHEN,P.	9505020108*	FOIA
COHEN,P.	9505100266*	FOIA
COHEN,S.	9505040382	CONTRACT
COLAPINTO,D.K.	9505100123*	FOIA
COLAPINTO,D.K.	9505100170*	FOIA
COLAPINTO,D.K.	9505240428*	50-498 Q
COLAPINTO,D.K.	9505240428*	50-498 Q
COLEMAN,D.E.	9505220167	50-220 R
COLEMAN,N.	9505220048	40-8857
COLEMAN,N.	9505240259	40-8502
COLEY,J.L.	9505020046*	50-390 Q
COLFORD,C.	9505180086	XPORTLIC
COLINA,I.	9505040348	CONTRACT
COLLINS,D.	9505020145	I&E
COLLINS,D.M.	9505020025	70-1151
COLLINS,D.M.	9505020106	50-297 Q
COLLINS,D.M.	9505030075	50-324 Q
COLLINS,D.M.	9505040185	50-395 F
COLLINS,D.M.	9505050001	70-27
COLLINS,D.M.	9505050112	50-335 Q
COLLINS,D.M.	9505050118	50-424 F
COLLINS,D.M.	9505120016	70-27
COLLINS,D.M.	9505120019	70-1113
COLLINS,D.M.	9505180018	70-1151
COLLINS,D.M.	9505180146	ORG
COLLINS,D.M.	9505220020	70-27
COLLINS,D.M.	9505230349	50-338 F
COLLINS,D.M.	9505240074	70-1201
COLLINS,D.M.	9505250083	50-302 F
COLLINS,D.M.	9505300021	50-335 F
COLLINS,D.M.	9505300105	50-424 Q
COLLINS,D.M.	9505310014	70-27
COLLINS,D.M.	9505310033	70-143
COLLINS,E.E.	9505230067*	50-482 Q
COLLINS,E.E.	9505240041*	50-498 Q
COLLINS,E.E.	9505240090*	50-313 Q
COLLINS,E.J.	9505040245	CONTRACT
COLLINS,J.E.	9505260186*	50-280 F
COLLINS,J.E.	9505260191*	50-280 F
COLLINS,J.J.	9505030120*	FOIA
COLLINS,S.J.	9505020017	50-528 F
COLLINS,S.J.	9505020019	50-206 Q
COLLINS,S.J.	9505030003	50-285 Q
COLLINS,S.J.	9505030006	50-482 Q
COLLINS,S.J.	9505030024	50-382 F
COLLINS,S.J.	9505030104	50-528 Q
COLLINS,S.J.	9505050007	50-313 F
COLLINS,S.J.	9505050031	50-602 Q
COLLINS,S.J.	9505050065	50-267 Q
COLLINS,S.J.	9505050088	50-445 F
COLLINS,S.J.	9505090002	50-445 Q
COLLINS,S.J.	9505090046	50-482 Q
COLLINS,S.J.	9505090056	50-133 Q
COLLINS,S.J.	9505090061	STATE PRO G
COLLINS,S.J.	9505100077	50-397 F
COLLINS,S.J.	9505120049	50-298 F
COLLINS,S.J.	9505180067	50-206 F
COLLINS,S.J.	9505180069	50-344 Q
COLLINS,S.J.	9505180080	50-397 Q
COLLINS,S.J.	9505180106	50-445 Q
COLLINS,S.J.	9505180113	40-8903
COLLINS,S.J.	9505180124	50-313 Q
COLLINS,S.J.	9505180161	50-445 Q
COLLINS,S.J.	9505180197	50-397 Q
COLLINS,S.J.	9505180281	40-8857

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COLLINS,S.J.	9505180325	50-285 Q
COLLINS,S.J.	9505180403	50-528 Q
COLLINS,S.J.	9505180444	40-8902
COLLINS,S.J.	9505180458	40-8027
COLLINS,S.J.	9505180466	40-8905
COLLINS,S.J.	9505180476	40-8964
COLLINS,S.J.	9505190115	40-3453
COLLINS,S.J.	9505230028	50-458 Q
COLLINS,S.J.	9505230030	50-482 F
COLLINS,S.J.	9505230040	50-267 W
COLLINS,S.J.	9505230162	70-754
COLLINS,S.J.	9505250012	50-397 F
COLLINS,S.J.	9505260014	40-8943
COLLINS,S.J.	9505260037	50-458 Q
COLLINS,S.J.	9505300096	50-498 Q
COLLINS,S.J.	9505310185	50-344 F
COLLLINS,D.M.	9505240098	70-1113
COMBS,F.C.	9505150245*	FOIA
COMFORT,G.C.	9505120248	PROJ
COMFORT,G.C.	9505180534	40-7102
COMFORT,G.C.	9505250021	PROJ
CONANT,J.F.	9505100063*	70-1100
CONGDON,M.B.	9505230291*	FOIA
CONGEL,F.	9505110185	ORG
CONGEL,F.	9505220238*	50-29 W
CONNELL,J.M.	9505180479*	50-309 S
CONNER,J.A.	9505030457	70-27
CONNER,J.A.	9505300419	70-27
CONNORS,L.T.	9505260067*	50-219 F
CONTE,R.	9505100071*	50-293 Q
CONTE,R.J.	9505180103	50-271 Q
CONTE,R.J.	9505260043	50-271 Q
CONTE,R.J.	9505310050*	50-271 Q
CONWAY,L.E.	9505150268*	52-3
COOK,J.G.	9505250147	50-461 S
COOK,J.G.	9505310088	50-461 S
COOK,T.E.	9505230156	50-413 S
COOL,D.A.	9503220093*	40-2975
COOL,D.A.	9505050171	50-3 Q
COOL,D.A.	9505100135	STATE PRO G
COOL,D.A.	9505180259	STATE PRO G
COOL,D.A.	9505180442	50-282 Y
COOL,D.A.	9505180450*	50-282 Y
COOL,D.A.	9505250013*	STATE PRO G
COONS,P.	9505040255	CONTRACT
COOPER,G.	9505010270	50-249 S
COOPER,R.W.	9505030203	50-213 Q
COOPER,R.W.	9505260010	50-219 P
COOPER,R.W.	9505260017	50-213 Q
COOPER,R.W.	9505260057	50-286 P
CORDES,J.F.	9505100280	SECY
CORPORANDY,D.	9505180117	50-275 S
CORPORANDY,D.	9505180122	50-275 S
CORPORANDY,D.	9505180142	50-275 S
CORUM,M.	9505150145*	50-244 P
CORWIN,W.R.	9505190052	NUREG
CORWIN,W.R.	9505230173	ORG
CORWIN,W.R.	9505230186*	ORG
COSTANTINO,C.J.	9505250113*	50-255 Y
COSTELLO,F.M.	9201300031*	FOIA
COTON,S.R.	9505180509	50-313 F
COTTLE,W.T.	9305270043*	50-498 P
COTTLE,W.T.	9505110223	50-498 Q
COTTLE,W.T.	9505310149	50-498 P
COTTON,S.R.	9505180522	50-313 F
COTTON,S.R.	9505180524	50-313 F
COTTON,S.R.	9505250241	50-313 F
COTTON,S.R.	9505250244	50-313 F
COTTON,S.R.	9505250247	50-313 F
COWAN,J.	9505110092	50-325 S
COWAN,J.	9505120044	50-325 S
COWAN,J.	9505180292	50-325 S
COWAN,J.	9505260066	50-325 S
COWAN,J.	9505260126	50-325 S
COWAN,J.P.	9505010124	50-324 R
COWAN,J.P.	9505080008	50-325 P
COWAN,J.P.	9505090272	50-325 Q
COWGILL,C.J.	9505030079	50-333 Q
COWGILL,C.J.	9505030085*	50-333 Q
COWGILL,C.J.	9505090191	50-247 Q
COWGILL,C.J.	9505110020	50-286 Q
COWGILL,C.J.	9505110023*	50-286 Q
COWGILL,C.J.	9505220002	50-286 Q
COWGILL,C.J.	9505220004*	50-286 Q
COX,C.T.	9505010218*	FOIA
COY,D.R.	9505110312	40-1020
COY,D.R.	9505230123	40-1020
COYNE,K.	9505190005	52-3
CRAFT,A.A.	9505230180	PR
CRANFORD,G.	9505110340	ORG
CRANFORD,G.	9505110343	ORG
CRANFORD,G.	9505110344	ORG
CRANFORD,G.	9505110345	ORG
CRANFORD,G.F.	9505010060	ORG
CRAUN,R.L.	9505100088	WASTE MGT
CRAWFORD,S.J.	9505190303	50-483 F
CREED,J.R.	9505020218	50-282 F
CREED,J.R.	9505090217	50-282 F
CREED,J.R.	9505100090	50-255 F
CREED,J.R.	9505100137	I&E
CREED,J.R.	9505110096	50-461 P
CREED,J.R.	9505180060	50-373 F
CREED,J.R.	9505180062	50-155 F
CREED,J.R.	9505220246	50-155 F
CREED,J.R.	9505230043	50-483 Q
CREED,J.R.	9505230050*	50-483 Q
CREED,J.R.	9505260337	50-456 F
CREED,J.R.	9505260340	50-373 F
CREED,J.R.	9505260353	50-150 F
CREED,J.R.	9505300081	50-155 F
CRLENJAK,R.V.	9505020053	50-369 Q
CRLENJAK,R.V.	9505020059*	50-369 Q
CRLENJAK,R.V.	9505030129	50-269 Q
CRLENJAK,R.V.	9505030140*	50-269 Q
CRLENJAK,R.V.	9505110053	50-424 Q
CRLENJAK,R.V.	9505180046	50-413 Q
CRLENJAK,R.V.	9505180054*	50-413 Q
CRLENJAK,R.V.	9505180345	50-413 P
CRLENJAK,R.V.	9505240071	50-269 Q
CRLENJAK,R.V.	9505240137	50-269 Q
CRLENJAK,R.V.	9505240154	50-424 Q
CRLENJAK,R.V.	9505240184	50-321 Q
CRLENJAK,R.V.	9505240286	50-413 Q
CRLENJAK,R.V.	9505310067	50-269 Q
CRLENJAK,R.V.	9505310076*	50-269 Q
CRONEBERGER,D.	9505300278	TOPREP
CROSSLIN,R.	9505230002	PR
CROTEAU,R.P.	9505180322	50-250 P
CRUSE,C.H.	9505150034	50-317 S
CRUSE,C.H.	9505220060	50-317 R
CRUSE,C.H.	9505220089	50-317 S
CRUSE,C.H.	9505220094	50-318 S
CRUTCHFIELD,D.	8907240362*	FOIA
CRUTCHFIELD,D.	9505010073	50-390 D
CRUTCHFIELD,D.	9505100078	52-3
CRUTCHFIELD,D.	9505150111	50-390 A
CRUTCHFIELD,D.	9505150152*	FOIA
CRUTCHFIELD,D.	9505190341*	FOIA
CRUTCHFIELD,D.	9505220033	52-5
CRUTCHFIELD,D.	9505220082	52-3
CRUTCHFIELD,D.	9505230358*	FOIA
CRUTCHFIELD,D.	9505230363*	FOIA
CRUTCHFIELD,D.M	9505050213	52-3
CRUZ,J.B.	9505150153*	50-150 F
CUNNINGHAM	9505030381*	FOIA
CUNNINGHAM,B.E.	9505230205*	40-1790
CUNNINGHAM,G.E.	9505090148	71-9228
CUNNINGHAM,G.E.	9505300163	71-9228
CUNNINGHAM,L.J.	9505220225	50-315 P
CUNNINGHAM,L.J.	9505260349	ORG
CUNNINGHAM,M.	7904090060*	40-8434
CUNNINGHAM,R.E.	9505030246*	FOIA
CUNNINGHAM,R.E.	9505050251*	FOIA
CUNNINGHAM,R.E.	9505230208*	40-1790
CURRAN,D.	9505040016	70-3070
CURRAN,D.	9505040016	70-3070
CURRAN,D.	9505040064	70-3070
CURRAN,D.	9505040064	70-3070
CURRAN,D.	9505040064	70-3070
CURRAN,D.	9505090189	70-3070
CURRAN,D.	9505090189	70-3070
CURRAN,D.	9505180379	70-3070
CURRAN,D.	9505180379	70-3070
CURRAN,D.	9505260239	40-8027
CURRAN,D.	9505260239	40-8027
CURRAN,D.	9505260239	40-8027
CURRAN,D.	9505260249	40-8027
CURRAN,D.	9505260249	40-8027
CURRAN,D.	9505260308	40-8027
CURRIER,J.A.	9505090003	50-263 I
CVETKOVIC,V.	9505040345*	WASTE MGT
CWALINA,G.C.	9505120054*	QA999
CWALINA,G.C.	9505190101*	QA999
CWALINA,G.C.	9505220019*	QA999
CYGAN,J.	9505190389	50-295 R
DACIMO,F.R.	9505030296	50-213 S
DACIMO,F.R.	9505100120	50-213 S
DACIMO,F.R.	9505110006	50-213 S
DACIMO,F.R.	9505150144	50-213 R
DACIMO,F.R.	9505310486	50-213 S
DAHLBERG,K.A.	9505110016	50-410 R
DAHLBERG,K.A.	9505220166	50-410 R
DANDOIS,D.B.	9505090052	71-1
DANKMYER,B.K.	9505050347	40-8778
DANKMYER,B.K.	9505080038	40-8794
DANKMYER,B.K.	9505080045	40-8794
DAO,T.V.	9505180248	50-302 R
DARDEN,T.H.	9505090092	I&E
DARKE,J.F.	9505240409	FOIA
DAVIDSON,S.L.	9505150082*	TOPREP
DAVIS,A.B.	9505190189*	FOIA
DAVIS,J.W.	9505010177	40-299
DAVIS,J.W.	9505040160	40-299
DAVISON,L.A.	9505040123	CONTRACT
DAVISON,M.J.	9505050113*	50-244 Q
DE AGAZIO,A.W.	9505220214	50-443 P
DE AGAZIO,A.W.	9505240262	50-443 P
DE AGAZIO,A.W.	9505250331	50-443 P
DE AGAZIO,A.W.	9505260040	50-443 P
DE PLANQUE,E.G.	9504190111	COMMISSIO N
DE PLANQUE,E.G.	9505030281*	COMMISSIO N
DE PLANQUE,E.G.	9505050241	COMMISSIO N
DE PLANQUE,E.G.	9505120005	COMMISSIO N
DE PLANQUE,E.G.	9505180497	SPEECHES
DEAN,M.R.	9505310024*	STATE PRO G
DEBARBA,E.A.	9505050182	50-423 P
DEBARBA,E.A.	9505050182	50-423 P
DEBARBA,E.A.	9505050189	50-423 P
DEBARBA,E.A.	9505050189	50-423 P
DEBARBA,E.A.	9505090261	50-213 Q
DEBARBA,E.A.	9505190312	50-245 P
DEBARBA,E.A.	9505190312	50-245 P
DEBARBA,E.A.	9505240221	50-423 P
DEBARBA,E.A.	9505240221	50-423 P
DEBARBA,E.A.	9505310213	50-213 P
DEBARBA,E.A.	9505310223	50-213 P
DEBARBA,E.A.	9505310223	50-213 P
DEBARBA,E.A.	9505310252	50-213 P
DEBARBA,E.A.	9505310252	50-213 P
DEBARBA,E.A.	9505310481	50-213 P
DEBARBA,E.A.	9505310481	50-213 P
DEBOO,G.H.	9505150247*	50-254 P
DECKER,T.R.	9505050095*	50-250 Q
DECKER,T.R.	9505110027*	50-335 Q
DECKER,T.R.	9505240303*	50-327 Q
DECKER,T.R.	9505300051*	50-324 Q
DEESE,R.J.	9505230103*	50-369 S
DEFAYETTE,R.W.	9505190195*	FOIA
DEHART,M.D.	9505090264	NUREG
DELABARRE,R.	9505110241	XPORTLIC
DELANEY,J.C.	9505010243*	40-1790
DELANEY,J.C.	9505010280*	40-1790
DELANEY,J.C.	9505220155*	40-1790
DELANEY,J.C.	9505220171*	40-1790
DELANEY,J.C.	9505220204*	40-1790
DELANEY,J.C.	9505220216*	40-1790
DELEZENSKI,J.	9505230257	50-312 J
DELLA GRECA,A.	9505190046*	50-245 Q
DELLIGATTI,M.	9505240084*	WASTE MGT
DELMEDICO,J.	9505120153	I&E
DELMEDICO,J.	9505120173	I&E
DELMEDICO,J.	9505120174	I&E
DELMEDICO,J.	9505120175	I&E
DELMEDICO,J.	9505120179	I&E
DELMEDICO,J.	9505120187	I&E
DEMBEK,S.	9505050119	50-334 P
DEMBEK,S.	9505220038	50-318 P
DEMIRANDA,O.	9505010180*	50-250 P
DENTON,R.E.	9505040013	PR
DENTON,R.E.	9505050117	50-317 P
DENVER,D.J.	9305240207*	50-498 P
DERSHOWITZ,W.	9505310302*	WASTE MGT
DEVEAU,M.J.	9505300446	50-245 F
DEVIK,T.R.	9505020150	50-293 S
DEXTER,L.	9505010113*	FOIA
DEXTER,L.	9505010276*	FOIA
DEXTER,L.	9505010279*	FOIA
DEXTER,L.	9505010279*	FOIA
DEXTER,L.	9505040019*	FOIA
DI RITO,P.J.	9505230001	50-298 S
DIBIASIO,A.M.	9503020307*	50-387 P
DICHARRY,R.D.	9505030331	71-9056
DICK,G.F.	9505190175	50-454 P
DICK,G.F.	9505250312	50-237 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DINGMAN,J.F.	9505050154*	FOIA
DIPROFIO,W.A.	9505150148*	50-443 F
DIPROFIO,W.A.	9505150150*	50-443 F
DODA,R.J.	9505180006	I&E
DODA,R.J.	9505180556	STATE PRO G
DOE,T.	9505310302*	WASTE MGT
DOERFLEIN,L.T.	9505090193*	50-247 Q
DOGGART,R.R.	9505220132	PR
DOGGART,R.R.	9505220132	PR
DOLAN,B.	9505030184*	50-369 F
DOLCE,K.	9505100100	70-267
DOMBROSKI,S.A.	9505150279*	FOIA
DONAHUE,B.C.	9505220058	50-458 M
DONNELLY,P.M.	9505020215	50-155 R
DONNELLY,P.M.	9505020217	50-155 R
DONNELLY,P.M.	9505020291	50-155 P
DONNELLY,P.M.	9505040169	50-155 S
DONNELLY,P.M.	9505090199	50-155 R
DONNELLY,P.M.	9505180598	50-155 F
DONNELLY,P.M.	9505230019	50-155 P
DONOHEW,J.N.	9505150120	52-3
DONOHEW,J.N.	9505240237	52-3
DONOHEW,J.N.	9505240415	52-3
DONOHEW,J.N.	9505250216	52-3
DORAN,H.	9505090090	PR
DORAN,H.	9505220114	PR
DORAN,H.V.	9505220141	PR
DORAN,H.V.	9505220141	PR
DORMAN,D.H.	9505010043	50-271 P
DORMAN,D.H.	9505010120	50-271 P
DOSTIE,P.J.	9505300423	50-309 U
DRAGOUN,T.	9505180057*	50-184 Q
DRAPER,R.L.	9505040039	70-3070
DRAPER,R.L.	9505040039	70-3070
DREESEN,D.R.	9505240427*	FOIA
DROMERICK,A.W.	9505080168	50-219 P
DROUIN,M.	9505220226	50-29 W
DRYSDALE,P.	9505050072*	50-247 Q
DUBOIS,R.K.	9505300092	70-3082
DUCOTE,D.	9505260156	71-9263
DUGSTAD,D.	9505100014*	50-282 R
DUGSTAD,D.	9505100015*	50-282 R
DUGSTAD,D.	9505100028*	50-282 R
DUGSTAD,D.	9505100033*	50-282 R
DUNCAN,J.L.	9505260194*	FOIA
DUNCAN,S.M.	9505090059	40-8027
DUNCAN,S.M.	9505260281	40-8027
DUNCAN,S.M.	9505260281	40-8027
DUNCAN,S.M.	9505260300	40-8027
DUNN,C.	9505220107	71-9032
DUNN,W.M.	9505250039	STATE PRO G
DURR,J.P.	9505030037	50-213 H
DURR,J.P.	9505030260	50-245 Q
DURR,J.P.	9505050020	50-443 Q
DURR,J.P.	9505100064	50-213 Q
DURR,J.P.	9505100084	50-219 Q
DURR,J.P.	9505120067	50-289 Q
DURR,J.P.	9505240058	50-245 Q
DURR,J.P.	9505240148	50-336 Q
DUSENBURY,B.D.	9505230010	PR
EASON,E.D.	9505040373	CONTRACT
EASON,E.D.	9505190018	NUREG
EASTON,E.P.	9505180401	PROJ
EBELING-KONING	9505250211	TOPREP
EBELING-KONING	9505250211	TOPREP
EBNETER,S.D.	9505010219*	50-250 P
EBNETER,S.D.	9505020187	50-260 Q
EBNETER,S.D.	9505020203	50-259 Q
EBNETER,S.D.	9505030119	50-348 Q
EBNETER,S.D.	9505180068	50-390 Q
EBNETER,S.D.	9505180123	50-390 Q
EBNETER,S.D.	9505180162	50-348 Q
EBNETER,S.D.	9505230225*	FOIA
EBNETER,S.D.	9505300083	STATE PRO G
EBNETER,S.D.	9505300128	50-259 Q
EBNETER,S.D.	9505300145	50-327 Q
ECKERT,E.C.	9505090137*	TOPREP
ECONOMOS,N.	9505020076*	50-369 Q
ECONOMOS,N.	9505110170*	50-269 Q
EDELMANN,P.G.	9505190259	50-219 R
EDGAR,G.L.	9505040029	50-237 G
EDGAR,G.L.	9505040029	50-237 G
EDGAR,G.L.	9505040035*	50-237 G
EDGAR,G.L.	9505040035*	50-237 G
EDGAR,J.B.	9505050296	71-9248
EDGAR,J.B.	9505110238	70-1257
EDISON,G.E.	9505020415	50-410 P
EDISON,G.E.	9505090250	50-410 P
EDISON,G.E.	9505090258	50-220 P
EDWARDS,E.A.	9505020279*	FOIA
EDWARDS,E.A.	9505020297*	FOIA
EDWARDS,E.A.	9505020303*	FOIA
EDWARDS,E.A.	9505020320*	FOIA
EDWARDS,E.A.	9505020327*	FOIA
EDWARDS,E.A.	9505020330*	FOIA
EDWARDS,G.D.	9505110266	50-277 P
EGDAHL,R.H.	9505010256*	FOIA
EHRHARDT,F.	9505310035*	50-305 Q
EID,B.	9505220046	ORG
EISENBERG,N.A.	9505120070	WASTE MGT
ELECTONA,E.O.	9505010125*	50-271 P
ELIASON,L.R.	9505020331	50-272 P
ELIASON,L.R.	9505110080	50-272 P
ELIASON,L.R.	9505180012	50-272 Q
ELLIOTT,M.P.	9505050004*	70-27
ELLIS,D.W.	9505010269	50-293 S
ELLIS,J.H.	9505050091	40-8027
ELLIS,J.H.	9505300103	40-8027
ELLIS,S.L.	9505240202*	50-446 S
ELLIS,W.P.	9505080147*	FOIA
ELLSWORTH,M.J.	9505150195	50-374 S
ELROD,S.	9505180374*	50-400 Q
ELTAWILA,F.	9505030139	ORG
EMBREE,D.G.	9505180272	50-397 R
EMERY,F.J.	9505040249	CONTRACT
EMMONS,K.	9505150144	50-213 R
EMRIT,R.	9505190010	NUREG
ENGLAND,L.A.	9505010052	TOPREP
ENGLE,L.B.	9505040406	50-338 P
ENGLE,L.B.	9505050101	50-338 P
ENGLE,L.B.	9505190324	50-338 P
ENGLE,L.B.	9505220129	50-338 P
ENGLE,L.B.	9505220254	50-338 Q
ENSMINGER,J.T.	9505050346	70-364
ENSMINGER,J.T.	9505090062	70-364
ERNSTES,M.	9505310061*	50-261 V
ERNSTES,M.E.	9505050024*	50-261 Q
ESKRIDGE,H.E.	9505110190	70-36
ESKRIDGE,H.E.	9505110190	70-36
ESSIG,T.H.	9504210268*	50-397 F
ESSIG,T.H.	9505040190*	50-397 F
EUBANK,T.	9505220150	50-275 R
EVES,C.S.	9505050219	40-8948
EVES,C.S.	9505120110	40-7102
EVES,C.S.	9505250322	40-8948
EVES,C.S.	9505260085	40-8948
FACCIOLO,T.	9505040332	CONTRACT
FALBO,R.J.	9505190252	50-10 R
FANNING,G.	9505260343	50-295 S
FARAZ,Y.H.	9505040093*	70-3070
FARAZ,Y.H.	9505040093*	70-3070
FARBER,M.J.	9505090088	50-305 Q
FARBER,M.J.	9505090093*	50-305 Q
FARBER,M.J.	9505110071	50-483 Q
FARBER,M.J.	9505110147	50-266 Q
FARNHOLTZ,T.R.	9505300007*	50-395 Q
FARRAR,D.L.	9505110153	50-10 W
FEDERLINE,M.V.	9505250346	WASTE MGT
FEIGE,E.J.	9505090253*	50-389 Q
FEIGENBAUM,T.C.	9505020018	50-443 R
FEIGENBAUM,T.C.	9505020038	50-443 R
FEIGENBAUM,T.C.	9505020111	50-443 F
FEIGENBAUM,T.C.	9505110101	50-443 P
FEIGENBAUM,T.C.	9505110208	50-443 R
FEIGENBAUM,T.C.	9505150100	50-443 J
FEIGENBAUM,T.C.	9505150143	50-443 F
FEIGENBAUM,T.C.	9505180255	50-443 R
FEIGENBAUM,T.C.	9505180599	50-443 F
FEIGENBAUM,T.C.	9505190199	50-443 F
FENECH,R.A.	9505050153	50-155 K
FENECH,R.A.	9505300198	50-155 P
FERDINAND,B.	9505220190	40-8905
FERRILL,D.A.	9505180606*	WASTE MGT
FICI,J.A.	9505150088	70-1151
FIDELL,E.R.	9505010239	FOIA
FIDELL,E.R.	9505090304	FOIA
FIELDS,J.A.	9505040243	CONTRACT
FINKBEINER,G.L.	9505100075	40-9015
FINNERAN,J.C.	9505150046	50-446 S
FISCHER,R.E.	9505240404	70-1151
FISHER,M.J.	9505300281	50-267 S
FISHER,M.J.	9505310365	50-267 W
FISICARO,J.J.	9505010134	50-458 P
FISICARO,J.J.	9505030253	50-458 S
FISICARO,J.J.	9505030259	50-458 Q
FISICARO,J.J.	9505030282	50-458 S
FISICARO,J.J.	9505110210	50-458 R
FISICARO,J.J.	9505150098	50-458 S
FISICARO,J.J.	9505220146	50-458 R
FISICARO,J.J.	9505260323	50-458 S
FISICARO,J.J.	9505260348	50-458 P
FISICARO,J.J.	9505300173	50-458 P
FISK,R.H.	9505180096*	XPORTLIC
FITZPATRICK,E.	9505010273	50-315 P
FITZPATRICK,E.	9505030275	50-315 R
FITZPATRICK,E.	9505080041	50-315 P
FITZPATRICK,E.	9505090016	50-315 H
FITZPATRICK,E.	9505100272	50-315 Q
FITZPATRICK,E.	9505180503	50-315 Q
FITZPATRICK,E.	9505190144	71-377
FITZPATRICK,E.	9505190297	50-315 P
FITZPATRICK,E.	9505220081	50-315 F
FITZPATRICK,E.	9505240165	50-315 P
FITZPATRICK,E.	9505240360	50-315 F
FITZPATRICK,E.	9505310313	50-315 P
FLACK,E.	9505040089	70-27
FLACK,J.	9505220226	50-29 W
FLAGG,R.	9505180309*	50-333 R
FLAGG,R.	9505180317*	50-333 R
FLANAGAN,T.E.	9505120066	50-528 M
FLANAGAN,T.E.	9505120066	50-528 M
FLANDERS,S.C.	9505010005	50-390 D
FLATER,D.A.	9505080027*	STATE PRO G
FLATER,D.A.	9505220142	PR
FLEMING,R.F.	9505180160	71-348
FLETCHER,R.G.	9505220102	PR
FLOYD,E.T.	9505020003*	50-445 R
FLOYD,E.T.	9505040149	50-445 R
FOLDESI,L.P.	9505220182*	STATE PRO G
FOLEY,C.J.	9505100258*	50-397 S
FONTAINE,J.L.	9505260360	50-255 F
FORBES,D.B.	9505020159*	50-327 Q
FORBES,D.B.	9505300196*	50-416 Q
FORD,B.T.	9505040295	CONTRACT
FORNICOLA,J.C.	9505110298	PR
FORNICOLA,J.C.	9505230018	NUREG
FORSTER,J.D.	9505300033*	50-287 P
FOSTER,L.	9505250285	FOIA
FOSTER,P.L.	9505180174	71-5149
FOWLER,R.D.	9505180347	NUREG
FRANCINI,B.	9505040365	NUREG
FRANCINI,R.	9505030455	NUREG
FRANKS,S.	9505180357	PROJ
FRANZ,J.F.	9505020206	50-331 P
FRANZ,J.F.	9505020361	50-331 P
FRANZ,J.F.	9505020366	50-331 P
FRATIANNE,S.A.	9505100110	50-352 S
FRAZEE,T.C.	9505090104	PR
FRAZEE,T.C.	9505250141	STATE PRO G
FRAZEE,T.C.	9505310041	STATE PRO G
FREDRICKSON,P.	9505020006*	50-438 Q
FREDRICKSON,P.	9505020046*	50-390 Q
FREDRICKSON,P.	9505310069*	50-390 Q
FREDRICKSON,P.E	9505110058*	50-390 Q
FREELAND,L.R.	9505040126	50-412 Q
FREELAND,L.R.	9505240370	50-334 S
FREEMAN,D.S.	9505180242	50-382 R
FRESCO,A.	9503020307*	50-387 P
FREUDENBERGER	9505180054*	50-413 Q
FRIESEMA,H.P.	9505260052	50-390 A
FRIJOUF,J.A.	9505230292	50-302 S
FRIJOUF,J.A.	9505310319*	50-302 S
FRIXXLE,C.D.	9505310138	50-309 V
FRIZZLE,C.D.	9505180330	50-309 P
FRUEHAUF,V.	9505230260*	40-1790
FRYE,C.R.	9505230287*	50-413 P
FUJIMOTO,W.H.	9505030227	50-275 R
FUJIMOTO,W.H.	9505100119	50-275 R
FUJIMOTO,W.H.	9505110163	50-275 R
FUJIMOTO,W.H.	9505220150	50-275 R
FUJIMOTO,W.H.	9505310098	50-275 F
FULD,R.B.	9505230020	NUREG
FULTON,J.D.	9505180256	50-528 R
FURIA,J.	9505240159*	50-220 Q
FYFITCH,S.	9505030328*	50-255 P
GALLEN,K.P.	9505260070	MISC
GALLINO,D.A.	9505110148*	50-387 Q
GALLO,R.	9505120031	QA999
GALLO,R.M.	9505010035	QA999
GALLO,R.M.	9505050308	QA999
GALLO,R.M.	9505120054*	QA999
GALLO,R.M.	9505190084	QA999
GALLO,R.M.	9505190101*	QA999
GALLO,R.M.	9505220013	QA999

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GALLO,R.M.	9505220019*	QA999
GAMBERONI,D.L.	9505260397	PROJ
GAMBERONI,M.	9505250119	50-255 P
GAMBERONI,M.	9505250124*	50-255 P
GAMBERONI,M.	9505250213	50-255 P
GANN,R.G.	9505010110	ORG
GARCIA,A.	9505260005	WASTE MGT
GARCIA,A.	9505260008	WASTE MGT
GARCIA,H.F.	9505150275	WASTE MGT
GARDE,B.P.	9505240401	FOIA
GARDNER,F.H.	9505010226*	FOIA
GARDNER,F.H.	9505010234*	FOIA
GARDNER,F.H.	9505010235*	FOIA
GARDNER,F.H.	9505020042*	FOIA
GARDNER,F.H.	9505020074*	FOIA
GARDNER,F.H.	9505020163*	FOIA
GARDNER,F.H.	9505020164*	FOIA
GARDNER,F.H.	9505020180*	FOIA
GARDNER,F.H.	9505020186*	FOIA
GARDNER,F.H.	9505020191*	FOIA
GARDNER,F.H.	9505020224*	FOIA
GARDNER,F.H.	9505020225*	FOIA
GARDNER,F.H.	9505020229*	FOIA
GARDNER,F.H.	9505020234*	FOIA
GARDNER,F.H.	9505020237*	FOIA
GARDNER,F.H.	9505020247*	FOIA
GARDNER,F.H.	9505020251*	FOIA
GARDNER,F.H.	9505020254*	FOIA
GARDNER,F.H.	9505020262*	FOIA
GARDNER,P.A.	9505240073*	50-353 P
GARDNER,R.N.	9505090015	50-341 Q
GARRETT,P.	9505230047	50-249 S
GATES,T.W.	9505030253	50-458 S
GATES,T.W.	9505030282	50-458 S
GATES,T.W.	9505150098	50-458 S
GATES,T.W.	9505260323	50-458 S
GATES,W.G.	9505150062	50-285 P
GATES,W.G.	9505150064*	50-285 P
GEDNEY,E.A.	9505030256	50-275 R
GEER,T.C.	9505310479*	WASTE MGT
GEHNER,P.	9505310473	WASTE MGT
GEHNER,P.D.	9505310479*	WASTE MGT
GEIGENBAUM,T.C.	9505020200	50-443 Q
GERALD,W.C.	9505120082	40-341
GERHARD,M.A.	9505180397	NUREG
GERNER,L.F.	9505040393	50-373 P
GESCHWENDER,J.	9505150047	50-285 S
GESLIN,J.K.	9505150314*	WASTE MGT
GHADIALI,N.	9505030464	NUREG
GHADIALI,N.	9505040365	NUREG
GHADIALI,N.	9505090276	NUREG
GHADIALI,N.	9505180445	NUREG
GIBBS,L.P.	9505040097	50-317 F
GIBSON,A.F.	9505020028	50-327 Q
GIBSON,A.F.	9505020050	50-269 P
GIBSON,A.F.	9505020087	50-321 Q
GIBSON,A.F.	9505050079	50-324 Q
GIBSON,A.F.	9505110078	50-259 Q
GIBSON,A.F.	9505240118	50-390 V
GIBSON,J.G.	9505010119*	FOIA
GIBSON,J.G.	9505010138*	FOIA
GIBSON,J.G.	9505010143*	FOIA
GIBSON,J.G.	9505010144*	FOIA
GIBSON,J.G.	9505010145*	FOIA
GIECK,T.E.	9505010172	40-299
GIEDT,J.R.	9505040110	PROJ
GILKERSON,K.O.	9505260357*	WASTE MGT
GILLEN,D.M.	9505110117	40-8584
GILLESPIE,F.P.	9001100013*	FOIA
GIPSON,D.R.	9505100134	50-341 I
GIPSON,D.R.	9505110122	50-341 K
GIPSON,D.R.	9505150198	50-341 S
GIPSON,D.R.	9505190235	50-341 R
GIPSON,D.R.	9505220192	50-341 P
GIPSON,D.R.	9505240343	50-341 Q
GIPSON,D.R.	9505310197	50-341 Q
GIPSON,D.R.	9505310471	50-341 S
GIRARD,E.	9505110172*	50-321 Q
GIRARD,E.	9505240132*	50-369 Q
GIRE,P.J.	9505230073	50-255 P
GIUFFRE,J.	9505230083	50-373 S
GLEASON,J.P.	9505260220	40-8027
GLEASON,J.P.	9505260274	40-8027
GLEASON,T.E.	9505150147*	50-220 Q
GLENDENING,P.N.	9505030170	STATE PRO G
GLENN,C.	9505180539	WASTE MGT
GLOERSEN,W.B.	9505240085*	70-1201
GOBLE,T.A.	9505040169	50-155 S
GODY,T.	9505180134	50-445 S
GOEDERS,M.	9505040259	50-206 R
GOERTZEN,D.	9505220028	XPORTLIC
GOLAY,M.W.	9505220222*	ADVCM
GOLDBERG,J.H.	9505310564	50-335 F
GOLDBERG,J.R.	8907190246*	50-250 G
GOLDBERG,J.R.	8908280168*	50-250 G
GOLDBERG,J.R.	8912040009*	50-250 G
GOLDBERG,J.R.	8912040010*	50-250 G
GOLDBERG,J.R.	8912040012*	50-250 G
GOLDBERG,J.R.	9211240291*	50-250 G
GOLDBERG,J.R.	9211240302*	50-250 G
GOLDBERG,J.R.	9308240140*	50-498 G
GOLDBERG,J.R.	9412140223*	50-250 G
GOLDBERG,J.R.	9412210064*	50-250 G
GOLDSMITH,R.	7904090065*	40-8434
GOODEN,A.	9505110032*	50-369 Q
GOODEN,A.	9505110075*	50-250 Q
GOODMAN,L.S.	9505220121	50-341 H
GOODMAN,L.S.	9505230009	50-341 P
GORDON,B.M.	9505180468*	50-265 P
GORLIN,J.E.	9505080127*	FOIA
GORLIN,R.	9505040342*	FOIA
GORLIN,R.	9505040342*	FOIA
GORLIN,R.	9505050258*	FOIA
GORLIN,R.	9505050289*	FOIA
GORLIN,R.	9505080048*	FOIA
GORLIN,R.	9505080050*	FOIA
GORLIN,R.	9505080052*	FOIA
GORLIN,R.	9505080054*	FOIA
GORLIN,R.	9505080068*	FOIA
GORLIN,R.	9505080069*	FOIA
GORLIN,R.	9505080108*	FOIA
GORLIN,R.	9505080113*	FOIA
GRABO,B.A.	9505020316*	50-528 S
GRABO,B.A.	9505120121	50-528 S
GRABO,B.A.	9505190265	50-528 S
GRABO,B.A.	9505220007	50-530 S
GRABO,B.A.	9505310225	50-528 S
GRANT,G.E.	9505090029	50-282 Q
GRANT,G.E.	9505190065	50-346 Q
GRANT,G.E.	9505240163	50-346 Q
GRANT,G.E.	9505250029	50-263 V
GRANT,J.M.	9505090030	50-271 H
GRAY,J.	9505120168	50-498 Q
GREEN,W.R.	9505080020	50-409 S
GREENMAN,E.G.	9504240061	50-282 Q
GREENMAN,E.G.	9505190056	50-282 Y
GREENMAN,E.G.	9505190062	50-282 Y
GREEVES,J.T.	9505120063	WASTE MGT
GREEVES,J.T.	9505180424	WASTE MGT
GREEVES,J.T.	9505190216	50-369 Q
GREEVES,J.T.	9505260155	70-364
GREEVES,J.T.	9505300004	40-8968
GREEVES,J.T.	9505300215	WASTE MGT
GREGG,H.I.	9505180082*	50-271 Q
GRIFFIN,H.B.	9505080161*	50-498 Q
GRIMES,B.K.	9504190049	50-3 Q
GRIMES,C.	9505190284*	FOIA
GRIMES,C.	9505190343*	FOIA
GRIMES,C.I.	9505220128	I&E
GRIMSLEY,D.H.	9505040238*	FOIA
GRIMSLEY,D.H.	9505040347*	FOIA
GRIMSLEY,D.H.	9505040364*	FOIA
GRIMSLEY,D.H.	9505040383*	FOIA
GROBE,J.A.	9208100050*	FOIA
GROBE,J.A.	9505230330*	FOIA
GROSS,N.R.	9505040270	CONTRACT
GROTH,J.F.	9505020261	50-499 S
GROTH,J.F.	9505030011	50-498 R
GROTH,J.F.	9505080002	50-498 P
GROTH,J.F.	9505110056	50-499 S
GROTH,J.F.	9505150209	50-498 S
GROTH,J.F.	9505220144	50-498 R
GROTH,J.F.	9505230051	50-499 S
GROTH,J.F.	9505260408	50-498 P
GROTH,J.F.	9505310160	50-498 P
GROTH,J.F.	9505310173	50-498 P
GROTH,J.F.	9505310331	50-498 S
GUGLIELMO,F.J.	9505030186	50-245 I
GUGLIELMO,F.J.	9505030484	50-213 I
GUGLIELMO,F.J.	9505040018	50-29 I
GUNDRUM,L.L.	9505100223	50-346 P
GUNDRUM,L.L.	9505100237*	50-346 P
GUNNELLS,E.G.	9505180597	50-160 G
GUNNELLS,E.G.	9505180601*	50-160 G
GUNNELLS,E.G.	9505260232	50-160 G
GUNTER,P.	9505230278	FOIA
GUSTAFSON,B.	9505150241	50-298 I
GUSTAFSSON,E.	9505040286*	WASTE MGT
GUZMAN,J.G.	9505180312*	50-263 Q
GWYNN,T.P.	9505030019	50-498 Q
GWYNN,T.P.	9505030029	50-397 P
GWYNN,T.P.	9505030051	50-528 Q
GWYNN,T.P.	9505030055	50-285 Q
GWYNN,T.P.	9505030057	50-361 Q
GWYNN,T.P.	9505030067	50-445 Q
GWYNN,T.P.	9505030072*	50-285 Q
GWYNN,T.P.	9505030073	50-458 Q
GWYNN,T.P.	9505030095	50-313 Q
GWYNN,T.P.	9505030102	50-397 Q
GWYNN,T.P.	9505030112	50-298 Q
GWYNN,T.P.	9505030126	50-382 Q
GWYNN,T.P.	9505030292	50-482 Q
GWYNN,T.P.	9505050017	50-275 V
GWYNN,T.P.	9505050019	50-361 V
GWYNN,T.P.	9505050021	50-445 V
GWYNN,T.P.	9505050027	50-313 V
GWYNN,T.P.	9505050028	50-285 V
GWYNN,T.P.	9505050039	50-498 V
GWYNN,T.P.	9505050057	50-275 Q
GWYNN,T.P.	9505050073	50-482 V
GWYNN,T.P.	9505050078	50-528 Q
GWYNN,T.P.	9505050081	50-382 V
GWYNN,T.P.	9505050086	50-458 V
GWYNN,T.P.	9505050094	50-528 V
GWYNN,T.P.	9505050097	50-298 V
GWYNN,T.P.	9505050142	50-275 P
GWYNN,T.P.	9505050196	50-397 V
GWYNN,T.P.	9505100019	50-298 Q
GWYNN,T.P.	9505150084	50-498 Q
GWYNN,T.P.	9505180011	50-528 Q
GWYNN,T.P.	9505180019	50-275 Q
GWYNN,T.P.	9505180028	50-528 P
GWYNN,T.P.	9505180315	50-498 V
GWYNN,T.P.	9505230012	50-298 Q
GWYNN,T.P.	9505230017	50-298 Q
GWYNN,T.P.	9505230044	50-498 Q
GWYNN,T.P.	9505230061	50-482 Q
GWYNN,T.P.	9505240040	50-498 Q
GWYNN,T.P.	9505240061	50-313 Q
GWYNN,T.P.	9505260013	50-445 Q
GWYNN,T.P.	9505260055	50-312 Q
GWYNN,T.P.	9505260079	50-482 Q
GWYNN,T.P.	9505300052	50-482 Q
GYLLING,B.	9505310279*	WASTE MGT
HAAG,C.L.	9505310009*	52-3
HAAG,R.C.	9505300007*	50-395 Q
HAAS,K.M.	9505010158	50-155 I
HAAS,K.M.	9505020138	50-255 Q
HAAS,K.M.	9505020266	50-255 R
HAAS,K.M.	9505030208	50-255 P
HAAS,K.M.	9505030326	50-255 P
HAAS,K.M.	9505030469	50-255 Q
HAAS,K.M.	9505040129	50-255 R
HAAS,K.M.	9505050210	50-255 P
HAAS,K.M.	9505050214	50-255 P
HAAS,K.M.	9505080091	50-255 P
HAAS,K.M.	9505100115	50-255 P
HAAS,K.M.	9505100152	50-255 P
HAAS,K.M.	9505110331	72-1007
HAAS,K.M.	9505110332	50-255 P
HAAS,K.M.	9505110335	50-255 P
HAAS,K.M.	9505120009	50-255 P
HAAS,K.M.	9505150052	50-255 S
HAAS,K.M.	9505190317	50-255 Y
HAAS,K.M.	9505300101	50-255 F
HAAS,K.M.	9505310006	50-255 P
HAAS,K.M.	9505310652	50-255 P
HACKNEY,C.	9505180251	I&E
HADDEN,R.J.	9505230303*	FOIA
HADDER,A.W.	9505190088	50-280 P
HADEN,J.R.	9505020123	STATE PRO G
HAGAN,J.J	9505230255	50-311 Q
HAGAN,J.J.	9505020048	50-354 R
HAGAN,J.J.	9505020319	50-272 S
HAGAN,J.J.	9505030456	50-354 P
HAGAN,J.J.	9505040187	50-354 R
HAGAN,J.J.	9505040192	50-272 R
HAGAN,J.J.	9505090009	50-354 P
HAGAN,J.J.	9505110064	50-272 P
HAGAN,J.J.	9505110141	50-272 P
HAGAN,J.J.	9505150026	50-354 P
HAGAN,J.J.	9505150038	50-354 Q
HAGAN,J.J.	9505150080	50-354 Q
HAGAN,J.J.	9505220180	50-272 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HAGAN,R.C.	9505030148	50-482 R
HAGAN,R.C.	9505040134	50-482 R
HAGEMAN,R.C.	9505010283*	40-1790
HAGEMAN,R.C.	9505220086*	40-1790
HAGEMAN,R.C.	9505220256*	40-1790
HAGENHOFF,N.	9505240268	50-206 S
HAGER,R.C.	9505190230	71-9156
HALL,J.R.	9505100153	50-298 Q
HALL,J.R.	9505190024	50-298 P
HALL,J.R.	9505190193*	50-298 P
HALL,R.E.	9505240433*	40-8914
HALL,R.E.	9505240450*	40-8914
HALTIWANGER,J.	9505190254	50-395 R
HAMP,S.C.	9505080110	WASTE MGT
HAMPTON,J.W.	9505020382	50-269 P
HAMPTON,J.W.	9505030175	50-269 R
HAMPTON,J.W.	9505030336	50-269 F
HAMPTON,J.W.	9505050217	50-287 Q
HAMPTON,J.W.	9505050331	50-269 R
HAMPTON,J.W.	9505050339	50-269 F
HAMPTON,J.W.	9505080039	50-287 Q
HAMPTON,J.W.	9505110291	50-287 P
HAMPTON,J.W.	9505120106	50-269 P
HAMPTON,J.W.	9505180585	50-269 Q
HAMPTON,J.W.	9505240181	50-270 S
HAMPTON,J.W.	9505250009	50-270 Q
HAMPTON,J.W.	9505250027	50-269 Q
HAMPTON,J.W.	9505260403	50-269 Q
HAMPTON,J.W.	9505310442	50-269 P
HANNON,J.N.	9505190289*	50-266 P
HANSEN,J.	9505310035*	50-305 Q
HARDGROVE,T.W.	9505180525	40-2259
HARDIN,C.M.	9505020175	STATE PRO G
HARDIN,C.M.	9505250121*	STATE PRO G
HARDIN,K.	9505020241	70-1151
HARDIN,K.J.	9505110135	70-135
HARLIN,C.L.	9505080078	40-8027
HARMON,D.F.	9505250282*	40-1790
HARMON,D.F.	9505250302*	40-1790
HARMON,P.E.	9505030140*	50-269 Q
HARMON,P.E.	9505310076*	50-269 Q
HARRELL,P.	9505120012*	50-313 Q
HARRELL,P.	9505190212*	50-298 P
HARRELL,P.	9505260035*	50-313 Q
HARRELL,P.H.	9505180051*	50-298 Q
HARRELL,P.H.	9505180149	50-298 S
HARRELL,P.H.	9505230008*	50-298 Q
HARRELL,P.H.	9505260062*	50-313 Q
HARRINGTON,G.I.	9505260285	50-305 P
HARRIS,C.A.	9505040340*	FOIA
HARRIS,C.A.	9505040386*	FOIA
HARRIS,D.N.	9505030018	50-245 S
HARRIS,D.N.	9505110242	50-245 S
HARRIS,D.N.	9505120213	50-245 S
HARRIS,D.N.	9505250005	50-245 S
HARRIS,T.E.	9505120165	WASTE MGT
HARRISON,F.	9505180235	50-324 R
HART,G.H.	9505180447	TOPREP
HASSAN,W.E.	9505020276*	FOIA
HAUBEIN,R.H.	9505050209*	71-696
HAUBER,R.D.	9505010128	XPORTLIC
HAUBER,R.D.	9505090200	XPORTLIC
HAUBER,R.D.	9505110199	XPORTLIC
HAUBER,R.D.	9505110318	XPORTLIC
HAUBER,R.D.	9505150156	XPORTLIC
HAUBER,R.D.	9505150161	XPORTLIC
HAUBER,R.D.	9505180555	XPORTLIC
HAUBER,R.D.	9505180564	XPORTLIC
HAUBER,R.D.	9505180572	XPORTLIC
HAUBER,R.D.	9505190388	XPORTLIC
HAUBER,R.D.	9505220215	XPORTLIC
HAUBER,R.D.	9505260385	XPORTLIC
HAUGHNEY,C.J.	9505220023	PROJ
HAUGHNEY,C.J.	9505260284	50-312 F
HAULDREN,H.M.	9505250192	71-97
HAUSLER,W.J.	9505030180	PR
HAUTOJARVI,A.	9505310311*	WASTE MGT
HAWES,L.E.	9505040017*	FOIA
HAWES,L.E.	9505040019*	FOIA
HAWLEY,M.	9505040230	CONTRACT
HEBDON,F.J.	9505080213*	50-327 P
HEBDON,F.J.	9505180168*	50-327 P
HEBDON,F.J.	9505220159	50-259 P
HEBDON,F.J.	9505220207	50-395 Q
HEBERT,J.R.	9505020172	50-309 F
HEBERT,J.R.	9505030238	50-309 R
HEBERT,J.R.	9505040257	50-309 F
HEBERT,J.R.	9505090149	50-309 I
HEBERT,J.R.	9505100079	50-309 Q
HEBERT,J.R.	9505150019	50-309 R
HEBERT,J.R.	9505220092	50-309 S
HEBERT,J.R.	9505250079	50-309 P
HEDGE,C.E.	9505180510	50-274 F
HEHL,C.W.	9505020174	50-309 Q
HEHL,C.W.	9505030244	STATE PRO G
HEHL,C.W.	9505100059	70-1100
HEHL,C.W.	9505100066	50-247 Q
HEHL,C.W.	9505240146*	40-2975
HEHL,C.W.	9505260036	40-6940
HEHR,W.	9505020248	XPORTLIC
HEHR,W.	9505020286	XPORTLIC
HEHR,W.	9505020317	XPORTLIC
HEHR,W.	9505190011	XPORTLIC
HEHR,W.	9505190017	XPORTLIC
HEIKKINEN,E.	9505040278*	WASTE MGT
HELD,P.R.	9505190023	NUREG
HENDERSON,J.W.	9505020058	40-2384
HENDERSON,J.W.	9505120033	40-2384
HENDERSON,J.W.	9505120048	40-2384
HENRICKS,D.R.	9505180301	50-352 R
HEPLER,O.M.	9504210281*	50-397 F
HEPLER,O.M.	9505040207*	50-397 F
HERNAN,R.W.	9505220143	50-289 P
HERRERA,M.L.	9505150147*	50-220 Q
HERRERA,M.L.	9505300453*	50-410 P
HERRON,J.T.	9505180240	50-298 R
HERZOG,D.S.	9505300157	REGGD
HEUBERGER,N.	9505040063	50-286 S
HEYSEK,W.G.	9505150132	50-289 R
HIATT,S.L.	9505220117	PR
HIATT,S.L.	9505220289*	COMMISSION
HIATT,S.L.	9505220297*	COMMISSION
HICKEY,J.W.	9505090246	70-7001
HICKEY,J.W.	9505180278	70-7001
HICKEY,J.W.	9505190172	70-7001
HICKEY,J.W.	9505190248	ORG
HICKEY,J.W.	9505220043	70-7001
HIGNITE,D.A.	9505120278*	72-1007
HILAND,P.L.	9505190118	50-237 P
HILL,L.M.	9505040063	50-286 S
HILL,L.M.	9505090077	50-3 R
HILL,L.M.	9505150071	50-286 S
HILL,L.M.	9505150305	50-286 P
HILL,L.M.	9505240347	50-286 R
HILL,L.M.	9505300075	50-286 S
HILL,R.L.	9505220144	50-498 R
HILL,W.J.	9505020160	50-263 S
HILL,W.J.	9505020352	50-263 Q
HILL,W.J.	9505030145	50-263 S
HILL,W.J.	9505030482	50-263 Q
HILL,W.J.	9505240174	50-263 P
HILL,W.J.	9505310483	50-263 S
HILTZ,T.G.	9505190114	PROJ
HIMPHRIES,C.A.	9505180339*	WASTE MGT
HINNANT,C.S.	9505150029	50-261 Q
HINNANT,C.S.	9505180316	50-261 Q
HINNANT,C.S.	9505240349	50-261 Q
HOANG,H.X.	9505040421*	50-374 P
HOANG,H.X.	9505080150*	50-220 P
HOBBS,J.T.	9505020306*	FOIA
HOBBS,L.L.	9505260202	40-8681
HODGES,M.W.	9505020374	52-3
HODGES,M.W.	9505220239	ORG
HOGG,R.C.	9505030168	27-47
HOGG,R.C.	9505100117	40-9027
HOGG,R.C.	9505120080	27-47
HOGG,R.C.	9505150017	40-9027
HOGG,R.C.	9505300030	27-47
HOGG,R.C.	9505300204	27-47
HOLAHAN,G.M.	9505240373	52-3
HOLBROOK,B.L.	9505240187*	50-321 Q
HOLDEN,D.W.	9505190007	XPORTLIC
HOLIAN,B.E.	9505180460	50-528 P
HOLIFIELD,C.	9505250277	50-416 S
HOLLAND,L.B.	9505090154*	71-9228
HOLLAND,P.G.	9505150043	50-10 R
HOLLAND,P.G.	9505190252	50-10 R
HOLLAND,W.E.	9505110007*	50-327 Q
HOLLER,E.J.	9505040075	70-3070
HOLLER,E.J.	9505180408	70-3070
HOLLOMAN,T.J.	9505180226	50-327 R
HOLLON,M.C.	9505100010	50-461 R
HOLM,R.L.	9505010264	50-356 P
HOLM,R.L.	9505240247	50-151 V
HOLM,R.L.	9505240441	50-151 P
HOLMES,K.R.	9505180456*	50-424 G
HOLMES,M.A.	9505180230	50-483 R
HOLMES,S.	9505110017*	50-199 Q
HOLMES,S.	9505180128	50-20 S
HOLODY,D.	9505120191	I&E
HOLONICH,J.J.	9410110021*	FOIA
HOLONICH,J.J.	9505010079	40-8502
HOLONICH,J.J.	9505010085*	40-8502
HOLONICH,J.J.	9505020407	WASTE MGT
HOLONICH,J.J.	9505020419	WASTE MGT
HOLONICH,J.J.	9505020423*	WASTE MGT
HOLONICH,J.J.	9505050315	WASTE MGT
HOLONICH,J.J.	9505100124	40-9024
HOLONICH,J.J.	9505100209	40-3453
HOLONICH,J.J.	9505100274	WASTE MGT
HOLONICH,J.J.	9505110157	40-1162
HOLONICH,J.J.	9505110162*	40-1162
HOLONICH,J.J.	9505110177	40-8943
HOLONICH,J.J.	9505110182*	40-8943
HOLONICH,J.J.	9505110280	WASTE MGT
HOLONICH,J.J.	9505120210	WASTE MGT
HOLONICH,J.J.	9505150106	WASTE MGT
HOLONICH,J.J.	9505150108	40-8903
HOLONICH,J.J.	9505150113*	40-8903
HOLONICH,J.J.	9505150173	WASTE MGT
HOLONICH,J.J.	9505150174	WASTE MGT
HOLONICH,J.J.	9505220288	WASTE MGT
HOLONICH,J.J.	9505250303	40-3453
HOLONICH,J.J.	9505260142	40-8502
HOLONICH,J.J.	9505260150*	40-8502
HOLONICH,J.J.	9505300082	WASTE MGT
HOLONICH,J.J.	9505300138	WASTE MGT
HOLONICH,J.J.	9505300220	WASTE MGT
HOLONICH,J.J.	9505310111	WASTE MGT
HOLONICH,J.J.	9505310128	WASTE MGT
HOLT,B.J.	9505090306*	30-17512
HOLT,B.J.	9505090307*	30-18530
HOLT,B.J.	9505090313*	30-10975
HOLT,B.J.	9505090316*	30-17512
HOM,S.R.	9505090067	40-8027
HOM,S.R.	9505260278	40-8027
HOM,S.R.	9505260283	40-8027
HONE,M.J.	9505230160*	50-483 P
HOOPER,G.L.	9505150186*	50-424 R
HOOPER,G.L.	9505150190*	50-424 R
HOOPER,G.T.	9505300120*	50-325 V
HOOVER,D.J.	9505190201*	50-309 H
HOPKINS,J.	9505220066	50-440 P
HOPKINS,P.C.	9505110066*	50-424 Q
HOPKINS,S.	9505050200	CONTRACT
HORN,G.R.	9505010160	50-298 F
HORN,G.R.	9505030035	50-298 R
HORN,G.R.	9505100050	50-298 P
HORN,G.R.	9505110110	50-298 P
HORN,G.R.	9505150241	50-298 I
HORN,G.R.	9505190039*	50-298 P
HORN,G.R.	9505190180*	50-298 P
HOROWITZ,L.	9505010168	FOIA
HORTON,D.G.	9505030190	WASTE MGT
HORTON,D.G.	9505100068	WASTE MGT
HORTON,D.G.	9505180334	WASTE MGT
HORTON,D.G.	9505180339*	WASTE MGT
HORTON,D.G.	9505190264	WASTE MGT
HORTON,D.G.	9505190270	WASTE MGT
HORTON,D.G.	9505190277*	WASTE MGT
HORTON,D.G.	9505230119	WASTE MGT
HORTON,D.G.	9505260354	WASTE MGT
HORTON,D.G.	9505260357*	WASTE MGT
HOSEY,C.	9505020183	I&E
HOUSE,W.B.	9505310010	WASTE MGT
HOUSE,W.B.	9505310013*	WASTE MGT
HOVEY,R.J.	9505180223	50-354 R
HOWELL,J.C.	9505180533*	40-2259
HOWELL,L.L.	9505180437	30-28641
HOWERTON,H.K.	9505180385	71-15
HOYLE,J.C.	9505010248	FOIA
HOYLE,J.C.	9505020431	10CFR
HOYLE,J.C.	9505020443	10CFR
HOYLE,J.C.	9505030276	COMMISSION
HOYLE,J.C.	9505040003	50-528 M
HOYLE,J.C.	9505040052	70-364
HOYLE,J.C.	9505040161	COMMISSION
HOYLE,J.C.	9505040301	10CFR
HOYLE,J.C.	9505090025	COMMISSION
HOYLE,J.C.	9505090051	PRM
HOYLE,J.C.	9505090060	PR
HOYLE,J.C.	9505090066	70-3070
HOYLE,J.C.	9505090202	10CFR
HOYLE,J.C.	9505100282	10CFR

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HOYLE,J.C.	9505110188	10CFR
HOYLE,J.C.	9505110192	10CFR
HOYLE,J.C.	9505110197	10CFR
HOYLE,J.C.	9505110249	PR
HOYLE,J.C.	9505110315	10CFR
HOYLE,J.C.	9505110327	10CFR
HOYLE,J.C.	9505120027	10CFR
HOYLE,J.C.	9505120149*	STATE PRO G
HOYLE,J.C.	9505180266	10CFR
HOYLE,J.C.	9505180560	50-321 G
HOYLE,J.C.	9505240357	10CFR
HOYLE,J.C.	9505240367	10CFR
HOYLE,J.C.	9505260218	50-237 G
HOYLE,J.C.	9505300135	PR
HSIA,A.H.	9505250103*	50-255 Y
HSIEH,C.S.	9505110091*	50-260 S
HSIUNG,S-M.	9505040377	NUREG
HUDSON,I.E.	9505240345	50-245 R
HUDSPETH,J.B.	9505310601	50-348 F
HUEBNER,L.G.	9505020270*	50-255 R
HUEBNER,L.G.	9505040268*	50-282 R
HUEBNER,L.G.	9505040276*	50-263 R
HUETER,L.J.	9505250311*	40-1790
HUETER,L.J.	9505250318*	40-1790
HUFFMAN,W.C.	9505090190	52-3
HUFFMAN,W.C.	9505110257	52-3
HUFFMAN,W.C.	9505150131	52-3
HUFFMAN,W.C.	9505190160	52-3
HUGHES,L.	9505300149	40-8027
HUGHEY,C.	9505020022*	50-416 Q
HUGO,B.R.	9505100247	50-397 S
HULL,G.R.	9505300160*	50-325 P
HULL,J.T.	9505040001	50-424 G
HULL,J.T.	9505040027	50-424 G
HULL,J.T.	9505260297	50-424 G
HULTGREN,R.O.	9505020273	ORG
HUMMEL,E.C.	9505240390*	40-564
HUNGER,G.A.	9505050204	50-352 Q
HUNGER,G.A.	9505110272	PR
HUNGER,G.A.	9505110274	50-277 F
HUNGER,G.A.	9505150020	50-352 P
HUNGER,G.A.	9505150032	50-277 P
HUNGER,G.A.	9505150036	50-277 P
HUNGER,G.A.	9505150049	50-277 P
HUNGER,G.A.	9505150051	50-277 F
HUNGER,G.A.	9505150059	50-352 P
HUNGER,G.A.	9505150067	50-352 Q
HUNGER,G.A.	9505150205	50-277 P
HUNGER,G.A.	9505180017	50-277 I
HUNGER,G.A.	9505180026	50-352 F
HUNGER,G.A.	9505180595	50-277 F
HUNGER,G.A.	9505190206	50-352 P
HUNGER,G.A.	9505230029	50-352 P
HUNGER,G.A.	9505230066	50-277 P
HUNGER,G.A.	9505240176	50-352 P
HUNGER,G.A.	9505260190	50-277 P
HUNGER,G.A.	9505260288	50-352 P
HUNGER,G.A.	9505310145	50-277 P
HUNGER,J.A.	9505150041	50-352 P
HUNSTAD,A.A.	9505020280	50-282 S
HUNSTAD,A.A.	9505100007	50-282 S
HUNTER,J.J.	9505120146	40-7580
HUNTER,J.J.	9505150033	40-7580
HUNTER,J.J.	9505220296	40-7580
HUTCHINSON,C.R.	9505030023	50-416 J
HUTCHINSON,C.R.	9505030046	50-416 F
HUTCHINSON,C.R.	9505030142	50-416 R
HUTCHINSON,C.R.	9505030192	50-416 R
HUTCHINSON,C.R.	9505150177	50-416 F
HUTCHINSON,C.R.	9505180576	50-416 F
HUTCHINSON,C.R.	9505240350	50-416 R
HUTCHINSON,C.R.	9505250277	50-416 S
HUTCHINSON,C.R.	9505300208	50-413 P
HUTCHINSON,C.R.	9505310171	50-416 Q
HUTCHINSON,C.R.	9505310618	50-416 J
IGARASHI,T.	9505310298*	WASTE MGT
IGNATONIS,A.	9505240034	50-259 P
INGRAM,F.	9505250075*	STATE PRO G
INTERRANTE,C.G.	9505120059	WASTE MGT
IPSEN,H.W.	9505260209*	40-8681
IPSEN,H.W.	9505260209*	40-8681
IPSEN,H.W.	9505260225*	40-8681
IPSEN,H.W.	9505260229*	40-8681
IPSEN,H.W.	9505260229*	40-8681
IPSEN,H.W.	9505260240*	40-8681
IPSEN,H.W.	9505260240*	40-8681
IRANI,A.A.	9505010097*	50-289 P
JABBOUR,K.N.	9505240315	50-366 P
JABBOUR,K.N.	9505240330*	50-366 P
JABBOUR,K.N.	9505240358	50-321 P
JACKSON,A.	9505240268	50-206 S
JACKSON,S.A.	9505120071	SPEECHES
JACOBSON,J.M.	9505180297	50-263 Q
JACOBSON,J.M.	9505180312*	50-263 Q
JAEGER,R.F.	9505030202	40-8984
JAGGER,P.	9505030209*	FOIA
JAGGER,P.	9505030215*	FOIA
JAGGER,P.	9505030218*	FOIA
JAGGER,P.	9505030230*	FOIA
JAGGER,P.	9505030234*	FOIA
JAGGER,P.	9505030272*	FOIA
JAGGER,P.	9505030341*	FOIA
JAGGER,P.	9505030422*	FOIA
JAGGER,P.	9505030462*	FOIA
JAGGER,P.	9505040319*	FOIA
JAGGER,P.	9505040322*	FOIA
JAGGER,P.	9505050140*	FOIA
JAGGER,P.	9505050146*	FOIA
JAGGER,P.I.	9505030207*	FOIA
JAGGER,P.I.	9505030270*	FOIA
JAGGER,P.I.	9505030338*	FOIA
JAGGER,P.I.	9505030460*	FOIA
JAGGER,P.I.	9505040314*	FOIA
JAGGER,P.I.	9505050149*	FOIA
JAGGER,P.I.	9505050255*	FOIA
JAIN,S.C.	9505220101	50-346 H
JANG,J.C.	9505180074*	50-247 Q
JANG,J.C.	9505240093*	50-309 Q
JANISSE,J.D.	9505150012	50-316 R
JANISSE,J.D.	9505150127	50-315 R
JANKOVICH,J.P.	9505050033	71-301
JANKOVICH,J.P.	9505050036*	71-301
JANKOVICH,J.P.	9505050041	71-68
JANKOVICH,J.P.	9505050045*	71-68
JANKOVICH,J.P.	9505090098	71-532
JANKOVICH,J.P.	9505090101*	71-532
JANKOVICH,J.P.	9505180232	71-15
JANKOVICH,J.P.	9505180238*	71-15
JANKOVICH,J.P.	9505180318	71-697
JANKOVICH,J.P.	9505180323*	71-697
JANKOVICH,J.P.	9505190179	71-810
JANKOVICH,J.P.	9505190184*	71-810
JANKOVICH,J.P.	9505240192	71-348
JANKOVICH,J.P.	9505240197*	71-348
JANKOVICH,J.P.	9505250290	71-798
JANKOVICH,J.P.	9505300314	71-97
JANKOVICH,J.P.	9505300316*	71-97
JANUS,M.T.	9505050150*	50-324 Q
JAUDON,J.P.	9505020005	50-438 Q
JAUDON,J.P.	9505020039	50-390 A
JAUDON,J.P.	9505020041	50-390 Q
JAUDON,J.P.	9505020049	50-390 Q
JAUDON,J.P.	9505020117	50-438 A
JAUDON,J.P.	9505020137	50-390 A
JAUDON,J.P.	9505020177	50-390 Q
JAUDON,J.P.	9505020272	50-390 Q
JAUDON,J.P.	9505110014	50-390 Q
JAUDON,J.P.	9505110054	50-390 Q
JAUDON,J.P.	9505110065	50-390 A
JAUDON,J.P.	9505180140	50-390 A
JAUDON,J.P.	9505240044	50-390 A
JAUDON,J.P.	9505240052	50-390 Q
JAUDON,J.P.	9505240103	50-390 Q
JAUDON,J.P.	9505240136	50-390 Q
JAUDON,J.P.	9505240231	50-390 Q
JAUDON,J.P.	9505240249	50-348 Q
JAUDON,J.P.	9505240266	50-390 A
JAUDON,J.P.	9505310055	50-390 Q
JEFFREY,W.J.	9505190299	50-277 R
JOHANNES,R.N.	9505120036	50-482 F
JOHANSEN,B.J.	9505230160*	50-483 P
JOHANSEN,J.M.	9505180261	30-1867
JOHNSON,A.R.	9505010217	50-244 P
JOHNSON,A.R.	9505010230	50-244 P
JOHNSON,A.R.	9505180561	50-244 P
JOHNSON,D.G.	9505020311	50-193 P
JOHNSON,D.G.	9505020312	50-193 P
JOHNSON,I.M.	9505190204	50-456 F
JOHNSON,I.M.	9505190213	50-373 F
JOHNSON,J.E.	9505030344*	FOIA
JOHNSON,J.R.	9505090199	50-155 R
JOHNSON,J.R.	9505110015	50-296 P
JOHNSON,J.W.	9505150247*	50-254 P
JOHNSON,L.	9505300364	STATE PRO G
JOHNSON,M.	9505010040	ORG
JOHNSON,R.U.	9505030199*	FOIA
JOHNSON,S.G.	9505220069	50-302 R
JOHNSON,T.L.	9505120165	WASTE MGT
JOHNSON,T.P.	9505300031*	50-250 Q
JOHNSON,W.D.	9505180110	50-285 S
JOHNSON,W.D.	9505230032*	50-498 Q
JOHNSON,W.D.	9505230070*	50-285 Q
JOHNSON,W.D.	9505300072*	50-498 Q
JOHNSTON,J.B.	9505310357*	70-3070
JOINER,J.E.	9505180438	50-424 G
JOINER,J.E.	9505180438	50-424 G
JONES,D.T.	9505100143	50-334 R
JONES,D.W.	9505240303*	50-327 Q
JORDAN,E.L.	9505180375	REVIEW GR P
JORDAN,E.L.	9505190296	REVIEW GR P
JOUDON,J.P.	9505180153	50-390 A
JOY,D.	9505250287	70-1113
JOY,D.R.	9505100290	NUREG
JOYCE,J.P.	9505230047	50-249 S
JOYCE,T.P.	9505010270	50-249 S
JOYCE,T.P.	9505150042	50-237 Q
JOYCE,T.P.	9505150178	50-237 S
JOYCE,T.P.	9505190104	50-237 S
JOYNER,J.H.	9505030065	50-277 Q
JOYNER,J.H.	9505030071	50-219 Q
JOYNER,J.H.	9505030089	50-223 Q
JOYNER,J.H.	9505100030	50-245 Q
JOYNER,J.H.	9505100036	50-334 F
JOYNER,J.H.	9505100041	50-334 F
JOYNER,J.H.	9505110012	50-199 Q
JOYNER,J.H.	9505180043	50-244 Q
JOYNER,J.H.	9505180050	50-184 Q
JOYNER,J.H.	9505180065	50-247 Q
JOYNER,J.H.	9505180108	50-443 F
JOYNER,J.H.	9505180116	50-443 F
JOYNER,J.H.	9505180125	50-352 F
JOYNER,J.H.	9505180130	50-271 F
JOYNER,J.H.	9505180136	50-271 F
JOYNER,J.H.	9505180144	50-289 F
JOYNER,J.H.	9505180150	50-289 F
JOYNER,J.H.	9505180155	50-272 F
JOYNER,J.H.	9505180156	50-352 F
JOYNER,J.H.	9505220006	50-277 Q
JOYNER,J.H.	9505240018	50-271 Q
JOYNER,J.H.	9505240089	50-309 Q
JOYNER,J.H.	9505240121	50-387 Q
JOYNER,J.H.	9505240139	50-387 Q
JOYNER,J.H.	9505240143	50-220 Q
JOYNER,J.H.	9505240209	50-443 Q
JOYNER,J.H.	9505250088	50-387 F
JOYNER,J.H.	9505310016	50-309 Q
JOYNER,J.H.	9505310086	50-286 Q
JOYNER,J.H.	9505310142	50-244 Q
JULIAN,C.A.	9505110018*	50-390 Q
JULIAN,C.A.	9505240248*	50-390 Q
JUMP,W.J.	9505110226*	50-498 Q
JUMP,W.J.	9505110228*	50-498 Q
JUSTUS,P.	9505300050	WASTE MGT
JUSTUS,P.S.	9505120119	40-3453
KALMAN,G.	9505050278	50-313 P
KALMAN,G.	9505050284*	50-313 P
KALMAN,G.	9505110105	50-368 P
KALMAN,G.	9505110247	50-368 P
KALMAN,G.	9505180239	50-368 P
KALMAN,G.	9505180244*	50-368 P
KALMAN,G.	9505220262	50-313 P
KALMAN,G.	9505220268*	50-313 P
KALMAN,G.	9505240447	50-368 P
KANSLER,M.R.	9505310643	50-339 F
KAPEL,B.R.	9505250062*	STATE PRO G
KAPEL,B.R.	9505250067*	STATE PRO G
KAPEL,B.R.	9505250107*	STATE PRO G
KAPEL,B.R.	9505250129*	STATE PRO G
KAPEL,B.R.	9505250136*	STATE PRO G
KAPEL,B.R.	9505250140*	STATE PRO G
KAPEL,B.R.	9505250143*	STATE PRO G
KAPLAN,R.L.	9505220300	50-361 R
KARCHER,K.E.	9505300154*	50-325 P
KARCHNER,L.E.	9505030178*	FOIA
KARCHNER,L.E.	9505030187*	FOIA
KASSNER,G.	9505020196	50-295 F
KATARSKY,A.P.	9505020047	50-255 F
KATARSKY,A.P.	9505020091	50-255 F
KATZ,D.	9505240320	50-267 W
KAWANISHI,M.	9505310298*	WASTE MGT
KAY,D.C.	9505020003*	50-445 R
KEARNEY,W.F.	9505220183	40-8857
KEARNEY,W.F.	9505230129	40-8857

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KEARNEY,W.F.	9505260002	40-8857
KEARNEY,W.F.	9505300261	40-8857
KEEGAN,E.M.	9505230312	70-1151
KEEGAN,M.J.	9505150246	50-341 H
KEIMIG,R.R.	9505310150*	50-244 Q
KELLER,L.C.	9505220115	PR
KELLEY,J.J.	9505310156	50-445 P
KELLEY,L.C.	9505310304	50-302 S
KELLOG,P.J.	9505020086*	50-250 Q
KELLOGG,P.J.	9505180036*	50-259 Q
KELLY,E.M	9505100111	50-286 Q
KELLY,E.M.	9505050066	50-247 Q
KELLY,E.M.	9505050072*	50-247 Q
KELLY,E.M.	9505100127*	50-286 Q
KELLY,E.M.	9505180082*	50-271 Q
KELLY,G.B.	9505110119	50-261 F
KELLY,G.B.	9505260105	50-331 P
KELLY,J.F.	9505300124	71-9033
KELLY,R.T.	9505110175	FOIA
KELSEY,C.A.	9505230154	PR
KELSEY,C.A.	9505230154	PR
KENNEDY,J.	9505080277	50-255 P
KENNY,A.	9505250177*	52-3
KENYON,T.J.	9505050303	52-3
KENYON,T.J.	9505080257	52-3
KENYON,T.J.	9505190396	52-3
KERR,G.W.	9505020333*	FOIA
KERR,K.	9505250023	STATE PRO G
KESER,M.	9505110209*	50-423 R
KESSLER,W.A.	9505030096	50-247 F
KEUTER,D.R.	9505110255	50-382 S
KEYS,A.L.	9505030334*	50-260 P
KICHLINE,R.D.	9505050132	50-387 S
KICHLINE,R.D.	9505230140*	50-388 S
KICHLINE,R.D.	9505310074	50-387 S
KIER,P.H.	9505180578	52-5
KILGORE,L.	9505220302*	COMMISSIO N
KILINSKI,T.	9505040365	NUREG
KILLIAN,D.E.	9505030328*	50-255 P
KILLIAN,D.E.	9505030330*	50-255 P
KIM,Y.	9112190216	50-266 P
KIM,Y.	9209300317	50-261 P
KIMBALL,D.P.	9505310109	50-414 S
KIMBALL,D.P.	9505310323	50-414 S
KIMBALL,D.P.	9505310523*	50-413 S
KING,A.S.	9505020294	STATE PRO G
KING,E.B.	9505310105*	50-286 Q
KING,M.C.	9505240014	STATE PRO G
KINNEMAN,J.D.	9505030156	40-2975
KINNEMAN,J.D.	9505030179	40-*****
KINNEMAN,J.D.	9505030307	70-33
KINNEMAN,J.D.	9505240269	40-8702
KINNEMAN,J.D.	9505240277	40-8976
KINNEY,J.M.	9505030078*	FOIA
KINTNER,E.	9505220206*	ADVCM
KINTNER,E.	9505220218*	ADVCM
KIRKMAN,R.W.	9505080148*	FOIA
KIRKMAN,R.W.	9505080151*	FOIA
KIRSCH,D.	9505180003	50-275 S
KIRSCH,D.	9505180117	50-275 S
KIRSCH,D.	9505180122	50-275 S
KIRSCH,D.	9505180134	50-445 S
KIRSCH,D.	9505180142	50-275 S
KIRSCH,D.F.	9505300095*	50-482 Q
KIRSPEL,R.	9505080210*	50-498 Q
KLAPPROTH,J.F.	9505090268	70-1113
KLAPPROTH,J.F.	9505150107	70-1113
KLAPPROTH,J.F.	9505150203	70-1113
KLAPPROTH,J.F.	9505300160*	50-325 P
KLAR,L.W.	9505220086*	40-1790
KLASKY,M.	9505250284	70-1257
KLEIN,T.	9505150071	50-286 S
KLEINSORGE,W.P.	9505020073*	50-348 Q
KLEINSORGE,W.P.	9505310095*	50-416 Q
KLEMENTOWICZ,S.	9505260164	REVIEW GR P
KLINE,J.R.	9505040038	50-160 G
KLINGER,J.G.	9505120077	STATE PRO G
KLINGER,J.G.	9505120087*	STATE PRO G
KLINGER,J.G.	9505120135*	STATE PRO G
KLINGER,J.G.	9505120139*	STATE PRO G
KLINGER,J.G.	9505120147*	STATE PRO G
KLINGER,J.G.	9505120151*	STATE PRO G
KLINGER,J.G.	9505120154*	STATE PRO G
KLINGER,J.G.	9505120157*	STATE PRO G
KLINGER,J.G.	9505120164*	STATE PRO G
KLINGER,J.G.	9505120166*	STATE PRO G
KLINGER,J.G.	9505120171*	STATE PRO G
KLINGER,J.G.	9505120177*	STATE PRO G
KLINGER,J.G.	9505120178*	STATE PRO G
KLINGER,J.G.	9505120181*	STATE PRO G
KLINGER,J.G.	9505120182*	STATE PRO G
KLINGER,J.G.	9505120186*	STATE PRO G
KLINGER,J.G.	9505120188*	STATE PRO G
KLINGER,J.G.	9505120190*	STATE PRO G
KLINGER,J.G.	9505120192*	STATE PRO G
KLINGER,J.G.	9505120194*	STATE PRO G
KLINGER,J.G.	9505120195*	STATE PRO G
KLINGER,J.G.	9505120197*	STATE PRO G
KLINGER,J.G.	9505120198*	STATE PRO G
KLINGER,J.G.	9505120200*	STATE PRO G
KLINGER,J.G.	9505120201*	STATE PRO G
KLINGER,J.G.	9505120217*	STATE PRO G
KLINGER,J.G.	9505120219*	STATE PRO G
KLINGER,J.G.	9505120223*	STATE PRO G
KLINGER,J.G.	9505120225*	STATE PRO G
KLINGER,J.G.	9505120227*	STATE PRO G
KLINGER,J.G.	9505120230*	STATE PRO G
KLINGER,J.G.	9505120231*	STATE PRO G
KLINGER,J.G.	9505120234*	STATE PRO G
KLOOSTERMAN,J.	9505110167	50-440 F
KNAPP,K.S.	9505190156	70-1201
KNAPP,K.S.	9505310492	70-1201
KNECHT,B.L.	9505090290	30-2646
KNODE,R.	9505050285	40-8943
KNODE,R.	9505100096	40-8943
KNODE,R.	9505180504	40-8943
KNORR,J.E.	9505190385	50-250 R
KOBAYASHI,A.	9505310292*	WASTE MGT
KOFRON,E.L.	9505020350	50-455 S
KOH,B.	9505120117	40-8724
KOH,B.	9505260103	40-8742
KOHN,M.D.	9505260272	50-424 G
KOHN,M.D.	9505260272	50-424 G
KOMOSKY,G.E.	9505150290*	50-336 P
KONNEKER,W.R.	9505240419*	40-564
KOPRIVA,R.A.	9505180149	50-298 S
KORTH,K.J.	9505180324	50-389 S
KOSKINEN,L.	9505310312*	WASTE MGT
KOSMIDER,M.D.	9505030231	40-3392
KOSMIDER,M.D.	9505110131	40-3392
KOTRA,J.P.	9505150176	WASTE MGT
KOTRA,J.P.	9505180137	ORG
KOTTAN,J.	9505220011*	50-277 Q
KOUDELKA,M.B.	9505180276*	50-266 R
KOUDELKA,M.B.	9505180284*	50-266 R
KOUDELKA,M.B.	9505310249*	50-266 R
KOVACH,T.J.	9505250251	50-10 W
KRAFT,E.S.	9505050099	50-254 P
KRAFT,E.S.	9505230037	50-254 Q
KRAFT,E.S.	9505230041	50-254 Q
KRAINIK,A.K.	9505040049	50-530 P
KRAMER,J.W.	9110080339*	FOIA
KRASNOW,J.R.	9505080079*	FOIA
KRASNOW,N.	9505080071*	FOIA
KRASNOW,N.	9505080081*	FOIA
KRATZINGER,F.J.	9505190277*	WASTE MGT
KRAUSE,E.A.	9505180240	50-298 R
KREH,J.L.	9505110063*	50-261 Q
KREH,J.L.	9505300129*	50-321 Q
KRESS,T.S.	9505020173	52-3
KRESS,T.S.	9505020179	ACRS
KRESS,T.S.	9505020185	ACRS
KRESS,T.S.	9505260199	ACRS
KRESS,T.S.	9505260201	ACRS
KRESS,T.S.	9505260204	ACRS
KRICH,R.M.	9505010133	50-261 R
KRICH,R.M.	9505020348	50-261 Q
KRICH,R.M.	9505040100	50-261 F
KRICH,R.M.	9505090198	50-261 R
KRICH,R.M.	9505100201	50-261 F
KRICH,R.M.	9505120131	50-261 S
KRICH,R.M.	9505180041	50-261 F
KRICH,R.M.	9505190079	50-261 P
KRICH,R.M.	9505240352	50-261 P
KRICH,R.M.	9505260171	50-261 F
KRIEGER,R.W.	9505150181	50-361 S
KRIEGER,R.W.	9505150183*	50-361 S
KRIEGER,R.W.	9505150185	50-361 S
KRIEGER,R.W.	9505150187*	50-361 S
KRIEGER,R.W.	9505150189	50-361 S
KRIEGER,R.W.	9505150193*	50-361 S
KRIEGER,R.W.	9505310286	50-361 S
KRIEGER,R.W.	9505310297*	50-361 S
KRIEGER,R.W.	9505310443	50-361 Q
KRIESER,G.M.	9505120244	PR
KRISHNASWAMY,P.	9505030464	NUREG
KRISHNASWAMY,P.	9505040365	NUREG
KRISHNASWAMY,P.	9505180445	NUREG
KROPP,W.J.	9505190061	50-282 Q
KROPP,W.J.	9505190073*	50-282 Q
KUCHARSKI,W.A.	9505250015	STATE PRO G
KUGLER,A.J.	9505150001	ORG
KUGLER,A.J.	9505220261	I&E
KUGLER,A.J.	9505250256	I&E
KULTZER,E.L.	9505100040*	40-*****
KULZER,E.L.	9505230060*	40-*****
KURTH,M.F.	9208100050*	FOIA
KURTH,M.F.	9505100040*	40-*****
KURTZ,R.L.	9505180485	TOPREP
KURTZ,R.L.	9505180487*	TOPREP
LAAKSONEN,J.	9505230327*	FOIA
LABARGE,D.E.	9505080204	50-327 P
LABARGE,D.E.	9505180158	50-327 P
LABARGE,D.E.	9505180353	50-327 P
LABRUNA,S.	9505030198	50-354 S
LABRUNA,S.	9505050075	50-272 R
LABRUNA,S.	9505230210	50-272 P
LABRUNA,S.	9505260180	50-311 P
LADUN,R.H.	9505260020	STATE PRO G
LAHS,W.	9505150194	WASTE MGT
LAITINEN,M.	9505310312*	WASTE MGT
LAM,M.	9505260439*	71-3024
LAM,P.S.	9505040038	50-160 G
LAMASTRA,M.A.	9505240304	40-3392
LAMASTRA,M.A.	9505250003	70-364
LAMBERSKI,J.	9505180405	50-424 T
LAMBERSKI,J.	9505180469	50-424 G
LAMBERSKI,J.	9505180469	50-424 G
LAMBERSKI,J.	9505180602	50-424 G
LAMBERSKI,J.	9505180602	50-424 G
LAMBERSKI,J.	9505260238	50-424 G
LAMBERSKI,J.	9505260238	50-424 G
LAMBERSKI,J.E.	9505180508	50-424 G
LAMBERSKI,J.E.	9505180508	50-424 G
LAMMERSKI,J.	9505180478	50-424 T
LANDIS,D.D.	9505300088	50-335 Q
LANDIS,K.	9505050053*	50-302 Q
LANDIS,K.	9505300039	50-250 S
LANDIS,K.D.	9505020067	50-335 Q
LANDIS,K.D.	9505020070*	50-335 Q
LANDIS,K.D.	9505020075	50-280 Q
LANDIS,K.D.	9505020082	50-302 Q
LANDIS,K.D.	9505050046	50-302 Q
LANDIS,K.D.	9505110038	50-335 Q
LANDIS,K.D.	9505240177	50-338 Q
LANDIS,K.D.	9505300025	50-250 Q
LANDIS,K.D.	9505300031*	50-250 Q
LANDIS,K.D.	9505300042	50-302 V
LANDIS,K.D.	9505300094	50-280 Q
LANDIS,K.D.	9505300102	50-338 Q
LANDIS,K.D.	9505300116	50-250 Q
LANDIS,K.D.	9505310019	50-339 Q
LANDIS,K.D.	9505310099	50-335 Q
LANDIS,K.D.	9505310101*	50-335 Q
LANKSBURY,R.	9505190208*	50-440 Q
LANKSBURY,R.D.	9505090017	50-331 Q
LANKSBURY,R.D.	9505090047*	50-331 Q
LANKSBURY,R.D.	9505190182	50-440 Q
LANKSBURY,R.D.	9505240028	50-346 Q
LANKSBURY,R.D.	9505240039*	50-346 Q
LANZISERA,P.	9505260012	40-6940
LARKINS,J.T.	9505020189	ACRS
LARKINS,J.T.	9505020199	ACRS
LARKINS,J.T.	9505260184	ACRS
LARKINS,J.T.	9505260189	ACRS
LARKINS,J.T.	9505260195	ACRS
LARSEN,C.	9505020201*	50-443 Q
LARSEN,J.	9505040358	70-925
LARSEN,J.	9505120028	70-925
LAU,P.	9505310118	50-457 S
LAUFER,R.J.	9505040153	50-305 P
LAUFER,R.J.	9505040158*	50-305 P
LAUFER,R.J.	9505040189	50-305 P
LAUFER,R.J.	9505080260	50-305 P
LAUFER,R.J.	9505080265*	50-305 P
LAUFER,R.J.	9505180085	50-305 P
LAUFER,R.J.	9505240224	50-305 P
LAWRENCE,D.C.	9505230209*	50-281 P
LAWRENCE,L.P.	9505150075*	50-440 P
LAWRENCE,L.P.	9505150077*	50-440 P
LAYFIELD,R.L.	9505240355*	40-1790
LAYFIELD,R.L.	9505240369*	40-1790
LAYFIELD,R.L.	9505240374*	40-1790
LAYTON,M.C.	9505260235	40-8968

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LAZARUS,W.J.	9505030020	50-309 Q
LAZARUS,W.J.	9505110010	50-244 Q
LAZARUS,W.J.	9505190059*	50-334 Q
LE,N.B.	9505090298	50-400 P
LEBARON,L.	9505110006	50-213 S
LEE,A.S.	9505230342	NUREG
LEE,H.W.	9505300026	71-9793
LEE,I.M.	9505240446*	40-8914
LEE,T.D.	9505080140*	50-220 P
LEECH,H.W.	9505190224	71-*****
LEECH,H.W.	9505190241*	71-*****
LEIBERMAN,J.	9505120167	50-272 Q
LEITCH,G.N.	9505180474	50-309 S
LENAHAN,J.J.	9505110087*	50-259 Q
LENHART,T.E.	9505030467	FOIA
LENHART,T.E.	9505230294	FOIA
LEON,D.	9505040237	CONTRACT
LERKINS,G.R.	9505260367*	50-424 H
LESSER,M.S.	9505020126	50-260 Q
LESSER,M.S.	9505110004	50-327 Q
LESSER,M.S.	9505110007*	50-327 Q
LESSER,M.S.	9505180029	50-327 Q
LESSER,M.S.	9505240147	50-259 Q
LESSER,M.S.	9505240152	50-296 P
LESSER,M.S.	9505240155*	50-259 Q
LETTIS,W.	9505050344	CONTRACT
LETTS,B.R.	9505080273*	FOIA
LEVA,J.R.	9505020472*	50-219 I
LEVENE,M.B.	9505010253*	FOIA
LEVENE,M.B.	9505020335*	FOIA
LEVENE,M.B.	9505040124*	FOIA
LEVENE,M.B.	9505040133*	FOIA
LEVENE,M.B.	9505040282*	FOIA
LEVENE,M.B.	9505040289*	FOIA
LEVENE,M.B.	9505040291*	FOIA
LEVENE,M.B.	9505040302*	FOIA
LEVENE,M.B.	9505040307*	FOIA
LEVENE,M.B.	9505050037*	FOIA
LEVENE,M.B.	9505050040*	FOIA
LEVENE,M.B.	9505050047*	FOIA
LEVENE,M.B.	9505050135*	FOIA
LEVENE,M.B.	9505080124*	FOIA
LEVENE,M.B.	9505080142*	FOIA
LEVICH,R.A.	9505040271	WASTE MGT
LEVICH,R.A.	9505310275	WASTE MGT
LEVINE,H.J.	9505080057*	FOIA
LEVINE,J.M.	9505020314	50-528 S
LEVINE,J.M.	9505100155	50-528 P
LEVINE,J.M.	9505100190	50-528 P
LEVINE,J.M.	9505110021	50-528 P
LEVINE,J.M.	9505120121	50-528 S
LEVINE,J.M.	9505180024*	50-528 Q
LEVINE,J.M.	9505180256	50-528 R
LEVINE,J.M.	9505190265	50-528 S
LEVINE,J.M.	9505220007	50-530 S
LEVINE,J.M.	9505220293	50-528 P
LEVINE,J.M.	9505310225	50-528 S
LEVINE,J.M.	9505310238	50-530 S
LEVIS,W.	9505180235	50-324 R
LEWIS,D.R.	9505040015	50-424 G
LEWIS,D.R.	9505040015	50-424 G
LEWIS,D.R.	9505040015	50-424 G
LEWIS,D.R.	9505040056	50-424 G
LEWIS,D.R.	9505040056	50-424 G
LEWIS,J.	9505250054	40-8968
LEWIS,K.B.	9505250089	50-397 S
LEWIS,M.	9505040107	NUREG
LIAW,B.D.	9505050320*	50-139 W
LIEBERMAN,J.	9505040381	NUREG
LIEBERMAN,J.	9505120104	50-387 Q
LIEBERMAN,J.	9505120153	I&E
LIEBERMAN,J.	9505120159	50-302 Q
LIEBERMAN,J.	9505120160	50-457 Q
LIEBERMAN,J.	9505120162	I&E
LIEBERMAN,J.	9505120168	50-498 Q
LIEBERMAN,J.	9505120170	I&E
LIEBERMAN,J.	9505120173	I&E
LIEBERMAN,J.	9505120175	I&E
LIEBERMAN,J.	9505120176	I&E
LIEBERMAN,J.	9505120179	I&E
LIEBERMAN,J.	9505120180	50-272 Q
LIEBERMAN,J.	9505120183	I&E
LIEBERMAN,J.	9505120184	I&E
LIEBERMAN,J.	9505120185	50-237 Q
LIEBERMAN,J.	9505120187	I&E
LIEBERMAN,J.	9505120189	I&E
LIEBERMAN,J.	9505120193	I&E
LIEBERMAN,J.	9505120196	I&E
LIEBERMAN,J.	9505120199	I&E
LIEBERMAN,J.	9505120253*	FOIA
LIEBERMAN,J.	9505150065*	50-250 G
LIEBERMAN,J.	9505150101	50-250 G
LIEBERMAN,J.	9505150136*	50-250 G
LIEBERMAN,J.	9505240186	50-302 Q
LIEBERMAN,J.	9505240423*	50-498 Q
LIEBERMAN,J.	9505260027	ORG
LIGHTNER,R.G.	9505050054	WASTE MGT
LIN,S.D.	9505240350	50-416 R
LINDBERG,J.T.	9505110148*	50-387 Q
LINDH,J.	9505040278*	WASTE MGT
LINDT,E.	9505300282*	50-267 S
LINDT,E.	9505300283*	50-267 S
LINK,B.	9505020253	50-266 P
LINK,B.	9505030301	50-266 P
LINK,B.	9505030329	50-266 S
LINK,B.	9505040258	50-266 P
LINK,B.	9505110232	50-266 P
LINK,B.	9505250046	50-266 S
LINVILLE,J.	9505100067	50-293 Q
LINVILLE,J.C.	9505190053	50-334 Q
LINVILLE,J.C.	9505310043	50-271 Q
LIPARULA,N.J.	9505180538	52-3
LIPARULO,N.J.	9503220425	52-3
LIPARULO,N.J.	9505020351*	50-282 P
LIPARULO,N.J.	9505020430	52-3
LIPARULO,N.J.	9505020435*	52-3
LIPARULO,N.J.	9505040055	52-3
LIPARULO,N.J.	9505050110*	50-423 P
LIPARULO,N.J.	9505090019	PR
LIPARULO,N.J.	9505090026	PR
LIPARULO,N.J.	9505090048	52-3
LIPARULO,N.J.	9505100095	52-3
LIPARULO,N.J.	9505100099*	52-3
LIPARULO,N.J.	9505110196	TOPREP
LIPARULO,N.J.	9505110201*	TOPREP
LIPARULO,N.J.	9505110217	52-3
LIPARULO,N.J.	9505110235	52-3
LIPARULO,N.J.	9505110342	TOPREP
LIPARULO,N.J.	9505120083	TOPREP
LIPARULO,N.J.	9505120260	52-3
LIPARULO,N.J.	9505150035	52-3
LIPARULO,N.J.	9505150076	TOPREP
LIPARULO,N.J.	9505150079*	TOPREP
LIPARULO,N.J.	9505150126	52-3
LIPARULO,N.J.	9505150263	52-3
LIPARULO,N.J.	9505150266*	52-3
LIPARULO,N.J.	9505180489	TOPREP
LIPARULO,N.J.	9505180541*	52-3
LIPARULO,N.J.	9505220087	52-3
LIPARULO,N.J.	9505230090	TOPREP
LIPARULO,N.J.	9505240225	52-3
LIPARULO,N.J.	9505240232*	52-3
LIPARULO,N.J.	9505240294	52-3
LIPARULO,N.J.	9505240299*	52-3
LIPARULO,N.J.	9505250167	52-3
LIPARULO,N.J.	9505260459	52-3
LIPARULO,N.J.	9505260462*	52-3
LIPOTI,J.	9505120258*	STATE PRO G
LIPPY,D.L.	9505220172	50-285 R
LIU,T.Y.	9505250179	50-285 Q
LOHAUS,P.	9505020033	STATE PRO G
LOHAUS,P.	9505250052	STATE PRO G
LOHAUS,P.H.	9505020023	STATE PRO G
LOHAUS,P.H.	9505020147	STATE PRO G
LOHAUS,P.H.	9505020181	STATE PRO G
LOHAUS,P.H.	9505080003	STATE PRO G
LOHAUS,P.H.	9505080006	STATE PRO G
LOHAUS,P.H.	9505080010	STATE PRO G
LOHAUS,P.H.	9505080017	STATE PRO G
LOHAUS,P.H.	9505080019	STATE PRO G
LOHAUS,P.H.	9505120126	STATE PRO G
LOHAUS,P.H.	9505180194	STATE PRO G
LOHAUS,P.H.	9505250007	STATE PRO G
LOHAUS,P.H.	9505250010	STATE PRO G
LOHAUS,P.H.	9505250057	STATE PRO G
LOHAUS,P.H.	9505250058	STATE PRO G
LOHAUS,P.H.	9505250069	STATE PRO G
LOHAUS,P.H.	9505250071	STATE PRO G
LOHAUS,P.H.	9505250097	PR
LOHAUS,P.H.	9505250099	STATE PRO G
LOHAUS,P.H.	9505310031	STATE PRO G
LOHAUS,P.H.	9505310046	STATE PRO G
LOHAUS,P.H.	9505310066	STATE PRO G
LOHMEIER,A.	9505050043*	50-220 Q
LOIS,L.	9505120207	50-255 P
LONG,E.R.	9505240096*	50-327 Q
LONG,R.L.	9505010103	50-289 R
LONGO,J.	9505190183*	FOIA
LOO,W.T.	9505020061*	50-269 Q
LOO,W.T.	9505020134*	50-261 Y
LOO,W.T.	9505020170*	50-280 Y
LOOSLEY,D.J.	9505120259*	FOIA
LOPEZ-OTIN,M.	9505020195	STATE PRO G
LOPEZ-OTIN,M.	9505250092	STATE PRO G
LOPRIORE,R.P.	9505030372	50-324 F
LOPRIORE,R.P.	9505090089	50-324 F
LOPRIORE,R.P.	9505230315	50-324 Q
LOPRIORE,R.P.	9505240026	50-324 F
LOPRIORE,R.P.	9505240065	50-324 P
LOPRIORE,R.P.	9505260236	50-324 P
LOPRIORE,R.P.	9505300141	50-325 P
LOWERY,J.L.	9505310582	50-413 K
LUBINSKI,J.W.	9505310045*	STATE PRO G
LUOMA,J.D.	9505010097*	50-289 P
LUTHIGER,P.	9505120102	40-8905
LUTZI,P.J.	9505110234	50-336 S
LUTZI,P.J.	9505250094	50-336 S
LUTZI,P.J.	9505310272	50-336 S
LUX,J.	9505120001	70-3073
LYDON,P.S.	9505150028	50-309 J
LYNCH,J.	9505100069	I&E
LYNCH,J.	9505300041	I&E
LYNCH,J.L.	9505030191	I&E
LYNCH,M.D.	9505040297	50-454 P
LYON,W.C.	9505010027	50-287 P
LYON,W.C.	9505050191	PR
LYONS,D.W.	9505180223	50-354 R
LYONS,J.E.	9505190366*	FOIA
MAAS,L.J.	9505230023	70-1257
MABRITO,B.	9505020423*	WASTE MGT
MABRITO,B.	9505150277*	WASTE MGT
MACE,M.	9505040123	CONTRACT
MACE,M.	9505040141	CONTRACT
MACE,M.	9505040164	CONTRACT
MACE,M.	9505040172*	CONTRACT
MACE,M.	9505040184	CONTRACT
MACE,M.	9505040188	CONTRACT
MACE,M.	9505040199	50-255 P
MACE,M.	9505040203	CONTRACT
MACE,M.	9505040209	CONTRACT
MACE,M.	9505040225	CONTRACT
MACE,M.	9505040234	CONTRACT
MACE,M.	9505040247	CONTRACT
MACE,M.	9505040280	CONTRACT
MACE,M.	9505040295	CONTRACT
MACE,M.	9505040324	CONTRACT
MACE,M.	9505040335	50-271 P
MACE,M.	9505040349	50-286 P
MACE,M.	9505040354	50-285 P
MACE,M.	9505040378	50-317 P
MACE,M.	9505040382	CONTRACT
MACE,M.	9505040387	CONTRACT
MACE,M.	9505040390	CONTRACT
MACE,M.	9505040391	CONTRACT
MACE,M.	9505040394	CONTRACT
MACE,M.	9505040395	CONTRACT
MACE,M.	9505040400*	CONTRACT
MACE,M.	9505050106	CONTRACT
MACE,M.	9505050141	CONTRACT
MACE,M.H.	9505040147	CONTRACT
MACE,M.H.	9505040256	CONTRACT
MACE,M.H.	9505040299	CONTRACT
MACE,M.H.	9505040310	CONTRACT
MACE,M.H.	9505040332	CONTRACT
MACE,M.H.	9505040343	CONTRACT
MACE,M.H.	9505040373	CONTRACT
MACE,M.H.	9505050222	CONTRACT
MACE,M.H.	9505050344	CONTRACT
MACE,M.H.	9505080042	CONTRACT
MACFARLAND,W.A.	9505240067	50-353 P
MACFARLAND,W.G.	9505180526	50-352 F
MACFARLAND,W.G.	9505250102	50-353 Q
MACHETTE,M.N.	9505150315*	WASTE MGT
MACHIELS,A.	9505220120	PR
MACHON,R.D.	9505020308	50-260 S
MACHON,R.D.	9505110083	50-260 S
MACHON,R.D.	9505120127	50-260 S
MACHON,R.D.	9505250254	50-259 K
MADDEN,P.M.	9404190136*	FOIA
MADER,E.V.	9505190018	NUREG
MAEDA,Y.	9505110320	XPORTLIC
MAEDA,Y.	9505110325	XPORTLIC
MAGRUDER,S.L.	9505220076	PROJ
MAKHIJANI,A.	9505040070*	70-3070

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MAKHIJANI,A.	9505040070*	70-3070
MAKHIJANI,A.	9505180393*	70-3070
MAKHIJANI,A.	9505180393*	70-3070
MALCHMAN,W.	9505250154	71-798
MALINOSKI,J.W.	9505010223	71-697
MALINOSKI,J.W.	9505010232*	71-697
MALLETT,B.S.	9505120010	70-27
MALONE,D.	9505220021	40-8907
MALONEY,W.	9505010268*	FOIA
MAMISH,N.	9505120169	I&E
MAMISH,N.	9505120170	I&E
MAMISH,N.	9505120176	I&E
MAMISH,N.	9505120184	I&E
MAMISH,N.	9505120189	I&E
MAMISH,N.	9505120196	I&E
MANN,M.	9505180089	XPORTLIC
MANN,M.	9505180101	XPORTLIC
MANNE,K.C.	9505010246	FOIA
MANNINGER,J.D.	9505260054	TOPREP
MANTLE,T.	9505220032*	PROJ
MAPP,E.J.	9505250217*	40-1790
MARBLE,J.D.	9505190064	40-1478
MARCHI,M.I.	9505150227	50-305 S
MARCHI,M.L.	9505020478	50-305 P
MARCHI,M.L.	9505030485	50-305 F
MARCHI,M.L.	9505050077	50-305 R
MARCHI,M.L.	9505180208	50-305 R
MARCHI,M.L.	9505190107	50-305 Q
MARCHI,M.L.	9505230326	50-305 J
MARCO,C.	9505260258	40-8027
MARCUS,G.H.	9505090309	50-305 Q
MARCUS,G.H.	9505260113*	50-331 P
MARCUS,J.	9505010229	FOIA
MARINO,M.F.	9505030296	50-213 S
MARION,A.	9505190177	REVIEW GR P
MARION,A.	9505250270	REVIEW GR P
MARLOW,T.A.	9505080103	50-244 F
MARQUINO,W.	9505090137*	TOPREP
MARSCHALL,C.W.	9505040365	NUREG
MARSH,E.P.	9505020064*	40-2384
MARSH,E.P.	9505020072*	40-2384
MARSH,L.B.	9505010208	50-410 P
MARSH,L.B.	9505010236*	50-244 P
MARSH,L.B.	9505040288*	50-247 P
MARSH,L.B.	9505090166*	50-317 P
MARSH,L.B.	9505220084	50-293 P
MARSH,L.B.	9505240407	50-293 Q
MARSH,W.C.	9505010105	50-206 F
MARSH,W.C.	9505010137	50-361 P
MARSH,W.C.	9505010156	50-361 P
MARSH,W.C.	9505020285	50-361 P
MARSH,W.C.	9505020287	50-206 P
MARSH,W.C.	9505030305	50-206 P
MARSH,W.C.	9505040122	50-206 R
MARSH,W.C.	9505040259	50-206 R
MARSH,W.C.	9505080238	50-206 R
MARSH,W.C.	9505150242	50-361 Q
MARSH,W.C.	9505180592	50-361 P
MARSH,W.C.	9505220300	50-361 R
MARSH,W.C.	9505230026	50-206 F
MARSH,W.C.	9505240062	50-362 P
MARSH,W.C.	9505240366	50-206 I
MARSH,W.C.	9505310506	50-361 P
MARSHALL,B.M.	9505150135	50-338 P
MARSHALL,J.S.	9505310078	PR
MARTIN,J.	9505110030	50-237 Q
MARTIN,J.B.	9505090076	50-456 Q
MARTIN,J.B.	9505100093	50-237 Q
MARTIN,J.B.	9505240100	50-295 Q
MARTIN,J.D.	9505030035	50-298 R
MARTIN,L.E.	9505090144	50-498 F
MARTIN,L.E.	9505260298	50-498 P
MARTIN,R.D.	9505040191*	50-498 Q
MARTIN,R.D.	9505040213*	50-498 Q
MARTIN,R.E.	9505090226	50-369 P
MARTIN,T.	9505120191	I&E
MARTIN,T.T.	9505090184	50-244 Q
MARTIN,T.T.	9505180010	50-387 Q
MARTIN,T.T.	9505260064	50-219 F
MARTIN,T.T.	9505310121	50-352 Q
MARTIN,J.B.	9505310167	50-155 Q
MASAKAZU	9505310292*	WASTE MGT
MASNIK,M.T.	9505180573	50-344 P
MASON,D.	9505190304	50-280 R
MASON,J.	9505020101*	FOIA
MASON,J.	9505020282*	FOIA
MASON,J.	9505020428*	FOIA
MASON,J.R.	9505010080*	FOIA
MASON,J.R.	9505010121*	FOIA
MASON,J.R.	9505010123*	FOIA
MASON,J.R.	9505010183*	FOIA
MASON,J.R.	9505010184*	FOIA
MASON,J.R.	9505010185*	FOIA
MASON,J.R.	9505010186*	FOIA
MASON,J.R.	9505010281*	FOIA
MASON,J.R.	9505020068*	FOIA
MASON,J.R.	9505020069*	FOIA
MASON,J.R.	9505020099*	FOIA
MASON,J.R.	9505020142*	FOIA
MASON,J.R.	9505020144*	FOIA
MASON,J.R.	9505020148*	FOIA
MASON,J.R.	9505020376*	FOIA
MASON,J.R.	9505020380*	FOIA
MASON,J.R.	9505020426*	FOIA
MASON,J.R.	9505040369*	FOIA
MASON,J.R.	9505050163*	FOIA
MASON,J.R.	9505050164*	FOIA
MASON,J.R.	9505050167*	FOIA
MASON,J.R.	9505050259*	FOIA
MASON,J.R.	9505050261*	FOIA
MASON,J.R.	9505050263*	FOIA
MASON,J.R.	9505050264*	FOIA
MASON,J.R.	9505050265*	FOIA
MASON,M.	9505190176	PROJ
MATAKAS,R.A.	9505080273*	FOIA
MATAKAS,R.A.	9505080282*	FOIA
MATAKAS,R.A.	9505080303*	FOIA
MATAKAS,R.A.	9505080305*	FOIA
MATAKAS,R.A.	9505080309*	FOIA
MATAKAS,R.A.	9505080311*	FOIA
MATAKAS,R.A.	9505090311*	FOIA
MATAKAS,R.A.	9505090314*	FOIA
MATAKAS,R.A.	9505090315*	FOIA
MATAKAS,R.A.	9505150236*	FOIA
MATAKAS,R.A.	9505150240*	FOIA
MATHES,D.E.	9505300079	WASTE MGT
MATHEWS,D.B.	9505220134*	50-338 P
MATTHEWS,D.	9505040304	50-302 P
MATTHEWS,D.B.	9505020422*	50-324 P
MATTHEWS,D.B.	9505040092*	50-335 P
MATTHEWS,D.B.	9505040281*	50-261 P
MATTHEWS,D.B.	9505040412*	50-338 P
MATTHEWS,D.B.	9505050105*	50-338 P
MATTHEWS,D.B.	9505090157*	50-280 P
MATTHEWS,D.B.	9505090301*	50-400 P
MATTHEWS,D.B.	9505180327*	50-250 P
MATTHEWS,D.B.	9505180336*	50-250 P
MATTHEWS,D.B.	9505180420	50-261 P
MATTHEWS,D.B.	9505190325*	50-338 P
MATTHEWS,D.B.	9505220090	50-250 Q
MATTHEWS,D.B.	9505260059	50-280 P
MATTIA,M.J.	9505040200	CONTRACT
MATTIA,M.J.	9505040210	CONTRACT
MATTIA,M.J.	9505040216	CONTRACT
MATTIA,M.J.	9505040221	CONTRACT
MATTIA,M.J.	9505040233	CONTRACT
MATTIA,M.J.	9505040239	CONTRACT
MATTIA,M.J.	9505040272	CONTRACT
MATTIA,M.J.	9505040273	CONTRACT
MATTIA,M.J.	9505040321*	CONTRACT
MATTIA,M.J.	9505040328*	CONTRACT
MATTIA,M.J.	9505040348	CONTRACT
MATTIA,M.J.	9505040367	CONTRACT
MATTIA,M.J.	9505050342	CONTRACT
MATTY,R.M.	9505120141	50-352 P
MATVIYA,J.J.	9505100125*	70-364
MAXFIELD,G.J.	9505180264	50-266 R
MAXFIELD,G.J.	9505310246	50-266 R
MAXIN,A.M.	9505220179	70-143
MAXIN,A.M.	9505250174	71-9096
MAXIN,A.M.	9505250280	70-143
MAXWELL,G.F.	9505020059*	50-369 Q
MAYLATH,J.	9505150039	50-247 S
MAYLATH,J.J.	9505240145	50-247 S
MAYNARD,O.L.	9505180163	50-482 F
MAYNORD,O.L.	9505190386	50-482 R
MCALPINE,E.	9505020119	70-1113
MCALPINE,E.J.	9505020026*	70-1151
MCALPINE,E.J.	9505020113*	50-297 Q
MCALPINE,E.J.	9505050004*	70-27
MCALPINE,E.J.	9505120022*	70-1113
MCALPINE,E.J.	9505240085*	70-1201
MCALPINE,E.J.	9505310018*	70-27
MCCANCE,T.	9505300446	50-245 F
MCCANDLESS,M.S.	9408030306*	FOIA
MCCANN,G.M.	9505150256*	FOIA
MCCANN,G.M.	9505150272*	FOIA
MCCANN,G.M.	9505150278*	FOIA
MCCANN,G.M.	9505150284*	FOIA
MCCANN,G.M.	9505150288*	FOIA
MCCANN,G.M.	9505150304*	FOIA
MCCANN,G.M.	9505230172*	70-1489
MCCARTHY,K.F.	9505250101	71-9245
MCCARTIN,T.	9505120215	WASTE MGT
MCCARTIN,T.	9505180063	WASTE MGT
MCCARTIN,T.	9505250030	WASTE MGT
MCCARTIN,T.	9505260175	WASTE MGT
MCCARTIN,T.	9505300093	WASTE MGT
MCCLAIN,L.D.	9505300033*	50-287 P
MCCORMICK,J.W.	9505100016	70-8
MCCORMICK,J.W.	9505100027	40-*****
MCCORMICK,J.W.	9505100040*	40-*****
MCCORMICK,M.J.	9505240032	50-220 F
MCCORMICK-BARGE	9505100023	40-7397
MCCORMICK-BARGE	9505180022	40-8948
MCCORMICK-BARGE	9505180058	40-7397
MCCORMICK-BARGE	9505230055	40-*****
MCCOY,C.K.	9505040080	50-424 P
MCCOY,C.K.	9505050143	50-424 S
MCCOY,C.K.	9505050147	50-424 F
MCCOY,C.K.	9505090153	50-424 Q
MCCOY,C.K.	9505090159*	50-424 R
MCCOY,C.K.	9505090171	50-424 P
MCCOY,C.K.	9505100011	50-424 R
MCCOY,C.K.	9505150139	50-424 R
MCCOY,C.K.	9505180590	50-424 P
MCCOY,C.K.	9505190094	50-424 P
MCCOY,C.K.	9505230184	50-321 H
MCCOY,C.K.	9505260400	50-424 Q
MCCOY,C.K.	9505300056	50-424 R
MCCRACKEN,D.	9505100120	50-213 S
MCCRACKEN,D.S.	9505310486	50-213 S
MCCREE,V.M.	9505180214	REVIEW GR P
MCDONALD,D.G.	9505050223	50-317 P
MCDONALD,D.G.	9505090164	50-317 P
MCDONALD,D.G.	9505090279	50-318 S
MCDONALD,D.G.	9505180073	50-318 P
MCDONALD,D.G.	9505180127	TOPREP
MCDONALD,D.G.	9505180563	50-317 P
MCDONALD,D.G.	9505260188	50-309 P
MCDUFFIE,S.	9505310116	WASTE MGT
MCDUFFIE,S.	9505310143	WASTE MGT
MCGAHA,J.R.	9505190315	50-458 P
MCGARRY,J.M.	9505040005	70-3070
MCGARRY,J.M.	9505040005	70-3070
MCGARRY,J.M.	9505040026	70-3070
MCGARRY,J.M.	9505040026	70-3070
MCGARRY,J.M.	9505090145	70-3070
MCGARRY,J.M.	9505090145	70-3070
MCGARRY,J.M.	9505190397	70-3070
MCGARRY,J.M.	9505190397	70-3070
MCGEE,R.	9505220195*	50-331 S
MCGOWAN,J.F.	9505260066	50-325 S
MCGRATH,E.R.	9505180515	50-3 I
MCGUINNESS,R.L.	9505190048	50-423 S
MCGUINNESS,R.L.	9505190055	50-423 S
MCGUINNESS,R.L.	9505250002	50-423 S
MCGUINNESS,R.L.	9505310080	50-423 S
MCGUINNESS,R.L.	9505310327	50-423 S
MCGUIRE,D.	9505030091*	50-324 Q
MCGUIRE,D.	9505050122*	50-335 Q
MCGUIRE,D.	9505300112*	50-424 Q
MCGUIRE,D.R.	9505240123*	50-269 Q
MCGUIRE,D.R.	9505300016*	50-369 Q
MCGUIRE,L.	9505150075*	50-440 P
MCKEE,P.	9505240422	50-309 P
MCKEE,P.F.	9505010250*	50-423 P
MCKEE,P.F.	9505040053*	50-423 P
MCKEE,P.F.	9505040219*	50-423 P
MCKEE,P.F.	9505080174*	50-219 P
MCKEE,P.F.	9505100238*	50-336 P
MCKEE,P.F.	9505110111	50-423 Q
MCKEE,P.F.	9505110265	50-423 P
MCKEE,P.F.	9505150007*	50-423 P
MCKEE,P.F.	9505220224*	50-443 P
MCKEE,P.F.	9505240157*	50-423 P
MCKEE,P.F.	9505240275*	50-443 P
MCKEE,P.F.	9505240281*	50-336 P
MCKEE,P.F.	9505240430	50-309 P
MCKEE,P.F.	9505250231*	50-423 P
MCKEE,P.F.	9505250246*	50-309 P
MCKEE,P.F.	9505250333*	50-443 P
MCKEE,P.F.	9505260047*	50-443 P
MCKEE,P.F.	9505260381*	50-336 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MCKEON,R.	9505030247	50-341 R
MCKEON,R.	9505030262	50-341 R
MCKEON,R.	9505150255*	50-341 F
MCKINLEY,R.	9505180261	30-1867
MCKINNEY,M.D.	9505180354	NUREG
MCLAUGHLIN,J.	9505150092	XPORTLIC
MCLEAN,M.	9505180437	30-28641
MCLEMORE,W.H.	9505230016	50-160 G
MCLNTYRE,B.A.	9505150011	52-3
MCMANAMON,F.P.	9502100305*	STATE PRO G
MCMEEKIN,T.C.	9505010101	50-369 R
MCMEEKIN,T.C.	9505030182	50-369 F
MCMEEKIN,T.C.	9505080012	50-369 R
MCMEEKIN,T.C.	9505080014	50-369 Q
MCMEEKIN,T.C.	9505120055	50-369 P
MCMEEKIN,T.C.	9505190163	50-369 F
MCMEEKIN,T.C.	9505230095	50-369 S
MCMULLIN,D.J.	9505220138	PR
MCMULLIN,D.J.	9505220138	PR
MCNAMARA,N.	9505220011*	50-277 Q
MCWHORTER,R.	9505230031	50-255 P
MECREDY,R.C.	9505020257	50-244 R
MECREDY,R.C.	9505030173	50-244 P
MECREDY,R.C.	9505040040	50-244 P
MECREDY,R.C.	9505050108	50-244 Q
MECREDY,R.C.	9505150014	50-244 P
MECREDY,R.C.	9505180159	50-244 S
MECREDY,R.C.	9505220005	50-244 S
MEEHAN,B.	9505040242	CONTRACT
MEENAN,M.	9505230325*	FOIA
MEHTA,H.S.	9505150147*	50-220 Q
MEIER,D.	9505040017*	FOIA
MEIER,D.A.	9505040025*	FOIA
MEIER,D.A.	9505040037*	FOIA
MEINHOLD,C.B.	9505230093	NUREG
MELLOR,R.A.	9505090094	50-29 R
MEMORY,R.D.	9505310473	WASTE MGT
MEMORY,R.D.	9505310479*	WASTE MGT
MENDONCA,M.M.	9505010001	50-160 H
MERGES,P.J.	9505260198	70-687
MERGES,P.J.	9505300232	70-687
MERRITT,C.R.	9505180354	NUREG
MERSCHOFF,E.W.	9505010167	50-261 P
MERSCHOFF,E.W.	9505020161	50-324 F
MERSCHOFF,E.W.	9505110048	50-281 Q
MERSCHOFF,E.W.	9505240017	50-324 P
MERSCHOFF,E.W.	9505240099	50-324 Q
MERSCHOFF,E.W.	9505240280	50-327 Q
MERSCHOFF,E.W.	9505300055	50-280 Q
MERSCHOFF,E.W.	9505300178	50-327 P
MERSCHOFF,E.W.	9505310084	50-259 Q
MEYER,G.	9505100056	50-245 Q
MEYER,G.W.	9505030090	50-277 Q
MEYER,G.W.	9505030094*	50-277 Q
MEYER,G.W.	9505030123	50-213 Q
MEYER,G.W.	9505100020	50-245 V
MEYER,G.W.	9505100026	50-352 V
MEYER,G.W.	9505100032	50-219 V
MEYER,G.W.	9505100037	50-293 V
MEYER,G.W.	9505100043	50-387 V
MEYER,G.W.	9505100049	50-213 V
MEYER,G.W.	9505100072*	50-245 Q
MEYER,G.W.	9505100112	50-277 V
MEYER,G.W.	9505100116	50-354 V
MEYER,G.W.	9505100132	50-333 V
MEYER,G.W.	9505100171	50-272 V
MEYER,R.O.	9505030117	ORG
MEYER,S.M.	9505260305*	50-305 P
MICHAELS,T.S.	9505050318	50-139 W
MICHAELS,T.S.	9505190098	50-2 P
MICHAELS,T.S.	9505190110*	50-2 P
MICHAELS,T.S.	9505190116	50-2 P
MICHELSEN,M.A.	9505030222	70-36
MICHELSEN,M.A.	9505030222	70-36
MICHELSEN,M.A.	9505040073	70-1100
MICHELSEN,M.A.	9505040073	70-1100
MICHELSEN,M.A.	9505050286	71-6294
MICHELSEN,M.A.	9505050286	71-6294
MICHELSEN,M.A.	9505150188	70-1100
MICHELSEN,M.A.	9505150188	70-1100
MIHALIK,D.R.	9505220081	50-315 F
MILHAON,J.L.	9505090173	50-498 Q
MILHOAN,J.L.	9505020392	REVIEW GR P
MILHOAN,J.L.	9505090156	50-498 Q
MILHOAN,J.L.	9505100250	50-498 Q
MILHOAN,J.L.	9505220017	ORG
MILHOAN,J.L.	9505240389*	50-498 P
MILLER,C.L.	9504110143*	STATE PRO G
MILLER,C.L.	9505190167*	50-298 P
MILLER,D.B.	9505030018	50-245 S
MILLER,D.B.	9505030018	50-245 S
MILLER,D.B.	9505110204	50-423 R
MILLER,D.B.	9505110234	50-336 S
MILLER,D.B.	9505110242	50-245 S
MILLER,D.B.	9505120213	50-245 S
MILLER,D.B.	9505150282	50-336 P
MILLER,D.B.	9505190048	50-423 S
MILLER,D.B.	9505190055	50-423 S
MILLER,D.B.	9505250002	50-423 S
MILLER,D.B.	9505250002	50-423 S
MILLER,D.B.	9505250005	50-245 S
MILLER,D.B.	9505250005	50-245 S
MILLER,D.B.	9505250094	50-336 S
MILLER,D.B.	9505250204	50-423 Q
MILLER,D.B.	9505310080	50-423 S
MILLER,D.B.	9505310080	50-423 S
MILLER,D.B.	9505310264	50-336 V
MILLER,D.B.	9505310264	50-336 V
MILLER,D.B.	9505310272	50-336 S
MILLER,D.B.	9505310272	50-336 S
MILLER,D.B.	9505310327	50-423 S
MILLER,L.F.	9505090074	50-373 Q
MILLER,L.F.	9505090085*	50-373 Q
MILLER,L.F.	9505110013	50-454 Q
MILLER,L.F.	9505110022*	50-454 Q
MILLER,L.F.	9505190028*	50-295 Q
MILLER,L.F.	9505190033	50-456 Q
MILLER,L.F.	9505190054*	50-456 Q
MILLER,M.	9505110008	40-672
MILLER,M.	9505180003	50-275 S
MILLER,M.	9505240291	40-672
MILLER,M.A.	9505040059	50-275 P
MILLER,M.A.	9505110260	50-275 P
MILLER,M.N.	9505300007*	50-395 Q
MILLER,M.S.	9505110148*	50-387 Q
MILLER,V.L.	9505220111	NUREG
MILLER,W.F.	9505300453*	50-410 P
MILLER,W.H.	9505110018*	50-390 Q
MILLER,W.O.	9505010282*	FOIA
MILLER,W.O.	9505020219*	FOIA
MILLER,W.O.	9505030052*	FOIA
MILLER,W.O.	9505050199*	FOIA
MILLER,W.O.	9505050287*	FOIA
MILLER,W.S.	9505230204*	50-281 P
MILNER,R.A.	9505110322	WASTE MGT
MILNER,R.A.	9505190273	WASTE MGT
MILNER,R.A.	9505220123	PR
MIMS,D.C.	9505010278	50-313 S
MIMS,D.C.	9505020226	50-313 R
MIMS,D.C.	9505020310	50-313 Q
MIMS,D.C.	9505030163	50-313 P
MIMS,D.C.	9505100044	50-313 I
MIMS,D.C.	9505120053	50-313 P
MIMS,D.C.	9505190244	50-313 R
MIMS,D.C.	9505190261	50-368 R
MIMS,D.C.	9505220080	50-313 P
MIMS,D.C.	9505240276	50-313 S
MIMS,D.C.	9505310091	50-313 J
MIMS,D.C.	9505310186	50-368 Q
MINNERS,W.	9505220238*	50-29 W
MINNERS,W.	9505220241*	ORG
MINNERS,W.	9505220244*	ORG
MINNITTE,S.	9505300234	40-341
MINOGUE,R.B.	7904090058*	40-8434
MIRANDA,S.	9505040225	CONTRACT
MITCHELL,C.K.	9505080016*	STATE PRO G
MITCHELL,M.H.	9505020047	50-255 F
MITCHELL,M.H.	9505020091	50-255 F
MITCHELL,M.H.	9505100243	50-255 F
MITCHELL,M.H.	9505100251	50-255 F
MITCHELL,M.H.	9505100254	50-255 F
MIURA,N.	9505040365	NUREG
MIYAHARA,B.A.	9505250032	STATE PRO G
MOBLEY,M.H.	9505300067	PR
MODES,M.C.	9505030080	50-387 Q
MODES,M.C.	9505030087*	50-387 Q
MODES,M.C.	9505030196	50-334 P
MODES,M.C.	9505050035	50-220 Q
MODES,M.C.	9505050043*	50-220 Q
MODES,M.C.	9505090065	50-286 Q
MODES,M.C.	9505090070*	50-286 Q
MODES,M.C.	9505100035	50-247 Q
MODES,M.C.	9505100048*	50-247 Q
MODES,M.C.	9505240043	50-309 Q
MODES,M.C.	9505240049*	50-309 Q
MODES,M.C.	9505240162	50-309 Q
MODES,M.C.	9505240167*	50-309 Q
MODES,M.C.	9505240201	50-271 Q
MODES,M.C.	9505240204*	50-271 Q
MODES,M.C.	9505310048	50-286 Q
MOFFAT,R.	9505050229*	FOIA
MOFFETT,E.	9505020120*	50-282 Y
MONKS,R.E.	9505110326*	WASTE MGT
MONNINGER,J.D.	9505230108	52-3
MONNINGER,J.D.	9505240293	52-3
MONNINGER,J.D.	9505260072	52-3
MONRO,W.	9505150218	50-293 R
MONTAGUE,D.F.	9505110301*	FOIA
MONTELEONE,S.	9505230106	NUREG
MONTELEONE,S.	9505230109	NUREG
MONTELEONE,S.	9505230115	NUREG
MONTT,D.A.	9505040165	50-293 R
MOORE,F.	9505030059*	FOIA
MOORE,F.	9505030132*	FOIA
MOORE,F.D.	9505020373*	FOIA
MOORE,F.D.	9505020375*	FOIA
MOORE,F.D.	9505030070*	FOIA
MOORE,F.D.	9505030074*	FOIA
MOORE,F.D.	9505030118*	FOIA
MOORE,K.	9505180342*	50-254 R
MOORE,K.	9505180352*	50-254 R
MOORE,R.	9505020034*	50-424 Q
MOORE,R.	9505110026*	50-259 Q
MOORE,T.S.	9505040061	70-3070
MOORE,W.	9505040243	CONTRACT
MOORE,W.	9505040251	CONTRACT
MORAN,D.H.	9505190378	50-354 P
MORAN,D.H.	9505260146*	50-277 P
MORAN,J.W.	9505260067*	50-219 F
MORENO,L.	9505040294*	WASTE MGT
MORENO,L.	9505310279*	WASTE MGT
MORETTI,E.J.	9505250245*	40-564
MOREY,D.	9505020344	50-348 R
MOREY,D.	9505030185	50-348 R
MOREY,D.	9505110011	50-348 Q
MOREY,D.	9505180554	50-348 F
MOREY,D.	9505230056	50-348 P
MOREY,D.	9505230081	50-348 Q
MOREY,D.	9505230121	50-348 H
MORGAN,M.J.	9505110052*	50-348 Q
MORRISON,D.L.	9505220221	GEN TEC I S
MORTENSEN,S.	9505120107	40-8681
MOSBAUGH,A.L.	9505180498	50-424 G
MOUNT,D.K.	9505220126	PR
MOUNT,D.K.	9505250025	STATE PRO G
MOWERY,J.D.	9505010161	50-454 S
MOWREY,C.L.	9505150083	50-250 S
MOWREY,C.L.	9505190285	50-250 S
MOYER,T.C.	9505150314*	WASTE MGT
MOZAFARI,B.	9505220243	50-261 P
MOZAFARI,B.L.	9505040277	50-261 P
MOZAFARI,B.L.	9505050114	50-261 P
MUELLER,J.H.	9505030446	50-298 P
MUELLER,J.H.	9505050069*	50-298 Q
MUELLER,J.H.	9505080087	50-298 P
MUELLER,J.H.	9505090142	50-298 Q
MUELLER,J.H.	9505150070	50-298 Q
MUELLER,J.H.	9505180594	50-298 P
MUELLER,J.H.	9505190174*	50-298 P
MUELLER,J.H.	9505230033	50-298 Q
MULAY,S.J.	9208100050*	FOIA
MULDER,R.U.	9505240356	50-62 P
MULLAUER,J.	9505090313*	30-10975
MUNTZ,J.A.	9505180301	50-352 R
MUNTZING,L.M.	9505220127	PR
MURLEY,T.E.	9505190295*	FOIA
MURRAY,B.	9505030110*	50-528 Q
MURRAY,B.	9505050056*	50-602 Q
MURRAY,B.	9505090004*	50-445 Q
MURRAY,B.	9505090050*	50-482 Q
MURRAY,B.	9505180084*	50-344 Q
MURRAY,B.	9505180087*	50-397 Q
MURRAY,B.	9505180129*	50-313 Q
MURRAY,B.	9505180183*	50-445 Q
MURRAY,B.	9505180215*	50-397 Q
MURRAY,B.	9505180328*	50-285 Q
MURRAY,B.	9505260038*	50-458 Q
MYERS,J.	9505180203*	STATE PRO G
MYSER,R.	9505150151	50-150 F
NAIR,P.K.	9505120093*	PROJ
NARDONE,P.E.	9505180255	50-443 R
NATARAJA,M.	9505150081*	40-8902
NATARAJA,M.	9505180448*	40-8902
NATHAN,D.	9505010268*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
NATHAN,D.G.	9505010152*	FOIA
NATHAN,D.G.	9505010182*	FOIA
NATHAN,D.G.	9505010198*	FOIA
NATHAN,D.G.	9505010199*	FOIA
NATHAN,D.G.	9505010200*	FOIA
NATHAN,D.G.	9505010202*	FOIA
NATHAN,D.G.	9505010215*	FOIA
NATHAN,D.G.	9505010220*	FOIA
NATHAN,D.G.	9505010225*	FOIA
NAUS,J.E.	9505220108	PR
NEILL,W.A.	9505080061*	FOIA
NELSON,E.E.	9505190018	NUREG
NELSON,M.A.	9505190242	50-289 F
NELSON,R.A.	9505020242	WASTE MGT
NELSON,R.A.	9505110146	40-8948
NELSON,R.A.	9505150040	40-8948
NELSON,R.A.	9505180204	40-8948
NELSON,R.A.	9505180285	40-8948
NERETNIEKS,I.	9505040294*	WASTE MGT
NERETNIEKS,I.	9505310279*	WASTE MGT
NERSES,V.	9505090277	50-369 P
NERSES,V.	9505090282*	50-369 P
NEUMAN,G.M.	9505190238	50-440 R
NEWBERRY,S.F.	9505110248	PROJ
NEWBURGH,G.	9505240345	50-245 R
NEWLAND,J.A.	9505220133	PR
NEWLAND,J.A.	9505230252	71-9263
NEWTON,R.	9505090208	50-324 F
NEWTON,R.	9505260046	50-324 F
NEWTON,R.A.	9505090057	PR
NEWTON,R.A.	9505100058	TOPREP
NEWTON,R.R.	9505250275	50-324 F
NEWTON,R.R.	9505260033	50-324 F
NICHOLS,M.C.	9505050207	71-696
NICHOLSON,L.E.	9505030271*	50-245 Q
NICHOLSON,L.E.	9505100081*	50-213 Q
NICHOLSON,L.E.	9505240064*	50-245 Q
NICK,J.	9505020182*	50-309 Q
NICK,J.	9505240021*	50-271 Q
NIELSON,D.R.	9505250020	STATE PRO G
NIELSON,D.R.	9505250132	STATE PRO G
NOCE,C.D.	9505020231	50-280 R
NOEL,J.L.	9505250084	70-27
NOGGLE,J.	9505180053*	50-244 Q
NONAKA,N.	9505230306*	FOIA
NONSTAD,R.K.	9505230186*	ORG
NOONAN,T.P.	9505100143	50-334 R
NOONAN,T.P.	9505120100	50-334 P
NORDIN,R.A.	9505180597	50-160 G
NORDIN,R.A.	9505180601*	50-160 G
NORDQVIST,R.	9505040286*	WASTE MGT
NORELIUS,C.E.	9208100044*	FOIA
NORELIUS,C.E.	9505190195*	FOIA
NORMAN,R.R.	9505120088*	40-3453
NORMAN,R.R.	9505120092*	40-3453
NORRIS,J.A.	9505040086	50-335 P
NORRIS,J.A.	9505090243	50-389 Q
NORRIS,J.A.	9505190301	50-335 P
NORRIS,J.A.	9505260042	50-335 P
NORTON,L.J.	9505190255*	50-498 Q
NOSS,D.L.	9505010116	XPORTLIC
NOSS,D.L.	9505180543	70-1257
NUDING,M.	9505090038	50-250 S
NUDING,M.	9505300156	50-266 S
NULL,K.G.	9505090316*	30-17512
NUSSBAUMER,D.A.	9505230313*	40-1790
NUSSBAUMER,D.A.	9505230360*	40-1790
NUSSBAUMER,D.A.	9505230369*	40-1790
O'BRIEN,C.E.	9505040420*	50-374 P
O'BRIEN,J.G.	9505040157	40-8610
O'BRIEN,T.J.	9505250068	71-*****
O'BRIEN,T.J.	9505250072*	71-*****
O'CONNOR,J.J.	9505050162*	50-10 W
O'CONNOR,P.	9505150140*	FOIA
O'CONNOR,P.W.	9505050306	50-416 P
O'CONNOR,P.W.	9505180151	50-416 P
O'DONNELL,E.	9505030447	NUREG
O'HANLON,J.P.	9505030335	50-280 P
O'HANLON,J.P.	9505050201	50-281 Q
O'HANLON,J.P.	9505050310	50-280 P
O'HANLON,J.P.	9505050312	50-280 P
O'HANLON,J.P.	9505120041	50-280 P
O'HANLON,J.P.	9505180536	50-338 F
O'HANLON,J.P.	9505190381	50-281 Q
O'HANLON,J.P.	9505220191	50-280 Q
O'HANLON,J.P.	9505240087	50-280 F
O'HANLON,J.P.	9505250191	50-338 Y
O'HANLON,J.P.	9505260177	50-280 F
O'HANLON,J.P.	9505310127	50-338 F
O'MEALIA,M.	9505240378	50-498 Q
O'STEEN,J.K.	9505250190	ORG
ODELL,W.H.	9505110210	50-458 R
ODETTE,G.R.	9505190018	NUREG
OFOEGBU,G.I.	9505040377	NUREG
OFOEGBU,G.I.	9505180606*	WASTE MGT
OFSTUN,R.P.	9505260464*	52-3
OGLE,C.R.	9505300110*	50-261 Q
OHANLON,J.P.	9505190311	50-338 S
OKAZAKI,R.	9505250081*	STATE PRO G
OLIVIER,L.J.	9505150218	50-293 R
OLSEN,A.F.	9505040098*	70-27
OLSEN,A.F.	9505040111*	70-27
OLSEN,A.F.	9505040127*	70-27
OLSEN,A.F.	9505040137*	70-27
OLSEN,A.F.	9505040246	70-27
OLSEN,A.F.	9505260266	70-27
OLSEN,A.F.	9505260350	70-27
OLSEN,A.F.	9505300018	70-27
OLSEN,C.	9505190304	50-280 R
OLSEN,H.O.	9505230168*	50-317 R
OLSEN,H.O.	9505230174*	50-317 R
OLSEN,H.O.	9505230177*	50-317 R
OLSHAN,L.N.	9505010009	50-272 P
OLSHAN,L.N.	9505090170	50-272 P
OLSHAN,L.N.	9505090269	50-272 P
OLSHAN,L.N.	9505190379	50-272 P
OLSON,M.	9505150179	50-456 S
OLSON,P.R.	9505040420*	50-374 P
ONG,A.	9505030256	50-275 R
OPARKA,E.J.	9505220245*	40-1790
OPEKA,J.F.	9505020207	50-423 P
OPEKA,J.F.	9505020207	50-423 P
OPEKA,J.F.	9505020313	50-213 F
OPEKA,J.F.	9505020313	50-213 F
OPEKA,J.F.	9505040424	50-245 P
OPEKA,J.F.	9505040424	50-245 P
OPEKA,J.F.	9505050060	50-245 R
OPEKA,J.F.	9505050060	50-245 R
OPEKA,J.F.	9505050062	50-213 R
OPEKA,J.F.	9505050062	50-213 R
OPEKA,J.F.	9505050067	50-213 R
OPEKA,J.F.	9505050067	50-213 R
OPEKA,J.F.	9505050070	50-245 R
OPEKA,J.F.	9505050070	50-245 R
OPEKA,J.F.	9505050107	50-423 P
OPEKA,J.F.	9505050107	50-423 P
OPEKA,J.F.	9505050166	50-423 P
OPEKA,J.F.	9505050166	50-423 P
OPEKA,J.F.	9505050175	50-423 P
OPEKA,J.F.	9505050175	50-423 P
OPEKA,J.F.	9505050345	50-423 P
OPEKA,J.F.	9505050345	50-423 P
OPEKA,J.F.	9505080095	50-213 P
OPEKA,J.F.	9505080095	50-213 P
OPEKA,J.F.	9505090261	50-213 Q
OPEKA,J.F.	9505090261	50-213 Q
OPEKA,J.F.	9505110213	50-423 P
OPEKA,J.F.	9505110213	50-423 P
OPEKA,J.F.	9505150282	50-336 P
OPEKA,J.F.	9505150282	50-336 P
OPEKA,J.F.	9505230094	50-213 P
OPEKA,J.F.	9505230194	50-245 G
OPEKA,J.F.	9505230194	50-245 G
OPEKA,J.F.	9505230198	50-336 Q
OPEKA,J.F.	9505230198	50-336 Q
OPEKA,J.F.	9505240079	50-336 P
OPEKA,J.F.	9505240079	50-336 P
OPEKA,J.F.	9505240211	50-213 F
OPEKA,J.F.	9505240211	50-213 F
OPEKA,J.F.	9505240211	50-213 F
OPEKA,J.F.	9505240229	50-336 Q
OPEKA,J.F.	9505240229	50-336 Q
OPEKA,J.F.	9505240239	50-423 P
OPEKA,J.F.	9505240239	50-423 P
OPEKA,J.F.	9505260317	50-423 P
OPEKA,J.F.	9505260317	50-423 P
OPEKA,J.F.	9505260330	50-245 Q
OPEKA,J.F.	9505260330	50-245 Q
OPEKA,J.F.	9505260333	50-245 P
OPEKA,J.F.	9505260333	50-245 P
OPEKA,J.F.	9505300014	50-213 Q
OPEKA,J.F.	9505300014	50-213 Q
OPEKA,J.F.	9505310459	50-336 P
OPEKA,J.F.	9505310459	50-336 P
ORDERS,W.T.	9505300110*	50-261 Q
ORLANDO,D.A.	9505100270	40-341
ORLANDO,D.A.	9505260205	40-341
ORLANDO,T.	9505240347	50-286 R
ORNSTEIIN,H.L.	9505180319	NUREG
ORR,F.R.	9505190352	TOPREP
ORR,R.S.	9505050145	PT21
ORR,R.S.	9505110227	PT21
ORR,R.S.	9505190154	PT21
ORR,R.S.	9505250206	QA999
ORTCIGER,T.W.	9505030114	STATE PRO G
ORTCIGER,T.W.	9505230131	STATE PRO G
ORTCIGER,T.W.	9505250050	STATE PRO G
OSGOOD,N.L.	9505190086	NUREG
OSHINOWO,F.	9505190030	70-754
PADOVANO,F.	9505250046	50-266 S
PAI,G.G.	9505250051*	STATE PRO G
PALLA,R.L.	9505190360	PROJ
PANHUISE,V.E.	9505220131	PR
PAPERIELLO,C.J.	9501270246*	ADVCM
PAPERIELLO,C.J.	9505100130	70-7001
PAPERIELLO,C.J.	9505120084	WASTE MGT
PAPERIELLO,C.J.	9505190387*	70-7001
PAPERIELLO,C.J.	9505190393	ORG
PAPERIELLO,C.J.	9505260248*	40-8027
PAPERIELLO,C.J.	9505260478	40-8027
PAPINEAU,S.M.	9505300253	50-309 H
PAQUETTE,J.F.	9505180017	50-277 I
PARIS,R.D.	9505250169	STATE PRO G
PARKER,B.A.	9505240179*	50-400 Q
PARKER,T.	9505030145	50-263 S
PARLER,W.C.	9505120263*	FOIA
PARRISH,J.V.	9505020252	50-397 R
PARRISH,J.V.	9505030158	50-397 P
PARRISH,J.V.	9505030438	50-397 P
PARRISH,J.V.	9505030441*	50-397 P
PARRISH,J.V.	9505100003	50-397 F
PARRISH,J.V.	9505100247	50-397 S
PARRISH,J.V.	9505100253	50-397 S
PARRISH,J.V.	9505120051	50-397 S
PARRISH,J.V.	9505180272	50-397 R
PARRISH,J.V.	9505180363	50-397 Q
PARRISH,J.V.	9505190161	50-397 Q
PARRISH,J.V.	9505230014	50-398 P
PARRISH,J.V.	9505250073	50-397 P
PARRISH,J.V.	9505250089	50-397 S
PASCIAK,W.J.	9505260020	STATE PRO G
PASCIAK,W.J.	9505310011	STATE PRO G
PASSWATER,A.C.	9505230324	50-483 P
PASTVA,M.J.	9505090252	50-272 S
PASTVA,M.J.	9505180131	50-311 S
PASTVA,M.J.	9505310243*	50-272 S
PATEL,C.P.	9505040101	50-382 P
PATEL,C.P.	9505040103*	50-382 P
PATEL,C.P.	9505180196	50-382 P
PATEL,C.P.	9505180202*	50-382 P
PATEL,C.P.	9505250098	50-382 P
PATEL,C.P.	9505260106	50-382 P
PATNAIK,P.	9505030087*	50-387 Q
PATNAIK,P.	9505100048*	50-247 Q
PATRICK,W.C.	9505010150	WASTE MGT
PATRICK,W.C.	9505020383	WASTE MGT
PATRICK,W.C.	9505120090	PROJ
PATRICK,W.C.	9505180605	WASTE MGT
PATTERSON,C.A.	9505050150*	50-324 Q
PATTERSON,T.L.	9505030465	50-285 P
PATTERSON,T.L.	9505100131	50-285 R
PATTERSON,T.L.	9505120030	50-285 R
PATTERSON,T.L.	9505150047	50-285 S
PATTERSON,T.L.	9505150123	50-285 H
PATTERSON,T.L.	9505220172	50-285 R
PATTERSON,T.L.	9505310231	50-285 R
PAUL,D.	9505090276	NUREG
PAUSTIAN,H.H.	9505190287	50-263 R
PAYNE,D.C.	9505050024*	50-261 Q
PAYNE,J.O.	9505250028*	STATE PRO G
PEARCE,L.W.	9505010089	50-254 R
PEARCE,L.W.	9505100133	50-254 S
PEARCE,L.W.	9505230237	50-254 V
PEARCE,L.W.	9505230238	50-254 V
PEARCE,L.W.	9505230242	50-254 V
PEDERSON,C.D.	9505030032	40-7102
PEDERSON,C.D.	9505030191	I&E
PEDERSON,C.D.	9505030205	I&E
PEDERSON,C.D.	9505100069	I&E
PEDRO,J.M.	9505120051	50-397 S
PEEBLES,T.A	9505050012	50-261 Q
PEEBLES,T.A.	9505020036*	50-327 Q
PEEBLES,T.A.	9505020081	50-250 Q
PEEBLES,T.A.	9505020122	50-269 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PEEBLES,T.A.	9505050024*	50-261 Q
PEEBLES,T.A.	9505180032	50-259 Q
PEEBLES,T.A.	9505300020	50-413 V
PEEBLES,T.A.	*9505300113*	*50-325 V*
PEEBLES,T.A.	9505300120*	50-325 V
PEEBLES,T.A.	9505310057	50-261 V
PEGG,W.D.	9505180312*	50-263 Q
PELLET,J.L.	9505150090*	50-498 Q
PELLET,J.L.	*9505260015**	*50-445 Q*
PELLETIER,J.P.	9505300430	50-271 P
PELUSO,L.	9505030076*	50-219 Q
PELUSO,L.	9505240142*	50-387 Q
PENDERGAST,J.M.	9505150201*	50-341 S
PENROD,K.L.	9505100243	50-255 F
PENROD,K.L.	9505100251	50-255 F
PENROD,K.L.	9505100254	50-255 F
PERCH,R.L.	9505110244	TOPREP
PEREZ,P.B.	9505110009	50-297 P
PERGERSON,B.	9505090089	50-324 F
PERGERSON,B.	9505190282	50-324 F
PERGERSON,B.	9505230084	50-324 F
PERGERSON,B.	9505260039	50-324 F
PERKINS,J.	9505190203*	50-309 H
PERKINS,K.E.	9505230024	50-361 Q
PERRERO,D.	9505120135*	STATE PRO G
PERRERO,D.	9505120139*	STATE PRO G
PERRERO,D.	9505120147*	STATE PRO G
PERRERO,D.	9505120151*	STATE PRO G
PERRERO,D.	9505120154*	STATE PRO G
PERRERO,D.	9505120157*	STATE PRO G
PERRERO,D.	9505120164*	STATE PRO G
PERRERO,D.	9505120166*	STATE PRO G
PERRERO,D.	9505120171*	STATE PRO G
PERRERO,D.	9505120177*	STATE PRO G
PERRERO,D.	9505120178*	STATE PRO G
PERRERO,D.	9505120181*	STATE PRO G
PERRERO,D.	9505120182*	STATE PRO G
PERRERO,D.	9505120186*	STATE PRO G
PERRERO,D.	9505120188*	STATE PRO G
PERRERO,D.	9505120190*	STATE PRO G
PERRERO,D.	9505120192*	STATE PRO G
PERRERO,D.	9505120194*	STATE PRO G
PERRERO,D.	9505120195*	STATE PRO G
PERRERO,D.	9505120197*	STATE PRO G
PERRERO,D.	9505120198*	STATE PRO G
PERRERO,D.	*9505120200**	*STATE PRO G*
PERRERO,D.	9505120201*	STATE PRO G
PERRERO,D.	9505120217*	STATE PRO G
PERRERO,D.	9505120219*	STATE PRO G
PERRERO,D.	9505120223*	STATE PRO G
PERRERO,D.	9505120225*	STATE PRO G
PERRERO,D.	9505120227*	STATE PRO G
PERRERO,D.	9505120230*	STATE PRO G
PERRERO,D.	9505120231*	STATE PRO G
PERRERO,D.	9505120234*	STATE PRO G
PETER,P.A.	9505040082*	50-305 P
PETERMAN,Z.	*9505310285**	*WASTE MGT*
PETERS,J.	9505050281	71-532
PETROSINO,J.J.	9505190101*	QA999
PETSCHAUER,F.	9505240257	50-322 J
PETTIS,R.L.	9505220019*	QA999
PFISTER,D.	*9505230316**	*FOIA*
PHARES,R.F.	9505020239	50-461 R
PHARES,R.F.	9505020338	50-461 R
PHARES,R.F.	9505100010	50-461 R
PHARES,R.F.	9505310120	50-461 F
PHARR,E.B.	9505020026*	70-1151
PHARR,E.B.	*9505240085**	*70-1201*
PHARR,E.B.	9505310018*	70-27
PHILIP,J.	9505040377	NUREG
PHILLIPS,L.E.	9505260435	ORG
PHILLIPS,M.P.	9505090102	50-155 Q
PHILLIPS,M.P.	*9505090106**	*50-155 Q*
PHILLIPS,M.P.	9505190082	50-155 Q
PHILLIPS,M.P.	9505190103*	50-155 Q
PHILLIPS,M.P.	9505190221	50-341 Q
PHILLIPS,M.P.	9505190229*	50-341 Q
PHILLIPS,R.	9505180213	50-311 R
PHILLIPS,R.	9505180218	50-272 R
PICKETT,D.V.	9505090179	50-461 P
PICKETT,D.V.	9505090183*	50-461 P
PIERLUISSI,D.J.	9505150261*	FOIA
PIERSON,R.C.	9505020223	70-364
PIERSON,R.C.	9505020227*	70-364
PIERSON,R.C.	9505110154	70-36
PIERSON,R.C.	9505110156*	70-36
PIERSON,R.C.	9505120133	70-27
PIERSON,R.C.	9505120137*	70-27
PIERSON,R.C.	9505180139	70-734
PIERSON,R.C.	9505180175	70-27
PIERSON,R.C.	9505180180*	70-27
PIERSON,R.C.	*9505180254*	*70-36*
PIERSON,R.C.	9505180260*	70-36
PIERSON,R.C.	9505180382	70-364
PIERSON,R.C.	9505230333	70-143
PIERSON,R.C.	9505240311*	40-3392
PIERSON,R.C.	*9505250034*	*70-1703*
PIERSON,R.C.	9505250038*	70-1703
PIERSON,R.C.	9505250348*	70-36
PIERSON,R.C.	9505260347	40-6563
PIERSON,R.C.	9505260351	70-36
PIERSON,R.C.	9505260352*	70-36
PIERSON,R.C.	9505260361	70-1257
PIERSON,R.C.	9505260365	70-1257
PIET,P.L.	9505050082	50-237 P
PIET,P.L.	9505150252	50-237 P
PIET,P.L.	9505240023	50-237 P
PINELLI,R.A.	9505150016	TOPREP
PINELLI,R.A.	9505250207	TOPREP
PINZON,J.	9505020267*	50-499 S
PINZON,J.	9505030290*	50-498 S
PINZON,J.	9505110056	50-499 S
PINZON,J.	9505150212*	50-498 S
PINZON,J.	9505230071*	50-499 S
PINZON,J.	9505310337*	50-498 S
PIRNAT,W.	9505020350	50-455 S
PIRTLE,G.L.	9505230050*	50-483 Q
PITTIGLIO,C.L.	9505260160	50-267 W
PITTIGLIO,C.L.	9505260214	50-267 W
PLUNKETT,J.F.	9505190385	50-250 R
PLUNKETT,T.F.	9505020194	50-250 R
PLUNKETT,T.F.	9505030472	50-250 P
PLUNKETT,T.F.	9505120122	50-250 P
PLUNKETT,T.F.	9505120128	50-250 Q
PLUNKETT,T.F.	9505150083	50-250 S
PLUNKETT,T.F.	9505180603	50-250 K
PLUNKETT,T.F.	9505180607	50-250 R
PLUNKETT,T.F.	9505310096	50-250 P
POLICH,T.J.	9505080209	50-445 P
POLICH,T.J.	9505220097	50-445 F
POLICH,T.J.	9505220145	50-445 P
POLICH,T.J.	9505250176	50-445 P
POLICH,T.J.	9505250319	50-445 P
POLICH,T.J.	*9505250332*	*50-445 F*
POMERENING,D.J.	9505120093*	PROJ
PONTIOUS,H.D.	9505300398	50-454 P
POSLUSNY,C.	9505040102	50-387 P
POSLUSNY,C.	9505180535	50-387 P
POTCHEN,E.J.	9505010258*	FOIA
POTCHEN,E.J.	9505010263*	FOIA
POTCHEN,E.J.	9505020337*	FOIA
POTCHEN,E.J.	9505030144*	FOIA
POTCHEN,E.J.	9505030194*	FOIA
POTCHEN,E.J.	9505030204*	FOIA
POTCHEN,E.J.	9505040045*	FOIA
POTCHEN,E.J.	9505040078*	FOIA
POTCHEN,E.J.	9505040084*	FOIA
POTCHEN,E.J.	9505040087*	FOIA
POTCHEN,E.J.	9505040090*	FOIA
POTCHEN,E.J.	*9505040095**	*FOIA*
POTCHEN,E.J.	9505040162*	FOIA
POTCHEN,E.J.	9505040168*	FOIA
POTCHEN,E.J.	9505040170*	FOIA
POTCHEN,E.J.	9505040183*	FOIA
POTCHEN,E.J.	9505040279*	FOIA
POTCHEN,E.J.	9505040334*	FOIA
POTCHEN,E.J.	9505040336*	FOIA
POTCHEN,E.J.	9505050125*	FOIA
POTCHEN,E.J.	9505050128*	FOIA
POTCHEN,E.J.	9505050237*	FOIA
POTCHEN,E.J.	*9505050238**	*FOIA*
POTCHEN,J.	9505030147*	FOIA
POTCHEN,J.	9505040180*	FOIA
POTTER,M.D.	9505180468*	50-265 P
POWELL,R.	9505240278	50-498 P
POWELL,R.	9505240403	50-458 Q
POWELL,R.	9505240421	50-498 Q
POWELL,R.	9505250100	50-255 Y
POWELL,R.	9505250152	40-8434
POWELL,R.	9505250289	FOIA
POWELL,R.A.	9505010058	FOIA
POWELL,R.A.	9505010157	50-250 G
POWELL,R.A.	9505010170	FOIA
POWELL,R.A.	9505010173	50-250 P
POWELL,R.A.	9505010206	FOIA
POWELL,R.A.	9505010213	FOIA
POWELL,R.A.	9505010244	FOIA
POWELL,R.A.	9505030431	FOIA
POWELL,R.A.	9505080157	50-498 Q
POWELL,R.A.	*9505080246*	*FOIA*
POWELL,R.A.	9505090292	30-2646
POWELL,R.A.	9505150122	50-220 P
POWELL,R.A.	9505150239	70-1489
POWELL,R.A.	9505150253	50-341 H
POWELL,R.A.	*9505190072*	*FOIA*
POWELL,R.A.	9505190099	50-498 G
POWELL,R.A.	9505190128	FOIA
POWELL,R.A.	9505190222	50-498 Q
POWELL,R.A.	9505190236	FOIA
POWELL,R.A.	9505230213	FOIA
POWELL,R.A.	9505230232	70-3073
POWELL,R.A.	9505230320	FOIA
POWELL,R.A.	9505240418	40-8914
POWERS,D.A.	9505050083*	50-528 Q
POWERS,D.A.	9505100159	ACRS
POWERS,D.A.	9505260058*	50-312 Q
PRAGER,D.E.	9505020354*	50-282 P
PRANGE,B.A.	9505190121	I&E
PRATT,F.	9505260230	71-9263
PRESSBURGER,M.	9505040420*	50-374 P
PREVATTE,R.L.	9505020070*	50-335 Q
PREVATTE,R.L.	9505310101*	50-335 Q
PRICE,E.R.	9505230222*	40-1790
PRICE,E.R.	9505230265*	40-1790
PRICE,J.D.	9505040093*	70-3070
PRINCE,R.J.	9505020003*	50-445 R
PRIVIDY,L.J.	9505100127*	50-286 Q
PROCTOR,R.H.	9505240285*	40-8976
PROFFITT,J.W.	9505100080*	50-327 S
PTAK,M.J.	9505260253*	WASTE MGT
PULSIFER,R.M.	9505040012	50-254 P
PULSIFER,R.M.	9505080194	50-254 P
PULSIFER,R.M.	9505080199*	50-254 P
QIAY,T.	9505150202*	FOIA
QUAY,T.	9505150164*	FOIA
QUAY,T.	9505150165*	FOIA
QUAY,T.	9505150207*	FOIA
QUAY,T.	9505150214*	FOIA
QUAY,T.	9505150215*	FOIA
QUAY,T.	9505150220*	FOIA
QUAY,T.	9505150223*	FOIA
QUAY,T.	*9505150226**	*FOIA*
QUAY,T.	9505150231*	FOIA
QUAY,T.	9505150248*	FOIA
QUAY,T.	9505150251*	FOIA
QUAY,T.	9505150254*	FOIA
QUAY,T.	9505150257*	FOIA
QUAY,T.	9505150262*	FOIA
QUAY,T.	9505150264*	FOIA
QUAY,T.	9505150292*	50-247 P
QUAY,T.	9505150298*	50-315 P
QUAY,T.	9505150303*	50-483 P
QUAY,T.	9505190215*	FOIA
QUAY,T.	9505190217*	FOIA
QUAY,T.	9505190223*	FOIA
QUAY,T.	9505190231*	FOIA
QUAY,T.	9505190239*	50-461 P
QUAY,T.	*9505190249**	*FOIA*
QUAY,T.	9505190256*	FOIA
QUAY,T.	9505190275*	50-220 P
QUAY,T.	9505190290*	FOIA
QUAY,T.	9505190291*	FOIA
QUAY,T.	9505190300*	FOIA
QUAY,T.	9505190306*	FOIA
QUAY,T.	9505190310*	FOIA
QUAY,T.	9505190330*	FOIA
QUAY,T.	9505190332*	FOIA
QUAY,T.	9505190334*	FOIA
QUAY,T.	*9505190336**	*FOIA*
QUAY,T.	9505190349*	FOIA
QUEALY,P.D.	9505150178	50-237 S
QUENNOZ,S.M.	9505020004	50-344 R
QUENNOZ,S.M.	9505020007	50-344 R
QUENNOZ,S.M.	9505020009	50-344 R
QUENNOZ,S.M.	9505050234	71-9260
QUENNOZ,S.M.	9505080072	50-344 P
QUENNOZ,S.M.	9505080076	71-9259
QUENNOZ,S.M.	9505090078	50-344 P
QUENNOZ,S.M.	9505100149	71-9259
QUENNOZ,S.M.	9505180506	50-344 F
QUENNOZ,S.M.	9505250086	71-9259
QUENNOZ,S.M.	9505250090	71-9260
QUERIO,R.E.	9505110328	50-373 P
QUERIO,R.E.	9505150058	50-373 R

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
QUERIO,R.E.	9505300311	50-373 P
QUILLIN,R.M.	9505040011	NUREG
QUILLIN,R.M.	9505180566*	STATE PRO G
QUILLIN,R.M.	9505220016	STATE PRO G
QUINN,J.E.	9505020476	52-4
QUINN,J.E.	9505040174	52-4
QUINN,J.E.	9505040357	52-4
QUINN,J.E.	9505040371	52-4
QUINN,J.E.	9505100091	52-4
QUINN,J.E.	9505100230	52-4
QUINN,J.E.	9505180446	52-4
QUINN,J.E.	9505180462	52-4
QUINN,J.E.	9505180467	52-4
QUINN,J.E.	9505180551	52-4
QUINN,J.E.	9505230101	52-4
QUINN,J.E.	9505300008	52-4
QUINN,S.	9505090077	50-3 R
QUINN,S.E.	9505030096	50-247 F
QUINN,S.E.	9505050085	50-247 P
QUINN,S.E.	9505050087*	50-247 P
QUINN,S.E.	9505100034	50-3 R
QUINN,S.E.	9505120105	50-247 P
QUINN,S.E.	9505120112*	50-247 P
QUINN,S.E.	9505150163	50-3 R
QUINN,S.E.	9505150301	50-247 R
QUINN,S.E.	9505180300	50-247 F
QUINN,S.E.	9505180515	50-3 I
QUINN,S.E.	9505230346	50-247 P
QUINN,S.E.	9505240145	50-247 S
QUINN,S.E.	9505260482	50-247 R
QUINN,S.E.	9505300268	50-247 F
QUINTON,M.D.	9505180548	50-395 R
RADDATZ,M.G.	9505300137	50-312 Q
RADEMACHER,B.J.	9505010166	71-*****
RADEMACHER,J.	9505050224	71-*****
RADEMACHER,J.F.	9505010169*	71-*****
RADEMACHER,J.F.	9505050225*	71-*****
RAGHAVAN,L.	9505020394	50-302 Q
RAGHAVAN,L.	9505050268	50-302 P
RAGHAVAN,L.	9505110293	50-302 P
RAGHAVAN,L.	9505220235	50-302 P
RAGHAVAN,L.	9505220279	50-302 P
RAGLAND,R.	9505020182*	50-309 Q
RAGLAND,R.	9505310032*	50-309 Q
RAGLAND,R.C.	9505240129*	50-387 Q
RAHMAN,S.	9505030455	NUREG
RAHMAN,S.	9505030464	NUREG
RAHMAN,S.	9505040365	NUREG
RAHMAN,S.	9505090276	NUREG
RAHMAN,S.	9505180445	NUREG
RAINEY,G.R.	9505050018	50-277 R
RAINEY,G.R.	9505190299	50-277 R
RAINEY,G.R.	9505300202	50-277 R
RANGANATH,S.	9505010125*	50-271 P
RANKIN,D.B.	9505300196*	50-416 Q
RANKIN,W.H.	9505020061*	50-269 Q
RANKIN,W.H.	9505020134*	50-261 Y
RANKIN,W.H.	9505020159*	50-327 Q
RANKIN,W.H.	9505020170*	50-260 Y
RANKIN,W.H.	9505240170*	50-348 Q
RANKIN,W.H.	9505240179*	50-400 Q
RAPISARDI,J.J.	9505100092	40-8948
RAPISARDI,J.J.	9505100094	40-8948
RAPISARDI,J.J.	9505310265	40-8948
RAPISARDI,J.J.	9505310265	40-8948
RAPISARDI,J.J.	9505310265	40-8948
RASIN,W.H.	9505220137	PR
RASIN,W.H.	9505300064	PR
RATHBUN,D.K.	9505300324	ORG
RATLIFF,R.A.	9505020112	STATE PRO G
RATLIFF,R.A.	9505090097	PR
RATLIFF,R.A.	9505220116	PR
RAVENSCROFT,N.	9505180107*	XPORTLIC
RAY,D.J.	9505010084	50-373 R
RAY,D.J.	9505040121	50-373 R
RAY,D.J.	9505150195	50-374 S
RAY,D.J.	9505180279	50-373 R
RAY,D.J.	9505230083	50-373 S
RAY,D.J.	9505230091	50-374 S
RAZZAQUE,M.M.	9505190368	52-4
RECKLEY,W.D.	9505010028	50-374 P
REDEKER,S.	9505030474	50-312 W
REDEKER,S.	9505260132	50-312 Y
REDEKER,S.J.	9505240263	50-312 F
REED,A.	9505260482	50-247 R
REED,C.A.	9505110180	FOIA
REED,C.A.	9505120245	FOIA
REED,M.	9505110210	50-458 R
REHN,D.L.	9505010162	50-413 R
REHN,D.L.	9505020278	50-413 R
REHN,D.L.	9505100148	50-413 Q
REHN,D.L.	9505150057	50-413 Q
REHN,D.L.	9505230147	50-413 P
REHN,D.L.	9505310109	50-414 S
REHN,D.L.	9505310323	50-414 S
REHN,D.L.	9505310514	50-413 S
REHN,D.L.	9505310541	50-414 P
REHN,D.L.	9505310593	50-413 P
REID,D.A.	9505180253	50-271 R
REIG,J.	9505230336*	FOIA
REILLY,F.K.	9505050248	40-341
REILLY,F.K.	9505050250	40-341
REILLY,F.K.	9505050330	40-341
REILLY,F.K.	9505110313	40-341
REILLY,F.K.	9505260374	40-341
REINHOLDT,R.	9505220096	PR
REIS,T.	9505190027*	50-298 P
REYTBLATT,Z.	9505110306	PR
RHEN,D.L.	9505020334	50-413 R
RHYNE,J.J.	9505110245	50-186 P
RICCIO,J.P.	9211240294*	50-250 G
RICHARDS,S.A.	9505110324	50-199 V
RICHARDS,S.A.	9505180077	50-2 V
RICHARDS,S.A.	9505180083	50-2 V
RICHARDS,S.A.	9505220220	50-225 V
RICHARDS,S.A.	9505230068	50-2 V
RICHARDS,S.A.	9505230381	50-288 V
RICHARDS,S.A.	9505240205	50-170 V
RICHARDS,S.A.	9505240222	50-288 V
RICHARDS,S.A.	9505260019	50-498 V
RICHARDS,W.J.	9505260223	ORG
RICHES,K.	9505310478*	50-341 S
RIDKY,R.W.	9505030447	NUREG
RIFAKES,G.P.	9505100154	70-7002
RING,M.A.	9505050098	50-254 V
RING,M.A.	9505050116	50-155 V
RING,M.A.	9505090020	50-440 V
RING,M.A.	9505090023	50-266 V
RING,M.A.	9505180340	50-456 V
RING,M.A.	9505220010	50-266 P
RING,M.A.	9505220025	50-454 V
RING,M.A.	9505230118	50-440 Q
RING,M.A.	9505240027	50-456 V
RING,M.A.	9505310030	50-305 Q
RISHEL,R.D.	9505040068*	50-305 P
RISHEL,R.D.	9505040077*	50-305 P
RISHEL,R.D.	9505040082*	50-305 P
RISHEL,R.D.	9505090126*	50-530 P
ROBERTS,D.	9505180374*	50-400 Q
ROBERTS,H.R.	9505230307	40-8681
ROBERTS,J.	9505260234*	FOIA
ROBERTS,M.C.	9505030160*	40-2975
ROBINSON,K.R.	9505230160*	50-483 P
ROBINSON,L.L.	9505040034*	50-424 G
ROBINSON,W.R.	9505020473	50-400 R
ROBINSON,W.R.	9505030167	50-400 F
ROBINSON,W.R.	9505090072	50-400 Q
ROBINSON,W.R.	9505100204	50-400 P
ROBINSON,W.R.	9505180263	50-400 R
ROBLEDO,F.	9505090114	PR
RODGERS,R.C.	9505300446	50-245 F
RODRICK,E.	9505220226	50-29 W
ROE,J.W.	9505190051*	50-298 P
ROE,J.W.	9505190068*	50-298 P
ROE,J.W.	9505260185*	50-498 H
ROGAN,R.E.	9505150013	50-261 P
ROGAN,R.E.	9505220109	PR
ROGAN,R.E.	9505230079	50-261 P
ROGAN,R.E.	9505300150	50-261 I
ROGERS,J.A.	9505220139	50-335 R
ROGERS,K.C.	9505020410	COMMISSION
ROGERS,K.C.	9505050240	COMMISSION
ROGERS,K.C.	9505100231	COMMISSION
ROGERS,K.C.	9505120018	COMMISSION
ROGERS,K.C.	9505180493	SPEECHES
ROGERS,K.C.	9505310001	SPEECHES
ROGERS,S.	9505180263	50-400 R
ROGERS,W.G.	9505020036*	50-327 Q
ROGERS,W.G.	9505020086*	50-250 Q
ROGERS,W.G.	9505180036*	50-259 Q
ROGGE,J.	9505050026*	50-443 Q
ROGGE,J.	9505100087*	50-219 Q
ROGGE,J.F.	9505120074*	50-289 Q
ROLLO,J.E.	9505120278*	72-1007
ROONEY,V.L.	9505010245	50-423 P
ROONEY,V.L.	9505040014	50-423 P
ROONEY,V.L.	9505040218	50-423 P
ROONEY,V.L.	9505090303	50-423 P
ROONEY,V.L.	9505150006	50-423 P
ROONEY,V.L.	9505190129	50-423 P
ROONEY,V.L.	9505190132*	50-423 P
ROONEY,V.L.	9505240150	50-423 P
ROONEY,V.L.	9505250226	50-423 P
ROSANO,R.	9505120104	50-387 Q
ROSENBLUM,R.M.	9505240092	50-361 Q
ROSENFIELD,A.	9505030455	NUREG
ROSENFIELD,A.R.	9505190023	NUREG
ROSENTHAL,P.R.	9505260292	70-364
ROSENTHAL,P.R.	9505260372	70-364
ROSHOLT,J.N.	9505150316*	WASTE MGT
ROSS,T.M.	9505110052*	50-348 Q
ROTHERT,W.C.	9505020016	50-293 F
ROTHERT,W.C.	9505040263	50-293 R
ROTHERT,W.C.	9505240439	50-293 R
ROUGHAN,C.	9505050291	71-9035
ROUGHAN,C.	9505240322	71-9039
ROUHIAINEN,P.	9505040275*	WASTE MGT
ROWLAND,T.J.	9505240097	PROJ
ROWLAND,T.J.	9505300061	PROJ
RUDISAIL,S.	9505240037*	50-259 Q
RUDLAND,D.	9505180445	NUREG
RUEGER,G.M.	9505100039	50-275 Q
RUEGER,G.M.	9505180434	50-275 P
RUEGER,G.M.	9505230296	50-275 Q
RUEGER,G.M.	9505250033	50-275 S
RUEGER,G.M.	9505250035	50-323 S
RUEGER,G.M.	9505300307	50-323 P
RULAND,W.	9505190031	50-245 Q
RULAND,W.	9505310020*	50-247 Q
RULAND,W.	9505310058	50-247 Q
RULAND,W.H.	9505020141	50-213 Q
RULAND,W.H.	9505020156*	50-213 Q
RULAND,W.H.	9505190046*	50-245 Q
RULAND,W.H.	9505310060	50-410 Q
RULAND,W.H.	9505310072*	50-410 Q
RUPERT,C.	9505220125	PR
RUPERT,W.M.	9505120039	40-7604
RUSSELL,W.	9505220199	50-286 H
RUSSELL,W.T.	9505010261*	FOIA
RUSSELL,W.T.	9505090255*	50-410 P
RUSSELL,W.T.	9505090283	50-361 G
RUSSELL,W.T.	9505090286*	50-361 G
RUSSELL,W.T.	9505090289*	50-361 G
RUSSELL,W.T.	9505100210*	50-397 P
RUSSELL,W.T.	9505190227	ORG
RUSSELL,W.T.	9505190355	ORG
RUSSELL,W.T.	9505190401	50-309 H
RUSSELL,W.T.	9505220219	ORG
RUSSELL,W.T.	9505240283	ORG
RUSSELL,W.T.	9505240405*	50-458 Q
RUSSELL,W.T.	9505250208	NUREG
RUTHERFORD,R.K.	9505090011	NUREG
RYAN,A.F.	9505080151*	FOIA
RYAN,T.L.	9505150082*	TOPREP
RYLEY,M.	9505150144	50-213 R
SACCOMANDO,D.M.	9505020347	50-456 P
SACCOMANDO,D.M.	9505110276	50-456 P
SACCOMANDO,D.M.	9505180004	50-456 Q
SACCOMANDO,D.M.	9505190122	50-456 P
SACCOMANDO,D.M.	9505310183	50-454 P
SAGER,D.A.	9505030201	50-335 Q
SAGER,D.A.	9505040051	50-389 P
SAGER,D.A.	9505090143	50-335 R
SAGER,D.A.	9505120015	50-389 R
SAGER,D.A.	9505180324	50-389 S
SAGER,D.A.	9505180516	50-335 F
SAGER,D.A.	9505220139	50-335 R
SAGER,D.A.	9505240102	50-335 P
SAGER,D.A.	9505240223	50-335 P
SAGER,D.A.	9505310564	50-335 F
SAKSA,P.	9505040278*	WASTE MGT
SALAS,P.	9505030152	50-259 R
SALAS,P.	9505030333	50-260 P
SALAS,P.	9505030483	50-259 P
SALAS,P.	9505190089	50-259 P
SALAS,P.	9505220062	50-259 R
SALAS,P.	9505230163	50-259 P
SALGADO,N.	9505020034*	50-424 Q
SALGADO,N.L.	9505240270*	50-348 Q
SALGADO,N.L.	9505310125*	50-338 Q
SALMON,H.P.	9505030221	50-333 R
SALMON,H.P.	9505180148	50-333 S
SALMON,H.P.	9505180304	50-333 R
SALMON,H.P.	9505250178	50-333 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SALYERS,G.W.	9505020158*	50-395 Q
SALYERS,G.W.	9505020169*	50-395 Q
SALYERS,G.W.	9505240016*	50-395 Q
SANBORN,G.	9505040177*	50-498 F
SANBORN,G.	9505040231*	50-498 Q
SANBORN,G.F.	9505040205*	50-498 Q
SANDERS,D.P.	9505120082	40-341
SANTIAGO,P.	9505120169	I&E
SANTIAGO,P.	9505120174	I&E
SANTIAGO,P.	9505120193	I&E
SANTORUM,R.	9505300347*	50-277 U
SAPORITO,M.J.	9505050113*	50-244 Q
SAPORITO,T.J.	9505040208*	FOIA
SAPORITO,T.J.	9505040229*	50-498 Q
SAPORITO,T.J.	9505230220*	FOIA
SAPORITO,T.J.	9505240417	50-424 F
SARTOR,W.M.	9505310028*	50-400 Q
SATORIUS,M.	9505120167	50-272 Q
SATORIUS,M.	9505120180	50-272 Q
SATORIUS,M.	9505120185	50-237 Q
SATORIUS,M.A.	9505220059	50-237 Q
SATORIUS,M.A.	9505240429*	FOIA
SATORIUS,M.A.	9505240431*	50-498 P
SAVAGE,C.R.	9505150145*	50-244 P
SAWYER,C.B.	9505050252	70-7001
SCACE,S.E.	9505220105	50-213 H
SCARBOROUGH,J.	9505090198	50-261 R
SCHAEFER,D.	9505220147	70-7001
SCHEIDE,R.H.	9505240276	50-313 S
SCHMEIDER,T.	9505150039	50-247 S
SCHMERTZ,J.C.	9505020354*	50-282 P
SCHMIDT,D.	9505250064	40-3392
SCHNEIDER,J.F.	9505260165	50-282 Y
SCHNELL,D.F.	9505030212	50-483 P
SCHNELL,D.F.	9505090124	50-483 R
SCHNELL,D.F.	9505110074	50-483 R
SCHNELL,D.F.	9505120024	50-483 P
SCHNELL,D.F.	9505190138	50-483 P
SCHNELL,D.F.	9505230045	50-483 F
SCHNELL,D.F.	9505230158	50-483 P
SCHOLL,L.L.	9505020156*	50-213 Q
SCHOMMER,K.J.	9505150227	50-305 S
SCHRAGE,J.L.	9505090215	50-254 P
SCHRAGE,J.L.	9505100140	50-265 P
SCHRAGE,J.L.	9505120130	50-254 P
SCHRAGE,J.L.	9505150244	50-254 P
SCHRAGE,J.L.	9505180459	50-265 P
SCHRAGE,J.L.	9505250145	50-237 P
SCHRGE,J.L.	9505230250	50-254 P
SCHULTZ,S.P.	9505300053	PR
SCHULTZ,W.H.	9505090294*	30-2646
SCHULTZ,W.H.	9505090296*	30-17512
SCHULTZ,W.H.	9505090300*	30-10975
SCHULTZ,W.H.	9505250297*	FOIA
SCHULZ,R.K.	9505030447	NUREG
SCHWARTZ,A.	9505030197*	40-*****
SCHWARTZ,G.K.	9505090113	50-304 S
SCHWARTZ,G.K.	9505150119	50-304 S
SCHWARTZ,G.K.	9505190389	50-295 R
SCHWARTZ,G.K.	9505260343	50-295 S
SCHWARTZ,G.K.	9505300127	50-295 S
SCOTT,D.	9505310070	50-456 R
SCOTT,D.J.	9505100083	50-373 F
SCOTT,D.J.	9505190267	50-10 F
SCOTT,D.J.	9505190274	50-295 F
SCOTT,M.A.	9505110052*	50-348 Q
SCOTT,P.	9505030455	NUREG
SCOTT,P.	9505040365	NUREG
SCOTT,P.	9505180445	NUREG
SCOTT,T.F.	9505010278	50-313 S
SEALY,C.O.	9505010174*	40-299
SEELY,H.E.	9505180354	NUREG
SEJKORA,K.J.	9505040165	50-293 R
SELENKOW,H.	9505050255*	FOIA
SELENKOW,H.A.	9505050195*	FOIA
SELENKOW,H.A.	9505050216*	FOIA
SELENKOW,H.A.	9505050230*	FOIA
SELENKOW,H.A.	9505050232*	FOIA
SELENKOW,H.A.	9505050233*	FOIA
SELENKOW,H.A.	9505120014*	FOIA
SELIN,I.	9505030109	SPEECHES
SELIN,I.	9505050015	SPEECHES
SELIN,I.	9505050239	COMMISSION
SELIN,I.	9505080203	10CFR
SELIN,I.	9505100215	COMMISSION
SELIN,I.	9505120023	COMMISSION
SELIN,I.	9505120061	SPEECHES
SELIN,I.	9505120064	SPEECHES
SELIN,I.	9505180132	10CFR
SELIN,I.	9505180518	COMMISSION
SELIN,I.	9505180528	COMMISSION
SELIN,I.	9505180540	COMMISSION
SELIN,I.	9505180559	COMMISSION
SELIN,I.	9505220283	COMMISSION
SELIN,I.	9505310002	SPEECHES
SELLMAN,M.B.	9505110210	50-458 R
SELROOS,J.	9505040345*	WASTE MGT
SETSER,G.D.	9505250147	50-461 S
SHAKOOR,M.	9505020064*	40-2384
SHAKOOR,M.	9505020072*	40-2384
SHANBAKY,M.M.	9505050009	40-7102
SHANBAKY,M.M.	9505050016	40-6940
SHANBAKY,M.M.	9505260012	40-6940
SHANNON,J.	9505310020*	50-247 Q
SHARKEY,R.W.	9505220065	70-36
SHARKEY,R.W.	9505220065	70-36
SHARP,T.R.	9505010096	QA999
SHAW,R.L.	9505030050	STATE PRO G
SHEA,J.W.	9505040308	50-277 P
SHEA,J.W.	9505090248	50-277 P
SHEA,J.W.	9505110114	50-277 P
SHEA,J.W.	9505150104	50-278 P
SHEA,J.W.	9505180059	50-277 P
SHEA,J.W.	9505190003	50-277 P
SHEA,J.W.	9505190329	50-277 P
SHEA,J.W.	9505220234	50-263 P
SHEA,J.W.	9505240127	50-277 P
SHEA,J.W.	9505260139	50-277 P
SHEAN,A.R.	9505180479*	50-309 S
SHEAR,G.L.	9208100050*	FOIA
SHEAR,G.L.	9505100009	40-3392
SHEAR,G.L.	9505150310*	FOIA
SHEIBANI,M.	9505050143	50-424 S
SHELL,R.H.	9505030181	50-327 R
SHELL,R.H.	9505050093	50-327 F
SHELL,R.H.	9505120256	50-327 P
SHELL,R.H.	9505180226	50-327 R
SHELL,R.H.	9505190192	50-327 S
SHELL,R.H.	9505260208	50-327 P
SHELL,R.H.	9505260216	50-328 P
SHELTON,D.	9505020281	50-341 F
SHELTON,D.C.	9505020001	50-440 R
SHELTON,D.C.	9505050102	50-440 P
SHELTON,D.C.	9505050120	50-440 P
SHELTON,D.C.	9505050133	50-440 P
SHELTON,D.C.	9505110097	50-440 P
SHELTON,D.C.	9505110138	50-440 P
SHELTON,D.C.	9505150072	50-440 P
SHELTON,D.C.	9505180520	50-440 R
SHELTON,D.C.	9505190238	50-440 R
SHELTON,D.C.	9505250155	50-440 P
SHELTON,D.C.	9505300380	50-440 P
SHEMBARGER,K.M.	9505080098	52-3
SHEMBARGER,K.M.	9505190130	52-3
SHEMBARGER,K.M.	9505240426	52-3
SHEMBARGER,K.M.	9505260407	52-3
SHERON,B.	9505100175	QA999
SHEWMAKER,R.E.	9505250096*	STATE PRO G
SHEWMAKER,R.E.	9505300296*	WASTE MGT
SHIELDS,W.J.	9505010061	40-8948
SHIELDS,W.J.	9505100105	40-8948
SHIELDS,W.J.	9505100109	40-8948
SHIELDS,W.J.	9505250334	40-8948
SHINGLETON,R.L.	9505050218	71-*****
SHIRAKI C.Y.	9505180176	50-295 Q
SHIRAKI,C.Y.	9505110284	50-295 P
SHIRAKI,C.Y.	9505150167	50-295 P
SHIROTA,Y.	9505190036	XPORTLIC
SHUDRA,K.	9505230230*	FOIA
SHUDRA,K.	9505230235*	FOIA
SHYMLOCK,M.	9505240132*	50-369 Q
SHYMLOCK,M.B.	9505020034*	50-424 Q
SHYMLOCK,M.B.	9505110026*	50-259 Q
SHYMLOCK,M.B.	9505240037*	50-259 Q
SHYMLOCK,M.B.	9505240270*	50-348 Q
SHYMLOCK,M.B.	9505300048*	50-321 Q
SHYMLOCK,M.B.	9505310125*	50-338 Q
SILK,D.	9505310150*	50-244 Q
SIMMONS,D.J.	9505260174*	40-564
SIMMONS,S.J.	9505230365*	40-1790
SIMMONS,S.J.	9505230372*	40-1790
SIMMONS,S.J.	9505240365*	40-1790
SIMMONS,S.J.	9505250264*	40-1790
SIMMONS,S.J.	9505250279*	40-1790
SIMMONS,S.J.	9505260076*	FOIA
SIMMONS,S.J.	9505260242*	40-1790
SIMONSEN,T.L.	9505240194*	50-155 P
SIMOS,N.	9505250113*	50-255 Y
SIMPKIN,T.W.	9505150157	50-295 P
SIMPKIN,T.W.	9505150160	50-295 P
SIMPKIN,T.W.	9505180002	50-295 P
SIMPKIN,T.W.	9505240412	50-295 P
SIMPKIN,T.W.	9505260271	50-304 S
SIMS,J.E.	9505180389*	71-15
SIMS,R.W.	9505040411*	FOIA
SINCLAIR,B.	9505180492	40-3453
SINCLAIR,M.P.	9505250116*	50-255 H
SINCLAIR,W.J.	9505020167	STATE PRO G
SIROIS,E.	9505220306*	50-445 R
SIROIS,E.	9505220307*	50-445 R
SISCO,C.	9505030094*	50-277 Q
SISCO,C.E.	9505100072*	50-245 Q
SKAY,D.M.	9505180303	50-237 P
SKINNER,P.H.	9505040024*	50-424 G
SKINNER,P.H.	9505040024*	50-424 G
SKINNER,P.H.	9505180034	50-424 Q
SKINNER,P.H.	9505180093	50-321 Q
SKINNER,P.H.	9505240187*	50-321 Q
SKOKOWSKI,R.A.	9505220031*	50-286 Q
SLAUGHTER,P.A.	9505260282	50-255 F
SLY,C.	9505150306	50-317 S
SLY,C.	9505220089	50-317 S
SLY,C.D.	9505220094	50-318 S
SMITH,B.J.	9505220081	50-315 F
SMITH,C.L.	9505180347	NUREG
SMITH,D.R.	9505250044	STATE PRO G
SMITH,G.C.	9505100052*	50-245 Q
SMITH,G.C.	9505100074*	50-247 Q
SMITH,G.C.	9505240216*	50-443 Q
SMITH,G.C.	9505310105*	50-286 Q
SMITH,T.R.	9505220062	50-259 R
SOMMER,S.C.	9505180397	NUREG
SOONG,S.	9505100205	70-36
SPELL,B.	9505180098	STATE PRO G
SPELL,W.H.	9505010163	STATE PRO G
SPELL,W.H.	9505040002	70-3070
SPENCE,R.E.	9505020341	WASTE MGT
SPENCE,R.E.	9505020355	WASTE MGT
SPENCE,R.E.	9505030151	WASTE MGT
SPENCE,R.E.	9505030265	WASTE MGT
SPENCE,R.E.	9505040094	WASTE MGT
SPENCE,R.E.	9505080025	WASTE MGT
SPENCE,R.E.	9505090265	WASTE MGT
SPENCE,R.E.	9505180217	WASTE MGT
SPENCE,R.E.	9505190151	WASTE MGT
SPENCE,R.E.	9505190169	WASTE MGT
SPENCE,R.E.	9505250158	WASTE MGT
SPENCE,R.E.	9505250161	WASTE MGT
SPENCE,R.E.	9505250281	WASTE MGT
SPENCER,D.	9505260464*	52-3
SPENCER,R.W.	9505050343	71-709
SPESSARD,R.L.	9505010209	TOPREP
SPRINGER,R.	9505080059	50-266 Y
SPRINGER,R.	9505220242*	50-266 H
SRENIAWSKI,D.	9505300041	I&E
SRENIAWSKI,D.J.	9505030475*	FOIA
ST CLAIR,R.R.	9505300033*	50-287 P
ST MARTIN,J.T.	9505180167*	50-244 S
ST MARTIN,J.T.	9505220005	50-244 S
STALL,J.A.	9505050325	50-339 S
STALL,J.A.	9505050327*	50-339 S
STALL,J.A.	9505180290	50-338 R
STANCZAK,P.	9505220162	50-456 R
STANLEY,H.G.	9505050123	50-387 S
STANLEY,H.G.	9505050132	50-387 S
STANLEY,H.G.	9505050193*	50-387 R
STANLEY,H.G.	9505230105	50-388 S
STANLEY,H.G.	9505310074	50-387 S
STANLEY,R.	9505180505*	50-315 Q
STEINDLER,M.J.	9505150068	ADVCM
STEINDLER,M.J.	9505150073	ADVCM
STEINDLER,M.J.	9505150085	ADVCM
STEINDLER,M.J.	9505150091	ADVCM
STEINHARDT,C.R.	9505040060	50-305 P
STELLO,V.	8709090597	SECY
STEPHENSON,J.D.	9505120011*	50-302 F
STEPHENSON,J.D.	9505180529	50-302 F
STEPHENSON,J.D.	9505250301	50-302 F
STETZ,J.P.	9505090231	50-346 R
STETZ,J.P.	9505180608	50-346 R
STETZ,J.P.	9505230318	50-346 I
STETZ,J.P.	9505240371	50-346 K
STEWART,W.L.	9505020221	50-528 R
STEWART,W.L.	9505020298	50-528 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
STEWART,W.L.	9505030154	50-529 P
STEWART,W.L.	9505090082	50-528 R
STEWART,W.L.	9505090087	50-528 R
STEWART,W.L.	9505090121	50-530 P
STEWART,W.L.	9505090222	50-528 R
STEWART,W.L.	9505110283	50-528 P
STEWART,W.L.	9505250063	50-530 P
STIPICEVICH,J.	9505220150	50-275 R
STOHR,J.P.	9505240110	50-269 Q
STOHR,J.P.	9505300010	50-369 Q
STOHR,J.P.	9505300066	50-297 P
STOHR,J.P.	9505310012	70-27
STOIBER,C.R.	9505120002	SECY
STOJKOVICH,S.	9505150119	50-304 S
STOLTZ,J.F.	9505010015*	50-334 P
STOLZ,J.F.	9505090172*	50-272 P
STOLZ,J.F.	9505090178*	50-412 P
STOLZ,J.F.	9505190370*	50-334 P
STOLZ,J.F.	9505220047	50-334 Q
STOLZ,J.F.	9505240133*	50-277 P
STOLZ,J.F.	9505240436*	50-334 P
STONE,B.J.	9505190235	50-341 R
STONE,D.	9505090013	50-206 S
STONE,J.C.	9505260061	50-482 P
STONE,J.C.	9505260087*	50-482 P
STORZ,L.F.	9505030159	50-410 R
STORZ,L.F.	9505080135	50-220 P
STOWERS,G.N.	9505220092	50-309 S
STRATFORD,R.J.	9505220287	XPORTLIC
STRATTON,L.C.	9505300016*	50-369 Q
STRINGHAM,S.D.	9505250120	71-9263
STROSNIDER,J.R.	9505100187	50-255 P
STROSNIDER,J.R.	9505260432	50-361 Q
STRUCKMEYER,R.	9505260044	70-135
STRUCKMEYER,R.	9505260049	50-54 R
STURZ,F.C.	9505150114	50-282 Y
STURZ,F.C.	9505150117	PROJ
STURZ,F.C.	9505310094	PROJ
SULLIVAN,T.A.	9505240439	50-293 R
SUMMERS,J.C.	9505040176	50-272 R
SUMMERS,J.C.	9505090252	50-272 S
SUMMERS,J.C.	9505180131	50-311 S
SUMMERS,J.C.	9505180213	50-311 R
SUMMERS,J.C.	9505180218	50-272 R
SUMMERS,J.C.	9505240245	50-272 R
SUMMERS,J.C.	9505240251*	50-272 R
SUMMERS,J.C.	9505260138	50-311 S
SUMMERS,J.C.	9505310220	50-272 S
SUWALA,M.C.	9505150308	70-27
SVEJKOVSKY,J.	9505190040	XPORTLIC
SWEET,K.	9505260304	50-220 S
SWEITZER,C.	9505040272	CONTRACT
SYKES,K.W.	9505190252	50-10 R
SYLVIA,B.R.	9505230074	50-410 P
SYLVIA,B.R.	9505240376	50-220 I
SYLVIA,B.R.	9505250172	50-410 H
TABOR,S.F.	9505120044	50-325 S
TABOR,S.F.	9505260126	50-325 S
TAILLEART,D.R.	9505150148*	50-443 F
TAILLEART,D.R.	9505150150*	50-443 F
TAILLEART,D.R.	9505180599	50-443 F
TAIVASSALO,V.	9505310312*	WASTE MGT
TALWANI,P.	9505180550*	50-395 R
TAM,P.S.	9505020439	50-390 A
TAM,P.S.	9505050228	50-390 A
TAM,P.S.	9505050231	50-390 A
TAM,P.S.	9505090263	50-390 A
TAM,P.S.	9505150116	50-390 F
TAM,P.S.	9505190166	50-390 E
TAM,P.S.	9505220200	50-390 A
TAM,P.S.	9505260167	50-390 F
TANAKA,Y.	9505310298*	WASTE MGT
TANDON,S.	9505020354*	50-282 P
TAYLOR,D.R.	9505310022*	50-339 Q
TAYLOR,G.J.	9505040088	50-395 P
TAYLOR,G.J.	9505090083	50-395 P
TAYLOR,G.J.	9505190254	50-395 R
TAYLOR,G.J.	9505230107	50-395 P
TAYLOR,G.J.	9505300448	50-395 F
TAYLOR,H.	9505040299	CONTRACT
TAYLOR,J.M.	9209240485*	FOIA
TAYLOR,J.M.	9312280007	ORG
TAYLOR,J.M.	9411220037*	STATE PRO G
TAYLOR,J.M.	9503170230	SECY
TAYLOR,J.M.	9503240176	ORG
TAYLOR,J.M.	9503270277	SECY
TAYLOR,J.M.	9503270281	SECY
TAYLOR,J.M.	9504140194	50-277 U
TAYLOR,J.M.	9504210333	SECY
TAYLOR,J.M.	9505010007	SECY
TAYLOR,J.M.	9505010090	SECY
TAYLOR,J.M.	9505010109	SECY
TAYLOR,J.M.	9505020118	50-282 Y
TAYLOR,J.M.	9505080013*	STATE PRO G
TAYLOR,J.M.	9505080056	70-3070
TAYLOR,J.M.	9505090099	PRM
TAYLOR,J.M.	9505090284	50-498 U
TAYLOR,J.M.	9505100073	ORG
TAYLOR,J.M.	9505100275	SECY
TAYLOR,J.M.	9505120068	SPEECHES
TAYLOR,J.M.	9505120118	STATE PRO G
TAYLOR,J.M.	9505150002	SECY
TAYLOR,J.M.	9505150063	SECY
TAYLOR,J.M.	9505150069	SECY
TAYLOR,J.M.	9505180070	SECY
TAYLOR,J.M.	9505180078	SECY
TAYLOR,J.M.	9505190237*	50-498 Q
TAYLOR,J.M.	9505190383	70-7001
TAYLOR,J.M.	9505220049	STATE PRO G
TAYLOR,J.M.	9505220088*	52-3
TAYLOR,J.M.	9505220201	ADVCM
TAYLOR,J.M.	9505250139	ORG
TAYLOR,J.M.	9505250278	REVIEW GR P
TAYLOR,J.M.	9505300057	PR
TAYLOR,J.M.	9505300108	PR
TAYLOR,J.M.	9505300148	PR
TAYLOR,J.M.	9505300151	PR
TAYLOR,J.M.	9505310346	70-3070
TAYLOR,T.	9505010067	ADVCM
TAYLOR,T.	9505260399	ADVCM
TEDROW,J.	9505020022*	50-416 Q
TEFFT,D.E.	9505230015	PR
TEHAN,T.	9505190288	50-193 P
TELLER,J.	9505110093*	50-266 Y
TEMUS,C.J.	9505020403	71-9001
TEMUS,C.J.	9505040202	71-9001
TEN EYCK,E.	9505250347	70-36
TEREK,E.	9505040068*	50-305 P
TEREK,E.	9505040077*	50-305 P
TERRY,C.D.	9505020228	50-220 P
TERRY,C.D.	9505110068	50-220 P
TERRY,C.D.	9505150137	50-220 Q
TERRY,C.D.	9505150141*	50-220 Q
TERRY,C.D.	9505180549	50-410 P
TERRY,C.D.	9505180552	50-220 P
TERRY,C.D.	9505300452	50-410 P
TERRY,C.D.	9505310131	50-410 Q
TERRY,C.L.	9505040138	50-445 R
TERRY,C.L.	9505040149	50-445 R
TERRY,C.L.	9505080005	50-445 P
TERRY,C.L.	9505080026	50-445 P
TERRY,C.L.	9505090112	50-445 Q
TERRY,C.L.	9505100076	50-445 F
TERRY,C.L.	9505150046	50-446 S
TERRY,C.L.	9505220095	50-445 P
TERRY,C.L.	9505220304	50-445 R
TERRY,C.L.	9505240198	50-446 S
TERRY,C.L.	9505250049	50-445 V
TERRY,C.L.	9505250077	50-445 P
TERRY,C.L.	9505310156	50-445 P
THADANI,A.C.	9505010025	TOPREP
THADANI,A.C.	9505020477	TOPREP
THADANI,A.C.	9505220055	ORG
THADANI,A.C.	9505260149	TOPREP
THAGGARD,M.	9505260368	40-8948
THARP,J.W.	9505040353	40-1650
THE CHAIRMAN	9505030109	SPEECHES
THE CHAIRMAN	9505050015	SPEECHES
THE CHAIRMAN	9505050239	COMMISSION
THE CHAIRMAN	9505080203	10CFR
THE CHAIRMAN	9505100215	COMMISSION
THE CHAIRMAN	9505120023	COMMISSION
THE CHAIRMAN	9505120061	SPEECHES
THE CHAIRMAN	9505120064	SPEECHES
THE CHAIRMAN	9505180132	10CFR
THE CHAIRMAN	9505180518	COMMISSION
THE CHAIRMAN	9505180528	COMMISSION
THE CHAIRMAN	9505180540	COMMISSION
THE CHAIRMAN	9505180559	COMMISSION
THE CHAIRMAN	9505220283	COMMISSION
THE CHAIRMAN	9505310002	SPEECHES
THEARLING,G.M.	9505180302*	50-325 S
THERALING,G.M.	9505110099*	50-325 S
THIELMANN,J.R.	9505260358	50-255 F
THOMAS,G.S.	9505030240	50-412 P
THOMAS,G.S.	9505050302	50-334 P
THOMAS,G.S.	9505050305	50-412 P
THOMAS,G.S.	9505110132	50-334 F
THOMAS,G.S.	9505150297	50-412 R
THOMAS,G.S.	9505180233	50-412 K
THOMAS,G.S.	9505180531	50-334 F
THOMAS,G.S.	9505300337	50-334 I
THOMAS,G.S.	9505300441	50-334 P
THOMAS,G.S.	9505310062	50-334 P
THOMPSON,D.	9505030091*	50-324 Q
THOMPSON,D.	9505300112*	50-424 Q
THOMPSON,F.X.	9505150170	50-354 P
THOMPSON,H.L.	9505100164*	FOIA
THOMPSON,H.L.	9505100169*	FOIA
THOMPSON,T.C.	9505120272	72-1007
THOMPSON,T.C.	9505120278*	72-1007
THORNTON,J.	9505150077*	50-440 P
THORNTON,J.T.	9505100118	PT21
TING,P.	9505020209	70-1151
TING,P.	9505220193	70-36
TINGEN,S.G.	9505240191*	50-338 Q
TIPPS,S.B.	9505090186	50-366 S
TIPPS,S.B.	9505120152	50-366 S
TIPTON,T.E.	9505030188	I&E
TIPTON,T.E.	9505030317	REVIEW GR P
TIPTON,T.E.	9505110264	PR
TIPTON,T.E.	9505220091	PR
TIZZANO,D.	9505110171*	50-440 F
TJERSLAND,G.T.	9505180364	PROJ
TJERSLAND,G.T.	9505180471	71-9225
TJERSLAND,G.T.	9505260486	PROJ
TJERSLAND,G.T.	9505310271	PROJ
TJERSLAND,G.T.	9505310647	PROJ
TOBIN,W.	9505050122*	50-335 Q
TOBIN,W.J.	9505240123*	50-269 Q
TOBIN,W.J.	9505300016*	50-369 Q
TOMES,C.A.	9505090057	PR
TOSCH,K.W.	9505120237	PR
TRACE,D.A.	9505230209*	50-281 P
TRAN,L.N.	9505110330	50-155 P
TRAN,L.N.	9505120273	50-155 P
TRAPP,J.S.	9505150176	WASTE MGT
TRAPP,J.S.	9505180137	ORG
TREMBLAY,L.A.	9505010136	50-271 P
TREMBLAY,L.A.	9505020044	50-271 R
TRIMBLE,D.C.	9505020414	50-324 P
TRIMBLE,D.C.	9505190313	50-325 Q
TROTTIER,E.H.	9505050329	50-309 Q
TROTTIER,E.H.	9505190196	50-309 H
TROTTIER,E.H.	9505250238	50-309 P
TROTTIER,E.H.	9505260130	50-309 F
TROUP,G.P.	9505050004*	70-27
TROVATO,E.R.	9505260369	WASTE MGT
TSCHILTZ,M.	9505180003	50-275 S
TSCHOEPE,E.	9505120093*	PROJ
TUCKMAN,M.S.	9505030143	50-269 P
TUCKMAN,M.S.	9505040108	50-413 P
TUCKMAN,M.S.	9505150023	50-269 P
TUCKMAN,M.S.	9505240362	50-269 P
TUCKMAN,M.S.	9505240448	50-269 F
TUCKMAN,M.S.	9505260227	50-269 P
TUCKMAN,M.S.	9505300384	50-369 P
TUCKMAN,M.S.	9505310435	50-413 P
TUETKEN,R.P.	9505090103	50-295 Q
TUETKEN,R.P.	9505090107	50-295 Q
TUETKEN,R.P.	9505120143	50-295 P
TULON,T.J.	9505080036	50-456 R
TULON,T.J.	9505100122	50-456 Q
TULON,T.J.	9505150179	50-456 S
TULON,T.J.	9505220162	50-456 R
TULON,T.J.	9505310118	50-457 S
TURBERVILLE,D.	9505090075	PR
TURK,S.E.	9505180463	50-160 G
TURTIL,R.	9505150053	40-8907
UCHIDA,M.	9505310302*	WASTE MGT
UDY,A.C.	9504280259*	50-247 Q
UDY,A.C.	9504280259*	50-247 Q
UDY,A.C.	9505100167*	50-298 Q
UDY,A.C.	9505100167*	50-298 Q
ULLRICH,E.	9505030076*	50-219 Q
ULLRICH,E.	9505110017*	50-199 Q
ULLRICH,E.	9505180057*	50-184 Q
ULLRICH,E.	9505180074*	50-247 Q
ULLRICH,E.	9505240093*	50-309 Q
ULLRICH,E.	9505240142*	50-387 Q
UTTAL,S.L.	9505260251	40-8027
VALLEE,B.L.	9505040408*	FOIA
VALLEE,B.L.	9505040409*	FOIA
VALLEE,B.L.	9505040410*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
VALLEE,B.L.	9505040415*	FOIA
VALLEE,B.L.	9505050023*	FOIA
VALLEE,B.L.	9505050030*	FOIA
VAN HORN,R.A.	9505250181	40-8681
VAN-DOORN,P.K.	9505240248*	50-390 Q
VANDENBURGH,C.	9505090008*	50-458 Q
VANHORN,R.L.	9505180347	NUREG
VARGA,S.A.	9505010210*	50-410 P
VARGA,S.A.	9505010221*	50-244 P
VARGA,S.A.	9505110268*	50-423 P
VARGA,S.A.	9505150129*	50-278 P
VARGA,S.A.	9505180414	50-335 P
VARGA,S.A.	9505190309*	50-335 P
VARRICCHIO,L.	9505040010	NUREG
VASBINDER,D.R.	9505110239	50-57 R
VASQUEZ,M.	9505180100	50-133 S
VELASQUEZ,J.R.	9505040260	40-8907
VERNETSON,W.G.	9505240185	50-83 P
VERNETSON,W.G.	9505250061	70-1068
VERRELLI,D.M.	9505050103	50-261 P
VERRELLI,D.M.	9505050137	50-324 Q
VERRELLI,D.M.	9505180021	50-400 Q
VERRELLI,D.M.	9505180154	50-261 Q
VERRELLI,D.M.	9505180366	50-400 Q
VERRELLI,D.M.	9505240144	50-324 P
VERRELLI,D.M.	9505240272	50-400 Q
VERRELLI,D.M.	9505300100	50-261 Q
VERRELLI,D.M.	9505300110*	50-261 Q
VERRELLI,D.M.	9505310090	50-261 Q
VERRILLI,D.M.	9505180049	50-261 Q
VILLAFLOR,R.F.	9505230204*	50-281 P
VILLARREAL,F.A.	9505310491*	50-263 S
VINCI,D.W.	9505110255	50-382 S
VIRGONA,J.E.	9505190058	WASTE MGT
VIRGONA,J.E.	9505260233	WASTE MGT
VISSING,G.S.	9505040352	50-336 P
VISSING,G.S.	9505040360*	50-336 P
VISSING,G.S.	9505100235	50-336 P
VISSING,G.S.	9505190173	50-213 G
VISSING,G.S.	9505240271	50-336 P
VISSING,G.S.	9505260378	50-336 P
VITKUS,T.J.	9505040339	70-1201
VOGEL,A.	9505040273	CONTRACT
VOGEL,A.	9505050183	CONTRACT
VOGT,B.M.	9505080043	70-364
VOLPE,J.A.	9505030092	STATE PRO G
VONK,M.J.	9505030477	50-237 P
VONK,M.J.	9505180441	50-237 P
VONK,M.J.	9505240437	50-10 W
VONK,M.J.	9505260007	NUREG
WADLEY,M.D.	9505030061	50-282 F
WADLEY,M.D.	9505090123	50-282 H
WADLEY,M.D.	9505120140	50-282 P
WADLEY,M.D.	9505230247	50-282 P
WADLEY,M.D.	9505250022	50-282 P
WADLEY,M.D.	9505250166	50-282 P
WAGMAN,R.J.	9505080063*	FOIA
WALDEN,J.	9505180246	50-244 R
WALKER,N.M.	9505040004	70-3070
WALKER,N.M.	9505040004	70-3070
WALKER,N.M.	9505090189	70-3070
WALKER,N.M.	9505180586	70-3070
WALKER,N.M.	9505180586	70-3070
WALKER,R.D.	9505220304	50-445 R
WALKER,R.D.	9505250077	50-445 P
WALLACE,J.E.	9505020309*	50-260 S
WALLEN,J.P.	9505080297*	FOIA
WALLIN,B.	9505310285*	WASTE MGT
WALLIN,G.A.	9505180253	50-271 R
WALTON,G.A.	9505310069*	50-390 Q
WANCZYK,R.J.	9505030454	50-271 S
WANCZYK,R.J.	9505190283	50-271 S
WANCZYK,R.J.	9505190319	50-271 S
WANCZYK,R.J.	9505220189	50-271 S
WANCZYK,R.J.	9505240359	50-271 S
WANCZYK,R.J.	9505240361	50-271 S
WANCZYK,R.J.	9505240363	50-271 S
WANG,A.B.	9505120277	50-213 P
WANG,A.B.	9505120280*	50-213 P
WANG,A.B.	9505180582	50-213 P
WATANABE,K.	9505040181*	52-4
WATKINS,R.	9505150241	50-298 I
WATKINS,R.W.	9505190112*	50-298 P
WATSON,S.N.	9505260487	71-9263
WATTS,R.J.	9505150133	50-244 F
WATZL,E.L.	9504250106	50-282 Y
WEBBER,R.	9505300395	CONTRACT
WEBER,G.A.	9505150175	50-316 S
WEBER,M.	9505110149	40-7455
WEBER,M.	9505220037	40-8838
WEBER,M.F.	9505110123	40-1020
WEBER,M.F.	9505110246	70-925
WEBER,M.F.	9505120096	40-7455
WEBER,M.F.	9505150009	40-9015
WEBER,M.F.	9505150031	40-8027
WEBER,M.F.	9505250257	40-8698
WEBER,M.F.	9505260217*	50-267 W
WEBER,M.F.	9505260224	50-155 P
WEBER,R.L.	9505220152	50-413 R
WEBER,R.L.	9505220154	50-269 R
WEBER,R.L.	9505220158	50-369 R
WEEKLY,T.M.	9505050341	40-8838
WEHRING,B.W.	9505310065	50-602 Q
WEHRY,R.R.	9505050123	50-387 S
WEIDLER,M.	9505250133*	STATE PRO G
WEIMER,B.E.	9505010257*	40-1790
WEIMER,B.E.	9505220149*	40-1790
WEIMER,B.E.	9505220157*	40-1790
WEIMER,B.E.	9505220197*	40-1790
WEIMER,B.E.	9505220198*	40-1790
WEIMER,B.E.	9505220240*	40-1790
WEIMER,B.E.	9505230272*	40-1790
WEIMER,B.E.	9505230280*	40-1790
WEISS,S.H.	9505050322*	50-139 W
WEISS,S.H.	9505090128	50-151 P
WEISS,S.H.	9505100138	ORG
WEISS,S.H.	9505110194	ORG
WEISS,S.H.	9505190120*	50-2 P
WEISS,S.H.	9505220178*	50-356 P
WELBY,C.	9505180415	STATE PRO G
WELCH,K.L.	9505030334*	50-260 P
WELLMAN,D.T.	9505010224*	40-1790
WELLMAN,D.T.	9505010237*	40-1790
WELLMAN,D.T.	9505010251*	40-1790
WELLS,R.W.	9505150290*	50-336 P
WENSLAWSKI,F.A.	9505230004*	70-754
WERT,L.D.	9505240155*	50-259 Q
WESLEY,D.	9505250062*	STATE PRO G
WESLEY,D.	9505250067*	STATE PRO G
WESLEY,D.	9505250107*	STATE PRO G
WESLEY,D.	9505250129*	STATE PRO G
WESLEY,D.	9505250136*	STATE PRO G
WESLEY,D.	9505250140*	STATE PRO G
WESLEY,D.	9505250143*	STATE PRO G
WESSMAN,R.H.	9505110252	ORG
WESSMAN,R.H.	9505120238	REVIEW GR P
WETZEL,B.A.	9505220036	50-282 P
WETZEL,B.A.	9505220041*	50-282 P
WEYANDT,J.	9505300147	PT21
WHARTON,L.R.	9505100221	50-483 P
WHEELER,J.T.	9505040256	CONTRACT
WHEELER,J.T.	9505050106	CONTRACT
WHEELER,J.T.	9505050141	CONTRACT
WHEELER,L.	9505030028	50-424 P
WHEELER,L.L.	9505110267	50-424 P
WHEELER,L.L.	9505190333	50-424 P
WHITE,D.	9505310042	I&E
WHITE,J.	9505030017*	50-387 Q
WHITE,J.R.	9505030014	50-387 Q
WHITE,J.R.	9505030016	50-272 Q
WHITE,J.R.	9505120091	50-272 P
WHITE,J.R.	9505180112	50-387 Q
WHITE,J.R.	9505180135	50-354 Q
WHITE,J.R.	9505180145*	50-354 Q
WHITE,J.R.	9505230368*	FOIA
WHITE,J.R.	9505260026	50-272 P
WHITT,M.S.	9505190244	50-313 R
WHITT,M.S.	9505190261	50-368 R
WICHERS,D.L.	9505300011	40-6622
WIDAY,J.A.	9505080103	50-244 F
WIDAY,J.A.	9505180246	50-244 R
WIDEN,H.	9505040283*	WASTE MGT
WIDMANN,M.T.	9505110066*	50-424 Q
WIEDEMAN,D.	9505230165*	FOIA
WIEDEMAN,D.G.	9505150307*	FOIA
WIEDEMAN,D.G.	9505230185*	FOIA
WIENS,L.A.	9505020222	50-269 P
WIENS,L.A.	9505100185	50-269 P
WIENS,L.A.	9505250315	50-269 Q
WIGGINS,E.	9505040251	CONTRACT
WIGGINS,E.	9505040255	CONTRACT
WIGGINS,E.	9505040262	CONTRACT
WIGGINS,E.J.	9505040227	CONTRACT
WIGGINS,E.J.	9505040230	CONTRACT
WIGGINS,E.J.	9505040237	CONTRACT
WIGGINS,E.J.	9505040245	CONTRACT
WIGGINS,E.J.	9505040249	CONTRACT
WIGGINS,E.J.	9505040270	CONTRACT
WIGGINS,E.J.	9505040385	50-259 V
WIGGINS,E.J.	9505050183	CONTRACT
WIGGINS,E.J.	9505050206*	CONTRACT
WIGGINS,E.J.	9505080046	50-458 Q
WIGGINS,J.T.	9505090021	50-286 V
WIGGINS,J.T.	9505090022	50-309 V
WIGGINS,J.T.	9505090024	50-220 V
WIGGINS,J.T.	9505090032	50-219 V
WIGGINS,J.T.	9505090033	50-293 V
WIGGINS,J.T.	9505090036	50-272 V
WIGGINS,J.T.	9505090037	50-443 V
WIGGINS,J.T.	9505090039	50-317 V
WIGGINS,J.T.	9505090040	50-387 V
WIGGINS,J.T.	9505090043	50-289 V
WIGGINS,J.T.	9505090044	50-271 V
WIGGINS,J.T.	9505090045	50-213 V
WIGGINS,J.T.	9505090049	50-333 V
WIGGINS,J.T.	9505090058	50-334 V
WIGGINS,J.T.	9505090084	50-247 V
WIGGINS,J.T.	9505090108	50-277 V
WIGGINS,J.T.	9505090111	50-244 V
WIGGINS,J.T.	9505120052	50-271 Q
WIGGINS,J.T.	9505180072	50-271 Q
WIGGINS,J.T.	9505220024	50-286 Q
WIGGINS,J.T.	9505240195	50-309 P
WIGGINTON,D.L.	9505110187	50-458 S
WIGGINTON,D.L.	9505250320	50-458 P
WILCOXEN,J.G.	9505260249	40-8027
WILCOXEN,J.G.	9505260249	40-8027
WILKIE,L.V.	9505240181	50-270 S
WILKOWSKI,G.	9505030455	NUREG
WILKOWSKI,G.	9505030464	NUREG
WILKOWSKI,G.	9505090276	NUREG
WILKOWSKI,G.	9505180445	NUREG
WILKOWSKI,G.M.	9505040365	NUREG
WILKOWSKI,G.M.	9505190023	NUREG
WILLIAMS,A.L.	9505110262	50-255 R
WILLIAMS,D.C.	9505190247*	50-498 Q
WILLIAMS,D.C.	9505190271*	50-498 Q
WILLIAMS,F.J.	9505020395	50-247 P
WILLIAMS,F.J.	9505040287	50-247 P
WILLIAMS,F.J.	9505190403	50-247 P
WILLIAMS,F.J.	9505220045	50-247 Q
WILLIAMS,R.A.	9505050127	70-1151
WILLIAMS,R.A.	9505080066	70-1151
WILLIAMS,R.A.	9505180580	70-1151
WILLIAMS,R.A.	9505220273*	50-269 R
WILLIAMS,R.A.	9505220281*	50-413 R
WILLIAMS,R.A.	9505220285*	50-369 R
WILLIAMS,R.A.	9505300118	70-1151
WILLIAMSON,E.L.	9505080192*	50-498 Q
WILLIS,J.F.	9505230270*	50-413 P
WILMOTH,M.J.	9505090151	50-424 G
WILMOTH,M.J.	9505090151	50-424 G
WILMOTH,M.J.	9505180498	50-424 G
WILMOTH,M.J.	9505180579	50-424 G
WILMOTH,M.J.	9505180579	50-424 G
WILSON,D.	9505230143	50-331 R
WILSON,D.L.	9505220194	50-331 S
WILSON,J.H.	9505190367	PROJ
WILSON,K.R.	9505230102	50-302 P
WILSON,R.	9505120054*	QA999
WILSON,R.E.	9505030086*	FOIA
WILSON,R.E.	9505030116*	FOIA
WILSON,R.E.	9505030130*	FOIA
WINBERG,A.	9505040345*	WASTE MGT
WINKLER,R.L.	9209250348*	WASTE MGT
WINYON,J.J.	9505220110	PR
WINYON,J.J.	9505220110	PR
WISE,R.	9505040182*	50-498 Q
WISE,R.	9505040186*	50-498 Q
WISE,R.	9505040194*	FOIA
WISE,R.	9505040196*	FOIA
WISEMAN,G.	9505300048*	50-321 Q
WOLF,G.M.	9505180219	50-346 R
WOLF,S.	9505180468*	50-265 P
WOLFRAM,L.M.	9505180347	NUREG
WOLLESEN,E.S.	9505030174	PR
WOMACH,L.F.	9505110107	50-275 K
WOMACK,L.F.	9505020202	50-275 P
WOMACK,L.F.	9505020360	50-133 P
WOMACK,L.F.	9505030256	50-275 R
WONG,H.	9505020015*	50-528 Q
WONG,H.	9505190109*	50-528 Q
WONG,H.J.	9505090041*	50-361 Q
WONG,I.G.	9505190198	40-3453

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WOOD,J.K.	9505180219	50-346 R
WOODLAN,D.R.	9505020002	50-445 R
WOODLAN,D.R.	9505040138	50-445 R
WOODLAN,D.R.	9505040149	50-445 R
WOODLAN,D.R.	9505080005	50-445 P
WOODLAN,D.R.	9505100076	50-445 F
WOODLAN,D.R.	9505250049	50-445 V
WOODLAN,D.R.	9505260275	50-445 F
WOODLAN,D.R.	9505300142	50-445 S
WOODLAN,D.R.	9505300158	50-445 Q
WOODLAN,D.R.	9505300203	50-445 H
WOODRUFF,R.	9505110040	I&E
WOODRUFF,R.L.	9505110095	I&E
WOODRUFF,R.L.	9505110158	I&E
WOODRUFF,R.L.	9505240101	STATE PRO G
WOODRUFF,R.L.	9505240131	40-2975
WOODWARD,J.D.	9505180201	50-348 R
WOODWARD,R.	9505230143	50-331 R
WOODWORTH,L.A.	9505110108	WASTE MGT
WOODWORTH,L.A.	9505120113	WASTE MGT
WRIGHT,F.N.	9505240170*	50-348 Q
WRIGHT,J.E.	9505190018	NUREG
WRIGHTS,G.N.	9505040068*	50-305 P
WU,S.	9505030015	70-1257
WU,S.	9505150124	52-2
WURZ,E.	9505020350	50-455 S
WYMER,S.	9505050323	50-255 F
WYMER,S.F.	9505150044	50-255 F
WYMER,S.F.	9505150055	50-255 F
WYMER,S.L.	9505020040	50-255 F
WYMER,S.L.	9505020054	50-255 F
WYMER,S.L.	9505020060	50-255 F
WYMER,S.L.	9505050321	50-255 F
WYMER,S.L.	9505100265	50-255 F
WYMER,S.L.	9505260282	50-255 F
WYMER,S.L.	9505260287	50-255 F
WYMER,S.L.	9505260356	50-255 F
WYMER,S.L.	9505260358	50-255 F
WYMER,S.L.	9505260360	50-255 F
WYMER,S.L.	9505300040	50-255 F
YAMASHITA,R.	9505310292*	WASTE MGT
YELVERTON,J.W.	9505240151	50-313 P
YELVERTON,J.W.	9505240213	50-368 P
YELVERTON,J.W.	9505240226	50-313 P
YELVERTON,J.W.	9505240287	50-313 P
YELVERTON,J.W.	9505260241	50-368 P
YELVERTON,J.W.	9505260256	50-368 P
YELVERTON,J.W.	9505260270	50-368 P
YOKOBORI,S.	9505040181*	52-4
YOON,K.K.	9505030330*	50-255 P
YOUNG,K.D.	9505040241	50-331 P
YOUNG,K.D.	9505220118	PR
YOUNG,M.A.	9505040066	50-424 G
YOUNG,M.A.	9505090071	50-424 G
YOUNG,M.A.	9505180061	50-424 G
ZANZALARI,G.P.	9505040006	NUREG
ZERINGUE,O.J.	9505020304	50-390 Q
ZERINGUE,O.J.	9505080015	50-390 Q
ZERINGUE,O.J.	9505120040	50-390 V
ZIEGLER,R.S.	9505020193	40-8902
ZIEGLER,R.S.	9505090242	40-8902
ZIEGLER,R.S.	9505180313	40-8902
ZIEGLER,R.S.	9505190066	40-8902
ZIEGLER,R.S.	9505260331	40-8902
ZIEGLER,R.S.	9505310293	40-8902
ZIEGLER,R.S.	9505310307	40-8902
ZIMMERMAN,R.P.	9504210127	50-3 Q
ZIMMERMAN,R.P.	9504210293	50-3 P
ZIMMERMAN,R.P.	9505030286	ORG
ZIMMERMAN,R.P.	9505090312	50-3 P
ZIMMERMAN,R.P.	9505300172	ORG
ZWOLINSKI,J.A.	9505150221	50-293 P
ZWOLINSKI,J.A.	9505150234	ORG
ZWOLINSKI,J.A.	9505220290	50-293 P
ZWOLINSKI,J.A.	9505230382	ORG
ZWOLINSKI,J.A.	9505250218	50-245 P
ZWOLINSKI,J.A.	9505250259	50-336 S
ZWOLINSKI,J.A.	9505310270	ORG

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9505030222	70-36	
	9505040073	70-1100	
	9505050286	71-6294	
	9505100063*	70-1100	
	9505110190	70-36	
	9505110236	NUREG	
	9505110321	XPORTLIC	
	9505120241	PR	
	9505150188	70-1100	
	9505220065	70-36	
	9505230020	NUREG	
	9505250211	TOPREP	
	9505250215*	TOPREP	
	9505260250*	50-368	P
	9505260267*	50-368	P
	9505260276*	50-368	P
AECL Technologies	9505020277	52-5	
ASEA Brown Boveri, Inc.	9505030222	70-36	
	9505040073	70-1100	
	9505050286	71-6294	
	9505090013	50-206	S
	9505110190	70-36	
	9505150188	70-1100	
	9505220065	70-36	
	9505240268	50-206	S
	9505250211	TOPREP	
	9505250215*	TOPREP	
	9505260250*	50-368	P
	9505260267*	50-368	P
	9505260276*	50-368	P
ATI Consulting	9505310556*	50-361	P
	9505310559*	50-361	P
Advanced Medical Systems, Inc.	9505230323*	FOIA	
Agriculture, Dept. of	9505300092	70-3082	
Air Force, Dept. of	9505260223	ORG	
Alabama, State of	9505090075	PR	
Allied-Signal Corp.	9505030231	40-3392	
	9505110131	40-3392	
	9505250064	40-3392	
American Nuclear Society	9505230164	NUREG	
American Society for Nondestructive Testing	9505220131	PR	
	9505220132	PR	
Amersham Corp.	9505050291	71-9035	
	9505240322	71-9039	
	9505240325*	71-9039	
Anne Arundel County, MD	9505300234	40-341	
Argonne National Laboratory	9505180578	52-5	
Arizona Public Service Co. (formerly	9505020221	50-528	R
Arizona Nuclear Power Project)	9505020221	50-528	R
	9505020221	50-528	R
	9505020298	50-528	Q
	9505020298	50-528	Q
	9505020314	50-528	S
	9505020316*	50-528	S
	9505030154	50-529	P
	9505040049	50-530	P
	9505090082	50-528	R
	9505090082	50-528	R
	9505090082	50-528	R
	9505090086*	50-528	R
	9505090086*	50-528	R
	9505090086*	50-528	R
	9505090087	50-528	R
	9505090087	50-528	R
	9505090087	50-528	R
	9505090121	50-530	P
	9505090222	50-528	R
	9505090222	50-528	R
	9505090222	50-528	R
	9505100155	50-528	P
	9505100155	50-528	P
	9505100155	50-528	P
	9505100190	50-528	P
	9505100191*	50-528	P
	9505110021	50-528	P
	9505110283	50-528	P
	9505110283	50-528	P
	9505110283	50-528	P
	9505110286*	50-528	P
	9505110286*	50-528	P
	9505110286*	50-528	P
	9505120121	50-528	S
	9505180024*	50-528	Q
	9505180256	50-528	R
	9505190265	50-528	S
	9505220007	50-530	S
	9505220293	50-528	P
	9505230125	50-528	H
	9505230125	50-528	H
	9505250063	50-530	P
	9505250065*	50-530	P
	9505310225	50-528	S
	9505310238	50-530	S
Arizona, Univ. of, Tucson, AZ	9505040256	CONTRACT	
	9505050106	CONTRACT	
	9505050141	CONTRACT	
Armed Forces Radiobiological Research Institute	9505250068	71-*****	
	9505250072*	71-*****	
Army, Dept. of	9505050341	40-8838	
Associated Press	9505010229	FOIA	
Atlantic Richfield Co. (ARCO)	9505020193	40-8902	
	9505090242	40-8902	
	9505090247*	40-8902	
	9505180313	40-8902	
	9505190066	40-8902	
	9505190071*	40-8902	
	9505260331	40-8902	
	9505310293	40-8902	
	9505310299*	40-8902	
	9505310307	40-8902	
Atlas Corp.	9505120085	40-3453	
	9505120088*	40-3453	
	9505120092*	40-3453	
	9505300122	40-3453	
B&W Fuel Co.	9505190156	70-1201	
	9505310492	70-1201	
B. Koh & Associates, Inc.	9505020078*	40-2384	
	9505050202	40-8724	
BP Chemicals International	9505120039	40-7604	
BWR Owners Group	9505010052	TOPREP	
	9505150016	TOPREP	
	9505250207	TOPREP	
Babcock & Wilcox Co.	9505030328*	50-255	P
	9505030330*	50-255	P
	9505030457	70-27	
	9505040098*	70-27	
	9505040106*	70-27	
	9505040111*	70-27	
	9505040116*	70-27	
	9505040120*	70-27	
	9505040125*	70-27	
	9505040127*	70-27	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505040130*	70-27	
	9505040137*	70-27	
	9505040143*	70-27	
	9505040246	70-27	
	9505150308	70-27	
	9505180094	70-27	
	9505180174	71-5149	
	9505250084	70-27	
	9505260266	70-27	
	9505260292	70-364	
	9505260301*	70-364	
	9505260350	70-27	
	9505260372	70-364	
	9505260380*	70-27	
	9505300018	70-27	
	9505300419	70-27	
Babcock & Wilcox Operating Plants Owners Group	9505300278	TOPREP	
Baker & Botts	9505230230*	FOIA	
	9505230235*	FOIA	
Baltimore Gas & Electric Co.	9505040013	PR	
	9505040013	PR	
	9505040097	50-317	F
	9505050117	50-317	P
	9505050121*	50-317	P
	9505150034	50-317	S
	9505150034	50-317	S
	9505150149	50-317	F
	9505150149	50-317	F
	9505150306	50-317	S
	9505220060	50-317	R
	9505220060	50-317	R
	9505220089	50-317	S
	9505220094	50-318	S
	9505230168*	50-317	R
	9505230174*	50-317	R
	9505230177*	50-317	R
Basin Industrial X-Ray, Inc.	9505050343	71-709	
Battelle Memorial Institute, Columbus Laboratories	9505030455	NUREG	
	9505030464	NUREG	
	9505040365	NUREG	
	9505090276	NUREG	
	9505180445	NUREG	
	9505190023	NUREG	
Battelle Memorial Institute, Pacific Northwest Laboratory	9505090280	NUREG	
	9505180354	NUREG	
Bear Creek Uranium Co.	9505180305	40-8452	
	9505180314*	40-8452	
Bell Atlantic Corp.	9505040233	CONTRACT	
Boeing Co.	9505050145	PT21	
Boeing Computer Services Co. (div. of Boeing Co.)	9505110227	PT21	
	9505190154	PT21	
	9505250206	QA999	
Boston Edison Co.	9505010269	50-293	S
	9505020016	50-293	F
	9505020150	50-293	S
	9505040028*	50-29	I
	9505040165	50-293	R
	9505040263	50-293	R
	9505050336	50-293	P
	9505110077	50-293	P
	9505150218	50-293	R
	9505180372	50-293	Q
	9505240439	50-293	R
Boston Univ. Medical Center, Boston, MA	9505010256*	FOIA	
Branch Radiographic Laboratories, Inc.	9505260131	71-368	
Braunkohle Transport USA, Inc.	9505020248	XPORTLIC	
	9505020286	XPORTLIC	
	9505020317	XPORTLIC	
	9505190017	XPORTLIC	
	9505220028	XPORTLIC	
Brigham & Women's Hosp., Boston, MA	9505010051	FOIA	
Brookhaven National Laboratory	9503020307*	50-387	P
	9505230093	NUREG	
	9505230106	NUREG	
	9505230109	NUREG	
	9505230115	NUREG	
	9505250113*	50-255	Y
Buffalo Materials Research Center	9505110239	50-57	R
CAE-Link Corp.	9505040299	CONTRACT	
CBI Services, Inc. (formerly Chicago Bridge & Iron Co.)	9505180385	71-15	
	9505180389*	71-15	
COGEMA, Inc.	9505300011	40-6622	
Cabot Corp.	9505240135	40-6940	
California Institute of Technology, Pasadena, CA	9505040242	CONTRACT	
California, State of	9505230007	STATE PRO	G
	9505250062*	STATE PRO	G
	9505250067*	STATE PRO	G
	9505250070*	STATE PRO	G
	9505250107*	STATE PRO	G
	9505250129*	STATE PRO	G
	9505250136*	STATE PRO	G
	9505250140*	STATE PRO	G
	9505250143*	STATE PRO	G
	9505250163*	STATE PRO	G
California, Univ. of, Los Angeles, CA	9505030447	NUREG	
California, Univ. of, Santa Barbara, CA	9505190018	NUREG	
Carolina Power & Light Co.	9505010124	50-324	R
	9505010133	50-261	R
	9505020348	50-261	Q
	9505020473	50-400	R
	9505030167	50-400	F
	9505030372	50-324	F
	9505040100	50-261	F
	9505080008	50-325	P
	9505090072	50-400	Q
	9505090089	50-324	F
	9505090198	50-261	R
	9505090208	50-324	F
	9505090272	50-325	Q
	9505100201	50-261	F
	9505100204	50-400	P
	9505110092	50-325	S
	9505110099*	50-325	S
	9505120044	50-325	S
	9505120131	50-261	S
	9505150013	50-261	P
	9505150013	50-261	P
	9505150029	50-261	Q
	9505180041	50-261	F
	9505180235	50-324	R
	9505180263	50-400	R
	9505180292	50-325	S
	9505180302*	50-325	S
	9505180316	50-261	Q
	9505190079	50-261	P
	9505190083*	50-261	P
	9505190282	50-324	F
	9505190282	50-324	F
	9505220109	PR	
	9505230079	50-261	P
	9505230084	50-324	F
	9505230315	50-324	Q
	9505230315	50-324	Q
	9505240026	50-324	F
	9505240026	50-324	F
	9505240065	50-324	P
	9505240065	50-324	P
	9505240349	50-261	Q
	9505240352	50-261	P
	9505250275	50-324	F
	9505260033	50-324	F
	9505260033	50-324	F
	9505260039	50-324	F
	9505260039	50-324	F
	9505260046	50-324	F
	9505260046	50-324	F
	9505260066	50-325	S
	9505260126	50-325	S
	9505260171	50-261	F
	9505260236	50-324	P
	9505300141	50-325	P
	9505300150	50-261	I
	9505300150	50-261	I
	9505300150	50-261	I
	9505300154*	50-325	P
	9505300428	50-324	Q
Case Western Reserve Univ., Cleveland, O	9505250154	71-798	
Center for Nuclear Waste Regulatory Analyses	9209250347	WASTE MGT	
	9209250348*	WASTE MGT	
	9505010150	WASTE MGT	
	9505020383	WASTE MGT	
	9505020388*	WASTE MGT	
	9505020423*	WASTE MGT	
	9505040377	NUREG	
	9505120090	PROJ	
	9505120093*	PROJ	
	9505150275	WASTE MGT	
	9505150277*	WASTE MGT	
	9505180587	WASTE MGT	
	9505180589*	WASTE MGT	
	9505180605	WASTE MGT	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505180606*	WASTE MGT	
	9505190391*	ORG	
Centerior Energy	9505020001	50-440	R
	9505050102	50-440	P
	9505050104*	50-440	P
	9505050120	50-440	P
	9505050126*	50-440	P
	9505050133	50-440	P
	9505050136*	50-440	P
	9505090073	50-346	F
	9505090231	50-346	R
	9505090233*	50-346	R
	9505090236*	50-346	R
	9505110097	50-440	P
	9505110100*	50-440	P
	9505110138	50-440	P
	9505110317	50-346	F
	9505150072	50-440	P
	9505180520	50-440	R
	9505180608	50-346	R
	9505190238	50-440	R
	9505230318	50-346	I
	9505240371	50-346	K
	9505250155	50-440	P
	9505250171*	50-440	P
	9505300370*	50-334	I
	9505300370*	50-334	I
	9505300380	50-440	P
Central Hudson Gas & Electric Corp.	9505240398*	50-220	I
Central Interstate Low-Level Radioactive Waste Compact Commission	9505190191*	70-7001	
Central Research Institute of Electric Power Industry	9505040365	NUREG	
Chem-Nuclear Systems, Inc.	9505310010	WASTE MGT	
	9505310013*	WASTE MGT	
	9505310015*	WASTE MGT	
Chemetron Corp.	9505120117	40-8724	
	9505260103	40-8742	
Cherokee Nation	9505260239	40-8027	
	9505260249	40-8027	
Chestnut Hill Hosp. Philadelphia,PA	9408030306*	FOIA	
Cimarron Corp.	9505040358	70-925	
	9505120028	70-925	
Citizens Against Nuclear Trash	9505040004	70-3070	
	9505040016	70-3070	
	9505040064	70-3070	
	9505040070*	70-3070	
	9505090189	70-3070	
	9505180379	70-3070	
	9505180393*	70-3070	
	9505180586	70-3070	
	9505180593	70-3070	
Citizens Awareness Network	9505240320	50-267	W
City College of New York, New York, NY	9505040332	CONTRACT	
Cleveland Electric Illuminating Co.	9505110167	50-440	F
	9505110171*	50-440	F
Colorado State Univ., Fort Collins, CO	9505080042	CONTRACT	
Colorado, State of	9505040011	NUREG	
	9505180566*	STATE PRO	G
	9505220016	STATE PRO	G
Coltec Industries, Inc.	9505100110	50-352	S
Commerce, Dept. of	9505010110	ORG	
Commonwealth Edison Co.	9505010084	50-373	R
	9505010084	50-373	R
	9505010089	50-254	R
	9505010270	50-249	S
	9505020196	50-295	F
	9505020196	50-295	F
	9505020347	50-456	P
	9505020350	50-455	S
	9505030477	50-237	P
	9505030477	50-237	P
	9505030477	50-237	P
	9505030477	50-237	P
	9505030477	50-237	P
	9505040029	50-237	G
	9505040029	50-237	G
	9505040029	50-237	G
	9505040035*	50-237	G
	9505040035*	50-237	G
	9505040035*	50-237	G
	9505040121	50-373	R
	9505040121	50-373	R
	9505040226	50-456	F
	9505040393	50-373	P
	9505040393	50-373	P
	9505040397*	50-373	P
	9505040399*	50-373	P
	9505040413	50-374	P
	9505040416*	50-374	P
	9505040418*	50-374	P
	9505050082	50-237	P
	9505050082	50-237	P
	9505050082	50-237	P
	9505050082	50-237	P
	9505050084*	50-237	P
	9505050084*	50-237	P
	9505050084*	50-237	P
	9505050084*	50-237	P
	9505050092	50-254	R
	9505050099	50-254	P
	9505050099	50-254	P
	9505050155	50-10	W
	9505050155	50-10	W
	9505050155	50-10	W
	9505050155	50-10	W
	9505050155	50-10	W
	9505050155	50-10	W
	9505050155	50-10	W
	9505050155	50-10	W
	9505050155	50-10	W
	9505050155	50-10	W
	9505050159*	50-10	W
	9505050159*	50-10	W
	9505050159*	50-10	W
	9505050159*	50-10	W
	9505050159*	50-10	W
	9505050159*	50-10	W
	9505050159*	50-10	W
	9505050159*	50-10	W
	9505050159*	50-10	W
	9505050159*	50-10	W
	9505050162*	50-10	W
	9505080036	50-456	R
	9505080067	50-254	F
	9505080067	50-254	F
	9505090103	50-295	Q
	9505090103	50-295	Q
	9505090107	50-295	Q
	9505090107	50-295	Q
	9505090113	50-304	S
	9505090215	50-254	P
	9505090215	50-254	P
	9505090225*	50-254	P
	9505090225*	50-254	P
	9505100083	50-373	F
	9505100122	50-456	Q
	9505100126*	50-456	Q
	9505100133	50-254	S
	9505100140	50-265	P
	9505100141*	50-254	S
	9505110153	50-10	W
	9505110270	50-374	P
	9505110276	50-456	P
	9505110276	50-456	P
	9505110328	50-373	P
	9505110328	50-373	P
	9505120079	50-373	F
	9505120099*	50-373	F
	9505120130	50-254	P
	9505120130	50-254	P
	9505120132	50-254	F
	9505120132	50-254	F
	9505120143	50-295	P
	9505150042	50-237	Q
	9505150043	50-10	R
	9505150043	50-10	R
	9505150043	50-10	R
	9505150058	50-373	R
	9505150058	50-373	R
	9505150060*	50-373	R
	9505150060*	50-373	R
	9505150061*	50-373	R
	9505150087	50-454	F
	9505150119	50-304	S
	9505150157	50-295	P
	9505150157	50-295	P
	9505150160	50-295	P
	9505150168	50-254	F
	9505150171	50-456	F
	9505150172	50-454	F
	9505150178	50-237	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505150179	50-456	S
	9505150195	50-374	S
	9505150244	50-254	P
	9505150252	50-237	P
	9505150252	50-237	P
	9505150252	50-237	P
	9505150252	50-237	P
	9505150259*	50-237	P
	9505150259*	50-237	P
	9505150259*	50-237	P
	9505150259*	50-237	P
	9505180002	50-295	P
	9505180004	50-456	Q
	9505180004	50-456	Q
	9505180279	50-373	R
	9505180279	50-373	R
	9505180335	50-254	R
	9505180335	50-254	R
	9505180342*	50-254	R
	9505180352*	50-254	R
	9505180441	50-237	P
	9505180441	50-237	P
	9505180441	50-237	P
	9505180441	50-237	P
	9505180441	50-237	P
	9505180459	50-265	P
	9505190104	50-237	S
	9505190122	50-456	P
	9505190122	50-456	P
	9505190204	50-456	F
	9505190204	50-456	F
	9505190213	50-373	F
	9505190213	50-373	F
	9505190252	50-10	R
	9505190267	50-10	F
	9505190274	50-295	F
	9505190389	50-295	R
	9505220162	50-456	R
	9505230037	50-254	Q
	9505230037	50-254	Q
	9505230041	50-254	Q
	9505230041	50-254	Q
	9505230047	50-249	S
	9505230083	50-373	S
	9505230091	50-374	S
	9505230176	50-10	W
	9505230176	50-10	W
	9505230176	50-10	W
	9505230237	50-254	V
	9505230238	50-254	V
	9505230238	50-254	V
	9505230242	50-254	V
	9505230242	50-254	V
	9505230250	50-254	P
	9505230250	50-254	P
	9505230348*	50-247	P
	9505240023	50-237	P
	9505240023	50-237	P
	9505240023	50-237	P
	9505240023	50-237	P
	9505240025*	50-237	P
	9505240025*	50-237	P
	9505240025*	50-237	P
	9505240025*	50-237	P
	9505240298	50-373	P
	9505240298	50-373	P
	9505240302*	50-373	P
	9505240302*	50-373	P
	9505240412	50-295	P
	9505240413*	50-295	P
	9505240437	50-10	W
	9505240437	50-10	W
	9505240437	50-10	W
	9505250145	50-237	P
	9505250145	50-237	P
	9505250145	50-237	P
	9505250145	50-237	P
	9505250148*	50-237	P
	9505250148*	50-237	P
	9505250148*	50-237	P
	9505250148*	50-237	P
	9505250251	50-10	W
	9505250251	50-10	W
	9505250251	50-10	W
	9505250251	50-10	W
	9505250251	50-10	W
	9505250251	50-10	W
	9505250251	50-10	W
	9505250251	50-10	W
	9505250251	50-10	W
	9505250253*	50-10	W
	9505260007	NUREG	
	9505260011	50-10	F
	9505260011	50-10	F
	9505260011	50-10	F
	9505260011	50-10	F
	9505260011	50-10	F
	9505260011	50-10	F
	9505260011	50-10	F
	9505260011	50-10	F
	9505260011	50-10	F
	9505260011	50-10	F
	9505260094	50-454	F
	9505260271	50-304	S
	9505260343	50-295	S
	9505300127	50-295	S
	9505300131*	50-295	S
	9505300227	50-373	Q
	9505300227	50-373	Q
	9505300311	50-373	P
	9505300311	50-373	P
	9505300398	50-454	P
	9505300398	50-454	P
	9505300398	50-454	P
	9505300398	50-454	P
	9505300401*	50-454	P
	9505300401*	50-454	P
	9505300401*	50-454	P
	9505300401*	50-454	P
	9505310070	50-456	R
	9505310118	50-457	S
	9505310183	50-454	P
	9505310457	50-373	P
	9505310457	50-373	P
	9505310463*	50-373	P
	9505310463*	50-373	P
Computer Technology Services, Inc.	9505040239	CONTRACT	
Conference of Radiation Control Program Directors, Inc.	9505020175	STATE PRO	G
	9505250121*	STATE PRO	G
Connecticut Yankee Atomic Power Co.	9505020313	50-213	F
	9505030296	50-213	S
	9505030484	50-213	I
	9505040022*	50-29	I
	9505040022*	50-29	I
	9505040022*	50-29	I
	9505050062	50-213	R
	9505050067	50-213	R
	9505080095	50-213	P
	9505090261	50-213	Q
	9505100120	50-213	S
	9505110006	50-213	S
	9505150144	50-213	R
	9505240211	50-213	F
	9505300014	50-213	Q
	9505310103	50-213	F
	9505310213	50-213	P
	9505310223	50-213	P
	9505310252	50-213	P
	9505310481	50-213	P
	9505310486	50-213	S
Consejo de Seguridad Nuclear (Spain)	9505090114	PR	
Consolidated Edison Co. of New York, Inc	9505030096	50-247	F
	9505050085	50-247	P
	9505050087*	50-247	P
	9505100034	50-3	R
	9505100034	50-3	R
	9505100034	50-3	R
	9505120105	50-247	P
	9505120112*	50-247	P
	9505120114*	50-247	P
	9505150039	50-247	S
	9505150163	50-3	R
	9505150163	50-3	R
	9505150301	50-247	R
	9505180300	50-247	F
	9505180515	50-3	I
	9505180515	50-3	I
	9505230346	50-247	P
	9505240145	50-247	S
	9505260482	50-247	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505300268	50-247	F
	9505300273*	50-247	F
Consumers Power Co.	9505010158	50-155	I
	9505010158	50-155	I
	9505020040	50-255	F
	9505020047	50-255	F
	9505020054	50-255	F
	9505020060	50-255	F
	9505020066	50-255	F
	9505020071	50-255	F
	9505020091	50-255	F
	9505020107	50-255	F
	9505020138	50-255	Q
	9505020215	50-155	R
	9505020217	50-155	R
	9505020266	50-255	R
	9505020268*	50-255	R
	9505020291	50-155	P
	9505030007	50-155	F
	9505030208	50-255	P
	9505030326	50-255	P
	9505030469	50-255	Q
	9505040129	50-255	R
	9505040169	50-155	S
	9505050153	50-155	K
	9505050157*	50-155	K
	9505050210	50-255	P
	9505050211*	50-255	P
	9505050214	50-255	P
	9505050215*	50-255	P
	9505050321	50-255	F
	9505050323	50-255	F
	9505080091	50-255	P
	9505090199	50-155	R
	9505100115	50-255	P
	9505100152	50-255	P
	9505100243	50-255	F
	9505100251	50-255	F
	9505100254	50-255	F
	9505100262	50-255	F
	9505100265	50-255	F
	9505110262	50-255	R
	9505110331	72-1007	
	9505110332	50-255	P
	9505110335	50-255	P
	9505120009	50-255	P
	9505120013*	50-255	P
	9505150044	50-255	F
	9505150052	50-255	S
	9505150055	50-255	F
	9505180598	50-155	F
	9505190317	50-255	Y
	9505230019	50-155	P
	9505230073	50-255	P
	9505240194*	50-155	P
	9505260282	50-255	F
	9505260287	50-255	F
	9505260356	50-255	F
	9505260358	50-255	F
	9505260360	50-255	F
	9505300040	50-255	F
	9505300089	50-255	F
	9505300091	50-255	F
	9505300101	50-255	F
	9505300198	50-155	P
	9505310006	50-255	P
	9505310007*	50-255	P
	9505310106	50-255	F
	9505310112	50-255	F
	9505310115	50-255	F
	9505310242	50-255	F
	9505310251	50-255	F
	9505310652	50-255	P
Cooper Energy Services	9505010161	50-454	S
Croft Associates (United Kingdom)	9505260439*	71-3024	
	9505260440*	71-3024	
	9505260441*	71-3024	
Dairyland Power Cooperative	9505080020	50-409	S
Defense, Dept. of, Defense Logistics Agency	9505050248	40-341	
	9505050250	40-341	
	9505050330	40-341	
	9505110313	40-341	
	9505110314*	40-341	
	9505260374	40-341	
Detroit Edison Co.	9505020281	50-341	F
	9505030247	50-341	R
	9505030262	50-341	R
	9505100134	50-341	I
	9505110122	50-341	K
	9505110127*	50-341	K
	9505110130*	50-341	K
	9505150198	50-341	S
	9505150201*	50-341	S
	9505150255*	50-341	F
	9505190235	50-341	R
	9505220121	50-341	H
	9505220192	50-341	P
	9505230009	50-341	P
	9505240343	50-341	Q
	9505310197	50-341	Q
	9505310471	50-341	S
	9505310478*	50-341	S
Duke Power Co.	9505010101	50-369	R
	9505010101	50-369	R
	9505010162	50-413	R
	9505010162	50-413	R
	9505020278	50-413	R
	9505020278	50-413	R
	9505020334	50-413	R
	9505020334	50-413	R
	9505020382	50-269	P
	9505030143	50-269	P
	9505030143	50-269	P
	9505030143	50-269	P
	9505030143	50-269	P
	9505030175	50-269	R
	9505030175	50-269	R
	9505030175	50-269	R
	9505030182	50-369	F
	9505030182	50-369	F
	9505030184*	50-369	F
	9505030184*	50-369	F
	9505030336	50-269	F
	9505030336	50-269	F
	9505030336	50-269	F
	9505030337*	50-269	F
	9505030337*	50-269	F
	9505030337*	50-269	F
	9505040108	50-413	P
	9505040108	50-413	P
	9505040114*	50-413	P
	9505040114*	50-413	P
	9505050217	50-287	Q
	9505050331	50-269	R
	9505050331	50-269	R
	9505050331	50-269	R
	9505050339	50-269	F
	9505050339	50-269	F
	9505080012	50-369	R
	9505080012	50-369	R
	9505080014	50-369	Q
	9505080039	50-287	Q
	9505100148	50-413	Q
	9505110291	50-287	P
	9505110294*	50-287	P
	9505110296*	50-287	P
	9505120055	50-369	P
	9505120106	50-269	P
	9505120109*	50-269	P
	9505120109*	50-269	P
	9505120109*	50-269	P
	9505150023	50-269	P
	9505150023	50-269	P
	9505150023	50-269	P
	9505150023	50-269	P
	9505150057	50-413	Q
	9505180585	50-269	Q
	9505180585	50-269	Q
	9505180585	50-269	Q
	9505190147	50-413	P
	9505190163	50-369	F
	9505190163	50-369	F
	9505190178*	50-369	F
	9505190178*	50-369	F
	9505220152	50-413	R
	9505220154	50-269	R
	9505220154	50-269	R
	9505220158	50-369	R
	9505220273*	50-269	R
	9505220274*	50-269	R
	9505220281*	50-413	R
	9505220282*	50-413	R
	9505220285*	50-369	R
	9505220286*	50-369	R
	9505230095	50-369	S
	9505230103*	50-369	S
	9505230147	50-413	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505230156	50-413	S
	9505230156	50-413	S
	9505230259*	50-413	P
	9505230259*	50-413	P
	9505230270*	50-413	P
	9505230270*	50-413	P
	9505230287*	50-413	P
	9505240181	50-270	S
	9505240362	50-269	P
	9505240362	50-269	P
	9505240362	50-269	P
	9505240362	50-269	P
	9505240362	50-269	P
	9505240362	50-269	P
	9505240362	50-269	P
	9505240448	50-269	F
	9505240448	50-269	F
	9505240448	50-269	F
	9505240448	50-269	F
	9505240448	50-269	F
	9505240448	50-269	F
	9505240448	50-269	F
	9505250009	50-270	Q
	9505250009	50-270	Q
	9505250027	50-269	Q
	9505250027	50-269	Q
	9505250027	50-269	Q
	9505250059	50-413	P
	9505250059	50-413	P
	9505260227	50-269	P
	9505260227	50-269	P
	9505260227	50-269	P
	9505260403	50-269	Q
	9505300028	50-287	P
	9505300033*	50-287	P
	9505300384	50-369	P
	9505310109	50-414	S
	9505310323	50-414	S
	9505310435	50-413	P
	9505310435	50-413	P
	9505310436*	50-413	P
	9505310436*	50-413	P
	9505310442	50-269	P
	9505310449*	50-269	P
	9505310449*	50-269	P
	9505310449*	50-269	P
	9505310514	50-413	S
	9505310523*	50-413	S
	9505310541	50-414	P
	9505310582	50-413	K
	9505310582	50-413	K
	9505310586*	50-413	K
	9505310586*	50-413	K
	9505310593	50-413	P
Duquesne Light Co.	9505030240	50-412	P
	9505040065*	50-412	P
	9505040126	50-412	Q
	9505050302	50-334	P
	9505050305	50-412	P
	9505050307*	50-412	P
	9505100143	50-334	R
	9505110132	50-334	F
	9505120100	50-334	P
	9505150297	50-412	R
	9505180233	50-412	K
	9505180531	50-334	F
	9505240370	50-334	S
	9505300337	50-334	I
	9505300337	50-334	I
	9505300344*	50-334	I
	9505300441	50-334	P
	9505300441	50-334	P
	9505310062	50-334	P
EG&G Energy Measurements	9505080016*	STATE PRO	G
EG&G Idaho, Inc.	9505100167*	50-298	Q
Edgar, G.L.	9505040029	50-237	G
	9505040029	50-237	G
	9505040029	50-237	G
	9505040035*	50-237	G
	9505040035*	50-237	G
	9505040035*	50-237	G
Edlow International Co.	9505180089	XPORTLIC	
	9505180096*	XPORTLIC	
	9505180101	XPORTLIC	
	9505180107*	XPORTLIC	
	9505190004	XPORTLIC	
	9505190006	XPORTLIC	
	9505190008	70-1252	
	9505190015	70-1252	
	9505190026	70-1252	
	9505190030	70-754	
	9505190032	70-1252	
	9505190141	XPORTLIC	
	9505190146	XPORTLIC	
	9505190152	70-1252	
	9505190218*	71-*****	
Electric Power Research Institute	9505250177*	52-3	
Energy Fuels Nuclear, Inc.	9505230307	40-8681	
	9505250181	40-8681	
	9505260209*	40-8681	
	9505260225*	40-8681	
	9505260229*	40-8681	
	9505260240*	40-8681	
Energy, Dept. of	9505010108	71-5957	
	9505010127*	71-5957	
	9505020273	ORG	
	9505020341	WASTE MGT	
	9505020355	WASTE MGT	
	9505030151	WASTE MGT	
	9505030190	WASTE MGT	
	9505030265	WASTE MGT	
	9505040094	WASTE MGT	
	9505040271	WASTE MGT	
	9505050054	WASTE MGT	
	9505050298	71-5805	
	9505080025	WASTE MGT	
	9505080055	WASTE MGT	
	9505080058*	WASTE MGT	
	9505080064*	WASTE MGT	
	9505080110	WASTE MGT	
	9505080275	WASTE MGT	
	9505080286*	WASTE MGT	
	9505080289*	WASTE MGT	
	9505090265	WASTE MGT	
	9505100068	WASTE MGT	
	9505100088	WASTE MGT	
	9505110108	WASTE MGT	
	9505110219	WASTE MGT	
	9505110322	WASTE MGT	
	9505120113	WASTE MGT	
	9505120267	WASTE MGT	
	9505150110*	WASTE MGT	
	9505150197	WASTE MGT	
	9505150312	WASTE MGT	
	9505180217	WASTE MGT	
	9505180334	WASTE MGT	
	9505180339*	WASTE MGT	
	9505180357	PROJ	
	9505180486	WASTE MGT	
	9505190058	WASTE MGT	
	9505190074	WASTE MGT	
	9505190151	WASTE MGT	
	9505190169	WASTE MGT	
	9505190251	WASTE MGT	
	9505190258*	WASTE MGT	
	9505190264	WASTE MGT	
	9505190270	WASTE MGT	
	9505190273	WASTE MGT	
	9505190277*	WASTE MGT	
	9505190279*	WASTE MGT	
	9505220123	PR	
	9505230119	WASTE MGT	
	9505240057	WASTE MGT	
	9505240080	WASTE MGT	
	9505240097	PROJ	
	9505240107*	PROJ	
	9505250158	WASTE MGT	
	9505250161	WASTE MGT	
	9505250281	WASTE MGT	
	9505250295	70-364	
	9505260233	WASTE MGT	
	9505260354	WASTE MGT	
	9505260357*	WASTE MGT	
	9505300061	PROJ	
	9505300079	WASTE MGT	
	9505310275	WASTE MGT	
Entergy Operations, Inc.	9505010111	50-382	F
	9505010134	50-458	P
	9505010278	50-313	S
	9505020226	50-313	R
	9505020226	50-313	R
	9505020310	50-313	Q
	9505030023	50-416	J
	9505030046	50-416	F
	9505030142	50-416	R
	9505030163	50-313	P
	9505030192	50-416	R
	9505030193	50-382	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505030195*	50-416	R
	9505030200	50-382	P
	9505030253	50-458	S
	9505030259	50-458	Q
	9505030282	50-458	S
	9505050293	50-382	P
	9505050295*	50-382	P
	9505050297	50-382	P
	9505100044	50-313	I
	9505100044	50-313	I
	9505110210	50-458	R
	9505110231	PR	
	9505110255	50-382	S
	9505120053	50-313	P
	9505150098	50-458	S
	9505150177	50-416	F
	9505150222	50-382	Q
	9505180242	50-382	R
	9505180267	50-382	P
	9505180274*	50-382	P
	9505180294	50-382	P
	9505180509	50-313	F
	9505180509	50-313	F
	9505180511	50-382	F
	9505180522	50-313	F
	9505180522	50-313	F
	9505180524	50-313	F
	9505180524	50-313	F
	9505180576	50-416	F
	9505190244	50-313	R
	9505190261	50-368	R
	9505190315	50-458	P
	9505220080	50-313	P
	9505220146	50-458	R
	9505240138	50-382	F
	9505240151	50-313	P
	9505240156*	50-313	P
	9505240213	50-368	P
	9505240219*	50-368	P
	9505240226	50-313	P
	9505240226	50-313	P
	9505240230*	50-313	P
	9505240230*	50-313	P
	9505240276	50-313	S
	9505240287	50-313	P
	9505240292*	50-313	P
	9505240350	50-416	R
	9505240368	50-382	I
	9505240382	50-382	P
	9505240384*	50-382	P
	9505250048	50-382	Q
	9505250241	50-313	F
	9505250241	50-313	F
	9505250244	50-313	F
	9505250244	50-313	F
	9505250247	50-313	F
	9505250247	50-313	F
	9505250277	50-416	S
	9505260241	50-368	P
	9505260245*	50-368	P
	9505260256	50-368	P
	9505260262*	50-368	P
	9505260270	50-368	P
	9505260273*	50-368	P
	9505260323	50-458	S
	9505260348	50-458	P
	9505300173	50-458	P
	9505300208	50-413	P
	9505300211*	50-413	P
	9505310091	50-313	J
	9505310171	50-416	Q
	9505310186	50-368	Q
	9505310618	50-416	J
Envirocare, Inc.	9505120107	40-8681	
Environmental Protection Agency	9505040110	PROJ	
	9505080059	50-266	Y
	9505080059	50-266	Y
	9505220242*	50-266	H
	9505220242*	50-266	H
	9505260369	WASTE MGT	
Facilities Management Co., Inc., Lanham, MD	9505040237	CONTRACT	
Fansteel Metals	9505120146	40-7580	
Fansteel, Inc.	9505150033	40-7580	
	9505220296	40-7580	
Federal Emergency Management Agency	9504210281*	50-397	F
	9504210288*	50-397	F
	9505040207*	50-397	F
	9505040388*	50-397	F
Fernandez Co., Ltd.	9505240446*	40-8914	
Finland, Govt. of	9505230327*	FOIA	
Florida International Univ., Miami, FL	9505040400*	CONTRACT	
Florida Power & Light Co.	9505020194	50-250	R
	9505030201	50-335	Q
	9505030206*	50-335	Q
	9505030472	50-250	P
	9505040051	50-389	P
	9505090143	50-335	R
	9505090143	50-335	R
	9505120015	50-389	R
	9505120017*	50-389	R
	9505120020*	50-389	R
	9505120122	50-250	P
	9505120122	50-250	P
	9505120128	50-250	Q
	9505150083	50-250	S
	9505180324	50-389	S
	9505180516	50-335	F
	9505180516	50-335	F
	9505180603	50-250	K
	9505180607	50-250	R
	9505190285	50-250	S
	9505190385	50-250	R
	9505220115	PR	
	9505220139	50-335	R
	9505240102	50-335	P
	9505240102	50-335	P
	9505240105*	50-335	P
	9505240105*	50-335	P
	9505240223	50-335	P
	9505240234*	50-335	P
	9505300084	50-302	P
	9505310096	50-250	P
	9505310096	50-250	P
	9505310100*	50-250	P
	9505310100*	50-250	P
	9505310564	50-335	F
Florida Power Corp.	9505030480	50-302	Q
	9505050080	50-302	R
	9505050151	50-302	Q
	9505100129	50-302	P
	9505120006	50-302	F
	9505120008*	50-302	F
	9505120011*	50-302	F
	9505180248	50-302	R
	9505180484	50-302	Q
	9505180529	50-302	F
	9505220069	50-302	R
	9505230102	50-302	P
	9505230292	50-302	S
	9505240353	50-302	P
	9505250040	50-302	P
	9505250053	50-302	I
	9505250301	50-302	F
	9505310247	50-302	F
	9505310304	50-302	S
	9505310319*	50-302	S
	9505310632	50-302	P
	9505310635*	50-302	P
Florida, Univ. of, Gainesville, FL	9505240185	50-83	P
	9505250061	70-1068	
Foster Wheeler Energy Corp.	9505040006	NUREG	
GTE Telecommunications, Inc.	9505040245	CONTRACT	
General Atomics (formerly GA Technologie	9505260281	40-8027	
s, Inc./General Atomic Co.)			
	9505300068	70-734	
General Electric Co.	9505010125*	50-271	P
	9505020476	52-4	
	9505040174	52-4	
	9505040357	52-4	
	9505040371	52-4	
	9505040421*	50-374	P
	9505080150*	50-220	P
	9505090132	TOPREP	
	9505090137*	TOPREP	
	9505090148	71-9228	
	9505090268	70-1113	
	9505100091	52-4	
	9505100230	52-4	
	9505150075*	50-440	P
	9505150077*	50-440	P
	9505150107	70-1113	
	9505150147*	50-220	Q
	9505150203	70-1113	
	9505150206*	70-1113	
	9505180446	52-4	
	9505180462	52-4	
	9505180467	52-4	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505180468*	50-265	P
	9505180551	52-4	
	9505180553*	52-4	
	9505190007	XPORTLIC	
	9505230101	52-4	
	9505300008	52-4	
	9505300118	70-1151	
	9505300160*	50-325	P
	9505300163	71-9228	
	9505300167*	71-9228	
	9505300453*	50-410	P
General Public Utilities Corp. - GPU Service Corp.	9505010078	50-289	Q
	9505010095	50-289	P
	9505010097*	50-289	P
	9505010103	50-289	R
	9505010103	50-289	R
	9505020051	50-219	R
	9505020470	50-219	I
	9505020470	50-219	I
	9505020472*	50-219	I
	9505020472*	50-219	I
	9505020472*	50-219	I
	9505040384	50-289	R
	9505040389*	50-289	R
	9505040389*	50-289	R
	9505040423	50-289	F
	9505050038	50-219	F
	9505110298	PR	
	9505150132	50-289	R
	9505190242	50-289	F
	9505190259	50-219	R
	9505230018	NUREG	
	9505230299	50-289	P
	9505230301*	50-289	P
	9505230304*	50-289	P
	9505230339	50-219	F
	9505310201	50-289	P
	9505310206*	50-289	P
	9505310644	50-289	P
	9505310648*	50-289	P
Georgia Institute of Technology, Atlanta GA	9505180597	50-160	G
	9505180601*	50-160	G
	9505260232	50-160	G
	9505260246*	50-160	G
	9505260264*	50-160	G
Georgia Power Co.	9505040015	50-424	G
	9505040015	50-424	G
	9505040056	50-424	G
	9505040080	50-424	P
	9505040081*	50-424	P
	9505050143	50-424	S
	9505050147	50-424	F
	9505050147	50-424	F
	9505050207	71-696	
	9505050209*	71-696	
	9505080021	50-366	P
	9505090105	50-321	F
	9505090105	50-321	F
	9505090153	50-424	Q
	9505090159*	50-424	R
	9505090159*	50-424	R
	9505090163*	50-424	R
	9505090171	50-424	P
	9505090171	50-424	P
	9505090186	50-366	S
	9505090221	50-321	P
	9505090221	50-321	P
	9505090223*	50-321	P
	9505090223*	50-321	P
	9505100011	50-424	R
	9505100011	50-424	R
	9505100055*	50-424	P
	9505100055*	50-424	P
	9505110258	50-321	R
	9505120152	50-366	S
	9505150139	50-424	R
	9505150186*	50-424	R
	9505150190*	50-424	R
	9505180306	50-424	F
	9505180306	50-424	F
	9505180438	50-424	G
	9505180438	50-424	G
	9505180456*	50-424	G
	9505180456*	50-424	G
	9505180469	50-424	G
	9505180469	50-424	G
	9505180502*	50-424	G
	9505180508	50-424	G
	9505180508	50-424	G
	9505180590	50-424	P
	9505180590	50-424	P
	9505180602	50-424	G
	9505180602	50-424	G
	9505190094	50-424	P
	9505190100*	50-424	P
	9505230184	50-321	H
	9505240166	50-321	P
	9505250193	50-321	P
	9505260238	50-424	G
	9505260316	50-424	G
	9505260400	50-424	Q
	9505260400	50-424	Q
	9505300056	50-424	R
	9505300056	50-424	R
	9505300059*	50-424	R
	9505300059*	50-424	R
Georgia, State of	9505230016	50-160	G
Global Management Systems, Inc.	9505040216	CONTRACT	
	9505040221	CONTRACT	
	9505040328*	CONTRACT	
Ground/Water Technology, Inc.	9505260194*	FOIA	
Halliburton NUS Environmental Corp.	9505040272	CONTRACT	
Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley)	9505040016	70-3070	
	9505040064	70-3070	
	9505090189	70-3070	
	9505180379	70-3070	
	9505260239	40-8027	
	9505260249	40-8027	
	9505260308	40-8027	
Harvard Medical School, Boston, MA	9505010276*	FOIA	
	9505010277*	FOIA	
	9505010279*	FOIA	
	9505020042*	FOIA	
	9505020074*	FOIA	
	9505020320*	FOIA	
	9505020330*	FOIA	
	9505030118*	FOIA	
	9505040342*	FOIA	
Harvard Univ., Cambridge, MA	9505020057*	FOIA	
	9505020062*	FOIA	
	9505020077*	FOIA	
	9505020088*	FOIA	
	9505020093*	FOIA	
Hawaii, State of	9505250051*	STATE PRO	G
Health & Human Services, Dept. of, U.S. Public Health Service	9505260382	70-364	
Holme, Roberts & Owens	9505260202	40-8681	
	9505260209*	40-8681	
	9505260225*	40-8681	
	9505260229*	40-8681	
	9505260240*	40-8681	
Houston Lighting & Power Co.	9305240207*	50-498	P
	9305270043*	50-498	P
	9505020261	50-499	S
	9505020267*	50-499	S
	9505030011	50-498	R
	9505030284	50-498	S
	9505030290*	50-498	S
	9505030293	50-498	P
	9505050071	50-498	P
	9505050071	50-498	P
	9505050076*	50-498	P
	9505050076*	50-498	P
	9505080002	50-498	P
	9505080002	50-498	P
	9505080004*	50-498	P
	9505080004*	50-498	P
	9505080175*	50-498	Q
	9505090001*	50-498	P
	9505090001*	50-498	P
	9505090144	50-498	F
	9505090238	50-498	P
	9505090238	50-498	P
	9505090239*	50-498	P
	9505090239*	50-498	P
	9505110056	50-499	S
	9505110124	50-498	Q
	9505110124	50-498	Q
	9505110223	50-498	Q
	9505110226*	50-498	Q
	9505110226*	50-498	Q
	9505110228*	50-498	Q
	9505110228*	50-498	Q
	9505110230*	50-498	Q
	9505110230*	50-498	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505150209	50-498	S
	9505150212*	50-498	S
	9505220144	50-498	R
	9505220144	50-498	R
	9505230051	50-499	S
	9505230071*	50-499	S
	9505240327	50-498	S
	9505240328*	50-498	S
	9505240329*	50-498	S
	9505260298	50-498	P
	9505260298	50-498	P
	9505260408	50-498	P
	9505260408	50-498	P
	9505260410*	50-498	P
	9505260410*	50-498	P
	9505310149	50-498	P
	9505310149	50-498	P
	9505310154*	50-498	P
	9505310154*	50-498	P
	9505310160	50-498	P
	9505310160	50-498	P
	9505310162*	50-498	P
	9505310162*	50-498	P
	9505310173	50-498	P
	9505310173	50-498	P
	9505310176*	50-498	P
	9505310176*	50-498	P
	9505310331	50-498	S
	9505310337*	50-498	S
Huckaby, Fleming, Frailey, Chaffin & Darrah	9505190064	40-1478	
IES Utilities Inc., (formerly Iowa Electric Light & Power Co)	9505020206	50-331	P
	9505020323*	50-331	P
	9505020361	50-331	P
	9505020366	50-331	P
	9505040241	50-331	P
	9505040244*	50-331	P
	9505220118	PR	
	9505220194	50-331	S
	9505220195*	50-331	S
	9505230143	50-331	R
ITT Barton	9505180099	50-333	S
Idaho National Engineering Laboratory	9504280259*	50-247	Q
	9505090253*	50-389	Q
	9505100167*	50-298	Q
	9505180347	NUREG	
Illinois Power Co.	9505020239	50-461	R
	9505020338	50-461	R
	9505100010	50-461	R
	9505250147	50-461	S
	9505310088	50-461	S
	9505310120	50-461	F
Illinois, State of	9505030114	STATE PRO	G
	9505080030	STATE PRO	G
	9505120077	STATE PRO	G
	9505120087*	STATE PRO	G
	9505120135*	STATE PRO	G
	9505120139*	STATE PRO	G
	9505120147*	STATE PRO	G
	9505120151*	STATE PRO	G
	9505120154*	STATE PRO	G
	9505120157*	STATE PRO	G
	9505120164*	STATE PRO	G
	9505120166*	STATE PRO	G
	9505120171*	STATE PRO	G
	9505120177*	STATE PRO	G
	9505120178*	STATE PRO	G
	9505120181*	STATE PRO	G
	9505120182*	STATE PRO	G
	9505120186*	STATE PRO	G
	9505120188*	STATE PRO	G
	9505120190*	STATE PRO	G
	9505120192*	STATE PRO	G
	9505120194*	STATE PRO	G
	9505120195*	STATE PRO	G
	9505120197*	STATE PRO	G
	9505120198*	STATE PRO	G
	9505120200*	STATE PRO	G
	9505120201*	STATE PRO	G
	9505120217*	STATE PRO	G
	9505120219*	STATE PRO	G
	9505120223*	STATE PRO	G
	9505120225*	STATE PRO	G
	9505120227*	STATE PRO	G
	9505120230*	STATE PRO	G
	9505120231*	STATE PRO	G
	9505120234*	STATE PRO	G
	9505230131	STATE PRO	G

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505250050	STATE PRO	G
Illinois, Univ. of, Urbana, IL	9505010264	50-356	P
	9505040391	CONTRACT	
	9505240247	50-151	V
	9505240441	50-151	P
	9505240444*	50-151	P
Inberg-Miller Engineering Co.	9505180533*	40-2259	
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9505010273	50-315	P
	9505010275*	50-315	P
	9505030275	50-315	R
	9505080041	50-315	P
	9505090016	50-315	H
	9505100272	50-315	Q
	9505100272	50-315	Q
	9505150012	50-316	R
	9505150127	50-315	R
	9505150175	50-316	S
	9505180503	50-315	Q
	9505180503	50-315	Q
	9505180505*	50-315	Q
	9505180505*	50-315	Q
	9505190144	71-377	
	9505190297	50-315	P
	9505190297	50-315	P
	9505220081	50-315	F
	9505220081	50-315	F
	9505240165	50-315	P
	9505240165	50-315	P
	9505240168*	50-315	P
	9505240168*	50-315	P
	9505240360	50-315	F
	9505310313	50-315	P
	9505310313	50-315	P
	9505310316*	50-315	P
	9505310316*	50-315	P
Indonesia, Govt. of	9505090206	XPORTLIC	
Industrial Radiography Maintenance & Supply Co.	9505260156	71-9263	
Institute for Circadium Physiology	9505030466	NUREG	
Institute for Energy & Environmental Research, Heidelberg, Germany	9505040070*	70-3070	
	9505180393*	70-3070	
Institute of Nuclear Power Operations	9505190159	ORG	
Interior, Dept. of	9502100305*	STATE PRO	G
Interior, Dept. of, Bureau of Indian Affairs	9505020120*	50-282	Y
Interior, Dept. of, Geological Survey	9505150200*	WASTE MGT	
	9505150313*	WASTE MGT	
	9505150314*	WASTE MGT	
	9505150315*	WASTE MGT	
	9505150316*	WASTE MGT	
	9505180510	50-274	F
Iowa State Univ., Ames, IA	9505040172*	CONTRACT	
	9505260257	71-*****	
	9505260261*	71-*****	
Iowa, State of	9505020245*	STATE PRO	G
	9505080027*	STATE PRO	G
	9505220142	PR	
Iowa, Univ. of, Iowa City, IA	9505030180	PR	
Italy, Govt. of	9505230110*	52-4	
JBF Associates, Inc.	9505110229*	FOIA	
	9505110301*	FOIA	
Jack Faucett Associates, Inc.	9505040230	CONTRACT	
Jacobs Engineering Group, Inc.	9505020368	40-8907	
	9505080118*	WASTE MGT	
	9505150159	40-8907	
Jan X-Ray Services, Inc.	9505220133	PR	
	9505230252	71-9263	
Japan	9505230306*	FOIA	
	9505230310*	FOIA	
Jones, Day, Reavis & Pogue	9505120066	50-528	M
Kentucky, Commonwealth of	9505030092	STATE PRO	G
	9505180588	STATE PRO	G
	9505180591*	STATE PRO	G
Kerr-McGee Corp.	9505120001	70-3073	
	9505120004*	70-3073	
	9505230236*	70-3073	
Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates)	9505090151	50-424	G
	9505180498	50-424	G
	9505180579	50-424	G
	9505240428*	50-498	Q
	9505260272	50-424	G
Korea Institute of Nuclear Safety	9505030464	NUREG	
Lawrence Livermore National Laboratory	9505110326*	WASTE MGT	
	9505180397	NUREG	
	9505230342	NUREG	
Lewis, M.	9505040107	NUREG	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Long Island Lighting Co.	9505240257	50-322	J
Long Island Power Authority	9505240400*	50-220	I
Los Alamos National Laboratory	9505240427*	FOIA	
Louisiana Energy Services	9505040005	70-3070	
	9505040026	70-3070	
	9505040039	70-3070	
	9505040064	70-3070	
	9505090145	70-3070	
	9505190397	70-3070	
Louisiana, State of	9505010163	STATE PRO	G
	9505040002	70-3070	
	9505180098	STATE PRO	G
	9505180514*	50-382	F
	9505250015	STATE PRO	G
MITRE Corp.	9505040247	CONTRACT	
MKW Power Systems, Inc.	9505090038	50-250	S
	9505300156	50-266	S
MQS Inspection, Inc. (formerly Magnaflux Corp.)	9505190164*	FOIA	
	9505190171*	FOIA	
	9505220096	PR	
	9505220108	PR	
	9505220110	PR	
	9505220119	PR	
	9505220138	PR	
	9505220141	PR	
Magnesium Elektron, Inc. (formerly Meiberk, Inc.)	9505030202	40-8984	
Maine Yankee Atomic Power Co.	9505020172	50-309	F
	9505020178*	50-309	F
	9505030238	50-309	R
	9505040022*	50-29	I
	9505040022*	50-29	I
	9505040257	50-309	F
	9505090007	50-309	F
	9505090149	50-309	I
	9505100079	50-309	Q
	9505150019	50-309	R
	9505150028	50-309	J
	9505150309	50-309	F
	9505180035	50-309	F
	9505180330	50-309	P
	9505180368*	50-309	P
	9505180474	50-309	S
	9505180479*	50-309	S
	9505220092	50-309	S
	9505250079	50-309	P
	9505310138	50-309	V
Maine, State of	9505020294	STATE PRO	G
	9505300423	50-309	U
Mallinckrodt Specialty Chemicals Co.	9505110137	40-6563	
Martin Marietta Energy Systems, Inc.	9505090062	70-364	
Maryland, State of	9505030170	STATE PRO	G
	9505220102	PR	
Maryland, Univ. of, College Park, MD	9505030447	NUREG	
Massachusetts, Commonwealth of	9505230015	PR	
Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of)	9505030099*	50-223	Q
Mays & Valentine	9505090059	40-8027	
	9505260281	40-8027	
	9505260300	40-8027	
Menominee Tribe	9505110093*	50-266	Y
Metallurg, Inc.	9505310265	40-8948	
Michigan, State of	9505100075	40-9015	
	9505230142	PR	
Michigan, Univ. of, Medical School, Ann Arbor, MI	9505180160	71-348	
Midland Inspection & Engineering, Inc.	9505190230	71-9156	
Minnesota Mining & Manufacturing Co. (3M Co.)	9505110312	40-1020	
	9505230123	40-1020	
Missouri, Univ. of, Columbia, MO	9505110245	50-186	P
Missouri, Univ. of, Rolla, MO	9505020205	50-160	R
Mitsubishi International Corp.	9505110320	XPORTLIC	
	9505110325	XPORTLIC	
Mitsui & Co. (USA), Inc.	9505180086	XPORTLIC	
	9505190036	XPORTLIC	
	9505190040	XPORTLIC	
Modeling & Computer Services	9505040373	CONTRACT	
	9505190018	NUREG	
Molycorp, Inc.	9505050347	40-8778	
	9505080038	40-8794	
	9505080045	40-8794	
Monsanto Co.	9505110323	XPORTLIC	
Montana X-Ray, Inc.	9505250120	71-9263	
Morgan, Lewis & Bockius	9505220127	PR	
	9505260070	MISC	
	9505260286	40-8027	
Namco Controls	9505260474	QA999	
National Whistleblower Center	9505100123*	FOIA	
	9505100170*	FOIA	
Native Americans for a Clean Environment	9505260239	40-8027	
	9505260249	40-8027	
	9505300149	40-8027	
Navajo Nation	9505220021	40-8907	
Navy, Dept. of	9505010223	71-697	
	9505010227*	71-697	
	9505010232*	71-697	
Neal R. Gross & Co., Inc.	9505040270	CONTRACT	
Nebraska Public Power District	9505010160	50-298	F
	9505030035	50-298	R
	9505030446	50-298	P
	9505050069*	50-298	Q
	9505080087	50-298	P
	9505090142	50-298	Q
	9505100050	50-298	P
	9505100051*	50-298	P
	9505110110	50-298	P
	9505110113*	50-298	P
	9505150070	50-298	Q
	9505150241	50-298	I
	9505180240	50-298	R
	9505180594	50-298	P
	9505190039*	50-298	P
	9505190080*	50-298	P
	9505190087*	50-298	P
	9505190091*	50-298	P
	9505190108*	50-298	P
	9505190112*	50-298	P
	9505190174*	50-298	P
	9505190180*	50-298	P
	9505230001	50-298	S
	9505230033	50-298	Q
Nebraska, State of	9505030135	STATE PRO	G
	9505220018	STATE PRO	G
	9505260032	PR	
New Jersey, State of	9505040203	CONTRACT	
	9505120237	PR	
	9505120258*	STATE PRO	G
	9505260067*	50-219	F
New Mexico, State of	9505250133*	STATE PRO	G
New Mexico, Univ. of, Albuquerque, NM	9505110129	50-252	F
	9505230154	PR	
New York State Electric & Gas Corp.	9505240399*	50-220	I
New York, State Univ. of, Buffalo, NY	9505100100	70-267	
	9505240254	71-226	
New York, State of	9505040030	PR	
	9505260198	70-687	
	9505300232	70-687	
Newman & Holtzinger	9505010246	FOIA	
Niagara Mohawk Power Corp.	9505020210	50-220	R
	9505020210	50-220	R
	9505020228	50-220	P
	9505030159	50-410	R
	9505080135	50-220	P
	9505080140*	50-220	P
	9505110016	50-410	R
	9505110068	50-220	P
	9505150137	50-220	Q
	9505150141*	50-220	Q
	9505180549	50-410	P
	9505180552	50-220	P
	9505220166	50-410	R
	9505220167	50-220	R
	9505230074	50-410	P
	9505240032	50-220	F
	9505240376	50-220	I
	9505240376	50-220	I
	9505240396*	50-220	I
	9505240396*	50-220	I
	9505250172	50-410	H
	9505260304	50-220	S
	9505300452	50-410	P
	9505310131	50-410	Q
Non Destructive Testing Corp.	9505220114	PR	
Nondestructive Inspection Service	9505250192	71-97	
	9505250243*	71-97	
North Atlantic Energy Service Corp. (NAESCO)	9505020018	50-443	R
	9505020032*	50-443	R
	9505020035*	50-443	R
	9505020038	50-443	R
	9505020111	50-443	F
	9505020200	50-443	Q
	9505020201*	50-443	Q
	9505110101	50-443	P
	9505110208	50-443	R
	9505110211*	50-443	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505110212*	50-443	R
	9505150100	50-443	J
	9505150143	50-443	F
	9505150148*	50-443	F
	9505150150*	50-443	F
	9505180255	50-443	R
	9505180599	50-443	F
	9505190199	50-443	F
North Carolina State Univ., Raleigh, NC	9505110009	50-297	P
North Carolina, State of	9505020123	STATE PRO	G
	9505040123	CONTRACT	
	9505180415	STATE PRO	G
	9505220126	PR	
	9505230010	PR	
North Carolina, Univ. of, Wilmington, NC	9505040280	CONTRACT	
North Dakota, State of	9505250025	STATE PRO	G
Northeast Nuclear Energy Co.	9505020207	50-423	P
	9505030018	50-245	S
	9505040424	50-245	P
	9505040424	50-245	P
	9505040425*	50-245	P
	9505050060	50-245	R
	9505050060	50-245	R
	9505050060	50-245	R
	9505050070	50-245	R
	9505050070	50-245	R
	9505050070	50-245	R
	9505050107	50-423	P
	9505050166	50-423	P
	9505050169*	50-423	P
	9505050175	50-423	P
	9505050178*	50-423	P
	9505050182	50-423	P
	9505050185*	50-423	P
	9505050189	50-423	P
	9505050192*	50-423	P
	9505050345	50-423	P
	9505110204	50-423	R
	9505110213	50-423	P
	9505110234	50-336	S
	9505110242	50-245	S
	9505120213	50-245	S
	9505150282	50-336	P
	9505150290*	50-336	P
	9505190048	50-423	S
	9505190055	50-423	S
	9505190312	50-245	P
	9505230094	50-213	P
	9505230094	50-213	P
	9505230194	50-245	G
	9505230198	50-336	Q
	9505240079	50-336	P
	9505240211	50-213	F
	9505240211	50-213	F
	9505240211	50-213	F
	9505240221	50-423	P
	9505240229	50-336	Q
	9505240239	50-423	P
	9505240345	50-245	R
	9505250002	50-423	S
	9505250005	50-245	S
	9505250094	50-336	S
	9505250204	50-423	Q
	9505260317	50-423	P
	9505260322*	50-423	P
	9505260330	50-245	Q
	9505260330	50-245	Q
	9505260330	50-245	Q
	9505260333	50-245	P
	9505260335*	50-245	P
	9505300446	50-245	F
	9505310080	50-423	S
	9505310264	50-336	V
	9505310272	50-336	S
	9505310327	50-423	S
	9505310459	50-336	P
	9505310466*	50-336	P
Northeast Ohio Regional Sewer District	9505030467	FOIA	
	9505230294	FOIA	
Northeast Utilities	9505090261	50-213	Q
	9505190312	50-245	P
	9505220105	50-213	H
Northeast Utilities Service Co.	9505020207	50-423	P
	9505020313	50-213	F
	9505030018	50-245	S
	9505030186	50-245	I
	9505030186	50-245	I
	9505030186	50-245	I
	9505040018	50-29	I
	9505040018	50-29	I
	9505040022*	50-29	I
	9505040022*	50-29	I
	9505040022*	50-29	I
	9505040022*	50-29	I
	9505040028*	50-29	I
	9505040033*	50-29	I
	9505040036*	50-29	I
	9505040424	50-245	P
	9505040424	50-245	P
	9505040424	50-245	P
	9505050060	50-245	R
	9505050060	50-245	R
	9505050060	50-245	R
	9505050062	50-213	R
	9505050067	50-213	R
	9505050070	50-245	R
	9505050070	50-245	R
	9505050070	50-245	R
	9505050107	50-423	P
	9505050166	50-423	P
	9505050175	50-423	P
	9505050182	50-423	P
	9505050189	50-423	P
	9505050345	50-423	P
	9505080095	50-213	P
	9505090261	50-213	Q
	9505110206*	50-423	R
	9505110209*	50-423	R
	9505110209*	50-423	R
	9505110209*	50-423	R
	9505110213	50-423	P
	9505150282	50-336	P
	9505230194	50-245	G
	9505230198	50-336	Q
	9505240079	50-336	P
	9505240211	50-213	F
	9505240211	50-213	F
	9505240211	50-213	F
	9505240221	50-423	P
	9505240229	50-336	Q
	9505240239	50-423	P
	9505250002	50-423	S
	9505250005	50-245	S
	9505260317	50-423	P
	9505260330	50-245	Q
	9505260330	50-245	Q
	9505260333	50-245	P
	9505300014	50-213	Q
	9505310080	50-423	S
	9505310223	50-213	P
	9505310252	50-213	P
	9505310264	50-336	V
	9505310272	50-336	S
	9505310459	50-336	P
	9505310481	50-213	P
Northern States Power Co.	9504250106	50-282	Y
	9505020143	50-282	I
	9505020160	50-263	S
	9505020280	50-282	S
	9505020349	50-282	P
	9505020349	50-282	P
	9505020352	50-263	Q
	9505020397	50-282	Y
	9505020397	50-282	Y
	9505020397	50-282	Y
	9505030061	50-282	F
	9505030145	50-263	S
	9505030409	50-282	Y
	9505030411*	50-282	Y
	9505030482	50-263	Q
	9505040269	50-282	R
	9505040269	50-282	R
	9505040269	50-282	R
	9505040274	50-263	R
	9505090003	50-263	I
	9505090123	50-282	H
	9505100007	50-282	S
	9505100012	50-282	R
	9505100012	50-282	R
	9505100014*	50-282	R
	9505100015*	50-282	R
	9505100025	50-282	Y
	9505100025	50-282	Y
	9505100028*	50-282	R
	9505100033*	50-282	R
	9505110215	50-282	P
	9505110215	50-282	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505110253	50-282	F
	9505110253	50-282	F
	9505110319	50-263	P
	9505110319	50-263	P
	9505110319	50-263	P
	9505120140	50-282	P
	9505120140	50-282	P
	9505120145*	50-282	P
	9505120145*	50-282	P
	9505190096	50-306	P
	9505190287	50-263	R
	9505190294	50-263	F
	9505230247	50-282	P
	9505240174	50-263	P
	9505250022	50-282	P
	9505250022	50-282	P
	9505250024*	50-282	P
	9505250024*	50-282	P
	9505250166	50-282	P
	9505260221	50-263	P
	9505310248	50-282	P
	9505310483	50-263	S
	9505310491*	50-263	S
Northwestern Univ., Evanston, IL	9505260052	50-390	A
Nuclear Assurance Corp.	9505180364	PROJ	
	9505180369*	PROJ	
	9505180471	71-9225	
	9505180477*	71-9225	
	9505260486	PROJ	
	9505310271	PROJ	
	9505310647	PROJ	
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council)	9505030188	I&E	
	9505030317	REVIEW GR	P
	9505110264	PR	
	9505190177	REVIEW GR	P
	9505220091	PR	
	9505220137	PR	
	9505250270	REVIEW GR	P
	9505260409*	PROJ	
	9505300064	PR	
Nuclear Fuel Services, Inc.	9505220179	70-143	
	9505250174	71-9096	
	9505250280	70-143	
Nuclear Information & Resource Service	9505230278	FOIA	
Oak Ridge Associated Universities	9505040311	ORG	
	9505040339	70-1201	
	9505080043	70-364	
	9505090064*	70-364	
	9505120021	70-925	
	9505150125	50-160	P
	9505230193*	FOIA	
Oak Ridge National Laboratory	9505050346	70-364	
	9505090154*	71-9228	
	9505090264	NUREG	
	9505190052	NUREG	
	9505230173	ORG	
	9505230186*	ORG	
Ohio Citizens for Responsible Energy	9505220117	PR	
	9505220289*	COMMISSIO	N
	9505220297*	COMMISSIO	N
Ohio Edison Co.	9505300362*	50-334	I
Ohio State Univ., Columbus, OH	9505150151	50-150	F
	9505150153*	50-150	F
	9505150155*	50-150	F
Ohio, State of	9505040141	CONTRACT	
	9505250028*	STATE PRO	G
	9505300114	40-8948	
Omaha Public Power District	9505030465	50-285	P
	9505100131	50-285	R
	9505120030	50-285	R
	9505150047	50-285	S
	9505150062	50-285	P
	9505150064*	50-285	P
	9505150066*	50-285	P
	9505150123	50-285	H
	9505220172	50-285	R
	9505310231	50-285	R
	9505310234*	50-285	R
Oregon, State of	9505250169	STATE PRO	G
Organization of Agreement States	9505020112	STATE PRO	G
PECO Energy Co., (formerly Philadelphia Electric Co.)	9505040265	50-352	R
	9505040266*	50-352	R
	9505040266*	50-352	R
	9505050018	50-277	R
	9505050018	50-277	R
	9505050029*	50-277	R
	9505050029*	50-277	R
	9505050204	50-352	Q
	9505110266	50-277	P
	9505110272	PR	
	9505110274	50-277	F
	9505120141	50-352	P
	9505150020	50-352	P
	9505150020	50-352	P
	9505150027*	50-352	P
	9505150027*	50-352	P
	9505150032	50-277	P
	9505150036	50-277	P
	9505150036	50-277	P
	9505150041	50-352	P
	9505150041	50-352	P
	9505150049	50-277	P
	9505150049	50-277	P
	9505150051	50-277	F
	9505150051	50-277	F
	9505150051	50-277	F
	9505150051	50-277	F
	9505150054*	50-277	F
	9505150054*	50-277	F
	9505150054*	50-277	F
	9505150054*	50-277	F
	9505150059	50-352	P
	9505150059	50-352	P
	9505150067	50-352	Q
	9505150067	50-352	Q
	9505150205	50-277	P
	9505150205	50-277	P
	9505150208*	50-277	P
	9505150208*	50-277	P
	9505180017	50-277	I
	9505180017	50-277	I
	9505180017	50-277	I
	9505180017	50-277	I
	9505180026	50-352	F
	9505180301	50-352	R
	9505180526	50-352	F
	9505180595	50-277	F
	9505190206	50-352	P
	9505190206	50-352	P
	9505190210*	50-352	P
	9505190210*	50-352	P
	9505190299	50-277	R
	9505230029	50-352	P
	9505230066	50-277	P
	9505230066	50-277	P
	9505230066	50-277	P
	9505230066	50-277	P
	9505240067	50-353	P
	9505240073*	50-353	P
	9505240176	50-352	P
	9505250102	50-353	Q
	9505250108*	50-353	Q
	9505260190	50-277	P
	9505260190	50-277	P
	9505260196*	50-277	P
	9505260196*	50-277	P
	9505260288	50-352	P
	9505260288	50-352	P
	9505260291*	50-352	P
	9505260291*	50-352	P
	9505300202	50-277	R
	9505300214*	50-277	R
	9505300214*	50-277	R
	9505310145	50-277	P
PTI Services, Inc.	9505010061	40-8948	
	9505010064*	40-8948	
	9505100105	40-8948	
	9505100107*	40-8948	
	9505100109	40-8948	
	9505100114*	40-8948	
Pacific Gas & Electric Co.	9505020202	50-275	P
	9505020360	50-133	P
	9505030227	50-275	R
	9505030227	50-275	R
	9505030256	50-275	R
	9505030256	50-275	R
	9505080084*	50-344	P
	9505100039	50-275	Q
	9505100039	50-275	Q
	9505100119	50-275	R
	9505110107	50-275	K
	9505110163	50-275	R
	9505110163	50-275	R
	9505180434	50-275	P
	9505220150	50-275	R
	9505230296	50-275	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505250033	50-275	S
	9505250035	50-323	S
	9505250086	71-9259	
	9505250090	71-9260	
	9505300307	50-323	P
	9505310098	50-275	F
	9505310098	50-275	F
Pathfinder Mines Corp.	9505180525	40-2259	
Pennsylvania Power & Light Co.	9505030239	50-387	R
	9505030239	50-387	R
	9505030243*	50-387	R
	9505030243*	50-387	R
	9505030250*	50-387	R
	9505030250*	50-387	R
	9505050123	50-387	S
	9505050132	50-387	S
	9505050188	50-387	R
	9505050188	50-387	R
	9505050193*	50-387	R
	9505050193*	50-387	R
	9505050333	50-387	P
	9505110035	50-387	P
	9505110143	50-387	Q
	9505110143	50-387	Q
	9505110148*	50-387	Q
	9505120042	50-388	P
	9505120043*	50-388	P
	9505120081	50-387	K
	9505120081	50-387	K
	9505150118	50-387	Q
	9505230105	50-388	S
	9505230113	50-387	P
	9505230113	50-387	P
	9505230140*	50-388	S
	9505230151	50-387	R
	9505260098	50-387	F
	9505260325*	50-387	F
	9505260325*	50-387	F
	9505260328*	50-387	F
	9505300226	50-338	P
	9505300367*	50-334	I
	9505300367*	50-334	I
	9505310074	50-387	S
	9505310130	50-387	P
	9505310189	50-387	Q
Pennsylvania, Commonwealth of	9505040188	CONTRACT	
	9505100125	70-364	
Performance Contracting, Inc.	9505180447	TOPREP	
Peter Bent Brigham Hosp., Boston, MA	9505010076*	FOIA	
	9505010091*	FOIA	
	9505010106*	FOIA	
	9505010112*	FOIA	
	9505010113*	FOIA	
	9505010119*	FOIA	
	9505010138*	FOIA	
	9505010143*	FOIA	
	9505010144*	FOIA	
	9505010145*	FOIA	
	9505010149*	FOIA	
	9505010151*	FOIA	
	9505010152*	FOIA	
	9505010182*	FOIA	
	9505010198*	FOIA	
	9505010199*	FOIA	
	9505010200*	FOIA	
	9505010202*	FOIA	
	9505010215*	FOIA	
	9505010218*	FOIA	
	9505010220*	FOIA	
	9505010225*	FOIA	
	9505010226*	FOIA	
	9505010234*	FOIA	
	9505010235*	FOIA	
	9505010238*	FOIA	
	9505010249*	FOIA	
	9505010253*	FOIA	
	9505010258*	FOIA	
	9505010263*	FOIA	
	9505010265*	FOIA	
	9505010267*	FOIA	
	9505010268*	FOIA	
	9505010279*	FOIA	
	9505020108*	FOIA	
	9505020109*	FOIA	
	9505020163*	FOIA	
	9505020164*	FOIA	
	9505020180*	FOIA	
	9505020186*	FOIA	
	9505020191*	FOIA	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9505020224*	FOIA
	9505020225*	FOIA
	9505020229*	FOIA
	9505020234*	FOIA
	9505020237*	FOIA
	9505020247*	FOIA
	9505020251*	FOIA
	9505020254*	FOIA
	9505020262*	FOIA
	9505020276*	FOIA
	9505020279*	FOIA
	9505020327*	FOIA
	9505020335*	FOIA
	9505020337*	FOIA
	9505020343*	FOIA
	9505020373*	FOIA
	9505020375*	FOIA
	9505030059*	FOIA
	9505030062*	FOIA
	9505030070*	FOIA
	9505030074*	FOIA
	9505030078*	FOIA
	9505030081*	FOIA
	9505030086*	FOIA
	9505030116*	FOIA
	9505030120*	FOIA
	9505030130*	FOIA
	9505030132*	FOIA
	9505030144*	FOIA
	9505030147*	FOIA
	9505030194*	FOIA
	9505030199*	FOIA
	9505030204*	FOIA
	9505030207*	FOIA
	9505030209*	FOIA
	9505030215*	FOIA
	9505030218*	FOIA
	9505030230*	FOIA
	9505030234*	FOIA
	9505030254*	FOIA
	9505030258*	FOIA
	9505030270*	FOIA
	9505030272*	FOIA
	9505030338*	FOIA
	9505030341*	FOIA
	9505030344*	FOIA
	9505030417*	FOIA
	9505030420*	FOIA
	9505030422*	FOIA
	9505030423*	FOIA
	9505030460*	FOIA
	9505030462*	FOIA
	9505040017*	FOIA
	9505040019*	FOIA
	9505040023*	FOIA
	9505040025*	FOIA
	9505040037*	FOIA
	9505040041*	FOIA
	9505040043*	FOIA
	9505040045*	FOIA
	9505040048*	FOIA
	9505040050*	FOIA
	9505040054*	FOIA
	9505040058*	FOIA
	9505040078*	FOIA
	9505040084*	FOIA
	9505040087*	FOIA
	9505040090*	FOIA
	9505040095*	FOIA
	9505040124*	FOIA
	9505040133*	FOIA
	9505040156*	FOIA
	9505040162*	FOIA
	9505040168*	FOIA
	9505040170*	FOIA
	9505040173*	FOIA
	9505040180*	FOIA
	9505040183*	FOIA
	9505040279*	FOIA
	9505040282*	FOIA
	9505040289*	FOIA
	9505040291*	FOIA
	9505040302*	FOIA
	9505040307*	FOIA
	9505040309*	FOIA
	9505040314*	FOIA
	9505040317*	FOIA
	9505040319*	FOIA
	9505040322*	FOIA

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505040330*	FOIA	
	9505040334*	FOIA	
	9505040336*	FOIA	
	9505040342*	FOIA	
	9505040346*	FOIA	
	9505040350*	FOIA	
	9505040408*	FOIA	
	9505040409*	FOIA	
	9505040410*	FOIA	
	9505040415*	FOIA	
	9505050023*	FOIA	
	9505050030*	FOIA	
	9505050034*	FOIA	
	9505050037*	FOIA	
	9505050040*	FOIA	
	9505050047*	FOIA	
	9505050125*	FOIA	
	9505050128*	FOIA	
	9505050135*	FOIA	
	9505050140*	FOIA	
	9505050146*	FOIA	
	9505050149*	FOIA	
	9505050154*	FOIA	
	9505050156*	FOIA	
	9505050158*	FOIA	
	9505050195*	FOIA	
	9505050216*	FOIA	
	9505050229*	FOIA	
	9505050230*	FOIA	
	9505050232*	FOIA	
	9505050233*	FOIA	
	9505050235*	FOIA	
	9505050237*	FOIA	
	9505050238*	FOIA	
	9505050255*	FOIA	
	9505050258*	FOIA	
	9505050289*	FOIA	
	9505080048*	FOIA	
	9505080050*	FOIA	
	9505080052*	FOIA	
	9505080054*	FOIA	
	9505080057*	FOIA	
	9505080061*	FOIA	
	9505080063*	FOIA	
	9505080068*	FOIA	
	9505080069*	FOIA	
	9505080071*	FOIA	
	9505080079*	FOIA	
	9505080108*	FOIA	
	9505080113*	FOIA	
	9505080124*	FOIA	
	9505080127*	FOIA	
	9505080142*	FOIA	
	9505080145*	FOIA	
	9505100266*	FOIA	
	9505120014*	FOIA	
Peter M. Coons, Inc.	9505040255	CONTRACT	
Portland General Electric Co.	9505020004	50-344	R
	9505020007	50-344	R
	9505020009	50-344	R
	9505020011*	50-344	R
	9505020013*	50-344	R
	9505050234	71-9260	
	9505050236*	71-9260	
	9505050342	CONTRACT	
	9505080072	50-344	P
	9505080076	71-9259	
	9505090078	50-344	P
	9505100149	71-9259	
	9505180506	50-344	F
Power Authority of the State of New York (New York Power Authority)	9505020213	50-286	F
	9505030221	50-333	R
	9505040008	50-286	I
	9505040008	50-286	I
	9505040063	50-286	S
	9505040135	50-333	P
	9505090077	50-3	R
	9505090077	50-3	R
	9505120032	50-333	F
	9505120034*	50-333	F
	9505120035*	50-333	F
	9505120161	50-333	F
	9505150071	50-286	S
	9505150305	50-286	P
	9505180148	50-333	S
	9505180304	50-333	R
	9505180309*	50-333	R
	9505180317*	50-333	R
	9505220073*	50-333	P
	9505220078*	50-333	P
	9505230183	50-333	P
	9505240347	50-286	R
	9505250178	50-333	Q
	9505300035	50-286	F
	9505300075	50-286	S
	9505300443	50-333	F
Power Resources Corp.	9505220052*	40-8857	
	9505220183	40-8857	
	9505220184*	40-8857	
	9505230129	40-8857	
	9505300261	40-8857	
Power Resources, Inc. (formerly Sparklin City Nuclear Corp.)	9505260002	40-8857	
Professional Service Industries, Inc. (formerly PTL-Inspectorate, Inc. &	9505100118	PT21	
Public Citizen's Critical Mass Energy Project	9211240294*	50-250	G
Public Service Co. of Colorado	9505030398	50-267	F
	9505250101	71-9245	
	9505300281	50-267	S
	9505300282*	50-267	S
	9505300283*	50-267	S
	9505310315	50-267	F
	9505310365	50-267	W
	9505310371*	50-267	W
	9505310639	50-267	F
Public Service Co. of New Hampshire	9505040033*	50-29	I
Public Service Electric & Gas Co. of New Jersey	9505020048	50-354	R
	9505020319	50-272	S
	9505020322*	50-272	S
	9505020324*	50-272	S
	9505020326*	50-272	S
	9505020331	50-272	P
	9505030053	50-354	F
	9505030198	50-354	S
	9505030456	50-354	P
	9505030459*	50-354	P
	9505040176	50-272	R
	9505040187	50-354	R
	9505040192	50-272	R
	9505040192	50-272	R
	9505050075	50-272	R
	9505050075	50-272	R
	9505050075	50-272	R
	9505090009	50-354	P
	9505090010*	50-354	P
	9505090252	50-272	S
	9505110064	50-272	P
	9505110064	50-272	P
	9505110080	50-272	P
	9505110086*	50-272	P
	9505110141	50-272	P
	9505110141	50-272	P
	9505110144*	50-272	P
	9505110144*	50-272	P
	9505150026	50-354	P
	9505150038	50-354	Q
	9505150080	50-354	Q
	9505150102	50-272	F
	9505150162*	50-354	P
	9505150170	50-354	P
	9505180012	50-272	Q
	9505180131	50-311	S
	9505180213	50-311	R
	9505180218	50-272	R
	9505180223	50-354	R
	9505220180	50-272	P
	9505220181*	50-272	P
	9505230210	50-272	P
	9505230210	50-272	P
	9505230255	50-311	Q
	9505240007	50-272	F
	9505240007	50-272	F
	9505240048*	50-311	Q
	9505240245	50-272	R
	9505240251*	50-272	R
	9505260023	50-272	F
	9505260029	50-354	F
	9505260138	50-311	S
	9505260180	50-311	P
	9505310220	50-272	S
	9505310243*	50-272	S
Quivira Mining Co.	9505120102	40-8905	
	9505220190	40-8905	
RMI Co.	9505020058	40-2384	
	9505020064*	40-2384	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505020072*	40-2384	
	9505120033	40-2384	
	9505120048	40-2384	
RUST Environment & Infrastructure, Inc. (formerly SEC Donohue)	9505120082	40-341	
	9505260253*	WASTE MGT	
Regulatory Group, Inc.	9505040249	CONTRACT	
Rhode Island, State of	9505020311	50-193	P
	9505020312	50-193	P
	9505190288	50-193	P
Rochester Gas & Electric Corp.	9505020257	50-244	R
	9505030173	50-244	P
	9505040040	50-244	P
	9505050108	50-244	Q
	9505050113*	50-244	Q
	9505080103	50-244	F
	9505150014	50-244	P
	9505150133	50-244	F
	9505150145*	50-244	P
	9505180159	50-244	S
	9505180167*	50-244	S
	9505180246	50-244	R
	9505220005	50-244	S
	9505240379*	50-220	I
	9505240379*	50-220	I
S. Cohen & Associates, Inc.	9505040310	CONTRACT	
	9505040343	CONTRACT	
	9505040382	CONTRACT	
Sacramento Municipal Utility District	9505030474	50-312	W
	9505150128	50-312	F
	9505150134	50-312	F
	9505230257	50-312	J
	9505240263	50-312	F
	9505260132	50-312	Y
Salem, NJ	9505040295	CONTRACT	
Saporito, T.J.	9505040208*	FOIA	
	9505040229*	50-498	Q
	9505230220*	FOIA	
	9505240417	50-424	F
	9505240428*	50-498	Q
Sargent & Lundy, Inc.	9505040420*	50-374	P
	9505150247*	50-254	P
	9505180485	TOPREP	
	9505180487*	TOPREP	
Sartrex Corp.	9505310556*	50-361	P
	9505310559*	50-361	P
Science & Engineering Associates, Inc.	9505040348	CONTRACT	
Science Applications International Corp. (formerly Science Applications, Inc.)	9505040093*	70-3070	
Scientific Ecology Group, Inc.	9505310371*	50-267	W
Senate	9505300347*	50-277	U
	9505310357*	70-3070	
Sequoyah Fuels Corp.	9505050091	40-8027	
	9505080078	40-8027	
	9505080080*	40-8027	
	9505260286	40-8027	
	9505300103	40-8027	
Shaw, Pittman, Potts & Trowbridge	9505040015	50-424	G
	9505040056	50-424	G
	9505260316	50-424	G
Shieldalloy Metallurgical Corp.	9505050219	40-8948	
	9505120110	40-7102	
	9505250322	40-8948	
	9505260085	40-8948	
	9505260313*	40-8948	
	9505310265	40-8948	
Siemens Corp.	9505010116	XPORTLIC	
	9505180543	70-1257	
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear	9505050296	71-9248	
	9505110238	70-1257	
	9505230023	70-1257	
Sierra Club Legal Defense Fund, Inc.	9505040004	70-3070	
	9505090189	70-3070	
	9505180586	70-3070	
Sierra Nuclear, Inc.	9505120272	72-1007	
	9505120272	72-1007	
	9505120274*	72-1007	
	9505120274*	72-1007	
	9505120276*	72-1007	
	9505120276*	72-1007	
	9505120278*	72-1007	
	9505120278*	72-1007	
Small Business Administration	9505040200	CONTRACT	
	9505040216	CONTRACT	
	9505040221	CONTRACT	
	9505040227	CONTRACT	
	9505040239	CONTRACT	
	9505040252	CONTRACT	
	9505040262	CONTRACT	
	9505040328*	CONTRACT	
	9505040367	CONTRACT	
	9505300395	CONTRACT	
Sonalysts, Inc.	9505040273	CONTRACT	
	9505050183	CONTRACT	
	9505050206*	CONTRACT	
Source Production & Equipment Co., Inc.	9505030331	71-9056	
South Carolina Electric & Gas Co.	9505040088	50-395	P
	9505090083	50-395	P
	9505180548	50-395	R
	9505190254	50-395	R
	9505230107	50-395	P
	9505300448	50-395	F
	9505300450*	50-395	F
South Carolina, State of	9505030050	STATE PRO	G
	9505230180	PR	
South Carolina, Univ. of, Columbia, SC	9505180550*	50-395	R
Southern California Edison Co.	9505010105	50-206	F
	9505010105	50-206	F
	9505010105	50-206	F
	9505010137	50-361	P
	9505010137	50-361	P
	9505010156	50-361	P
	9505010156	50-361	P
	9505020285	50-361	P
	9505020285	50-361	P
	9505020287	50-206	P
	9505020287	50-206	P
	9505020287	50-206	P
	9505030305	50-206	P
	9505030305	50-206	P
	9505030305	50-206	P
	9505040122	50-206	R
	9505040122	50-206	R
	9505040122	50-206	R
	9505040259	50-206	R
	9505040259	50-206	R
	9505040259	50-206	R
	9505080238	50-206	R
	9505080238	50-206	R
	9505080238	50-206	R
	9505100195	50-206	F
	9505100195	50-206	F
	9505100195	50-206	F
	9505150181	50-361	S
	9505150183*	50-361	S
	9505150185	50-361	S
	9505150187*	50-361	S
	9505150189	50-361	S
	9505150193*	50-361	S
	9505150242	50-361	Q
	9505180592	50-361	P
	9505220300	50-361	R
	9505230026	50-206	F
	9505230026	50-206	F
	9505230112	50-361	P
	9505230112	50-361	P
	9505240062	50-362	P
	9505240092	50-361	Q
	9505240193	50-361	P
	9505240193	50-361	P
	9505240366	50-206	I
	9505310286	50-361	S
	9505310297*	50-361	S
	9505310443	50-361	Q
	9505310506	50-361	P
Southern Nuclear Operating Co.	9505020344	50-348	R
	9505020344	50-348	R
	9505030185	50-348	R
	9505030185	50-348	R
	9505110011	50-348	Q
	9505180201	50-348	R
	9505180554	50-348	F
	9505180554	50-348	F
	9505230056	50-348	P
	9505230056	50-348	P
	9505230062*	50-348	P
	9505230062*	50-348	P
	9505230081	50-348	Q
	9505230081	50-348	Q
	9505230121	50-348	H
	9505230121	50-348	H
	9505310601	50-348	F
Spain, Govt. of	9505230336*	FOIA	
St. Marys College, Winona, MN	9505010166	71-*****	
	9505010169*	71-*****	
	9505050224	71-*****	
	9505050225*	71-*****	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
State, Dept. of	9505110241	XPORTLIC	
	9505220287	XPORTLIC	
Stepan Co. (formerly Stepan Chemical Co.	9505040157	40-8610	
Sweden, Govt. of	9505030464	NUREG	
	9505040275*	WASTE MGT	
	9505040278*	WASTE MGT	
	9505040283*	WASTE MGT	
	9505040286*	WASTE MGT	
	9505040294*	WASTE MGT	
	9505040338*	WASTE MGT	
	9505040341*	WASTE MGT	
	9505040345*	WASTE MGT	
	9505310279*	WASTE MGT	
	9505310285*	WASTE MGT	
	9505310292*	WASTE MGT	
	9505310298*	WASTE MGT	
	9505310302*	WASTE MGT	
	9505310308*	WASTE MGT	
	9505310311*	WASTE MGT	
	9505310312*	WASTE MGT	
	9505310314*	WASTE MGT	
	9505310318*	WASTE MGT	
Switzerland	9505230316*	FOIA	
TRW Environmental Safety Systems, Inc.	9505310473	WASTE MGT	
	9505310479*	WASTE MGT	
TSI, Inc.	9505300147	PT21	
Teledyne Brown Engineering Co.	9505020270*	50-255	R
	9505030035	50-298	R
Teledyne Isotopes	9505040268*	50-282	R
	9505040276*	50-263	R
Tennessee Valley Authority	9505020304	50-390	Q
	9505020308	50-260	S
	9505020309*	50-260	S
	9505030152	50-259	R
	9505030152	50-259	R
	9505030152	50-259	R
	9505030157*	50-259	R
	9505030181	50-327	R
	9505030333	50-260	P
	9505030334*	50-260	P
	9505030483	50-259	P
	9505030483	50-259	P
	9505030483	50-259	P
	9505050093	50-327	F
	9505080001	50-390	Q
	9505080015	50-390	Q
	9505080015	50-390	Q
	9505100065	50-327	S
	9505100080*	50-327	S
	9505100085	50-390	A
	9505100097	50-390	F
	9505100097	50-390	F
	9505100103*	50-390	F
	9505100103*	50-390	F
	9505110083	50-260	S
	9505110091*	50-260	S
	9505110214	50-391	Q
	9505110263	50-390	S
	9505120040	50-390	V
	9505120094	50-390	R
	9505120095	50-390	F
	9505120097*	50-390	R
	9505120127	50-260	S
	9505120129*	50-260	S
	9505120256	50-327	P
	9505180181	50-390	A
	9505180181	50-390	A
	9505180188	50-390	A
	9505180188	50-390	A
	9505180193	50-390	Q
	9505180226	50-327	R
	9505190089	50-259	P
	9505190089	50-259	P
	9505190089	50-259	P
	9505190093*	50-259	P
	9505190093*	50-259	P
	9505190093*	50-259	P
	9505190192	50-327	S
	9505220062	50-259	R
	9505230011	50-390	A
	9505230057	50-259	P
	9505230163	50-259	P
	9505230163	50-259	P
	9505230163	50-259	P
	9505230169*	50-259	P
	9505230169*	50-259	P
	9505230169*	50-259	P
	9505230219	50-390	A
	9505230221*	50-390	A
	9505240011	50-327	K
	9505240011	50-327	K
	9505240013*	50-327	K
	9505240015*	50-327	K
	9505240015*	50-327	K
	9505240068	50-390	A
	9505250254	50-259	K
	9505250254	50-259	K
	9505250254	50-259	K
	9505250262*	50-259	K
	9505250262*	50-259	K
	9505250262*	50-259	K
	9505260208	50-327	P
	9505260208	50-327	P
	9505260212*	50-327	P
	9505260212*	50-327	P
	9505260216	50-328	P
	9505260222*	50-328	P
	9505310004	50-390	K
	9505310004	50-390	K
	9505310005*	50-390	K
	9505310005*	50-390	K
	9505310140	50-327	Q
	9505310202	50-390	A
Tennessee, State of	9505230002	PR	
	9505300067	PR	
Testmaster Inspection Co.	9505260363	71-9033	
Texas Utilities Electric Co. (TU Electric)	9505020002	50-445	R
	9505020003*	50-445	R
	9505020003*	50-445	R
	9505040138	50-445	R
	9505040138	50-445	R
	9505040149	50-445	R
	9505040149	50-445	R
	9505080005	50-445	P
	9505080026	50-445	P
	9505080026	50-445	P
	9505080029*	50-445	P
	9505080029*	50-445	P
	9505090112	50-445	Q
	9505090112	50-445	Q
	9505100076	50-445	F
	9505100076	50-445	F
	9505150046	50-446	S
	9505220095	50-445	P
	9505220095	50-445	P
	9505220100*	50-445	P
	9505220100*	50-445	P
	9505220304	50-445	R
	9505220304	50-445	R
	9505220306*	50-445	R
	9505220307*	50-445	R
	9505240198	50-446	S
	9505240202*	50-446	S
	9505250049	50-445	V
	9505250077	50-445	P
	9505250077	50-445	P
	9505260275	50-445	F
	9505260275	50-445	F
	9505260375*	50-445	F
	9505260375*	50-445	F
	9505300142	50-445	S
	9505300158	50-445	Q
	9505300203	50-445	H
	9505300203	50-445	H
	9505310078	PR	
	9505310156	50-445	P
	9505310156	50-445	P
	9505310159*	50-445	P
	9505310159*	50-445	P
Texas, State of	9505090097	PR	
	9505180407	STATE PRO	G
	9505220116	PR	
	9505230025	STATE PRO	G
	9505250039	STATE PRO	G
	9505250044	STATE PRO	G
	9505250060	STATE PRO	G
Texas, Univ. of, Austin, TX	9505310065	50-602	Q
Toledo Edison Co.	9505180219	50-346	R
	9505220101	50-346	H
Toshiba Corp.	9505040181*	52-4	
Transnuclear, Inc.	9505150092	XPORTLIC	
	9505150094*	XPORTLIC	
	9505190176	PROJ	
	9505190187*	PROJ	
Transportation, Dept. of	9505180166	71-3022	
	9505190211	71-*****	
	9505240069	71-3022	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505250190	ORG	
	9505260438	71-3024	
Trico Industries, Inc.	9505040200	CONTRACT	
TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore)	9505040015	50-424	G
	9505180405	50-424	T
	9505180405	50-424	T
	9505180438	50-424	G
	9505180469	50-424	G
	9505180469	50-424	G
	9505180478	50-424	T
	9505180508	50-424	G
	9505180508	50-424	G
	9505180602	50-424	G
	9505180602	50-424	G
	9505260238	50-424	G
UMETCO Minerals Corp.	9505010172	40-299	
	9505010174*	40-299	
	9505010177	40-299	
	9505010181*	40-299	
	9505040160	40-299	
Union Electric Co.	9505030212	50-483	P
	9505030216*	50-483	P
	9505090124	50-483	R
	9505110074	50-483	R
	9505120024	50-483	P
	9505180230	50-483	R
	9505190138	50-483	P
	9505190303	50-483	F
	9505190314	50-483	Q
	9505230045	50-483	F
	9505230049*	50-483	F
	9505230158	50-483	P
	9505230160*	50-483	P
	9505230324	50-483	P
	9505260063	50-483	F
United Kingdom	9505230303*	FOIA	
United Nuclear Corp. (subs. of UNC, Inc.	9505040260	40-8907	
United States Enrichment Corp. (USEC)	9505100154	70-7002	
	9505190185*	70-7001	
Univ. of Massachusetts Medical Center, Worcester, MA	9505030162*	FOIA	
Utah, State of	9505020167	STATE PRO	G
	9505080118*	WASTE MGT	
	9505180492	40-3453	
	9505250020	STATE PRO	G
	9505250132	STATE PRO	G
Vectra Technologies, Inc.	9505020403	71-9001	
	9505020436*	71-9001	
	9505040202	71-9001	
	9505080266*	71-9001	
Vermont Yankee Nuclear Power Corp.	9505010136	50-271	P
	9505020044	50-271	R
	9505030454	50-271	S
	9505040022*	50-29	I
	9505040022*	50-29	I
	9505040198	50-271	F
	9505180253	50-271	R
	9505190283	50-271	S
	9505190319	50-271	S
	9505220189	50-271	S
	9505240359	50-271	S
	9505240361	50-271	S
	9505240363	50-271	S
	9505300430	50-271	P
Virginia Power (Virginia Electric & Powe Co.)	9505020231	50-280	R
	9505020231	50-280	R
	9505020379	50-338	P
	9505030335	50-280	P
	9505040261	50-280	R
	9505040261	50-280	R
	9505050201	50-281	Q
	9505050310	50-280	P
	9505050312	50-280	P
	9505050312	50-280	P
	9505050314	50-338	R
	9505050325	50-339	S
	9505050327*	50-339	S
	9505090018	50-280	P
	9505090018	50-280	P
	9505120041	50-280	P
	9505150135	50-338	P
	9505180290	50-338	R
	9505180536	50-338	F
	9505180536	50-338	F
	9505190088	50-280	P
	9505190131	50-280	S
	9505190304	50-280	R
	9505190311	50-338	S
	9505190311	50-338	S
	9505190381	50-281	Q
	9505220191	50-280	Q
	9505220191	50-280	Q
	9505230111	PR	
	9505230190	50-281	P
	9505230201	50-281	P
	9505230204*	50-281	P
	9505230209*	50-281	P
	9505240087	50-280	F
	9505240087	50-280	F
	9505240091*	50-280	F
	9505240091*	50-280	F
	9505240094*	50-280	F
	9505240094*	50-280	F
	9505250191	50-338	Y
	9505250191	50-338	Y
	9505250191	50-338	Y
	9505250194*	50-338	Y
	9505250194*	50-338	Y
	9505250194*	50-338	Y
	9505250199*	50-338	Y
	9505250199*	50-338	Y
	9505250199*	50-338	Y
	9505260177	50-280	F
	9505260177	50-280	F
	9505260186*	50-280	F
	9505260191*	50-280	F
	9505310127	50-338	F
	9505310127	50-338	F
	9505310643	50-339	F
Virginia, Commonwealth of	9505220182*	STATE PRO	G
Virginia, Univ. of, Charlottesville, VA	9505240356	50-62	P
Washington Public Power Supply System	9505020252	50-397	R
	9505030158	50-397	P
	9505030438	50-397	P
	9505030441*	50-397	P
	9505030443*	50-397	P
	9505100003	50-397	F
	9505100247	50-397	S
	9505100253	50-397	S
	9505100258*	50-397	S
	9505120051	50-397	S
	9505180272	50-397	R
	9505180363	50-397	Q
	9505190161	50-397	Q
	9505230014	50-398	P
	9505250073	50-397	P
	9505250089	50-397	S
Washington, State of	9505090104	PR	
	9505240014	STATE PRO	G
	9505250032	STATE PRO	G
	9505250141	STATE PRO	G
	9505310041	STATE PRO	G
Wehran Engineering Corp.	9505260169*	FOIA	
Weil, Gotshal & Manges	9505100092	40-8948	
	9505100094	40-8948	
	9505310265	40-8948	
Wellesley College, Wellesley, MA	9505030172*	FOIA	
Wellman Dynamics Corp.	9505250264*	40-1790	
	9505250279*	40-1790	
	9505250311*	40-1790	
	9505260076*	FOIA	
	9505260174*	40-564	
West Liberty State College, West Liberty WV	9505190224	71-*****	
	9505190241*	71-*****	
Western X-Ray, Inc.	9505050281	71-532	
	9505050283*	71-532	
Westinghouse Electric Corp.	9503220425	52-3	
	9505020351*	50-282	P
	9505020354*	50-282	P
	9505020354*	50-282	P
	9505020430	52-3	
	9505020435*	52-3	
	9505040055	52-3	
	9505040068*	50-305	P
	9505040077*	50-305	P
	9505040082*	50-305	P
	9505050110*	50-423	P
	9505050127	70-1151	
	9505050138*	70-1151	
	9505080066	70-1151	
	9505090019	PR	
	9505090026	PR	
	9505090048	52-3	
	9505090126*	50-530	P
	9505100095	52-3	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9505100099*	52-3	
	9505100104*	52-3	
	9505110196	TOPREP	
	9505110201*	TOPREP	
	9505110217	52-3	
	9505110235	52-3	
	9505110240*	52-3	
	9505110342	TOPREP	
	9505120083	TOPREP	
	9505120260	52-3	
	9505120262*	52-3	
	9505150011	52-3	
	9505150035	52-3	
	9505150076	TOPREP	
	9505150079*	TOPREP	
	9505150082*	TOPREP	
	9505150088	70-1151	
	9505150126	52-3	
	9505150130*	52-3	
	9505150263	52-3	
	9505150266*	52-3	
	9505150268*	52-3	
	9505180489	TOPREP	
	9505180538	52-3	
	9505180541*	52-3	
	9505180580	70-1151	
	9505220087	52-3	
	9505230090	TOPREP	
	9505240225	52-3	
	9505240232*	52-3	
	9505240294	52-3	
	9505240299*	52-3	
	9505240404	70-1151	
	9505250167	52-3	
	9505260459	52-3	
	9505260462*	52-3	
	9505260464*	52-3	
	9505310009*	52-3	
Westinghouse Operating Plants Owners Group	9505090057	PR	
	9505100058	TOPREP	
White Plains, NY	9505040225	CONTRACT	
Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen)	9505260249	40-8027	
Wilson, Hewitt & Associates, Inc.	9505040227	CONTRACT	
Wilson, Z.D., P.A.	9505220058	50-458	M
Winston & Strawn	9505040005	70-3070	
	9505040026	70-3070	
	9505040039	70-3070	
	9505090145	70-3070	
	9505190397	70-3070	
Wisconsin Electric Power Co.	9505020253	50-266	P
	9505020253	50-266	P
	9505020258*	50-266	P
	9505020258*	50-266	P
	9505030301	50-266	P
	9505030301	50-266	P
	9505030329	50-266	S
	9505030332*	50-266	S
	9505040258	50-266	P
	9505040258	50-266	P
	9505110232	50-266	P
	9505110232	50-266	P
	9505110233*	50-266	P
	9505110233*	50-266	P
	9505120244	PR	
	9505180264	50-266	R
	9505180276*	50-266	R
	9505180276*	50-266	R
	9505180284*	50-266	R
	9505250046	50-266	S
	9505310246	50-266	R
	9505310249*	50-266	R
	9505310249*	50-266	R
Wisconsin Public Service Corp.	9505020478	50-305	P
	9505030485	50-305	F
	9505030486*	50-305	F
	9505040060	50-305	P
	9505040091*	50-305	P
	9505050077	50-305	R
	9505150227	50-305	S
	9505180208	50-305	R
	9505190107	50-305	Q
	9505230326	50-305	J
	9505260285	50-305	P
	9505260295*	50-305	P
	9505260305*	50-305	P
Wolf Creek Nuclear Operating Corp.	9505020233	50-482	P
	9505020238	50-482	P
	9505020307	50-482	P
	9505030148	50-482	R
	9505040134	50-482	R
	9505040139*	50-482	R
	9505040142*	50-482	R
	9505040151*	50-482	R
	9505040155*	50-482	R
	9505040159*	50-482	R
	9505120036	50-482	F
	9505180163	50-482	F
	9505180173*	50-482	F
	9505180184*	50-482	F
	9505190386	50-482	R
	9505240338	50-482	P
Woods Hole Oceanographic Institution	9505030178*	FOIA	
	9505030187*	FOIA	
Woodward-Clyde Consultants, Inc.	9505190198	40-3453	
Worcester Polytechnic Institute, Worcester, MA	9110080339*	FOIA	
Wyman-Gordon Co.	9505040353	40-1650	
Yankee Atomic Electric Co.	9505010130*	50-271	P
	9505040022*	50-29	I
	9505040022*	50-29	I
	9505090030	50-271	H
	9505090094	50-29	R
	9505300053	PR	
	9505300433*	50-271	P

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY		OTHER REPORT NUMBER
094 R00	9505310648*	50-289	P	C311-95-2226
1812	9505230287*	50-413	P	
203	9505150315*	WASTE MGT		HLWR
24A5159 R00	9505300160*	50-325	P	
32-1235177-00	9505030330*	50-255	P	
51-1235130-01	9505030328*	50-255	P	
88-067-23	9505120088*	40-3453		
88-067-23	9505120092*	40-3453		
91-MOP-813-ES R01	9505150290*	50-336	P	
93-01	9505040275*	WASTE MGT		HLWR
93-02	9505040278*	WASTE MGT		HLWR
93-03	9505040283*	WASTE MGT		HLWR
93-04	9505040286*	WASTE MGT		
94-01	9505040294*	WASTE MGT		HLWR
94-03	9505040341*	WASTE MGT		HLWR
94-04	9505040345*	WASTE MGT		HLWRT
94-05	9505310279*	WASTE MGT		
94-06	9505310285*	WASTE MGT		
94-07	9505310292*	WASTE MGT		
94-08	9505310298*	WASTE MGT		
94-09	9505310302*	WASTE MGT		
94-10	9505310308*	WASTE MGT		
94-11	9505310311*	WASTE MGT		
94-12	9505310312*	WASTE MGT		
94-13	9505310314*	WASTE MGT		
94-14	9505310318*	WASTE MGT		
94-4	9505180550*	50-395	R	
94-451	9505150314*	WASTE MGT		HLWR
94005/G-103	9505120116*	40-7102		
95-04	9505020423*	WASTE MGT		HLWR
ANO-108.009	9505120278*	72-1007		
ANO-109.001.006 R01	9505120274*	72-1007		
B000000000-01717-4600	9505310479*	WASTE MGT		HLWR
CA-95-044 R00	9505310491*	50-263	S	
CCV.1.1.3	9505120276*	72-1007		
CE NPSD-995	9505260267*	50-368	P	
CE-NPSD-994	9505260250*	50-368	P	
CE-NPSD-996	9505260276*	50-368	P	
CENPD-292-NP-RAI	9505250215*	TOPREP		TAC M90165
CNC 1206.00-02-0008	9505230270*	50-413	P	
CNC 120600-02-0007	9505230259*	50-413	P	
CNSI-WM-107-NP(A)	9505310015*	WASTE MGT		
CNWRA 95-007	9505180589*	WASTE MGT		HLWR
CNWRA 95-008	9505180606*	WASTE MGT		HLWR
DOE/AL/62350-129	9505080289*	WASTE MGT		
DOE/AL/62350-130	9505080286*	WASTE MGT		
DSR 2842A	9505260439*	71-3024		
EGG 11265-1081	9505080016*	STATE PRO	G	UC-702
EGG-RTAP-10825	9505100167*	50-298	Q	TAC M85378
ERB-010	9505180479*	50-309	S	
GE-NE-B13-01739-04	9505150147*	50-220	Q	
GE-NE-B13-01760	9505040421*	50-374	P	
GENE-523-A018-0295	9505010125*	50-271	P	
GENE-523-A050-0595	9505300453*	50-410	P	
GENE-771-110-0595 R0	9505180468*	50-265	P	
GGNS-MS-48.0 R03	9505300211*	50-413	P	
INEL-94-0147	9505090253*	50-389	Q	FIN L-2556
INEL-95/0187	9504280259*	50-247	Q	IEB-90-001
KC UNIT 1-2-0106 R01	9505120109*	50-269	P	
LA-8861-UMT	9505240427*	FOIA		
LAS-NPD-95-0020 R01	9505040420*	50-374	P	
MOL.19950307.0140	9505150313*	WASTE MGT		HLWR
NE-1011 R00	9505230204*	50-281	P	
NE-1023	9505230209*	50-281	P	
NEDO-10084-4 V03	9505020436*	71-9001		
NEDO-100884-4	9505080266*	71-9001		
NEDO-32229 ERR	9505300167*	71-9228		
NEDO-32424	9505090137*	TOPREP		
NER-1M-023 R00	9505080140*	50-220	P	
NF-2495.0015 R00	9505300154*	50-325	P	
NUREG-0430 V14	9505100290	NUREG		
NUREG-0498 S01	9505180344	50-390	D	
NUREG-0725 R10	9505180571	NUREG		
NUREG-0750 V41 N02	9505230100	NUREG		
NUREG-0933 S18	9505190010	NUREG		
NUREG-1125 V16	9505190009	NUREG		
NUREG-1275 V11	9505180319	NUREG		
NUREG-1280 R01	9505180530	NUREG		
NUREG-1482	9505030476	NUREG		GL-89-04
NUREG-1525	9505040381	NUREG		
NUREG/BR-0017 R10	9505180268	NUREG		
NUREG/BR-0104 R04	9505180258	NUREG		
NUREG/BR-0191 V02 N2	9505090273	NUREG		
NUREG/BR-0192	9505090257	NUREG		
NUREG/BR-0204	9505230087	NUREG		
NUREG/CP-0140 V02	9505230109	NUREG		
NUREG/CP-0140 V03	9505230115	NUREG		
NUREG/CP-0142 V01	9505230106	NUREG		
NUREG/CR-2850 V13	9505090280	NUREG		PNL-4221
NUREG/CR-4599 V04 N1	9505180445	NUREG		BMI-2173
NUREG/CR-4918 V08	9505030447	NUREG		
NUREG/CR-5591 V05 N1	9505190052	NUREG		ORNL/TM-11568
NUREG/CR-5657	9505180397	NUREG		UCRL-ID-118766
NUREG/CR-5975 R01	9505180354	NUREG		PNL-8466
NUREG/CR-6004	9505090276	NUREG		BMI-2174
NUREG/CR-6046	9505030466	NUREG		
NUREG/CR-6102 ERR	9505090264	NUREG		ORNL/TM-12460
NUREG/CR-6112	9505230093	NUREG		BNL/NUREG-52394
NUREG/CR-6116 V10	9505180347	NUREG		INEL-94/0039
NUREG/CR-6235	9505040365	NUREG		BMI-2179
NUREG/CR-6251	9505190023	NUREG		BMI-2180
NUREG/CR-6283	9505040377	NUREG		CNWRA 94-017
NUREG/CR-6297	9505030455	NUREG		BMI-2182
NUREG/CR-6300	9505030464	NUREG		BMI-2184
NUREG/CR-6315	9505180578	52-5		ANL-95/5
NUREG/CR-6322	9505230342	NUREG		UCRL-ID-119697
NUREG/CR-6327	9505190018	NUREG		MCS 950302
OIG/95A-07	9505080037	ORG		
ONEI-0400-70 R00	9505300033*	50-287	P	
ORISE 95/D-81	9505040311	ORG		
ORNL-TM-2893	9505090154*	71-9228		
ORNL/NRC/LTR-95/1	9505230186*	ORG		FIN L-1098
OSSI-92-402A-4-IP2R1	9505300273*	50-247	F	
PCS-T2R-050	9505260464*	52-3		
PGE-1006-94	9505020007	50-344	R	VPN-028-95
PGE-1009-94	9505020004	50-344	R	VPN-027-95
PGE-1060 R03	9505180506	50-344	F	VPN-033-95
PGE-1065-94	9505020011*	50-344	R	
PGE-8010 R18	9505080084*	50-344	P	
PIR 94-527	9505040425*	50-245	P	
PMPR 95-07	9505020388*	WASTE MGT		HLWR
PROP-261-94 V01	9505110229*	FOIA		
PSL-100-AOA-95-1 R00	9505030206*	50-335	Q	
RDP-ESH-005 R00	9505020078*	40-2384		
RDP-ESH-007 R01	9505020072*	40-2384		
RDP-ESH-009 R00	9505020064*	40-2384		
RERR-17	9505020048	50-354	R	LR-N95015
S-95-04	9505030109	SPEECHES		
S-95-05	9505120064	SPEECHES		
S-95-06	9505120071	SPEECHES		
S-95-07	9505120061	SPEECHES		
S-95-08	9505120068	SPEECHES		

REPORT NUMBER	ACCESSION NUMBER	SUB-JECT CATE-GORY	OTHER REPORT NUMBER
SECY-87-211	8709090597	SECY	
SECY-92-320	9209240485*	FOIA	EA-92-133
SECY-95-053	9503170230	SECY	
SECY-95-056	9503270277	SECY	
SECY-95-062	9503270281	SECY	
SECY-95-091	9505120002	SECY	
SECY-95-096	9504210333	SECY	
SECY-95-097	9505010109	SECY	
SECY-95-099	9505010090	SECY	
SECY-95-100	9505010007	SECY	
SECY-95-101	9505010099	COMMISSIO N	
SECY-95-102	9505100280	SECY	
SECY-95-106	9505100275	SECY	
SECY-95-107	9505100236	COMMISSIO N	
SECY-95-111	9505150002	SECY	
SECY-95-112	9505150069	SECY	
SECY-95-113	9505150078	COMMISSIO N	
SECY-95-115	9505150063	SECY	
SECY-95-118	9505180078	SECY	GL-92-01
SECY-95-119	9505180070	SECY	
SECY-95-121	9505250159	COMMISSIO N	
SL-4984 R01	9505150247*	50-254 P	
T-88004 R14	9505180477*	71-9225	
TN 8218	9505190218*	71-*****	
TR 087 R00	9505010097*	50-289 P	
USGS-OFR-85-540	9505150316*	WASTE MGT	HLWR
VYC-1364	9505010130*	50-271 P	
VYC-1364 R01	9505300433*	50-271 P	
WCAP-13275 V1-3 R01	9505310009*	52-3	
WCAP-14056 R02	9505150268*	52-3	PXS-TIP-002
WCAP-14208	9505090126*	50-530 P	
WCAP-14278	9505040082*	50-305 P	
WCAP-14279	9505040068*	50-305 P	
WCAP-14280	9505040077*	50-305 P	
WCAP-14325	9505100104*	52-3	
WCAP-14330	9505020354*	50-282 P	
WCAP-14342-A	9505150082*	TOPREP	

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document,the date issued,and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
7904090058	9505250152	95/01/18	40-8434		9505010091	9505010058	94/11/29	FOIA	
7904090060	9505250152	95/01/18	40-8434		9505010093	9505010067	95/04/27	ADVCM	
7904090065	9505250152	95/01/18	40-8434		9505010097	9505010095	95/04/25	50-289	P
8904190092	9505010157	94/12/06	50-250	G	9505010106	9505010058	94/11/29	FOIA	
8904190115	9505010157	94/12/06	50-250	G	9505010112	9505010058	94/11/29	FOIA	
8907190246	9505010157	94/12/06	50-250	G	9505010113	9505010058	94/11/29	FOIA	
8907240362	9505150122	94/12/23	FOIA		9505010119	9505010058	94/11/29	FOIA	
8908280168	9505010157	94/12/06	50-250	G	9505010121	9505010058	94/11/29	FOIA	
8912040009	9505010157	94/12/06	50-250	G	9505010123	9505010058	94/11/29	FOIA	
8912040010	9505010157	94/12/06	50-250	G	9505010125	9505010120	95/04/25	50-271	P
8912040012	9505010157	94/12/06	50-250	G	9505010127	9505010108	95/04/18	71-5957	
9001100013	9505150122	94/12/23	FOIA		9505010129	9505010058	94/11/29	FOIA	
9107120177	9505010244	94/12/05	FOIA		9505010130	9505010120	95/04/25	50-271	P
9108080040	9505010157	94/12/06	50-250	G	9505010131	9505010058	94/11/29	FOIA	
9108080045	9505010157	94/12/06	50-250	G	9505010132	9505010058	94/11/29	FOIA	
9110080339	9505010244	94/12/05	FOIA		9505010138	9505010058	94/11/29	FOIA	
9201300031	9505010244	94/12/05	FOIA		9505010143	9505010058	94/11/29	FOIA	
9201300041	9505010244	94/12/05	FOIA		9505010144	9505010058	94/11/29	FOIA	
9208100044	9505190236	94/12/29	FOIA		9505010145	9505010058	94/11/29	FOIA	
9208100050	9505190236	94/12/29	FOIA		9505010149	9505010058	94/11/29	FOIA	
9209240485	9505190236	94/12/29	FOIA		9505010151	9505010058	94/11/29	FOIA	
9209250348	9209250347	92/09/18	WASTE MGT		9505010152	9505010058	94/11/29	FOIA	
9211240291	9505010157	94/12/06	50-250	G	9505010154	9505010058	94/11/29	FOIA	
9211240294	9505010157	94/12/06	50-250	G	9505010169	9505010166	95/04/25	71-*****	
9211240302	9505010157	94/12/06	50-250	G	9505010174	9505010172	95/04/21	40-299	
9305240207	9505190099	94/12/27	50-498	P	9505010175	9505010170	94/12/22	FOIA	
9305270043	9505190099	94/12/27	50-498	P	9505010176	9505010157	94/12/06	50-250	G
9308240140	9505190099	94/12/27	50-498	G	9505010180	9505010173	94/12/07	50-250	P
9404190136	9505230282	95/01/06	FOIA		9505010181	9505010177	95/04/24	40-299	
9408030306	9505080246	94/12/19	FOIA		9505010182	9505010058	94/11/29	FOIA	
9409070271	9505240323	95/01/06	50-321	P	9505010183	9505010058	94/11/29	FOIA	
9410110021	9505240409	94/10/18	FOIA		9505010184	9505010058	94/11/29	FOIA	
9411220037	9505250091	95/05/12	STATE PRO	G	9505010185	9505010058	94/11/29	FOIA	
9412140223	9505010157	94/12/06	50-250	G	9505010186	9505010058	94/11/29	FOIA	
9412210064	9505010157	94/12/06	50-250	G	9505010187	9505010058	94/11/29	FOIA	
9501270246	9505010067	95/04/27	ADVCM		9505010188	9505010058	94/11/29	FOIA	
9502100305	9505020195	95/04/19	STATE PRO	G	9505010189	9505010058	94/11/29	FOIA	
9503020307	9505040102	95/04/26	50-387	P	9505010190	9505010058	94/11/29	FOIA	
9503220093	9505240131	95/05/04	40-2975		9505010191	9505010058	94/11/29	FOIA	
9504110143	9505220049	95/04/26	STATE PRO	G	9505010192	9505010058	94/11/29	FOIA	
9504110236	9505250259	95/03/03	50-336	S	9505010193	9505010058	94/11/29	FOIA	
9504190119	9505040161	95/03/14	COMMISSIO	N	9505010194	9505010058	94/11/29	FOIA	
9504210268	9505100077	95/05/05	50-397	F	9505010195	9505010058	94/11/29	FOIA	
9504210281	9505100077	95/05/05	50-397	F	9505010196	9505010058	94/11/29	FOIA	
9504210288	9505100077	95/05/05	50-397	F	9505010197	9505010058	94/11/29	FOIA	
9504280259	9505220045	95/05/12	50-247	Q	9505010198	9505010058	94/11/29	FOIA	
9505010015	9505010013	95/04/26	50-334	P	9505010199	9505010058	94/11/29	FOIA	
9505010018	9505010013	95/04/26	50-334	P	9505010200	9505010058	94/11/29	FOIA	
9505010024	9505010020	95/04/20	50-255	P	9505010201	9505010058	94/11/29	FOIA	
9505010059	9505010053	95/04/25	50-397	Q	9505010202	9505010058	94/11/29	FOIA	
9505010064	9505010061	95/04/19	40-8948		9505010207	9505010206	94/12/29	FOIA	
9505010070	9505010058	94/11/29	FOIA		9505010210	9505010208	95/04/24	50-410	P
9505010071	9505010066	95/04/25	50-397	P	9505010211	9505010157	94/12/06	50-250	G
9505010075	9505010066	95/04/25	50-397	P	9505010215	9505010058	94/11/29	FOIA	
9505010076	9505010058	94/11/29	FOIA		9505010216	9505010058	94/11/29	FOIA	
9505010080	9505010058	94/11/29	FOIA		9505010218	9505010058	94/11/29	FOIA	
9505010081	9505010058	94/11/29	FOIA		9505010219	9505010173	94/12/07	50-250	P
9505010085	9505010079	95/04/19	40-8502		9505010220	9505010058	94/11/29	FOIA	
9505010086	9505010058	94/11/29	FOIA		9505010221	9505010217	95/04/26	50-244	P
9505010087	9505010067	95/04/27	ADVCM		9505010222	9505010058	94/11/29	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9505010224	9505010173	94/12/07	40-1790		9505020134	9505020129	95/04/21	50-261	Y
9505010225	9505010058	94/11/29	FOIA		9505020136	9505010058	94/11/29	FOIA	
9505010226	9505010058	94/11/29	FOIA		9505020139	9505010058	94/11/29	FOIA	
9505010227	9505010223	95/03/29	71-697		9505020142	9505010058	94/11/29	FOIA	
9505010228	9505010058	94/11/29	FOIA		9505020144	9505010058	94/11/29	FOIA	
9505010231	9505010058	94/11/29	FOIA		9505020148	9505010058	94/11/29	FOIA	
9505010232	9505010223	95/03/29	71-697		9505020152	9505010058	94/11/29	FOIA	
9505010234	9505010058	94/11/29	FOIA		9505020154	9505010058	94/11/29	FOIA	
9505010235	9505010058	94/11/29	FOIA		9505020156	9505020141	95/04/21	50-213	Q
9505010236	9505010230	95/04/26	50-244	P	9505020157	9505010058	94/11/29	FOIA	
9505010237	9505010173	94/12/07	40-1790		9505020158	9505020149	95/04/24	50-395	Q
9505010238	9505010058	94/11/29	FOIA		9505020159	9505020151	95/04/18	50-327	Q
9505010240	9505010230	95/04/26	50-244	P	9505020162	9505020149	95/04/24	50-395	Q
9505010241	9505010058	94/11/29	FOIA		9505020163	9505010058	94/11/29	FOIA	
9505010243	9505010173	94/12/07	40-1790		9505020164	9505010058	94/11/29	FOIA	
9505010249	9505010058	94/11/29	FOIA		9505020169	9505020149	95/04/24	50-395	Q
9505010250	9505010245	95/04/26	50-423	P	9505020170	9505020168	95/04/24	50-280	Y
9505010251	9505010173	94/12/07	40-1790		9505020178	9505020172	95/04/24	50-309	F
9505010253	9505010058	94/11/29	FOIA		9505020180	9505010058	94/11/29	FOIA	
9505010254	9505010245	95/04/26	50-423	P	9505020182	9505020174	95/04/21	50-309	Q
9505010256	9505010244	94/12/05	FOIA		9505020186	9505010058	94/11/29	FOIA	
9505010257	9505010173	94/12/07	40-1790		9505020188	9505010058	94/11/29	FOIA	
9505010258	9505010058	94/11/29	FOIA		9505020190	9505020187	95/04/25	50-260	Q
9505010259	9505010058	94/11/29	FOIA		9505020191	9505010058	94/11/29	FOIA	
9505010261	9505010244	94/12/05	FOIA		9505020201	9505020200	95/04/26	50-443	Q
9505010263	9505010058	94/11/29	FOIA		9505020219	9505010058	94/11/29	FOIA	
9505010265	9505010058	94/11/29	FOIA		9505020224	9505010058	94/11/29	FOIA	
9505010267	9505010058	94/11/29	FOIA		9505020225	9505010058	94/11/29	FOIA	
9505010268	9505010058	94/11/29	FOIA		9505020227	9505020223	95/04/26	70-364	
9505010272	9505010058	94/11/29	FOIA		9505020229	9505010058	94/11/29	FOIA	
9505010274	9505010058	94/11/29	FOIA		9505020234	9505010058	94/11/29	FOIA	
9505010275	9505010273	95/04/25	50-315	P	9505020236	9505020223	95/04/26	70-364	
9505010276	9505010058	94/11/29	FOIA		9505020237	9505010058	94/11/29	FOIA	
9505010277	9505010058	94/11/29	FOIA		9505020243	9505010058	94/11/29	FOIA	
9505010279	9505010058	94/11/29	FOIA		9505020244	9505020232	95/04/26	50-269	Q
9505010280	9505010173	94/12/07	40-1790		9505020245	9505020235	95/04/25	STATE PRO	G
9505010281	9505010058	94/11/29	FOIA		9505020247	9505010058	94/11/29	FOIA	
9505010282	9505010058	94/11/29	FOIA		9505020251	9505010058	94/11/29	FOIA	
9505010283	9505010173	94/12/07	40-1790		9505020254	9505010058	94/11/29	FOIA	
9505020003	9505020002	95/04/26	50-445	R	9505020258	9505020253	95/04/27	50-266	P
9505020006	9505020005	95/04/25	50-438	Q	9505020260	9505010058	94/11/29	FOIA	
9505020011	9505020009	95/04/27	50-344	R	9505020262	9505010058	94/11/29	FOIA	
9505020013	9505020009	95/04/27	50-344	R	9505020267	9505020261	95/04/26	50-499	S
9505020014	9505020012	95/04/25	50-528	Q	9505020268	9505020266	95/04/27	50-255	R
9505020015	9505020012	95/04/25	50-528	Q	9505020270	9505020266	95/04/27	50-255	R
9505020020	9505020010	95/04/24	50-416	Q	9505020271	9505010058	94/11/29	FOIA	
9505020022	9505020010	95/04/24	50-416	Q	9505020276	9505010058	94/11/29	FOIA	
9505020026	9505020025	95/04/20	70-1151		9505020279	9505010058	94/11/29	FOIA	
9505020030	9505020028	95/04/21	50-327	Q	9505020282	9505010058	94/11/29	FOIA	
9505020032	9505020018	95/04/28	50-443	R	9505020283	9505010058	94/11/29	FOIA	
9505020034	9505020029	95/04/18	50-424	Q	9505020289	9505010058	94/11/29	FOIA	
9505020035	9505020018	95/04/28	50-443	R	9505020297	9505010058	94/11/29	FOIA	
9505020036	9505020028	95/04/21	50-327	Q	9505020301	9505010058	94/11/29	FOIA	
9505020037	9505010058	94/11/29	FOIA		9505020303	9505010058	94/11/29	FOIA	
9505020042	9505010058	94/11/29	FOIA		9505020306	9505010058	94/11/29	FOIA	
9505020046	9505020041	95/04/18	50-390	Q	9505020309	9505020308	95/04/28	50-260	S
9505020057	9505010058	94/11/29	FOIA		9505020315	9505010058	94/11/29	FOIA	
9505020059	9505020053	95/04/24	50-369	Q	9505020316	9505020314	95/04/27	50-528	S
9505020061	9505020052	95/04/20	50-269	Q	9505020318	9505010058	94/11/29	FOIA	
9505020062	9505010058	94/11/29	FOIA		9505020320	9505010058	94/11/29	FOIA	
9505020064	9505020058	95/04/27	40-2384		9505020321	9505010058	94/11/29	FOIA	
9505020068	9505010058	94/11/29	FOIA		9505020322	9505020319	95/04/21	50-272	S
9505020069	9505010058	94/11/29	FOIA		9505020323	9505020206	95/04/21	50-331	P
9505020070	9505020067	95/04/19	50-335	Q	9505020324	9505020319	95/04/21	50-272	S
9505020072	9505020058	95/04/27	40-2384		9505020325	9505010058	94/11/29	FOIA	
9505020073	9505020065	95/04/21	50-348	Q	9505020326	9505020319	95/04/21	50-272	S
9505020074	9505010058	94/11/29	FOIA		9505020327	9505010058	94/11/29	FOIA	
9505020076	9505020063	95/04/20	50-369	Q	9505020329	9505010058	94/11/29	FOIA	
9505020077	9505010058	94/11/29	FOIA		9505020330	9505010058	94/11/29	FOIA	
9505020078	9505020058	95/04/27	40-2384		9505020333	9505010058	94/11/29	FOIA	
9505020080	9505010058	94/11/29	FOIA		9505020335	9505010058	94/11/29	FOIA	
9505020086	9505020081	95/04/20	50-250	Q	9505020337	9505010058	94/11/29	FOIA	
9505020088	9505010058	94/11/29	FOIA		9505020343	9505010058	94/11/29	FOIA	
9505020093	9505010058	94/11/29	FOIA		9505020351	9505020349	95/04/24	50-282	P
9505020094	9505010058	94/11/29	FOIA		9505020354	9505020349	95/04/24	50-282	P
9505020099	9505010058	94/11/29	FOIA		9505020359	9505020357	95/04/26	50-425	P
9505020101	9505010058	94/11/29	FOIA		9505020372	9505020369	95/04/27	50-298	P
9505020102	9505010058	94/11/29	FOIA		9505020373	9505010058	94/11/29	FOIA	
9505020103	9505010058	94/11/29	FOIA		9505020375	9505010058	94/11/29	FOIA	
9505020108	9505010058	94/11/29	FOIA		9505020376	9505010058	94/11/29	FOIA	
9505020109	9505010058	94/11/29	FOIA		9505020378	9505010058	94/11/29	FOIA	
9505020113	9505020106	95/04/25	50-297	Q	9505020380	9505010058	94/11/29	FOIA	
9505020115	9505010058	94/11/29	FOIA		9505020381	9505010058	94/11/29	FOIA	
9505020120	9505020118	95/04/12	50-282	Y	9505020384	9505010058	94/11/29	FOIA	
9505020130	9505010058	94/11/29	FOIA		9505020386	9505010058	94/11/29	FOIA	
9505020132	9505010058	94/11/29	FOIA		9505020388	9505020383	95/04/28	WASTE MGT	
9505020133	9505010058	94/11/29	FOIA		9505020389	9505010058	94/11/29	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9505020390	9505010058	94/11/29	FOIA		9505030328	9505030326	95/04/24	50-255	P
9505020393	9505010058	94/11/29	FOIA		9505030330	9505030326	95/04/24	50-255	P
9505020396	9505010058	94/11/29	FOIA		9505030332	9505030329	95/04/27	50-266	S
9505020399	9505010058	94/11/29	FOIA		9505030334	9505030333	95/04/24	50-260	P
9505020402	9505010058	94/11/29	FOIA		9505030337	9505030336	95/04/20	50-269	F
9505020405	9505010058	94/11/29	FOIA		9505030338	9505010058	94/11/29	FOIA	
9505020408	9505010058	94/11/29	FOIA		9505030341	9505010058	94/11/29	FOIA	
9505020412	9505010058	94/11/29	FOIA		9505030344	9505010058	94/11/29	FOIA	
9505020417	9505010058	94/11/29	FOIA		9505030347	9505010058	94/11/29	FOIA	
9505020422	9505020414	95/04/24	50-324	P	9505030349	9505010058	94/11/29	FOIA	
9505020423	9505020419	95/04/27	WASTE MGT		9505030353	9505010058	94/11/29	FOIA	
9505020426	9505010058	94/11/29	FOIA		9505030355	9505010058	94/11/29	FOIA	
9505020427	9505020414	95/04/24	50-324	P	9505030357	9505010058	94/11/29	FOIA	
9505020428	9505010058	94/11/29	FOIA		9505030359	9505010058	94/11/29	FOIA	
9505020429	9505010058	94/11/29	FOIA		9505030364	9505010058	94/11/29	FOIA	
9505020435	9505020430	95/04/18	52-3		9505030365	9505010058	94/11/29	FOIA	
9505020436	9505020403	95/03/30	71-9001		9505030366	9505010058	94/11/29	FOIA	
9505020472	9505020470	95/04/25	50-219	I	9505030369	9505010058	94/11/29	FOIA	
9505030017	9505030014	95/04/26	50-387	Q	9505030374	9505010058	94/11/29	FOIA	
9505030038	9505030019	95/04/25	50-285	Q	9505030377	9505010058	94/11/29	FOIA	
9505030040	9505030028	95/04/27	50-424	P	9505030378	9505010058	94/11/29	FOIA	
9505030044	9505030028	95/04/27	50-424	P	9505030380	9505010058	94/11/29	FOIA	
9505030052	9505010058	94/11/29	FOIA		9505030381	9505010058	94/11/29	FOIA	
9505030056	9505030049	95/04/28	50-275	Q	9505030383	9505010058	94/11/29	FOIA	
9505030059	9505010058	94/11/29	FOIA		9505030385	9505010058	94/11/29	FOIA	
9505030062	9505010058	94/11/29	FOIA		9505030387	9505010058	94/11/29	FOIA	
9505030066	9505030049	95/04/28	50-275	Q	9505030389	9505010058	94/11/29	FOIA	
9505030070	9505010058	94/11/29	FOIA		9505030390	9505010058	94/11/29	FOIA	
9505030072	9505030055	95/04/25	50-285	Q	9505030393	9505010058	94/11/29	FOIA	
9505030074	9505010058	94/11/29	FOIA		9505030400	9505010058	94/11/29	FOIA	
9505030076	9505030071	95/04/27	50-219	Q	9505030403	9505010058	94/11/29	FOIA	
9505030078	9505010058	94/11/29	FOIA		9505030405	9505010058	94/11/29	FOIA	
9505030081	9505010058	94/11/29	FOIA		9505030407	9505010058	94/11/29	FOIA	
9505030083	9505030079	95/04/18	50-333	Q	9505030408	9505010058	94/11/29	FOIA	
9505030085	9505030079	95/04/18	50-333	Q	9505030410	9505010058	94/11/29	FOIA	
9505030086	9505010058	94/11/29	FOIA		9505030411	9505030409	95/04/20	50-282	Y
9505030087	9505030080	95/04/26	50-387	Q	9505030414	9505010058	94/11/29	FOIA	
9505030091	9505030075	95/04/21	50-324	Q	9505030417	9505010058	94/11/29	FOIA	
9505030093	9505010058	94/11/29	FOIA		9505030419	9505010058	94/11/29	FOIA	
9505030094	9505030090	95/04/22	50-277	Q	9505030420	9505010058	94/11/29	FOIA	
9505030099	9505030089	95/04/27	50-223	Q	9505030422	9505010058	94/11/29	FOIA	
9505030103	9505010058	94/11/29	FOIA		9505030423	9505010058	94/11/29	FOIA	
9505030110	9505030104	95/04/27	50-528	Q	9505030441	9505030438	95/04/25	50-397	P
9505030116	9505010058	94/11/29	FOIA		9505030443	9505030438	95/04/25	50-397	P
9505030118	9505010058	94/11/29	FOIA		9505030458	9505010058	94/11/29	FOIA	
9505030120	9505010058	94/11/29	FOIA		9505030459	9505030456	95/04/18	50-354	P
9505030128	9505010058	94/11/29	FOIA		9505030460	9505010058	94/11/29	FOIA	
9505030130	9505010058	94/11/29	FOIA		9505030462	9505010058	94/11/29	FOIA	
9505030132	9505010058	94/11/29	FOIA		9505030475	9505030471	94/12/20	FOIA	
9505030133	9505030123	95/04/24	50-213	Q	9505030486	9505030485	95/04/25	50-305	F
9505030134	9505030129	95/04/21	50-269	Q	9505040017	9505010058	94/11/29	FOIA	
9505030140	9505030129	95/04/21	50-269	Q	9505040019	9505010058	94/11/29	FOIA	
9505030144	9505010058	94/11/29	FOIA		9505040021	9505010058	94/11/29	FOIA	
9505030147	9505010058	94/11/29	FOIA		9505040022	9505040018	95/04/25	50-29	I
9505030157	9505030152	95/04/27	50-259	R	9505040023	9505010058	94/11/29	FOIA	
9505030160	9505030156	95/04/27	40-2975		9505040024	9505040020	95/04/25	50-424	G
9505030162	9505010244	94/12/05	FOIA		9505040025	9505010058	94/11/29	FOIA	
9505030172	9505010244	94/12/05	FOIA		9505040028	9505040018	95/04/25	50-29	I
9505030178	9505010244	94/12/05	FOIA		9505040033	9505040018	95/04/25	50-29	I
9505030184	9505030182	95/04/19	50-369	F	9505040034	9505040027	95/04/20	50-424	G
9505030187	9505010244	94/12/05	FOIA		9505040035	9505040029	95/04/21	50-237	G
9505030194	9505010058	94/11/29	FOIA		9505040036	9505040018	95/04/25	50-29	I
9505030195	9505030192	95/04/27	50-416	R	9505040037	9505010058	94/11/29	FOIA	
9505030197	9505030179	95/04/27	40-*****		9505040041	9505010058	94/11/29	FOIA	
9505030199	9505010058	94/11/29	FOIA		9505040043	9505010058	94/11/29	FOIA	
9505030204	9505010058	94/11/29	FOIA		9505040044	9505010058	94/11/29	FOIA	
9505030206	9505030201	95/04/27	50-335	Q	9505040045	9505010058	94/11/29	FOIA	
9505030207	9505010058	94/11/29	FOIA		9505040046	9505010058	94/11/29	FOIA	
9505030209	9505010058	94/11/29	FOIA		9505040048	9505010058	94/11/29	FOIA	
9505030215	9505010058	94/11/29	FOIA		9505040050	9505010058	94/11/29	FOIA	
9505030216	9505030212	95/04/26	50-483	P	9505040053	9505040014	95/04/28	50-423	P
9505030218	9505010058	94/11/29	FOIA		9505040054	9505010058	94/11/29	FOIA	
9505030223	9505010058	94/11/29	FOIA		9505040058	9505010058	94/11/29	FOIA	
9505030230	9505010058	94/11/29	FOIA		9505040062	9505010058	94/11/29	FOIA	
9505030234	9505010058	94/11/29	FOIA		9505040065	9505030240	95/04/24	50-412	P
9505030243	9505030239	95/04/28	50-387	R	9505040068	9505040060	95/04/28	50-305	P
9505030246	9505010058	94/11/29	FOIA		9505040070	9505040064	95/04/21	70-3070	
9505030250	9505030239	95/04/28	50-387	R	9505040074	9505010058	94/11/29	FOIA	
9505030254	9505010058	94/11/29	FOIA		9505040077	9505040060	95/04/28	50-305	P
9505030258	9505010058	94/11/29	FOIA		9505040078	9505010058	94/11/29	FOIA	
9505030267	9505030260	95/04/26	50-245	Q	9505040081	9505040080	95/05/01	50-424	P
9505030268	9505010058	94/11/29	FOIA		9505040082	9505040060	95/04/28	50-305	P
9505030270	9505010058	94/11/29	FOIA		9505040084	9505010058	94/11/29	FOIA	
9505030271	9505030260	95/04/26	50-245	Q	9505040087	9505010058	94/11/29	FOIA	
9505030272	9505010058	94/11/29	FOIA		9505040090	9505010058	94/11/29	FOIA	
9505030281	9505030276	94/12/20	COMMISSIO	N	9505040091	9505040060	95/04/28	50-305	P
9505030290	9505030284	95/04/26	50-498	S	9505040092	9505040086	95/04/25	50-335	P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9505040093	9505040075	95/04/21	70-3070		9505040328	9505040210	95/03/31	CONTRACT	
9505040095	9505010058	94/11/29	FOIA		9505040330	9505010058	94/11/29	FOIA	
9505040096	9505040086	95/04/25	50-335	P	9505040334	9505010058	94/11/29	FOIA	
9505040098	9505040089	95/04/26	70-27		9505040336	9505010058	94/11/29	FOIA	
9505040103	9505040101	95/04/27	50-382	P	9505040338	9505040271	95/04/24	WASTE MGT	
9505040104	9505010058	94/11/29	FOIA		9505040340	9505030431	94/12/20	FOIA	
9505040105	9505040101	95/04/27	50-382	P	9505040341	9505040271	95/04/24	WASTE MGT	
9505040106	9505040089	95/04/26	70-27		9505040342	9505010058	94/11/29	FOIA	
9505040109	9505010058	94/11/29	FOIA		9505040345	9505040271	95/04/24	WASTE MGT	
9505040111	9505040089	95/04/26	70-27		9505040346	9505010058	94/11/29	FOIA	
9505040112	9505010058	94/11/29	FOIA		9505040347	9505030431	94/12/20	FOIA	
9505040114	9505040108	95/04/26	50-413	P	9505040350	9505010058	94/11/29	FOIA	
9505040116	9505040089	95/04/26	70-27		9505040355	9505010058	94/11/29	FOIA	
9505040117	9505010058	94/11/29	FOIA		9505040359	9505010058	94/11/29	FOIA	
9505040118	9505040102	95/04/26	50-387	P	9505040360	9505040352	95/04/26	50-336	P
9505040120	9505040089	95/04/26	70-27		9505040362	9505010058	94/11/29	FOIA	
9505040124	9505010058	94/11/29	FOIA		9505040364	9505030431	94/12/20	FOIA	
9505040125	9505040089	95/04/26	70-27		9505040366	9505010058	94/11/29	FOIA	
9505040127	9505040089	95/04/26	70-27		9505040369	9505010058	94/11/29	FOIA	
9505040130	9505040089	95/04/26	70-27		9505040370	9505010058	94/11/29	FOIA	
9505040133	9505010058	94/11/29	FOIA		9505040372	9505010058	94/11/29	FOIA	
9505040137	9505040089	95/04/26	70-27		9505040374	9505010058	94/11/29	FOIA	
9505040139	9505040134	95/04/26	50-482	R	9505040376	9505010058	94/11/29	FOIA	
9505040142	9505040134	95/04/26	50-482	R	9505040383	9505030431	94/12/20	FOIA	
9505040143	9505040089	95/04/26	70-27		9505040386	9505030431	94/12/20	FOIA	
9505040151	9505040134	95/04/26	50-482	R	9505040388	9505250012	95/05/18	50-397	F
9505040155	9505040134	95/04/26	50-482	R	9505040389	9505040384	95/04/27	50-289	R
9505040156	9505010058	94/11/29	FOIA		9505040397	9505040393	95/04/28	50-373	P
9505040158	9505040153	95/04/26	50-305	P	9505040399	9505040393	95/04/28	50-373	P
9505040159	9505040134	95/04/26	50-482	R	9505040400	9505040394	95/03/31	CONTRACT	
9505040162	9505010058	94/11/29	FOIA		9505040401	9505010058	94/11/29	FOIA	
9505040163	9505040153	95/04/26	50-305	P	9505040403	9505010058	94/11/29	FOIA	
9505040166	9505010058	94/11/29	FOIA		9505040404	9505010058	94/11/29	FOIA	
9505040168	9505010058	94/11/29	FOIA		9505040405	9505010058	94/11/29	FOIA	
9505040170	9505010058	94/11/29	FOIA		9505040407	9505010058	94/11/29	FOIA	
9505040172	9505040164	95/04/13	CONTRACT		9505040408	9505010058	94/11/29	FOIA	
9505040173	9505010058	94/11/29	FOIA		9505040409	9505010058	94/11/29	FOIA	
9505040177	9505030431	94/12/20	50-498	F	9505040410	9505010058	94/11/29	FOIA	
9505040180	9505010058	94/11/29	FOIA		9505040411	9505010058	94/11/29	FOIA	
9505040181	9505040174	95/04/27	52-4		9505040412	9505040406	95/05/02	50-338	P
9505040182	9505030431	94/12/20	50-498	Q	9505040414	9505040406	95/05/02	50-338	P
9505040183	9505010058	94/11/29	FOIA		9505040415	9505010058	94/11/29	FOIA	
9505040186	9505030431	94/12/20	50-498	Q	9505040416	9505040413	95/03/31	50-374	P
9505040190	9505250012	95/05/18	50-397	F	9505040418	9505040413	95/03/31	50-374	P
9505040191	9505030431	94/12/20	50-498	Q	9505040419	9505010058	94/11/29	FOIA	
9505040194	9505030431	94/12/20	FOIA		9505040420	9505040413	95/03/31	50-374	P
9505040196	9505030431	94/12/20	FOIA		9505040421	9505040413	95/03/31	50-374	P
9505040205	9505030431	94/12/20	50-498	Q	9505040425	9505040424	95/04/25	50-245	P
9505040207	9505250012	95/05/18	50-397	F	9505050003	9505050001	95/04/28	70-27	
9505040208	9505030431	94/12/20	FOIA		9505050004	9505050001	95/04/28	70-27	
9505040213	9505030431	94/12/20	50-498	Q	9505050023	9505010058	94/11/29	FOIA	
9505040215	9505040211	95/04/28	50-397	P	9505050024	9505050012	95/04/28	50-261	Q
9505040219	9505040218	95/05/01	50-423	P	9505050025	9505050022	95/04/28	71-9263	
9505040222	9505040218	95/05/01	50-423	P	9505050026	9505050020	95/04/27	50-443	Q
9505040223	9505030431	94/12/20	50-498	F	9505050029	9505050018	95/04/26	50-277	R
9505040229	9505030431	94/12/20	50-498	Q	9505050030	9505010058	94/11/29	FOIA	
9505040231	9505030431	94/12/20	50-498	Q	9505050034	9505010058	94/11/29	FOIA	
9505040235	9505030431	94/12/20	50-498	F	9505050036	9505050033	95/05/02	71-301	
9505040238	9505030431	94/12/20	FOIA		9505050037	9505010058	94/11/29	FOIA	
9505040244	9505040241	95/04/28	50-331	P	9505050040	9505010058	94/11/29	FOIA	
9505040266	9505040265	95/04/28	50-352	R	9505050042	9505050031	95/04/28	50-602	Q
9505040268	9505040269	95/04/26	50-282	R	9505050043	9505050035	95/04/26	50-220	Q
9505040275	9505040271	95/04/24	WASTE MGT		9505050045	9505050041	95/05/02	71-68	
9505040276	9505040274	95/04/26	50-263	R	9505050047	9505010058	94/11/29	FOIA	
9505040278	9505040271	95/04/24	WASTE MGT		9505050049	9505050048	95/05/02	71-9248	
9505040279	9505010058	94/11/29	FOIA		9505050053	9505050046	95/04/26	50-302	Q
9505040281	9505040277	95/04/27	50-261	P	9505050055	9505050052	95/04/28	71-9248	
9505040282	9505010058	94/11/29	FOIA		9505050056	9505050031	95/04/28	50-602	Q
9505040283	9505040271	95/04/24	WASTE MGT		9505050064	9505050057	95/05/01	50-275	Q
9505040285	9505040277	95/04/27	50-261	P	9505050069	9505050063	95/04/28	50-298	Q
9505040286	9505040271	95/04/24	WASTE MGT		9505050072	9505050066	95/04/26	50-247	Q
9505040288	9505040287	95/04/28	50-247	P	9505050076	9505050071	95/05/01	50-498	P
9505040289	9505010058	94/11/29	FOIA		9505050083	9505050078	95/05/01	50-528	Q
9505040290	9505040287	95/04/28	50-247	P	9505050084	9505050082	95/05/02	50-237	P
9505040291	9505010058	94/11/29	FOIA		9505050087	9505050085	95/04/19	50-247	P
9505040293	9505010058	94/11/29	FOIA		9505050095	9505050089	95/04/28	50-250	Q
9505040294	9505040271	95/04/24	WASTE MGT		9505050104	9505050102	95/05/01	50-440	P
9505040302	9505010058	94/11/29	FOIA		9505050105	9505050101	95/05/01	50-338	P
9505040303	9505010058	94/11/29	FOIA		9505050109	9505050101	95/05/01	50-338	P
9505040306	9505010058	94/11/29	FOIA		9505050110	9505050107	95/04/26	50-423	P
9505040307	9505010058	94/11/29	FOIA		9505050113	9505050108	95/04/24	50-244	Q
9505040309	9505010058	94/11/29	FOIA		9505050121	9505050117	95/04/28	50-317	P
9505040314	9505010058	94/11/29	FOIA		9505050122	9505050112	95/04/20	50-335	Q
9505040317	9505010058	94/11/29	FOIA		9505050125	9505010058	94/11/29	FOIA	
9505040319	9505010058	94/11/29	FOIA		9505050126	9505050120	95/04/28	50-440	P
9505040321	9505040200	95/03/31	CONTRACT		9505050128	9505010058	94/11/29	FOIA	
9505040322	9505010058	94/11/29	FOIA		9505050135	9505010058	94/11/29	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9505050136	9505050133	95/04/28	50-440	P	9505080063	9505010058	94/11/29	FOIA	
9505050138	9505050127	95/04/27	70-1151		9505080064	9505080055	95/05/02	WASTE MGT	
9505050140	9505010058	94/11/29	FOIA		9505080068	9505010058	94/11/29	FOIA	
9505050144	9505050137	95/04/25	50-324	Q	9505080069	9505010058	94/11/29	FOIA	
9505050146	9505010058	94/11/29	FOIA		9505080071	9505010058	94/11/29	FOIA	
9505050149	9505010058	94/11/29	FOIA		9505080075	9505010058	94/11/29	FOIA	
9505050150	9505050137	95/04/25	50-324	Q	9505080079	9505010058	94/11/29	FOIA	
9505050154	9505010058	94/11/29	FOIA		9505080080	9505080078	95/05/01	40-8027	
9505050156	9505010058	94/11/29	FOIA		9505080081	9505010058	94/11/29	FOIA	
9505050157	9505050153	95/04/28	50-155	K	9505080084	9505080072	95/05/01	50-344	P
9505050158	9505010058	94/11/29	FOIA		9505080108	9505010058	94/11/29	FOIA	
9505050159	9505050155	95/04/24	50-10	W	9505080111	9505010058	94/11/29	FOIA	
9505050162	9505050155	95/04/24	50-10	W	9505080113	9505010058	94/11/29	FOIA	
9505050163	9505010058	94/11/29	FOIA		9505080118	9505080110	95/04/20	WASTE MGT	
9505050164	9505010058	94/11/29	FOIA		9505080124	9505010058	94/11/29	FOIA	
9505050165	9505010058	94/11/29	FOIA		9505080127	9505010058	94/11/29	FOIA	
9505050167	9505010058	94/11/29	FOIA		9505080139	9505010058	94/11/29	FOIA	
9505050169	9505050166	95/04/28	50-423	P	9505080140	9505080135	95/04/30	50-220	P
9505050170	9505010058	94/11/29	FOIA		9505080142	9505010058	94/11/29	FOIA	
9505050173	9505010058	94/11/29	FOIA		9505080143	9505010058	94/11/29	FOIA	
9505050174	9505050168	95/04/27	50-395	Q	9505080145	9505010058	94/11/29	FOIA	
9505050176	9505010058	94/11/29	FOIA		9505080146	9505010058	94/11/29	FOIA	
9505050178	9505050175	95/04/28	50-423	P	9505080147	9505010058	94/11/29	FOIA	
9505050179	9505010058	94/11/29	FOIA		9505080148	9505010058	94/11/29	FOIA	
9505050180	9505010058	94/11/29	FOIA		9505080150	9505080135	95/04/30	50-220	P
9505050185	9505050182	95/05/01	50-423	P	9505080151	9505010058	94/11/29	FOIA	
9505050192	9505050189	95/05/01	50-423	P	9505080161	9505080157	94/12/06	50-498	Q
9505050193	9505050188	95/04/26	50-387	R	9505080174	9505080168	95/05/01	50-219	P
9505050195	9505010058	94/11/29	FOIA		9505080175	9505080157	94/12/06	50-498	Q
9505050199	9505010058	94/11/29	FOIA		9505080177	9505080168	95/05/01	50-219	P
9505050206	9505050200	95/04/04	CONTRACT		9505080185	9505080157	94/12/06	FOIA	
9505050209	9505050207	95/04/27	71-696		9505080192	9505080157	94/12/06	50-498	Q
9505050211	9505050210	95/04/27	50-255	P	9505080199	9505080194	95/04/24	50-254	P
9505050215	9505050214	95/04/27	50-255	P	9505080210	9505080157	94/12/06	50-498	Q
9505050216	9505010058	94/11/29	FOIA		9505080213	9505080204	95/04/28	50-327	P
9505050221	9505050218	95/04/28	71-*****		9505080214	9505080157	94/12/06	50-498	F
9505050225	9505050224	95/04/28	71-*****		9505080215	9505080204	95/04/28	50-327	P
9505050226	9505050223	95/05/01	50-317	P	9505080265	9505080260	95/04/28	50-305	P
9505050229	9505010058	94/11/29	FOIA		9505080266	9505040202	95/04/27	71-9001	
9505050230	9505010058	94/11/29	FOIA		9505080273	9505080246	94/12/19	FOIA	
9505050232	9505010058	94/11/29	FOIA		9505080282	9505080246	94/12/19	FOIA	
9505050233	9505010058	94/11/29	FOIA		9505080286	9505080275	95/04/13	WASTE MGT	
9505050235	9505010058	94/11/29	FOIA		9505080289	9505080275	95/04/13	WASTE MGT	
9505050236	9505050234	95/05/02	71-9260		9505080297	9505080246	94/12/19	FOIA	
9505050237	9505010058	94/11/29	FOIA		9505080300	9505080246	94/12/19	FOIA	
9505050238	9505010058	94/11/29	FOIA		9505080303	9505080246	94/12/19	FOIA	
9505050251	9505010058	94/11/29	FOIA		9505080305	9505080246	94/12/19	FOIA	
9505050255	9505010058	94/11/29	FOIA		9505080309	9505080246	94/12/19	FOIA	
9505050258	9505010058	94/11/29	FOIA		9505080311	9505080246	94/12/19	FOIA	
9505050259	9505010058	94/11/29	FOIA		9505090001	9505050071	95/05/01	50-498	P
9505050261	9505010058	94/11/29	FOIA		9505090004	9505090002	95/05/03	50-445	Q
9505050263	9505010058	94/11/29	FOIA		9505090006	9505090005	95/05/03	50-458	Q
9505050264	9505010058	94/11/29	FOIA		9505090008	9505090005	95/05/03	50-458	Q
9505050265	9505010058	94/11/29	FOIA		9505090010	9505090009	95/04/19	50-354	P
9505050266	9505010058	94/11/29	FOIA		9505090035	9505090028	95/05/03	50-361	Q
9505050267	9505010058	94/11/29	FOIA		9505090041	9505090028	95/05/03	50-361	Q
9505050269	9505010058	94/11/29	FOIA		9505090047	9505090017	95/04/26	50-331	Q
9505050272	9505010058	94/11/29	FOIA		9505090050	9505090046	95/05/03	50-482	Q
9505050275	9505010058	94/11/29	FOIA		9505090064	9505090062	95/04/12	70-364	
9505050276	9505010058	94/11/29	FOIA		9505090069	9505090063	95/04/25	50-461	Q
9505050277	9505010058	94/11/29	FOIA		9505090070	9505090065	95/04/26	50-286	Q
9505050283	9505050281	95/05/01	71-532		9505090079	9505090076	95/05/02	50-456	Q
9505050284	9505050278	95/04/28	50-313	P	9505090081	9505090074	95/04/27	50-373	Q
9505050287	9505010058	94/11/29	FOIA		9505090085	9505090074	95/04/27	50-373	Q
9505050288	9505050278	95/04/28	50-313	P	9505090086	9505090082	95/04/26	50-528	R
9505050289	9505010058	94/11/29	FOIA		9505090093	9505090088	95/04/21	50-305	Q
9505050295	9505050293	95/05/02	50-382	P	9505090101	9505090098	95/05/04	71-532	
9505050307	9505050305	95/04/26	50-412	P	9505090106	9505090102	95/04/24	50-155	Q
9505050309	9505050306	95/04/26	50-416	P	9505090126	9505090121	95/04/26	50-530	P
9505050313	9505050306	95/04/26	50-416	P	9505090137	9505090132	95/04/30	TOPREP	
9505050320	9505050318	95/05/01	50-139	W	9505090154	9505090148	95/05/01	71-9228	
9505050322	9505050318	95/05/01	50-139	W	9505090157	9505090155	95/05/02	50-280	P
9505050327	9505050325	95/04/27	50-339	S	9505090159	9505100011	95/04/27	50-424	R
9505050328	9505050318	95/05/01	50-139	W	9505090160	9505090155	95/05/02	50-280	P
9505080004	9505080002	95/04/27	50-498	P	9505090163	9505100011	95/04/27	50-424	R
9505080013	9505080009	95/04/26	STATE PRO	G	9505090166	9505090164	95/05/02	50-317	P
9505080016	9505080009	95/04/26	STATE PRO	G	9505090167	9505090164	95/05/02	50-317	P
9505080027	9505080019	95/04/28	STATE PRO	G	9505090172	9505090170	95/05/03	50-272	P
9505080029	9505080026	95/05/01	50-445	P	9505090174	9505090170	95/05/03	50-272	P
9505080048	9505010058	94/11/29	FOIA		9505090178	9505090176	95/05/03	50-412	P
9505080049	9505010058	94/11/29	FOIA		9505090181	9505090176	95/05/03	50-412	P
9505080050	9505010058	94/11/29	FOIA		9505090183	9505090179	95/05/02	50-461	P
9505080052	9505010058	94/11/29	FOIA		9505090185	9505090179	95/05/02	50-461	P
9505080054	9505010058	94/11/29	FOIA		9505090187	9505090184	95/05/01	50-244	Q
9505080057	9505010058	94/11/29	FOIA		9505090192	9505090191	95/04/28	50-247	Q
9505080058	9505080055	95/05/02	WASTE MGT		9505090193	9505090191	95/04/28	50-247	Q
9505080061	9505010058	94/11/29	FOIA		9505090205	9505090203	95/05/02	50-498	P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9505090207	9505090203	95/05/02	50-498	P	9505110058	9505110054	95/05/02	50-390	Q
9505090223	9505090221	95/05/04	50-321	P	9505110060	9505110053	95/05/02	50-424	Q
9505090225	9505090215	95/05/02	50-254	P	9505110063	9505110061	95/05/03	50-261	Q
9505090233	9505090231	95/04/28	50-346	R	9505110066	9505110053	95/05/02	50-424	Q
9505090236	9505090231	95/04/28	50-346	R	9505110075	9505110070	95/05/03	50-250	Q
9505090239	9505090238	95/05/02	50-498	P	9505110082	9505110078	95/05/05	50-259	Q
9505090241	9505090229	95/05/02	50-255	Q	9505110086	9505110080	95/05/03	50-272	P
9505090245	9505090243	95/05/04	50-389	Q	9505110087	9505110078	95/05/05	50-259	Q
9505090247	9505090242	95/04/25	40-8902		9505110091	9505110083	95/05/04	50-260	S
9505090253	9505090243	95/05/04	50-389	Q	9505110093	9505110088	95/05/04	50-266	Y
9505090255	9505090250	95/04/28	50-410	P	9505110099	9505110092	95/05/05	50-325	S
9505090259	9505090250	95/04/28	50-410	P	9505110100	9505110097	95/05/05	50-440	P
9505090271	9505090269	95/05/03	50-272	P	9505110109	9505110105	95/05/08	50-368	P
9505090282	9505090277	95/05/03	50-369	P	9505110113	9505110110	95/05/05	50-298	P
9505090286	9505090283	95/04/27	50-361	G	9505110115	9505110111	95/05/04	50-423	Q
9505090289	9505090283	95/04/27	50-361	G	9505110127	9505110122	95/05/05	50-341	K
9505090294	9505090292	94/12/19	30-2646		9505110130	9505110122	95/05/05	50-341	K
9505090296	9505090292	94/12/19	30-17512		9505110144	9505110141	95/05/02	50-272	P
9505090300	9505090292	94/12/19	30-10975		9505110148	9505110143	95/03/31	50-387	Q
9505090301	9505090298	95/05/01	50-400	P	9505110156	9505110154	95/05/04	70-36	
9505090302	9505090298	95/05/01	50-400	P	9505110162	9505110157	95/05/05	40-1162	
9505090305	9505090303	95/05/03	50-423	P	9505110170	9505110166	95/05/05	50-269	Q
9505090306	9505090292	94/12/19	30-17512		9505110171	9505110167	95/05/01	50-440	F
9505090307	9505090292	94/12/19	30-18530		9505110172	9505110168	95/05/05	50-321	Q
9505090310	9505090309	95/04/28	50-305	Q	9505110173	9505110030	95/04/28	50-237	Q
9505090311	9505080246	94/12/19	FOIA		9505110182	9505110177	95/05/05	40-8943	
9505090313	9505090292	94/12/19	30-10975		9505110201	9505110196	95/04/24	TOPREP	
9505090314	9505080246	94/12/19	FOIA		9505110202	9505110198	95/05/04	50-255	P
9505090315	9505080246	94/12/19	FOIA		9505110206	9505110204	95/04/27	50-423	R
9505090316	9505090292	94/12/19	30-17512		9505110209	9505110204	95/04/27	50-423	R
9505090317	9505080246	94/12/19	FOIA		9505110211	9505110208	95/04/27	50-443	R
9505100014	9505100012	95/05/03	50-282	R	9505110212	9505110208	95/04/27	50-443	R
9505100015	9505100012	95/05/03	50-282	R	9505110226	9505110223	94/12/22	50-498	Q
9505100028	9505100012	95/05/03	50-282	R	9505110228	9505110223	94/12/22	50-498	Q
9505100033	9505100012	95/05/03	50-282	R	9505110229	9505110180	94/12/23	FOIA	
9505100040	9505100027	95/05/02	40-*****		9505110230	9505110223	94/12/22	50-498	Q
9505100045	9505100035	95/04/28	50-247	Q	9505110233	9505110232	95/05/02	50-266	P
9505100048	9505100035	95/04/28	50-247	Q	9505110240	9505110235	95/04/18	52-3	
9505100051	9505100050	95/05/02	50-298	P	9505110268	9505110265	95/05/08	50-423	P
9505100052	9505100030	95/04/28	50-245	Q	9505110286	9505110283	95/05/02	50-528	P
9505100055	9505090171	95/05/02	50-424	P	9505110287	9505110200	95/05/05	50-275	P
9505100060	9505100056	95/04/28	50-245	Q	9505110288	9505110284	95/05/05	50-295	P
9505100063	9505100059	95/04/21	70-1100		9505110294	9505110291	95/05/02	50-287	P
9505100071	9505100067	95/05/01	50-293	Q	9505110296	9505110291	95/05/02	50-287	P
9505100072	9505100056	95/04/28	50-245	Q	9505110301	9505110180	94/12/23	FOIA	
9505100074	9505100066	95/04/28	50-247	Q	9505110305	9505110284	95/05/05	50-295	P
9505100080	9505100065	95/05/01	50-327	S	9505110314	9505110313	95/05/02	40-341	
9505100081	9505100064	95/05/03	50-213	Q	9505110326	9505110322	95/05/02	WASTE MGT	
9505100087	9505100084	95/05/03	50-219	Q	9505120004	9505120001	95/04/28	70-3073	
9505100099	9505100095	95/04/13	52-3		9505120007	9505120003	95/05/05	50-313	Q
9505100101	9505100093	95/04/05	50-237	Q	9505120008	9505120006	95/05/05	50-302	F
9505100103	9505100097	95/04/27	50-390	F	9505120011	9505120006	95/05/05	50-302	F
9505100104	9505100095	95/04/13	52-3		9505120012	9505120003	95/05/05	50-313	Q
9505100107	9505100105	95/05/02	40-8948		9505120013	9505120009	95/05/01	50-255	P
9505100114	9505100109	95/05/03	40-8948		9505120014	9505010058	94/11/29	FOIA	
9505100123	9505030431	94/12/20	FOIA		9505120017	9505120015	95/04/27	50-389	R
9505100126	9505100122	95/04/26	50-456	Q	9505120020	9505120015	95/04/27	50-389	R
9505100127	9505100111	95/05/01	50-286	Q	9505120022	9505120019	95/05/05	70-1113	
9505100141	9505100133	95/04/28	50-254	S	9505120034	9505120032	95/05/03	50-333	F
9505100158	9505100153	95/05/02	50-298	Q	9505120035	9505120032	95/05/03	50-333	F
9505100164	9505030431	94/12/20	FOIA		9505120037	9505120031	95/05/05	QA999	
9505100167	9505100153	95/05/02	50-298	Q	9505120043	9505120042	95/05/05	50-388	P
9505100169	9505030431	94/12/20	FOIA		9505120054	9505120031	95/05/05	QA999	
9505100170	9505030431	94/12/20	FOIA		9505120074	9505120067	95/05/04	50-289	Q
9505100191	9505100190	95/05/02	50-528	P	9505120087	9505120077	95/04/19	STATE PRO	G
9505100196	9505100185	95/05/03	50-269	P	9505120088	9505120085	95/04/19	40-3453	
9505100199	9505100185	95/05/03	50-269	P	9505120092	9505120085	95/04/19	40-3453	
9505100210	9505100203	95/05/02	50-397	P	9505120093	9505120090	95/04/14	PROJ	
9505100211	9505100203	95/05/02	50-397	P	9505120097	9505120094	95/05/03	50-390	R
9505100227	9505100221	95/05/03	50-483	P	9505120099	9505120079	95/04/27	50-373	F
9505100237	9505100223	95/05/03	50-346	P	9505120109	9505120106	95/05/05	50-269	P
9505100238	9505100235	95/05/03	50-336	P	9505120112	9505120105	95/04/26	50-247	P
9505100239	9505100223	95/05/03	50-346	P	9505120114	9505120105	95/04/26	50-247	P
9505100244	9505100235	95/05/03	50-336	P	9505120115	9505120111	95/04/28	71-9035	
9505100258	9505100253	95/05/05	50-397	S	9505120116	9505120110	95/04/20	40-7102	
9505100266	9505010058	94/11/29	FOIA		9505120129	9505120127	95/05/03	50-260	S
9505110005	9505110004	95/05/01	50-327	Q	9505120135	9505120126	95/05/03	STATE PRO	G
9505110007	9505110004	95/05/01	50-327	Q	9505120137	9505120133	95/05/02	70-27	
9505110017	9505110012	95/05/02	50-199	Q	9505120138	9505120133	95/05/02	70-27	
9505110018	9505110014	95/05/01	50-390	Q	9505120139	9505120126	95/05/03	STATE PRO	G
9505110022	9505110013	95/05/02	50-454	Q	9505120145	9505120140	95/05/04	50-282	P
9505110023	9505110020	95/05/03	50-286	Q	9505120147	9505120126	95/05/03	STATE PRO	G
9505110026	9505110019	95/04/27	50-259	Q	9505120149	9505120118	95/05/02	STATE PRO	G
9505110027	9505110025	95/05/05	50-335	Q	9505120151	9505120126	95/05/03	STATE PRO	G
9505110032	9505110029	95/05/05	50-369	Q	9505120154	9505120126	95/05/03	STATE PRO	G
9505110047	9505110044	95/05/02	50-348	Q	9505120157	9505120126	95/05/03	STATE PRO	G
9505110052	9505110044	95/05/02	50-348	Q	9505120164	9505120126	95/05/03	STATE PRO	G

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9505120166	9505120126	95/05/03	STATE PRO	G	9505150231	9505150122	94/12/23	FOIA	
9505120171	9505120126	95/05/03	STATE PRO	G	9505150236	9505080246	94/12/19	FOIA	
9505120177	9505120126	95/05/03	STATE PRO	G	9505150238	9505150234	95/05/08	ORG	
9505120178	9505120126	95/05/03	STATE PRO	G	9505150240	9505080246	94/12/19	FOIA	
9505120181	9505120126	95/05/03	STATE PRO	G	9505150245	9505150239	94/12/19	FOIA	
9505120182	9505120126	95/05/03	STATE PRO	G	9505150247	9505150244	95/05/08	50-254	P
9505120186	9505120126	95/05/03	STATE PRO	G	9505150248	9505150122	94/12/23	FOIA	
9505120188	9505120126	95/05/03	STATE PRO	G	9505150249	9505150234	95/05/08	ORG	
9505120190	9505120126	95/05/03	STATE PRO	G	9505150251	9505150122	94/12/23	FOIA	
9505120192	9505120126	95/05/03	STATE PRO	G	9505150254	9505150122	94/12/23	FOIA	
9505120194	9505120126	95/05/03	STATE PRO	G	9505150255	9505150253	94/12/29	50-341	F
9505120195	9505120126	95/05/03	STATE PRO	G	9505150256	9505150239	94/12/19	FOIA	
9505120197	9505120126	95/05/03	STATE PRO	G	9505150257	9505150122	94/12/23	FOIA	
9505120198	9505120126	95/05/03	STATE PRO	G	9505150259	9505150252	95/05/09	50-237	P
9505120200	9505120126	95/05/03	STATE PRO	G	9505150261	9505150239	94/12/19	FOIA	
9505120201	9505120126	95/05/03	STATE PRO	G	9505150262	9505150122	94/12/23	FOIA	
9505120217	9505120126	95/05/03	STATE PRO	G	9505150264	9505150122	94/12/23	FOIA	
9505120219	9505120126	95/05/03	STATE PRO	G	9505150266	9505150263	95/05/08	52-3	
9505120223	9505120126	95/05/03	STATE PRO	G	9505150268	9505150263	95/05/08	52-3	
9505120225	9505120126	95/05/03	STATE PRO	G	9505150272	9505150239	94/12/19	FOIA	
9505120227	9505120126	95/05/03	STATE PRO	G	9505150277	9505150275	95/03/30	WASTE MGT	
9505120230	9505120126	95/05/03	STATE PRO	G	9505150278	9505150239	94/12/19	FOIA	
9505120231	9505120126	95/05/03	STATE PRO	G	9505150279	9505150239	94/12/19	FOIA	
9505120234	9505120126	95/05/03	STATE PRO	G	9505150284	9505150239	94/12/19	FOIA	
9505120252	9505120248	95/05/05	PROJ		9505150288	9505150239	94/12/19	FOIA	
9505120253	9505120245	94/12/23	FOIA		9505150290	9505150282	95/05/08	50-336	P
9505120258	9505120250	95/05/05	STATE PRO	G	9505150292	9505150122	94/12/23	50-247	P
9505120259	9505120245	94/12/23	FOIA		9505150298	9505150122	94/12/23	50-315	P
9505120262	9505120260	95/05/01	52-3		9505150303	9505150122	94/12/23	50-483	P
9505120263	9505120245	94/12/23	FOIA		9505150304	9505150239	94/12/19	FOIA	
9505120266	9505100221	95/05/03	50-483	P	9505150307	9505150239	94/12/19	FOIA	
9505120274	9505120272	95/04/28	72-1007		9505150310	9505150239	94/12/19	FOIA	
9505120276	9505120272	95/04/28	72-1007		9505150313	9505150312	95/04/24	WASTE MGT	
9505120278	9505120272	95/04/28	72-1007		9505150314	9505150312	95/04/24	WASTE MGT	
9505120280	9505120277	95/05/05	50-213	P	9505150315	9505150312	95/04/24	WASTE MGT	
9505150007	9505150006	95/05/08	50-423	P	9505150316	9505150312	95/04/24	WASTE MGT	
9505150008	9505150006	95/05/08	50-423	P	9505180014	9505180010	95/05/09	50-387	Q
9505150027	9505150020	95/05/05	50-352	P	9505180024	9505180011	95/05/08	50-528	Q
9505150054	9505150051	95/05/04	50-277	F	9505180036	9505180032	95/05/09	50-259	Q
9505150060	9505150058	95/05/05	50-373	R	9505180051	9505180045	95/05/10	50-298	Q
9505150061	9505150058	95/05/05	50-373	R	9505180052	9505180046	95/05/05	50-413	Q
9505150064	9505150062	95/05/08	50-285	P	9505180053	9505180043	95/05/04	50-244	Q
9505150065	9505150101	95/05/11	50-250	G	9505180054	9505180046	95/05/05	50-413	Q
9505150066	9505150062	95/05/08	50-285	P	9505180056	9505180047	95/05/08	50-397	P
9505150075	9505150072	95/05/05	50-440	P	9505180057	9505180050	95/05/08	50-184	Q
9505150077	9505150072	95/05/05	50-440	P	9505180074	9505180065	95/05/08	50-247	Q
9505150079	9505150076	95/04/10	TOPREP		9505180079	9505180069	95/05/09	50-344	Q
9505150081	9505150074	95/05/03	40-8902		9505180082	9505180072	95/05/04	50-271	Q
9505150082	9505150076	95/04/10	TOPREP		9505180084	9505180069	95/05/09	50-344	Q
9505150090	9505150084	95/05/10	50-498	Q	9505180087	9505180080	95/05/08	50-397	Q
9505150094	9505150092	95/05/09	XPORTLIC		9505180092	9505180085	95/05/09	50-305	P
9505150110	9505150106	95/05/08	WASTE MGT		9505180096	9505180089	95/05/09	XPORTLIC	
9505150113	9505150108	95/05/05	40-8903		9505180107	9505180101	95/05/10	XPORTLIC	
9505150129	9505150104	95/04/25	50-278	P	9505180118	9505180113	95/05/12	40-8903	
9505150130	9505150126	95/05/08	52-3		9505180129	9505180124	95/05/12	50-313	Q
9505150136	9505150101	95/05/11	50-250	G	9505180145	9505180135	95/05/08	50-354	Q
9505150138	9505150104	95/04/25	50-278	P	9505180167	9505180159	95/05/08	50-244	S
9505150140	9505150122	94/12/23	FOIA		9505180168	9505180158	95/05/10	50-327	P
9505150141	9505150137	95/04/21	50-220	Q	9505180170	9505180162	95/05/08	50-348	Q
9505150145	9505150014	95/05/05	50-244	P	9505180171	9505180161	95/05/10	50-445	Q
9505150147	9505150137	95/04/21	50-220	Q	9505180173	9505180163	95/05/12	50-482	F
9505150148	9505150143	95/05/02	50-443	F	9505180178	9505180158	95/05/10	50-327	P
9505150150	9505150143	95/05/02	50-443	F	9505180180	9505180175	95/05/12	70-27	
9505150152	9505150122	94/12/23	FOIA		9505180183	9505180161	95/05/10	50-445	Q
9505150153	9505150151	95/05/02	50-150	F	9505180184	9505180163	95/05/12	50-482	F
9505150155	9505150151	95/05/02	50-150	F	9505180186	9505180175	95/05/12	70-27	
9505150162	9505150026	95/05/04	50-354	P	9505180202	9505180196	95/05/08	50-382	P
9505150164	9505150122	94/12/23	FOIA		9505180203	9505180194	95/05/05	STATE PRO	G
9505150165	9505150122	94/12/23	FOIA		9505180206	9505180196	95/05/08	50-382	P
9505150183	9505150181	95/05/08	50-361	S	9505180215	9505180197	95/05/10	50-397	Q
9505150186	9505150139	95/05/08	50-424	R	9505180216	9505180207	95/05/05	50-338	Q
9505150187	9505150185	95/05/08	50-361	S	9505180234	9505180211	95/05/12	50-397	P
9505150190	9505150139	95/05/08	50-424	R	9505180238	9505180232	95/05/11	71-15	
9505150193	9505150189	95/05/09	50-361	S	9505180244	9505180239	95/05/10	50-368	P
9505150200	9505150197	95/04/24	WASTE MGT		9505180260	9505180254	95/05/11	70-36	
9505150201	9505150198	95/05/09	50-341	S	9505180265	9505180254	95/05/11	70-36	
9505150202	9505150122	94/12/23	FOIA		9505180274	9505180267	95/05/12	50-382	P
9505150206	9505150203	95/05/04	70-1113		9505180276	9505180264	95/05/08	50-266	R
9505150207	9505150122	94/12/23	FOIA		9505180284	9505180264	95/05/08	50-266	R
9505150208	9505150205	95/05/09	50-277	P	9505180295	9505180281	95/05/10	40-8857	
9505150212	9505150209	95/05/08	50-498	S	9505180302	9505180292	95/05/08	50-325	S
9505150214	9505150122	94/12/23	FOIA		9505180309	9505180304	95/05/08	50-333	R
9505150215	9505150122	94/12/23	FOIA		9505180311	9505180281	95/05/10	40-8857	
9505150220	9505150122	94/12/23	FOIA		9505180312	9505180297	95/05/11	50-263	Q
9505150223	9505150122	94/12/23	FOIA		9505180314	9505180305	95/05/11	40-8452	
9505150225	9505150221	95/05/08	50-293	P	9505180317	9505180304	95/05/08	50-333	R
9505150226	9505150122	94/12/23	FOIA		9505180323	9505180318	95/05/12	71-697	

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9505180327	9505180322	95/05/11	50-250 P	9505190201	9505190196	95/05/12	50-309 H
9505180328	9505180325	95/05/10	50-285 Q	9505190202	9505190182	95/05/03	50-440 Q
9505180331	9505180322	95/05/11	50-250 P	9505190203	9505190196	95/05/12	50-309 H
9505180336	9505180322	95/05/11	50-250 P	9505190205	9505190128	95/01/24	FOIA
9505180339	9505180334	95/05/09	WASTE MGT	9505190208	9505190182	95/05/03	50-440 Q
9505180342	9505180335	95/05/05	50-254 R	9505190210	9505190206	95/05/12	50-352 P
9505180352	9505180335	95/05/05	50-254 R	9505190212	9505190024	95/05/12	50-298 P
9505180368	9505180330	95/05/05	50-309 P	9505190215	9505150122	94/12/23	FOIA
9505180369	9505180364	95/05/12	PROJ	9505190217	9505150122	94/12/23	FOIA
9505180374	9505180366	95/05/05	50-400 Q	9505190218	9505190211	95/05/04	71-*****
9505180389	9505180385	95/04/04	71-15	9505190223	9505150122	94/12/23	FOIA
9505180393	9505180379	95/05/08	70-3070	9505190225	9505190221	95/05/04	50-341 Q
9505180435	9505180405	95/05/10	50-424 T	9505190229	9505190221	95/05/04	50-341 Q
9505180448	9505180444	95/05/12	40-8902	9505190231	9505150122	94/12/23	FOIA
9505180450	9505180442	95/05/11	50-282 Y	9505190237	9505190222	95/01/26	50-498 Q
9505180456	9505180438	95/05/12	50-424 G	9505190239	9505150122	94/12/23	50-461 P
9505180468	9505180459	95/05/11	50-265 P	9505190241	9505190224	95/05/02	71-*****
9505180472	9505180466	95/05/12	40-8905	9505190247	9505190222	95/01/26	50-498 Q
9505180477	9505180471	95/05/12	71-9225	9505190249	9505150122	94/12/23	FOIA
9505180479	9505180474	95/04/28	50-309 S	9505190255	9505190222	95/01/26	50-498 Q
9505180481	9505180476	95/05/12	40-8964	9505190256	9505150122	94/12/23	FOIA
9505180487	9505180485	95/05/09	TOPREP	9505190258	9505190251	95/05/10	WASTE MGT
9505180491	9505180478	95/05/04	50-424 T	9505190262	9505190236	94/12/29	FOIA
9505180502	9505180438	95/05/12	50-424 G	9505190263	9505180420	95/05/11	50-261 P
9505180505	9505180503	95/05/12	50-315 Q	9505190271	9505190222	95/01/26	50-498 Q
9505180514	9505180511	95/05/12	50-382 F	9505190275	9505150122	94/12/23	50-220 P
9505180533	9505180525	94/06/10	40-2259	9505190277	9505190270	95/05/11	WASTE MGT
9505180541	9505180538	95/05/08	52-3	9505190279	9505190273	95/05/02	WASTE MGT
9505180544	9505180535	95/05/03	50-387 P	9505190281	9505190236	94/12/29	FOIA
9505180550	9505180548	95/05/11	50-395 R	9505190284	9505150122	94/12/23	FOIA
9505180553	9505180551	95/05/11	52-4	9505190289	9505150122	94/12/23	50-266 P
9505180566	9505180556	95/03/09	STATE PRO G	9505190290	9505150122	94/12/23	FOIA
9505180567	9505180563	95/05/11	50-317 P	9505190291	9505150122	94/12/23	FOIA
9505180589	9505180587	95/04/14	WASTE MGT	9505190295	9505150122	94/12/23	FOIA
9505180591	9505180588	95/04/27	STATE PRO G	9505190300	9505150122	94/12/23	FOIA
9505180601	9505180597	95/05/11	50-160 G	9505190306	9505150122	94/12/23	FOIA
9505180606	9505180605	95/04/21	WASTE MGT	9505190309	9505190301	95/05/10	50-335 P
9505190021	9505190012	95/05/05	50-295 Q	9505190310	9505150122	94/12/23	FOIA
9505190027	9505190024	95/05/12	50-298 P	9505190325	9505190324	95/05/15	50-338 P
9505190028	9505190012	95/05/05	50-295 Q	9505190326	9505190324	95/05/15	50-338 P
9505190037	9505190031	95/05/10	50-245 Q	9505190330	9505150122	94/12/23	FOIA
9505190039	9505190024	95/05/12	50-298 P	9505190332	9505150122	94/12/23	FOIA
9505190041	9505190033	95/05/08	50-456 Q	9505190334	9505150122	94/12/23	FOIA
9505190046	9505190031	95/05/10	50-245 Q	9505190336	9505150122	94/12/23	FOIA
9505190051	9505190024	95/05/12	50-298 P	9505190337	9505190333	95/05/15	50-424 P
9505190054	9505190033	95/05/08	50-456 Q	9505190339	9505190333	95/05/15	50-424 P
9505190059	9505190053	95/05/10	50-334 Q	9505190341	9505150122	94/12/23	FOIA
9505190068	9505190024	95/05/12	50-298 P	9505190343	9505150122	94/12/23	FOIA
9505190071	9505190066	95/05/10	40-8902	9505190349	9505150122	94/12/23	FOIA
9505190073	9505190061	95/05/05	50-282 Q	9505190366	9505150122	94/12/23	FOIA
9505190076	9505190024	95/05/12	50-298 P	9505190370	9505190357	95/05/15	50-334 P
9505190080	9505190024	95/05/12	50-298 P	9505190375	9505190357	95/05/15	50-334 P
9505190083	9505190079	95/05/11	50-261 P	9505190380	9505190379	95/05/05	50-272 P
9505190085	9505190081	95/05/12	50-397 Q	9505190387	9505190383	95/05/05	70-7001
9505190087	9505190024	95/05/12	50-298 P	9505190391	9505190390	95/05/09	ORG
9505190091	9505190024	95/05/12	50-298 P	9505190404	9505190403	95/05/16	50-247 P
9505190092	9505190084	95/05/15	QA999	9505220003	9505220002	95/05/12	50-286 Q
9505190093	9505190089	95/05/11	50-259 P	9505220004	9505220002	95/05/12	50-286 Q
9505190100	9505190094	95/05/12	50-424 P	9505220011	9505220006	95/05/11	50-277 Q
9505190101	9505190084	95/05/15	QA999	9505220019	9505220013	95/05/16	QA999
9505190103	9505190082	95/05/04	50-155 Q	9505220031	9505220024	95/05/11	50-286 Q
9505190106	9505190095	95/05/12	50-528 Q	9505220032	9505220023	95/05/10	PROJ
9505190108	9505190024	95/05/12	50-298 P	9505220041	9505220036	95/05/15	50-282 P
9505190109	9505190095	95/05/12	50-528 Q	9505220042	9505220036	95/05/15	50-282 P
9505190110	9505190098	95/05/12	50-2 P	9505220050	9505220045	95/05/12	50-247 Q
9505190112	9505190024	95/05/12	50-298 P	9505220052	9505220048	95/05/15	40-8857
9505190113	9505190098	95/05/12	50-2 P	9505220056	9505220051	95/05/11	50-282 Y
9505190120	9505190116	95/05/12	50-2 P	9505220061	9505220047	95/05/05	50-334 Q
9505190125	9505190116	95/05/12	50-2 P	9505220072	9505220066	95/05/10	50-440 P
9505190132	9505190129	95/05/12	50-423 P	9505220073	9505230183	95/05/12	50-333 P
9505190136	9505190129	95/05/12	50-423 P	9505220078	9505230183	95/05/12	50-333 P
9505190162	9505190024	95/05/12	50-298 P	9505220086	9505010173	94/12/07	40-1790
9505190164	9505190128	95/01/24	FOIA	9505220088	9505220082	95/05/18	52-3
9505190167	9505190024	95/05/12	50-298 P	9505220098	9505220084	95/05/12	50-293 P
9505190171	9505190128	95/01/24	FOIA	9505220100	9505220095	95/05/12	50-445 P
9505190174	9505190024	95/05/12	50-298 P	9505220104	9505220097	95/05/16	50-445 F
9505190178	9505190163	95/05/02	50-369 F	9505220130	9505220047	95/05/05	50-334 Q
9505190180	9505190024	95/05/12	50-298 P	9505220134	9505220129	95/05/12	50-338 P
9505190183	9505190128	95/01/24	FOIA	9505220136	9505220129	95/05/12	50-338 P
9505190184	9505190179	95/05/17	71-810	9505220149	9505010173	94/12/07	40-1790
9505190185	9505190172	95/05/12	70-7001	9505220155	9505010173	94/12/07	40-1790
9505190187	9505190176	95/05/12	PROJ	9505220157	9505010173	94/12/07	40-1790
9505190189	9505190128	95/01/24	FOIA	9505220170	9505220159	95/05/16	50-259 P
9505190190	9505190175	95/05/16	50-454 P	9505220171	9505010173	94/12/07	40-1790
9505190191	9505190172	95/05/12	70-7001	9505220174	9505220090	95/05/12	50-250 Q
9505190193	9505190024	95/05/12	50-298 P	9505220178	9505220169	95/05/15	50-356 P
9505190195	9505190128	95/01/24	FOIA	9505220181	9505220180	95/05/04	50-272 P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9505220182	9505220049	95/04/26	STATE PRO	G	9505230313	9505010173	94/12/07	40-1790	
9505220184	9505220183	95/04/21	40-8857		9505230316	9505230282	95/01/06	FOIA	
9505220195	9505220194	95/05/10	50-331	S	9505230317	9505010173	94/12/07	40-1790	
9505220197	9505010173	94/12/07	40-1790		9505230323	9505230320	95/01/10	FOIA	
9505220198	9505010173	94/12/07	40-1790		9505230325	9505230320	95/01/10	FOIA	
9505220204	9505010173	94/12/07	40-1790		9505230327	9505230282	95/01/06	FOIA	
9505220206	9505220201	95/05/01	ADVCM		9505230330	9505230320	95/01/10	FOIA	
9505220208	9505220201	95/05/01	ADVCM		9505230334	9505010173	94/12/07	40-1790	
9505220212	9505220201	95/05/01	ADVCM		9505230336	9505230282	95/01/06	FOIA	
9505220213	9505220207	95/05/16	50-395	Q	9505230348	9505230346	95/05/09	50-247	P
9505220216	9505010173	94/12/07	40-1790		9505230358	9505230356	95/01/06	FOIA	
9505220218	9505220201	95/05/01	ADVCM		9505230360	9505010173	94/12/07	40-1790	
9505220222	9505220201	95/05/01	ADVCM		9505230363	9505230356	95/01/06	FOIA	
9505220224	9505220214	95/05/16	50-443	P	9505230365	9505010173	94/12/07	40-1790	
9505220229	9505220201	95/05/01	ADVCM		9505230368	9505230356	95/01/06	FOIA	
9505220236	9505220231	95/05/15	50-266	H	9505230369	9505010173	94/12/07	40-1790	
9505220238	9505220226	95/05/12	50-29	W	9505230372	9505010173	94/12/07	40-1790	
9505220240	9505010173	94/12/07	40-1790		9505240013	9505240011	95/05/12	50-327	K
9505220241	9505220226	95/05/12	ORG		9505240015	9505240011	95/05/12	50-327	K
9505220242	9505220231	95/05/15	50-266	H	9505240016	9505240010	95/05/16	50-395	Q
9505220244	9505220226	95/05/12	ORG		9505240021	9505240018	95/05/13	50-271	Q
9505220245	9505010173	94/12/07	40-1790		9505240025	9505240023	95/05/15	50-237	P
9505220256	9505010173	94/12/07	40-1790		9505240035	9505240028	95/05/15	50-346	Q
9505220268	9505220262	95/05/16	50-313	P	9505240036	9505240027	95/05/19	50-456	V
9505220273	9505220154	95/05/15	50-269	R	9505240037	9505240030	95/05/11	50-259	Q
9505220274	9505220154	95/05/15	50-269	R	9505240039	9505240028	95/05/15	50-346	Q
9505220281	9505220152	95/05/15	50-413	R	9505240041	9505240040	95/05/17	50-498	Q
9505220282	9505220152	95/05/15	50-413	R	9505240048	9505230255	95/05/11	50-311	Q
9505220285	9505220158	95/05/15	50-369	R	9505240049	9505240043	95/05/15	50-309	Q
9505220286	9505220158	95/05/15	50-369	R	9505240064	9505240058	95/05/15	50-245	Q
9505220289	9505220283	95/05/11	COMMISSIO	N	9505240073	9505240067	95/05/18	50-353	P
9505220297	9505220283	95/05/11	COMMISSIO	N	9505240084	9505240080	95/05/11	WASTE MGT	
9505220302	9505220283	95/05/11	COMMISSIO	N	9505240085	9505240074	95/05/12	70-1201	
9505220306	9505220304	95/05/15	50-445	R	9505240090	9505240061	95/05/17	50-313	Q
9505220307	9505220304	95/05/15	50-445	R	9505240091	9505240087	95/05/15	50-280	F
9505230004	9505230162	95/05/09	70-754		9505240093	9505240089	95/05/16	50-309	Q
9505230006	9505230003	95/05/16	50-298	Q	9505240094	9505240087	95/05/15	50-280	F
9505230008	9505230003	95/05/16	50-298	Q	9505240096	9505240056	95/05/12	50-327	Q
9505230027	9505230022	95/05/15	50-498	Q	9505240105	9505240102	95/05/17	50-335	P
9505230032	9505230022	95/05/15	50-498	Q	9505240107	9505240097	95/05/09	PROJ	
9505230049	9505230045	95/05/16	50-483	F	9505240115	9505240110	95/05/12	50-269	Q
9505230050	9505230043	95/05/08	50-483	Q	9505240123	9505240110	95/05/12	50-269	Q
9505230060	9505230055	95/05/09	40-*****		9505240126	9505240124	95/05/10	50-369	Q
9505230062	9505230056	95/05/15	50-348	P	9505240129	9505240121	95/05/15	50-387	Q
9505230063	9505230054	95/05/16	50-285	Q	9505240132	9505240124	95/05/10	50-369	Q
9505230067	9505230061	95/05/16	50-482	Q	9505240133	9505240127	95/05/16	50-277	P
9505230070	9505230054	95/05/16	50-285	Q	9505240140	9505240127	95/05/16	50-277	P
9505230071	9505230051	95/05/11	50-499	S	9505240142	9505240139	95/05/15	50-387	Q
9505230072	9505230055	95/05/09	40-*****		9505240146	9505240131	95/05/04	40-2975	
9505230076	9505230055	95/05/09	40-*****		9505240153	9505240143	95/05/16	50-220	Q
9505230103	9505230095	95/05/11	50-369	S	9505240155	9505240147	95/05/08	50-259	Q
9505230110	9505230101	95/05/15	52-4		9505240156	9505240151	95/05/15	50-313	P
9505230140	9505230105	95/05/15	50-388	S	9505240157	9505240150	95/05/17	50-423	P
9505230160	9505230158	95/05/18	50-483	P	9505240159	9505240143	95/05/16	50-220	Q
9505230165	9505150239	94/12/19	FOIA		9505240161	9505240150	95/05/17	50-423	P
9505230168	9505220060	95/05/15	50-317	R	9505240167	9505240162	95/05/16	50-309	Q
9505230169	9505230163	95/05/18	50-259	P	9505240168	9505240165	95/05/19	50-315	P
9505230172	9505150239	94/12/19	70-1489		9505240170	9505240160	95/05/12	50-348	Q
9505230174	9505220060	95/05/15	50-317	R	9505240179	9505240173	95/05/12	50-400	Q
9505230177	9505220060	95/05/15	50-317	R	9505240182	9505240177	95/05/11	50-338	Q
9505230185	9505150239	94/12/19	FOIA		9505240187	9505240184	95/05/11	50-321	Q
9505230186	9505230173	95/01/23	ORG		9505240191	9505240177	95/05/11	50-338	Q
9505230193	9505150239	94/12/19	FOIA		9505240194	9505230019	95/05/12	50-155	P
9505230204	9505230201	95/05/17	50-281	P	9505240197	9505240192	95/05/18	71-348	
9505230205	9505010173	94/12/07	40-1790		9505240202	9505240198	95/05/19	50-446	S
9505230208	9505010173	94/12/07	40-1790		9505240204	9505240201	95/05/15	50-271	Q
9505230209	9505230190	95/05/17	50-281	P	9505240210	9505240196	95/05/18	50-397	Q
9505230220	9505230213	94/12/29	FOIA		9505240216	9505240209	95/05/13	50-443	Q
9505230221	9505230219	95/05/16	50-390	A	9505240219	9505240213	95/05/19	50-368	P
9505230222	9505010173	94/12/07	40-1790		9505240230	9505240226	95/05/19	50-313	P
9505230225	9505230213	94/12/29	FOIA		9505240232	9505240225	95/05/01	52-3	
9505230230	9505230213	94/12/29	FOIA		9505240234	9505240223	95/05/17	50-335	P
9505230235	9505230213	94/12/29	FOIA		9505240240	9505240231	95/05/12	50-390	Q
9505230236	9505230232	95/01/03	70-3073		9505240248	9505240231	95/05/12	50-390	Q
9505230259	9505230147	95/05/11	50-413	P	9505240251	9505240245	95/05/09	50-272	R
9505230260	9505010173	94/12/07	40-1790		9505240264	9505240256	95/05/12	50-348	Q
9505230265	9505010173	94/12/07	40-1790		9505240270	9505240256	95/05/12	50-348	Q
9505230270	9505230147	95/05/11	50-413	P	9505240275	9505240262	95/05/17	50-443	P
9505230272	9505010173	94/12/07	40-1790		9505240281	9505240271	95/05/18	50-336	P
9505230280	9505010173	94/12/07	40-1790		9505240284	9505240262	95/05/17	50-443	P
9505230287	9505230147	95/05/11	50-413	P	9505240285	9505240277	95/05/04	40-8976	
9505230291	9505230282	95/01/06	FOIA		9505240289	9505240278	95/01/06	50-498	P
9505230301	9505230299	95/05/17	50-289	P	9505240292	9505240287	95/05/19	50-313	P
9505230303	9505230282	95/01/06	FOIA		9505240299	9505240294	95/05/08	52-3	
9505230304	9505230299	95/05/17	50-289	P	9505240302	9505240298	95/05/19	50-373	P
9505230306	9505230282	95/01/06	FOIA		9505240303	9505240300	95/05/12	50-327	Q
9505230310	9505230282	95/01/06	FOIA		9505240308	9505240008	95/05/16	50-348	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9505240311	9505240304	95/05/11	40-3392		9505250253	9505250251	95/05/17	50-10	W
9505240318	9505240304	95/05/11	40-3392		9505250262	9505250254	95/05/23	50-259	K
9505240325	9505240322	95/05/11	71-9039		9505250264	9505010173	94/12/07	40-1790	
9505240328	9505240327	95/05/16	50-498	S	9505250279	9505010173	94/12/07	40-1790	
9505240329	9505240327	95/05/16	50-498	S	9505250282	9505010173	94/12/07	40-1790	
9505240330	9505240315	95/05/18	50-366	P	9505250297	9505250289	95/01/12	FOIA	
9505240355	9505010173	94/12/07	40-1790		9505250302	9505010173	94/12/07	40-1790	
9505240365	9505010173	94/12/07	40-1790		9505250311	9505010173	94/12/07	40-1790	
9505240369	9505010173	94/12/07	40-1790		9505250316	9505250315	95/05/19	50-269	Q
9505240374	9505010173	94/12/07	40-1790		9505250318	9505010173	94/12/07	40-1790	
9505240379	9505240376	95/05/15	50-220	I	9505250323	9505250320	95/05/18	50-458	P
9505240384	9505240382	95/05/19	50-382	P	9505250326	9505250322	95/05/05	40-8948	
9505240386	9505240381	95/01/12	50-498	Q	9505250329	9505250319	95/05/18	50-445	P
9505240389	9505240381	95/01/12	50-498	P	9505250333	9505250331	95/05/19	50-443	P
9505240390	9505010173	94/12/07	40-564		9505250336	9505250331	95/05/19	50-443	P
9505240391	9505240381	95/01/12	50-498	P	9505250337	9505250334	95/05/08	40-8948	
9505240396	9505240376	95/05/15	50-220	I	9505250348	9505250347	95/05/18	70-36	
9505240398	9505240376	95/05/15	50-220	I	9505250349	9505250347	95/05/18	70-36	
9505240399	9505240376	95/05/15	50-220	I	9505260015	9505260013	95/05/19	50-445	Q
9505240400	9505240376	95/05/15	50-220	I	9505260016	9505260014	95/05/22	40-8943	
9505240405	9505240403	95/01/17	50-458	Q	9505260030	9505260014	95/05/22	40-8943	
9505240411	9505240407	95/05/18	50-293	Q	9505260035	9505260031	95/05/22	50-313	Q
9505240413	9505240412	95/05/17	50-295	P	9505260038	9505260037	95/05/22	50-458	Q
9505240419	9505010173	94/12/07	40-564		9505260047	9505260040	95/05/19	50-443	P
9505240423	9505240421	95/01/17	50-498	Q	9505260048	9505260045	95/05/22	50-397	Q
9505240427	9505240418	95/01/17	FOIA		9505260050	9505260045	95/05/22	50-397	Q
9505240428	9505240421	95/01/17	50-498	Q	9505260053	9505260040	95/05/19	50-443	P
9505240429	9505240421	95/01/17	FOIA		9505260058	9505260055	95/05/19	50-312	Q
9505240431	9505240421	95/01/17	50-498	P	9505260062	9505260060	95/05/22	50-313	Q
9505240433	9505240418	95/01/17	40-8914		9505260067	9505260064	95/05/17	50-219	F
9505240436	9505240435	95/05/22	50-334	P	9505260076	9505010173	94/12/07	FOIA	
9505240444	9505240441	95/05/17	50-151	P	9505260086	9505260079	95/05/19	50-482	Q
9505240446	9505240418	95/01/17	40-8914		9505260087	9505260061	95/05/17	50-482	P
9505240449	9505240447	95/05/19	50-368	P	9505260088	9505260079	95/05/19	50-482	Q
9505240450	9505240418	95/01/17	40-8914		9505260091	9505260061	95/05/17	50-482	P
9505250013	9505250007	95/05/19	STATE PRO	G	9505260113	9505260105	95/05/18	50-331	P
9505250024	9505250022	95/05/15	50-282	P	9505260115	9505010173	94/12/07	40-1790	
9505250028	9505250023	95/05/10	STATE PRO	G	9505260117	9505260105	95/05/18	50-331	P
9505250038	9505250034	95/05/18	70-1703		9505260134	9505260124	95/05/17	50-397	P
9505250042	9505250034	95/05/18	70-1703		9505260137	9505260124	95/05/17	50-397	P
9505250043	9505240271	95/05/18	50-336	P	9505260146	9505260139	95/05/12	50-277	P
9505250051	9505250047	95/05/10	STATE PRO	G	9505260150	9505260142	95/05/11	40-8502	
9505250062	9505250057	95/05/03	STATE PRO	G	9505260161	9505260130	95/05/19	50-309	F
9505250065	9505250063	95/05/19	50-530	P	9505260169	9505010173	94/12/07	FOIA	
9505250067	9505250057	95/05/03	STATE PRO	G	9505260174	9505010173	94/12/07	40-564	
9505250070	9505250057	95/05/03	STATE PRO	G	9505260185	9505230356	95/01/06	50-498	H
9505250072	9505250068	95/04/25	71-*****		9505260186	9505260177	95/05/17	50-280	F
9505250075	9505250069	95/04/27	STATE PRO	G	9505260191	9505260177	95/05/17	50-280	F
9505250078	9505250058	95/05/04	STATE PRO	G	9505260194	9505010173	94/12/07	FOIA	
9505250081	9505250069	95/04/27	STATE PRO	G	9505260196	9505260190	95/05/16	50-277	P
9505250082	9505250058	95/05/04	STATE PRO	G	9505260209	9505260202	95/05/22	40-8681	
9505250096	9505250058	95/05/04	STATE PRO	G	9505260212	9505260208	95/05/19	50-327	P
9505250103	9505250100	95/01/19	50-255	Y	9505260217	9505260214	95/05/12	50-267	W
9505250104	9505250091	95/05/12	STATE PRO	G	9505260222	9505260216	95/05/19	50-328	P
9505250107	9505250099	95/05/15	STATE PRO	G	9505260225	9505260202	95/05/22	40-8681	
9505250108	9505250102	95/05/19	50-353	Q	9505260229	9505260202	95/05/22	40-8681	
9505250110	9505250100	95/01/19	50-255	Y	9505260234	9505010173	94/12/07	FOIA	
9505250111	9505250091	95/05/12	STATE PRO	G	9505260240	9505260202	95/05/22	40-8681	
9505250112	9505250109	95/05/19	50-498	P	9505260242	9505010173	94/12/07	40-1790	
9505250113	9505250100	95/01/19	50-255	Y	9505260245	9505260241	95/05/19	50-368	P
9505250115	9505250109	95/05/19	50-498	P	9505260246	9505260232	95/05/16	50-160	G
9505250116	9505250100	95/01/19	50-255	H	9505260248	9505260478	95/05/10	40-8027	
9505250121	9505250097	95/05/18	STATE PRO	G	9505260250	9505260241	95/05/19	50-368	P
9505250124	9505250119	95/05/19	50-255	P	9505260253	9505260233	95/05/10	WASTE MGT	
9505250127	9505250119	95/05/19	50-255	P	9505260261	9505260257	95/05/12	71-*****	
9505250129	9505250099	95/05/15	STATE PRO	G	9505260262	9505260256	95/05/19	50-368	P
9505250133	9505250130	95/05/17	STATE PRO	G	9505260264	9505260232	95/05/16	50-160	G
9505250136	9505250099	95/05/15	STATE PRO	G	9505260267	9505260256	95/05/19	50-368	P
9505250140	9505250099	95/05/15	STATE PRO	G	9505260273	9505260270	95/05/19	50-368	P
9505250143	9505250099	95/05/15	STATE PRO	G	9505260276	9505260270	95/05/19	50-368	P
9505250148	9505250145	95/05/17	50-237	P	9505260291	9505260288	95/05/19	50-352	P
9505250163	9505250099	95/05/15	STATE PRO	G	9505260295	9505260285	95/05/18	50-305	P
9505250171	9505250155	95/05/18	50-440	P	9505260301	9505260292	95/05/19	70-364	
9505250177	9505250167	95/05/15	52-3		9505260305	9505260285	95/05/18	50-305	P
9505250194	9505250191	95/05/09	50-338	Y	9505260311	9505230356	95/01/06	50-424	H
9505250199	9505250191	95/05/09	50-338	Y	9505260313	9505260065	95/05/09	40-8948	
9505250215	9505250211	95/05/17	TOPREP		9505260322	9505260317	95/05/19	50-423	P
9505250217	9505010173	94/12/07	40-1790		9505260325	9505260098	95/05/22	50-387	F
9505250220	9505250214	95/05/22	50-269	Q	9505260328	9505260098	95/05/22	50-387	F
9505250230	9505250218	95/03/20	50-245	P	9505260335	9505260333	95/05/18	50-245	P
9505250231	9505250226	95/05/23	50-423	P	9505260352	9505260351	95/05/17	70-36	
9505250234	9505250226	95/05/23	50-423	P	9505260355	9505260351	95/05/17	70-36	
9505250239	9505250218	95/03/20	50-245	P	9505260357	9505260354	95/05/19	WASTE MGT	
9505250243	9505250192	95/05/18	71-97		9505260367	9505230356	95/01/06	50-424	H
9505250245	9505010173	94/12/07	40-564		9505260370	9505230356	95/01/06	50-424	H
9505250246	9505250238	95/05/22	50-309	P	9505260375	9505260275	95/05/19	50-445	F
9505250248	9505250238	95/05/22	50-309	P	9505260380	9505260266	95/05/18	70-27	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9505260381	9505260378	95/05/17	50-336	P	9505310024	9505310011	95/05/22	STATE PRO	G
9505260383	9505260378	95/05/17	50-336	P	9505310028	9505310025	95/05/24	50-400	Q
9505260405	9505260399	95/05/24	ADVCM		9505310032	9505310016	95/05/22	50-309	Q
9505260406	9505260399	95/05/24	ADVCM		9505310035	9505310030	95/05/24	50-305	Q
9505260409	9505260397	95/05/19	PROJ		9505310045	9505310040	95/05/12	STATE PRO	G
9505260410	9505260408	95/05/22	50-498	P	9505310050	9505310043	95/05/22	50-271	Q
9505260439	9505260438	95/01/26	71-3024		9505310052	9505310048	95/05/24	50-286	Q
9505260440	9505260438	95/01/26	71-3024		9505310061	9505310057	95/05/24	50-261	V
9505260441	9505260438	95/01/26	71-3024		9505310064	9505310055	95/05/19	50-390	Q
9505260462	9505260459	95/05/15	52-3		9505310069	9505310055	95/05/19	50-390	Q
9505260464	9505260459	95/05/15	52-3		9505310071	9505310067	95/05/24	50-269	Q
9505300005	9505300003	95/05/23	50-395	Q	9505310072	9505310060	95/05/23	50-410	Q
9505300007	9505300003	95/05/23	50-395	Q	9505310076	9505310067	95/05/24	50-269	Q
9505300013	9505300010	95/05/18	50-369	Q	9505310095	9505310089	95/05/23	50-416	Q
9505300016	9505300010	95/05/18	50-369	Q	9505310100	9505310096	95/05/23	50-250	P
9505300031	9505300025	95/05/17	50-250	Q	9505310101	9505310099	95/05/19	50-335	Q
9505300033	9505300028	95/05/19	50-287	P	9505310105	9505310086	95/05/23	50-286	Q
9505300048	9505300044	95/05/19	50-321	Q	9505310123	9505310121	95/05/24	50-352	Q
9505300051	9505300046	95/05/18	50-324	Q	9505310125	9505310107	95/05/23	50-338	Q
9505300058	9505300055	95/05/18	50-280	Q	9505310150	9505310142	95/05/23	50-244	Q
9505300059	9505300056	95/05/22	50-424	R	9505310154	9505310149	95/05/25	50-498	P
9505300069	9505300062	95/05/22	50-498	Q	9505310159	9505310156	95/05/23	50-445	P
9505300072	9505300062	95/05/22	50-498	Q	9505310162	9505310160	95/05/25	50-498	P
9505300087	9505300080	95/05/22	50-482	Q	9505310175	9505310167	95/05/24	50-155	Q
9505300095	9505300080	95/05/22	50-482	Q	9505310176	9505310173	95/05/25	50-498	P
9505300106	9505300100	95/05/19	50-261	Q	9505310206	9505310201	95/05/24	50-289	P
9505300110	9505300100	95/05/19	50-261	Q	9505310234	9505310231	95/05/22	50-285	R
9505300112	9505300105	95/05/19	50-424	Q	9505310243	9505310220	95/05/18	50-272	S
9505300120	9505300113	95/05/19	50-325	V	9505310249	9505310246	95/05/24	50-266	R
9505300125	9505300119	95/05/19	50-321	Q	9505310279	9505310275	95/04/24	WASTE MGT	
9505300129	9505300119	95/05/19	50-321	Q	9505310285	9505310275	95/04/24	WASTE MGT	
9505300131	9505300127	95/05/22	50-295	S	9505310289	9505310270	95/04/03	ORG	
9505300154	9505300141	95/05/15	50-325	P	9505310292	9505310275	95/04/24	WASTE MGT	
9505300160	9505300141	95/05/15	50-325	P	9505310297	9505310286	95/05/22	50-361	S
9505300167	9505300163	95/05/31	71-9228		9505310298	9505310275	95/04/24	WASTE MGT	
9505300196	9505300186	95/05/18	50-416	Q	9505310299	9505310293	95/05/25	40-8902	
9505300211	9505300208	95/05/22	50-413	P	9505310302	9505310275	95/04/24	WASTE MGT	
9505300214	9505300202	95/05/23	50-277	R	9505310308	9505310275	95/04/24	WASTE MGT	
9505300273	9505300268	95/05/12	50-247	F	9505310311	9505310275	95/04/24	WASTE MGT	
9505300282	9505300281	95/05/16	50-267	S	9505310312	9505310275	95/04/24	WASTE MGT	
9505300283	9505300281	95/05/16	50-267	S	9505310314	9505310275	95/04/24	WASTE MGT	
9505300296	9505300193	95/04/24	WASTE MGT		9505310316	9505310313	95/05/25	50-315	P
9505300302	9505300299	95/05/25	71-9251		9505310318	9505310275	95/04/24	WASTE MGT	
9505300316	9505300314	95/05/24	71-97		9505310319	9505310304	95/05/23	50-302	S
9505300344	9505300337	95/05/18	50-334	I	9505310337	9505310331	95/05/22	50-498	S
9505300347	9504140194	95/04/04	50-277	U	9505310357	9505310346	95/05/23	70-3070	
9505300362	9505300337	95/05/18	50-334	I	9505310371	9505310365	95/05/25	50-267	W
9505300367	9505300337	95/05/18	50-334	I	9505310436	9505310435	95/05/18	50-413	P
9505300370	9505300337	95/05/18	50-334	I	9505310449	9505310442	95/05/16	50-269	P
9505300401	9505300398	95/05/17	50-454	P	9505310463	9505310457	95/05/23	50-373	P
9505300433	9505300430	95/05/24	50-271	P	9505310466	9505310459	95/05/25	50-336	P
9505300450	9505300448	95/05/15	50-395	F	9505310478	9505310471	95/05/25	50-341	S
9505300453	9505300452	95/05/20	50-410	P	9505310479	9505310473	95/05/10	WASTE MGT	
9505310005	9505310004	95/05/16	50-390	K	9505310491	9505310483	95/05/19	50-263	S
9505310007	9505310006	95/05/23	50-255	P	9505310523	9505310514	95/05/22	50-413	S
9505310009	9503220425	95/03/15	52-3		9505310556	9505310506	95/05/23	50-361	P
9505310013	9505310010	95/05/19	WASTE MGT		9505310559	9505310506	95/05/23	50-361	P
9505310015	9505310010	95/05/19	WASTE MGT		9505310586	9505310582	95/05/17	50-413	K
9505310018	9505310014	95/05/23	70-27		9505310635	9505310632	95/05/24	50-302	P
9505310020	9505310058	95/05/23	50-247	Q	9505310648	9505310644	95/05/25	50-289	P
9505310022	9505310019	95/05/23	50-339	Q	9506020153	9505310270	95/04/03	ORG	

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

19. Safety Evaluation Reports (SERs) on specific generic issues.

20. Reports of site visits.

21. Backup technical documents (e.g., topical reports) submitted in support of the application.

22. Proposed equipment failure/instructions.

23. NRC's changes in internal organizational structure.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

All related correspondence is filed in Category A.

1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).

2. Amendments and changes to the PSAR.

3. Transmittal and acknowledgment letters.

4. Certificates of service to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

1. Environmental Report (ER) submitted by the utility.

2. Amendments and supplements to the ER.

3. Transmittal and acknowledgment letters.

4. Information on scheduling of submittal or review of ER.

5. NRC questions, requests for additional information, and applicant responses.

6. Federal Register notices citing the availability of items 1 and 2.

7. Correspondence relating to the review of ER.

8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER.

9. Correspondence relating to certification of pollution control devices.

NOTE: Other environmental documents are filed in Categories A, D, P, or R.

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC.
2. Supplements to the DES and FES.
3. Correspondence relating to the DES and FES.
4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals.
5. Transmittal and acknowledgment letters.
6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.
7. Backup technical documents submitted in connection with above.
8. Federal Register notices citing availability of items 1 and 2.
9. Reports of site visits to obtain information for the DES or FES.
10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.

NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR.
2. Supplements to the SER.
3. Correspondence relating to the SER and supplements.
4. Federal Register notices citing availability of items 1 and 2.
5. Information on scheduling of SER submittals and review.
6. Requests for additional information for use in preparing SER; responses to such requests.
7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.
8. Transmittal and acknowledgment letters.

NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Health Physics Program and its review.
5. Emergency Plans.
6. Correspondence relating to aforementioned plans.
7. Supplements, changes, and revisions to plans.
8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness.
9. Transmittal and acknowledgment letters.
10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents.
2. Federal Register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the Boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only).
2. Changes in structure of organization (external only).
3. Changes in service lists.
4. NRC requests to applicants for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern, or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.
10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response.
11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.
2. Separately submitted financial information and related correspondence.
3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
2. Endorsements of insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility.
2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility.
3. Amendments and changes to the FSAR and USAR.
4. Federal Register notices citing availability of the FSAR and amendments.
5. Transmittal and acknowledgment letters.
6. Certificates of service to the FSAR and USAR.

NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
2. Correspondence pertaining to work performed under LWAs.

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review".
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

1. ACRS reports relating to facility license applications.

2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.

3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings, relating to both facility license applications and safety-related matters.

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.

2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.

3. Technical specifications and changes.

4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.

5. Federal Register notices citing availability of item 1 and the FSAR.

6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.

9. Information on the Standard Review Plan (STP).

10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).

11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

12. Owner's group meeting announcements and reports.

13. Quality assurance information.

14. Environmental matters (technical).

15. Seismic qualification review team (SQRT) reports and related correspondence.

16. Emergency core cooling system documents.

17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y.

18. Correspondence regarding expansion of spent fuel storage pool.

19. Start-up test reports.

20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

21. SERs on specific generic issues.

22. Proposed equipment failure/instructions.

23. Inservice testing (not inspections).

24. Reports of site visits.

25. Application to voluntarily surrender license, dismantle, and dispose of component parts.

26. Changes in NRC's internal organizational structure.

Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

1. Inspection reports.

2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices.

3. Responses by applicant to IE correspondence.

4. Applicant's determination of proprietary nature of Inspection Reports.

5. Letters concerning areas of noncompliance.

6. Pre-service and in-service inspections and procedures.

7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).

8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S.

9. Health physics inspections/appraisals.

10. Emergency preparedness inspections/appraisals.

11. Inspections and related correspondence from the International Atomic Energy Agency.

12. Systematic Assessment of Licensee Performance (SALP).

DEFINITIONS OF DOCKET 50 CATEGORIES

13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.

    A. Integrated Design Inspection (IDI) reports.

    B. Independent Design Verification Program (IDVP) reports.

14. Notice of significant licensee meetings.

15. Performance Appraisal Team (PAT) reports.

16. Licensee/Vendor interface inspections.

17. Correspondence relating to items 12, 13, 14, 15 and 16.

NOTE: For IE Bulletins and Information Notices, see I&E file series.

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.

2. Periodic environmental monitoring, effluent testing, or similar reports.

3. Periodic personnel exposure reports.

4. Periodic nonconformance reports (issued pursuant to Board orders).

5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.

6. Correspondence or other documents relating to the items listed.

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).

2. Potential or possible reportable Deficiency Reports and related correspondence.

3. Individual Personnel Exposure Reports.

4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).

5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNs).

6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.

7. Part 21 Reports or Defects and Noncompliance.

8. Correspondence or other documents relating to items 1–7.

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.
4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Information supplied for the record of Congressional hearings.
3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.
4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers.
2. Power plant examination summary sheet.
3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

1. Order granting authority to dismantle/decommission.

2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental Report on Dismantling, Safety Analysis Report on Decommissioning.

3. Documents relating to disposal of radioactive material and decontamination of the site.

4. Other correspondence relating to decommissioning.

5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.

X. ONSITE STORAGE OF LOW-LEVEL WASTE

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.

2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket-30 number associated with the Docket-50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket-72 number. For these installations on a reactor site, the associated Docket-50 number also has been identified.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR—Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification by the General Counsel on closed meetings.
4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.

ACRS—Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM—NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
2. Meeting announcements; description of meeting agenda.
3. Minutes and verbatim transcripts of committee meetings.
4. Committee-generated reports, memoranda, and correspondence that are publicly available.
5. Committee-related correspondence.

COMMISSION—NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

CONTRACT—NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

DEFINITIONS OF NONDOCKETED CATEGORIES

1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance.
2. Contractual documents and modifications to contracts.

FOIA—Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89–100 refers to the 100th FOIA request made in 1989).
2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.
3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.

GEN TECH IS—Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

1. Draft reports of action plans to accomplish generic tasks in the NRR program.
2. Correspondence with industry and within NRC discussing methodologies, analyses, the program and technical aspects of issues.
3. Meeting notifications and minutes.
4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.

I&E—Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations.

5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest.

6. Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance.

7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties.

NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

1. Results of licensing studies of specific plants or facilities preliminary to licensing actions.

2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry.

3. Action and review plans, as well as guidance, for meeting NRC requirements.

4. Task force reports on specific topics.

5. Proceeding of conferences and workshops.

6. Management and program analysis reports.

7. Statistical analyses that are of interest to the staff, the industry, and the public.

8. Administrative reports that are of interest to the staff, the industry, and the public.

9. Correspondence from industry, government, and the public commenting on reports.

10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports.

NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG—Organization File

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.

2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

PR—Proposed Rule

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.

2. Text of the Proposed Rule (PR).

3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.

5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRM—Petition for Rulemaking

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.

2. Federal Register notice of the filing of the petition.

3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.

5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

PROJ—Projects

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket-50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket-50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).

3. Applicant Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.

2. Amendments and change to the PSAR.

3. Transmittal and acknowledgment letters.

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.
2. Notices of deviations.
3. Follow-up correspondence resolving deviations cited.
2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

PT 21—10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.
2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.
3. NRC inspection reports of defects cited.
4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999—Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.
2. Notices of deviation.
3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD—Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.

2. Revised or newly issued Regulatory Guides.

3. NRC value/impact assessment.

4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.

5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES—Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.

    a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

    b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.

2. *Formal technical reports*, which may be periodic progress reports on long-term projects of final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.

3. *Research Information Letters* (RILs) summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP–Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

1. Agendas for quarterly Review Group meetings.
2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.
3. Research plans and predicted results of major experiments and presentations by research contractors.
4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.
5. Internal memoranda relating to topics under discussion.
6. Correspondence related to items 1 through 5.

RM—Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of Hearing Board meetings.
3. Petitions, motions, testimony, and statements submitted by parties to the hearings.
4. Hearing Board orders and rulings.
5. Technical reports submitted as evidence in the proceedings.
6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.

3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.

4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG—State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:

   a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.

   b. NRC review of Agreement State radiation control program.

   c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.

2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.

3. State Legislative Reports (discontinued as of December 1984).

4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

TOPREP—Topical and Vendor Reports and Correspondence

Contains Topical Reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket-specific and documents generated by vendor-related Owner's Groups are also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers and other vendors.

2. Revisions, modifications, and amendments to Topical Reports.

3. Correspondence between NRC and vendors pertaining to the review of submittals.

4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria.

5. Vendor-related Owner's Group meeting announcements, agendas, summaries, reports, and correspondence.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the docket series.

WASH—AEC-Issued Formal Reports and Correspondence

Formal reports that were issued by the U.S. Atomic Energy Commission (AEC) Headquarters staff which carry the WASH series code and correspondence pertaining to those reports. The WASH series, which consisted of administrative, scientific, and technical reports, ended in 1975 but correspondence is occasionally generated which refers to WASH reports. Post–1975 NRC-issued formal reports carry the NUREG series designation.

WM—Waste Management Documents

Contains records dealing with the activities of the NRC Division of High-Level Waste Management. Each topic has been assigned a unique number, prefixed by the letters "WM." Documents in these files include:

1. NRC and DOE prelicensing activities regarding the disposal of high-level waste in geologic repositories, pursuant to the Nuclear Waste Policy Act of 1982.

    a. Technical high-level waste site prelicensing documentation.

    b. Meeting agendas, minutes, and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories.

    c. Briefings by DOE on research being conducted on nuclear waste management.

2. NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, pursuant to the Uranium Mill Tailings Radiation Control Act of 1978.

3. Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high-level waste standard.

4. NRC topical report reviews and associated correspondence.

5. Correspondence from citizens and other non-government organizations for the above items.

NOTE: For contractor research on waste management activities, see the WMRES category.

WMRES—Waste Management and Research Reports

Contains interim and final reports, and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level disposal in geologic repositories, including:

1. Periodic contractor progress reports.

2. Trip reports.

3. Draft and final reports submitted for NRC review or information.

4. Correspondence between NRC staff and contractors related to technical questions or issues to be resolved.

XPORTLIC—Export and Import Licenses

Contains records relating to the issuance of licenses to export or import nuclear facilities and materials.

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials.

2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.

3. Commission letters requesting Executive Branch (e.g., U.S. Department of State) views.

4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to the common defense and security of the United States.

5. Correspondence to and from foreign governments, international organizations, and members of the public.

6. Hearing records and decisions.

7. Memoranda from the office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission decision on issuance of a proposed license.

8. Licenses, license amendments, and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.21 and SECY-series files.

NRC FORM 335
(2-89)
NRCM 1102,
3201, 3202

U.S. NUCLEAR REGULATORY COMMISSION

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER (Assigned by NRC, Add Vol., Supp., Rev., and Addendum Numbers, if any.)

NUREG-0540
Vol. 17, No. 5

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

May 1-31, 1995

3. DATE REPORT PUBLISHED

MONTH	YEAR
July	1995

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)
Unclassified

(This Report)
Unclassified

15. NUMBER OF PAGES

16. PRICE